

# Bridge Inspection Report

**06662**  
**US 79-10 LM 8.73**  
**over**  
**Holmes Ditch**



**Inspection Date:**

**Inspected By:**

**Inspection Type(s):**

Inspector:


Structure Number: 06662

Inspection Date:

Facility Carried: US 79-10 LM 8.73

## Bridge Inspection Report

### Location Map



Latitude: 34.39563229406289

Longitude: -91.75733501586916



Inspector:

Structure Number: 06662

Inspection Date:

Facility Carried: US 79-10 LM 8.73

## Bridge Inspection Report

## National Bridge Inventory

IDENTIFICATION		INSPECTIONS	
(1) STATE CODE	056 - Arkansas	(90) INSPECTION DATE	03/08/2017
(8) STRUCTURE NUMBER	06662	(91) DESIGNATED INSPECTION FREQUENCY	24
(5) INV. ROUTE (ON/UNDER)	1 2 1 79 0	(92) CRITICAL FEATURE INSPECTION	(93) CFI DATE
(2) HIGHWAY AGENCY	02 (3) COUNTY CODE 069	A. FRACTURE CRITICAL DETAIL	N
(4) PLACE CODE	00000	B. UNDERWATER INSPECTION	N
(6) FEATURES INTERSECTED	Holmes Ditch	C. OTHER SPECIAL	N
(7) FACILITY CARRIED	US 79-10 LM 8.73	CONDITION	
(9) LOCATION	5.3 Mi SW ArkCo-Humphrey	(58) DECK	8
(11) MILEPOINT 8.730	(12) BASE HIGHWAY NETWORK 1	(59) SUPERSTRUCTURE	8 (60) SUBSTRUCTURE 8
(13A) LRS INVENTORY ROUTE	0000079100 (13B) SUBROUTE NUMBER 00	(61) CHANNEL & CHANNEL PROTECTION	8 (62) CULVERT N
(16) LATITUDE 34.39563229406289	(17) LONGITUDE -91.75733501586916	LOAD RATING AND POSTING	
(98A) BORDER BRIDGE CODE		(31) DESIGN LOAD	5
PERCENT RESPONSIBILITY	(99) BORDER BRIDGE STRUCT	(63) METHOD USED TO DETERMINE OPERATING RATING	1
STRUCTURE TYPE AND MATERIAL		(64) OPERATING RATING	60.0
(43) STRUCTURE TYPE, MAIN		(65) METHOD USED TO DETERMINE INVENTORY RATING	1
A) KIND OF MATERIAL/DESIGN:	1 - Concrete	(66) INVENTORY RATING	36.0
B) TYPE OF DESIGN/CONSTR:	01 - Slab	(70) BRIDGE POSTING	5
(44) STRUCTURE TYPE, APPROACH SPANS		(41) STRUCTURE OPEN/POSTED/CLOSED	A
A) KIND OF MATERIAL/DESIGN:	0 - Other	APPRAISAL	
B) TYPE OF DESIGN/CONSTR:	00 - Other	(67) STRUCTURAL EVALUATION	8
(45) NUMBER OF SPANS IN MAIN	3 (46) NUMBER OF APPROACH	(68) DECK GEOMETRY	6
(107) DECK STRUCTURE TYPE	1 (108A) WEARING SURFACE	(69) UNDERCLEARANCES, VERTICAL & HORIZONTAL	N
(108B) DECK MEMBRANE	0 (108C) DECK PROTECTION	(71) WATERWAY ADEQUACY	8
AGE OF SERVICE		(72) APPROACH ROADWAY ALIGNMENT	8
(27) YEAR BUILT	1998 (106) YEAR RECONSTRUCTED	(36) TRAFFIC SAFETY FEATURE	
(42) TYPE OF SERVICE	ON 1 UNDER 5	36A) BRIDGE RAILINGS:	0
(28) LANES	ON 02 UNDER 00	36B) TRANSITIONS:	0
(29) AVERAGE DAILY TRAFFIC	3500 (19) BYPASS DETOUR LENGTH	36C) APPROACH GUARDRAIL:	0
(30) YEAR OF AVERAGE DAILY TRAFFIC	2014	36D) APPROACH GUARDRAIL ENDS:	0
(109) AVERAGE DAILY TRUCK TRAFFIC	1	(113) SCOUR CRITICAL BRIDGES	5
GEOMETRIC DATA		SUFFICIENCY RATING	0 STATUS 86.4
(48) LENGTH OF MAX SPAN (ft.)	35 (49) STRUCTURE LENGTH (ft.)	105	
(50) CURB/SIDEWALK WIDTHS (ft.)	LEFT 0 RIGHT 0	CLASSIFICATION	
(51) BRDG RDWY WIDTH CURB-TO-CURB (ft.)	40.0	(112) NBIS BRIDGE LENGTH	Y
(52) DECK WIDTH, OUT-TO-OUT (ft.)	42.8	(104) HIGHWAY SYSTEM OF THE INVENTORY ROUTE	1
(32) APPROACH ROADWAY WIDTH (ft.)	36.1	(26) FUNCTIONAL CLASSIFICATION OF INVENTORY ROUTE	02
(33) BRIDGE MEDIAN	0 (34) SKEW (DEG.)	(100) STRAHNET HIGHWAY DESIGNATION	0
(35) STRUCTURE FLARED	0 (10) INV RTE, MIN VERT CLEAR (ft.)	(101) PARALLEL STRUCTURE DESIGNATION	N
(47) TOTAL HORIZONTAL CLEARANCE (ft.)	41.3	(102) DIRECTION OF TRAFFIC	2
(53) VERTICAL CLEARANCE OVER BRIDGE ROADWAY (ft.)	99.99	(103) TEMP STRUCTURE	
(54) VERTICAL UNDER CLEARANCE (ft.)	N 0	(105) FEDERAL LANDS HIGHWAYS	0
(55) LATERAL UNDER CLEARANCE RIGHT (ft.)	N 99.9	(110) DESIGNATED NATIONAL NETWORK	1
(56) MIN LATERAL UNDER CLEARANCE (ft.)	0	(20) TOLL	3
PROPOSED IMPROVEMENTS		(21) MAINTENANCE RESPONSIBILITY	01
(75A) TYPE OF WORK PROPOSED	(75B) WORK DONE BY	(22) OWNER	01
(76) LENGTH OF STRUCTURE IMPROVEMENT (ft.)	0	(37) HISTORICAL	5
(94) BRIDGE IMPROVEMENT COST (\$)	0	NAVIGATION DATA	
(95) ROADWAY IMPROVEMENT COST (\$)	0	(38) NAVIGATION CONTROL	0
(96) TOTAL PROJECT COST	0	(111) PIER OR ABUTMENT PROTECTION	5
(97) YEAR OF IMPROVEMENT COST ESTIMATE		(39) NAV VERT CLEARANCE (ft.)	0
(114) FUTURE ADT	4940 (115) YEAR OF FUTURE ADT	(116) MIN NAVIGATION VERT CLEARANCE, VERT LIFT BRIDGE (ft.)	0
	2028	(40) NAV HORIZONTAL CLEARANCE (ft.)	0

**Inspection Date:**

**Facility Carried:** US 79-10 LM 8.73

## Element Inspection

[illegible]

Inspector:

Inspection Date:

Structure Number: 06662

Facility Carried: US 79-10 LM 8.73

## Bridge Inspection Report

### Pictures



No asphalt overlay on the bridge deck

Inspector:

Structure Number: 06662

Inspection Date:

Facility Carried: US 79-10 LM 8.73

## Bridge Inspection Report

### Maintenance Needs

Date Reported: 03/08/2017

Priority: C - Important

Work Code: N/A

---

#### Deficiency Description:

Approach railing - Bent 1 right: Screw holding terminal end has stripped out/ come loose - end is somewhat sagging.

#### Work Description:

Felecia: need to tighten lag bolts advise when complete

---

#### Date Repairs Completed:

#### Maintenance Comments:

---

Stage: Open



PHOTO 1      Description      Approach railing - Bent 1 right: Screw loose in end



Inspector:

Structure Number: 06662

Inspection Date:

Facility Carried: US 79-10 LM 8.73

## Bridge Inspection Report

### Maintenance Needs

Date Reported: 2/9/2015 12:00:00 AM

Priority: D - Routine

Work Code: N/A

---

#### Deficiency Description:

Endslopes - Spans 1 & 3: A couple small trees/bushes growing up just under left and right sides of bridge.

#### Work Description:

Felecia: remove vegetation, advise when complete

---

#### Date Repairs Completed:

#### Maintenance Comments:

---

#### Stage: Monitor



PHOTO 1      Description      Endslope - Span 3 right: Vegetation

#### Stage: Monitor



PHOTO 2      Description      Endslope - Span 1 left: Vegetation