


DATE REVISED	DATE REVISED	FED. RD. DIST. NO.	STATE	JOB NO.	SHEET NO.	TOTAL SHEETS
6-17-2026		6	ARK.	061748	11	33
QUANTITIES						



REMOVING AND REPLACING TOPSOIL

STATION	STATION	LOCATION / DESCRIPTION	*REMOVING AND REPLACING TOPSOIL
			CU. YD.
102+75	104+00	HWY. 600 LT. & RT.	60
105+05	106+25	HWY. 600 LT. & RT.	30
TOTAL:			90

* QUANTITY ESTIMATED.
SEE SECTION 104.03 OF THE STD. SPECS.

GUARDRAIL

STATION	STATION	LOCATION	THRE BEAM GUARDRAIL TERMINAL	GUARDRAIL TERMINAL (TYPE 2)
				EACH
103+23.25	103+92.00	RT. SIDE	1	1
103+23.25	103+92.00	LT. SIDE	1	1
105+13.00	105+81.75	RT. SIDE	1	1
105+13.00	105+81.75	LT. SIDE	1	1
TOTALS:			4	4

COLD MILLING ASPHALT PAVEMENT

STATION	STATION	LOCATION	AVG. WIDTH	COLD MILLING ASPHALT PAVEMENT
			FEET	SQ. YD.
102+75.00	103+75.00	MAIN LANES	18.00	200.00
105+25.00	106+25.00	MAIN LANES	18.00	200.00
TOTAL:				400.00

NOTE: COORDINATE COLD MILLING STOCKPILE LOCATIONS WITH DISTRICT ENGINEER. STOCKPILE LOCATIONS SHALL BE NO FARTHER THAN FIVE MILES FROM EACH SITE.

ACHM PATCHING OF EXISTING ROADWAY

DESCRIPTION	TON
ENTIRE PROJECT - TO BE USED IF AND WHERE DIRECTED BY THE ENGINEER	5
TOTAL:	5

NOTE: QUANTITY ESTIMATED.
SEE SECTION 104.03 OF THE STD. SPECS.

CONCRETE DITCH PAVING

STATION	STATION	LOCATION	LENGTH	"W"	CONC. DITCH PAVING (TYPE B)	SOLID SODDING	WATER
			LIN. FT.	FEET	SQ. YD.	SQ. YD.	M. GAL.
104+70.00	105+00.00	MAIN LANES - LT.	30.00	6.00	20.00	13.33	0.17
TOTALS:					20.00	13.33	0.17

BASIS OF ESTIMATE:
WATER.....12.6 GAL. / SQ. YD. OF SOLID SODDING.

APPROACH GUTTERS

STATION	STATION	LOCATION	APPROACH GUTTER (TYPE F)	REINFORCING STEEL-RDWY. (GR. 60)
			CU.YD.	POUND
103+65.00	104+00.00	LT. & RT. SIDES	4.20	210
105+05.00	105+40.00	LT. & RT. SIDES	4.20	210
TOTALS:			8.40	420

NOTE: USE T =13" FOR 2' SHOULDER.

SOIL STABILIZATION

STATION	STATION	LOCATION / DESCRIPTION	SOIL STABILIZATION
			TON
ENTIRE	PROJECT	TO BE USED IF AND WHERE DIRECTED BY THE ENGINEER	50
TOTAL:			50

QUANTITY ESTIMATED.
SEE SECTION 104.03 OF THE STD. SPECS.

EARTHWORK

STATION	STATION	LOCATION / DESCRIPTION	UNCLASSIFIED EXCAVATION	COMPACTED EMBANKMENT
			CU. YD.	
ENTIRE	PROJECT	MAIN LANES	160	900
		BRIDGE CHANNEL EXCAVATION	756	
TOTALS:			916	900

NOTE: EARTHWORK QUANTITIES SHALL BE PAID AS PLAN QUANTITY.

4" PIPE UNDERDRAIN

STATION	STATION	LOCATIONS	4" PIPE UNDERDRAINS	UNDERDRAIN OUTLET PROTECTORS
			LIN. FT.	EACH
* ENTIRE PROJECT TO BE USED IF AND WHERE DIRECTED BY THE ENGINEER			100	2
TOTALS:			100	2

* NOTE: QUANTITY ESTIMATED.
SEE SECTION 104.03 OF THE STD. SPECS.

