

Preformed Expansion Joint Fillers (AASHTO M153, Type 1)

Supplier	Brand
W.R. Meadows of Texas Fort Worth, TX	Sponge Rubber Expansion Joint
Williams Products, Inc. Troy, MI	Williams Everlastic Concrete Gray Sponge Rubber 1300 Series

Method of Documentation of Acceptance:

By brand and source.

Method of Approval:

THE PROCEDURE BELOW MUST BE FOLLOWED IN ACQUIRING APPROVAL FOR PREFORMED EXPANSION JOINT FILLER (AASHTO M 153, Type I)

- The supplier/manufacture shall provide the Materials Division with a certified test report for the material indicating compliance with AASHTO M 153.
- The supplier/manufacture shall provide to the Materials Division a sample(s) sufficient for AASHTO M 153 verification testing (approximately 2.5 square feet) along with product information and Safety Data Sheets (SDS).
- The supplier/manufacture shall provide to the Materials Division the manufacturer's certification for each material stating compliance with the appropriate specification.
- When deemed necessary by the Materials Engineer and at a frequency determined by the same, samples shall be taken and tested on a random basis. Failure of these samples may be considered sufficient cause to reject the material and suspend further use and/or removal from the QPL .

No information contained in these lists is to be used for promotional purposes.