

Pavement Marking Paint

Waterborne

Manufacturer

Crown USA, Inc.
Foley AL

Brand

LFW-260 (White)

Lot: 24470-10-260219-607	Date of Mfr: 2/19/2026
Lot: 24470-20-260219-608	Date of Mfr: 2/19/2026
Lot: 24470-30-260219-609	Date of Mfr: 2/19/2026
Lot: 24470-40-260219-614	Date of Mfr: 2/19/2026
Lot: 24470-50-260219-615	Date of Mfr: 2/19/2026
Lot: 24634-10-260306-416	Date of Mfr: 3/6/2026
Lot: 24634-20-260306-420	Date of Mfr: 3/6/2026
Lot: 24634-30-260306-433	Date of Mfr: 3/6/2026
Lot: 24634-40-260306-434	Date of Mfr: 3/6/2026
Lot: 25099-10-260407-726	Date of Mfr: 4/7/2026
Lot: 26691-10-260804-721	Date of Mfr: 8/4/2026
Lot: 26691-20-260804-723	Date of Mfr: 8/4/2026
Lot: 26691-30-260804-731	Date of Mfr: 8/4/2026
Lot: 26691-40-260804-732	Date of Mfr: 8/4/2026
Lot: 26691-50-260804-741	Date of Mfr: 8/4/2026
Lot: 26958-10-260824-947	Date of Mfr: 8/24/2026
Lot: 27064-10-260831-426	Date of Mfr: 8/31/2026
Lot: 27064-20-260831-430	Date of Mfr: 8/31/2026
Lot: 27064-30-260831-433	Date of Mfr: 8/31/2026
Lot: 27064-40-260831-435	Date of Mfr: 8/31/2026

LFY-261 (Yellow)

Lot: 22633-10-250918-038	Date of Mfr: 9/18/2025
Lot: 22633-20-250918-039	Date of Mfr: 9/18/2025
Lot: 22633-30-250918-040	Date of Mfr: 9/18/2025
Lot: 22633-40-250918-041	Date of Mfr: 9/18/2025
Lot: 22633-50-250918-042	Date of Mfr: 9/18/2025
Lot: 22633-60-250918-043	Date of Mfr: 9/18/2025
Lot: 22633-70-250918-047	Date of Mfr: 9/18/2025
Lot: 22633-80-250918-050	Date of Mfr: 9/18/2025
Lot: 22633-90-250918-051	Date of Mfr: 9/18/2025
Lot: 24471-10-260219-564	Date of Mfr: 2/19/2026
Lot: 24471-20-260219-589	Date of Mfr: 2/19/2026

Pavement Marking Paint

Waterborne

Manufacturer

Crown USA, Inc.
Foley AL

Brand

LFY-261 (Yellow)

Lot: 24471-30-260219-590	Date of Mfr: 2/19/2026
Lot: 24471-40-260219-591	Date of Mfr: 2/19/2026
Lot: 24471-50-260219-592	Date of Mfr: 2/19/2026
Lot: 24471-60-260219-606	Date of Mfr: 2/19/2026
Lot: 24637-10-260306-448	Date of Mfr: 3/6/2026
Lot: 24637-20-260306-457	Date of Mfr: 3/6/2026
Lot: 24637-30-260306-458	Date of Mfr: 3/6/2026
Lot: 24637-40-260306-460	Date of Mfr: 3/6/2026
Lot: 24637-50-260306-461	Date of Mfr: 3/6/2026
Lot: 24637-60-260306-467	Date of Mfr: 3/6/2026
Lot: 24637-70-260306-466	Date of Mfr: 3/6/2026
Lot: 25100-10-260407-734	Date of Mfr: 4/7/2026
Lot: 25100-20-260407-737	Date of Mfr: 4/7/2026
Lot: 26404-10-260715-461	Date of Mfr: 7/15/2026
Lot: 26404-20-260715-455	Date of Mfr: 7/15/2026
Lot: 26404-30-260715-472	Date of Mfr: 7/15/2026
Lot: 26692-10-260804-671	Date of Mfr: 8/4/2026
Lot: 26692-20-260804-672	Date of Mfr: 8/4/2026
Lot: 26692-30-260804-699	Date of Mfr: 8/4/2026
Lot: 26692-40-260804-700	Date of Mfr: 8/4/2026
Lot: 26692-50-260804-706	Date of Mfr: 8/4/2026
Lot: 26692-60-260804-707	Date of Mfr: 8/4/2026
Lot: 26835-10-260814-365	Date of Mfr: 8/14/2026
Lot: 26835-20-260814-366	Date of Mfr: 8/14/2026
Lot: 26959-10-260824-968	Date of Mfr: 8/24/2026
Lot: 27065-10-260831-434	Date of Mfr: 8/31/2026
Lot: 27065-20-260831-440	Date of Mfr: 8/31/2026
Lot: 27065-30-260831-441	Date of Mfr: 8/31/2026
Lot: 27065-40-260831-439	Date of Mfr: 8/31/2026
Lot: 27065-50-260831-444	Date of Mfr: 8/31/2026
Lot: 27065-60-260831-442	Date of Mfr: 8/31/2026
Lot: 27065-70-260831-445	Date of Mfr: 8/31/2026

Pavement Marking Paint

Waterborne

Manufacturer

Diamond Vogel, Inc.
Orange City IA

Brand

UC15-15351 White AR ACR TRF FD

No current approved batch, please contact Materials Division

UC35-15352 Yellow AR ACR TRF FD

No current approved batch, please contact Materials Division

Ennis-Flint, Inc.
Greensboro, NC - Ennis, TX - Hannibal,
MO

980401 ARW-25-M-1 (white)

No current approved batch, please contact Materials Division

980402 ARY-25-M-1 (Yellow)

No current approved batch, please contact Materials Division

980411 WX04W004 (White)

Lot: TP2606W0776

Date of Mfr: 6/17/2026

Lot: TP2607W0986

Date of Mfr: 7/28/2026

980412 WX04LOO4 (Yellow)

Lot: TP2606Y0890

Date of Mfr: 6/22/2026

Lot: TP2607Y1006

Date of Mfr: 7/23/2026

Ingevity
North Charleston SC

800190 (White)

Lot: 0000459361

Date of Mfr: 9/24/2025

Lot: 0000502891

Date of Mfr: 1/9/2026

Lot: 0000547317

Date of Mfr: 5/4/2026

Lot: 0000547318

Date of Mfr: 5/4/2026

800343 (Yellow)

Lot: 0000459360

Date of Mfr: 9/24/2025

Pavement Marking Paint

Waterborne

Manufacturer**Brand**

Ingevity
North Charleston SC

800343 (Yellow)

Lot: 0000502892

Date of Mfr: 1/9/2026

Lot: 0000561070

Date of Mfr: 5/13/2026

Lot: 0000561071

Date of Mfr: 5/13/2026

801986 (Yellow)

Lot: 0000546750

Date of Mfr: 4/7/2026

801991 (White)

Lot: 0000464536

Date of Mfr: 10/6/2025

The Sherwin Williams Company
Baltimore - Cleveland - Memphis

TM2318 (White)

No current approved batch, please contact Materials Division

TM2319 (Yellow)

No current approved batch, please contact Materials Division

Waterborne - Cold Weather

Manufacturer**Brand**

Crown USA, Inc.
Foley AL

LTW-500 (White)

No current approved batch, please contact Materials Division

LTY-501 (Yellow)

No current approved batch, please contact Materials Division

Ennis-Flint, Inc.
Greensboro, NC - Ennis, TX - Hannibal,
MO

985351 Wolverine (White)

Pavement Marking Paint

Waterborne - Cold Weather

Manufacturer**Brand**

Ennis-Flint, Inc.
Greensboro, NC - Ennis, TX - Hannibal,
MO

985351 Wolverine (White)

No current approved batch, please contact Materials Division

985352 Wolverine (Yellow)

No current approved batch, please contact Materials Division

Ingevity
North Charleston SC

800233 White

No current approved batch, please contact Materials Division

800384 Yellow

No current approved batch, please contact Materials Division

801992 White

No current approved batch, please contact Materials Division

801993 Yellow

No current approved batch, please contact Materials Division

Pavement Marking Paint

Method of Documentation of Acceptance:

By brand and manufacturer's certification. Certified lots are shown above.

- **The manufacturer shall furnish to the Resident Engineer and the Materials Division a certification for each lot certifying that the material supplied conforms to all the requirements specified and stating that the material is formulated the same as the material tested for QPL listing.**

This certification shall include:

- **Brand/formulation name**
 - **Lot number**
 - **Date of manufacture**
 - **Lot quantity**
 - **Purchaser**
 - **Destination of shipment**
 - **Quantity of shipment**
 - **Formulation percentages**
- **The Contractor shall furnish to the Resident Engineer a copy of the above certification for each lot of paint used on a project at the time it is used.**
- **Containers shall be clearly labeled with:**
 - **Manufacturer's name**
 - **Brand/formulation name**
 - **Lot number**
 - **Date of manufacture on the top and side of the container.**
- **Waterborne paint lots will not be added to this list if the lots are more than one year old and lots are automatically removed from the list one year after the date of manufacture. Waterborne Cold Weather paint lots will not be added to the list if the lots are more than six months old and lots are automatically removed from the list six months after the date of manufacture. If the paint lot is not listed, refer to the date of manufacture to determine if the paint is expired prior to use.**

Method of Approval:

- **The manufacturer shall supply certified test reports from an independent testing laboratory showing that the pavement marking paint complies with the requirements of Section 718 of the ARDOT Standard Specifications for Highway Construction. All certified test reports shall include:**
 - **The manufacturer's name,**
 - **Brand/formulation name of the paint,**
 - **Date of manufacture, and**

Pavement Marking Paint

- **Testing of parameters listed in Section 718(c)(2) including an infrared spectra of the vehicle used in the paint. Spectra shall be of the total vehicle and of the vehicle solids only.**

• **The manufacturer shall provide a one quart sample and product information, including printed instructions for application. When specified by Section 718 of the Standard Specifications for Highway Construction, the manufacturer must provide documentation on the brand names of the raw materials and the percentage used in the formulation. Continued approval of a formulation will require constancy to the supplied information and initial testing. Any changes of raw material components in brand or percentages must be submitted to the Department for review.**

When deemed necessary by the Materials Engineer and at a frequency determined by same, samples of materials listed on the QPL will be taken and tested on a random basis. This testing will be done to affirm that the material is in conformance with the specification.