

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 010001

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City: ST. CHARLES

County: SCOTT Route: 1 Section: 5 Log Mile: 13.94

Land Section Number: 4 Township: 04S Range: 01W

Land Section: NWNW

Latitude: N 34 22 43.0 Longitude: W 91 07 08.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 53.633 Elevation (Feet): 175.961

Description: BR NO 5825- AHTD DISC EAST END BR.= (ST. CHARLES). RECOVERED  
JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 010002

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: ST. CHARLES

County: ARKANSAS

Route: 1

Section: 5

Log Mile: 13.94

Land Section Number: 4

Township: 04S

Range: 01W

Land Section: SW

Latitude: N 34 22 27.0

Longitude: W 91 07 29.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 61.262

Elevation (Feet): 200.990

Description: BR:NO 5825-AHTD DISC WEST BEG. BR=(WHITE RIVER). RECOVERED  
JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 010003

Class:

Vertical Datum:

Established by: RE OFFICE #24

Date Established: 11/19/1993

System: STATE

Job Number: 2974

Nearest City: HUMPHREY

County: ARKANSAS

Route: 13

Section: 7

Log Mile: 2.92

Land Section Number: 7

Township: 03S

Range: 06W

Land Section: SW

Latitude: N 35 05 08.0

Longitude: W 92 09 20.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 61.887

Elevation (Feet): 203.041

Description: AHTD DISK SET FLUSH IN TOP OF PARAPET TRANSITION PANEL  
SOUTHEAST CORNER OF BRIDGE. #6442 15' RIGHT OF CENTERLINE  
STATION 144+08. RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 010004

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #24

Date Established: 10/15/1993

System: STATE

Job Number: 2974

Nearest City: HUMPHREY

County: ARKANSAS

Route: 13

Section: 7

Log Mile: 3.58

Land Section Number: 6

Township: 03S

Range: 06W

Land Section: SW

Latitude: N 34 28 03.0

Longitude: W 91 42 02.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 61.32

Elevation (Feet): 201.181

Description: AHTD DISK SET FLUSH IN TOP OF WINGWALL NORTHEAST CORNER  
OF BRIDGE #6443 17' RIGHT OF CENTERLINE STATION 193+12.  
RECOVERED JUNE 2003.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 010005

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #24

Date Established: 8/15/1990

System: STATE

Job Number: R20012

Nearest City:

County: ARKANSAS

Route: 17

Section: 0

Log Mile:

Land Section Number: 24

Township: 05S

Range: 02W

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 47.918

Elevation (Feet): 157.211

Description: AHTD DISC IN GUARD RAIL ANCHOR POST AT STAT 551+60 RT. JUNE 2003 NOT RECOVERABLE WITH THIS DESCRIPTION.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 010006

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #24

Date Established:

System: STATE

Job Number: 2850

Nearest City: DEWITT

County: ARKANSAS

Route: 1B

Section: 4B

Log Mile: 1.50

Land Section Number: 4

Township: 05S

Range: 03W

Land Section: SWNE

Latitude: N 34 17 35.0

Longitude: W 91 20 15.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 57.805

Elevation (Feet): 189.649

Description: STANDARD AHTD DISC SET IN TOP OF R. C. DROP INLET STRUCTURE  
S.E. CORNER OF JEFFERSON AND 2ND STREET (HWY 1B) IN DEWITT AR  
STA10+15 RT ON JOB 2850. RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 010007

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 9/25/2008

System: CITY

Job Number: 2735\_3

Nearest City: STUTTGART

County: ARKANSAS

Route: 79

Section: 11C

Log Mile: 2.13

Land Section Number: 33

Township: 02S

Range: 05W

Land Section: SW

Latitude: N 34 28 46.0

Longitude: W 91 33 12.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.37924309

Elevation (Feet): 214.498

**Description:** AHTD DISK TOP DROP INLET S.W. CORNER INTERSECTION MAIN STREET AND 22ND STREET (130 & 79B). South of Stuttgart, 30 feet South of Centerline of HWY 79B and 39.7 feet West of Centerline of HWY 130. 7.0 feet with an AZ of 135 degrees to a combination pole. 64 feet with an AZ of 204 degrees to the NE corner of a Brick Bldg. 59.5 feet with an AZ of 264 degrees to a combination pole with light.

**Comments:** RECOVERED SEPTEMBER 9/25/08. THIRD ORDER DIGITAL LEVELS RAN BY CREW S5102 IN SEPT. 08 FROM 1ST ORDER NGS MARKS STUTTGART MAGNETIC, B 14, AND S113. FILES OF DIGITAL LEVELS CAN BE FOUND ON EDM UNDER JOB 2735\_3.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 010008

Class:

Vertical Datum:

Established by:

Date Established:

System: CITY

Job Number: N/A

Nearest City: STUTTGART

County: ARKANSAS

Route: 79

Section: 11C

Log Mile: 1.68

Land Section Number: 32

Township: 05S

Range: 05W

Land Section: SE

Latitude: N 34 28 47.0

Longitude: W 91 33 38.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.026

Elevation (Feet): 213.339

Description: METAL CAP SET IN TOP DROP INLET 30' NORTH CENTER LINE HWY 79B  
(22ND ST.) & 300' EAST OF COLUMBUS STREET (STUTTGART).  
RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 010009

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 9/25/2008

System: STATE

Job Number: 2735\_3

Nearest City: STUTTGART

County: ARKANSAS

Route: 130

Section: 6

Log Mile: 0.55

Land Section Number: 33

Township: 02S

Range: 05W

Land Section: SE

Latitude: N 34 28 45.0

Longitude: W 91 32 38.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.20306833

Elevation (Feet): 213.920

Description: AHTD METAL CAP SET IN 6.0 FOOT HEADWALL OF RC BOX CULVERT 33' NORTH CENTERLINE HWY. 130 (22ND ST.) STUTTGART & 730' EAST OF ST. LOUIS SO. WESTERN R/R CROSSING. GO EAST ON 130 FOR 0.2 MILES TO STA. MKR. ON LEFT. 45 FEET EAST OF CONCRETE TURN IN. 5.5 FEET NORTH OF CENTER OF DROP INLET. 7.7 FEET WEST FROM EAST END OF HDWL. 7.2 FEET EAST FROM WEST END OF HDWL.

Comments: RECOVERED SEPTEMBER 9/25/08. THIRD ORDER DIGITAL LEVELS RAN BY CREW S5102 IN SEPT. 08 FROM 1ST ORDER NGS MARKS STUTTGART MAGNETIC, B 14, AND S113. FILES OF DIGITAL LEVELS CAN BE FOUND ON EDM UNDER JOB 2735\_3.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 010010

Class:

Vertical Datum:

Established by:

Date Established: 2/26/1992

System: STATE

Job Number: 2864

Nearest City: GILLETTE

County: ARKANSAS

Route: 165

Section: 5

Log Mile: 12.49

Land Section Number: 28

Township: 06S

Range: 03W

Land Section: SESW

Latitude: N 34 08 45.0

Longitude: W 91 21 13.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 56.373

Elevation (Feet): 184.950

Description: AHTD DISK SET FLUSH IN HEADWALL OF REINFORCED CONCRETE  
BOX CULVERT STA 116+12, 26 FT RT. RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 010011

Class:

Vertical Datum:

Established by:

Date Established: 2/26/1992

System: STATE

Job Number: 2864

Nearest City: GILLETTE

County: ARKANSAS

Route: 165

Section: 5

Log Mile: 11.62

Land Section Number: 32

Township: 06S

Range: 03W

Land Section: NENW

Latitude: N 34 08 00.0

Longitude: W 91 21 15.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 55.629

Elevation (Feet): 182.509

Description: AHTD DISK SET FLUSH IN HEADWALL OF REINFORCED BOX CULVERT  
STA 70+18, 25 FT. LT. BRIDGE NUMBER M0013. RECOVERED 6/9/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 010012

Class:

Vertical Datum:

Established by:

Date Established: 11/10/1992

System: STATE

Job Number: 2864

Nearest City: DEWITT

County: ARKANSAS

Route: 165

Section: 5

Log Mile: 17.15

Land Section Number: 4

Township: 06S

Range: 03W

Land Section: NWNE

Latitude: N 34 12 27.0

Longitude: W 91 20 36.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 54.971

Elevation (Feet): 180.351

Description: AHTD DISK SET FLUSH IN S.W. CORNER OF HEADWALL OF  
REINFORCED CONCRETE BOX CULVERT STA 362+70, 32 FT. LT.  
RECOVERED JUNE 2003.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 010013

Class:

Vertical Datum:

Established by:

Date Established: 11/10/1992

System: STATE

Job Number: 2864

Nearest City: DEWITT

County: ARKANSAS

Route: 165

Section: 5

Log Mile: 15.96

Land Section Number: 9

Township: 06S

Range: 03W

Land Section: NENW

Latitude: N 34 11 24.0

Longitude: W 91 20 37.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 55.193

Elevation (Feet): 181.079

Description: AHTD DISK SET FLUSH IN HEADWALL OF REINFORCED CONCRETE  
BOX CULVERT IN S.W. CORNER STA. 299+74, 25 FT. LT. RECOVERED  
JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 010014

Class:

Vertical Datum:

Established by:

Date Established: 11/10/1992

System: STATE

Job Number: 2864

Nearest City: DEWITT

County: ARKANSAS

Route: 165

Section: 5

Log Mile: 16.60

Land Section Number: 4

Township: 06S

Range: 03W

Land Section: SW

Latitude: N 34 11 58.0

Longitude: W 91 20 37.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 56.098

Elevation (Feet): 184.048

Description: AHTD DISK SET IN S.W. CORNER OF HEADWALL OF REINFORCED  
CONCRETE BOX CULVERT STA 333+74 25 FT. LT. . RECOVERED JUNE  
2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 010015

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 2/26/1992

System: STATE Job Number: 2864 Nearest City: DEWITT

County: ARKANSAS Route: 165 Section: 5 Log Mile: 14.61

Land Section Number: 16 Township: 06S Range: 03W

Land Section: SESW

Latitude: N 34 10 14.0 Longitude: W 91 20 39.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 54.014 Elevation (Feet): 177.211

Description: AHTD DISK SET FLUSH IN HEADWALL OF REINFORCED CONCRETE  
BOX CULVERT STA 228+46 20 FT. RT. IN S.E. CORNER. RECOVERED  
JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 010016

Class:

Vertical Datum:

Established by:

Date Established: 2/26/1992

System: STATE

Job Number: 2864

Nearest City: DEWITT

County: ARKANSAS

Route: 165

Section: 5

Log Mile: 15.54

Land Section Number: 9

Township: 06S

Range: 03W

Land Section: SESW

Latitude: N 34 11 02.0

Longitude: W 91 20 38.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 53.687

Elevation (Feet): 176.138

Description: AHTD DISK SET FLUSH IN S.W. CORNER OF HEADWALL OF  
REINFORCED CONCRETE BOX CULVERT STA 277+75 BRIDGE NUMBER  
M0014. RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 010017

Class:

Vertical Datum:

Established by:

Date Established: 2/26/1992

System: STATE

Job Number: 2864

Nearest City: GILLETT

County: ARKANSAS

Route: 165

Section: 5

Log Mile: 10.62

Land Section Number: 32

Township: 06S

Range: 03W

Land Section: NWSW

Latitude: N 34 07 39.0

Longitude: W 91 21 57.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 56.065

Elevation (Feet): 183.940

Description: AHTD DISK SET FLUSH IN HEADWALL OF REINFORCED CONCRETE  
BOX CULVERT STA. 17+22, 22 FT. LT. RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 010018

Class:

Vertical Datum:

Established by:

Date Established: 2/26/1992

System: STATE

Job Number: 2864

Nearest City: GILLETTE

County: ARKANSAS

Route: 165

Section: 5

Log Mile: 11.20

Land Section Number: 32

Township: 06S

Range: 03W

Land Section: NESE

Latitude: N 34 07 40.0

Longitude: W 91 21 21.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 55.532

Elevation (Feet): 182.191

Description: AHTD DISK SET FLUSH IN HEADWALL OF REINFORCED CONCRETE  
BOX CULVERT STA. 48+00 23 FT. LT. RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 010019

Class:

Vertical Datum:

Established by: RE OFFICE #24

Date Established:

System: STATE

Job Number: 20053

Nearest City:

County: ARKANSAS

Route: 165

Section: 5

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.474

Elevation (Feet): 214.809

Description: AHTD DISC S.E. CORNER DROP INLET 30' RT. STA. 23+35. JUNE 2003 NOT RECOVERABLE.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 010020

Class:

Vertical Datum:

Established by: RE OFFICE #24

Date Established:

System: STATE Job Number: 20053 Nearest City:

County: ARKANSAS Route: 165 Section: 5 Log Mile:

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.032 Elevation (Feet): 213.359

Description: AHTD DISC N.W. CORNER DROP INLET 29' LT. STA. 70+00. JUNE 2003  
NOT RECOVERABLE

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 010021

Class:

Vertical Datum:

Established by: RE OFFICE #24

Date Established:

System: STATE

Job Number: 20053

Nearest City:

County: ARKANSAS

Route: 165

Section: 5

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.151

Elevation (Feet): 213.750

Description: AHTD DISC N.W. CORNER DROP INLET 30' LT. STA. 123+00. JUNE 2003  
NOT RECOVERABLE

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 010022

Class:

Vertical Datum:

Established by: RE OFFICE #24

Date Established:

System: STATE

Job Number: 20053

Nearest City:

County: ARKANSAS

Route: 165

Section: 5

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 66.132

Elevation (Feet): 216.968

Description: AHTD DISC N.W. CORNER DROP INLET 36' RT. STA. 140+26. JUNE 2003  
NOT RECOVERABLE

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 010023

Class:

Vertical Datum:

Established by: RE OFFICE #24

Date Established:

System: STATE Job Number: 20053 Nearest City:

County: ARKANSAS Route: 165 Section: 5 Log Mile:

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.346 Elevation (Feet): 214.389

Description: AHTD DISC N.W. CORNER DROP INLET 45' LT. STA. 144+25. JUNE 2003  
NOT RECOVERABLE

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 010024

Class:

Vertical Datum:

Established by: RE OFFICE #23

Date Established:

System: STATE Job Number: R20066 Nearest City: LODGE CORNER

County: ARKANSAS Route: 165 Section: 5 Log Mile: 11.63

Land Section Number: 34 Township: 04S Range: 05W

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): Elevation (Feet):

Description: ALUMINUM AHTD DISC IN HEADWALL OF R.C. BOX CULVERT 26' LT. OF CENTERLINE STA. 33+21 LT.& 0.63 MILES NORTH OF LODGE CORNER. NOTE: Project had no plan BM's; therefore no elevations were established.

Comments: Log Mile or Land Section Incorrect therefore Lat and Long can't be scaled.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 010025

Class:

Vertical Datum:

Established by: RE OFFICE #23

Date Established:

System: STATE

Job Number: R20066

Nearest City: LODGE CORNER

County: ARKANSAS

Route: 165

Section: 5

Log Mile: 14.98

Land Section Number: 15

Township: 04S

Range: 05W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

Elevation (Feet):

Description: ALUMINUM AHTD DISC IN HEADWALL OF R.C. BOX CULVERT 28' RT.OF  
CENTERLINE STA. 210+58 RT. & 3.98 MILES NORTH OF LODGE CORNER.  
NOTE: Project had no plan BM's; therefore no elevations were established. JUNE  
2003 NOT RECOVERABLE

Comments: Log Mile or Land Section Incorrect therefore Lat and Long can't be scaled.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 010026

Class:

Vertical Datum:

Established by: RE OFFICE #23

Date Established:

System: STATE

Job Number: R20066

Nearest City: LODGE CORNER

County: ARKANSAS

Route: 165

Section: 5

Log Mile: 17.26

Land Section Number: 3

Township: 04S

Range: 05W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

Elevation (Feet):

Description: ALUMINUM AHTD DISC IN HEADWALL OF R.C. BOX CULVERT 32' RT. OF CENTERLINE STA. 331+05 RT. & 6.26 MILES NORTH OF LODGE CORNER. NOTE: Project had no plan BM's; therefore no elevations were established. 6/9/2003 NO BENCHMARK FOUND IN THIS AREA.

Comments: Log Mile or Land Section Incorrect therefore Lat and Long can't be scaled.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 010027

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #24

Date Established: 11/10/1992

System: STATE

Job Number: 20085

Nearest City: DEWITT

County: ARKANSAS

Route: 165

Section: 5

Log Mile: 19.57

Land Section Number: 21

Township: 05S

Range: 03W

Land Section: SESW

Latitude: N 34 14 32.0

Longitude: W 91 20 34.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 58.15

Elevation (Feet): 190.780

Description: AHTD DISC SET FLUSH IN SOUTHEAST HEADWALL OF REINFORCED  
CONCRETE BOX CULVERT STATION 490+90, 24' RT BRIDGE #M0017.  
RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 010028

Class:

Vertical Datum:

Established by: RE OFFICE #24

Date Established: 11/10/1992

System: STATE

Job Number: 20085

Nearest City: DEWITT

County: ARKANSAS

Route: 165

Section: 5

Log Mile: 20.65

Land Section Number: 16

Township: 05S

Range: 03W

Land Section: SESW

Latitude: N 34 15 30.0

Longitude: W 91 20 32.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 58.97

Elevation (Feet): 193.471

Description: AHTD DISK SET FLUSH IN HEADWALL OF REINFORCED CONCRETE BOX CULVERT SOUTHWEST CORNER STATION 548+18. RECOVERED JUNE 2003.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 010029

Class:

Vertical Datum:

Established by: RE OFFICE #24

Date Established: 11/10/1992

System: STATE

Job Number: 20085

Nearest City: DEWITT

County: ARKANSAS

Route: 165

Section: 5

Log Mile: 17.85

Land Section Number: 33

Township: 05S

Range: 03W

Land Section: NENW

Latitude: N 34 13 03.0

Longitude: W 91 20 38.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 56.153

Elevation (Feet): 184.229

Description: AHTD DISK SET FLUSH IN NORTHWEST HEADWALL OF REINFORCED CONCRETE BOX CULVERT STATION 400+02 23' LT. RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 010030

Class:

Vertical Datum:

Established by: RE OFFICE #24

Date Established: 11/10/1992

System: STATE

Job Number: 20085

Nearest City: GILLETT

County: ARKANSAS

Route: 165

Section: 5

Log Mile: 18.42

Land Section Number: 28

Township: 05S

Range: 03W

Land Section: SESW

Latitude: N 34 13 33.0

Longitude: W 91 20 36.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 55.55

Elevation (Feet): 182.250

Description: AHTD DISK SET FLUSH IN SOUTHEAST HEADWALL OF REINFORCED  
CONCRETE BOX CULVERT STATION 430+28 25' RT BRIDGE #M0016.  
RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 010031

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: GILLETT

County: ARKANSAS

Route: 165

Section: 5

Log Mile: 0.91

Land Section Number: 22

Township: 08S

Range: 03W

Land Section: NW

Latitude: N 33 59 32.0

Longitude: W 91 23 04.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 54.553

Elevation (Feet): 178.979

Description: BR. NO. 5276-AHTD DISC S.E. WING WALL= ARK. RIVER RELIEF.  
RECOVERED 6/9/03 BY S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 010032

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: GILLETT

County: ARKANSAS

Route: 165

Section: 5

Log Mile: 1.58

Land Section Number: 0

Township: 08S

Range: 03W

Land Section: SW

Latitude: N 34 00 07.0

Longitude: W 91 23 04.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 54.562

Elevation (Feet): 179.009

Description: BR. NO. 5277-AHTD DISC S.E. WING WALL= ARK.RIVER RELIEF.  
RECOVERED 6/9/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 010033

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: GILLETT

County: ARKANSAS

Route: 165

Section: 5

Log Mile: 2.72

Land Section Number: 0

Township: 00S

Range: 00W

Land Section: SW

Latitude: N 34 01 05.0

Longitude: W 91 22 54.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 54.568

Elevation (Feet): 179.029

Description: BR. NO. 5278-AHTD DISC S.W. WING WALL= MOORE BAYOU.  
RECOVERED 6/9/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 010034

Class:

Vertical Datum:

Established by: RE OFFICE #23

Date Established: 3/13/1990

System: STATE

Job Number: R20072

Nearest City: LODGES CORNER

County: ARKANSAS

Route: 165

Section: 5

Log Mile: 31.8

Land Section Number: 31

Township: 04S

Range: 04W

Land Section: SESW

Latitude: N 34 17 50.0

Longitude: W 91 29 12.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

Elevation (Feet):

Description: AHTD METAL DISK EMBEDDED IN HEADWALL OF R.C. BOX CULVERT  
36' RT. OF STATION 117+07.47. NOTE: Project had no plan BM's; therefore, no  
elevations were established. 6/9/2003 RECOVERED

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 010035

Class:

Vertical Datum:

Established by: RE OFFICE #23

Date Established: 5/11/1990

System: STATE

Job Number: R20072

Nearest City: DEWITT

County: ARKANSAS

Route: 165

Section: 5

Log Mile: 30.24

Land Section Number: 32

Township: 04S

Range: 04W

Land Section: SE

Latitude: N 34 17 51.0

Longitude: W 91 27 33.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

Elevation (Feet):

Description: NOTE: AHTD METAL DISK EMBEDDED IN HEADWALL OF R.C. BOX  
CULVERT 29' RT. OF STATION 200+22.84. NOTE: Project had no plans BM's;  
therefore, no elevations were established. RECOVERED 6/9/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 010036

Class:

Vertical Datum:

Established by: RE OFFICE #23

Date Established: 4/13/1990

System: STATE

Job Number: R20072

Nearest City: LODGE CENTER

County: ARKANSAS

Route: 165

Section: 5

Log Mile: 32.7

Land Section Number: 36

Township: 04S

Range: 04W

Land Section: SESW

Latitude: N 34 17 52.0

Longitude: W 91 30 11.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

Elevation (Feet):

Description: NOTE: AHTD METAL DISK EMBEDDED IN HEADWALL OF R.C. BOX CULVERT 24' RT. STATION 67+92.84. NOTE: Project had no plan BM's; therefore, no elevations were established. RECOVERED JUNE 2003.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 010037

Class:

Vertical Datum:

Established by: RE OFFICE #23

Date Established: 4/24/1990

System: STATE

Job Number: R20072

Nearest City: LODGES CORNER

County: ARKANSAS

Route: 165

Section: 5

Log Mile: 33.3

Land Section Number: 35

Township: 04S

Range: 05W

Land Section: SE

Latitude: N 34 17 53.0

Longitude: W 91 30 46.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

Elevation (Feet):

Description: NOTE: AHTD METAL DISK EMBEDDED IN HEADWALL OF R.C. BOX  
CULVERT 26 RT. STATION 38+41.08. NOTE: Project had no plan BM's;  
therefore, no elevations were established. 6/9/2003 RECOVERED

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 010038

Class:

Vertical Datum: UNKNOWN

Established by:

Date Established: 1/27/1995

System: STATE

Job Number: R20011

Nearest City: DELUCE

County: ARKANSAS

Route: 17

Section: 0

Log Mile: 2.97

Land Section Number: 9

Township: 06S

Range: 02W

Land Section: SESW

Latitude: N 34 11 04.61

Longitude: W 91 14 49.64

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 50.679

Elevation (Feet): 166.269

Description: DISK IN TOP OF HEADWALL 28' RT. OF STA. 163+00. JUNE 2003 NOT  
LOCATED WITH THIS DESCRIPTION.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 010039

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 1/27/1995

System: STATE Job Number: R20011 Nearest City: DELUCE

County: ARKANSAS Route: 17 Section: 0 Log Mile: 3.50

Land Section Number: 36 Township: 06S Range: 02W

Land Section: NENW

Latitude: N 34 11 32.0 Longitude: W 91 14 50.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 52.176 Elevation (Feet): 171.181

Description: DISK IN TOP OF END WALL 16' RT. OF STA. 191+40. (BRIDGE NO. 6564).  
RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 010040

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 1/27/1995

System: STATE Job Number: R20011 Nearest City: DELUCE

County: ARKANSAS Route: 17 Section: 0 Log Mile: 1.86

Land Section Number: 17 Township: 06S Range: 02W

Land Section: SESW

Latitude: N 34 10 05.0 Longitude: W 91 14 51.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 53.876 Elevation (Feet): 176.758

Description: DISK IN TOP OF HEADWALL 20' RT. OF STA. 104+52. RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 010041

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 12/22/1994

System: COUNTY Job Number: 020163 Nearest City: ALMYRA

County: ARKANSAS Route: CR43 Section: N/A Log Mile: N/A

Land Section Number: 28 Township: 03S Range: 04W

Land Section: NW

Latitude: N 34 24 59.0 Longitude: W 91 27 02.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 61.204 Elevation (Feet): 200.800

Description: HEADWALL OF QUAD 8' x 7' R. C. BOX CULVERT, STATION 56+55, 43' SOUTH (RIGHT) OF CENTERLINE. AIRPORT ROAD. RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 010042

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #23

Date Established: 4/25/1990

System: COUNTY

Job Number: BR-1-3

Nearest City:

County: ARKANSAS

Route: 168

Section: 27

Log Mile:

Land Section Number: 27

Township: 06S

Range: 04W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 54.376

Elevation (Feet): 178.399

Description: AHTD BENCH MARK LOCATED IN TOP OF NORTHWEST WING WALL OF BRIDGE #4635, 15' RIGHT OF STATION 20+46. NOT RECOVERABLE JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 010043

Class:

Vertical Datum: UNKNOWN

Established by:

Date Established:

System: COUNTY

Job Number:

N/A

Nearest City:

LODGE CENTER

County:

ARKANSAS

Route:

CR312

Section:

N/A

Log Mile:

N/A

Land Section Number:

6

Township:

05S

Range:

05W

Land Section:

NWSE

Latitude:

N 34 17 36.0

Longitude:

W 91 35 06.0

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

57.254

Elevation (Feet):

187.841

Description:

BR. 4484 TOP OF PARAPET WALL STA. 43+75 RT. BAYOU METO BRIDGE.  
RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 010045

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 6/7/2000

System: STATE Job Number: 001701 Nearest City: STUTTGART

County: ARKANSAS Route: 165 Section: 6 Log Mile: 3.93

Land Section Number: 18 Township: 02S Range: 05W

Land Section: NW

Latitude: N 34 32 14.7 Longitude: W 91 35 23.6 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 62.371 Elevation (Feet): 204.629

Description: AHTD DISK- TOP OF TRANS. WALL 6.24M RT. OF CENTERLINE STA  
147+01 BR 02316

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 010046

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #23

Date Established: 5/8/2003

System: STATE

Job Number: 020140

Nearest City: HUMPHREY

County: ARKANSAS

Route: 79

Section: 11

Log Mile: 4.6

Land Section Number: 15

Township: 03S

Range: 06W

Land Section: NESE

Latitude: N 34 26 36.0

Longitude: W 91 37 57.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 59.929

Elevation (Feet): 196.617

Description: ahtd disk se corner hw rc box culvert 36' rt sta 240+14

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 010047

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #23

Date Established: 9/12/2003

System: STATE

Job Number: 020140

Nearest City: HUMPHREY

County: ARKANSAS

Route: 79

Section: 11

Log Mile: 2.2

Land Section Number: 20

Township: 03S

Range: 06W

Land Section: SESE

Latitude: N 34 25 36.1

Longitude: W 91 40 05.2

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 61.678

Elevation (Feet): 202.355

Description: AHTD DISK BE RAIL OF BR 06864 22.5' RT OF C/L STA 112+32

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 010048

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #23

Date Established: 9/12/2003

System: STATE

Job Number: 020140

Nearest City: HUMPHREY

County: ARKANSAS

Route: 79

Section: 11

Log Mile: 5.6

Land Section Number: 11

Township: 03S

Range: 06W

Land Section: SESE

Latitude: N 34 27 13.9

Longitude: W 91 36 59.4

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 61.711

Elevation (Feet): 202.464

Description: AHTD DISK IN SE RAIL OF BR 06865 23' RT OF C/L STA 298+62

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 010049

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #23

Date Established: 11/16/2005

System: STATE

Job Number: 020325

Nearest City: UNKNOWN

County: ARKANSAS

Route: 165

Section: 6

Log Mile: 1.42

Land Section Number: 16

Township: 02S

Range: 05W

Land Section: NWSW

Latitude: N 34 31 47.8

Longitude: W 91 33 26.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 64.666

Elevation (Feet): 212.158

Description: ALUMINUM AHTD BENCHMARK DISK IN CENTER OF HEADWALL RC BOX CULVERT 68' RT STA 274+98

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 010050

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 9/25/2008

System: N/A

Job Number: 2735\_3

Nearest City: STUTTGART

County: ARKANSAS

Route: 165

Section: N/A

Log Mile: N/A

Land Section Number: 33

Township: 02S

Range: 05W

Land Section: NESE

Latitude: N 34 28 50.3

Longitude: W 91 32 26.9

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.3145644

Elevation (Feet): 214.286

Description: AHTD CAP STAMPED 010050 IN SIDEWALK ABOVE CURB INLET ON HWY 165. To reach from 130 & 165, South of Stuttgart, Go North on HWY 165 (S. Park St), 0.05 miles to Sta. Marker on Right. 69 FEET WITH AN AZ 174 DEGREES TO A POWER POLE WITH LIGHT. 2.3 FEET WITH AN AZ OF 329 DEGREES TO THE CENTER OF A MANHOLE.

Comments: THIRD ORDER DIGITAL LEVELS RAN BY CREW S5102 IN SEPT. 08 FROM 1ST ORDER NGS MARKS STUTTGART MAGNETIC, B 14, AND S113. FILES OF DIGITAL LEVELS CAN BE FOUND ON EDM UNDER JOB 2735\_3.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 010051

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #14

Date Established: 3/16/2012

System: STATE

Job Number: 020326

Nearest City: STUTTGART

County: ARKANSAS

Route: 165

Section: 5

Log Mile: 49.22

Land Section Number: 22

Township: 02S

Range: 05W

Land Section: SW

Latitude: N 34 30 58.00000

Longitude: W 91 32 22.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

Elevation (Feet):

Description: AHTD bDisk in Parapet Wall at Sta 129+36 on Rt.

Comments: Elevation not verified due to insuffecient data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 020001

Class:

Vertical Datum:

Established by: RE OFFICE #21

Date Established: 2/3/1993

System: STATE

Job Number: R20010

Nearest City: HAMBURG

County: ASHLEY

Route: 82

Section: 2

Log Mile:

Land Section Number: 14

Township: 17S

Range: 07W

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 52.648

Elevation (Feet): 172.729

Description: IN HAMBURG, ASHLEY CO. AT THE COUNTY COURT HOUSE, IN THE TOP STEP OF THE SOUTH ENTRANCE, 14.5' E. OF CENTER OF THE SOUTH ENT. 8.3' NORTH OF THE LAST RISE. A STANDARD DISK STAMPED 172.73 S-12-1932. N/R BUILDING TORN DOWN 10-20-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 020002

Class:

Vertical Datum:

Established by: RE OFFICE #21

Date Established:

System: STATE

Job Number: R20021

Nearest City: CROSSETT

County: ASHLEY

Route: 82

Section: 8

Log Mile: 7.68

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 33 08 19.0

Longitude: W 91 58 58.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 37.533

Elevation (Feet): 123.140

Description: AHTD DISK IN TOP OF HEADWALL SE CORNER R. C. BOX CULVERT AT  
STA. 1195+10 10-20-99 CREW S5102

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 020003

Class:

Vertical Datum:

Established by: RE OFFICE #21

Date Established:

System: STATE

Job Number: R20021

Nearest City: CROSSETT

County: ASHLEY

Route: 82

Section: 8

Log Mile: 3.31

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 33 08 47.0

Longitude: W 92 03 17.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 31.468

Elevation (Feet): 103.241

Description: CHISELED SQUARE IN SOUTHWEST CORNER OF THE HEADWALL OF R.  
C. BOX CULVERT AT STA. 973+96 10-20-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 020004

Class:

Vertical Datum:

Established by: RE OFFICE #21

Date Established:

System: STATE

Job Number: 1508

Nearest City: JOHNSVILLE

County: ASHLEY

Route: 8

Section: 13

Log Mile: 0.50

Land Section Number: 8

Township:

Range:

Land Section:

Latitude: N 33 22 45.0

Longitude: W 91 57 08.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 31.208

Elevation (Feet): 102.388

Description: AHTD DISK SET IN TOP OF S. W. WINGWALL OF BR. NO. 5988 ABOUT 3.98 MI. E. OF JOHNSVILLE ON HWY. #160. BRIDGE # 5988 HAS NO DISK (SALINE RELIEF) BRIDGE # 5989 OVER SALINE RIVER RELIEF HAS A DISK ROUTE 8 SECTION 13 LOG 0.50 "10-20-99" CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 020005

Class:

Vertical Datum:

Established by: RE OFFICE #21

Date Established:

System: STATE Job Number: N/A Nearest City: PORTLAND

County: ASHLEY Route: 160 Section: 1 Log Mile: 2.18

Land Section Number: 8 Township: 17S Range: 04W

Land Section: SE

Latitude: N 33 14 11.0 Longitude: W 91 32 02.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 38.664 Elevation (Feet): 126.850

Description: AT PORTLAND APPROX. 1.3 MILES W ALONG ST. HWY. 278 FROM THE  
R. R. TRACK IN PORTLAND. IN THE SE CORNER OF THE NE END OF AN  
END BENT A CHISELED SQUARE. 10-20-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 020006

Class:

Vertical Datum:

Established by: RE OFFICE #21

Date Established:

System: STATE

Job Number: R20017

Nearest City: PORTLAND

County: ASHLEY

Route: EW HWY 10

Section: 1

Log Mile: 5.11

Land Section Number: 9

Township: 17S

Range: 04W

Land Section: NE

Latitude: N 33 14 13.0

Longitude: W 91 31 44.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 38.566

Elevation (Feet): 126.529

Description: AT PORTLAND, APPROX. 1.0 MILE ALONG ST. HWY. 278 FROM THE R.R. TRACK IN PORTLAND, 50' N. CENTERLINE ST. HWY. 278 36' W. OF CENTERLINE GRAVEL ROAD. 1' W. UTILITY POLE. ALUMINUM DISK MARKED AHTD BENCH MARK SET IN A CONCRETE PEDISTAL. 10-20-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 020007

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #21

Date Established:

System: STATE

Job Number: R20117

Nearest City: PORTLAND

County: ASHLEY

Route: 278

Section: 1

Log Mile: 9.51

Land Section Number: 6

Township: 17S

Range: 04W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 37.643

Elevation (Feet): 123.500

Description: AT PORTLAND, APPROX. 3.0 MILES ALONG ST. HWY. 278 WEST FROM THE R.R . TRACK IN PORTLAND 44' SOUTH CENTERLINE HWY. 278 9' WEST OF A WELL; 1' WEST OF A UTILITY POLE. AN ALUMINUM DISK MARKED AHTD BENCH MARK SET IN A CONCRETE PEDISTAL. N/R 10-20-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 020008

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #21

Date Established: 11/12/1992

System: COUNTY

Job Number: BR-2-3

Nearest City: BOYDELL

County: ASHLEY

Route: 104

Section:

Log Mile: 0.72

Land Section Number: 32

Township: 15S

Range: 04W

Land Section: SE

Latitude: N 33 20 48.0

Longitude: W 91 31 51.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 40.709

Elevation (Feet): 133.559

Description: AHTD DISK IN TOP OF SOUTHWEST TOP OF WALL OF BRIDGE 4641, 15 FT. RT. OF STA. 27+80. 10-20-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 020009

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #21

Date Established:

System: COUNTY

Job Number: BR-2-2

Nearest City: HAMBURG

County: ASHLEY

Route: CR 25 &26

Section:

Log Mile: 5.58

Land Section Number: 6

Township: 19S

Range: 06W

Land Section:

Latitude: N 33 05 19.0

Longitude: W 91 45 47.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 37.048

Elevation (Feet): 121.548

Description: HAMBURG: 8.42 MI. SE ON BERLIN RD. (CO. RD 25 &26) FROM  
CENTERLINE OF HWY. #81S. AHTD DISK IN TOP OF SE WING WALL OF  
BR. #4521. 10-20-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 020010

Class:

Vertical Datum:

Established by: RE OFFICE #21

Date Established:

System: COUNTY

Job Number: BR-2-2

Nearest City: HAMBURG

County: ASHLEY

Route: O. RD. 25&26

Section:

Log Mile: 5.16

Land Section Number: 31

Township: 18S

Range: 06W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 36.219

Elevation (Feet): 118.829

Description: HAMBURG: 8.13 MI. SE ON BERLIN RD. (CO. RD. #25 & 26) FROM CENTERLINE HWY. 81S. AHTD DISK IN TOP OF NE CORNER OF EAST HEADWALL OF QUAD. BARREL BOX CULVERT. N/R ROAD HAS JUST BEEN WIDENED & PAVED CREW S5102 10-20-99

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 020011

Class:

Vertical Datum:

Established by:

Date Established:

System: COUNTY

Job Number: BR-76-2

Nearest City: BOYDELL

County: ASHLEY

Route: 733

Section: C

Log Mile: 0.28

Land Section Number: 15

Township: 15S

Range: 04W

Land Section:

Latitude: N 33 23 25.0

Longitude: W 91 30 11.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 41.078

Elevation (Feet): 134.770

Description: AHTD DISC. S.W. WINGWALL 18' RT. STA. 36+05 10-20-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 020012

Class:

Vertical Datum:

Established by: RE OFFICE #21

Date Established: 9/16/1997

System: STATE

Job Number: 020041

Nearest City: HAMBURG

County: ASHLEY

Route: 82

Section: 9

Log Mile: 0.44

Land Section Number: 1

Township: 07S

Range: 07W

Land Section: NW

Latitude: N 33 13 45.0

Longitude: W 91 47 23.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 49.67

Elevation (Feet): 162.959

Description: SOUTHWEST CORNER OF CONCRETE PARAPET RAIL, BRIDGE NO 6568.  
10-20-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 020013

Class:

Vertical Datum:

Established by: RE OFFICE #21

Date Established: 9/16/1997

System: STATE

Job Number: 020041

Nearest City: HAMBURG

County: ASHLEY

Route: 82

Section: 9

Log Mile: 1.44

Land Section Number: 12

Township: 17S

Range: 07W

Land Section: SE

Latitude: N 33 14 06.0

Longitude: W 91 46 27.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 48.326

Elevation (Feet): 158.550

Description: SOUTHWEST OF CORNER OF CONCRETE PARAPET RAIL, BRIDGE NO. 6569. 10-20-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 020014

Class:

Vertical Datum:

Established by: RE OFFICE #21

Date Established: 9/16/1997

System: STATE

Job Number: 020041

Nearest City: HAMBURG

County: ASHLEY

Route: 82

Section: 9

Log Mile: 1.67

Land Section Number: 12

Township: 17S

Range: 07W

Land Section: SE

Latitude: N 33 14 13.0

Longitude: W 91 46 13.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 47.457

Elevation (Feet): 155.699

Description: SOUTHWEST CORNER, END BENT, TOP OF CAP, BRIDGE NO. 6570. 10-20-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 020015

Class:

Vertical Datum:

Established by: RE OFFICE #21

Date Established: 6/20/1997

System: STATE Job Number: 001588 Nearest City: CROSSETT

County: ASHLEY Route: 82 Section: 8 Log Mile: 2.28

Land Section Number: 18 Township: 18S Range: 09W

Land Section: NE

Latitude: N 33 09 11.0 Longitude: W 92 04 09.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 24.618 Elevation (Feet): 80.768

Description: AHTD DISK IN TOP HDWL. OF THE R.C. BOX CULVERT 60' RT. STA.  
924+00. 10-20-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 020016

Class:

Vertical Datum:

Established by: RE OFFICE #21

Date Established: 6/20/1997

System: STATE

Job Number: 001588

Nearest City: CROSSETT

County: ASHLEY

Route: 82

Section: 8

Log Mile: 1.49

Land Section Number: 13

Township: 18S

Range: 10W

Land Section: NE

Latitude: N 33 09 06.0

Longitude: W 92 04 58.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 28.437

Elevation (Feet): 93.297

Description: AHTD DISK IN TOP OF PARAPET WALL 20' RT. STA. 881+70. 10-20-99  
CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 020017

Class:

Vertical Datum:

Established by: RE OFFICE #21

Date Established: 6/20/1997

System: STATE Job Number: 001588 Nearest City: CROSSETT

County: ASHLEY Route: 82 Section: 8 Log Mile: 0.85

Land Section Number: 13 Township: 18S Range: 10W

Land Section: NW

Latitude: N 33 09 05.0 Longitude: W 92 05 38.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 29.703 Elevation (Feet): 97.451

Description: AHTD DISK IN TOP OF PARAPET WALL 20' RT. STA. 847+67. 10-20-99  
CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 020018

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #24

Date Established: 7/11/2002

System: COUNTY

Job Number: BR0204

Nearest City:

County: ASHLEY

Route: CR 60

Section:

Log Mile: 0.70

Land Section Number: 22

Township: 16S

Range: 05W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 41.316

Elevation (Feet): 135.551

Description: AHTD DISK RT SIDE OF BR 04841 0.70 MILES NORTH OF HWY 82

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 020019

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #24

Date Established: 8/21/2002

System: STATE

Job Number: 020241

Nearest City:

County: ASHLEY

Route: 133

Section: T

Log Mile: 0.46

Land Section Number: 30

Township: 18S

Range: 08W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 45.358

Elevation (Feet): 148.812

Description: AHTD DISK IN SE CORNER OF RC BOX

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 020020

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #21

Date Established: 2/25/2002

System: STATE

Job Number: 020042

Nearest City:

County: ASHLEY

Route: 82

Section: 9

Log Mile: 15.19

Land Section Number: 24

Township: 15S

Range: 05W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 41.146

Elevation (Feet): 134.993

Description: AHTD DISK IN HW 22' RIGHT OF STA 217+01

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 020021

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #21

Date Established: 12/1/2003

System: STATE

Job Number: 020152

Nearest City:

County: ASHLEY

Route: 133

Section: 0

Log Mile: 3.69

Land Section Number: 33

Township: 17S

Range: 08W

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 41.52

Elevation (Feet): 136.220

Description: AHTD DISK IN SE PARAPET WALL OF BR 06943

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 020022

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #21

Date Established: 12/6/2007

System: STATE

Job Number: 001941

Nearest City: FOUNTAIN HILL

County: ASHLEY

Route: 8

Section: 13

Log Mile: 2.09

Land Section Number: 33

Township: 15S

Range: 08W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 31.28979426

Elevation (Feet): 102.657

Description: AHTD DISK, NW TURN BK WING, 20 FEET RIGHT, STATION 297+45.  
BRIDGE# 07008

Comments: VERIFIED 12/20/07 BY ESS. BENCHES WERE RAN BY THREE WIRE  
LEVELS AND BENCHMARKS FROM JOB 001941. AHTD BENCHMARK  
CAN BE FOUND ON EDM s001941\_RE\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 020023

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #21

Date Established: 12/6/2007

System: STATE

Job Number: 001941

Nearest City: FOUNTAIN HILL

County: ASHLEY

Route: 8

Section: 13

Log Mile: 2.30

Land Section Number: 33

Township: 15S

Range: 08W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 31.27101855

Elevation (Feet): 102.595

Description: AHTD DISK, NW TURN BK WING, 20 FEET RIGHT, STATION 308+86.  
BRIDGE# 07009

Comments: VERIFIED 12/20/07 BY ESS. BENCHES WERE RAN BY THREE WIRE  
LEVELS AND BENCHMARKS FROM JOB 001941. AHTD BENCHMARK  
CAN BE FOUND ON EDM s001941\_RE\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 020024

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #21

Date Established: 12/6/2007

System: STATE

Job Number: 001941

Nearest City: FOUNTAIN HILL

County: ASHLEY

Route: 8

Section: 13

Log Mile: 2.36

Land Section Number: 33

Township: 15S

Range: 08W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 31.28625858

Elevation (Feet): 102.645

Description: AHTD DISK, NW TURN BK WING, 20 FEET RIGHT, STATION 312+17.  
BRIDGE# 07010

Comments: VERIFIED 12/20/07 BY ESS. BENCHES WERE RAN BY THREE WIRE  
LEVELS AND BENCHMARKS FROM JOB 001941. AHTD BENCHMARK  
CAN BE FOUND ON EDM s001941\_RE\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 020025

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: UNKNOWN

Date Established: 6/23/2004

System: STATE Job Number: 020323 Nearest City:

County: ASHLEY Route: 133 Section: 0 Log Mile: 3.54

Land Section Number: 4 Township: 18S Range: 08W

Land Section: NW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 40.368

Elevation (Feet): 132.441

Description: AHTD DISK 25' FROM CL EAST SIDE OF HWY 133 IN TOP OF DROP INLET  
STATION 60+28 JOB 020323

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 020026

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: UNKNOWN

Date Established: 6/23/2004

System: STATE Job Number: 020323 Nearest City:

County: ASHLEY Route: 133 Section: 0 Log Mile: 2.65

Land Section Number: 4 Township: 18S Range: 08W

Land Section: SW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 45.388 Elevation (Feet): 148.910

Description: AHTD DISK 23' FROM CL EAST SIDE OF HIGHWAY 133 IN TOP OF DROP  
INLET STA 12+08 JOB 020323

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 020027

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: UNKNOWN

Date Established: 6/23/2004

System: STATE Job Number: 020323 Nearest City:

County: ASHLEY Route: 133 Section: 0 Log Mile: 3.10

Land Section Number: 4 Township: 18S Range: 08W

Land Section: NW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 45.604 Elevation (Feet): 149.619

Description: AHTD DISK 23' FROM CL EAST SIDE OF HIGHWAY 133 IN TOP OF DROP  
INLET STATION 36+97 JOB 020323

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 020028

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #21

Date Established: 2/25/2008

System:

Job Number:

020415

Nearest City:

FOUNTAIN HILL

County:

ASHLEY

Route:

425

Section:

2

Log Mile:

10.79

Land Section Number:

29

Township:

15S

Range:

07W

Land Section:

SW

Latitude: N 33 22 30.4

Longitude: W 91 51 03.1

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 44.63448311

Elevation (Feet): 146.438

Description: AHTD DISK IN EAST HEADWALL OF R.C. BOX CULVERT, STATION  
309+90 RT

Comments: Elevations cannot be verified. 3-wire levels were ran but Bench was ran from a  
spike in a tree that was not in the surveys control file. Data can be located on EDM  
under Job#020415, s020415\_RE\_bences.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 020028

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #21

Date Established: 2/25/2008

System:

Job Number:

020415

Nearest City:

FOUNTAIN HILL

County:

ASHLEY

Route:

425

Section:

2

Log Mile:

7.58

Land Section Number:

9

Township:

16S

Range:

07W

Land Section:

NW

Latitude: N 33 19 56.1

Longitude: W 91 50 10.3

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 54.80528322

Elevation (Feet): 179.807

Description: AHTD DISK IN EAST (RT) HEADWALL OF R.C. BOX CULVERT, STATION 243+88

Comments: Elevations Verified by ESS on 5/16/08 by 3-wire levels. Elevations were based on control file of Job#020415 from NGS marks USGS 58 PJH 1965, FOUNTAIN RM 3, AND GARNER RESET. Data can be located on EDM under Job#020415, s020415\_RE\_bences.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 020030

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #21

Date Established: 2/25/2008

System: Job Number: 020415 Nearest City: FOUNTAIN HILL

County: ASHLEY Route: 425 Section: 2 Log Mile: 4.12

Land Section Number: 27 Township: 16S Range: 07W

Land Section: SW

Latitude: N 33 17 03.4 Longitude: W 91 49 08.7 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 54.98868174 Elevation (Feet): 180.409

Description: AHTD DISK IN EAST (RT) HEADWALL OF R.C. BOX CULVERT, STATION 122+27

Comments: Elevations Verified by ESS on 5/16/08 by 3-wire levels. Elevations were based on control file of Job#020415 from NGS marks USGS 58 PJH 1965, FOUNTAIN RM 3, AND GARNER RESET. Data can be located on EDM under Job#020415, s020415\_RE\_bences.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 020031

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #21

Date Established: 5/25/2005

System: STATE

Job Number: 020339

Nearest City: HAMBURG

County: ASHLEY

Route: 133

Section: 1

Log Mile: 11.07

Land Section Number: 28

Township: 16S

Range: 09W

Land Section: SE

Latitude: N 33 17 11.7

Longitude: W 91 55 30.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 37.197866

Elevation (Feet): 122.040

Description: AHTD DISK IN HEADWALL SW CORNER OF RC BOX CULVERT

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 020032

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #21

Date Established: 4/24/2006

System: STATE Job Number: 020383 Nearest City: HAMBURG

County: ASHLEY Route: 8 Section: 14 Log Mile: 4.72

Land Section Number: 32 Township: 17S Range: 06W

Land Section: SW

Latitude: N 33 11 25.40 Longitude: W 91 43 52.18 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 44.555753 Elevation (Feet): 146.180

Description: AHTD DISK IN TURNBACK WINGS RT @ STA. 122+20

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 020033

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #21

Date Established: 4/24/2006

System: STATE Job Number: 020383 Nearest City: HAMBURG

County: ASHLEY Route: 8 Section: 14 Log Mile: 4.72

Land Section Number: 28 Township: 17S Range: 06W

Land Section: SW

Latitude: N 33 11 25.66 Longitude: W 91 43 49.32 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 44.564897 Elevation (Feet): 146.210

Description: AHTD DISK IN TURNBACK WINGS RT @ STA. 124+65

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 020034

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #21

Date Established: 5/23/2006

System: STATE

Job Number: 020260

Nearest City: UNKNOWN

County: ASHLEY

Route: 82

Section: 9

Log Mile: 16.11

Land Section Number: 19

Township: 16S

Range: 04W

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 40.81

Elevation (Feet): 133.891

Description: AHTD DISK IN SOUTHWEST CORNER OF PARAPET WALL ON BR#06964

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 020035

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #21

Date Established: 5/23/2006

System: STATE

Job Number: 020260

Nearest City: UNKNOWN

County: ASHLEY

Route: 82

Section: 9

Log Mile: 17.27

Land Section Number: 20

Township: 16S

Range: 04W

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 40.648

Elevation (Feet): 133.359

Description: AHTD DISK IN SOUTHWEST CORNER OF PARPAET WALL ON BR#6965

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 020036

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #21

Date Established: 4/29/2011

System: STATE

Job Number: 020399

Nearest City: Crossett

County: ASHLEY

Route: 82

Section: 8

Log Mile: 11.057

Land Section Number:

Township: 18s

Range: 08w

Land Section:

Latitude: N 33 08 09.98000

Longitude: W 91 56 04.96000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 45.774

Elevation (Feet): 150.177

Description: rc box culvert 67+82 rt center headwall ahtd disk.

Comments: Elevation not verified due to no three wire level data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 020037

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #21

Date Established: 4/29/2011

System: STATE Job Number: 020399 Nearest City: crossett

County: ASHLEY Route: 82 Section: 8 Log Mile: 10.262

Land Section Number: Township: 18S Range: 08W

Land Section:

Latitude: N 33 08 09.55000 Longitude: W 91 57 06.58000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 44.7935 Elevation (Feet): 146.960

Description: RC BOX CULVERT 12+19 RT CENTER HEADWALL AHTD DISK.

Comments: Elevation not verified due to no three wire level data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 020038

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #21

Date Established: 11/16/2021

System: STATE

Job Number: 020534

Nearest City: Crossett

County: ASHLEY

Route: 82

Section: 08

Log Mile: 13.77

Land Section Number: 13

Township: 18s

Range: 08w

Land Section: SW

Latitude: N 33 08 07.00000

Longitude: W 91 53 06.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 46.1148

Elevation (Feet): 151.295

Description: 4.5 miles East of Crossett, 7.9 miles SW of Hamburg, 3.9 miles SE of North Crossett. To reach from intersection of US Hwy 425 and US Hwy 82, go West 3.5 miles to Sta. on left at bridge end. 11' East of SW corner of parapet wall, 78.3' South of NW corner of parapet wall, 115' West of SE corner of Parapet Wall

Comments: Elevation not verified.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 020039

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #21

Date Established: 11/9/2021

System: STATE

Job Number: 020534

Nearest City: Crossett

County: ASHLEY

Route: 82

Section: 8

Log Mile: 14.77

Land Section Number: 18

Township: 18s

Range: 07w

Land Section: SW

Latitude: N 33 08 04.00000

Longitude: W 91 52 04.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 46.6705

Elevation (Feet): 153.118

Description: From intersection of 425 and 82, go West 2.6 miles to Sta. on left. 11' East of SW corner of parapet wall, 77.9' South of NW corner of parapet wall, 155.3' West of SE corner of parapet wall.

Comments: Elevation not verified.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 020040

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: Crossett

Date Established: 11/9/2021

System: STATE

Job Number: 020534

Nearest City: Crossett

County: ASHLEY

Route: 82

Section: 8

Log Mile: 16.98

Land Section Number: 16

Township: 18s

Range: 07w

Land Section: SW

Latitude: N 33 08 03.00000

Longitude: W 91 49 47.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 43.1167

Elevation (Feet): 141.459

Description: From intersection of Hwy 425 & 82, go West 0.5 mile to Sta. on left, 11.8' East of SW corner of parapet wall, 78' South of of NW corner of parapet wall, 154.2' West of SE corner of parapet wall.

Comments: Elevation not verified.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 030001

Class:

Vertical Datum:

Established by: RE OFFICE #94

Date Established: 11/11/1911

System: STATE

Job Number: 1571

Nearest City: CALICO ROCK

County: BAXTER

Route: 5

Section: 18

Log Mile: 0.04

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 09 29.0

Longitude: W 92 12 57.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 120.296

Elevation (Feet): 394.671

Description: ALUMINUM CAP IN TOP OF PARAPET WALL N.W. CORNER OF BRIDGE 6037 (30 DEGREES LT. FWD. SKEW) 17' RT. OF CENTERLINE STA.34+13 ON MOCCASON CREEK JOB 1571 SET 1984. BRIDGE LOG MILE SIGN READS: SECTION 18 LOG MILE 0.04 CREW 55102 "12-21-99" SEE IDENTIFICATION #030002. 2 BENCH MARKS ON MOCCASON CREEK BRIDGE.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 030002

Class:

Vertical Datum:

Established by: RE OFFICE #94

Date Established:

System: STATE Job Number: 1571 Nearest City: CALICO ROCK

County: BAXTER Route: 5 Section: 18 Log Mile: 0.04

Land Section Number: Township: Range:

Land Section:

Latitude: N 36 09 29.0 Longitude: W 92 12 57.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 119.598 Elevation (Feet): 392.381

Description: ALUMINUM CAP IN TOP OF WINGWALL S.W. CORNER OF BRIDGE 6037 (30 DEGREES LT. FWD. SKEW) 20' LT OF CENTERLINE STA. 34+33 ON MOCCASON CREEK JOB 1571 SET 1984. BRIDGE LOG MILE SIGN READS: ROUTE 5 SECTION 17 LOG MILE 6.74. SECTION 18 LOGMILE 0.04. SEE: IDENTIFICATION #030001 2 BENCH MARKS ON MOCCASON CREEK BRIDGE. RECOVERED BY S5102 ON 12-21-99.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 030003

Class:

Vertical Datum:

Established by: RE OFFICE #95

Date Established:

System: STATE

Job Number: 9783

Nearest City: COTTER

County: BAXTER

Route: US62

Section: 10

Log Mile: 0.1\*

Land Section Number: 30

Township: 19N

Range: 14W

Land Section: SE

Latitude: N 36 17 03.0

Longitude: W 92 31 31.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 152.632

Elevation (Feet): 500.760

Description: ALUMINUM CAP IN TOP OF ABUTMENT BACKWALL BETWEEN THE ROAD IRONS NE CORNER OF BRIDGE6059, 22' LT. OF CENTERLINE STATION 146+87 ON JOB 9783, ON WHITE RIVER, SET JAN. 1988. \*NOTE: STRUCTURE IS CARRIED ON BRIDGE INVENTORY LOG FOR MARION COUNTY, U. S. HWY. 62, SECTION 9, LOGMILE 11.64. RECOVERED BY S5102 ON 12-21-99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 030004

Class:

Vertical Datum:

Established by: RE OFFICE #95

Date Established:

System: STATE Job Number: 9802 Nearest City: MT. HOME

County: BAXTER Route: 62 Section: 10 Log Mile: 9.04

Land Section Number: 9 Township: 19N Range: 13W

Land Section: SW

Latitude: N 36 19 48.0 Longitude: W 92 23 18.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 230.316 Elevation (Feet): 755.628

Description: ALUMINUM CAP IN TOP OF SIDEWALK 34' RT. OF CENTERLINE STA.  
78+33. AT DODD CREEK BRIDGE #1835.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 030005

Class:

Vertical Datum:

Established by: RE OFFICE #95

Date Established:

System: STATE

Job Number: 9802

Nearest City: MT. HOME

County: BAXTER

Route: 62

Section: 10

Log Mile: 9.38

Land Section Number: 9

Township: 19N

Range: 13W

Land Section: NW

Latitude: N 36 20 03.0

Longitude: W 92 23 08.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 243.511

Elevation (Feet): 798.919

Description: ALUMINUM CAP IN TOP OF D.I. 34' LT. OF CENTERLINE STATION 96+22.  
RECOVERED BY S5102 ON 12-21-99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 030006

Class:

Vertical Datum:

Established by: RE OFFICE #95

Date Established:

System: STATE

Job Number: 9802

Nearest City: MT. HOME

County: BAXTER

Route: 62

Section: 10

Log Mile: 10.00

Land Section Number: 17

Township: 19N

Range: 13W

Land Section: NE

Latitude: N 36 19 15.0

Longitude: W 92 23 35.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 223.998

Elevation (Feet): 734.900

Description: ALUMINUM CAP IN TOP OF S.E. CORNER OF THE HEADWALL OF DBL.  
5x4x117 R.C.BOX CULVERT 60' RT. OF CENTERLINE STA. 44+57.  
RECOVERED BY S5102 ON 12-21-99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 030007

Class:

Vertical Datum:

Established by: RE OFFICE #95

Date Established:

System: STATE

Job Number: 9802

Nearest City: MT. HOME

County: BAXTER

Route: 62

Section: 10

Log Mile: 8.88

Land Section Number: 8

Township: 19N

Range: 13W

Land Section: SE

Latitude: N 36 19 40.0

Longitude: W 92 23 23.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 237.799

Elevation (Feet): 780.179

Description: ALUMINUM CAP IN TOP OF SIDEWALK 34' LT. OF CENTERLINE STA.  
69+75. RECOVERED BY S5102 ON 12-21-99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 030008

Class:

Vertical Datum:

Established by: RE OFFICE #95

Date Established:

System: STATE

Job Number: 9803

Nearest City:

County: BAXTER

Route: 62

Section: 11

Log Mile: 0.49

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 241.524

Elevation (Feet): 792.400

Description: ALUMINUM CAP IN TOP OF HEADWALL S.W. CORNER OF TRIPLE 7'x4'x92' R.C. BOX CULVERT (30 DEGREES RT. FWD. SKEW) (BRIDGE X0643) 41' RT. OF CENTERLINE STA. 144+55 ON HICKS CREEK 0.49 MILE N.E. OF JUNCTION OF U.S. HWY. 62 AND S.H. 5, JOB 9803, SET 1986. RECOVERED BY S5102 ON 12-21-99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 030009

Class:

Vertical Datum:

Established by: RE OFFICE #95

Date Established:

System: STATE

Job Number: 9803

Nearest City: MT. HOME

County: BAXTER

Route: US62

Section: 11

Log Mile: 0.76

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 20 50.0

Longitude: W 92 22 30.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 245.468

Elevation (Feet): 805.340

Description: ALUMINUM CAP IN TOP OF HEADWALL S.E. CORNER OF TRIPLE 7'x4'x77' R.C. BOX CULVERT (BRIDGE X0644) 40' RT. OF CENTERLINE STA. 158+45 ON BRANCH OF HICKS CREEK 0.76 MILE N.E. OF JUNCTION OF U.S. HWY. 62 AND S.H. 5 JOB 9803 SET 1986. RECOVERED BY S5102 ON 12-21-99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 030010

Class:

Vertical Datum:

Established by: RE OFFICE #95

Date Established:

System: STATE Job Number: 9803 Nearest City: MOUNTAIN HOME

County: BAXTER Route: US62 Section: 11 Log Mile: 1.13

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 252.782

Elevation (Feet): 829.336

**Description:** 1.5 MILES N.E. ALONG U.S. HWY. 62 FROM THE COUNTY COURT HOUSE AT MOUNTAIN HOME; 1.13 MILES N.E. OF JUNCTION OF U.S. HWY. 62 AND STATE HWY. 5 LEADING N.W.; 46.9 FT. NORMAL TO AND ON N. SIDE FROM THE CENTER OF THE HWY.; LT. OF STATION 178+15 ON AHTD JOB 9803; 33.1 FT. NORMAL TO AND ON W. SIDE OF CENTER OF MCDONALD'S RESTAURANT EXIT DRIVEWAY; 8.1 FT. N.E. OF FACE OF UTILITY POLE MARKED "7-83 SPP, 8, 5-35"; 111 FT. S. OF CENTER OF 29-IN BLACK WALNUT TREE; 3.2 FT. HIGHER THAN CENTER OF HWY.; FLUSH WITH TOP OF AND ADJACENT TO THE S. OF THE PARKING LOT CONCRETE CURB; A STANDARD DISK SET IN TOP OF AN 8-IN. DIA. CONCRETE POST PROJECTING 6 IN. ABOVE GROUND STAMPED C 38 RESET 1986. RECOVERED BY S5102 ON 12-21-99.

**Comments:**



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 030011

Class:

Vertical Datum:

Established by: RE OFFICE #95

Date Established:

System: STATE

Job Number: 9803

Nearest City: MT. HOME

County: BAXTER

Route: US62

Section: 11

Log Mile: 1.93

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 21 13.0

Longitude: W 92 21 23.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 290.103

Elevation (Feet): 951.780

Description: ALUMINUM CAP IN TOP OF CONCRETE DROP INLET 30' RT. OF CENTERLINE STA. 220+50 ON SOUTH SIDE OF U.S. HWY. 62 1.93 MILES N.E. OF JUNCTION OF U.S. HWY. 62 AND S.H. 5 AND APPROX. 225' EAST OF JUNCTION OF U.S. HWY. 62 AND S.H. 178 JOB 9803 SET 1986. RECOVERED BY S5102 ON 12-21-99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 030012

Class:

Vertical Datum:

Established by: RE OFFICE #95

Date Established:

System: STATE

Job Number: 9845

Nearest City: MT. HOME

County: BAXTER

Route: US62

Section: 11

Log Mile: 0.02

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 20 25.0

Longitude: W 92 23 07.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 261.997

Elevation (Feet): 859.568

Description: ALUMINUM CAP IN TOP OF CONCRETE DROP INLET 45' LT. OF  
CENTERLINE STA. 119+75 ON WEST SIDE OF U.S. HWY. 62 0.02 MILE N.  
OF JUNCTION OF U.S. HWY. 62 AND S.H. 5 JOB 9845 SET 1987.  
DESTROYED : 3-93. NOT RECOVERED BY S5102 ON 12-21-99. STA. 119+85  
SEE #030033.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 030013

Class:

Vertical Datum:

Established by: RE OFFICE #95

Date Established:

System: STATE

Job Number: 9845

Nearest City: MT. HOME

County: BAXTER

Route: US62

Section: 11

Log Mile: 0.20

Land Section Number: 11

Township:

Range:

Land Section:

Latitude: N 36 20 32.0

Longitude: W 92 22 56.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 256.398

Elevation (Feet): 841.199

Description: ALUMINUM CAP IN TOP OF CONCRETE DROP INLET 33' RT. OF  
CENTERLINE STATION 129+45 ON SOUTH SIDE OF U.S. HWY. 62 0.20  
MILE N.E. OF JUNCTION OF U.S. HWY. 62 AND S.H. 5 JOB 9845 SET 1987.  
RECOVERED BY S5102 ON 12-21-99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 030014

Class:

Vertical Datum:

Established by: RE OFFICE #95

Date Established:

System: STATE Job Number: 9864 Nearest City: GASVILLE

County: BAXTER Route: SH126 Section: 1 Log Mile: 0.67

Land Section Number: 28 Township: 19N Range: 14W

Land Section: NE

Latitude: N 36 17 51.0 Longitude: W 92 28 57.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 194.024 Elevation (Feet): 636.560

Description: ALUMINUM CAP IN TOP OF PARAPET WALL N.E. CORNER OF BRIDGE  
6325 16' RT. OF CENTERLINE STATION 36+37 ON LITHIA CREEK JOB  
9864 SET 1990. RECOVERED BY S5102 ON 12-21-99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 030015

Class:

Vertical Datum:

Established by: RE OFFICE #95

Date Established:

System: STATE

Job Number: 9864

Nearest City: GASVILLE

County: BAXTER

Route: SH126

Section: 1

Log Mile: 3.58

Land Section Number: 10

Township: 19N

Range: 14W

Land Section: NW

Latitude: N 36 20 12.0

Longitude: W 92 28 28.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 200.918

Elevation (Feet): 659.178

Description: ALUMINUM CAP IN TOP OF PARAPET WALL S.E. CORNER OF BRIDGE  
2159R 16' RT. OF CENTERLINE STATION 188+82 ON CARSON CREEK  
JOB 9864 SET 1990. RECOVERED BY S5102 ON 12-21-99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 030016

Class:

Vertical Datum:

Established by: RE OFFICE #95

Date Established:

System: STATE

Job Number: R90020

Nearest City: COTTER

County: BAXTER

Route: 345

Section: 0

Log Mile: 1.57

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 16 12.0

Longitude: W 92 31 17.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 129.559

Elevation (Feet): 425.061

Description: B. M. CAP IN NW CORNER OF HEADWALL OF QUINT. 6' x 3' x 65' BOX  
CULV. RECOVERED BY S5102 ON 12-21-99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 030017

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 3/17/1993

System: Job Number: 9804 Nearest City:

County: BAXTER Route: U.S. 62 Section: 11 Log Mile: 0.02

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): Elevation (Feet):

Description: ALUMINUM CAP IN TOP OF CONCRETE DROP IN LET 50' LT. OF CENTERLINE STA. 119+85 ON JOB 9804, ON WEST SIDE OF U.S. HWYS. 62 AND 412, 0.02 MILE NORTH OF JCT. OF US HWYS. 62 AND 412, SH 5 AND SH 201, SET 1993, SW1/4 , SECT. 4, T-19-N, R-13-W, BAXTER CO., LOG MILE 0.02. THE CONCRETE DROP IN LET IS SHOWN ON JOB 9804 ALSO TO BE 40' LT. STA. 8+63 ON SH 5. REPLACES BM 95-9, ELEV. 859.57, WHICH WAS DESTROYED.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 030018

Class:

Vertical Datum:

Established by:

RE OFFICE #95

Date Established: 7/6/1993

System: STATE

Job Number:

9804

Nearest City:

MT. HOME

County:

BAXTER

Route:

US62

Section:

11

Log Mile:

2.05

Land Section Number:

34

Township:

20N

Range:

13W

Land Section:

SE

Latitude: N 36 21 17.0

Longitude: W 92 21 16.0

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

294.879

Elevation (Feet):

967.449

Description:

ALUMINUM CAP IN TOP OF CONCRETE DROP INLET, 34' RT. OF  
CENTERLINE STATION 227+00 ON JOB 9804, ON SOUTH SIDE OF U. S.  
HWYS. 62 & 412, 0.17 MILE NORTHWEST OF JCT. OF U. S. HWYS. 62 & 412,  
AND S. H. 178. RECOVERED BY S5102 ON 12-21-99.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 030019

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #95

Date Established: 6/15/1994

System: STATE

Job Number: 9804

Nearest City: MT. HOME

County: BAXTER

Route: US62

Section: 11

Log Mile: 2.92

Land Section Number: 35

Township: 20N

Range: 13W

Land Section: SE

Latitude: N 36 21 31.0

Longitude: W 92 20 23.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 272.997

Elevation (Feet): 895.658

Description: ALUMINUM CAP IN TOP OF CONCRETE DROP INLET, 30' LT. OF CENTERLINE STA. 272+74 ON JOB 9804, ON NORTH SIDE OF U. S. HWYS. 62 & 412, 1.03 MILES NORTHEAST OF JCT. OF U. S. HWYS. 62 AND 412, AND S. H. 178. RECOVERED BY S5102 ON 12-21-99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 030020

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #95

Date Established: 4/15/1994

System: STATE

Job Number: R90076

Nearest City: BIG FLAT

County: BAXTER

Route: SH341

Section:

Log Mile: 0.48

Land Section Number: 22

Township: 16N

Range: 13W

Land Section: NE

Latitude: N 36 00 57.0

Longitude: W 92 20 46.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 309.491

Elevation (Feet): 1015.388

Description: ALUMINUM CAP IN TOP OF HEADWALL IN SOUTHEAST CORNER OF 6' x 6' x 68' R. C. BOX CULVERT (15 DEGREES RT. FWD. SKEW), 31' RT. OF CENTERLINE STA. 317+80 (CENTERLINE OF BOX CULVERT STA. 317+74) ON JOB R90076, ON EAST SIDE OF S. H. 341, ON BRANCH OF CAP FORK, 0.48 MILE NORTHWEST OF JCT. OF S.H. 341 ABD S.H. 14. RECOVERED BY S5102 ON 12-21-99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 030021

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #95

Date Established: 4/15/1994

System: STATE

Job Number: R90076

Nearest City: BIG FLAT

County: BAXTER

Route: SH341

Section:

Log Mile: 1.17

Land Section Number: 15

Township: 16N

Range: 13W

Land Section: SW

Latitude: N 36 01 28.0

Longitude: W 92 21 03.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 327.337

Elevation (Feet): 1073.938

Description: ALUMINUM CAP IN TOP OF HEADWALL IN SOUTHWEST CORNER OF 4' x 6' x 60' R. C. BOX CULVERT, 24' LT. OF CENTERLINE STA. 359+98 (CENTERLINE OF BOX CULVERT STA. 360+00) ON JOB R90076, ON WEST SIDE OF JCT. OF S. H. 341, 1.17 MILES NORTHWEST OF JCT. OF S. H. 341 & S.H. 14. RECOVERED BY S5102 ON 12-21-99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 030022

Class:

Vertical Datum:

Established by:

RE OFFICE #95

Date Established:

System: COUNTY

Job Number:

F-3-5

Nearest City:

GASSVILLE

County:

BAXTER

Route:

CR3

Section:

D. ZONE

Log Mile:

2.12

Land Section Number:

35

Township:

19N

Range:

14W

Land Section:

SW

Latitude:

N 36 16 27.0

Longitude:

W 92 27 36.0

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

169.984

Elevation (Feet):

557.689

Description:

ALUMINUM CAP IN TOP OF HEADWALL NW CORNER OF TRIPLE  
12'x9'x53 R. C. BOX CULVERT, BRIDGE NO. 20599, 26' RT. OF  
CENTERLINE, ON JENKINS CREEK, 2.32 MILES NW OF JCT. OF S. H. 126  
AND CO. RD. 3 (FAS ROUTE 2553), 2.12 MILES SE OF JCT. OF BUEFORD  
RD. AND REDBUD RD., STA. 166+28 ON JOB F-3-5, SET JULY 1988.  
RECOVERED BY S5102 ON 12-21-99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 030023

Class:

Vertical Datum:

Established by: RE OFFICE #92

Date Established: 1/1/1985

System: COUNTY

Job Number: F-3-2

Nearest City: JORDAN

County: BAXTER

Route: CR64

Section: D. ZONE

Log Mile: 4.72

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 13 29.0

Longitude: W 92 11 28.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 208.428

Elevation (Feet): 683.818

Description: ALUMINUM CAP IN TOP OF HEADWALL SE CORNER OF DOUBLE  
10'x8'x46' R. C. BOX CULVERT (15 DEGREES RT. FWD. SKEW) 20' RT. OF  
CENTERLINE STA. 100+85, ON OTTER CREEK, 4.72 MILES NE OF JCT OF  
S. H. 5 AND CO. RD. 64, JOB F-3-2, SET 1985.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 030024

Class:

Vertical Datum:

Established by: RE OFFICE #95

Date Established:

System: COUNTY

Job Number: F-3-5

Nearest City: GASSVILLE

County: BAXTER

Route: CR3

Section: D. ZONE

Log Mile: 3.86

Land Section Number: 1

Township: 19N

Range: 14W

Land Section: NW

Latitude: N 36 15 48.0

Longitude: W 92 26 11.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 208.8

Elevation (Feet): 685.038

Description: ALUMINUM CAP IN TOP OF HEADWALL SW CORNER OF DOUBLE 6'x5'x72' R. C. BOX CULVERT, 36' RT. OF CENTERLINE ON BRANCH OF DRY CREEK, 0.58 MILE W OF JCT. S. H. 126 AND CO. RD. 3 (FAS ROUTE 2553), 3.86 MILES SE OF JCT. BUEFORD RD. AND REDBUD RD., STA. 258+00 ON JOB F-3-, SET MAY 1988. RECOVERED BY S5102 ON 12-21-99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 030025

Class:

Vertical Datum:

Established by: RE OFFICE #95

Date Established:

System: COUNTY Job Number: F-3-5 Nearest City:

County: BAXTER Route: CR3 Section: D. ZONE Log Mile: 4.07

Land Section Number: 1 Township: 18N Range: 14W

Land Section: NE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 213.378 Elevation (Feet): 700.058

Description: ALUMINUM CAP IN TOP OF HEADWALL SW CORNER OF TRIPLE 8'x4'x42' R. C. BOX CULVERT, BRIDGE NO. 20600, 21' RT. OF CENTER LINE, ON DRY CREEK, 0.37 MILE W OF JCT. OF S. H. 126 AND CO. RD. 3 (FAS ROUTE 2553), 4.07 MILES SE OF JCT. OF BUEFORD RD. AND REDBUD RD., STA. 269+27 ON JOB F-3-5, SET MAY 1988. RECOVERED BY S5102 ON 12-21-99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 030026

Class:

Vertical Datum:

Established by:

RE OFFICE #95

Date Established: 5/28/1991

System: COUNTY

Job Number:

F-3-6

Nearest City:

County:

BAXTER

Route:

CR3

Section:

Log Mile:

0.92

Land Section Number:

Township:

19N

Range:

14W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

167.756

Elevation (Feet):

550.379

Description:

ALUMINUM CAP IN TOP OF HEADWALL NW CORNER OF DBL 11'x8'x55"  
R. C. BOX CULVERT (30 DEGREES RT. FWD. SKEW) 24' LT. OF  
CENTERLINE AT STA. 103+18.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 030027

Class:

Vertical Datum:

Established by: RE OFFICE #95

Date Established: 5/28/1991

System: COUNTY Job Number: F-3-6 Nearest City:

County: BAXTER Route: CR3 Section: Log Mile: 0.48

Land Section Number: Township: 19N Range: 14W

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 189.189

Elevation (Feet): 620.698

Description: ALUMINUM CAP IN TOP OF HEADWALL NW CORNER OF DBL 7'x5'x115'  
R. C. BOX CULVERT (45 DEGREES LT. FWD. SKEW) 50' LT. OF  
CENTERLINE AR STA. 79+70.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 030028

Class:

Vertical Datum:

Established by:

Date Established: 5/28/1991

System: COUNTY

Job Number: F-3-6

Nearest City:

County: BAXTER

Route: CR3

Section:

Log Mile: 1.52

Land Section Number:

Township: 19N

Range: 14W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 161.23

Elevation (Feet): 528.969

Description: ALUMINUM CAP IN TOP OF HEADWALL NW CORNER OF 10'x6'x62' R. C. BOX CULVERT 31' LT. OF CENTERLINE AT STA. 134+78.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 030029

Class:

Vertical Datum:

Established by: RE OFFICE #95

Date Established:

System: STATE

Job Number: BR-3-1

Nearest City: MT. HOME

County: BAXTER

Route: CR396

Section: D. ZONE

Log Mile: 1.3

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 22 10.0

Longitude: W 92 17 10.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 181.841

Elevation (Feet): 596.590

Description: ALUMINUM CAP IN TOP OF WINGWALL NE CORNER OF BRIDGE 4575 (40 DEGREES RT. FWD. SKEW) 15' LT. OF CENTERLINE STA. 113+00, ON PANTHER CREEK, 1.3 MILES N OF END OF CO. RD. 396, AND 0.5 MILE S OF JCT. OF CO. RD. 396 AND U. S. HWY. 62, JOB BR-3-1, SET 1987. RECOVERED BY S5102 ON 12-21-99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 030033

Class:

Vertical Datum:

Established by: RE OFFICE #95

Date Established: 3/17/1993

System: STATE

Job Number: 9804

Nearest City:

County: BAXTER

Route: US62

Section: 11

Log Mile: 0.02

Land Section Number: 4

Township: 19N

Range: 13W

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 262.378

Elevation (Feet): 860.818

Description: ALUMINUM CAP IN TOP OF CONCRETE DROP INLET, 50' LT. OF CENTERLINE STA. 119+85 ON JOB 9804, ON WEST SIDE OF U. S. HWYS. 62 AND 412, 0.02 MILE NORTH OF JCT. OF U. S. HWYS. 62 AND 412, S. H. 5, AND S. H. 201. THE CONCRETE DROP INLET IS SHOWN ON JOB 9804 ALSO TO BE 40' LT. STA. 8+63 ON S. H. 5. REPLACES BM 95-9, ELEV. 859.57, WHICH WAS DESTROYED. RECOVERED BY S5102 ON 12-21-99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 030034

Class:

Vertical Datum:

Established by: RE OFFICE #95

Date Established: 2/14/2000

System: STATE

Job Number: 009774

Nearest City: MOUNTAIN HOME

County: BAXTER

Route: 5

Section: 18

Log Mile: 18.52

Land Section Number: 10

Township: 19N

Range: 13W

Land Section: SE

Latitude: N 36 18 54.0

Longitude: W 92 20 50.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 272.71

Elevation (Feet): 894.716

Description: AHTD AKUMINUM CAP IN TOP OF PARAPET WALL IN SOUTHEAST CORNER OF BRIDGE NUMBER 5930, 21 FEET LEFT OF CENTERLINE STATION 37+92, EAST SIDE OF BRIDGE OVER DIVIDED HWY 62/412, SET 1996, (RE ID: BM 95-46), 3 WIRE LEVELS RAN FROM TBM #30 ELEV. 860.01' JOB 009774 AT A CLASS II ACCURACY, FILE NAME 009774EE.PRJ.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 030035

Class: SECOND-ORDER, CLASS II

Vertical Datum:

Established by: RE OFFICE #95

Date Established: 2/14/2000

System: FEDERAL

Job Number: 009774

Nearest City: MOUNTAIN HOME

County: BAXTER

Route: 62/412

Section: 10

Log Mile: 9.17

Land Section Number: 16

Township: 19N

Range: 13W

Land Section: SE

Latitude: N 36 18 37.0

Longitude: W 92 22 27.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 218.46

Elevation (Feet): 716.731

Description: AHTD CAP IN TOP OF PARAPET WALL IN SW CORNER OF BR #5929A, 20' RT OF CL STA 73+22, S SIDE OF DIVIDED HWY OVER HICKS CREEK, 0.57 MILES E OF JCT. 62/412 AND HWY 201, SET 1996, (RE ID: BM 95-45), 3 WIRE LEVELS RUN FROM TBM10 AT CLASS II ACCURACY

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 030036

Class:

Vertical Datum:

Established by: RE OFFICE #95

Date Established: 2/14/2000

System: STATE Job Number: 090013 Nearest City: MOUNTAIN HOME

County: BAXTER Route: 201 Section: 0 Log Mile: 9.82

Land Section Number: 16 Township: 19N Range: 13W

Land Section: SW

Latitude: N 36 18 20.0 Longitude: W 92 23 08.0 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 212.245 Elevation (Feet): 696.340

Description: CAP IN TOP OF PARAPET WALL IN SE CORNER OF BR #06657, 5.1M  
RIGHT OF CENTERLINE STATION 157+95.2, EAST SIDE OF BRIDGE OVER  
DODD CREEK, 0.2 MILE SOUTHWEST OF JCT. U.S. 62/412 AND HWY 201,  
SET 1999, (RE ID: 95-48), LEVELS RAN FROM TBM #1 EL 213.370M

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 030037

Class: SECOND-ORDER, CLASS II

Vertical Datum:

Established by: RE OFFICE #95

Date Established: 2/2/2000

System: FEDERAL

Job Number: 009774

Nearest City: MOUNTAIN HOME

County: BAXTER

Route: 62/412

Section: 10

Log Mile: 8.53

Land Section Number: 16

Township: 19N

Range: 13W

Land Section: SW

Latitude: N 36 18 37.0

Longitude: W 92 23 07.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 215.29

Elevation (Feet): 706.331

Description: AHTD ALUMINUM CAP IN TOP OF PARAPET WALL IN SOUTHWEST CORNER OF BRIDGE #5928B, 20 FEET RIGHT OF CENTERLINE STATION 39+36, SOUTH SIDE OF DIVIDED HWY OVER DODD CREEK, 0.46 MILES SOUTHEAST OF JCT. U.S. 62/412 AND U.S. 62B, SET 6/96, (RE ID: BM95-44), 3-WIRE LEVELS RAN FROM TBM #10 ELEV 722.17' JOB 009774 AT A CLASS II ACCURACY, FILE NAME 009659EA.PRJ.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 030038

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #95

Date Established: 2/12/2000

System: FEDERAL

Job Number: 009774

Nearest City: MOUNTAIN HOME

County: BAXTER

Route: 62/412

Section: 11

Log Mile: 0.55

Land Section Number: 11

Township: 19N

Range: 13W

Land Section: SW

Latitude: N 36 19 20.0

Longitude: W 92 20 25.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 227.186

Elevation (Feet): 745.359

Description: BRIDGE X0983 OVER FALL CREEK, 0.55 MILES NORTHEAST OF HWY 5, 129' RIGHT OF CENTERLINE ON DIVIDED HIGHWAY. AHTD ALUMINUM CAP IN TOP OF HEADWALL SOUTHWEST CORNER OF DOUBLE 10' X 8' X 309' REINFORCED CONCRETE BOX CULVERT. SET 1995 (RE ID: 95-47).

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 030039

Class:

Vertical Datum: NAVD88

Established by: RE OFFICE #95

Date Established: 7/5/2000

System: FEDERAL

Job Number: R90093

Nearest City: MOUNTAIN HOME

County: BAXTER

Route: US62/412

Section: 10

Log Mile: 7.89

Land Section Number: 17

Township: 19N

Range: 13W

Land Section: SW

Latitude: N 36 18 34.0

Longitude: W 92 23 55.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 223.818

Elevation (Feet): 734.310

Description: AHTD CAP IN HW IN SW CORNER OF DOUBLE BOX, 49 FT S OF CL STA 391+33, S SIDE OVER BRANCH OF DODD CREEK, 2.1 MILES NE OF JCT US62/412 AND ARK 126 SOUTH

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 030040

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #95

Date Established: 2/14/2000

System: STATE

Job Number: 090013

Nearest City: MOUNTAIN HOME

County: BAXTER

Route: 201

Section: 0

Log Mile: 9.82

Land Section Number: 16

Township: 19N

Range: 13W

Land Section: SW

Latitude: N 36 18 20.0

Longitude: W 92 23 08.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 212.245

Elevation (Feet): 696.340

Description: AHTD ALUMINUM CAP IN TOP OF PARAPET WALL IN SOUTHEAST CORNER OF BRIDGE #06657, 5.1m OF CENTERLINE STATION 157+95.2, EAST SIDE OF BRIDGE OVER DODD CREEK, 0.2 MILES SOUTHWEST OF JCT. U.S. 62/412 AND HWY 201, SET 1999, (RE ID: 95-48), LEVELS RAN FROM TBM #1 ELEVATION 213.370 m JOB 090013, DIRECT TRANSFER, NO ELECTRONIC FILE MADE.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 030041

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #95

Date Established: 2/14/2000

System: STATE

Job Number: 090013

Nearest City: MOUNTAIN HOME

County: BAXTER

Route: 201

Section: 0

Log Mile: 9.82

Land Section Number: 16

Township: 19N

Range: 13W

Land Section: SW

Latitude: N 36 18 20.0

Longitude: W 92 23 08.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 212.245

Elevation (Feet): 696.340

Description: AHTD ALUMINUM CAP IN TOP OF PARAPET WALL IN SOUTHEAST CORNER OF BRIDGE #06657, 5.1m RIGHT OF CENTERLINE STATION 157+95.2, EAST SIDE OF BRIDGE OVER DODD CREEK, 0.2 MILES SOUTHWEST OF JCT. U.S. 62/412 AND HWY 201, SET 1999, (RE ID: 95-48), LEVELS RAN FROM TBM #1 ELEVATION 213.370m JOB 090013, DIRECT TRANSFER, NO ELECTRONIC FILE MADE.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 030042

Class:

Vertical Datum: NAVD88

Established by: RE OFFICE #95

Date Established: 6/30/2000

System: FEDERAL

Job Number: R90093

Nearest City: MOUNTAIN HOME

County: BAXTER

Route: US65/412

Section: 10

Log Mile: 6.23

Land Section Number: 24

Township: 19N

Range: 14W

Land Section: NE

Latitude: N 36 18 30.0

Longitude: W 92 25 26.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 238.448

Elevation (Feet): 782.308

Description: AHTD CAP IN HW IN SW CORNER OF TRIPLE BOX, BR NO. M1115, 57 FT  
RT OF CL STA 303+61, S SIDE OVER BIG CREEK, 0.4 MILES NE OF JCT  
US62/412 & ARK 126 SOUTH (RE95-50)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 030043

Class:

Vertical Datum: NAVD88

Established by: RE OFFICE #95

Date Established: 6/30/2000

System: FEDERAL

Job Number: R90093

Nearest City: MOUNTAIN HOME

County: BAXTER

Route: US62/412

Section: 10

Log Mile: 7.12

Land Section Number: 18

Township: 19N

Range: 13W

Land Section: SE

Latitude: N 36 18 25.0

Longitude: W 92 24 38.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 243.224

Elevation (Feet): 797.977

Description: AHTD CAP IN HW IN SW CORNER OF BOX VULVERT, 64 FT RT OF CL  
STA 350+63, S SIDE OVERBRANCH OF BIG CREEK, 1.3 MILES NE OF JCT  
US 62/412 AND ARK 126 SOUTH

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 030044

Class:

Vertical Datum: NAVD88

Established by: RE OFFICE #95

Date Established: 6/30/2000

System: FEDERAL

Job Number: R90093

Nearest City: MOUNTAIN HOME

County: BAXTER

Route: US 62/412

Section: 10

Log Mile: 7.58

Land Section Number: 17

Township: 19N

Range: 13W

Land Section: SW

Latitude: N 36 18 35.0

Longitude: W 92 24 11.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 230.49

Elevation (Feet): 756.199

Description: AHTD CAP IN HW SW CORNER OF BOX, 45 FT RT OF CL STA 374+92, S  
SIDE OVER BRANCH OF DODD CREEK, 1.8 MILE NE OF JCT US 62/412  
AND ARK 126 SOUTH

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 030045

Class:

Vertical Datum: NAVD88

Established by: RE OFFICE #95

Date Established: 6/30/2000

System: STATE

Job Number: 090034

Nearest City: MOUNTAIN HOME

County: BAXTER

Route: 5

Section: 19

Log Mile: 0.37

Land Section Number: 5

Township: 19N

Range: 13W

Land Section: SE

Latitude: N 36 20 34.0

Longitude: W 92 23 12.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 259.981

Elevation (Feet): 852.954

Description: AHTD CAP IN TOP OF DROP INLET 10.2 M LT CL STA 103.80.7, N SIDE OF 5&71 (RE ID 95-49). LEVEL FROM TBM (ZC=260.704M)

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 030046

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #95

Date Established: 4/20/2004

System: STATE

Job Number: 009942

Nearest City: Mountain Home

County: BAXTER

Route: 5

Section: 19

Log Mile: 0.02

Land Section Number: 4

Township: 19n

Range: 13w

Land Section:

Latitude: N 36 20 24.27

Longitude: W 92 23 07.24

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 262.325

Elevation (Feet): 860.645

Description: Ahtd aluminum cap in top of concrete drop inlet 60' lt of centerline station 31+10 on north side of state hwy 5, 0.02 miles west of jct. of us hwy 62b and state hwy 5.

Comments: Levels ran from AHTD BM 95-25 job No. 9804, direct transfer, no electronic file made. Elevations were entered but not verified.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040001

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: GENTRY

County: BENTON

Route: 12

Section: 1

Log Mile: 5.78

Land Section Number: 3

Township: 18N

Range: 33W

Land Section:

Latitude: N 36 15 52.0

Longitude: W 94 29 16.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 372.363

Elevation (Feet): 1221.661

Description: ALUMINUM DISC IN S.E. CORNER OF DROP INLET ON THE SOUTH SIDE OF HWY.12 AND 165' WEST OF THE INTERSECTION OF S. BYERS STREET IN GENTRY AND HWY 12. "DESTROYED" Crew S5102 "9-2-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040002

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 9772

Nearest City: SILOAM SPRINGS

County: BENTON

Route: 43

Section: 0

Log Mile: 20.82

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 11 04.0

Longitude: W 94 32 28.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 335.902

Elevation (Feet): 1102.038

Description: STD. DISC IN TOP OF S.W. ABUTMENT WINGWALL OF BRIDGE NO. 6070  
WHERE SAGER CREEK INTERSECTS ST. HWY. 43 IN SILOAM SPRINGS.  
Crew S5102 "9-2-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040003

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: GENTRY

County: BENTON

Route: 12

Section: 1

Log Mile: 5.94

Land Section Number: 3

Township: 18N

Range: 33W

Land Section:

Latitude: N 36 15 50.0

Longitude: W 94 29 04.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 381.955

Elevation (Feet): 1253.131

Description: DISK WING OF BRIDGE GENTRY BR# 5965 OVER K.C.S RAILROAD  
OVERPASS (1983) CREW S5102 "9-2-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040004

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: GRAVETTE

County: BENTON

Route: 59

Section: 1

Log Mile: 8.70

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 23 51.0

Longitude: W 94 26 52.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 322.125

Elevation (Feet): 1056.838

Description: DISK SET N.W. WINGWALL SPANINAW CREEK NO. 1100W CREW S5102  
"9-2-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040005

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: SILOAM SPRINGS

County: BENTON

Route: 59

Section: 2

Log Mile: 1.29

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 10 24.0

Longitude: W 94 31 41.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 360.658

Elevation (Feet): 1183.259

Description: "[ ]" IN WHEELGUARD 13' RT. SOUTH END OVERPASS N/R "9-2-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040006

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: SILOAM SPRINGS

County: BENTON

Route: 68

Section: 0

Log Mile: 14.11

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 11 15.0

Longitude: W 94 20 16.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 317.468

Elevation (Feet): 1041.560

Description: CHISLED "[]" IN TOP OF WEST ABUTMENT AT NORTHWEST CORNER OF EXISTING BRIDGE OVER WILDCAT CREEK BR1701 ON HWY 68. 13 FT NORTH OF CENTERLINE OF BRIDGE. CREW S5102 "9-2-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040007

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 9626

Nearest City: SILOAM SPRINGS

County: BENTON

Route: 412

Section: 0

Log Mile: 0.56

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 10 32.0

Longitude: W 94 33 21.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 350.646

Elevation (Feet): 1150.411

Description: DISK SET HEADWALL 55' RT. STATION 43+94 NOTE: TBM 905 CREW S5102 "9-2-99"

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040008

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 9626

Nearest City: SILOAM SPRINGS

County: BENTON

Route: 412

Section: 0

Log Mile: 3.96

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 10 49.0

Longitude: W 94 30 05.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 349.829

Elevation (Feet): 1147.731

Description: DISK SET HEADWALL 42' LT. STATION 225+02 NOTE: TBM 910 IS CUT ON HEADWALL RT. SIDE OF 412 "DISK ON LT". CREW S5102 "9-2-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040009

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: SILOAM SPRINGS

County: BENTON

Route: 412

Section: 0

Log Mile: 1.78

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 10 19.0

Longitude: W 94 32 03.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 361.548

Elevation (Feet): 1186.179

Description: DISK IN S.W. WINGWALL BRIDGE 3050 W. K.C.S. RAILROAD  
OVERPASSES CREW S5102 "9-2-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040010

Class:

Vertical Datum:

Established by: RE OFFICE #94

Date Established:

System: STATE

Job Number: 9730 & 9795

Nearest City: LOWELL

County: BENTON

Route: 71

Section: 18

Log Mile: 4.51

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 15 57.0

Longitude: W 94 09 02.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 405.924

Elevation (Feet): 1331.769

Description: DISC IN S.W. WINGWALL BR.NO. 5954 (OAKWOOD) CREW S5102 "9-1-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040011

Class:

Vertical Datum:

Established by: CTA

Date Established: 11/15/2004

System: STATE

Job Number: 9730 & 9795

Nearest City: LOWELL

County: BENTON

Route: 71

Section: 18

Log Mile: 5.87

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 17 00.0

Longitude: W 94 09 24.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 402.9935

Elevation (Feet): 1322.155

Description: DISC IN S.W. WINGWALL BR.NO. 5955 (PLEASANT GROVE ROAD). CREW S5102 "9-1-99". ELEVATION RERAN BY CTA 11/2004

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040012

Class:

Vertical Datum:

Established by: RE OFFICE #94

Date Established:

System: STATE

Job Number: 9730 & 9795

Nearest City: ROGERS

County: BENTON

Route: 71

Section: 18

Log Mile: 6.54

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 17 32.0

Longitude: W 94 09 47.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 390.559

Elevation (Feet): 1281.359

Description: DISC IN S.E. WINGWALL BR.NO. 5956B (OSAGE CREEK) CREW S5102 "9-1-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040013

Class:

Vertical Datum:

Established by: RE OFFICE #94

Date Established:

System: STATE

Job Number: 930 N& 9795

Nearest City: ROGERS

County: BENTON

Route: 71

Section: 18

Log Mile: 7.50

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 17 56.0

Longitude: W 94 10 35.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 385.664

Elevation (Feet): 1265.299

Description: DISC IN S.W. WINGWALL BR.NO. 5958A (OSAGE CREEK) CREW S5102 "9-1-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040014

Class:

Vertical Datum:

Established by: RE OFFICE #94

Date Established:

System: STATE Job Number: 730 & 979 Nearest City: ROGERS

County: BENTON Route: 71 Section: 18 Log Mile: 8.73

Land Section Number: Township: Range:

Land Section:

Latitude: N 36 18 51.0 Longitude: W 94 11 05.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 374.469 Elevation (Feet): 1228.570

Description: DISC IN S.E. WINGWALL BR.NO. 5960B (NEW HOPE RD) CREW S5102 "9-1-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040015

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: LOWELL

County: BENTON

Route: 71

Section: 18

Log Mile: 0.59

Land Section Number: 18

Township: 18N

Range: 30W

Land Section:

Latitude: N 36 13 13.0

Longitude: W 94 10 50.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 367.934

Elevation (Feet): 1207.130

Description: DISK S.W. WINGWALL BR #5946B SPRING CREEK CREW S5102 "9-1-99"

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040016

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: LOWELL

County: BENTON

Route: 71

Section: 18

Log Mile: 1.02

Land Section Number: 18

Township: 18N

Range: 30W

Land Section:

Latitude: N 36 13 34.0

Longitude: W 94 10 43.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 386.829

Elevation (Feet): 1269.121

Description: DISK S.W. WINGWALL BR #5947 WAGONWHEEL ROAD CREW S5102 "9-1-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040017

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: LOWELL

County: BENTON

Route: 71

Section: 18

Log Mile: 2.71

Land Section Number: 18

Township: 18N

Range: 30W

Land Section:

Latitude: N 36 14 25.0

Longitude: W 94 09 19.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 399.191

Elevation (Feet): 1309.679

Description: DISK S.W. WINGWALL BR #5948A GOAD SPRINGS ROAD CREW S5102 "9-1-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040018

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: LOWELL

County: BENTON

Route: 71

Section: 18

Log Mile: 3.76

Land Section Number: 18

Township: 18N

Range: 30W

Land Section:

Latitude: N 36 15 16.0

Longitude: W 94 09 02.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 400.212

Elevation (Feet): 1313.029

Description: DISK S.W. WINGWALL BR 5949 HWY. 264 CREW S5102 "9-1-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040019

Class:

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 7/17/2000

System: STATE

Job Number: R90042

Nearest City: ROGERS

County: BENTON

Route: 71

Section: 18

Log Mile: 10.14

Land Section Number: 9

Township: 19N

Range: 30W

Land Section:

Latitude: N 36 20 05.0

Longitude: W 94 11 01.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 398.715

Elevation (Feet): 1308.117

Description: METAL DISC IN TOP OF S.E. WINGWALL OF EAST BRIDGE OF HWY. 71B  
OVERPASSES. BR.NO 5977B CREW S5102 "9-1-99" RUN FROM NGS POINT  
G 34 USING 3 WIRE LEVELS BY S5103

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040020

Class:

Vertical Datum:

Established by: RE OFFICE #94

Date Established:

System: STATE

Job Number: R90042

Nearest City: ROGERS

County: BENTON

Route: 71

Section: 19

Log Mile: 1.48

Land Section Number: 4

Township: 19N

Range: 30W

Land Section:

Latitude: N 36 21 23.0

Longitude: W 94 10 41.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 403.193

Elevation (Feet): 1322.809

Description: METAL DISC IN TOP OF S.E. WINGWALL OF EAST BRIDGE OF HWY. 102  
OVERPASSES BR.NO. 5979B: BETWEEN SECTION 4 T19N R30W &  
SECTION 33 T20N R30W CREW S5102 "9-1-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040021

Class:

Vertical Datum:

Established by: RE OFFICE #94

Date Established:

System: STATE

Job Number: R90042

Nearest City: ROGERS

County: BENTON

Route: 71

Section: 19

Log Mile: 2.61

Land Section Number: 28

Township: 20N

Range: 30W

Land Section:

Latitude: N 36 22 14.0

Longitude: W 94 10 12.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 398.984

Elevation (Feet): 1309.000

Description: METAL DISC IN TOP OF N.W. WINGWALL OF BRIDGE OVER HWY. 71 AT  
LITTLE FLOCK ROAD. BR.NO. 5981: BETWEEN SECTION 28 & SECTION  
33. CREW S5102 "9-1-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040022

Class:

Vertical Datum:

Established by: RE OFFICE #94

Date Established: 9/19/1991

System: STATE

Job Number: 9915

Nearest City: ROGERS

County: BENTON

Route: 71B

Section: 18B

Log Mile: 9.09

Land Section Number: 12

Township: 19N

Range: 30W

Land Section: NW

Latitude: N 36 20 02.0

Longitude: W 94 08 04.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 409.003

Elevation (Feet): 1341.871

Description: AHTD DISC IN TOP OF DROP INLET IN N.E. CORNER OF INTERSECTION OF HWY 71B AND 13TH STREET. LOCATED 49 FT. NORTH OF CENTERLINE HWY. 71B AND 42 FT. EAST OF CENTERLINE 13TH ST. CREW S5102 "9-2-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040023

Class:

Vertical Datum:

Established by:

RE OFFICE #94

Date Established: 8/27/1989

System: STATE

Job Number: R90045

Nearest City: BENTONVILLE

County: BENTON

Route: 71

Section: 19

Log Mile: 5.77

Land Section Number: 17

Township: 20N

Range: 30W

Land Section: SW

Latitude: N 36 24 18.0

Longitude: W 94 11 55.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 380.458

Elevation (Feet): 1248.219

Description: AHTD DISC IN TOP OF THE EAST WINGWALL ON THE NORTH END OF  
BRIDGE NO. 5984B (NORTH BRIDGE OVER SLAUGHTER PEN ROAD).  
CREW S5102 "9-1-99"

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040024

Class:

Vertical Datum:

Established by:

RE OFFICE #94

Date Established: 8/27/1989

System: STATE

Job Number: R90045

Nearest City: BENTONVILLE

County: BENTON

Route: 71

Section: 19

Log Mile: 7.14

Land Section Number: 18

Township: 20N

Range: 30W

Land Section: NW

Latitude: N 36 24 50.0

Longitude: W 94 13 08.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 329.45

Elevation (Feet): 1080.871

Description: AHTD DISC IN TOP OF THE EAST WINGWALL ON THE NORTH END OF  
BRIDGE NO. 6056B (NORTH BRIDGE OVER HWY. 71 CROSSING ROAD).  
CREW S5102 "9-1-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040025

Class:

Vertical Datum:

Established by:

RE OFFICE #94

Date Established: 8/27/1989

System: STATE

Job Number: R90045

Nearest City: BENTONVILLE

County: BENTON

Route: 71

Section: 19

Log Mile: 3.51

Land Section Number: 28

Township: 20N

Range: 30W

Land Section: NE

Latitude: N 36 22 52.0

Longitude: W 94 10 33.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 400.368

Elevation (Feet): 1313.541

Description: AHTD DISC IN TOP OF THE SOUTH WINGWALL ON THE WEST END OF  
BR. NO. 5982 (HWY. 72 OVERPASS). CREW S5102 "9-1-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040026

Class:

Vertical Datum:

Established by: RE OFFICE #94

Date Established: 8/27/1989

System: STATE

Job Number: R90045

Nearest City: ROGERS

County: BENTON

Route: 71

Section: 19

Log Mile: 5.08

Land Section Number: 16

Township: 20N

Range: 30W

Land Section: SW

Latitude: N 36 24 04.0

Longitude: W 94 11 12.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 386.036

Elevation (Feet): 1266.520

Description: AHTD DISC IN TOP OF THE SOUTH WINGWALL ON THE WEST END OF  
BRIDGE NO. 5983 ('J' STREET OVERPASS) CREW S5102 "9-1-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040027

Class:

Vertical Datum:

Established by:

Date Established: 2/26/1986

System: STATE

Job Number: 9782

Nearest City: BENTONVILLE

County: BENTON

Route: 71B

Section: 19B

Log Mile: 3.10

Land Section Number: 30

Township: 20N

Range: 30W

Land Section: SW

Latitude: N 36 21 29.0

Longitude: W 94 12 51.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 420.122

Elevation (Feet): 1378.350

Description: STD. AHTD DISC SET IN TOP OF EAST HEADWALL OF A BOX CULVERT  
LOCATED 500 FEET NORTH OF STATE HIGHWAY 102. CREW S5102 "9-2-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040028

Class:

Vertical Datum:

Established by: RE OFFICE #94

Date Established:

System: STATE

Job Number: R90025

Nearest City: GRAVETTE

County: BENTON

Route: 72

Section: 2

Log Mile: 0.63

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 25 13.0

Longitude: W 94 26 33.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 359.817

Elevation (Feet): 1180.500

Description: AHTD DISC LOCATED IN SOUTH HEADWALL OF BOX CULVERT 325'  
EAST OF THE INTERSECTION OF BIRMINGHAM STREET AND STATE  
HWY. 72. CREW S5102 "9-1-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040029

Class:

Vertical Datum:

Established by: SURVEYS DIVISION

Date Established: 5/24/1993

System: STATE

Job Number: R90027

Nearest City: BENTONVILLE

County: BENTON

Route: 72

Section: 2

Log Mile: 13.3

Land Section Number: 28

Township: 20N

Range: 31W

Land Section: SE

Latitude: N 36 22 45.0

Longitude: W 94 16 39.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 401.297

Elevation (Feet): 1316.589

Description: [] CUT ON TOP STEP OF ZOIN'S REST PRIMITIVE BAPTIST CHURCH ON  
N.W. CORNER & ON SOUTH SIDE OF HWY 72. CREW S5102 "9-1-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040030

Class:

Vertical Datum:

Established by:

SURVEYS DIVISION

Date Established: 5/24/1993

System: STATE

Job Number: R90027

Nearest City: BENTONVILLE

County: BENTON

Route: 72

Section: 2

Log Mile: 14.16

Land Section Number: 35

Township: 20N

Range: 31W

Land Section: NE

Latitude: N 36 22 24.0

Longitude: W 94 15 55.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 355.434

Elevation (Feet): 1166.120

Description: [] CUT ON N.W. CORNER OF N.E. HEADWALL CMP ON MCKISIC CREEK  
ON HWY 72 APPROX. 2.5 MILES WEST OF INTERSECTION OF HWY 72 &  
71 IN BENTONVILLE CREW S5102 "9-1-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040031

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City:

County: BENTON

Route: 72

Section: 2

Log Mile: 14.16

Land Section Number: 34

Township: 20N

Range: 31W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 354.465

Elevation (Feet): 1162.941

Description: DISK IN HEADWALL OF R.C. BOX 65' LT OF CENTERLINE 743+. NOT  
FOUND IN 1993 RESET SEE PID #303 (040030) N/R CREW S5102 "9-1-99"  
THE SAME LOCATION AS IDENTIFICATION # 040030

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040032

Class:

Vertical Datum:

Established by: RE OFFICE #94

Date Established: 12/10/1987

System: STATE

Job Number: N/A

Nearest City: ROGERS

County: BENTON

Route: 94

Section: 1

Log Mile: 10.79

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 18 52.0

Longitude: W 94 10 59.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 369.187

Elevation (Feet): 1211.241

Description: AHTD DISK IN S.W. WINGWALL OF BRIDGE ON NEW HOPE ROAD  
CROSSING OF OSAGE CREEK. LOCATED S5102 ON 9/1/99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040033

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number:

N/A

Nearest City:

CAVE SPRINGS

County:

BENTON

Route:

112

Section:

2

Log Mile:

2.29

Land Section Number:

Township:

Range:

Land Section:

Latitude:

N 36 14 35.0

Longitude:

W 94 14 19.0

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

338.542

Elevation (Feet):

1110.700

Description:

DISK TOP WINGWALL 20' RT 121+20 BRIDGE #5910 SPRING CREEK  
CREW S5102 "9-1-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040034

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: CAVE SPRINGS

County: BENTON

Route: 112

Section: 2

Log Mile: 5.26

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 16 53.0

Longitude: W 94 13 39.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 350.256

Elevation (Feet): 1149.132

Description: DISK TOP WINGWALL 20 RT. 271+65 BRIDGE #5911 OSAGE CREEK CREW S5102 "9-01-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040035

Class:

Vertical Datum:

Established by:

RE OFFICE #94

Date Established: 2/19/1991

System: STATE

Job Number:

9724

Nearest City:

ROGERS

County:

BENTON

Route:

112

Section:

3

Log Mile:

1.510

Land Section Number:

32

Township:

20N

Range:

30W

Land Section:

SW

Latitude:

N 36 21 28.0

Longitude:

W 94 11 48.0

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

398.53

Elevation (Feet):

1307.511

Description:

AHTD DISC SET IN THE TOP OF A DROP INLET 33' LT. AND NORTH OF  
THE INTERSECTION OF STATE HIGHWAY 102 AND STATE HIGHWAY  
112 200 FT NORTH OF INTERSECTION CREW S5102 '9-1-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040036

Class:

Vertical Datum:

Established by:

RE OFFICE #94

Date Established: 2/19/1991

System: STATE

Job Number:

9724

Nearest City:

ROGERS

County: BENTON

Route:

112

Section:

3

Log Mile:

2.128

Land Section Number:

32

Township:

20N

Range:

30W

Land Section:

NW

Latitude: N 36 22 00.0

Longitude: W 94 11 49.0

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

394.839

Elevation (Feet):

1295.401

Description:

AHTD DISC SET IN THE N.E. CORNER OF A WINGWALL 32' LT. AND 0.655  
LOG MILES NORTH OF THE INTERSECTION OF STATE HIGHWAY 102  
AND STATE HIGHWAY 112. CREW S5102 "9-1-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040037

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 9760

Nearest City:

County: BENTON

Route: 204

Section: 2

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 381.97

Elevation (Feet): 1253.180

Description: DISK SET IN TOP OF DROP INLET 19' RT STATION 41+75 N/R CREW S5102  
"9-2-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040038

Class:

Vertical Datum:

Established by:

RE OFFICE #94

Date Established: 3/26/1990

System: STATE

Job Number: R90050

Nearest City: LOWELL

County: BENTON

Route: 264

Section: 2

Log Mile: 0.551

Land Section Number: 11

Township: 18N

Range: 30W

Land Section: NW

Latitude: N 36 15 15.0

Longitude: W 94 08 47.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 386.313

Elevation (Feet): 1267.429

Description: AHTD DISC SET IN THE CENTER OF THE SOUTH HEADWALL OF A QUINT. 10'X 7' R.C. BOX CULVERT 43 FEET RIGHT OF THE CENTERLINE OF HIGHWAY 264 AND 0.551 MILES WEST OF THE HWY. 71B/264 INTERSECTION LOCATED IN THE N.E. QT. OF THE N.W. QT. CREW S5102 "9-2-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040039

Class:

Vertical Datum:

Established by: RE OFFICE #94

Date Established:

System: STATE

Job Number: R90013

Nearest City: PEA RIDGE

County: BENTON

Route: 265

Section: 4

Log Mile: 3.086

Land Section Number: 13

Township: 21N

Range: 30W

Land Section:

Latitude: N 36 29 43.0

Longitude: W 94 06 44.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 345.665

Elevation (Feet): 1134.069

Description: AHTD DISC SET IN THE NORTH END OF THE LEFT (WEST) HEADWALL OF A BOX CULVERT 23' LEFT AND 3.086 LOG MILES NORTH OF THE HWY. 94 & 265 INTERSECTION CREW S5102 "9-3-99"

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040040

Class:

Vertical Datum:

Established by: RE OFFICE #94

Date Established:

System: STATE

Job Number: R90013

Nearest City: PEA RIDGE

County: BENTON

Route: 265

Section: 4

Log Mile: 2.258

Land Section Number: 24

Township: 21N

Range: 30W

Land Section:

Latitude: N 36 29 05.0

Longitude: W 94 06 54.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 351.362

Elevation (Feet): 1152.760

Description: AHTD DISC SET IN CENTER OF LEFT (WEST) HEADWALL OF BOX  
CULVERT 24' LEFT AND 2.258 LOG MILES NORTH OF HWY. 94 AND  
HWY 265 INTERSECTION CREW S5102 "9-3-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040041

Class:

Vertical Datum:

Established by: RE OFFICE #94

Date Established:

System: STATE

Job Number: N/A

Nearest City: PEA RIDGE

County: BENTON

Route: 265

Section: 4

Log Mile: 0.005

Land Section Number: 25

Township: 21N

Range: 30W

Land Section:

Latitude: N 36 27 24.0

Longitude: W 94 07 24.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 401.203

Elevation (Feet): 1316.280

Description: AHTD DISC SET IN NORTHEAST CORNER OF A DROP INLET 34' RIGHT (EAST) AND 0.005 LOG MILES NORTH OF HWY. 94 AND HWY 265 INTERSECTION. CREW S5102 "9-3-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040042

Class:

Vertical Datum:

Established by:

RE OFFICE #94

Date Established:

System: STATE

Job Number:

R90016

Nearest City:

CENTERTON

County:

BENTON

Route:

279

Section:

1

Log Mile:

2.073

Land Section Number:

30

Township:

20N

Range:

31W

Land Section:

Latitude:

N 36 23 19.0

Longitude:

W 94 19 37.0

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

379.212

Elevation (Feet):

1244.131

Description:

AHTD DISC SET IN THE CENTER OF THE LEFT (WEST) HEADWALL OF A  
BOX CULVERT 23' LEFT AND 2.073 LOG MILES NORTH OF THE HWY.  
102 AND HWY 279 INTERSECTION CREW S5102 "9-1-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040043

Class:

Vertical Datum:

Established by:

RE OFFICE #94

Date Established:

System: STATE

Job Number:

R90016

Nearest City:

CENTERTON

County:

BENTON

Route:

279

Section:

1

Log Mile:

0.037

Land Section Number:

31

Township:

20N

Range:

31W

Land Section:

Latitude:

N 36 21 36.0

Longitude:

W 94 19 29.0

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

406.269

Elevation (Feet):

1332.901

Description:

AHTD DISC SET IN CENTER OF LEFT (WEST) HEADWALL OF A BOX  
CULVERT 21' LEFT AND NORTH OF THE HWY. 102 AND HWY. 279  
INTERSECTION. 200FT. NORTH OF HWY-102 CREW S5102 "9-1-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040044

Class:

Vertical Datum: NGVD29

Established by: RE OFFICE #94

Date Established: 9/2/1994

System: STATE

Job Number: 9944

Nearest City: SILOAM SPRINGS

County: BENTON

Route: 412

Section: 1

Log Mile: 8.19

Land Section Number: 7

Township: 17N

Range: 32W

Land Section: NE

Latitude: N 36 10 17.0

Longitude: W 94 25 45.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 306.425

Elevation (Feet): 1005.329

Description: AHTD STANDARD DISC SET IN TOP OF SOUTHWEST WINGWALL OF BRIDGE NO. 6476B (ILLINOIS RIVER) 20' SOUTH OF THE CENTERLINE OF HWY. 412 (EASTBOUND LANES) AND 0.25 LOG MILES EAST OF THE INTERSECTION OF HWY. 412 AND BENTON COUNTY ROAD NO. 3. CREW S5102 "9-2-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040045

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #94

Date Established: 9/2/1994

System: STATE

Job Number: 9945

Nearest City: SILOAM SPRINGS

County: BENTON

Route: 412

Section: 1

Log Mile: 9.61

Land Section Number: 9

Township: 17N

Range: 32W

Land Section: NW

Latitude: N 36 10 05.0

Longitude: W 94 24 15.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 314.188

Elevation (Feet): 1030.798

Description: AHTD STANDARD DISC SET IN TOP OF SOUTHWEST WINGWALL OF BRIDGE NO. 6477B (PEDRO CREEK, 21' SOUTH OF THE CENTER LINE OF HWY. 412 EASTBOUND LANES) AND 1.69 LOG MILES EAST OF THE INTERSECTION OF HWY. 412 AND BENTON COUNTY ROAD NO.3. CREW S5102 "9-2-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040046

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #94

Date Established: 9/2/1994

System: STATE

Job Number: 9945

Nearest City: SILOAM SPRINGS

County: BENTON

Route: 412

Section: 1

Log Mile: 11.60

Land Section Number: 2

Township: 17N

Range: 32W

Land Section: SW

Latitude: N 36 10 19.0

Longitude: W 94 22 12.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 310.241

Elevation (Feet): 1017.849

Description: AHTD STANDARD DISC SET IN TOP OF SOUTHWEST WINGWALL OF BRIDGE NO. 6478B (ILLINOIS RIVER), 21 SOUTH OF CENTERLINE OF HWY. 412 (EASTBOUND LANES) AND 0.40 LOG MILES WEST OF THE INTERSECTION OF HWY. 412 AND BENTON COUNTY ROAD NO. 103 (ROBINSON RD.) CREW S5102 "9-2-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040047

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #94

Date Established: 5/26/1994

System: STATE

Job Number: 9943

Nearest City: SILOAM SPRINGS

County: BENTON

Route: 412

Section: 1

Log Mile: 7.16

Land Section Number: 1

Township: 17N

Range: 33W

Land Section: SE

Latitude: N 36 10 33.0

Longitude: W 94 26 49.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 302.386

Elevation (Feet): 992.078

Description: AHTD BENCHMARK DISC SET IN THE SOUTHWEST WINGWALL OF BRIDGE NO. 6475B (BUTLER CREEK) 20' SOUTH OF THE CENTERLINE OF HWY. 412 (EASTBOUND LANES) AND .74 LOG MILES EAST OF THE INTERSECTION OF HWY. 412 AND BENTON COUNTY ROAD NO. 7. CREW S5102 "9-2-99"

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040048

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #94

Date Established: 1/12/1996

System: STATE

Job Number: 009889

Nearest City: ROGERS

County: BENTON

Route: 62

Section: 2

Log Mile:

Land Section Number: 4

Township: 19N

Range: 30W

Land Section: NE

Latitude: N 36 21 21.0

Longitude: W 94 10 16.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 399.608

Elevation (Feet): 1311.047

Description: AHTD STANDARD DISC IN TOP OF DROP INLET 34' SOUTH OF THE  
CENTERLINE OF HWY. 62 AND 0.404 LOG MILES EAST OF THE HWY. 71/  
HWY. 102 INTERSECTION. CREW S5102 "9-1-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040049

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #94

Date Established: 1/16/1996

System: STATE

Job Number: 009889

Nearest City: ROGERS

County: BENTON

Route: 62

Section: 2

Log Mile:

Land Section Number: 3

Township: 19N

Range: 30W

Land Section: NE

Latitude: N 36 21 19.0

Longitude: W 94 09 13.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 399.379

Elevation (Feet): 1310.296

Description: AHTD STANDARD DISC IN TOP OF DROP INLET 34' SOUTH OF THE  
CENTERLINE OF HWY. 62 AND I-370 LOG MILES EAST OF THE HWY. 71/  
HWY. 102 INTERSECTION. CREW S5102 "9-1-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040050

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #94

Date Established: 1/17/1996

System: STATE

Job Number: 009889

Nearest City: ROGERS

County: BENTON

Route: 62

Section: 2

Log Mile:

Land Section Number: 2

Township: 19N

Range: 30W

Land Section: NE

Latitude: N 36 21 17.0

Longitude: W 94 08 09.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 404.25

Elevation (Feet): 1326.277

Description: AHTD STANDARD DISC IN TOP OF DROP INLET 34' SOUTH OF THE  
CENTERLINE OF HWY. 62 AND 2.355 LOG MILES EAST OF THE HWY.  
71/HWY. 102 INTERSECTION. CREW S5102 "9-1-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040051

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #94

Date Established: 11/21/1994

System: STATE

Job Number: R90015

Nearest City:

County: BENTON

Route: 279

Section: 1

Log Mile: 1.02

Land Section Number: 17

Township: 19N

Range: 31W

Land Section: NW

Latitude: N 36 19 48.0

Longitude: W 94 18 11.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 303.591

Elevation (Feet): 996.031

Description: AHTD STANDARD DISC SET IN WEST HEADWALL OF TRIPLE 8' x 6' x 64' R. C. BOX CULVERT, 29' WEST OF CENTERLINE OF HWY. 279 AND 0.97 MILES NORTH OF THE INTERSECTION OF STATE HIGHWAY 12 AND STATE HIGHWAY 279. CREW S5102 "9-1-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040052

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #94

Date Established: 11/14/1996

System: STATE

Job Number: 009971

Nearest City: ROGERS

County: BENTON

Route: 94

Section: 1

Log Mile:

Land Section Number: 13

Township: 19N

Range: 30W

Land Section: SW

Latitude: N 36 18 45.0

Longitude: W 94 08 07.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 124.751

Elevation (Feet): 409.287

Description: AHTD STANDARD DISC IN TOP OF DROP INLET, 9.0 M NORTH OF CENTERLINE OF HWY. 94 AND .490 LOG MILES WEST OF THE HWY. 94/HWY. 71B INTERSECTION. @ THE INTERSECTION OF 513TH ST AND NEW HOPE ROAD. LOCATED BY S5102 9/1/99. THE INTERSECTION OF S13TH ST. AND NEW HOPE RD. CREW S5102 "9-1-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040053

Class:

Vertical Datum:

Established by:

RE OFFICE #94

Date Established: 2/19/1993

System: COUNTY

Job Number:

ES-4-2

Nearest City:

GRAVETTE

County:

BENTON

Route:

CO. RD. 516

Section:

Log Mile:

9.86

Land Section Number:

33

Township:

20N

Range:

32W

Land Section:

SW

Latitude:

N 36 21 51.0

Longitude:

W 94 23 56.0

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

354.257

Elevation (Feet):

1162.258

Description:

AHTD STANDARD DISC LOCATED IN TOP OF SOUTHEAST WINGWALL OF BRIDGE NO 4677. LOCATED 12.8 FEET EAST OF CENTERLINE AND 0.9 LOG MILES SOUTHEAST OF THE INTERSECTION OF COUNTY ROAD 516 AND COUNTY ROAD 18. BRIDGE NO. 4677 OVER THE SOUTH PRONG SPAVINAN CREEK. CREW S5102 "9-2-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040054

Class:

Vertical Datum:

Established by: RE OFFICE #94

Date Established: 2/19/1993

System: COUNTY

Job Number: ES-4-1

Nearest City: AVOCA

County: BENTON

Route: CO. RD. 783

Section:

Log Mile:

Land Section Number: 8

Township: 20N

Range: 29W

Land Section: SW

Latitude: N 36 25 03.0

Longitude: W 94 05 17.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 359.615

Elevation (Feet): 1179.837

Description: AHTD STANDARD DISC LOCATED IN TOP OF SOUTHEAST WINGWALL OF BRIDGE NO. 4676. LOCATED 12.8 FEET EAST OF CENTERLINE AND 0.11 LOG MILES SOUTH OF THE INTERSECTION OF COUNTY ROAD 783 AND COUNTY ROAD 44. BRIDGE IS OVER LITTLE SUGAR CREEK. BR# 4676 CREW S5102 "9-3-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040055

Class:

Vertical Datum:

Established by:

RE OFFICE #94

Date Established:

System: COUNTY

Job Number:

BR-4-1

Nearest City:

SILOAM SPRINGS

County:

BENTON

Route:

CO. RD. 12

Section:

Log Mile:

6.77

Land Section Number:

36

Township:

18N

Range:

32W

Land Section:

Latitude:

N 36 11 48.0

Longitude:

W 94 20 18.0

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

316.565

Elevation (Feet):

1038.597

Description:

STD. DISC IN SW WINGWALL OF OSAGE CREEK BRIDGE ON COUNTY ROAD, 0.6 MI. NORTH OF INTERSECTION OF HWY. 68 AND THE WASHINGTON/BENTON COUNTY LINE. CREW S5102 "9-2-99"

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040056

Class:

Vertical Datum:

Established by:

RE OFFICE #94

Date Established: 10/24/1990

System: COUNTY

Job Number:

BR-4-2

Nearest City:

GRAVETTE

County:

BENTON

Route:

29

Section:

Log Mile:

.118

Land Section Number:

27

Township:

20N

Range:

33W

Land Section:

NE

Latitude: N 36 23 00.0

Longitude: W 94 28 57.0

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

312.149

Elevation (Feet):

1024.109

Description:

AHTD STANDARD DISC SET IN THE TOP OF THE SOUTHEAST  
WINGWALL OF BRIDGE NO. 4617, 12.5' RIGHT OF CENTERLINE AND  
0.118 LOG MILES SOUTH OF THE INTERSECTION OF BENTON COUNTY  
RDS. 29 AND 383. CREW S5102 "9-2-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040058

Class:

Vertical Datum:

Established by:

Date Established:

System: COUNTY

Job Number:

N/A

Nearest City:

NONE

County:

BENTON

Route:

CR33

Section:

Log Mile:

2.85

Land Section Number:

27

Township:

21N

Range:

34W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

327.587

Elevation (Feet):

1074.758

Description:

DISC HEADWALL BOX CULVERT 25' RT. N/R CREW S5102 "9-2-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040059

Class:

Vertical Datum:

Established by:

Date Established:

System: COUNTY

Job Number:

N/A

Nearest City:

PEA RIDGE

County:

BENTON

Route:

700

Section:

NTY R

Log Mile:

4.0

Land Section Number:

Township:

Range:

Land Section:

Latitude:

N 36 28 48.0

Longitude:

W 94 01 13.0

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

380.976

Elevation (Feet):

1249.919

Description:

DISK IN SW ENDPOST OF BR. 4316 LIME KILM CREEK CREW S5102 "9-3-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040061

Class:

Vertical Datum:

Established by: RE OFFICE #94

Date Established:

System: CITY

Job Number: 9826

Nearest City: ROGERS

County: BENTON

Route: CITY ST

Section:

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 20 16.0

Longitude: W 94 07 30.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 406.308

Elevation (Feet): 1333.029

Description: AHTD DISC LOCATED IN SOUTH HEADWALL OF BOX CULVERT 330 FT. EAST OF HE INTERSECTION OF WEST PERSIMMON STREET AND 8TH STREET WHICH IS HWY-62 THE CITY OF ROGERS, ARKANSAS. CREW S5102 "9-2-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040062

Class:

Vertical Datum:

Established by:

Date Established:

System: CITY

Job Number: N/A

Nearest City: ROGERS

County: BENTON

Route: 13TH ST.

Section:

Log Mile: 0.80

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 405.765

Elevation (Feet): 1331.247

Description: DISK HDWLL BOX CULVERT RT. 0.00 LMAT U. S. 71 & 13TH ST.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040063

Class:

Vertical Datum:

Established by: RE OFFICE #94

Date Established:

System: CITY

Job Number: 9826

Nearest City: ROGERS

County: BENTON

Route: CITY ST

Section:

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 19 37.0

Longitude: W 94 09 15.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 394.1

Elevation (Feet): 1292.976

Description: AHTD DISC LOCATED IN SOUTH HEADWALL OF BOX CULVERT, 620 FT. EAST OF THE INTERSECTION OF SOUTH 25TH STREET, AND WEST OAK STREET IN THE CITY OF ROGERS, ARKANSAS. CREW S5102 "9-2-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040064

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #94

Date Established:

System: CITY

Job Number: 9826

Nearest City: ROGERS

County: BENTON

Route: CITY STREET

Section:

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 20 15.0

Longitude: W 94 07 50.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 405.856

Elevation (Feet): 1331.546

Description: AHTD DISC LOCATED IN SOUTH HEADWALL OF BOX CULVERT 260 FT.  
WEST OF THE INTERSECTION OF WEST PERSIMMON ST. AND NO. 11TH  
ST. IN THE CITY OF ROGERS, ARKANSAS. CREW S5102 "9-2-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040066

Class:

Vertical Datum:

Established by:

RE OFFICE #94

Date Established: 9/22/1998

System: COUNTY

Job Number:

SA0416

Nearest City:

BELLA VISTA

County:

BENTON

Route:

71

Section:

19

Log Mile:

9.23

Land Section Number:

1

Township:

20n

Range:

30w

Land Section:

NW

Latitude:

N 36 26 19.0

Longitude:

W 94 14 09.0

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

315.554

Elevation (Feet):

1035.280

Description:

AHTD CAP IN TOP OF WINGWALL ON SW CORNER OF BRIDGE # 4711,  
223 FEET E OF CL INTERSECTION OF HWY. 71 AND GREENWICH DRIVE  
BR. OVER LITTLE SUGAR CREEK CREW S5102 "9-1-99"

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040067

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 3/6/2000

System: STATE Job Number: R90014 Nearest City:

County: BENTON Route: 71B Section: 18B Log Mile: 10.62

Land Section Number: 10 Township: 19N Range: 30W

Land Section: NW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 385.1338 Elevation (Feet): 1263.560

Description: AHTD STANDARD DISC SET IN NORTHWEST CORNER OF HEADWALL  
OF R.C. BOX CULVERT, 41 FEET NORTH OF CENTERLINE OF HWY. 71B  
AND 1.211 LOG MILES EAST OF THE HWY. 71B INTERSECTION.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040068

Class:

Vertical Datum:

Established by:

Date Established: 8/24/1999

System: STATE

Job Number: 009921

Nearest City:

County: BENTON

Route: 102

Section: 3

Log Mile:

Land Section Number:

Township: 19N

Range: 30W

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 399.4259

Elevation (Feet): 1310.450

Description: AHTD STANDARD DISC IN TOP OF DROP INLET, 30 FEET SOUTH OF  
CENTERLINE OF HWY, 102 AND 0.633 LOG MILES EAST OF  
INTERSECTION OF HWY.102 AND HWY.112.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040069

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 8/24/1999

System: STATE

Job Number: 009921

Nearest City: BENTONVILLE

County: BENTON

Route: 102

Section: 03

Log Mile:

Land Section Number: 06

Township: 19N

Range: 30W

Land Section: NW

Latitude: N 36 21 24.86163

Longitude: W 94 12 45.50072

Type: GPS (Observed)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 390.532

Elevation (Feet): 1281.270

Description: AHTD STANDARD DISC IN TOP OF DROP INLET, 30 FEET SOUTH OF  
CENTERLINE OF HWY, 102 AND 0.033 LOG MILES EAST OF  
INTERSECTION OF HWY. 102 AND HWY, 71B. RUN BY S5103 ON 5/24/00  
FROM NGS POINT G 34 USING 3 WIRE LEVELS

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040070

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #94

Date Established: 10/23/2002

System: STATE

Job Number: 090058

Nearest City:

County: BENTON

Route: 12

Section: 2

Log Mile: 15.65

Land Section Number: 15

Township: 19N

Range: 31W

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 357.549

Elevation (Feet): 1173.059

Description: AHTD DISC ON SW CORNER OF BR IN TOP OF WINGWALL 18.5 FT RT OF C/L

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040071

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #94

Date Established: 10/31/2002

System: CITY

Job Number: 090070

Nearest City:

County: BENTON

Route: LINCOLN ST

Section:

Log Mile:

Land Section Number: 12

Township: 18N

Range: 30W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 400.246

Elevation (Feet): 1313.140

Description: AHTD DISC 31' EAST OF C/L IN SE CORNER OF HW OF RC BOX. 695'  
SOUTH OF CAROLINE ST.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040072

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #94

Date Established: 9/13/2005

System: STATE

Job Number: 090138

Nearest City: Bentonville

County: BENTON

Route: 102

Section: 3

Log Mile: 3.72

Land Section Number: 1

Township: 19N

Range: 31W

Land Section: SW

Latitude: N 36 21 25.44

Longitude: W 94 13 19.73

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 389.4033

Elevation (Feet): 1277.567

Description: Southside of hwy 102 sta 32+25 (IN Headwall)

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040073

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #94

Date Established: 6/4/2008

System: COUNTY

Job Number: 090165

Nearest City: Rogers

County: BENTON

Route: Horsebarn RD

Section:

Log Mile:

Land Section Number: 16

Township: 19N

Range: 30W

Land Section:

Latitude: N 36 18 59.7

Longitude: W 94 11 11.9

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 367.785

Elevation (Feet): 1206.641

Description: SB999 AHTD ALUM. DISK AT NORTH WEST CORNER OF SEXTRIPLT  
12X8X155 RC BOX CULVERT IN HEADWALL OFFSET 50.5 FEET LT. OF CL  
OF HORSEBARN RD/PINNACLE HILLS PKWY AT I-540 OFF RAMP # 83

Comments: THE BENCHMARK ELEVATION WAS EST FROM TBM 913 IN JOB 090165.  
The 3 wire level file can be found on EDM under s090165\_RE\_benches.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040074

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #94

Date Established: 6/24/2008

System: STATE

Job Number: 090147

Nearest City: Siloam Springs

County: BENTON

Route: 43

Section: 0

Log Mile: 21.25

Land Section Number: 33

Township: 18N

Range: 33W

Land Section: SW

Latitude: N 36 11 43.00

Longitude: W 94 30 12.30

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 360.600457

Elevation (Feet): 1183.070

Description: AHTD Standard Disc set in curb inlet @ Sta. 120+50.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040075

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #94

Date Established: 6/24/2008

System: STATE

Job Number: 090147

Nearest City: Siloam Springs

County: BENTON

Route: 43

Section: 0

Log Mile: 21.64

Land Section Number: 33

Township: 18N

Range: 33W

Land Section: SW

Latitude: N 36 11 43.10

Longitude: W 94 29 48.30

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 359.262383

Elevation (Feet): 1178.680

Description: AHTD Standard Disc set in drop inlet Lt. of Sta. 141+00 and 140' west of the intersection of hwy.59 and hwy. 43.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040076

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #94

Date Established: 6/26/2008

System: STATE

Job Number: 090147

Nearest City: Siloam Springs

County: BENTON

Route: 43

Section: 0

Log Mile: 19.24

Land Section Number: 31

Township: 18N

Range: 33W

Land Section: SW

Latitude: N 36 11 46.00

Longitude: W 94 32 22.00

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 338.916942

Elevation (Feet): 1111.930

Description: AHTD Standard Disc west end headwall Lt. of Sta. 14+50

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040077

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #94

Date Established: 6/26/2008

System: STATE Job Number: 090147 Nearest City: Siloam Springs

County: BENTON Route: 43 Section: 0 Log Mile: 20.15

Land Section Number: 32 Township: 18N Range: 33W

Land Section: SW

Latitude: N 36 11 45.00 Longitude: W 94 31 23.50 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 346.352553 Elevation (Feet): 1136.325

Description: AHTD Standard Disc in headwall Lt. of Sta. 62+62.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

**Identification:** 040078

**Class:** THIRD-ORDER

**Vertical Datum:** NAVD88

**Established by:** RE OFFICE #94

**Date Established:** 7/15/2008

**System:** STATE

**Job Number:** 090147

**Nearest City:** Siloam Springs

**County:** BENTON

**Route:** 43

**Section:** 0

**Log Mile:** 20.34

**Land Section Number:** 32

**Township:** 18N

**Range:** 33W

**Land Section:** SW

**Latitude:** N 36 11 44.90

**Longitude:** W 94 31 11.30

**Type:** GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

**Elevation (Meters):** 339.212598

**Elevation (Feet):** 1112.900

**Description:** AHTD Standard Disc in west headwall and east of the railroad Lt. of Sta. 72+50.

**Comments:**

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040079

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #94

Date Established: 7/16/2008

System: COUNTY

Job Number: 090099

Nearest City: Siloam Springs

County: BENTON

Route: Progressive Av

Section: N/A

Log Mile: N/A

Land Section Number: 4

Township: 17N

Range: 33W

Land Section: NW

Latitude: N 36 11 17.00

Longitude: W 94 30 41.00

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 345.220828

Elevation (Feet): 1132.612

Description: AHTD Standard Disc in R.C. Box headwall 75' Rt. Of Sta. 127+85.

Comments: T-6 used as a reference to transfer elevation.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

**Identification:** 040080

**Class:** THIRD-ORDER

**Vertical Datum:** NAVD88

**Established by:** RE OFFICE #94

**Date Established:** 7/16/2008

**System:** COUNTY

**Job Number:** 090099

**Nearest City:** Siloam Springs

**County:** BENTON

**Route:** Progressive Av

**Section:** N/A

**Log Mile:** N/A

**Land Section Number:** 04

**Township:** 17N

**Range:** 33W

**Land Section:** NW

**Latitude:** N 36 11 06.00

**Longitude:** W 94 30 50.00

**Type:** GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

**Elevation (Meters):** 351.157734

**Elevation (Feet):** 1152.090

**Description:** AHTD Standard Disc in drop inlet 30' Rt. Of Sta. 113+00.

**Comments:** Elevation referenced from T-8.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040081

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #94

Date Established: 6/24/2008

System: STATE Job Number: 090148 Nearest City: Siloam Springs

County: BENTON Route: 59 Section: 1 Log Mile: 25.11

Land Section Number: 3 Township: 17N Range: 33W

Land Section: NWNW

Latitude: N 36 11 12.00 Longitude: W 94 29 46.44 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 353.886614 Elevation (Feet): 1161.043

Description: AHTD Standard Disc set in headwall 60.5' Rt. of Sta. 121+52.

Comments: Elevation referenced from BM # 902.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040082

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #94

Date Established: 7/16/2008

System: STATE

Job Number: 090148

Nearest City: Siloam Springs

County: BENTON

Route: 59

Section: 1

Log Mile: 24.89

Land Section Number: 33

Township: 17N

Range: 33W

Land Section: SESE

Latitude: N 36 11 23.52

Longitude: W 94 29 47.58

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 353.277623

Elevation (Feet): 1159.045

Description: AHTD STANDARD DISC SET IN HEADWALL 60.5' LT. OF STA. 133+12.

Comments: ELEVATION TRANSFERRED FROM PT. #1608.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

**Identification:** 040083

**Class:** THIRD-ORDER

**Vertical Datum:** NAVD88

**Established by:** RE OFFICE #94

**Date Established:** 7/16/2008

**System:** STATE

**Job Number:** 090148

**Nearest City:** Siloam Springs

**County:** BENTON

**Route:** 59

**Section:** 1

**Log Mile:** 24.02

**Land Section Number:** 34

**Township:** 18N

**Range:** 33W

**Land Section:** NWNE

**Latitude:** N 36 12 08.94

**Longitude:** W 94 29 44.70

**Type:** GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

**Elevation (Meters):** 357.901753

**Elevation (Feet):** 1174.216

**Description:** AHTD STANDARD DISC SET IN HEADWALL 60.5 ' RT. OF STA. 179+00.

**Comments:** ELEVATION TRANSFERRED FROM #1613.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

**Identification:** 040084

**Class:** THIRD-ORDER

**Vertical Datum:** NAVD88

**Established by:** RE OFFICE #94

**Date Established:** 7/17/2008

**System:** STATE

**Job Number:** 090148

**Nearest City:** Siloam Springs

**County:** BENTON

**Route:** 59

**Section:** 1

**Log Mile:** 23.41

**Land Section Number:** 28

**Township:** 18N

**Range:** 33W

**Land Section:** SENE

**Latitude:** N 36 12 40.68

**Longitude:** W 94 29 45.18

**Type:** GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

**Elevation (Meters):** 359.165456

**Elevation (Feet):** 1178.362

**Description:** AHTD STANDARD DISC SET IN HEADWALL 60.5' LT. OF STA. 211+16.

**Comments:** ELEVATION TRANSFERRED FROM #1619.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

**Identification:** 040085

**Class:** THIRD-ORDER

**Vertical Datum:** NAVD88

**Established by:** RE OFFICE #94

**Date Established:** 5/11/2010

**System:** STATE

**Job Number:** 090154

**Nearest City:** Gentry

**County:** BENTON

**Route:** 59

**Section:** 1

**Log Mile:** 21.67

**Land Section Number:** 15

**Township:** 18N

**Range:** 33W

**Land Section:** NESW

**Latitude:** N 36 14 09.18

**Longitude:** W 94 29 16.26

**Type:** GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

**Elevation (Meters):** 358.03495

**Elevation (Feet):** 1174.653

**Description:** AHTD STANDARD DISC SET IN HEADWALL 125' RT. OF STA. 310+90.

**Comments:** TRANSFERRED FROM T-21.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

**Identification:** 040086

**Class:** THIRD-ORDER

**Vertical Datum:** NAVD88

**Established by:** RE OFFICE #94

**Date Established:** 5/14/2009

**System:** STATE

**Job Number:** 090154

**Nearest City:** Gentry

**County:** BENTON

**Route:** 59

**Section:** 1

**Log Mile:** 20.66

**Land Section Number:** 10

**Township:** 18N

**Range:** 33W

**Land Section:** NESW

**Latitude:** N 36 15 02.00

**Longitude:** W 94 29 07.00

**Type:** GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

**Elevation (Meters):** 350.677673

**Elevation (Feet):** 1150.515

**Description:** AHTD STANDARD DISC SET IN HEADWALL 50' LT. OF STA. 363+95.

**Comments:** ELEVATION TRANSFERRED FROM BM #902.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040087

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #94

Date Established: 5/14/2009

System: STATE

Job Number: 090154

Nearest City: Gentry

County: BENTON

Route: 59

Section: 1

Log Mile: 19.90

Land Section Number: 3

Township: 18N

Range: 33W

Land Section: SWSE

Latitude: N 36 15 41.28

Longitude: W 94 28 59.46

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 370.855779

Elevation (Feet): 1216.716

Description: AHTD STANDARD DISC SET IN HEADWALL 42' RT. OF STA. 404+28.

Comments: ELEVATION TRANSFERRED FROM BM #999.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040088

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #94

Date Established: 5/9/2009

System: STATE

Job Number: 090154

Nearest City: Gentry

County: BENTON

Route: 59

Section: 1

Log Mile: 21.24

Land Section Number: 15

Township: 18N

Range: 33W

Land Section: NENW

Latitude: N 36 14 32.94

Longitude: W 94 29 13.14

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 341.855525

Elevation (Feet): 1121.571

Description: AHTD STANDARD DISC SET IN SOUTHEAST BRIDGE END 40' RT. OF  
STA. 333+42.

Comments: ELEVATION TRANSFERRED FROM BM #902.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040089

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #94

Date Established: 8/1/2007

System: STATE

Job Number: 090180

Nearest City: Rogers

County: BENTON

Route: 540

Section: 5

Log Mile: 81.92

Land Section Number: 21

Township: 19N

Range: 30W

Land Section: SW

Latitude: N 36 18 07.00

Longitude: W 94 10 45.40

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 383.985065

Elevation (Feet): 1259.791

Description: AHTD STANDARD DISC SET IN NE WINGWALL OF BRIDGE #07072 18' O/S  
CL RAMP #2 (INTERSECTION OF PROMENADE BLVD. & I-540).

Comments: ELEVATION TRANSFERRED FROM BM #904.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

**Identification:** 040090

**Class:** THIRD-ORDER

**Vertical Datum:** NAVD88

**Established by:** RE OFFICE #94

**Date Established:** 8/1/2007

**System:** STATE

**Job Number:** 090180

**Nearest City:** Rogers

**County:** BENTON

**Route:** 540

**Section:** 5

**Log Mile:** 81.69

**Land Section Number:** 21

**Township:** 19N

**Range:** 30W

**Land Section:** SW

**Latitude:** N 36 17 00.00

**Longitude:** W 94 10 00.00

**Type:** GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

**Elevation (Meters):** 386.371958

**Elevation (Feet):** 1267.622

**Description:** AHTD STANDARD DISC SET IN NE WINGWALL OF BRIDGE #07073 ON RAMP #4 (SOUTH BOUND) 18' RT. OF INTERSECTION OF PROMENADE BLVD. & I-540.

**Comments:** ELEVATION TRANSFERRED FROM T-21.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040091

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #94

Date Established: 6/5/2008

System: STATE

Job Number: 090180

Nearest City: Rogers

County: BENTON

Route: 540

Section: 5

Log Mile: 81.81

Land Section Number: 21

Township: 19N

Range: 30W

Land Section: SW

Latitude: N 36 17 58.20

Longitude: W 94 10 48.80

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 389.31237

Elevation (Feet): 1277.269

Description: AHTD STANDARD DISC SET IN SW WINGWALL OF BRIDGE #07071, 175' LT. OF I-540 @ STA. 818+83 (PROMENADE BLVD. OR PERRY RD. BRIDGE OVER I-540).

Comments: ELEVATION TRANSFERRED FROM T-22.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

**Identification:** 040092

**Class:** THIRD-ORDER

**Vertical Datum:** NAVD88

**Established by:** RE OFFICE #94

**Date Established:** 10/8/2012

**System:** STATE

**Job Number:** 090286

**Nearest City:** Springdale

**County:** BENTON

**Route:** N. 65th St

**Section:**

**Log Mile:**

**Land Section Number:** 20

**Township:** 18n

**Range:** 30w

**Land Section:** NENE

**Latitude:** N 36 13 26.00000

**Longitude:** W 94 11 31.00000

**Type:** GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

**Elevation (Meters):** 352.9721

**Elevation (Feet):** 1158.043

**Description:** Standard AHTD aluminum disc in headwall.

**Comments:** Elevation verified. Elevation is based on AHTD GPS monument 040061. Three wire data is available on EDM in s090286re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040093

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #94

Date Established: 10/21/2011

System: COUNTY

Job Number: FA0404

Nearest City: Elm Springs

County: BENTON

Route: 68

Section: 1

Log Mile: 0.92

Land Section Number: 34

Township: 18n

Range: 32w

Land Section:

Latitude: N 36 11 28.90000

Longitude: W 94 23 16.20000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 312.734

Elevation (Feet): 1026.028

Description: AHTD disk

Comments: Level based on PN:3 in job FA0404. Three wire data available on EDM in sFA0404re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040094\_1

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #94

Date Established: 12/12/2011

System: COUNTY Job Number: 090178 Nearest City: Bentonville

County: BENTON Route: 72 Section: 3 Log Mile: 0.722

Land Section Number: 28 Township: 20n Range: 30w

Land Section:

Latitude: N 36 22 16.06000 Longitude: W 94 11 01.42000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 392.577 Elevation (Feet): 1287.980

Description: CHISELED SQUARE

Comments: Elevation verified. Three wire data available on EDM in s090178RE\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040094\_2

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #94

Date Established: 12/27/2011

System: CITY Job Number: 090254 Nearest City: Bentonville

County: BENTON Route: 12 Section: 1 Log Mile: 0.0966

Land Section Number: 10 Township: 19n Range: 31w

Land Section:

Latitude: N 36 12 03.87000 Longitude: W 94 09 15.10000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 369.0789 Elevation (Feet): 1210.886

Description: Chiseled Square at STA 105+45

Comments: Elevation verified. Three wire data available on EDM under job 090254 in s090254RE\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040094\_3

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #94

Date Established: 4/2/2015

System: STATE

Job Number: 090268

Nearest City: Siloam Springs

County: BENTON

Route: University St

Section:

Log Mile:

Land Section Number: 6

Township: 17n

Range: 33w

Land Section:

Latitude: N 36 11 09.43000

Longitude: W 94 32 36.09000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 333.3327

Elevation (Feet): 1093.609

Description: STANDARD AHTD ALUMINUM DISC.

Comments: Elevation was verified. Three wire data is available on EDM in  
s090268re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040095

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #94

Date Established: 12/12/2011

System: COUNTY Job Number: 090178 Nearest City: Bentonville

County: BENTON Route: 112 Section: 3 Log Mile: 0.073

Land Section Number: 32 Township: 20n Range: 30w

Land Section:

Latitude: N 36 21 29.46000 Longitude: W 94 11 48.90000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 398.174 Elevation (Feet): 1306.343

Description: Chiseled Square

Comments: Elevation verified. Three wire data available on EDM in s090178RE\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040096

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #94

Date Established: 12/14/2011

System: COUNTY

Job Number: 090178

Nearest City: Bentonville

County: BENTON

Route: 72

Section: 3

Log Mile: 1.396

Land Section Number: 20

Township: 20n

Range: 30w

Land Section:

Latitude: N 36 22 16.75000

Longitude: W 94 11 42.35000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 397.397

Elevation (Feet): 1303.793

Description: Chiseled Square

Comments: Elevation verified. Three wire data available on EDM in s090178RE\_benches.zip



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040097

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #94

Date Established: 12/12/2011

System: COUNTY Job Number: 090178 Nearest City: Bentonville

County: BENTON Route: 72 Section: 3 Log Mile: 1.396

Land Section Number: 28 Township: 20n Range: 30w

Land Section:

Latitude: N 36 22 42.00000 Longitude: W 94 10 42.00000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 393.865 Elevation (Feet): 1292.205

Description: Chiseled Square.

Comments: Elevation verified. Three wire data available on EDM in s090178RE\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040098

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #94

Date Established: 3/9/2012

System: STATE

Job Number: 090207

Nearest City: Cave Springs

County: BENTON

Route: 112

Section: 2

Log Mile: 3.6

Land Section Number: 1

Township: 18n

Range: 31w

Land Section:

Latitude: N 36 15 39.00000

Longitude: W 94 13 54.00000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 345.0297

Elevation (Feet): 1131.985

Description: STANDARD AHTD ALUMINUM DISC.

Comments: Elevation verified. Three wire level ran from PN:900 in Job 090207. Three wire data available on EDM under Job 090207 in s090207RE\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040099

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #94

Date Established: 1/5/2011

System: STATE Job Number: 090179 Nearest City: Bentonville

County: BENTON Route: 102 Section: 3 Log Mile: 0.781

Land Section Number: 36 Township: 20n Range: 31w

Land Section:

Latitude: N 36 21 27.00000 Longitude: W 94 18 28.00000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 383.0664 Elevation (Feet): 1256.777

Description: Disk

Comments: Elevation not verified due to lack of three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040100

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #94

Date Established: 1/4/2011

System: STATE

Job Number: 090179

Nearest City: Bentonville

County: BENTON

Route: 102

Section: 3

Log Mile: 1.439

Land Section Number: 36

Township: 20n

Range: 31w

Land Section:

Latitude: N 36 21 27.00000

Longitude: W 94 13 45.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 390.7245

Elevation (Feet): 1281.902

Description: Disk

Comments: Elevation not verified due to lack of three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040101

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #94

Date Established: 5/20/2010

System: STATE Job Number: 090179 Nearest City: Bentonville

County: BENTON Route: 102 Section: 3 Log Mile: 2.076

Land Section Number: 31 Township: 20n Range: 30w

Land Section:

Latitude: N 36 21 25.00000 Longitude: W 94 13 04.00000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 389.2523 Elevation (Feet): 1277.072

Description: Disk

Comments: Elevation not verified due to lack of three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040102

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: B & F

Date Established: 1/26/2017

System: STATE

Job Number: CA0904

Nearest City: Bentonville

County: BENTON

Route: 71/549

Section: 19

Log Mile: 4.56

Land Section Number: 8

Township: 20n

Range: 31w

Land Section: SW

Latitude: N 35 25 07.00000

Longitude: W 94 18 05.08000

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 414.1396

Elevation (Feet): 1358.723

Description: AHTD DISK SE CORNER BRIDGE, FAUX RD. OVERPASS BR07273

Comments: Elevation verified. Three wire level ran from ARDOT GPS MON. 040029A. Three wire data available on EDM under Job ca0904 in sca0904re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040103

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: B & F

Date Established: 1/27/2017

System: STATE

Job Number: CA0904

Nearest City: BENTONVILLE

County: BENTON

Route: 49B

Section:

Log Mile: 3.67

Land Section Number: 16

Township: 20N

Range: 31W

Land Section: NW

Latitude: N 36 24 45.00000

Longitude: W 94 28 74.00000

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 385.3871

Elevation (Feet): 1264.391

Description: ahtd bm disk sw corner bridge over tanyard hollow rd

Comments: Elevation verified. Three wire level ran from ARDOT GPS MON. 040029A. Three wire data available on EDM under Job ca0904 in sca0904re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

**Identification:** 040104

**Class:** THIRD-ORDER

**Vertical Datum:** NAVD88

**Established by:** B & F

**Date Established:** 1/30/2017

**System:** STATE

**Job Number:** CA0904

**Nearest City:** BENTONVILLE

**County:** BENTON

**Route:** 71/549

**Section:** 19

**Log Mile:** 3.17

**Land Section Number:** 16

**Township:** 20N

**Range:** 31W

**Land Section:** NE

**Latitude:** N 36 24 40.00000

**Longitude:** W 94 16 43.07000

**Type:**

Scaled, GPS (Handheld), or GPS (Observed)

**Elevation (Meters):** 409.0028

**Elevation (Feet):** 1341.870

**Description:** AHTD DISK SE CORNER BRIDGE MILLER CHURCH OVERPASS

**Comments:** Elevation verified. Three wire level ran from ARDOT GPS MON. 040029A. Three wire data available on EDM under Job ca0904 in sca0904re\_benches.zip



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040105

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: BENTONVILLE

Date Established: 1/30/2017

System: STATE

Job Number: CA0904

Nearest City: B & F

County: BENTON

Route: 71/549

Section: 19

Log Mile: 2.34

Land Section Number: 16

Township: 20N

Range: 31W

Land Section: NE

Latitude: N 36 24 40.00000

Longitude: W 94 15 79.00000

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 401.4907

Elevation (Feet): 1317.224

Description: CHIS SQ NW COR NW END PUNKIN HOLLOW BR (NO DISK ON BRIDGE)

Comments: Elevation verified. Three wire level ran from ARDOT GPS MON. 040029A. Three wire data available on EDM under Job ca0904 in sca0904re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040106

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: B & F

Date Established: 3/13/2017

System: STATE

Job Number: CA0904

Nearest City: BENTONVILLE

County: BENTON

Route: 71/549

Section: 19

Log Mile: 0.30

Land Section Number: 12

Township: 20N

Range: 31W

Land Section: SE

Latitude: N 36 24 56.00000

Longitude: W 94 13 41.00000

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 325.9471

Elevation (Feet): 1069.378

Description: AHTD BM DISK SW CORNER BRIDGE OVER PEACH ORCHARD RD

Comments: Elevation verified. Three wire level ran from ARDOT GPS MON. 040029A. Three wire data available on EDM under Job ca0904 in sca0904re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 040107

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: B & F

Date Established: 3/13/2017

System: STATE Job Number: CA0904 Nearest City: BENTONVILLE

County: BENTON Route: 71/549 Section: 19 Log Mile: 0.09

Land Section Number: 13 Township: 20N Range: 31W

Land Section: NE

Latitude: N 36 24 53.00000 Longitude: W 94 13 29.00000 Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 325.9471 Elevation (Feet): 1069.378

Description: AHTD BM DISK SE CORNER BRIDGE OVER McKISSIC CREEK

Comments: Elevation verified. Three wire level ran from ARDOT GPS MON. 040029A. Three wire data available on EDM under Job ca0904 in sca0904re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 050001

Class:

Vertical Datum:

Established by: RE OFFICE #92

Date Established: 2/20/1992

System: STATE

Job Number: 9869

Nearest City: ALPENA

County: BOONE

Route: 62/412

Section: 6

Log Mile: 0.93

Land Section Number: 23

Township: 19N

Range: 22W

Land Section: NE

Latitude: N 36 17 31.0

Longitude: W 93 16 58.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 345.439

Elevation (Feet): 1133.328

Description: AHTD STANDARD DISC IN TOP OF NORTHWEST TRANSITION WING 35'  
LEFT OF CENTERLINE BRIDGE #6398 LONG CREEK

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 050002

Class:

Vertical Datum:

Established by: RE OFFICE #92

Date Established: 2/20/1992

System: STATE

Job Number: 9869

Nearest City: ALPENA

County: BOONE

Route: 62/412

Section: 6

Log Mile: 0.93

Land Section Number: 23

Township: 19N

Range: 22W

Land Section: NE

Latitude: N 36 17 31.0

Longitude: W 93 16 54.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 345.671

Elevation (Feet): 1134.089

Description: AHTD STANDARD DISC IN TOP OF NORTHEAST TRANSITION WING 35'  
LEFT OF CENTERLINE BRIDGE #6398 LONG CREEK CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 050003

Class:

Vertical Datum:

Established by:

RE OFFICE #92

Date Established: 6/14/1996

System: STATE

Job Number: R90021

Nearest City: BELLEFONTE

County: BOONE

Route: 65

Section: 2

Log Mile: 3.53

Land Section Number: 13

Township: 18N

Range: 20W

Land Section: SE

Latitude: N 36 12 18.0

Longitude: W 93 03 29.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 331.522

Elevation (Feet): 1087.668

Description: AHTD STANDARD DISC SET IN NE WING OF BENT 4, BR. 6586.

\*\*REVISED 1/19/99 TO CORRECT LOG MILE\*\*\* CREW S5102 11-30-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 050004

Class:

Vertical Datum:

Established by: RE OFFICE #92

Date Established: 2/26/1996

System: STATE

Job Number: R90021

Nearest City: BELLEFONTE

County: BOONE

Route: 65

Section: 2

Log Mile: 4.57

Land Section Number: 19

Township: 18N

Range: 19W

Land Section: NW

Latitude: N 36 12 00.0

Longitude: W 93 02 31.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 323.271

Elevation (Feet): 1060.598

Description: AHTD STANDARD DISC SET IN NE WING OF BENT 4, BR. 6584.  
\*\*REVISED 1/19/99 TO CORRECT LOG MILE\*\*11-30-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 050005

Class:

Vertical Datum:

Established by: RE OFFICE #92

Date Established: 1/7/1997

System: STATE

Job Number: R90021

Nearest City: BELLEFONTE

County: BOONE

Route: 65

Section: 2

Log Mile: 4.09

Land Section Number: 19

Township: 18N

Range: 19W

Land Section: NW

Latitude: N 36 12 07.0

Longitude: W 93 02 56.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 325.258

Elevation (Feet): 1067.117

Description: AHTD STANDARD DISC SET IN NE WING OF BENT 4, BR. 6584.  
\*\*REVISED 1/19/99 TO CORRECT LOG MILE\*\*\* 11-30-99 CREW S5102

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 050006

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #92

Date Established: 1/7/1997

System: STATE

Job Number: R90021

Nearest City: BELLEFONTE

County: BOONE

Route: 65

Section: 2

Log Mile: 5.36

Land Section Number: 19

Township: 18N

Range: 19W

Land Section: NW

Latitude: N 36 11 24.0

Longitude: W 93 01 50.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 349.782

Elevation (Feet): 1147.576

Description: AHTD STANDARD DISC SET IN SE CORNER OF HEADWALL OF BOX  
CULVERT @ STA. 94+97. \*\*REVISED 1/19/99 TO CORRECT LOG MILE\*\*\*  
11-30-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 050007

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #92

Date Established: 1/7/1997

System: STATE

Job Number: R90021

Nearest City: BELLEFONTE

County: BOONE

Route: 65

Section: 2

Log Mile: 4.89

Land Section Number: 19

Township: 18N

Range: 19W

Land Section: NW

Latitude: N 36 11 39.0

Longitude: W 93 02 13.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 342.257

Elevation (Feet): 1122.888

Description: AHTD STANDARD DISC SET IN SE CORNER OF HEADWALL OF BOX  
CULVERT @ STA. 119+68. \*\*REVISED 1/19/99 TO CORRECT LOG MILE\*\*\*  
11-30-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 050008

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: COUNTY Job Number: BR-5-1 Nearest City: HARMON

County: BOONE Route: CR89 Section: Log Mile:

Land Section Number: 32 Township: 19N Range: 18W

Land Section: NW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 353.973 Elevation (Feet): 1161.326

Description: APPROX. 3 MILES NORTH OF HARMON ON HWY. 62. tHE JCT. OF  
HARMON ROAD & COUNTY ROAD TO ZINC. A COTTON PICKER SPIKE  
IN SIDE OF POWER POLE. NOT RECOVERED 11-30-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 050009

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: COUNTY Job Number: BR-5-1 Nearest City: HARMON

County: BOONE Route: CR89 Section: Log Mile:

Land Section Number: 28 Township: 19N Range: 18W

Land Section: SW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 254.572 Elevation (Feet): 835.208

Description: APPROX. 1 1/4 MI. N.E. JCT. OF HARMON RD. & COUNTY RD. TO ZINC.  
AT THE LEFT CURVE AT MORENO PROPERTY A N. I. S. 24" WALNUT  
TREE AT FENCE CORNER. NOT RECOVERED 11-30-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 050010

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #92

Date Established:

System: CITY

Job Number: 9880

Nearest City: EVERTON

County: BOONE

Route: MAIN ST.

Section:

Log Mile:

Land Section Number: 4

Township: 17N

Range: 18W

Land Section:

Latitude: N 36 09 08.0

Longitude: W 92 54 24.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 261.653

Elevation (Feet): 858.440

Description: AHTD DISC SE CORNER WINGWALL BRIDGE OVER MARSHALL CREEK  
BR#4623 11-30-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 050011

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #95

Date Established:

System: COUNTY

Job Number: BR-5-1

Nearest City: HARMON

County: BOONE

Route: CR89

Section: A

Log Mile: 6.81

Land Section Number: 5

Township: 48N

Range: 18W

Land Section: SW

Latitude: N 36 14 04.0

Longitude: W 92 55 20.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 252.405

Elevation (Feet): 828.099

Description: ALUMINUM CAP IN TOP OF WINGWALL SE CORNER OF BRIDGE 4591,  
25' RT. OF CENTERLINE, ON CROOKED CREEK, 1.57 MILES N OF JCT. OF  
U. S. HWY. 62 AND CO. RD. 89, , STA. 27+73 ON JOB BR-5-1, SET SEPT.  
1988. 11-30-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 050012

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #92

Date Established: 6/13/1997

System: STATE

Job Number: R90030

Nearest City: BURLINGTON

County: BOONE

Route: 396

Section: 0

Log Mile: 2.6

Land Section Number:

Township: 20N

Range: 21W

Land Section:

Latitude: N 36 23 47.0

Longitude: W 93 13 56.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 392.623

Elevation (Feet): 1288.131

Description: AHTD DISK NW CORNER HEADWALL TRIPLE BOX 8X4 11-30-99 CREW  
S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 050013

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #92

Date Established: 11/16/2000

System: STATE

Job Number: 009947

Nearest City:

County: BOONE

Route: 412

Section: 5

Log Mile: 3.88

Land Section Number: 20

Township: 19N

Range: 21W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 406.775

Elevation (Feet): 1334.561

Description: DISK IN SW CORNER HEADWALL @ 255+86 RT 181

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 050014

Class:

Vertical Datum:

Established by:

Date Established: 6/29/1999

System: STATE

Job Number: 090000

Nearest City:

County: BOONE

Route: 65

Section: 01

Log Mile:

Land Section Number:

Township: 21N

Range: 21W

Land Section:

Latitude: N 36 27 40.0

Longitude: W 93 13 11.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 368.979

Elevation (Feet): 1210.559

Description: AHTD DISC. IN SE CORNER TOP OF PARPET B6649 11-30-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 050015

Class:

Vertical Datum:

Established by:

Date Established: 6/29/1999

System: STATE

Job Number: 090000

Nearest City: OMAHA

County: BOONE

Route: 65

Section: 01

Log Mile:

Land Section Number:

Township: 21N

Range: 21W

Land Section:

Latitude: N 36 27 53.0

Longitude: W 93 13 09.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 356.2143

Elevation (Feet): 1168.680

Description: AHTD DISC IN NW CORNER TOP OF PARGET A6649 11-30-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 050016

Class:

Vertical Datum:

Established by:

Date Established: 7/6/1999

System: STATE

Job Number: 009999

Nearest City:

County: BOONE

Route: 65

Section: 01

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 363.0205

Elevation (Feet): 1191.010

Description: CHIESLED [] IN SW CORNER HEADWALL 150' LE 803+30 NOT  
RECOVERED NOT ENOUGH INFO GIVEN TO LOCATE 11-30-99 CREW  
S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 050017

Class:

Vertical Datum:

Established by:

Date Established: 7/6/1999

System: STATE

Job Number: 009999

Nearest City: OMAHA

County: BOONE

Route: 65

Section: 1

Log Mile:

Land Section Number:

Township: 21W

Range: 21W

Land Section:

Latitude: N 36 28 48.0

Longitude: W 93 13 00.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 372.847

Elevation (Feet): 1223.249

Description: AHTD-DISC SE CORNER HEADWALL 204' RT 807+78 11-30-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 050018

Class:

Vertical Datum:

Established by:

Date Established: 7/6/1999

System: STATE

Job Number: 009999

Nearest City:

County: BOONE

Route: 65

Section: 1

Log Mile:

Land Section Number:

Township: 21W

Range: 21W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 336.8595

Elevation (Feet): 1105.180

Description: CHIESLED [] IN NECORNER HEADWALL 494' RT 787+65 NOT ENOUGH  
INFO GIVEN NOT RECOVERED 11-30-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 050019

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #92

Date Established: 2/9/2000

System: STATE

Job Number: 090020

Nearest City:

County: BOONE

Route: 65

Section: 1

Log Mile: 7.46

Land Section Number: 1

Township: 21N

Range: 21W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 412.4958

Elevation (Feet): 1353.330

Description: STANDARD AHTD DISC IN NW HEADWALL LT. 300' STATION 481+20.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 050020

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #92

Date Established: 2/9/2000

System: STATE

Job Number: 090020

Nearest City:

County: BOONE

Route: 65

Section: 1

Log Mile: 7.49

Land Section Number: 1

Township: 21N

Range: 21W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 417.6469

Elevation (Feet): 1370.230

Description: STANDARD AHTD DISC IN NE CORNER OF HEADWALL RT 230 STATION  
479+82.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 050021

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #92

Date Established: 2/9/2000

System: STATE

Job Number: 090020

Nearest City:

County: BOONE

Route: 65

Section: 1

Log Mile: 3.64

Land Section Number: 1

Township: 21N

Range: 21W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 377.1663

Elevation (Feet): 1237.420

Description: STANDARD AHTD DISC IN NE CORNER OF HEADWALL RT 335' STATION 683+28.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 050022

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #92

Date Established: 2/9/2000

System: STATE

Job Number: 090020

Nearest City:

County: BOONE

Route: 65

Section: 1

Log Mile: 3.64

Land Section Number: 1

Township: 21N

Range: 21W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 385.9293

Elevation (Feet): 1266.170

Description: STANDARD AHTD DISC IN SW CORNER OF HEADWALL LT 240' STATION 683+28.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 050023

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #92

Date Established: 2/9/2000

System: STATE

Job Number: 090020

Nearest City:

County: BOONE

Route: 65

Section: 1

Log Mile: 4.20

Land Section Number: 1

Township: 21N

Range: 21W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 356.7599

Elevation (Feet): 1170.470

Description: STANDARD AHTD DISC IN NE CORNER OF HEADWALL RT. 460'  
STANDARD 653+28.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 050024

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #92

Date Established: 2/9/2000

System: STATE

Job Number: 090020

Nearest City:

County: BOONE

Route: 65

Section: 1

Log Mile: 4.20

Land Section Number: 1

Township: 21N

Range: 21W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 364.0904

Elevation (Feet): 1194.520

Description: STANDARD AHTD DISC IN NW CORNER OF HEADWALL LT. 370'  
STATION 653+28.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 050025

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #92

Date Established: 2/9/2000

System: STATE

Job Number: 090020

Nearest City:

County: BOONE

Route: 65

Section: 1

Log Mile: 5.37

Land Section Number: 1

Township: 21N

Range: 21W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 396.7528

Elevation (Feet): 1301.680

Description: STANDARD AHTD DISC IN NE CORNER OF HEADWALL RT 170' STATION  
591+91.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 050026

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #92

Date Established: 2/9/2000

System: STATE

Job Number: 090020

Nearest City:

County: BOONE

Route: 65

Section: 1

Log Mile: 5.35

Land Section Number: 1

Township: 21N

Range: 21W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 400.9712

Elevation (Feet): 1315.520

Description: STANDARD AHTD DISC IN NW CORNER OF HEADWALL LT. 140'  
STATION 592+71.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 050027

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #92

Date Established: 2/9/2000

System: STATE

Job Number: 090020

Nearest City:

County: BOONE

Route: 65

Section: 1

Log Mile: 5.84

Land Section Number: 1

Township: 21N

Range: 21W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 408.7162

Elevation (Feet): 1340.930

Description: STANDARD AHTD DISC IN NW CORNER OF HEADWALL LT. 150'  
STATION 566+93.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 050028

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #92

Date Established: 2/9/2000

System: STATE

Job Number: 090020

Nearest City:

County: BOONE

Route: 65

Section: 1

Log Mile: 5.84

Land Section Number: 1

Township: 21N

Range: 21W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 405.2903

Elevation (Feet): 1329.690

Description: STANDARD AHTD DISC IN NE CORNER OF HEADWALL. RT. 180'  
STATION 566+90.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 050029

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #92

Date Established: 2/9/2000

System: STATE

Job Number: 090020

Nearest City:

County: BOONE

Route: 65

Section:

Log Mile: 6.01

Land Section Number: 1

Township: 21N

Range: 21W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 409.9537

Elevation (Feet): 1344.990

Description: STANDARD AHTD DISC IN NE CORNER OF HEADWALL RT. 300'  
STATION 557+77

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 050030

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #92

Date Established: 2/9/2000

System: STATE

Job Number: 090020

Nearest City:

County: BOONE

Route: 65

Section:

Log Mile: 6.04

Land Section Number: 1

Township: 21N

Range: 21W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 416.4246

Elevation (Feet): 1366.220

Description: STANDARD AHTD DISC IN NW CORNER OF HEADWALL LT. 240'  
STATION 556+38.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 050031

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #92

Date Established: 2/9/2000

System: STATE

Job Number: 090020

Nearest City:

County: BOONE

Route: 65

Section: 1

Log Mile: 6.32

Land Section Number: 1

Township: 21N

Range: 21W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 424.8737

Elevation (Feet): 1393.940

Description: STANDARD AHTD DISC IN NE HEADWALL. RT. 290' STATION 541+35.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 050032

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #92

Date Established: 2/9/2000

System: STATE

Job Number: 090020

Nearest City:

County: BOONE

Route: 65

Section: 1

Log Mile: 6.35

Land Section Number: 1

Township: 21N

Range: 21W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 435.7886

Elevation (Feet): 1429.750

Description: STANDARD AHTD DISC IN NW CORNER OF HEADWALL. LT 260'  
STATION 539+93.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 050033

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #92

Date Established: 2/9/2000

System: STATE

Job Number: 090020

Nearest City:

County: BOONE

Route: 65

Section: 1

Log Mile: 7.26

Land Section Number: 1

Township: 21N

Range: 21W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 413.0871

Elevation (Feet): 1355.270

Description: CHISLED [] IN NE CORNER OF HEADWALL. RT. 145' STATION 491+75.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 050034

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #92

Date Established: 2/9/2000

System: STATE

Job Number: 090020

Nearest City:

County: BOONE

Route: 65

Section: 1

Log Mile: 7.26

Land Section Number: 1

Township: 21N

Range: 21W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 410.3317

Elevation (Feet): 1346.230

Description: STANDARD AHTD DISC IN NW CORNER OF HEADWALL . LT. 175'  
STATION 491+75

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 050035

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #92

Date Established: 11/16/2000

System: STATE

Job Number: 009947

Nearest City:

County: BOONE

Route: 412

Section: 5

Log Mile: 1.77

Land Section Number: 24

Township: 19N

Range: 21W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 361.82

Elevation (Feet): 1187.071

Description: DISK IN SW CORNER HEADWAL @ 144+48 RT 154

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 050036

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #92

Date Established: 11/16/2000

System: STATE

Job Number: 009947

Nearest City:

County: BOONE

Route: 412

Section: 5

Log Mile: 3.14

Land Section Number: 19

Township: 19N

Range: 21W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 396.274

Elevation (Feet): 1300.109

Description: DISK SET IN SW CORNER HEADWALL @ 216+87 RT 224

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 050037

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #92

Date Established: 1/9/2002

System: COUNTY

Job Number: fa0502

Nearest City:

County: BOONE

Route: CR50

Section:

Log Mile:

Land Section Number: 32

Township: 20N

Range: 20W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 280.645

Elevation (Feet): 920.749

Description: AHTD DISC IN TOP OF PARAPET WALL RT 14' STA 105+20

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 050038

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #92

Date Established: 10/3/2007

System: STATE

Job Number: 090152

Nearest City: BELLEFONTE

County: BOONE

Route: 62

Section: 7

Log Mile: 0.98

Land Section Number: 20

Township: 18W

Range: 19W

Land Section: NE

Latitude: N 36 12 09.4

Longitude: W 93 01 25.4

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 323.1252223

Elevation (Feet): 1060.120

Description: AHTD DISC IN TOP OF PARAPET WALL, NW CORNER OF BRIDGE  
NUMBER 07054

Comments: Elevation cannot be verified. 3-Wire Levels were not submitted.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 050039

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #92

Date Established: 1/23/2009

System: STATE

Job Number: 090152

Nearest City: Bellefonte

County: BOONE

Route: 62

Section: 7

Log Mile: 0.6

Land Section Number: 20

Township: 18N

Range: 19W

Land Section:

Latitude: N 36 12 02.1

Longitude: W 93 01 40.8

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 334.01

Elevation (Feet): 1095.831

Description: AHTD CAP IN N.W. HEADWALL LT. 85' OF STA. 111+72

Comments: 3 wire levels by district on EDM under job 090152

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 050040

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #92

Date Established: 1/23/2009

System: STATE Job Number: 090152 Nearest City: Bellefonte

County: BOONE Route: 62 Section: 7 Log Mile: 0.7

Land Section Number: 20 Township: 18n Range: 19w

Land Section:

Latitude: N 36 12 08.3 Longitude: W 93 01 34.1 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 321.83 Elevation (Feet): 1055.871

Description: ahtd cap in n.w. Headwall Lt. 100' sta. 120+01

Comments: 3 wire levels by district on EDM under job 090152

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 050041

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #92

Date Established: 1/23/2009

System: STATE Job Number: 090152 Nearest City: Bellefonte

County: BOONE Route: 62 Section: 7 Log Mile: 1.1

Land Section Number: 20 Township: 18n Range: 19w

Land Section:

Latitude: N 36 12 13.5 Longitude: W 93 01 09.9 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 332.909 Elevation (Feet): 1092.219

Description: AHTD CAP IN N. HEADWALL LT. 42' OF STA. 140+43

Comments: 3 wire levels by district on EDM under job 090152

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 050042

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #92

Date Established: 1/15/2009

System: STATE

Job Number: 090152

Nearest City: BELLEFONTE

County: BOONE

Route: 62

Section: 7

Log Mile: 0.98

Land Section Number: 20

Township: 18N

Range: 19W

Land Section:

Latitude: N 36 12 09.8

Longitude: W 93 01 27.1

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 323.098

Elevation (Feet): 1060.031

Description: AHTD CAP IN N.W. CORNER OF PARAPET WALL LT. 21' STA 125+96 OF  
Bridge #07054

Comments: 3 wire levels by district on EDM under job 090152

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060001

Class:

Vertical Datum:

Established by: RE OFFICE #76

Date Established:

System: COUNTY

Job Number: R70047

Nearest City: WARREN

County: BRADLEY

Route: 4

Section: 12

Log Mile: 1.61\*

Land Section Number: 12

Township: 13S

Range: 10W

Land Section:

Latitude: N 33 35 34.0

Longitude: W 92 05 18.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.749

Elevation (Feet): 215.712

Description: BR. # 4562 S.W. WINGWALL \*APPROX. 1.61 MILES SOUTH OF JCT.  
HWY. 4 BUSINESS. BRIDGE OVER BRUSHY LAIGLE CREEK "10-19-99"  
CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060002

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: R70047

Nearest City: WARREN

County: BRADLEY

Route: 4

Section: 12

Log Mile: 0.76\*

Land Section Number: 12

Township: 13S

Range: 10W

Land Section:

Latitude: N 33 35 26.0

Longitude: W 92 05 21.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.84

Elevation (Feet): 216.010

Description: BR. #6181 S.W. WINGWALL \*LOG MILE HWY. 4 (NEW LOCATION)  
APPROX. 0.76 MILES WEST OF JUNCTION HWY. BRIDGE OVER BRUSHY  
L'AIGLE CREEK "10-19-99" CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060003

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 7887

Nearest City: WARREN

County: BRADLEY

Route: 8

Section: 11

Log Mile: 7.85

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 33 37 02.0

Longitude: W 92 04 17.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 67.83

Elevation (Feet): 222.539

Description: DISK IN S.W. CURB 0.50 M N INT. S.H. 8 & 4. TOP OF DROP INLET @  
INTERSECTION OF PINE ST. & HWY 8 & 15 "10-19-99" CREW S5102

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060004

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 7887

Nearest City: WARREN

County: BRADLEY

Route: 8

Section: 11

Log Mile: 8.10

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 33 36 50.0

Longitude: W 92 04 17.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 62.725

Elevation (Feet): 205.790

Description: DISK IN W. HEADWALL 0.25 N. INT. 8 & 4. @ CITY PARK "10-19-99" CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060005

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: WARREN

County: BRADLEY

Route: 8

Section: 11

Log Mile: 1.75

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 33 41 40.0

Longitude: W 92 06 56.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 49.92

Elevation (Feet): 163.779

Description: DISK N.W. WING 1.75 M. S.E. CLEVELAND CO. LINE. BRIDGE OVER  
WALKER CREEK '10-19-99" CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060006

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: WARREN

County: BRADLEY

Route: 8

Section: 11

Log Mile: 6.07

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 33 38 20.0

Longitude: W 92 04 52.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 49.335

Elevation (Feet): 161.860

Description: DISK IN N.W. WING 1.1 M. N.W. WARREN BRIDGE OVER FRANKLIN CREEK BR. # 5887 "10-19-99" CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060007

Class:

Vertical Datum:

Established by:

Date Established: 8/18/1988

System: STATE

Job Number: 7918

Nearest City: WARREN

County: BRADLEY

Route: 172

Section: 2

Log Mile: 5.74

Land Section Number: 36

Township: 13S

Range: 09W

Land Section:

Latitude: N 33 31 47.0

Longitude: W 91 58 58.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 33.491

Elevation (Feet): 109.878

Description: METAL DISC IN S.E. WING OF BR.# 6198. BRIDGE OVER HAZEL CREEK  
HWY-172 SECTION 2 LOG 5.74 "10-19-99" CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060008

Class:

Vertical Datum:

Established by:

Date Established: 8/18/1988

System: STATE

Job Number: 7918

Nearest City: WARREN

County: BRADLEY

Route: 172

Section: 2

Log Mile: 3.03

Land Section Number: 24

Township: 13S

Range: 09W

Land Section:

Latitude: N 33 33 57.0

Longitude: W 91 59 06.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 35.04

Elevation (Feet): 114.960

Description: METAL DISC IN S.E. WING BR #6199. BRIDGE OVER BIG SLOUGH HWY-172 SECTION 2 LOG 3.03 "10-19-99" CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060009

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: HERMITAGE

County: BRADLEY

Route: 15

Section: 3

Log Mile: 14.01

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 33 26 22.0

Longitude: W 92 11 23.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 40.926

Elevation (Feet): 134.271

Description: DISC B.M. TOP PARAPET N.W. CORNER L'AILE CR. BR. (5560) "10-19-99"  
CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060010

Class:

Vertical Datum:

Established by:

RE OFFICE #74

Date Established: 12/11/1991

System: STATE

Job Number:

1586

Nearest City:

WARREN

County:

BRADLEY

Route:

15

Section:

4

Log Mile:

6.82

Land Section Number:

4

Township:

12S

Range:

09W

Land Section:

NE

Latitude: N 33 41 58.0

Longitude: W 92 01 42.0

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

42.191

Elevation (Feet):

138.422

Description:

METAL DISC S.E. CORNER OF BRIDGE RAIL BR. #6359 BRIDGE OVER  
SALINE RIVER "10-19-99" CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060011

Class:

Vertical Datum:

Established by: RE OFFICE #21

Date Established:

System: STATE

Job Number: 1508

Nearest City: JOHNSVILLE

County: BRADLEY

Route: 8

Section: 13

Log Mile: 0.00

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 33 22 43.0

Longitude: W 91 57 42.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 32.071

Elevation (Feet): 105.220

Description: AHTD DISK IN TOP OF S.W. WING WALL OF BR. NO. 5987. 3.45 MI. E. OF JOHNSVILLE ON HWY. #160. BRIDGE OVER SALINE RIVER @ BRADLEY / ASHLEY COUNTY LINE ROUTE 8 SECTION 13 LOG 0.00 (ASHLEY CO.) "10-20-99" CREW S5102

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060012

Class:

Vertical Datum:

Established by: RE OFFICE #74

Date Established: 2/18/1993

System: STATE

Job Number: R70018

Nearest City:

County: BRADLEY

Route: 275

Section: 3

Log Mile: 0.72

Land Section Number: 8

Township: 13S

Range: 11W

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 64.782

Elevation (Feet): 212.539

Description: METAL DISC IN WEST HEADWALL OF 48" RCP N/R "10-19-99" CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060013

Class:

Vertical Datum:

Established by:

RE OFFICE #74

Date Established: 7/22/1991

System: STATE

Job Number: 7919

Nearest City: BANKS

County: BRADLEY

Route: 275

Section: 3

Log Mile: 3.74

Land Section Number: 36

Township: 12S

Range: 12W

Land Section: SE

Latitude: N 33 37 07.0

Longitude: W 92 17 39.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 57.714

Elevation (Feet): 189.350

Description: METAL DISC IN N.W. CORNER OF R.C. BOX HEADWALL "10-19-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060014

Class:

Vertical Datum:

Established by: RE OFFICE #74

Date Established: 7/22/1991

System: STATE

Job Number: 7919

Nearest City: BANKS

County: BRADLEY

Route: 275

Section: 3

Log Mile: 5.75

Land Section Number: 34

Township: 12S

Range: 12W

Land Section: SE

Latitude: N 33 37 23.0

Longitude: W 92 19 29.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 45.58

Elevation (Feet): 149.540

Description: METAL DISK IN N.W. WING BR. #6064 MORO CREEK @ CALHOUN  
COUNTY LINE 10-19-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060015

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #76

Date Established: 6/1/1994

System: STATE

Job Number: 070004

Nearest City: HERMITAGE

County: BRADLEY

Route: 15

Section: 3

Log Mile: 10.26

Land Section Number: 22

Township: 15S

Range: 11W

Land Section: SE

Latitude: N 33 23 37.0

Longitude: W 92 13 29.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 42.517

Elevation (Feet): 139.491

Description: ALUMINUM DISK IN TOP OF SE WING, 19' RT. OF CENTERLINE,  
BEGINNING OF BR. 6529. BRIDGE OVER BEECH CREEK SIGN ON  
BRIDGE LOG 11.09 "10-19-99" CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060016

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #76

Date Established: 7/18/1994

System: STATE

Job Number: 070004

Nearest City: HERMITAGE

County: BRADLEY

Route: 15

Section: 3

Log Mile: 13.07

Land Section Number: 11

Township: 15S

Range: 11W

Land Section: NE

Latitude: N 33 25 43.0

Longitude: W 92 12 06.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 41.596

Elevation (Feet): 136.470

Description: ALUMINUM DISK IN TOP OF SE WING, 19' RT. OF CENTERLINE,  
BEGINNING OF BR. 6530. BRIDGE OVER BRANCH L'AIGLE SIGN ON  
BRIDGE LOG 13.90 '10-19-99" CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060017

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #76

Date Established: 3/25/1994

System: STATE

Job Number: 070004

Nearest City: MORO BAY

County: BRADLEY

Route: 15

Section: 3

Log Mile: 4.87

Land Section Number: 1

Township: 16S

Range: 12W

Land Section: SW

Latitude: N 33 20 55.0

Longitude: W 92 17 56.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 33.76

Elevation (Feet): 110.761

Description: ALUMINUM DISK IN TOP OF SE WING, 19' RT. OF CENTERLINE,  
BEGINNING OF BR. 6527. BRIDGE OVER CHARIVARI CREEK RELIEF "10-  
19-99" CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060018

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #76

Date Established: 3/25/1994

System: STATE

Job Number: 070004

Nearest City: MORO BAY

County: BRADLEY

Route: 15

Section: 3

Log Mile: 5.22

Land Section Number: 1

Township: 16S

Range: 12W

Land Section: SW

Latitude: N 33 21 05.0

Longitude: W 92 17 45.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 33.73

Elevation (Feet): 110.663

Description: ALUMINUM DISK IN TOP OF SE WING, 19' RT. OF CENTERLINE,  
BEGINNING OF BR. 6528. BRIDGE OVER CHARIVARI CREEK "10-19-99"  
CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060019

Class:

Vertical Datum:

Established by: RE OFFICE #76

Date Established:

System: COUNTY Job Number: BR-6-9 Nearest City: INGALLS

County: BRADLEY Route: 4 Section: Log Mile:

Land Section Number: 31 Township: 15 Range: 10

Land Section: NW

Latitude: N 33 22 24.0 Longitude: W 92 10 36.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 33.235 Elevation (Feet): 109.038

Description: TOP OF WINGWALL @ SW COR. OF BR. #4693 NEAR BRIDGE NAME  
PLATE. BRIDGE OVER BIG L'AIGLE CREEK RELIEF "10-20-99" CREW  
S5102

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060020

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 11/3/1992

System: COUNTY Job Number: BR-6-8 Nearest City: INGALLS

County: BRADLEY Route: CR 4 Section: Log Mile:

Land Section Number: 36 Township: 15S Range: 11W

Land Section: NE

Latitude: N 33 22 13.0 Longitude: W 92 11 05.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 33.223 Elevation (Feet): 108.999

Description: METAL DISK IN SE WINGWALL BR. #4682. BRIDGE OVER BIG L'AIGLE CREEK "10-20-99" CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060021

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #76

Date Established:

System: COUNTY

Job Number: BR-6-4

Nearest City: VICK

County: BRADLEY

Route: CR 56

Section:

Log Mile: 3.51

Land Section Number: 30

Township: 09W

Range: 16S

Land Section:

Latitude: N 33 17 40.0

Longitude: W 92 04 09.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 28.956

Elevation (Feet): 95.000

Description: ALUMINUM DISC IN TOP OF SW WING, BR. 4491. BRIDGE OVER SNAKE RIVER "10-20-99" CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060023

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: COUNTY Job Number: BR-6-5 Nearest City: WARREN

County: BRADLEY Route: CR 16 Section: Log Mile: 8.15\*

Land Section Number: 25 Township: 12S Range: 11W

Land Section:

Latitude: N 33 38 32.0 Longitude: W 92 11 39.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 62.621 Elevation (Feet): 205.449

Description: ALUM DISC IN SW WINGWALL OF BR. NO. 4597. \*APPROX. 8.15 MILES WEST OF INTERSECTION WITH HWY. 8. BRIDGE OVER STEEPBANK CREEK BRIDGE STAMP 4697 AND 1 MILE WEST OF MCKINNEY "10-20-99" CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060024

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #76

Date Established:

System: COUNTY

Job Number: BR-6-2

Nearest City: FARMVILLE

County: BRADLEY

Route: CR 32

Section:

Log Mile: 6.21

Land Section Number: 29

Township: 10W

Range: 13S

Land Section:

Latitude: N 33 33 24.0

Longitude: W 92 09 08.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 57.595

Elevation (Feet): 188.960

Description: ALUM. DISC IN TOP SW WING, BR. 4436 (BEECH CR.). "10-20-99" CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060025

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #76

Date Established:

System: COUNTY

Job Number: N/A

Nearest City: FARMVILLE

County: BRADLEY

Route: CR 66

Section:

Log Mile: 0.80

Land Section Number: 14

Township: 14S

Range: 11W

Land Section:

Latitude: N 33 29 39.0

Longitude: W 92 13 07.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 47.226

Elevation (Feet): 154.941

Description: ALUMINUM DISC IN TOP OF SW SINGWALL, BR. 4541 (SPRINGHILL CREEK). "10-20-99" CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060026

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #74

Date Established: 10/21/1993

System: CITY

Job Number: 70008

Nearest City: WARREN

County: BRADLEY

Route: PINE ST.

Section:

Log Mile:

Land Section Number: 6

Township: 13S

Range: 09W

Land Section: NW

Latitude: N 33 37 02.0

Longitude: W 92 04 27.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 71.323

Elevation (Feet): 233.999

Description: 20' RT. STA. 46+85 TOP OF DROP INLET. @ INTERSECTION OF PINE ST. & ARKANSAS ST. "10-19-99" CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060027

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #74

Date Established: 10/24/1993

System: CITY

Job Number: 70008

Nearest City: WARREN

County: BRADLEY

Route: PINE ST.

Section:

Log Mile:

Land Section Number: 6

Township: 13S

Range: 09W

Land Section: NE

Latitude: N 33 37 02.0

Longitude: W 92 04 58.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.052

Elevation (Feet): 236.391

Description: 20' RT. STA. 22+85 TOP OF DROP INLET. "10-19-99" CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060028

Class:

Vertical Datum:

Established by: RE OFFICE #74

Date Established: 7/7/1995

System: STATE

Job Number: 070053

Nearest City: WARREN

County: BRADLEY

Route: 15

Section: 3

Log Mile: 20.07

Land Section Number: 15

Township:

Range:

Land Section: SE

Latitude: N 33 29 44.0

Longitude: W 92 06 59.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.977

Elevation (Feet): 216.460

Description: METAL DISK EAST HEADWALL R. C. BOX. "10-19-99" CREW S5102

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060029

Class:

Vertical Datum:

Established by: RE OFFICE #74

Date Established: 7/7/1995

System: STATE

Job Number: 070053

Nearest City: HERMITAGE

County: BRADLEY

Route: 15

Section: 3

Log Mile: 17.68

Land Section Number: 28

Township:

Range:

Land Section: NW

Latitude: N 33 28 12.0

Longitude: W 92 08 42.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 55.988

Elevation (Feet): 183.687

Description: METAL DISK EAST HEADWALL R. C. BOX. "10-19-99" CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060030

Class:

Vertical Datum:

Established by: RE OFFICE #74

Date Established: 4/9/1997

System: STATE

Job Number: 070112

Nearest City: WARREN

County: BRADLEY

Route: 15

Section: 4

Log Mile: 2.18

Land Section Number: 29

Township: 12S

Range: 09W

Land Section: NW

Latitude: N 33 38 36.0

Longitude: W 92 03 45.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 45.882

Elevation (Feet): 150.531

Description: SE CORNER WING OF BRIDGE # 06660 AHTD DISK NOTE: BRIDGE OVER FRANKLIN CREEK "10-19-99" CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060031

Class:

Vertical Datum:

Established by: RE OFFICE #74

Date Established: 10/1/1997

System: STATE

Job Number: 070112

Nearest City: HERMITAGE

County: BRADLEY

Route: 160

Section: 8

Log Mile: 5.26

Land Section Number: 5

Township: 15S

Range: 11W

Land Section: SE

Latitude: N 33 26 13.0

Longitude: W 92 15 12.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 51.496

Elevation (Feet): 168.950

Description: SW CORNER WING BR # 06659 BRIDGE OVER BEECH CREEK "10-19-99"  
CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060032

Class:

Vertical Datum:

Established by:

Date Established: 8/14/1996

System: STATE

Job Number: R70095

Nearest City: WARREN

County: BRADLEY

Route: 15

Section: 4

Log Mile: 4.36

Land Section Number: 8

Township: 12S

Range: 09W

Land Section: SE

Latitude: N 33 40 25.0

Longitude: W 92 03 15.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 48.72

Elevation (Feet): 159.842

Description: SE CORNER R.C. BOX HEADWALL AHTD DISK "10-19-99" CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060033

Class:

Vertical Datum:

Established by:

RE OFFICE #76

Date Established: 1/19/1999

System: COUNTY

Job Number:

FA0611

Nearest City:

HERMITAGE

County:

BRADLEY

Route:

CR 32

Section:

ZONE E

Log Mile:

12.73

Land Section Number:

19

Township:

14S

Range:

10W

Land Section:

NESW

Latitude:

N 33 28 36.0

Longitude:

W 92 10 43.0

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

42.023

Elevation (Feet):

137.870

Description:

ALUMINUM DISK, ON EAST SIDE, IN HEADWALL OF R.C. BOX CULVERT  
STA. 115+10.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060034

Class:

Vertical Datum:

Established by:

RE OFFICE #76

Date Established: 1/19/1999

System: STATE

Job Number: 007714

Nearest City: HERMITAGE

County: BRADLEY

Route: 15

Section: 3

Log Mile: 17.06

Land Section Number: 28

Township: 14S

Range: 10W

Land Section: NWSW

Latitude: N 33 27 43.0

Longitude: W 92 08 52.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 55.348

Elevation (Feet): 181.588

Description: ALUMINUM DISK, ON EAST SIDE, IN HEADWALL OF R. C. BOX  
CULVERT STA 276+79. "10-19-99" CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060035

Class:

Vertical Datum:

Established by:

RE OFFICE #76

Date Established: 1/19/1999

System: STATE

Job Number: 007714

Nearest City: WARREN

County: BRADLEY

Route: 15

Section: 3

Log Mile: 21.26

Land Section Number: 11

Township: 14S

Range: 10W

Land Section: SENE

Latitude: N 33 30 23.0

Longitude: W 92 06 07.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.987

Elevation (Feet): 216.492

Description: ALUMINUM DISK, ON EAST SIDE, IN CURTAIN WALL OF R. C. PIPE  
CULVERT, STA. 1108+30. "10-19-99" CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060036

Class:

Vertical Datum:

Established by:

RE OFFICE #76

Date Established: 1/19/1999

System: STATE

Job Number: 007714

Nearest City: WARREN

County: BRADLEY

Route: 15

Section: 3

Log Mile: 22.22

Land Section Number: 1

Township: 14S

Range: 10W

Land Section: NWSW

Latitude: N 33 31 17.0

Longitude: W 92 05 45.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.22

Elevation (Feet): 230.380

Description: ALUMINUM DISK, ON EAST SIDE, IN CURTAIN WALL OF R. C. PIPE  
CULVERT, STA. 1123+78. "10-19-99" CREW S5102

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060037

Class:

Vertical Datum:

Established by: RE OFFICE #76

Date Established: 2/6/1998

System: STATE

Job Number: 070069

Nearest City: WARREN

County: BRADLEY

Route: 15

Section: 3

Log Mile: 29.46

Land Section Number: 7

Township: 13S

Range: 09W

Land Section: NENE

Latitude: N 33 35 59.0

Longitude: W 92 04 20.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.932

Elevation (Feet): 232.716

Description: ALUMINUM DISC IN SW CORNER OF DROP INLET APPROX. 35' WEST OF CENTERLINE OF SH 15, AND APPROX. 8' SOUTH OF CONC. RETAINING WALL.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060038

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #76

Date Established: 6/23/1999

System: STATE

Job Number: 007715

Nearest City: HERMITAGE

County: BRADLEY

Route: 15

Section: 3

Log Mile: 9.37

Land Section Number: 28

Township: 15S

Range: 11W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 48.606

Elevation (Feet): 159.468

Description: AHTD DISK ON NW SIDE OF HW JOB STA 452+10

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060039

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #76

Date Established: 6/23/1999

System: STATE

Job Number: 007715

Nearest City: HERMITAGE

County: BRADLEY

Route: 15

Section: 3

Log Mile: 12.71

Land Section Number: 14

Township: 15S

Range: 11W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 45.061

Elevation (Feet): 147.838

Description: AHTD DISK IN NW SIDE OF HW BOX AT JOB STA 628+42

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060040

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #76

Date Established: 6/23/1999

System: STATE

Job Number: 007715

Nearest City: HERMITAGE

County: BRADLEY

Route: 15

Section: 3

Log Mile: 13.57

Land Section Number: 11

Township: 15S

Range: 11W

Land Section: NESE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 40.66

Elevation (Feet): 133.399

Description: AHTD DISK IN SE SIDE OF HW BOX AT JOB STA 672+85

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060041

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #76

Date Established: 6/23/1999

System: STATE

Job Number: 007715

Nearest City: HERMITAGE

County: BRADLEY

Route: 15

Section: 3

Log Mile: 14.2

Land Section Number: 1

Township: 15S

Range: 11S

Land Section: SWSW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 38.71

Elevation (Feet): 127.001

Description: AHTD DISK ON NE SIDE OF HW BOX AT JOB STA 706+87

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060042

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #76

Date Established: 10/30/1999

System: COUNTY

Job Number: BR0610

Nearest City: JOHNSVILLE

County: BRADLEY

Route: CR 56

Section: A

Log Mile: 6.95

Land Section Number: 22

Township: 16S

Range: 09W

Land Section: NWN

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 27.505

Elevation (Feet): 90.239

Description: AHTD DISK IN EAST HW OF RC BOX CULVERT JOB STA 18+44

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060043

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 4/9/2001

System: STATE

Job Number: 070182

Nearest City: WARREN

County: BRADLEY

Route: 63

Section: 11

Log Mile: 8.14

Land Section Number: 6

Township: 13S

Range: 09W

Land Section:

Latitude: N 33 36 36.0

Longitude: W 92 04 14.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 66.8178

Elevation (Feet): 219.218

Description: CH SQ CA 150' E OF INTER 63/278B ON N SIDE. "TBM 903"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060044

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 4/9/2001

System: STATE

Job Number: 070182

Nearest City: WARREN

County: BRADLEY

Route: 63

Section: 11

Log Mile: 8.54

Land Section Number: 6

Township: 13S

Range: 09W

Land Section:

Latitude: N 33 36 13.0

Longitude: W 92 04 17.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 71.829

Elevation (Feet): 235.659

Description: CH SQ IN HW AT N BASE OF RR OVERPASS E OF HWY 63 "TBM 904"

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060045

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 4/9/2001

System: STATE

Job Number: 070182

Nearest City: WARREN

County: BRADLEY

Route: 63

Section: 11

Log Mile: 7.79

Land Section Number: 6

Township: 13S

Range: 09W

Land Section:

Latitude: N 33 36 48.0

Longitude: W 92 04 18.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 62.6231

Elevation (Feet): 205.456

Description: AHTD DSK IN N END OF HW ON W SIDE OF HWY 63 "TBM 905"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060046

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 4/9/2001

System: STATE

Job Number: 070182

Nearest City: WARREN

County: BRADLEY

Route: 63

Section: 11

Log Mile: 7.80

Land Section Number: 6

Township: 13S

Range: 09W

Land Section:

Latitude: N 33 36 47.0

Longitude: W 92 04 17.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 63.947

Elevation (Feet): 209.799

Description: CH SQ CA AT NE COR INTESECTION HWY 62/CHURCH ST. "TBM 902"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060047

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 4/9/2001

System: STATE

Job Number: 070182

Nearest City: WARREN

County: BRADLEY

Route: 63

Section: 11

Log Mile: 7.59

Land Section Number: 6

Township: 13S

Range: 09W

Land Section:

Latitude: N 33 37 03.0

Longitude: W 92 04 19.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 67.7389

Elevation (Feet): 222.240

Description: AHTD DSK IN CA AT SW COR OF HWY 63/PINE ST. "TBM 901"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060049

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #76

Date Established: 12/11/2001

System: STATE

Job Number: R70106

Nearest City: HERMITAGE

County: BRADLEY

Route: 63

Section: 17

Log Mile: 25.42

Land Section Number: 15

Township: 16

Range: 12

Land Section: SWSE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 28.292

Elevation (Feet): 92.821

Description: AHTD DISK IN E HW OF RC BOX CULVERT STA 27+14 RT

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060050

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #73

Date Established: 12/11/2001

System: STATE

Job Number: R70106

Nearest City: HERMITAGE

County: BRADLEY

Route: 63

Section: 17

Log Mile: 25.17

Land Section Number: 15

Township: 16

Range: 12

Land Section: SESE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 27.944

Elevation (Feet): 91.680

Description: AHTD DISC IN E HW OF RC BOX CULVERT (STA 31+18)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060051

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #73

Date Established: 12/11/2001

System: STATE

Job Number: R70106

Nearest City: HERMITAGE

County: BRADLEY

Route: 63

Section: 17

Log Mile: 24.84

Land Section Number: 15

Township: 16

Range: 12

Land Section: NESE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 28.606

Elevation (Feet): 93.852

Description: AHTD DISC IN E HW OF RC BOX CULVERT STA 36+37

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060052

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #73

Date Established: 12/11/2001

System: STATE Job Number: R70106 Nearest City: HERMITAGE

County: BRADLEY Route: 63 Section: 17 Log Mile: 24.03

Land Section Number: 11 Township: 16 Range: 12

Land Section: SESW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 31.242 Elevation (Feet): 102.500

Description: AHTD DISC IN W HW OF RC BOX STA 49+40

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060053

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #73

Date Established: 12/11/2001

System: STATE

Job Number: R70106

Nearest City: HERMITAGE

County: BRADLEY

Route: 63

Section: 17

Log Mile: 23.65

Land Section Number: 11

Township: 16

Range: 12

Land Section: NWSE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 31.785

Elevation (Feet): 104.281

Description: AHTD DISC IN E HW OF RC BOX STA 55+65

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060054

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #73

Date Established: 12/11/2001

System: STATE

Job Number: R70106

Nearest City: HERMITAGE

County: BRADLEY

Route: 63

Section: 17

Log Mile: 21.41

Land Section Number: 6

Township: 11

Range: 11

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 35.464

Elevation (Feet): 116.351

Description: AHTD DISC IN HW OF RC BOX STA 91+66

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060055

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #73

Date Established: 12/11/2001

System: STATE

Job Number: R70106

Nearest City: HERMITAGE

County: BRADLEY

Route: 63

Section: 17

Log Mile: 21.12

Land Section Number: 6

Township: 16

Range: 11

Land Section: NWN

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 35.89

Elevation (Feet): 117.749

Description: AHTD DISC IN E HW OF RC BOX STA 96+34

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060056

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #73

Date Established: 12/11/2001

System: STATE

Job Number: R70106

Nearest City: HERMITAGE

County: BRADLEY

Route: 63

Section: 17

Log Mile: 21.07

Land Section Number: 6

Township: 16

Range: 11

Land Section: NENE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 35.869

Elevation (Feet): 117.680

Description: AHTD DISC IN E HW OF RC BOX CULVERT STA 97+10

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060057

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #76

Date Established: 10/21/2002

System: COUNTY

Job Number: br0611

Nearest City: HERMITAGE

County: BRADLEY

Route: 25

Section: E

Log Mile: 7.10

Land Section Number: 16

Township: 14S

Range: 10W

Land Section: NENW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 47.668

Elevation (Feet): 156.391

Description: AHTD DISK IN SW WING OF BR 04855 STA. 113+21 RT

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060058

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #76

Date Established: 3/3/2004

System: STATE

Job Number: 070197

Nearest City: JOHNSVILLE

County: BRADLEY

Route: 8

Section: 12

Log Mile: 8.89

Land Section Number: 3

Township: 15S

Range: 09W

Land Section: SENW

Latitude: N 33 26 09.69

Longitude: W 92 01 15.79

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.777

Elevation (Feet): 225.646

Description: AHTD DISK IN CURTAIN WALL OF RC BOX CROSS DRAIN 56' EAST OF  
C/L OF HWY 8 AND 1' NORTH OF FLARED END OPENING.

Comments: Elevations were entered but cannot be verified due to no information on the control  
used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060059

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #74

Date Established: 6/8/2005

System: STATE Job Number: 070182 Nearest City: UNKNOWN

County: BRADLEY Route: 63 Section: 16 Log Mile: 8.16

Land Section Number: 6 Township: 13S Range: 09W

Land Section: NW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 67.788 Elevation (Feet): 222.401

Description: NE CORNER OF DROP INLET 35' LT OF CL

Comments: Resident Engineer is JEFF VENABLE

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060060

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #74

Date Established: 6/8/2005

System: STATE

Job Number: 070182

Nearest City: UNKNOWN

County: BRADLEY

Route: 63

Section: 16

Log Mile: 7.86

Land Section Number: 6

Township: 13S

Range: 09W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 62.365

Elevation (Feet): 204.609

Description: NE CORNER OF HEADWALL ON RC BOX 43' LT. OF CL

Comments: Resident Engineer is JEFF VENABLE

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060061

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #74

Date Established: 6/8/2005

System: STATE Job Number: 070182 Nearest City: UNKNOWN

County: BRADLEY Route: 63 Section: 16 Log Mile: 7.54

Land Section Number: 6 Township: 13S Range: 09W

Land Section: NW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 61.439 Elevation (Feet): 201.571

Description: NE CORNER OF DROP INLET 40' LT. OF CL

Comments: Resident Engineer is JEFF VENABLE



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060062

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #74

Date Established: 3/21/2006

System: STATE Job Number: 070204 Nearest City: WARREN

County: BRADLEY Route: 63 Section: 16 Log Mile: 4.47

Land Section Number: 30 Township: 12S Range: 09W

Land Section: NE

Latitude: N 33 39 06.2 Longitude: W 92 03 46.5 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 51.1485903 Elevation (Feet): 167.810

Description: AHTD DISC IN CENTER OF R.C. BOX HEADWALL, EAST SIDE

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060063

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #74

Date Established: 12/16/2002

System: STATE Job Number: 070150 Nearest City: Warren

County: BRADLEY Route: 278 Section: 13 Log Mile: 4.46

Land Section Number: 3 Township: 13S Range: 09W

Land Section: SE

Latitude: N 33 36 25.6 Longitude: W 92 00 40.2 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 39.07536 Elevation (Feet): 128.200

Description: Top of wing wall SW corner Saline River Bridge

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060064

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #74

Date Established: 12/16/2002

System: STATE

Job Number: 070150

Nearest City: Warren

County: BRADLEY

Route: 278

Section: 13

Log Mile: 5.73

Land Section Number: 1

Township: 13S

Range: 09W

Land Section: SW

Latitude: N 33 36 34.9

Longitude: W 91 59 24.9

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 38.63645

Elevation (Feet): 126.760

Description: Top wing NW Corner flat branch bridge.

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 060065

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 10/11/2005

System: STATE Job Number: 070201 Nearest City: Johnsville

County: BRADLEY Route: 8 Section: 12 Log Mile: 5.60

Land Section Number: 20 Township: 14S Range: 09W

Land Section: SESE

Latitude: N 33 28 24.3 Longitude: W 92 02 47.1 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 59.99683 Elevation (Feet): 196.840

Description: Aluminum Disc. On east side, in headwall of RC box culvert @ Sta. 415+40

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 070001

Class:

Vertical Datum:

Established by: RE OFFICE #74

Date Established: 12/5/1988

System:

Job Number: R70015

Nearest City: FORDYCE

County: CALHOUN

Route: 79

Section: 5

Log Mile: 5.32

Land Section Number: 11

Township: 11S

Range: 14W

Land Section:

Latitude: N 33 46 28.0

Longitude: W 92 30 06.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 87.246

Elevation (Feet): 286.240

Description: METAL DISC IN N.W. HEADWALL OF R.C. BOX. RECOVERED 3/13/2002

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 070002

Class:

Vertical Datum:

Established by: RE OFFICE #74

Date Established: 12/5/1988

System:

Job Number: R70015

Nearest City: FORDYCE

County: CALHOUN

Route: 79

Section: 5

Log Mile: 5.56

Land Section Number: 11

Township: 11S

Range: 14W

Land Section:

Latitude: N 33 46 37.0

Longitude: W 92 29 56.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 89.3

Elevation (Feet): 292.978

Description: METAL DISC IN MED. DROP INLET. RECOVERED 3/13/2002

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 070003

Class:

Vertical Datum:

Established by: RE OFFICE #74

Date Established: 12/5/1988

System:

Job Number: R70015

Nearest City:

County: CALHOUN

Route: 79

Section: 5

Log Mile: 6.35

Land Section Number: 12

Township: 11S

Range: 14W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 99.389

Elevation (Feet): 326.079

Description: METAL DISC IN EAST HEADWALL OF R.C. BOX. NOT RECOVERED  
3/13/2002

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 070004

Class:

Vertical Datum:

Established by: RE OFFICE #74

Date Established: 12/5/1988

System:

Job Number: R70015

Nearest City: FORDYCE

County: CALHOUN

Route: 79

Section: 5

Log Mile: 7.10

Land Section Number: 6

Township: 11S

Range: 13W

Land Section:

Latitude: N 33 47 24.0

Longitude: W 92 28 42.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 97.743

Elevation (Feet): 320.678

Description: METAL DISC IN N.W. HEADWALL OF R.C. BOX. RECOVERED 3/13/2002

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 070005

Class:

Vertical Datum:

Established by: RE OFFICE #74

Date Established: 12/5/1988

System:

Job Number: R70015

Nearest City: FORDYCE

County: CALHOUN

Route: 79

Section: 5

Log Mile: 7.37

Land Section Number: 6

Township: 11S

Range: 13W

Land Section:

Latitude: N 33 47 26.0

Longitude: W 92 28 26.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 100.791

Elevation (Feet): 330.678

Description: METAL DISC IN MED. DROP INLET. RECOVERED 3/13/2002

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 070006

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: FORDYCE

County: CALHOUN

Route: 79

Section: 5

Log Mile: 4.69

Land Section Number: 11

Township: 11S

Range: 14W

Land Section:

Latitude: N 33 46 14.0

Longitude: W 92 30 50.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.271

Elevation (Feet): 279.760

Description: AHTD DISC IN S.E. WING OF BR. 5944. RECOVERED 3/13/2002

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 070007

Class:

Vertical Datum:

Established by: RE OFFICE #74

Date Established: 4/22/1992

System: STATE Job Number: R70019 Nearest City: FORDYCE

County: CALHOUN Route: 205 Section: 4 Log Mile: 2.91

Land Section Number: 3 Township: 11S Range: 14W

Land Section: SE

Latitude: N 33 47 31.0 Longitude: W 92 30 50.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 90.309 Elevation (Feet): 296.289

Description: N.E. HEADWALL OF R.C. BOX. RECOVERED 3/13/2002

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 070008

Class:

Vertical Datum:

Established by: RE OFFICE #74

Date Established: 2/18/1993

System: STATE Job Number: R70018 Nearest City:

County: CALHOUN Route: 275 Section: 4 Log Mile: 1.90

Land Section Number: 33 Township: 12S Range: 12W

Land Section: NW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 53.383 Elevation (Feet): 175.141

Description: METAL DISC IN SOUTH HEADWALL 24" RCP. NOT RECOVERED 3/13/2002

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 070009

Class:

Vertical Datum:

Established by: RE OFFICE #74

Date Established: 12/6/1991

System: STATE

Job Number: 7835

Nearest City: CAMDEN

County: CALHOUN

Route: 205

Section: 7

Log Mile: 1.43

Land Section Number: 28

Township: 12S

Range: 15W

Land Section: NW

Latitude: N 33 38 58.0

Longitude: W 92 42 07.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 44.336

Elevation (Feet): 145.459

Description: METAL DISC IN S.E. BRIDGE PARAPET RAIL; BRIDGE #6392.  
RECOVERED 3/13/2002

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 070010

Class:

Vertical Datum:

Established by:

Date Established: 11/29/1995

System: COUNTY

Job Number: FA0708

Nearest City: FORDYCE

County: CALHOUN

Route: CR 83

Section:

Log Mile:

Land Section Number: 12

Township: 11S

Range: 13E

Land Section: SE

Latitude: N 33 46 16.0

Longitude: W 92 22 46.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 78.971

Elevation (Feet): 259.091

Description: ALUMINUM DISK IN TOP OF PARAPET WING ON RIGHT AT BEGINNING OF BRIDGE #4747. RECOVERED 3/13/2002

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 070011

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #76

Date Established:

System: COUNTY

Job Number: BR-7-2

Nearest City: HAMPTON

County: CALHOUN

Route: CR 29

Section: C

Log Mile: 13.00

Land Section Number:

Township: 15S

Range: 14W

Land Section:

Latitude: N 33 27 08.0

Longitude: W 92 32 47.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 32.358

Elevation (Feet): 106.161

Description: ALUMINUM DISC IN WING (S. W.) BR. #4567. RECOVERED 3/14/2002

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 070012

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: COUNTY Job Number: N/A Nearest City: FORDYCE

County: CALHOUN Route: CR 85 Section: Log Mile:

Land Section Number: 9 Township: 11S Range: 13W

Land Section:

Latitude: N 33 47 35.0 Longitude: W 92 25 29.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 71.674 Elevation (Feet): 235.150

Description: DISK SE COR. RCB 0.40 SOUTH DALLAS CO. LINE. RECOVERED 3/14/2002

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 070013

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: COUNTY Job Number: F-7-3 Nearest City:

County: CALHOUN Route: HWY. 4 Section: Log Mile: 7.35

Land Section Number: 31 Township: 14S Range: 14W

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 31.629 Elevation (Feet): 103.769

Description: DISK TOP TURNOUT POST 13' LT. STA. 98+25 BR. 4325. NOT RECOVERED  
3/14/2002

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 070014

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #73

Date Established: 7/11/2003

System: STATE

Job Number: FA0709

Nearest City: THORNTON

County: CALHOUN

Route: CR64

Section:

Log Mile:

Land Section Number: 36

Township: 11S

Range: 14W

Land Section: NE

Latitude: N 33 43 14.0

Longitude: W 92 28 53.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.566

Elevation (Feet): 244.639

Description: AHTD DISK IN SW WINGWALL BR 04861 (CHAMPAGNOLLE CREEK)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 070015

Class:

Vertical Datum:

Established by:

Date Established:

System: FEDERAL

Job Number: N/A

Nearest City: CAMDEN

County: CALHOUN

Route: 205

Section: 7

Log Mile: 1.43

Land Section Number: 28

Township: 12S

Range: 15W

Land Section: NW

Latitude: N 33 38 58.0

Longitude: W 92 42 07.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

Elevation (Feet):

Description: US DEPT OF INTERIOR CAP ON BRIDGE #6392 STAMPED 2-DLS

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 070016

Class: UNKNOWN

Vertical Datum: NGVD29

Established by:

Date Established: 9/1/2004

System: STATE

Job Number: 070198

Nearest City: Bearden

County: CALHOUN

Route: 205

Section: 4

Log Mile: 5.85

Land Section Number: 7

Township: 11S

Range: 14W

Land Section: NWSE

Latitude: N 33 46 30.0

Longitude: W 92 34 13.0

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 67.8241

Elevation (Feet): 222.520

Description: AHTD Disk in top of RT. Headwall of Box Culvert, Sta. 108+58 (Beaver Pond Creek)

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 070017

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #73

Date Established: 3/1/2013

System: STATE

Job Number: 070345

Nearest City: East Camden

County: CALHOUN

Route: 274

Section: 2

Log Mile: 1.81

Land Section Number: 2

Township: 13s

Range: 16w

Land Section: SENE

Latitude: N 33 37 47.00000

Longitude: W 92 42 33.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 42.5014

Elevation (Feet): 139.440

Description: ALUMINUM DISK, ON TOP OF PARAPET, RT., BR# 070345

Comments: ELEVATION NOT VERIFIED DUE TO NO THREE WIRE DATA.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 070018

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #76

Date Established: 1/7/2019

System: STATE

Job Number: 070284

Nearest City: Hampton

County: CALHOUN

Route: 167

Section: 3

Log Mile: 8.70

Land Section Number: 31

Township: 14s

Range: 13w

Land Section: NW

Latitude: N 33 27 09.00000

Longitude: W 92 28 26.00000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 35.7287

Elevation (Feet): 117.220

Description: AHTD disk set in NW corner of headwall of box culvert

Comments: Elevation not verified.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 070019

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #76

Date Established: 1/7/2019

System: STATE Job Number: 070284 Nearest City: Hampton

County: CALHOUN Route: 167 Section: 3 Log Mile: 9.44

Land Section Number: 32 Township: 14s Range: 13w

Land Section: NE

Latitude: N 33 27 48.00000 Longitude: W 92 28 21.00000 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 39.621 Elevation (Feet): 129.990

Description: AHTD disk set in NE corner of headwall of box culvert

Comments: Elevation not verified

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 070020

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #76

Date Established: 1/8/2019

System: STATE

Job Number: 070284

Nearest City: Hampton

County: CALHOUN

Route: 167

Section: 3

Log Mile: 10.19

Land Section Number: 29

Township: 14s

Range: 13w

Land Section: NW

Latitude: N 33 28 27.00000

Longitude: W 92 28 21.00000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 42.5959

Elevation (Feet): 139.750

Description: AHTD disk set in NW corner of headwall of box culvert

Comments: Elevation not verified



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 070021

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #76

Date Established: 1/8/2019

System: STATE Job Number: 070284 Nearest City: Hampton

County: CALHOUN Route: 167 Section: 3 Log Mile: 10.22

Land Section Number: 29 Township: 14s Range: 13w

Land Section: SE

Latitude: N 33 28 27.00000 Longitude: W 92 28 20.00000 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 42.8184 Elevation (Feet): 140.480

Description: AHTD disk set in SE corner of headwall of box culvert

Comments: Elevation not verified

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 070022

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #76

Date Established: 1/9/2019

System: STATE

Job Number: 070284

Nearest City: Hampton

County: CALHOUN

Route: 167

Section: 3

Log Mile: 11.27

Land Section Number: 20

Township: 14s

Range: 13w

Land Section: NE

Latitude: N 33 29 11.00000

Longitude: W 92 28 17.00000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 47.4727

Elevation (Feet): 155.750

Description: AHTD disk set in NE corner of headwall of box culvert

Comments: Elevation not verified

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

**Identification:** 070023

**Class:** THIRD-ORDER

**Vertical Datum:** NAVD88

**Established by:** RE OFFICE #76

**Date Established:** 1/9/2019

**System:** STATE

**Job Number:** 070284

**Nearest City:** Hampton

**County:** CALHOUN

**Route:** 167

**Section:** 3

**Log Mile:** 11.27

**Land Section Number:** 19

**Township:** 14s

**Range:** 13w

**Land Section:** NW

**Latitude:** N 33 29 23.00000

**Longitude:** W 92 28 18.00000

**Type:** SCALED

Scaled, GPS (Handheld), or GPS (Observed)

**Elevation (Meters):** 47.4056

**Elevation (Feet):** 155.530

**Description:** AHTD disk set in NW corner of headwall of box culvert.

**Comments:** Elevation not verified.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 070024

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #76

Date Established: 1/23/2019

System: STATE Job Number: 070284 Nearest City: Hampton

County: CALHOUN Route: 167 Section: 3 Log Mile: 13.34

Land Section Number: 7 Township: 14s Range: 13w

Land Section: NW

Latitude: N 33 31 11.00000 Longitude: W 92 28 14.00000 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 50.4811 Elevation (Feet): 165.620

Description: NW corner of headwall of box culvert

Comments: Elevation not verified

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 080001

Class:

Vertical Datum:

Established by: RE OFFICE #92

Date Established: 3/6/1992

System: STATE

Job Number: 9869

Nearest City: GREEN FOREST

County: CARROLL

Route: 62

Section: 5

Log Mile: 11.71

Land Section Number: 12

Township: 19N

Range: 23W

Land Section: NE

Latitude: N 36 19 21.0

Longitude: W 93 22 50.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 349.109

Elevation (Feet): 1145.368

Description: AHTD STANDARD DISC IN TOP OF S.W. TRANSITION WING 35' RT.  
CENTERLINE BR. #6396 DRY CREEK CREW S5102 "9-8-99" 3-WIRE  
LEVELS RAN BY SURVEYS FOR JOB 090229/090219 NAVD88 1145.930  
FEET

Comments: levation verified. Three wire data available on EDM under job 090229 in  
s090229RE\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 080002

Class:

Vertical Datum:

Established by: RE OFFICE #92

Date Established: 3/4/1992

System: STATE

Job Number: 9869

Nearest City: GREEN FOREST

County: CARROLL

Route: 62

Section: 5

Log Mile: 11.98

Land Section Number: 12

Township: 19N

Range: 23W

Land Section: NE

Latitude: N 36 19 09.0

Longitude: W 93 22 34.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 348.201

Elevation (Feet): 1142.389

Description: AHTD STANDARD DISC IN TOP OF S.W. TRANSITION WING 35' RT.  
CENTERLINE BR. #6397 SOUTH FORK OF DRY CREEK CREW S5102 "9-8-  
99" 3-WIRE ELEVATIONS RAN BY SURVEYS FOR JOB 090229/090219,  
NAVD88 ELEVATION 1142.939 FEET

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 080003

Class:

Vertical Datum:

Established by: RE OFFICE #92

Date Established:

System:

Job Number: 9820

Nearest City: OSAGE

County: CARROLL

Route: 103

Section: 3

Log Mile: 5.23

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 11 00.0

Longitude: W 93 24 14.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 402.916

Elevation (Feet): 1321.900

Description: AHTD DISC SOUTHEAST CORNER BRIDGE ABUTMENT; BRIDGE NO. 6215; 18' RIGHT 481+15 BR. OVER OSAGE CREEK CREW S5102 "9-8-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 080004

Class:

Vertical Datum:

Established by:

Date Established: 1/1/1997

System:

Job Number: R90007

Nearest City: BERRYVILLE

County: CARROLL

Route: 143

Section: 1

Log Mile: 4.26

Land Section Number: 34

Township: 21N

Range: 25W

Land Section:

Latitude: N 36 26 46.0

Longitude: W 93 37 18.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 322.68

Elevation (Feet): 1058.659

Description: AHTD DISC IN SOUTHEAST CORNER EAST HEADWALL BOX CULVERT  
STATION 36+21 CREW S5102 "9-7-99"

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 080005

Class:

Vertical Datum:

Established by: RE OFFICE #94

Date Established: 4/19/1993

System: STATE

Job Number: R90078

Nearest City: BERRYVILLE

County: CARROLL

Route: 221

Section: 0

Log Mile: 2.33

Land Section Number: 17

Township: 19N

Range: 25W

Land Section: NW

Latitude: N 36 18 53.0

Longitude: W 93 39 54.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 340.008

Elevation (Feet): 1115.510

Description: AHTD STANDARD DISC SET IN SOUTHEAST WINGWALL OF BRIDGE NO. 6371 (KINGS RIVER) 15.0 FEET SOUTH OF CENTERLINE OF STATE HIGHWAY 221 AND 1.28 MILES EAST OF THE STATE HIGHWAY 221/COUNTY ROAD 51 INTERSECTION CREW S5102 "9-8-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 080006

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #92

Date Established: 6/27/1996

System: STATE

Job Number: R90085

Nearest City: MARBLE OR OSAGE

County: CARROLL

Route: 412

Section: 5

Log Mile: 4.38

Land Section Number: 1

Township: 17n

Range: 24w

Land Section: SE

Latitude: N 36 09 23.0

Longitude: W 93 29 06.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 433.989

Elevation (Feet): 1423.846

Description: SOUTHWEST CORNER WING WALL BRIDGE NO. 6578. BR. OVER NORTH  
FORK DRY CREEK CREW S5102 "9-8-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 080007

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 9/5/1995

System: STATE Job Number: 009956 Nearest City: GATEWAY

County: CARROLL Route: 62 Section: 2 Log Mile: 0.121

Land Section Number: 16 Township: 21N Range: 27W

Land Section: SW

Latitude: N 36 28 58.0 Longitude: W 93 51 52.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 419.365 Elevation (Feet): 1375.867

Description: AHTD STANDARD DISC SET IN EDGE OF CONCRETE DITCH PAVING, 29' NORTH OF THE CENTERLINE OF HWY. 62 AND 0.121 LOGMILES EAST OF THE BENTON/CARROL COUNTY LINE. CREW S5102 "9-7-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 080008

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #92

Date Established: 6/27/1996

System: STATE

Job Number: R90085

Nearest City: MARBLE OR OSAGE

County: CARROLL

Route: 412

Section: 5

Log Mile: 3.51

Land Section Number: 11

Township: 17N

Range: 24W

Land Section: NE

Latitude: N 36 09 09.0

Longitude: W 93 29 57.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 426.943

Elevation (Feet): 1400.729

Description: SOUTHWEST COR. WING WALL BRIDGE NO. 6576. OVER SITES BRANCH  
CREW S5102 "9-8-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 080009

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #92

Date Established: 6/27/1996

System: STATE

Job Number: R90085

Nearest City: MARBLE OR OSAGE

County: CARROLL

Route: 412

Section: 5

Log Mile: 3.820

Land Section Number: 12

Township: 17N

Range: 24W

Land Section: NW

Latitude: N 36 09 09.0

Longitude: W 93 29 35.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 428.509

Elevation (Feet): 1405.867

Description: SOUTHWEST CORNER WING WALL BRIDGE NO. 6577 BR.OVER DRY  
FORK CREEK CREW S5102 "9-8-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 080010

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #92

Date Established:

System: COUNTY

Job Number: BR-8-2

Nearest City: BEAVER

County: CARROLL

Route: CR 66

Section: ZONE E

Log Mile: 0.30

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 28 22.0

Longitude: W 93 45 38.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 285.582

Elevation (Feet): 936.947

Description: AHTD ALUMINUM DISC IN TOP OF S.W. TURNBACK WINGWALL ON  
BRIDGE # 4523 (LEATHERWOOD CREEK). CREW S5102 "9-7-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 080011

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #92

Date Established:

System: COUNTY

Job Number: BR-8-4

Nearest City: BERRYVILLE

County: CARROLL

Route: CO. RD. 35

Section:

Log Mile:

Land Section Number: 12

Township: 19N

Range: 25W

Land Section:

Latitude: N 36 19 49.0

Longitude: W 93 35 11.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 336.399

Elevation (Feet): 1103.669

Description: AHTD DISC NW CORNER WINGWALL BR. ~OVER OSAGE CREEK  
COUNTY RD. ALSO CALLED 501 CREW S5102 "9-8-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 080012

Class:

Vertical Datum:

Established by: RE OFFICE #92

Date Established: 11/22/1994

System: CITY

Job Number: 9913

Nearest City: HOLIDAY ISLAND

County: CARROLL

Route: OODSDALE

Section:

Log Mile:

Land Section Number:

Township: 21N

Range: 26W

Land Section:

Latitude: N 36 29 25.0

Longitude: W 93 45 38.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 287.679

Elevation (Feet): 943.827

Description: AHTD DISC SET IN TOP OF SW WING OF BENT END BENT NO. 1 @ THE SOUTH END OF BRIDGE NO. 4686. BR. OVER LEATHERWOOD CREEK  
CREW S5102 "9-7-99"

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 080013

Class:

Vertical Datum:

Established by: RE OFFICE #92

Date Established: 11/22/1994

System: CITY

Job Number: 9913

Nearest City: HOLIDAY-ISLAND

County: CARROLL

Route: DODSDALE

Section:

Log Mile:

Land Section Number:

Township: 21N

Range: 26W

Land Section:

Latitude: N 36 29 32.0

Longitude: W 93 45 37.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 287.753

Elevation (Feet): 944.070

Description: AHTD DISC SET IN TOP OF NW WING OF END BENT NO. 7 @ THE NORTH  
END OF BRIDGE NO. 4686 BR. OVER LEATHER WOOD CREEK CREW  
S5102 "9-7-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 080014

Class:

Vertical Datum:

Established by:

RE OFFICE #92

Date Established: 4/21/1998

System: STATE

Job Number: R90028

Nearest City: BERRYVILLE

County: CARROLL

Route: 221

Section: 0

Log Mile: 6.46

Land Section Number:

Township: 19N

Range: 25W

Land Section:

Latitude: N 36 20 46.0

Longitude: W 93 37 38.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 346.229

Elevation (Feet): 1135.920

Description: AHTD STANDARD DISC SET IN SW CORNER OF HEADWALL OF BOX  
CULVERT @ STA. 341+50. CREW S5102 "9-8-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 080015

Class:

Vertical Datum:

Established by: RE OFFICE #92

Date Established: 4/21/1998

System: STATE

Job Number: R90028

Nearest City: BERRYVILLE

County: CARROLL

Route: 221

Section: 0

Log Mile: 6.77

Land Section Number:

Township: 19N

Range: 25W

Land Section:

Latitude: N 36 20 42.0

Longitude: W 93 37 20.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 358.716

Elevation (Feet): 1176.887

Description: AHTD STANDARD DISC SET IN SW CORNER OF HEADWALL OF BOX  
CULVERT @ STA. 358+12. CREW S5102 "9-8-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 080016

Class:

Vertical Datum:

Established by: RE OFFICE #92

Date Established:

System: STATE

Job Number: R90028

Nearest City: BERRYVILLE

County: CARROLL

Route: 221

Section: 0

Log Mile: 8.05

Land Section Number:

Township: 19N

Range: 25W

Land Section:

Latitude: N 36 20 59.0

Longitude: W 93 36 14.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 332.702

Elevation (Feet): 1091.540

Description: AHTD STANDARD DISC SET IN CORNER OF HEADWALL OF BOX  
CULVERT @ STA. 425+37. SET@NORTHEAST CORNER OF HEADWALL IN  
THE "WINGWALL" CREW S5102 "9-8-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 080017

Class:

Vertical Datum:

Established by: RE OFFICE #92

Date Established:

System: STATE

Job Number: R90028

Nearest City: BERRYVILLE

County: CARROLL

Route: 221

Section: 0

Log Mile: 8.12

Land Section Number:

Township: 19N

Range: 25W

Land Section:

Latitude: N 36 20 59.0

Longitude: W 93 36 12.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 331.33

Elevation (Feet): 1087.039

Description: AHTD STANDARD DISC SET IN CORNER OF HEADWALL OF BOX  
CULVERT @ STA. 428+73. SET AT NORTHWEST CORNER OF  
HEADWALL IN THE "WING WALL" CREW S5102 "9-8-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 080018

Class:

Vertical Datum:

Established by: RE OFFICE #92

Date Established: 9/16/1998

System: STATE Job Number: R90028 Nearest City: BERRYVILLE

County: CARROLL Route: 221 Section: 0 Log Mile: 7.15

Land Section Number: Township: 19N Range: 25W

Land Section:

Latitude: N 36 20 59.0 Longitude: W 93 37 02.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 356.567 Elevation (Feet): 1169.837

Description: AHTD STANDARD DISK SET IN NE CORNER OF HEADWALL OF BOX  
CULVERT @ STA. 378+00. CREW S5102 "9-8-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 080019

Class:

Vertical Datum:

Established by: RE OFFICE #92

Date Established: 4/21/1998

System: STATE

Job Number: R90028

Nearest City: BERRYVILLE

County: CARROLL

Route: 221

Section: 0

Log Mile: 6.3650

Land Section Number:

Township: 19N

Range: 25W

Land Section:

Latitude: N 36 20 45.0

Longitude: W 93 37 42.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 343.126

Elevation (Feet): 1125.739

Description: AHTD STANDARD DISC SET IN SE CORNER OF HEADWALL OF BOX  
CULVERT @ 336+50. CREW S5102 "9-8-99"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 080020

Class:

Vertical Datum:

Established by: RE OFFICE #92

Date Established: 4/21/1998

System: STATE

Job Number: R90028

Nearest City: BERRYVILLE

County: CARROLL

Route: 221

Section: 0

Log Mile: 6.59

Land Section Number:

Township: 19N

Range: 25W

Land Section:

Latitude: N 36 20 44.0

Longitude: W 93 37 31.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 350.895

Elevation (Feet): 1151.228

Description: AHTD STANDARD DISC SET IN SW CORNER OF HEADWALL OF BOX  
CULVERT @ STA. 348+20. CREW S5102 "9-8-99"

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 080021

Class:

Vertical Datum:

Established by:

Date Established: 9/22/1999

System: STATE

Job Number: R90011

Nearest City:

County: CARROLL

Route: 221

Section: 0

Log Mile: 5.91

Land Section Number: 0

Township: 19N

Range: 26W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 330.7269

Elevation (Feet): 1085.060

Description: AHTD DISC IN NE CORNER OF HEADWALL @ STA. 312+13

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 080022

Class:

Vertical Datum:

Established by:

Date Established: 9/22/1998

System: STATE

Job Number: R90011

Nearest City:

County: CARROLL

Route: 221

Section: 0

Log Mile: 5.91

Land Section Number:

Township: 19N

Range: 26W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 331.9857

Elevation (Feet): 1089.190

Description: AHTD DISC IN NE CORNER OF HEADWALL @STA. 317+17

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 080023

Class:

Vertical Datum:

Established by:

Date Established: 9/22/1998

System: STATE

Job Number: R90011

Nearest City:

County: CARROLL

Route: 221

Section: 0

Log Mile: 6.17

Land Section Number:

Township: 19N

Range: 26W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 336.765

Elevation (Feet): 1104.870

Description:

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 080024

Class:

Vertical Datum:

Established by:

Date Established: 9/22/1999

System: STATE

Job Number: R90011

Nearest City:

County: CARROLL

Route: 221

Section: 0

Log Mile: 4.83

Land Section Number:

Township: 19N

Range: 26W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 361.4142

Elevation (Feet): 1185.740

Description: CHIESALEO SQUARE IN NW CORNER OF HEADWALL @ 255+00

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 080025

Class:

Vertical Datum:

Established by:

Date Established: 9/22/1999

System: STATE

Job Number: R90011

Nearest City:

County: CARROLL

Route: 221

Section: 0

Log Mile: 498

Land Section Number:

Township: 19N

Range: 26W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 354.801

Elevation (Feet): 1164.043

Description: AHTD DISC IN NW CORNER OF HEADWALL @ STA 262+ 76

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 080026

Class:

Vertical Datum:

Established by:

Date Established: 9/22/1998

System: STATE

Job Number: R90011

Nearest City:

County: CARROLL

Route: 221

Section: 0

Log Mile: 4.72

Land Section Number:

Township: 19N

Range: 26W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 375.9745

Elevation (Feet): 1233.510

Description: AHTD DISC IN SE CORNER OF HEADWALL @ 235+22

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 080027

Class:

Vertical Datum:

Established by:

Date Established: 9/22/1998

System: STATE

Job Number: R90011

Nearest City:

County: CARROLL

Route: 221

Section: 0

Log Mile: 4.45

Land Section Number:

Township: 19W

Range: 26W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 364.5811

Elevation (Feet): 1196.130

Description: AHTD DISC. IN NE CORNER HEADWALL @ 249+29

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 080028

Class:

Vertical Datum:

Established by:

Date Established: 9/22/1998

System: STATE

Job Number: R90011

Nearest City:

County: CARROLL

Route: 221

Section: 0

Log Mile: 4.72

Land Section Number:

Township: 19N

Range: 26W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 364.5811

Elevation (Feet): 1196.130

Description: AHTD DISC IN NE CORNER HEADWALL @ 249+29

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 080029

Class:

Vertical Datum:

Established by:

Date Established: 5/24/2000

System: STATE

Job Number: 009815

Nearest City:

County: CARROLL

Route: 62

Section: 4

Log Mile: 8.00

Land Section Number:

Township: 20N

Range: 25W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 325.4447

Elevation (Feet): 1067.730

Description:

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 080030

Class:

Vertical Datum:

Established by:

Date Established: 5/24/2000

System: STATE

Job Number: 009815

Nearest City:

County: CARROLL

Route: 62

Section: 4

Log Mile: 7.35

Land Section Number:

Township: 20N

Range: 25W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 322.9027

Elevation (Feet): 1059.390

Description: AHTD STANDARD DISC IN TOP LEFT PARAPET WALL AT STA. 387+73.  
LEFT 36'.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 080031

Class:

Vertical Datum:

Established by:

Date Established: 5/24/2000

System: STATE

Job Number: 009815

Nearest City:

County: CARROLL

Route: 62

Section: 4

Log Mile: 7.47

Land Section Number:

Township: 20N

Range: 25W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 318.3124

Elevation (Feet): 1044.330

Description: AHTD STANDARD DISC IN TOP RIGHT PARAPET WALL AT STA. 394+06.  
RT 36'.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 080032

Class:

Vertical Datum:

Established by:

Date Established: 5/24/2000

System: STATE

Job Number: 090054

Nearest City:

County: CARROLL

Route: 103

Section: 4

Log Mile: 2.13

Land Section Number:

Township: 18N

Range: 24W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 443.482

Elevation (Feet): 1454.991

Description: AHTD STANDARD DISC. SET IN SE CORNER OF WINGWALL OF BOX  
CULVERT RT STA. 14+82.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 080033

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #92

Date Established: 5/22/2002

System: COUNTY Job Number: BR0806 Nearest City:

County: CARROLL Route: CR46 Section: Log Mile:

Land Section Number: 21 Township: 20N Range: 25W

Land Section: NE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 316.59 Elevation (Feet): 1038.679

Description: AHTD DISC IN TOP OF PARAPET WALL RT 14' OF STA 105+20

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

**Identification:** 080034

**Class:** THIRD-ORDER

**Vertical Datum:** NAVD88

**Established by:** RE OFFICE #92

**Date Established:** 3/18/2013

**System:** STATE

**Job Number:** 090229

**Nearest City:** Green Forest

**County:** CARROLL

**Route:** 62

**Section:** 5

**Log Mile:** 9.24

**Land Section Number:** 3

**Township:** 19n

**Range:** 23w

**Land Section:**

**Latitude:** N 36 19 54.70000

**Longitude:** W 93 24 22.30000

**Type:** GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

**Elevation (Meters):** 377.6967

**Elevation (Feet):** 1239.160

**Description:** AHTD standard disk in Bnorth East corner of headwall, 37.96' Lt. of Sta 327+60

**Comments:** Three wire level ran from PN:87 from job 090219. Elevation verified. Three wire data available on EDM under job 090229 in s090229RE\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 080034

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #92

Date Established: 10/14/2009

System: STATE

Job Number: 009932

Nearest City: Eureka Springs

County: CARROLL

Route: 62

Section: 3

Log Mile: 8.98

Land Section Number: 8

Township: 20N

Range: 26W

Land Section: NW

Latitude: N 36 25 17.3

Longitude: W 93 46 17.9

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 335.99695

Elevation (Feet): 1102.350

Description: AHTD STANDARD DISC Set in N.W. top of parapet wall 20.5' right of Sta.  
111+18 of bridge #07035

Comments: Electronic field file was not submitted, could not verify acceptable level closure.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

**Identification:** 080035

**Class:** UNKNOWN

**Vertical Datum:** NAVD88

**Established by:** RE OFFICE #92

**Date Established:** 7/20/2010

**System:** STATE

**Job Number:** 090149

**Nearest City:** Berryville

**County:** CARROLL

**Route:** 62

**Section:** 5

**Log Mile:** 1.79

**Land Section Number:** 33

**Township:** 20N

**Range:** 24W

**Land Section:** NW

**Latitude:** N 36 21 10.5

**Longitude:** W 93 32 28.4

**Type:** GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

**Elevation (Meters):** 356.502413

**Elevation (Feet):** 1169.625

**Description:** Standard AHTD disc in the NE corner of the headwall 80' left of Sta. 205+10.

**Comments:** No survey data was submitted to Surveys to support the elevation derived by the R.E. Office.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

**Identification:** 080035

**Class:** THIRD-ORDER

**Vertical Datum:** NAVD88

**Established by:** RE OFFICE #92

**Date Established:** 3/18/2013

**System:** STATE

**Job Number:** 090229

**Nearest City:** Green Forest

**County:** CARROLL

**Route:** 62

**Section:** 5

**Log Mile:** 10.21

**Land Section Number:** 2

**Township:** 19n

**Range:** 23w

**Land Section:**

**Latitude:** N 36 19 51.20000

**Longitude:** W 93 23 24.50000

**Type:** GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

**Elevation (Meters):** 357.3263

**Elevation (Feet):** 1172.328

**Description:** AHTD disk in North East corner of headwall, 61.44' Lt. of Sta. 578+83

**Comments:** Three wire level ran from PN:87 from job 090219. Elevation verified. Three wire data available on EDM under job 090229 in s090229RE\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

**Identification:** 080036

**Class:** UNKNOWN

**Vertical Datum:** NAVD88

**Established by:** RE OFFICE #92

**Date Established:** 7/20/2010

**System:** STATE

**Job Number:** 090149

**Nearest City:** Berryville

**County:** CARROLL

**Route:** 62

**Section:** 5

**Log Mile:** 1.33

**Land Section Number:** 32

**Township:** 20N

**Range:** 24W

**Land Section:** NE

**Latitude:** N 36 21 14.6

**Longitude:** W 93 32 57.2

**Type:** GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

**Elevation (Meters):** 369.92126

**Elevation (Feet):** 1213.650

**Description:** Standard AHTD Disc in the NE corner of headwall 68' Left of Sta. 181+00.

**Comments:** No survey data was submitted to Surveys to support the elevation derived by the R.E. Office.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 080036

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #92

Date Established: 3/18/2013

System: STATE

Job Number: 090229

Nearest City: Green Forest

County: CARROLL

Route: 62

Section: 5

Log Mile: 9.68

Land Section Number: 2

Township: 19n

Range: 23w

Land Section:

Latitude: N 36 19 58.20000

Longitude: W 93 23 54.30000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 366.1204

Elevation (Feet): 1201.180

Description: AHTD disk in North East corner of headwall, 61.45' Lt. of Sta. 550.62.

Comments: Three wire level ran from PN:87 from job 090219. Elevation verified. Three wire data available on EDM under job 090229 in s090229RE\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

**Identification:** 080037

**Class:** UNKNOWN

**Vertical Datum:** NAVD88

**Established by:** RE OFFICE #92

**Date Established:** 7/19/2010

**System:** STATE

**Job Number:** 090149

**Nearest City:** Berryville

**County:** CARROLL

**Route:** 62

**Section:** 5

**Log Mile:** 0.76

**Land Section Number:** 32

**Township:** 20N

**Range:** 24W

**Land Section:** NE

**Latitude:** N 36 21 29.9

**Longitude:** W 93 33 27.7

**Type:** GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

**Elevation (Meters):** 373.141478

**Elevation (Feet):** 1224.215

**Description:** Standard AHTD Disc in the NE corner of headwall 50' Left of Sta. 151+18.

**Comments:** No survey data was submitted to Surveys to support the elevation derived by the R.E. Office.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 080037

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #92

Date Established: 3/18/2013

System: STATE

Job Number: 090229

Nearest City: Forest City

County: CARROLL

Route: 62

Section: 5

Log Mile: 10.8

Land Section Number: 12

Township: 19n

Range: 23w

Land Section:

Latitude: N 36 19 28.70000

Longitude: W 93 23 01.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 353.4011

Elevation (Feet): 1159.450

Description: AHTD disk in North East headwall, 61.45' Lt.of Sta. 550.62.

Comments: Three wire level ran from PN:105 (AHTD GPS Mon 080032A) from job 090219. Elevation verified. Three wire data available on EDM under job 090229 in s090229RE\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

**Identification:** 080038

**Class:** UNKNOWN

**Vertical Datum:** NAVD88

**Established by:** RE OFFICE #92

**Date Established:** 7/20/2010

**System:** STATE

**Job Number:** 090149

**Nearest City:** Berryville

**County:** CARROLL

**Route:** 62

**Section:** 5

**Log Mile:** 2.11

**Land Section Number:** 33

**Township:** 20N

**Range:** 24W

**Land Section:** NE

**Latitude:** N 36 21 09.1

**Longitude:** W 93 32 07.1

**Type:** GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

**Elevation (Meters):** 363.931928

**Elevation (Feet):** 1194.000

**Description:** Standard AHTD disc in the NE corner of headwall 85' Left of Sta. 222+35.

**Comments:** No survey data was submitted to Surveys to support the elevation derived by the R.E. Office.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 080039

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #92

Date Established: 10/14/2009

System: STATE

Job Number: 009932

Nearest City: Eureka Springs

County: CARROLL

Route: 62

Section: 3

Log Mile: 9.12

Land Section Number: 8

Township: 20N

Range: 26W

Land Section: NW

Latitude: N 36 25 10.60

Longitude: W 93 46 18.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 337.962916

Elevation (Feet): 1108.800

Description: Standard AHTD Standard Disc in N.W. top of parapet wall of bridge #07035 and 20.5' Rt. Of Sta. 118+34.

Comments: Electronic field file was not submitted, could not verify acceptable level closure.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 080040

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #92

Date Established: 3/19/2013

System: STATE

Job Number: 090202

Nearest City: Alpena

County: CARROLL

Route: 412

Section: 5

Log Mile: 18.82

Land Section Number: 33

Township: 19n

Range: 22w

Land Section:

Latitude: N 36 15 58.10000

Longitude: W 93 19 11.60000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 365.0685

Elevation (Feet): 1197.729

Description: AHTD disk in north east corner of headwall 32.5' Lt. of Sta. 615+30

Comments: Elevation verified. Three wire data available on EDM under job 090202 in s090202.zip.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 080041

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #92

Date Established: 3/19/2013

System: STATE Job Number: 090202 Nearest City: Alpena

County: CARROLL Route: 412 Section: 5 Log Mile: 20.17

Land Section Number: 22 Township: 19n Range: 22w

Land Section:

Latitude: N 36 16 56.30000 Longitude: W 93 18 26.50000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 395.1124 Elevation (Feet): 1296.298

Description: Standard AHTD disk in north east corner of headwall 52.5' Lt. of Sta. 686+95.

Comments: Elevation verified. Three wire data available on EDM under job 090202 in s090202.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 090001

Class:

Vertical Datum:

Established by: RE OFFICE #24

Date Established:

System: STATE Job Number: R20020 Nearest City:

County: CHICOT Route: 65 Section: Log Mile: 0.006

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 32.72 Elevation (Feet): 107.349

Description: AHTD DISC S.E. CORNER BOX CULVERT 35' RT. STATION 0+34. NOT RECOVERED.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 090002

Class:

Vertical Datum:

Established by: RE OFFICE #24

Date Established:

System: STATE Job Number: R20020 Nearest City:

County: CHICOT Route: 65 Section: Log Mile: 1.13

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 32.312 Elevation (Feet): 106.010

Description: AHTD DISC N.E. CORNER BOX CULVERT 35' RT. STATION 59+67. NOT RECOVERED.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 090003

Class:

Vertical Datum:

Established by: RE OFFICE #24

Date Established:

System: STATE

Job Number: R20020

Nearest City:

County: CHICOT

Route: 65

Section:

Log Mile: 5.98

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 33.019

Elevation (Feet): 108.330

Description: AHTD DISC S.E. CORNER BOX CULVERT 32' RT. STATION 316+00. NOT RECOVERED.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 090004

Class:

Vertical Datum:

Established by:

Date Established: 7/8/1991

System: STATE

Job Number: 20020

Nearest City: MCMILLIAN CORNER

County: CHICOT

Route: 65

Section: 20

Log Mile: 11.27

Land Section Number: 8

Township: 15S

Range: 02W

Land Section:

Latitude: N 33 24 36.4

Longitude: W 91 19 00.8

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 41.483

Elevation (Feet): 136.099

Description: BR. NO. 2071-W AHTD DISC TOP WING WALL 37' RT. STATION 595+05.  
REESTABLISHED OFF OF USGS "3 LMT 1977" BRIDGE OVER "BAYOU  
MACON." RECOVERED BY S5102 ON 02/10/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 090005

Class:

Vertical Datum:

Established by:

Date Established: 7/8/1991

System: STATE

Job Number: 20020

Nearest City: MCMILLIAN CORNER

County: CHICOT

Route: 65

Section: 20

Log Mile: 7.61

Land Section Number: 30

Township: 14S

Range: 02W

Land Section:

Latitude: N 33 27 38.7

Longitude: W 91 20 15.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 41.468

Elevation (Feet): 136.050

Description: BR. NO. 2070-W AHTD DISC TOP WING WALL 37' RT. STA. 401+80  
REESTABLISHED OFF OF USGS DISC "3 LMT 1977" RECOVERED BY  
S5102 ON 02/10/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 090006

Class:

Vertical Datum:

Established by:

Date Established: 7/8/1991

System:

Job Number: N/A

Nearest City: DERMOTT

County: CHICOT

Route: 65

Section: 20

Log Mile: 3.30

Land Section Number: 1

Township: 14S

Range: 03W

Land Section: NE

Latitude: N 33 31 07.7

Longitude: W 91 21 58.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 42.562

Elevation (Feet): 139.639

Description: BR. NO. 2069-W AHTD DISC TOP WING WALL 37' RT. STA. 174+30.  
REESTABLISHED OFF OF USGS DISC. "3 LMT 1977" BRIDGE OVER "BIG  
POND SLOUGH." RECOVERED BY S5102 ON 02/10/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 090007

Class:

Vertical Datum:

Established by: RE OFFICE #24

Date Established:

System: STATE Job Number: 20020 Nearest City:

County: CHICOT Route: 65 Section: 20. Log Mile: 11.27

Land Section Number: 8 Township: 15S Range: 02W

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 41.483 Elevation (Feet): 136.099

Description: BR. NO. 2071-W= AHTD DISC TOP WING 37' RT. BT. 1 STATION 595+05

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 090008

Class:

Vertical Datum:

Established by:

Date Established: 7/8/1991

System: STATE

Job Number: 20020

Nearest City: MCMILLIAN CORNER

County: CHICOT

Route: 65

Section: 20

Log Mile: 12.36

Land Section Number: 16

Township: 15S

Range: 02W

Land Section:

Latitude: N 33 23 43.0

Longitude: W 91 18 43.8

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 39.661

Elevation (Feet): 130.121

Description: BR. NO. 2072-W AHTD DISC TOP WING WALL 37' RT.STATION 652+67.  
REESTABLISHED OFF OF USGS DISC "3 LMT 1977". RECOVERED BY  
5102 ON 02/10/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 090009

Class:

Vertical Datum:

Established by: RE OFFICE #24

Date Established:

System: STATE Job Number: 20020 Nearest City: LAKE VILLAGE

County: CHICOT Route: 65 Section: 20 Log Mile: 14.84

Land Section Number: 27 Township: 15S Range: 02W

Land Section:

Latitude: N 33 21 41.2 Longitude: W 91 17 52.2 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 39.255 Elevation (Feet): 128.789

Description: BR. NO. 2073-AW+AHTD DISC TOP WING 37' RT. BT. 1 STATION 787+55.  
RECOVERED BY S5102 ON 02/10/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 090010

Class:

Vertical Datum:

Established by: RE OFFICE #24

Date Established:

System: STATE

Job Number: 20019

Nearest City: CHICOT JUNCTION

County: CHICOT

Route: 65

Section: 21

Log Mile: 7.50

Land Section Number: 12

Township: 17S

Range: 02W

Land Section: NE

Latitude: N 33 14 12.3

Longitude: W 91 15 12.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 36.439

Elevation (Feet): 119.550

Description: BR. 2220-R= AHTD DISC S.E. WING 24' RT. STATION 530+00. BRIDGE OVER "BAYOU MACON." RECOVERED BY S5102 ON 02/09/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 090011

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 20019

Nearest City: EUDORA

County: CHICOT

Route: 65

Section: 22

Log Mile: 0.40

Land Section Number: 36

Township: 18S

Range: 02W

Land Section: NE

Latitude: N 33 05 59.6

Longitude: W 91 15 12.6

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 33.696

Elevation (Feet): 110.551

Description: BR. NO. 2219-R= AHTD DISC N.W. WING 24' RT. STATION 386+78 MACON BAYOU. RECOVERED BY S5102 ON 02/09/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 090012

Class:

Vertical Datum: NGVD29

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: FAIRVIEW

County: CHICOT

Route: 82

Section: 11

Log Mile: 2.00

Land Section Number: 32

Township: 16S

Range: 01W

Land Section:

Latitude: N 33 16 10.1892

Longitude: W 91 13 18.18527

Type: EDM

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 37.042

Elevation (Feet): 121.529

Description: BR. NO. 2170-W AHTD DISC N.W. WING WALL= 24' LT. STATION 213+52=  
DITCH BAYOU. RECOVERED BY S5102 ON 02/09/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 090013

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #24

Date Established: 11/29/1993

System: STATE

Job Number: R20043

Nearest City: DERMOTT

County: CHICOT

Route: 165

Section: 3

Log Mile: 3.95

Land Section Number: 18

Township: 14S

Range: 03W

Land Section: SE

Latitude: N 33 28 54.7

Longitude: W 91 26 27.1

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 40.947

Elevation (Feet): 134.340

Description: AHTD DISK BM LOCATED CENTER OF RC BOX CLVT. HEADWALL 32' RT. (EAST) STAT. 941+34. DISK LOCATED SOUTH OF THE INT. OF HWY. 208 EAST AND WEST AND HWY. 165 1.72 MILES. RECOVERED BY S5102 ON 02/10/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 090014

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #24

Date Established: 11/29/1993

System: STATE

Job Number: R20043

Nearest City: DERMOTT

County: CHICOT

Route: 165

Section: 3

Log Mile: 4.43

Land Section Number: 17

Township: 14S

Range: 03W

Land Section: NW

Latitude: N 33 29 18.1

Longitude: W 91 26 19.3

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 41.291

Elevation (Feet): 135.469

Description: AHTD DISK BM LOCATED CENTER OF R. C. BOX CLVT. HEADWALL 32' RT. (EAST) STAT. 967+38. DISK LOCATED SOUTH OF THE INT. OF HWY. 208 EAST AND WEST AND HWY. 165 1.23 MILES. RECOVERED BY S5102 ON 02/10/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 090015

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #24

Date Established: 11/29/1993

System: STATE

Job Number: R20043

Nearest City: DERMOTT

County: CHICOT

Route: 165

Section: 3

Log Mile: 4.87

Land Section Number: 8

Township: 14S

Range: 03W

Land Section: SW

Latitude: N 33 29 40.4

Longitude: W 91 26 14.2

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 41.3

Elevation (Feet): 135.498

Description: AHTD DISK BM LOCATED CENTER OF RC BOX CLVT. HEADWALL 33' RT. (EAST) STAT. 991+05. DISK LOCATED SOUTH OF THE INT. OF HWY. 208 EAST AND WEST AND HWY. 165 0.78 MILES. RECOVERED BY S5102 ON 02/10/00.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 090016

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #24

Date Established: 11/29/1993

System: STATE

Job Number: R20043

Nearest City: DERMOTT

County: CHICOT

Route: 165

Section: 3

Log Mile: 5.15

Land Section Number: 8

Township: 14S

Range: 03W

Land Section: SW

Latitude: N 33 29 55.1

Longitude: W 91 26 11.6

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 41.172

Elevation (Feet): 135.078

Description: AHTD DISK BM LOCATED CENTER OF RC BOX CLVT. HEADWALL 33' RT. (EAST) STAT. 1005+35. DISK LOCATED SOUTH OF THE INT. OF HWY. 208 EAST AND WEST AND HWY. 165 0.51 MILES. RECOVERED BY S5102 ON 02/10/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 090017

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #24

Date Established: 11/29/1993

System: STATE

Job Number: R20043

Nearest City: DERMOTT

County: CHICOT

Route: 165

Section: 3

Log Mile: 5.67

Land Section Number: 5

Township: 14S

Range: 03W

Land Section: SW

Latitude: N 33 30 23.2

Longitude: W 91 26 05.4

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 41.63

Elevation (Feet): 136.581

Description: AHTD DISK LOCATED CENTER OF R. C. BOX CLVT. HEADWALL 39' LT. (WEST) STAT. 1032+92. DISK LOCATED NORTH OF INT. 208 EAST & WEST & HWY. 165 0.01 MILES (60'). RECOVERED BY S5102 02/10/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 090018

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #24

Date Established: 11/29/1993

System: STATE

Job Number: R20043

Nearest City: DERMOTT

County: CHICOT

Route: 165

Section: 3

Log Mile: 6.8

Land Section Number: 5

Township: 13S

Range: 03W

Land Section: SE

Latitude: N 33 31 09.1

Longitude: W 91 25 25.1

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 41.514

Elevation (Feet): 136.201

Description: AHTD DISK BM LOCATED CENTER OF R. C. BOX CLVT. HEADWALL 38' RT. (EAST) STA. 1093+61. BM LOCATED NORTH OF INT. 208 EAST & WEST 1.16 MILES OR 0.02 MILES NORTH OF INT. 208 WEST & HWY. 165. RECOVERED BY S5102 ON 02/10/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 090019

Class:

Vertical Datum:

Established by: RE OFFICE #21

Date Established: 2/25/1993

System: COUNTY Job Number: IAR-208 Nearest City:

County: CHICOT Route: 65 Section: 21 Log Mile:

Land Section Number: 25 Township: Range: 01W

Land Section: NE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 33.461

Elevation (Feet): 109.780

Description: AHTD DISK IN NE CORNER OF DROP INLET LT. LOG MILE 0.01 FROM US HWY. 65, E ON WASHINGTON ST., EUDORA. NOT RECOVERED ON 02/09/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 090020

Class:

Vertical Datum:

Established by: RE OFFICE #21

Date Established: 3/7/1995

System: COUNTY Job Number: FA0910 Nearest City: DERMOTT

County: CHICOT Route: 47 Section: Log Mile:

Land Section Number: 29 Township: 13S Range: 03W

Land Section: NW

Latitude: N 33 32 29.2 Longitude: W 91 25 46.5 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 42.632 Elevation (Feet): 139.868

Description: AHTD DISK IN SE COR. SOUTH END OF BRIDGE NO. 4725 IN ABUTMENT  
16' RT. CENTERLINE. BRIDGE OVER "BIG BAYOU DITCH." RECOVERED  
BY S5102 ON 02/10/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 090021

Class:

Vertical Datum:

Established by: RE OFFICE #21

Date Established:

System: COUNTY

Job Number: FA0907

Nearest City: CHICOT

County: CHICOT

Route: CR18

Section:

Log Mile:

Land Section Number: 36

Township: 17S

Range: 03W

Land Section: SE

Latitude: N 33 01 05.9

Longitude: W 91 21 23.4

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 33.702

Elevation (Feet): 110.571

Description: AHTD DISK IN TOP OF SW END POST ON BR # 04771. NOW KNOWN AS "GUM CORNERROAD." RECOVERED BY S5102 ON 02/09/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 090022

Class:

Vertical Datum: NGVD29

Established by: RE OFFICE #24

Date Established:

System: Job Number: 20020 Nearest City:

County: CHICOT Route: 65 Section: 20 Log Mile: 12.36

Land Section Number: 16 Township: 15S Range: 02W

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 39.661 Elevation (Feet): 130.121

Description: BR. NO. 2072-W=AHTD DISC TOP WING 37' RT. BT. 1 STA. 652+67

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 090023

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #24

Date Established:

System:

Job Number: 20020

Nearest City:

County: CHICOT

Route: 65

Section: 20

Log Mile: 7.61

Land Section Number: 30

Township: 14S

Range: 02W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 41.468

Elevation (Feet): 136.050

Description: BR. NO. 2070-W=AHTD DISC TOP WING 37'RT. BT. 1 STA. 401+80

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 090024

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #21

Date Established: 6/26/1992

System: COUNTY

Job Number: BR-9-4

Nearest City: KILBOURNE, LA

County: CHICOT

Route: CR5

Section:

Log Mile:

Land Section Number: 27

Township: 19S

Range: 03W

Land Section: NE

Latitude: N 33 01 22.5

Longitude: W 91 23 39.5

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 35.214

Elevation (Feet): 115.531

Description: AHTD DISC ABOVE NAME PLATE IN TOP OF NORTHWEST WINGWALL OF BRIDGE NO. 4674 LOCATED 2.7 MILES SOUTHWEST OF STATE HWY. 52 ON CO. RD. 5. DISC IS IN TOP OF SOUTHEAST WALL. COUNTY ROAD #5 IS NOW KNOWN AS "HELLCAT ROAD." RECOVERED BY S5102 ON 02/09/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 090025

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #21

Date Established: 6/26/1992

System: COUNTY Job Number: BR-9-4 Nearest City:

County: CHICOT Route: 5 Section: Log Mile:

Land Section Number: 27 Township: 19S Range: 03W

Land Section: NE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 35.214

Elevation (Feet): 115.531

Description: AHTD DISC ABOVE NAME PLATE IN TOP OF NORTHWEST WINGWALL  
OF BRIDGE NO. 4674 LOCATED 2.7 MILES SOUTHWEST OF STATE HWY.  
52 ON CO. RD. NO. 5

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 090026

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: COUNTY Job Number: N/A Nearest City:

County: CHICOT Route: CO. RD. 331 Section: Log Mile:

Land Section Number: 18 Township: 14S Range: 03W

Land Section:

Latitude: N 33 28 48.9 Longitude: W 91 27 18.2 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 42.203 Elevation (Feet): 138.461

Description: BR. NO. 4366-AHTD DISC N. W. WING WALL=CO. LINE DRAINAGE DITCH-LAKE VILLAGE. RECOVERED BY S5102 ON 02/10/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 090027

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: COUNTY Job Number: BR-9-2 Nearest City: LAKE VILLAGE

County: CHICOT Route: 280 Section: F Log Mile: 2.39

Land Section Number: 28 Township: 21N Range: 16S

Land Section: NW

Latitude: N 33 17 05.4 Longitude: W 91 19 17.5 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 36.555 Elevation (Feet): 119.931

Description: BR. NO. 4512-AHTD DISC S. W. WINGWALL. 18' LT. STA. 10+60+BAYOU  
MACON. RECOVERED BY S5102 ON 02/09/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 090028

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: COUNTY Job Number: N/A Nearest City: EUDORA

County: CHICOT Route: 76 Section: B Log Mile: 2.70

Land Section Number: 5 Township: 18S Range: 01E

Land Section:

Latitude: N 33 09 19.5 Longitude: W 91 13 47.4 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 34.695 Elevation (Feet): 113.829

Description: BR. NO. 4411-AHTD DISC SW WING WALL=BAYOU MACON 2 MI. N  
EUDORA. RECOVERED BY S5102 ON 02/09/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 090029

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #24

Date Established:

System: COUNTY

Job Number: BR-9-3

Nearest City: HALLEY

County: CHICOT

Route: CO. 51

Section:

Log Mile:

Land Section Number: 31

Township: 13S

Range: 02W

Land Section:

Latitude: N 33 31 17.6

Longitude: W 91 21 03.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 41.736

Elevation (Feet): 136.929

Description: BR. NO. 4520=AHTD DISC SW WING 18' LT. STA. 10+12. NOW KNOWN AS "BLACK POND ROAD." RECOVERED BY S5102 ON 02/10/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 090030

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #24

Date Established: 8/16/1990

System: COUNTY

Job Number: F-9-5

Nearest City: LAKE VILLAGE

County: CHICOT

Route: 69

Section: 1

Log Mile: 0.6

Land Section Number: 25

Township: 15S

Range: 02W

Land Section: NE

Latitude: N 33 22 03.7

Longitude: W 91 15 19.4

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 38.323

Elevation (Feet): 125.731

Description: AHTD DISK IN TOP WINGWALL SE CORNER (STA. 30+87 RT. OF LAKE CHICOT CAUSEWAY BRIDGE. BRIDGE #4631. RECOVERED BY S5102 ON 02/09/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 090031

Class:

Vertical Datum:

Established by: RE OFFICE #24

Date Established: 4/23/1998

System: STATE

Job Number: R20096

Nearest City: LAKE VILLAGE

County: CHICOT

Route: 65

Section: 20

Log Mile: 16.69

Land Section Number: 3

Township: 15

Range: 02W

Land Section: SE

Latitude: N 33 20 07.8

Longitude: W 91 17 31.3

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 36.377

Elevation (Feet): 119.347

Description: AHTD DISK CENTER OF HEADWALL R. C. BOX CULVERT 42' WEST OF  
CENTER LINE OF SOUTH BOUND LANE. RECOVERED BY S5102 ON  
02/09/00.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 090032

Class:

Vertical Datum:

Established by: RE OFFICE #24

Date Established: 4/23/1998

System: STATE

Job Number: R20096

Nearest City: LAKE VILLAGE

County: CHICOT

Route: 65

Section: 20

Log Mile: 16.85

Land Section Number: 3

Township: 15

Range: 02W

Land Section: SE

Latitude: N 33 19 57.6

Longitude: W 91 17 31.6

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 36.743

Elevation (Feet): 120.548

Description: AHTD DISK CENTER OF HEADWALL R.C .BOX CULVERT 39' WEST OF  
CENTER LINE OF SOUTH BOUND LANE. RECOVERED BY S5102 ON  
02/09/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 090033

Class:

Vertical Datum:

Established by:

RE OFFICE #24

Date Established: 4/23/1998

System: STATE

Job Number: R20096

Nearest City: LAKE VILLAGE

County: CHICOT

Route: 65

Section: 20

Log Mile: 16.04

Land Section Number: 34

Township: 15S

Range: 02W

Land Section: SE

Latitude: N 33 20 43.6

Longitude: W 91 17 31.5

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 37.054

Elevation (Feet): 121.568

Description: AHTD DISK CENTER OF HEADWALL R. C. BOX CULVERT 39' WEST OF  
CENTER LINE OF SOUTH BOUND LANE. RECOVERED BY S5102 ON  
02/09/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 090034

Class:

Vertical Datum:

Established by:

RE OFFICE #24

Date Established: 4/23/1998

System: STATE

Job Number: R20096

Nearest City: LAKE VILLAGE

County: CHICOT

Route: 65

Section: 20

Log Mile: 16.44

Land Section Number: 3

Township: 15S

Range: 02W

Land Section: NE

Latitude: N 33 20 20.6

Longitude: W 91 17 32.1

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 36.164

Elevation (Feet): 118.648

Description: AHTD DISK CENTER OF HEADWALL R. C. BOX CULVERT 41' WEST OF  
CENTER LINE OF SOUTH BOUND LANE. RECOVERED BY S5102 ON  
02/09/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 090035

Class:

Vertical Datum:

Established by: RE OFFICE #24

Date Established: 4/23/1998

System: STATE

Job Number: R20096

Nearest City: MCMILLIAN CORNER

County: CHICOT

Route: 65

Section: 20

Log Mile: 12.23

Land Section Number: 16

Township: 14

Range: 02W

Land Section: SW

Latitude: N 33 23 48.6

Longitude: W 91 18 49.8

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 37.691

Elevation (Feet): 123.658

Description: AHTD DISK CENTER OF HEADWALL R. C. BOX CULVERT 39' WEST OF  
CENTERLINE OF SOUTH BOUND LANE. RECOVERED BY S5102 ON S5102.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 090036

Class:

Vertical Datum:

Established by:

RE OFFICE #24

Date Established: 4/23/1998

System: STATE

Job Number: R20096

Nearest City: MCMILLIAN CORNER

County: CHICOT

Route: 65

Section: 20

Log Mile: 13.75

Land Section Number: 21

Township: 15

Range: 02W

Land Section: SE

Latitude: N 33 22 35.5

Longitude: W 91 18 14.5

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 37.511

Elevation (Feet): 123.067

Description: AHTD DISK CENTER OF HEADWALL R. C. BOX CULVERT 41' WEST OF  
CENTER LINE OF SOUTH BOUND LANE. RECOVERED BY S5102 ON  
02/10/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 090037

Class:

Vertical Datum:

Established by: RE OFFICE #24

Date Established: 4/23/1998

System: STATE

Job Number: R20096

Nearest City: LAKE VILLAGE

County: CHICOT

Route: 65

Section: 20

Log Mile: 14.20

Land Section Number: 28

Township: 15

Range: 02W

Land Section: NE

Latitude: N 33 22 13.7

Longitude: W 91 18 06.1

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 38.097

Elevation (Feet): 124.990

Description: AHTD DISK CENTER OF HEADWALL R. C. BOX CULVERT 41' WEST OF  
CENTER LINE OF SOUTH BOUND LANE. RECOVERED BY S5102 ON  
02/10/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 090038

Class:

Vertical Datum:

Established by:

RE OFFICE #24

Date Established: 4/23/1998

System: STATE

Job Number: R20096

Nearest City: LAKE VILLAGE

County: CHICOT

Route: 65

Section: 20

Log Mile: 15.35

Land Section Number: 34

Township: 15

Range:

Land Section: NW

Latitude: N 33 21 16.0

Longitude: W 91 17 43.2

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 36.893

Elevation (Feet): 121.040

Description: AHTD DISK CENTER OF HEADWALL R. C. BOX CULVERT 41' WEST OF  
CENTER LINE OF SOUTH BOUND LANE. RECOVERED BY S5102 ON  
02/10/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 090039

Class:

Vertical Datum:

Established by: RE OFFICE #24

Date Established: 4/23/1998

System: STATE

Job Number: R20096

Nearest City: LAKE VILLAGE

County: CHICOT

Route: 65

Section: 20

Log Mile: 15.85

Land Section Number: 34

Township: 15S

Range: 02W

Land Section: SW

Latitude: N 33 20 49.7

Longitude: W 91 17 32.6

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 37.225

Elevation (Feet): 122.129

Description: AHTD DISK CENTER OF HEADWALL R.C. BOX CULVERT 36' WEST OF  
CENTER LINE OF SOUTH BOUND LANE. RECIVERED BY S5102 ON  
02/10/00.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 090040

Class:

Vertical Datum:

Established by: RE OFFICE #24

Date Established: 4/23/1998

System: STATE

Job Number: R20096

Nearest City:

County: CHICOT

Route: 65

Section: 20

Log Mile: 11.84

Land Section Number: 9

Township: 14

Range: 02W

Land Section: SW

Latitude: N 33 24 09.6

Longitude: W 91 18 55.3

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 38.764

Elevation (Feet): 127.178

Description: AHTD DISK CENTER OF HEADWALL R. C. BOX CULVERT 41' WEST OF  
CENTER LINE OF SOUTH BOUND LANE. RECOVERED BY S5102 ON  
02/10/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 090041

Class:

Vertical Datum:

Established by: RE OFFICE #24

Date Established: 4/23/1998

System: STATE

Job Number: R20096

Nearest City: MCMILLIAN CORNER

County: CHICOT

Route: 65

Section: 20

Log Mile: 12.50

Land Section Number: 16

Township: 14

Range: 02W

Land Section: SW

Latitude: N 33 23 36.3

Longitude: W 91 18 40.2

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 37.716

Elevation (Feet): 123.740

Description: AHTD DISK CENTER OF HEADWALL R. C. BOX CULVERT 39' WEST OF  
CENTER LINE OF SOUTH BOUND LANE. RECOVERED BY S5102 ON  
02/10/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 090042

Class:

Vertical Datum:

Established by: RE OFFICE #24

Date Established: 4/23/1998

System: STATE

Job Number: R20096

Nearest City: MCMILLIAN CORNER

County: CHICOT

Route: 65

Section: 20

Log Mile: 10.72

Land Section Number: 5

Township: 14

Range: 02W

Land Section: SE

Latitude: N 33 25 05.1

Longitude: W 91 19 14.5

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 38.749

Elevation (Feet): 127.129

Description: AHTD DISK CENTER OF HEADWALL R. C. BOX CULVERT 43' WEST OF  
CENTER LINE OF SOUTH BOUND LANE. RECOVERED BY S5102 ON  
02/10/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 090043

Class:

Vertical Datum:

Established by: RE OFFICE #24

Date Established: 4/23/1998

System: STATE

Job Number: R20096

Nearest City: MCMILLIAN CORNER

County: CHICOT

Route: 65

Section: 20

Log Mile: 11.09

Land Section Number: 8

Township: 14

Range: 02W

Land Section: NE

Latitude: N 33 24 48.6

Longitude: W 91 19 05.2

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 38.663

Elevation (Feet): 126.847

Description: AHTD DISK CENTER OF HEADWALL R. C. BOX CULVERT 43' WEST OF  
CENTERLINE OF SOUTH BOUND LANE. RECOVERED BY S5102 ON  
02/10/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 090044

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #24

Date Established: 3/27/2002

System: COUNTY

Job Number: br0906

Nearest City:

County: CHICOT

Route: CR22

Section:

Log Mile:

Land Section Number: 6

Township: 16S

Range: 02W

Land Section: NWNE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 36.245

Elevation (Feet): 118.914

Description: AHTD DISK IN HW 29' RT STA 105+35

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 090045

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #24

Date Established: 10/30/2001

System: COUNTY Job Number: FA0911 Nearest City:

County: CHICOT Route: CR86 Section: Log Mile:

Land Section Number: 7 Township: 19S Range: 01W

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 34.076 Elevation (Feet): 111.798

Description: AHTD DISK ON ENDWALL 28' RT STA 105+55 (DONE FOR BAYOU  
MACON STR JOB)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 090046

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #24

Date Established: 1/1/2005

System: FEDERAL

Job Number: 020382

Nearest City: EUDORA

County: CHICOT

Route: 159

Section: 1

Log Mile: 4.79

Land Section Number: 2

Township: 19S

Range: 02W

Land Section: SE

Latitude: N 33 04 10.6

Longitude: W 91 16 50.1

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 35.18618238

Elevation (Feet): 115.440

Description: AHTD DISK, 43 FEET RT. @ STA 111+65

Comments: Elevations cannot be verified. 3-wire levels were not submitted

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 090047

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #24

Date Established: 4/20/2004

System: STATE Job Number: 002970 Nearest City:

County: CHICOT Route: 160 Section: 12 Log Mile: 1.61

Land Section Number: 20 Township: 17S Range: 03W

Land Section: NE

Latitude: N 33 12 47.4 Longitude: W 91 25 59.2 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 35.56406 Elevation (Feet): 116.680

Description: AHTD Monument (Aluminum Disk) in Headwall 15' RT. Sta. 108+80

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 090048

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #24

Date Established: 4/20/2004

System: STATE

Job Number: 002970

Nearest City:

County: CHICOT

Route: 160

Section: 12

Log Mile: 6.3

Land Section Number: 19

Township: 17S

Range: 03W

Land Section: NW

Latitude: N 33 12 43.6

Longitude: W 91 21 08.6

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 35.59759

Elevation (Feet): 116.790

Description: AHTD Disk in Headwall 15' RT. Sta. 211 + 92.

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 090049

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 3/3/2009

System: STATE Job Number: r20097 Nearest City:

County: CHICOT Route: 65 Section: 21 Log Mile: 5.19

Land Section Number: 10 Township: 16s Range: 02w

Land Section: NE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): Elevation (Feet):

Description: ahtd disk in headwall 45' lt sta. 351+36

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 090050

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 3/4/2009

System: STATE Job Number: r20097 Nearest City:

County: CHICOT Route: 65 Section: 21 Log Mile: 4.24

Land Section Number: 10 Township: 16s Range: 02w

Land Section: SE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 36.30168 Elevation (Feet): 119.100

Description: ahtd disk in headwall 45' rt sta. 301+22

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 090051

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 3/4/2009

System: STATE Job Number: r20097 Nearest City:

County: CHICOT Route: 65 Section: 21 Log Mile: 4.78

Land Section Number: 10 Township: 16s Range: 02w

Land Section: SE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 37.43554 Elevation (Feet): 122.820

Description: ahtd disk in headwall 40' rt. Sta. 329+73

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 090052

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: r20097 Nearest City:

County: CHICOT Route: 65 Section: 21 Log Mile: 3.34

Land Section Number: 15 Township: 16s Range: 04w

Land Section: SE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 37.28923 Elevation (Feet): 122.340

Description: chiseled square in headwall 45' rt sta. 253+40

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 090053

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 3/3/2009

System: FEDERAL Job Number: r20097 Nearest City:

County: CHICOT Route: 65 Section: 21 Log Mile: 3.66

Land Section Number: 15 Township: 16s Range: 02w

Land Section: SE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 35.99993 Elevation (Feet): 118.110

Description: chiseled square in headwall 45' rt sta 270 + 46.

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 090053

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #24

Date Established: 2/21/2020

System: STATE

Job Number: 020586

Nearest City: Lake Village

County: CHICOT

Route: 144

Section: 2

Log Mile: 4.99

Land Section Number: 23

Township: 15s

Range: 03w

Land Section: NE

Latitude: N 33 23 17.00000

Longitude: W 91 22 19.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 37.533

Elevation (Feet): 123.140

**Description:** : The station is located about 5.5 miles (8.9 km) northwest of Lake Village, 6.8 miles (10.9 km) east of Jerome, 10.2 miles (16.4 km) northeast of Montrose. To reach from intersection of AR Highway 144 and US Highway 65, go west 2.6 miles (4.2 km) to station on left. 82.2 feet (25.0 m) northeast of combination pole, 53.3 feet (15.9 m) south of the northwest corner of R.C. Box, 62.3 feet (18.9 m) west of the southeast corner of R.C. Box.

**Comments:** Elevation not verified.due to lack of three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 100001

Class:

Vertical Datum:

Established by: RE OFFICE #73

Date Established:

System: STATE

Job Number: 7961

Nearest City: ARKADELPHIA

County: CLARK

Route: 51

Section: 1

Log Mile: 23.04

Land Section Number: 31

Township: 07S

Range: 20W

Land Section:

Latitude: N 34 04 50.0

Longitude: W 93 11 21.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.055

Elevation (Feet): 236.400

Description: DISK N.E. HEADWALL R.C. BOX LEFT STATION 1216+62. LOCATED BY S5102 ON 3/2004. LOCATED BY S5102 ON 3/2004.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 100002

Class:

Vertical Datum:

Established by: RE OFFICE #73

Date Established:

System: STATE

Job Number: 7846

Nearest City: ARKADELPHIA

County: CLARK

Route: 51

Section: 2

Log Mile: 1.37

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 07 02.0

Longitude: W 93 01 52.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 58.75

Elevation (Feet): 192.749

Description: AHTD STD DISC IN TOP OF PARAPET S.W. CORNER OF BRIDGE ON  
SALINE BAYOU 6165

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 100003

Class:

Vertical Datum:

Established by: RE OFFICE #73

Date Established: 10/9/1981

System: STATE

Job Number: 7911

Nearest City: CENTERPOINT

County: CLARK

Route: 182

Section: 0

Log Mile: 6.47

Land Section Number: 15

Township: 09S

Range: 21W

Land Section: NW

Latitude: N 33 57 40.0

Longitude: W 93 14 44.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.61

Elevation (Feet): 238.221

Description: RT. SIDE BRIDGE STATION 106+15. LOCATED BY S5102 ON 3/2004.  
BR#6342.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 100004

Class:

Vertical Datum:

Established by: RE OFFICE #73

Date Established:

System: STATE

Job Number: 7941

Nearest City: AMITY

County: CLARK

Route: 182

Section: 3

Log Mile: 1.6

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 17 23.0

Longitude: W 93 27 37.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 150.434

Elevation (Feet): 493.549

Description: FROM AMITY AT THE INTERSECTION OF HWYS. 182 & 8; GO NORTH ON HWY. 182 APPROX. 1.6 MILES TO THE CADDO RIVER BR. BENCH MARK IS A STD. AHTD DISC SET IN TOP OF WING ON S.E. CORNER OF BRIDGE NO. 6249. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 100005

Class:

Vertical Datum:

Established by: RE OFFICE #73

Date Established:

System: STATE

Job Number: RX0002

Nearest City: CADDO VALLEY

County: CLARK

Route: 283

Section: 1 & 2

Log Mile: 1.50

Land Section Number:

Township: 06S

Range: 19W

Land Section:

Latitude: N 34 14 04.0

Longitude: W 93 04 37.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 94.424

Elevation (Feet): 309.789

Description: "[ ]" CUT IN S.E. CORNER HEADWALL 6x4x28' R.C. BOX CULVERT.  
LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 100006

Class:

Vertical Datum:

Established by: RE OFFICE #73

Date Established:

System: STATE

Job Number: RX0002

Nearest City: CADDO VALLEY

County: CLARK

Route: 283

Section: 1 & 2

Log Mile: 1.63

Land Section Number:

Township: 06S

Range: 20W

Land Section:

Latitude: N 34 14 10.0

Longitude: W 93 04 34.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 94.348

Elevation (Feet): 309.540

Description: STD. AHTD DISC IN WING WALL @ LT. BR. END. LOCATED BY S5102 ON 3/2004. BR 5923.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 100007

Class:

Vertical Datum:

Established by: RE OFFICE #73

Date Established:

System: STATE

Job Number: RX0002

Nearest City: CADD O VALLEY

County: CLARK

Route: 283

Section: 1 & 2

Log Mile: 1.39

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 15 21.0

Longitude: W 93 34 33.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 99.307

Elevation (Feet): 325.810

Description: STD. AHTD DISC IN S.E. WING WALL BR. END OVER CANNY CREEK BR.  
5928. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 100008

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 6/15/1978

System: Job Number: L-10-1 Nearest City: ARKADELPHIA

County: CLARK Route: CR 7 Section: Log Mile: 0.15

Land Section Number: 33 Township: 06S Range: 20W

Land Section:

Latitude: N 34 09 33.0 Longitude: W 93 07 38.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.283 Elevation (Feet): 243.710

Description: TOP RT. WING BR. END STA. 49+80 BR. NO. 4350. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 100009

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: BR-10-3 Nearest City: GUM SPRINGS

County: CLARK Route: CR 10 Section: Log Mile:

Land Section Number: 7 Township: 08S Range: 21W

Land Section:

Latitude: N 34 02 48.0 Longitude: W 93 11 18.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 63.798 Elevation (Feet): 209.311

Description: BR. # 4598 OR CR 10 CROSSING NORTH BOAT DITCH. LOCATED BY S5102 ON 3/2004.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 100010

Class:

Vertical Datum:

Established by: RE OFFICE #73

Date Established: 7/27/1998

System: COUNTY

Job Number: br1005

Nearest City: GURDON

County: CLARK

Route: CR13

Section:

Log Mile:

Land Section Number: 27

Township: 09S

Range: 20W

Land Section: NENE

Latitude: N 33 55 45.0

Longitude: W 93 08 30.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 56.644

Elevation (Feet): 185.840

Description: AHTD DISC IN WEST HEADWALL OF R. C. BOX CULVERT @ STA.  
1004+80. USED USC&GS MKR #N192X TO RUN ELEV. IN

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 100011

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #73

Date Established: 7/27/1998

System: COUNTY

Job Number: BR1005

Nearest City: GURDON

County: CLARK

Route: CR13

Section:

Log Mile:

Land Section Number: 27

Township: 09S

Range: 20W

Land Section: NENE

Latitude: N 33 55 45.0

Longitude: W 93 08 30.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 57.945

Elevation (Feet): 190.108

Description: AHTD DISC IN SW WING OF BR 4786 STA. 994+77.84 USED USC&GS MKR #N192X TO RUN ELEV. IN.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 100012

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #73

Date Established: 8/20/2002

System:

Job Number: B70101

Nearest City: Arkadelphia

County: CLARK

Route: I-30

Section: 14

Log Mile: 64.32

Land Section Number: 29

Township: 08s

Range: 20w

Land Section:

Latitude: N 34 00 39.0

Longitude: W 93 10 09.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 62.143

Elevation (Feet): 203.881

Description: AHTD DISC IN TOP OF TRANSITION WALL SW CORNER BR 3816A JOB STA 3173+30. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 100013

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #73

Date Established: 8/20/2002

System: FEDERAL

Job Number: B70101

Nearest City: ARKADELPHIA

County: CLARK

Route: I-30

Section: 14

Log Mile: 64.12

Land Section Number: 29

Township: 08S

Range: 20W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 60.997

Elevation (Feet): 200.121

Description: AHTD DISC IN TOP OF TRANSITION WALL SE CORNER BR 3815B

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 100014

Class:

Vertical Datum:

Established by: RE OFFICE #73

Date Established: 5/20/1998

System: STATE

Job Number: R70024

Nearest City: GURDON

County: CLARK

Route: 182

Section: 0

Log Mile: 0.18

Land Section Number: 28

Township: 09S

Range: 20W

Land Section: SWNW

Latitude: N 33 55 34.0

Longitude: W 93 09 18.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 58.859

Elevation (Feet): 193.107

Description: AHTD DISK IN RIGHT HEADWALL OF R. C. BOX CULVERT @  
STA.155+27. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 100015

Class:

Vertical Datum:

Established by: RE OFFICE #73

Date Established: 5/20/1998

System: STATE

Job Number: R70024

Nearest City: GURDON

County: CLARK

Route: 182

Section: 0

Log Mile: 2.55

Land Section Number: 19

Township: 09S

Range: 20W

Land Section: SWSW

Latitude: N 33 56 07.0

Longitude: W 93 11 38.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.831

Elevation (Feet): 225.823

Description: AHTD DISK IN RIGHT HEADWALL OF R. C. BOX CULVERT @ STA. 117+13. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 100016

Class:

Vertical Datum:

Established by: RE OFFICE #73

Date Established: 12/30/1998

System: COUNTY

Job Number: 070063

Nearest City: ALPINE

County: CLARK

Route: 8

Section: 5A

Log Mile: 5.64

Land Section Number: 7

Township: 06S

Range: 22W

Land Section:

Latitude: N 34 14 06.0

Longitude: W 93 23 37.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 156.133

Elevation (Feet): 512.246

Description: STANDARD AHTD DISC IN NE CORNER RCBC HEADWALL LEFT.  
LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 100017

Class:

Vertical Datum:

Established by: RE OFFICE #73

Date Established: 12/30/1998

System:

Job Number: 070063

Nearest City: ALPINE

County: CLARK

Route: 8

Section: 5A

Log Mile: 5.27

Land Section Number: 12

Township: 06S

Range: 23W

Land Section:

Latitude: N 34 14 21.0

Longitude: W 93 23 52.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 171.056

Elevation (Feet): 561.206

Description: STANDARD AHTD DISC IN SE CORNER RCBC HEADWALL RIGHT.  
LOCATED BY S5102 ON 3/2004.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 100018

Class:

Vertical Datum:

Established by: RE OFFICE #73

Date Established: 12/30/1998

System:

Job Number: 070063

Nearest City: ALPINE

County: CLARK

Route: 8

Section: 5A

Log Mile: 4.24

Land Section Number: 12

Township: 06S

Range: 23W

Land Section:

Latitude: N 34 14 44.0

Longitude: W 93 24 47.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 182.675

Elevation (Feet): 599.326

Description: STANDARD AHTD DISC IN NW CORNER RCBC HEADWALL LEFT.  
LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 100019

Class:

Vertical Datum:

Established by: RE OFFICE #73

Date Established: 12/30/1998

System:

Job Number: 070063

Nearest City: AMITY

County: CLARK

Route: 8

Section: 5A

Log Mile: 3.81

Land Section Number: 11

Township: 06S

Range: 23W

Land Section:

Latitude: N 34 14 53.0

Longitude: W 93 25 12.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 160.928

Elevation (Feet): 527.978

Description: STANDARD AHTD DISC IN SE CORNER RCBC HEADWALL RIGHT.  
LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 100020

Class:

Vertical Datum:

Established by:

Date Established: 12/30/1998

System:

Job Number: 070141

Nearest City: AMITY

County: CLARK

Route: 8

Section: 5A

Log Mile: 1.56

Land Section Number: 34

Township: 05S

Range: 23W

Land Section:

Latitude: N 34 15 50.0

Longitude: W 93 27 12.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 153.878

Elevation (Feet): 504.848

Description: STANDARD AHTD DISC IN NW CORNER DROP INLET TOP LEFT.  
LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 100021

Class:

Vertical Datum:

Established by:

Date Established: 12/29/1998

System:

Job Number: 070141

Nearest City: AMITY

County: CLARK

Route: 8

Section: 5A

Log Mile: 1.07

Land Section Number: 34

Township: 05S

Range: 23W

Land Section:

Latitude: N 34 15 53.0

Longitude: W 93 27 42.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 154.497

Elevation (Feet): 506.879

Description: STANDARD AHTD DISC IN SE CORNER DROP INLET TOP RIGHT.  
LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 100022

Class:

Vertical Datum:

Established by:

Date Established: 12/29/1998

System:

Job Number: 070141

Nearest City: AMITY

County: CLARK

Route: 8

Section: 5A

Log Mile: 0.92

Land Section Number: 33

Township: 05S

Range: 23W

Land Section:

Latitude: N 34 15 53.0

Longitude: W 93 27 51.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 148.245

Elevation (Feet): 486.367

Description: STANDARD AHTD DISC IN SE CORNER RCBC HEADWALL RIGHT.  
LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 100023

Class:

Vertical Datum:

Established by:

Date Established: 12/29/1998

System:

Job Number: 070141

Nearest City: AMITY

County: CLARK

Route: 8

Section: 5A

Log Mile: 0.88

Land Section Number: 33

Township: 05S

Range: 23W

Land Section:

Latitude: N 34 15 53.0

Longitude: W 93 27 54.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 148.725

Elevation (Feet): 487.942

Description: STANDARD AHTD DISC IN SE CORNER RCBC HEADWALL RIGHT.  
LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 100024

Class:

Vertical Datum:

Established by: RE OFFICE #73

Date Established: 12/30/1998

System:

Job Number: 070063

Nearest City:

County: CLARK

Route: 8

Section: 5

Log Mile: 6.26

Land Section Number: 7

Township: 06S

Range: 22W

Land Section:

Latitude: N 34 13 52.0

Longitude: W 93 23 40.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 161.68

Elevation (Feet): 530.445

Description: STANDARD AHTD DISC IN SE CORNER RCBC HEADWALL RIGHT.  
LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 100025

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 4/3/2000

System: STATE Job Number: 070018 Nearest City: ARKADELPHIA

County: CLARK Route: I-30 Section: 14 Log Mile: 71.22

Land Section Number: 26 Township: 07S Range: 20W

Land Section: SE

Latitude: N 34 04 49.0 Longitude: W 93 06 58.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.545 Elevation (Feet): 244.570

Description: AHTD DISC IN TOP OF PARAPET WINGWALL, NE CORNER BRIDGE 3691  
AR. LOCATED BY S5102 ON 3/2004.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 100026

Class:

Vertical Datum: UNKNOWN Established by: SHAUN PIERCE

Date Established: 4/3/2000

System: STATE Job Number: 070018 Nearest City: ARKADELPHIA

County: CLARK Route: I-30 Section: 14 Log Mile: 71.22

Land Section Number: 26 Township: 07S Range: 20W

Land Section: SE

Latitude: N 34 04 48.0 Longitude: W 93 06 57.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.7894 Elevation (Feet): 238.810

Description: AHTD DISC IN TOP OF PARAPET WINGWALL, SW CORNER BRIDGE  
3691BR. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 100027

Class:

Vertical Datum: UNKNOWN

Established by: SHAUN PIERCE

Date Established: 4/4/2000

System: STATE

Job Number: 070018

Nearest City: ARKADELPHIA

County: CLARK

Route: I-30

Section: 14

Log Mile: 69.79

Land Section Number: 35

Township: 07S

Range: 20W

Land Section: SW

Latitude: N 34 05 55.0

Longitude: W 93 06 17.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 73.3258

Elevation (Feet): 240.570

Description: AHTD DISC IN TOP OF PARAPET WINGWALL, NE CORNER BRIDGE  
3689AR. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 100028

Class:

Vertical Datum: UNKNOWN

Established by: SHAUN PIERCE

Date Established: 4/4/2000

System: STATE

Job Number: 070018

Nearest City: ARKADELPHIA

County: CLARK

Route: I-30

Section: 14

Log Mile: 69.79

Land Section Number: 35

Township: 07S

Range: 20W

Land Section: SW

Latitude: N 34 05 53.0

Longitude: W 93 06 15.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 73.3197

Elevation (Feet): 240.550

Description: AHTD DISC IN TOP OF PARAPET WINGWALL, SW CORNER BRIDGE  
3689BR. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 100029

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #73

Date Established: 8/20/2002

System: STATE

Job Number: B70101

Nearest City: ARKADELPHIA

County: CLARK

Route: I-30

Section: 14

Log Mile: 64.04

Land Section Number: 29

Township: 08S

Range: 20W

Land Section:

Latitude: N 34 00 37.0

Longitude: W 93 10 13.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 61.287

Elevation (Feet): 201.072

Description: AHTD DISK IN TOP TRANSITION WALL SW CORNER BR3815A. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 100030

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #73

Date Established: 8/20/2002

System:

Job Number: B70101

Nearest City: ARKADELPHIA

County: CLARK

Route: I-30

Section: 14

Log Mile: 63.35

Land Section Number: 31

Township: 08S

Range: 20W

Land Section:

Latitude: N 34 00 10.0

Longitude: W 93 10 41.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 61.301

Elevation (Feet): 201.118

Description: AHTD DISC IN SW CORNER OF TRANSITION WALL BR 3814A. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 100031

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #73

Date Established: 8/20/2002

System:

Job Number: B70101

Nearest City: ARKADELPHIA

County: CLARK

Route: I-30

Section: 14

Log Mile: 64.32

Land Section Number: 29

Township: 08S

Range: 20W

Land Section:

Latitude: N 34 00 48.0

Longitude: W 93 10 01.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 62.143

Elevation (Feet): 203.881

Description: AHTD DISC IN TOP TRANSITION WALL SW CORNER BR 3816A JOB STA 3173+30. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 100032

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #73

Date Established: 8/20/2002

System:

Job Number: B70101

Nearest City: ARKADELPHIA

County: CLARK

Route: I-30

Section: 14

Log Mile: 63.4

Land Section Number: 29

Township: 08S

Range: 20W

Land Section:

Latitude: N 34 00 13.0

Longitude: W 93 10 38.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 61.036

Elevation (Feet): 200.249

Description: AHTD DISC IN TOP OF TRANSITION WALL SE CORNER BR 3814B.  
LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 100033

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #73

Date Established: 5/10/2004

System: FEDERAL Job Number: B70100 Nearest City: GURDON

County: CLARK Route: I-30 Section: N/A Log Mile: 61.96

Land Section Number: 14 Township: 09S Range: 21W

Land Section:

Latitude: N 33 59 15.7 Longitude: W 93 11 35.3 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 66.97383795 Elevation (Feet): 219.730

Description: AHTD STD DISC IN NE WING, BR# A6876 @ JOB STA. 3051+49

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 100034

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #73

Date Established: 5/10/2004

System: FEDERAL

Job Number: B70100

Nearest City: GURDON

County: CLARK

Route: I-30

Section: 14

Log Mile: 58.55

Land Section Number: 15

Township: 09S

Range: 21W

Land Section:

Latitude: N 33 57 04.4

Longitude: W 93 14 00.1

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 106.3540767

Elevation (Feet): 348.930

Description: STD. AHTD DISC IN WING WALL, NE CORNER OF BRIGE# A6875 @ JOB STA. 2870+95

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 100035

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #73

Date Established: 5/10/2004

System: FEDERAL Job Number: B70100 Nearest City: GURDON

County: CLARK Route: I-30 Section: 14 Log Mile: 58.53

Land Section Number: 15 Township: 09S Range: 21W

Land Section:

Latitude: N 33 57 03.8 Longitude: W 93 13 59.3 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 106.0127 Elevation (Feet): 347.810

Description: STD. AHTD DISC IN WING WALL, SE CORNER OF BRIDGE# B6875 @ JOB STA. 2868+65

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 100036

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #73

Date Established: 5/31/2005

System: STATE

Job Number: 070261

Nearest City: ARKADELPHIA

County: CLARK

Route: 67

Section: 6

Log Mile: 2.25

Land Section Number: 8

Township: 07S

Range: 19W

Land Section:

Latitude: N 34 09 08.0

Longitude: W 93 03 52.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 62.11836424

Elevation (Feet): 203.800

Description: STD AHTD DISC IN LT. HEADWALL OF PREST BOX, STA. 106+12

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 100037

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #73

Date Established: 12/11/2020

System: STATE Job Number: 012307 Nearest City:

County: CLARK Route: I-30 Section: 14 Log Mile: 80.57

Land Section Number: 16 Township: 06s Range: 19w

Land Section: SE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.122 Elevation (Feet): 236.620

Description: Transition wall SE corner os A7427

Comments: Elevation not verified due to lack of three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 100038

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #73

Date Established: 12/11/2020

System: STATE

Job Number: 012307

Nearest City: CADDO VALLEY

County: CLARK

Route: I-30

Section: 14

Log Mile: 80.57

Land Section Number: 16

Township: 06S

Range: 19W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 71.893

Elevation (Feet): 235.869

Description: Transition Wall NW Corner of B7427

Comments: Elevation not verified due to lack of three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 100039

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #73

Date Established: 7/23/2019

System: STATE Job Number: 070265 Nearest City: ARKADELPHIA

County: CLARK Route: 53 Section: 0 Log Mile: 15.93

Land Section Number: 3 Township: 08S Range: 20W

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.6173459 Elevation (Feet): 215.280

Description: CENTER OF HEADWALL

Comments: ELEVATION NO VERIFIED DUE TO LACK OF 3 WIRE DATA

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 100040

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #73

Date Established: 7/23/2019

System: STATE Job Number: 070265 Nearest City: ARKADELPHIA

County: CLARK Route: 53 Section: 0 Log Mile: 12.65

Land Section Number: 23 Township: 08S Range: 21W

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 64.66027387 Elevation (Feet): 212.140

Description: CENTER OF HEADWALL

Comments: ELEVATION NO VERIFIED DUE TO LACK OF 3 WIRE DATA

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 100041

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #73

Date Established: 7/23/2019

System: STATE Job Number: 070265 Nearest City: ARKADELPHIA

County: CLARK Route: 53 Section: 0 Log Mile: 11.59

Land Section Number: 15 Township: 08S Range: 21W

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 61.31052 Elevation (Feet): 201.150

Description: CENTER OF HEADWALL

Comments: ELEVATION NO VERIFIED DUE TO LACK OF 3 WIRE DATA



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 100042

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #73

Date Established: 7/23/2019

System: STATE Job Number: 070265 Nearest City: ARKADELPHIA

County: CLARK Route: 53 Section: 0 Log Mile: 12.43

Land Section Number: 23 Township: 08S Range: 21W

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 64.395 Elevation (Feet): 211.269

Description: CENTER OF HEADWALL

Comments: ELEVATION NO VERIFIED DUE TO LACK OF 3 WIRE DATA

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 100043

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #73

Date Established: 7/2/2019

System: STATE

Job Number: 070265

Nearest City: ARKADELPHIA

County: CLARK

Route: 53

Section: 0

Log Mile: 15.17

Land Section Number: 31

Township: 08S

Range: 20W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 61.8683

Elevation (Feet): 202.980

Description: SOUTHEAST CORNER OF HEADWALL

Comments: ELEVATION NO VERIFIED DUE TO LACK OF 3 WIRE DATA

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 100044

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #73

Date Established: 7/2/2019

System: STATE Job Number: 070265 Nearest City: ARKADELPHIA

County: CLARK Route: 53 Section: 0 Log Mile: 13.66

Land Section Number: 23 Township: 08S Range: 21W

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 64.16344 Elevation (Feet): 210.510

Description: NORTHEAST CORNER OF HEADWALL

Comments: ELEVATION NO VERIFIED DUE TO LACK OF 3 WIRE DATA

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 100045

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #73

Date Established: 7/2/2019

System: STATE Job Number: 070265 Nearest City: ARKADELPHIA

County: CLARK Route: 53 Section: 0 Log Mile: 11.69

Land Section Number: 15 Township: 08S Range: 21W

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 61.40501 Elevation (Feet): 201.460

Description: CENTER OF HEADWALL

Comments: ELEVATION NO VERIFIED DUE TO LACK OF 3 WIRE DATA

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 100046

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #73

Date Established: 5/11/2021

System: STATE

Job Number: CA0703

Nearest City: FORDYCE

County: CLEVELAND

Route: 167

Section: 8

Log Mile: 5.4

Land Section Number: 4

Township: 13S

Range: 13W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.0202

Elevation (Feet): 249.410

Description: LT. RCBC HEADWALL

Comments: ELEVATION NO VERIFIED DUE TO LACK OF 3 WIRE DATA

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 100046

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #73

Date Established: 5/31/2023

System: STATE

Job Number: 070563

Nearest City: Gurdon

County: CLARK

Route: 53

Section: 0

Log Mile: 11.78

Land Section Number: 14

Township: 08S

Range: 21W

Land Section: SW

Latitude: N 34 02 15.0000

Longitude: W 93 13 19.0000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 64.37

Elevation (Feet): 211.187

Description: Arkansas Department of Transportation Benchmark Stamp Set in the top center of RCBC Headwall.

Comments: ELEVATION NOT VERIFIED DUE TO LACK OF 3 WIRE DATA

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 100047

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #73

Date Established: 5/11/2021

System: STATE

Job Number: CA0703

Nearest City: FORDYCE

County: CLEVELAND

Route: 167

Section: 8

Log Mile: 5.92

Land Section Number: 4

Township: 13S

Range: 13W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.1248

Elevation (Feet): 236.629

Description: LT RCBC HEADWALL

Comments: ELEVATION NO VERIFIED DUE TO LACK OF 3 WIRE DATA

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 100048

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #73

Date Established: 5/11/2021

System: STATE

Job Number: CA0703

Nearest City: FORDYCE

County: CLEVELAND

Route: 167

Section: 8

Log Mile: 6.52

Land Section Number: 4

Township: 12S

Range: 13W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.7735

Elevation (Feet): 245.319

Description: LT RCBC HEADWALL

Comments: ELEVATION NO VERIFIED DUE TO LACK OF 3 WIRE DATA



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 100049

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #73

Date Established: 5/11/2021

System: STATE

Job Number: CA0703

Nearest City: FORDYCE

County: CLEVELAND

Route: 167

Section: 8

Log Mile: 7.06

Land Section Number: 4

Township: 12S

Range: 13W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.61427

Elevation (Feet): 254.639

Description: LT RCBC HEADWALL

Comments: ELEVATION NO VERIFIED DUE TO LACK OF 3 WIRE DATA

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 100050

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #73

Date Established: 5/11/2021

System: STATE Job Number: CA0703 Nearest City: FORDYCE

County: CLEVELAND Route: 167 Section: 8 Log Mile: 7.62

Land Section Number: 4 Township: 12S Range: 13W

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.551 Elevation (Feet): 244.589

Description: LT RCBC HEADWALL

Comments: ELEVATION NO VERIFIED DUE TO LACK OF 3 WIRE DATA

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 100051

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #73

Date Established: 5/11/2021

System: STATE

Job Number: CA0703

Nearest City: FORDYCE

County: CLEVELAND

Route: 167

Section: 8

Log Mile: 7.91

Land Section Number: 4

Township: 12S

Range: 13W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.996

Elevation (Feet): 246.049

Description: LT RCBC HEADWALL

Comments: ELEVATION NO VERIFIED DUE TO LACK OF 3 WIRE DATA

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 100842

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #04

Date Established: 7/17/2020

System: STATE

Job Number: 100842

Nearest City: McDougal

County: CLAY

Route: 141

Section: 6

Log Mile: 6.64

Land Section Number: 25

Township: 22n

Range: 06e

Land Section: NWSW

Latitude: N 36 25 36.09000

Longitude: W 90 21 21.24000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 91.2497

Elevation (Feet): 299.375

Description: AHTD Disc in SE corner of Wing Wall 160+31

Comments: Elevation verified and available on EDM under job 11038 in s100842\_re\_bench.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 107110

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 9/16/2013

System: STATE

Job Number: BB0407

Nearest City: VAN BUREN

County: CRAWFORD

Route: 540

Section: 2

Log Mile: 13.612

Land Section Number: 20

Township: 09N

Range: 31W

Land Section: SENE

Latitude: N 35 26 51.50000

Longitude: W 94 19 10.90000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 145.5725

Elevation (Feet): 477.599

Description: ALUM AHTD DISK TOP TRANSITION WALL S/E CORNER OF SE cor. WB  
BRIDGE HWY. 64

Comments: \*\*\*\*\*USE CAUTION\*\*\*\*\*ELEVATION NOT VERIFIED  
DUE TO INADEQUATE THREE WIRE DATA\*\*\*\*\*

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 107111

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 9/16/2013

System: STATE

Job Number: BB0407

Nearest City: VAN BUREN

County: CRAWFORD

Route: 540

Section: 2

Log Mile: 13.612

Land Section Number: 20

Township: 09N

Range: 31W

Land Section:

Latitude: N 35 26 49.00000

Longitude: W 94 19 14.20000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 144.135

Elevation (Feet): 472.883

Description: ALUM AHTD DISK TOP Transition WALL W/ NW CORNER OF SOUTH  
BRIDGE HWY. 64 EAST Bound

Comments: \*\*\*\*\*USE CAUTION\*\*\*\*\*ELEVATION NOT VERIFIED  
DUE TO INADEQUATE THREE WIRE DATA\*\*\*\*\*

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 107112

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 2/19/2014

System: STATE

Job Number: BB0407

Nearest City: VAN BUREN

County: CRAWFORD

Route: 540

Section: 2

Log Mile: 13.698

Land Section Number: 20

Township: 09N

Range: 31W

Land Section: SESW

Latitude: N 35 26 23.80000

Longitude: W 94 19 09.30000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 138.05

Elevation (Feet): 452.919

Description: ALUM AHTD DISK NB ON TOP TRANSITION WALL

Comments: \*\*\*\*\*USE CAUTION\*\*\*\*\*ELEVATION NOT VERIFIED  
DUE TO INADEQUATE THREE WIRE DATA\*\*\*\*\*

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 110001

Class:

Vertical Datum:

Established by: RE OFFICE #04

Date Established: 1/25/1994

System: STATE

Job Number: 100132

Nearest City: PIGGOTT

County: CLAY

Route: 49

Section: 1

Log Mile: 3.15

Land Section Number: 21

Township: 20N

Range: 08E

Land Section: SE

Latitude: N 36 20 44.8

Longitude: W 90 12 41.4

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 88.322

Elevation (Feet): 289.770

Description: DISC IN TOP OF PARAPET WALL N.W. CORNER OF BR. #6368. RECON BY S5102 6/2003.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 110002

Class:

Vertical Datum:

Established by: RE OFFICE #04

Date Established: 1/25/1994

System: STATE

Job Number: 100132

Nearest City: PIGGOTT

County: CLAY

Route: 49

Section: 1

Log Mile: 0.58

Land Section Number: 11

Township: 20N

Range: 08E

Land Section: SW

Latitude: N 36 02 29.3

Longitude: W 90 11 19.5

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 88.868

Elevation (Feet): 291.561

Description: DISC IN TOP OF PARAPET WALL N.E. CORNER OF BR. #6367 RECON BY S5102 6/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 110003

Class:

Vertical Datum:

Established by: RE OFFICE #04

Date Established: 1/21/1992

System:

Job Number: 100131

Nearest City: RECTOR

County: CLAY

Route: 49

Section: 1

Log Mile: 11.21

Land Section Number: 30

Township: 18N

Range: 08E

Land Section: NE

Latitude: N 36 15 33.3

Longitude: W 90 15 07.9

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 82.129

Elevation (Feet): 269.452

Description: DISK IN TOP N.E. PARAPET WALL BR. #6327. RECON BY S5102 6/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 110004

Class:

Vertical Datum:

Established by: RE OFFICE #04

Date Established: 1/21/1992

System:

Job Number: 100131

Nearest City: RECTOR

County: CLAY

Route: 49

Section: 1

Log Mile: 11.97

Land Section Number: 30

Township: 18N

Range: 08E

Land Section: NW

Latitude: N 36 15 32.7

Longitude: W 90 15 56.7

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 84.317

Elevation (Feet): 276.630

Description: DISK IN TOP N.E. PARAPET WALL BR. #6328. RECON BY S5102 6/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 110005

Class:

Vertical Datum:

Established by: RE OFFICE #04

Date Established:

System:

Job Number: 100131

Nearest City: RECTOR

County: CLAY

Route: 49

Section: 1

Log Mile: 14.45

Land Section Number: 33

Township: 18N

Range: 07E

Land Section: SE

Latitude: N 36 15 03.9

Longitude: W 90 18 20.7

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 86.917

Elevation (Feet): 285.160

Description: DISK IN TOP N.W. PARAPET WALL BR. #6329. RECON BY S5102 6/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 110006

Class:

Vertical Datum:

Established by: RE OFFICE #04

Date Established:

System:

Job Number: 100076

Nearest City: POLLARD

County: CLAY

Route: 62

Section: 20

Log Mile: 19.61

Land Section Number: 25

Township: 21N

Range: 07E

Land Section:

Latitude: N 36 25 52.0

Longitude: W 90 16 02.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 104.537

Elevation (Feet): 342.968

Description: TOP OF PARAPET WALL S.W. CORNER OF BRIDGE #6228. RECON BY S5102 6/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 110007

Class:

Vertical Datum:

Established by: RE OFFICE #04

Date Established:

System:

Job Number: 100076

Nearest City: PIGGOTT

County: CLAY

Route: 62

Section: 20

Log Mile: 24.97

Land Section Number:

Township: 20N

Range: 08E

Land Section:

Latitude: N 36 23 21.8

Longitude: W 90 11 49.6

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 96.482

Elevation (Feet): 316.541

Description: TOP OF PARAPET WALL S.W. CORNER OF BRIDGE #6227. RECON BY S5102 6/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 110008

Class:

Vertical Datum:

Established by: RE OFFICE #04

Date Established: 1/25/1994

System: STATE

Job Number: 100132

Nearest City: ST. FRANCIS

County: CLAY

Route: 62

Section: 21

Log Mile: 6.66

Land Section Number: 19

Township: 21N

Range: 09E

Land Section: NE

Latitude: N 36 26 53.6

Longitude: W 90 08 49.5

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 94.241

Elevation (Feet): 309.189

Description: DISC IN TOP OF PARAPET WALL S.E. CORNER OF BR. #6366. RECON BY S5102 ON 6/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 110009

Class:

Vertical Datum:

Established by: RE OFFICE #04

Date Established: 1/25/1994

System: STATE

Job Number: 100132

Nearest City: ST. FRANCIS

County: CLAY

Route: 62

Section: 21

Log Mile: 5.59

Land Section Number: 30

Township: 21N

Range: 09E

Land Section: NE

Latitude: N 36 25 58.3

Longitude: W 90 08 49.9

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 86.972

Elevation (Feet): 285.341

Description: DISC IN TOP OF HEADWALL S.E. CORNER OF R.C. BOX CULVERT.  
RECON BY S5102 ON 6/2003

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 110010

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: Piggott

County: CLAY

Route: 62

Section: 21

Log Mile: 1.00

Land Section Number: 12

Township: 20N

Range: 08E

Land Section:

Latitude: N 36 22 54.0

Longitude: W 90 10 10.9

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.972

Elevation (Feet): 282.060

Description: DISC TOP S.W. CORNER AT BR. END; RT. STA. 52+40.96 BRIDGE #6130.  
Bridge was set in 1985. Near Piggott Airport. RECON BY S5102 6/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 110011

Class:

Vertical Datum:

Established by: RE OFFICE #04

Date Established:

System: STATE Job Number: 100204 Nearest City: HARGROVE CORNER

County: CLAY Route: 90 Section: 1 Log Mile: 7.16

Land Section Number: 28 Township: 18N Range: 08E

Land Section: NW

Latitude: N 36 15 33.8 Longitude: W 90 13 43.1 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 82.558 Elevation (Feet): 270.859

Description: DISC IN TOP WINGWALL N.E. CORNER BRIDGE 06343 STA. 377+32.  
RECON BY S5102 6/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 110012

Class:

Vertical Datum:

Established by: RE OFFICE #04

Date Established: 1/27/1994

System: STATE

Job Number: 100231

Nearest City: KNOBEL

County: CLAY

Route: 90

Section: 3

Log Mile: 5.42

Land Section Number: 2

Township: 19N

Range: 04E

Land Section: SW

Latitude: N 36 16 45.6

Longitude: W 90 36 56.2

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.222

Elevation (Feet): 279.599

Description: DISK SOUTHWEST CORNER OF R/C BOX CULVERT 34' LEFT STA. 286+64.  
RECON BY S5102 6/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 110013

Class:

Vertical Datum:

Established by: RE OFFICE #04

Date Established: 1/27/1994

System: STATE

Job Number: 100231

Nearest City: PEACH ORCHARD

County: CLAY

Route: 90

Section: 3

Log Mile: 9.37

Land Section Number: 20

Township: 19N

Range: 04E

Land Section: NE

Latitude: N 36 16 35.1

Longitude: W 90 39 57.7

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.618

Elevation (Feet): 280.898

Description: DISK SOUTHWEST CORNER OF R/C BOX CULVERT 40' LEFT STA. 485+73.  
RECON BY S5102 6/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 110014

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 100099

Nearest City: KNOBEL

County: CLAY

Route: 90

Section: 3

Log Mile: 2.54

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 19 22.4

Longitude: W 90 34 11.8

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.17

Elevation (Feet): 279.429

Description: N.W. CORNER NO. HEADWALL R.C. BOX CULVERT. RECON BY S5102  
6/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 110015

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 100099

Nearest City: KNOBEL

County: CLAY

Route: 90

Section: 3

Log Mile: 3.54

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 19 24.8

Longitude: W 90 35 15.8

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.033

Elevation (Feet): 278.979

Description: S.E. CORNER SO. HEADWALL R.C. BOX CULVERT. RECON BY S5102  
6/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 110016

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: LEONARD

County: CLAY

Route: 139

Section: 3

Log Mile: 1.51

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 12 54.2

Longitude: W 90 16 36.2

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.599

Elevation (Feet): 261.151

Description: B. M. DISK TOP OF WING RT. STA. 37+24. RECON BY S5102 6/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 110017

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 100138

Nearest City: LEONARD

County: CLAY

Route: 139

Section: 3

Log Mile: 8.24

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 14 43.3

Longitude: W 90 11 37.6

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.468

Elevation (Feet): 260.721

Description: DISK TOP WING S.W. CORNER WEST HEADWALL R.C. BOX. RECON BY S5102 6/2003.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 110018

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 100138

Nearest City: LEONARD

County: CLAY

Route: 139

Section: 3

Log Mile: 4.49

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 12 57.1

Longitude: W 90 13 30.1

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.474

Elevation (Feet): 254.179

Description: DISK TOP WING S.W. CORNER SOUTH HEADWALL R.C. BOX. RECON BY S5102 6/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 110019

Class:

Vertical Datum:

Established by: RE OFFICE #04

Date Established:

System: STATE

Job Number: R00050

Nearest City: BOYDSVILLE

County: CLAY

Route: 141

Section: 5

Log Mile: 1.13

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 16 28.4

Longitude: W 90 28 14.7

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 90.992

Elevation (Feet): 298.530

Description: DISC IN WING RT. SIDE SO. END BRIDGE 06246 STATION 288+80. RECON BY S5102 6/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 110020

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: BOYDSVILLE

County: CLAY

Route: 141

Section: 6

Log Mile: 1.09

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 20 48.2

Longitude: W 90 23 25.6

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 93.507

Elevation (Feet): 306.781

Description: AHTD DISC 17' RT. (TOP OF WINGWALL) BR NO. 05732. RECON BY S5102 6/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 110021

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: BOYDSVILLE

County: CLAY

Route: 141

Section: 6

Log Mile: 4.80

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 23 59.7

Longitude: W 90 23 23.3

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 89.142

Elevation (Feet): 292.460

Description: AHTD DISC 17' RT. (TOP OF WINGWALL) BR NO 05733. RECON BY S5102 6/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 110022

Class:

Vertical Datum:

Established by: RE OFFICE #04

Date Established: 11/2/1994

System:

Job Number: BR1104

Nearest City: PIGGOTT

County: CLAY

Route: CR 80

Section:

Log Mile:

Land Section Number: 13

Township: 20N

Range: 08E

Land Section: SW

Latitude: N 36 22 02.0

Longitude: W 90 10 27.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 84.929

Elevation (Feet): 278.638

Description: DISK BENCH MARK ON TOP OF SOUTHWEST WING WALL BRIDGE NO. 4731. RECON BY S5102 6/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 110023

Class:

Vertical Datum:

Established by: RE OFFICE #04

Date Established:

System: COUNTY Job Number: BR1103 Nearest City:

County: CLAY Route: CR 15 Section: 1 Log Mile:

Land Section Number: Township: 21N Range: 04E

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 87.67 Elevation (Feet): 287.631

Description: DISC. SO. EAST WINGWALL OF BRIDGE. BASED ON DESCRIPTION NOT RECOVERED BY S5102 6/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 110024

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #04

Date Established: 9/20/1989

System: COUNTY

Job Number: BR-11-2

Nearest City:

County: CLAY

Route: 11

Section: E

Log Mile: 1.95

Land Section Number: 12

Township: 21N

Range: 04E

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 91.108

Elevation (Feet): 298.910

Description: AHTD DISK IN SE CORNER OF THE EAST PARAPET WALL OF BRIDGE #04621 OVER CYPRESS CREEK. BASED ON DESCRIPTION NOT RECOVERED BY S5102 6/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 110025

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: COUNTY Job Number: BR-11-1 Nearest City: PIGGOTT

County: CLAY Route: CR513 Section: Log Mile:

Land Section Number: 29 Township: 19N Range: 08E

Land Section:

Latitude: N 36 14 45.0 Longitude: W 90 14 52.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.007 Elevation (Feet): 265.770

Description: BM DISK TOP OF SE WING BRIDGE OVER BIG SLOUGH DITCH #4546 2 MI. EAST OF JCT. HWY. 119 AND HWY. 49 1 MI. SOUTH OF JCT. CO. RD. 73 AND HWY. 49. RECON BY S5102 6/2003.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 110026

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: COUNTY Job Number: S-11-14 Nearest City:

County: CLAY Route: 94 Section: 13 Log Mile: 0.50

Land Section Number: 18 Township: 21N Range: 09E

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 90.035 Elevation (Feet): 295.390

Description: BM DISC TOP SW CORNER OF SOUTH HDWL. BOX CULVERT STA. 18+26.  
BASED ON DESCRIPTION NOT RECOVERABLE BY S5102 6/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 110027

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #04

Date Established: 5/11/1999

System: STATE

Job Number: 100393

Nearest City: BOYDSVILLE

County: CLAY

Route: 90

Section: 2

Log Mile: 15.99

Land Section Number: 35

Township: 19N

Range: 06e

Land Section:

Latitude: N 36 20 04.0

Longitude: W 90 30 20.7

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 86.62

Elevation (Feet): 284.186

Description: AHTD DISK TOP WINGWALL 9.55M RT. STA. 11+60. RECON BY S5102  
6/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 110028

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #04

Date Established:

System: COUNTY

Job Number: BR6105

Nearest City:

County: CLAY

Route: CR 73

Section:

Log Mile:

Land Section Number: 14

Township: 20

Range: 02E

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.328

Elevation (Feet): 279.947

Description: BENT NO. 1 RIGHT WING TOP. BASED ON DESCRIPTION NOT RECOVEREABLE BY S5102 6/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 110029

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #04

Date Established: 6/21/1996

System: STATE

Job Number: R00084

Nearest City:

County: CLAY

Route: 62

Section: 20

Log Mile: 19.98

Land Section Number: 29

Township: 21N

Range: 08E

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 126.781

Elevation (Feet): 415.947

Description: BM100/T189N BRIDGE DISK IN CONCRETE 60' RT. STATION 1062+00.  
BASED ON DESCRIPTION NOT RECOVERABLE BY S5102 6/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 110030

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #04

Date Established: 6/20/1996

System: STATE

Job Number: R00084

Nearest City: POLLARD

County: CLAY

Route: 62

Section: 20

Log Mile: 23.08

Land Section Number: 4

Township: 20N

Range: 08E

Land Section:

Latitude: N 36 24 43.9

Longitude: W 90 13 26.6

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 140.973

Elevation (Feet): 462.509

Description: BM 102-S189N BRIDGE DISK IN CONCRETE 35' RT. STA. 1216+48. RECON BY S5102 6/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 110031

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #04

Date Established: 4/3/1998

System: STATE

Job Number: R00084

Nearest City: PIGGOTT

County: CLAY

Route: 62

Section: 20

Log Mile: 23.94

Land Section Number: 3

Township: 21N

Range: 08E

Land Section:

Latitude: N 36 23 56.6

Longitude: W 90 12 28.6

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 107.814

Elevation (Feet): 353.720

Description: AHTD DISK IN CENTER OF SOUTHEAST HEADWALL OF BOX CULVERT  
STA. 1261+55. RECON BY S5102 6/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 110032

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #04

Date Established: 11/18/1997

System: COUNTY

Job Number: BR1105

Nearest City: PIGGOTT

County: CLAY

Route: CR 70

Section: 9

Log Mile: 6.31

Land Section Number: 9

Township: 19

Range: 08E

Land Section: SE

Latitude: N 36 17 17.0

Longitude: W 90 12 39.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.948

Elevation (Feet): 268.858

Description: AHTD DISC IN TOP WINGWALL LT. STA. 7+0. RECON BY S5102 6/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 110033

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #04

Date Established: 6/16/1998

System: STATE

Job Number: 100393

Nearest City:

County: CLAY

Route: 90

Section: 2

Log Mile: 16.44

Land Section Number: 30

Township: 20N

Range: 06E

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.56

Elevation (Feet): 280.708

Description: AHTD CAP TOP WINGWALL 5.72 M. RT. STA. 32+29. AREA DESTROYED  
6/2003

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 110034

Class:

Vertical Datum:

Established by: RE OFFICE #04

Date Established: 12/10/1998

System: STATE

Job Number: 100393

Nearest City: TIPPERARY

County: CLAY

Route: 90

Section: 2

Log Mile: 15.99

Land Section Number: 29

Township: 19N

Range: 06E

Land Section:

Latitude: N 36 20 03.8

Longitude: W 90 30 20.8

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 91.064

Elevation (Feet): 298.766

Description: AHTD CAP TOP WINGWALL 4.71M RT. STA. 41+85.294. RECON BY S5102  
6/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 110035

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #04

Date Established: 8/28/1998

System: STATE

Job Number: 100393

Nearest City: TIPPERARY

County: CLAY

Route: 90

Section: 2

Log Mile: 14.53

Land Section Number: 31

Township: 20n

Range: 06E

Land Section:

Latitude: N 36 20 01.6

Longitude: W 90 28 47.8

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 88.565

Elevation (Feet): 290.567

Description: AHTD CAP TOP WINGWALL 5.72 METERS RT STA 21+71. RECON BY S5102 6/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 110036

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #04

Date Established: 4/25/2002

System: COUNTY

Job Number: BR1107

Nearest City: HARGRAVE CORNER

County: CLAY

Route: CR528

Section: 21

Log Mile:

Land Section Number:

Township: 19N

Range: 08E

Land Section:

Latitude: N 36 16 24.8

Longitude: W 90 12 55.4

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.008

Elevation (Feet): 265.774

Description: AHTD DISK IN SW WINGWALL 18' RT OF C/L. RECON BY S5102 6/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 110037

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #04

Date Established: 8/19/2002

System: COUNTY

Job Number: BR1106

Nearest City: GREENWAY

County: CLAY

Route: CR84

Section:

Log Mile:

Land Section Number: 3

Township: 19N

Range: 08E

Land Section: NENW

Latitude: N 36 18 59.0

Longitude: W 90 12 06.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 83.041

Elevation (Feet): 272.444

Description: AHTD DISK IN SW WINGWALL 17' RT OF C/L. JOB STA 109+16. BR.NO. 04839. RECON BY S5102 6/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 110038

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #04

Date Established: 4/10/2015

System: COUNTY

Job Number: BR1112

Nearest City: Rector

County: CLAY

Route: CR 72

Section:

Log Mile:

Land Section Number: 24

Township: 19n

Range: 07e

Land Section: NWNE

Latitude: N 36 16 25.00000

Longitude: W 90 16 25.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 87.7762

Elevation (Feet): 287.979

Description: AHTD Disc in Southwest wingwall of Bridge No. 04923  
( BR1112 Point Number 950)

Comments: Elevation verified; three wire data available on EDM in sBR1112RE\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 120001

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #53

Date Established:

System: STATE

Job Number: 5869

Nearest City: EDGEMONT

County: CLEBURNE

Route: 16

Section: 11

Log Mile: 4.96

Land Section Number: 9

Township: 11N

Range: 11W

Land Section: SW

Latitude: N 35 35 49.8

Longitude: W 92 10 30.8

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 153.22

Elevation (Feet): 502.689

Description: DISC IN TOP WING 20' RT. STA. 420+16 RECOVERED OCT. 8, 1998

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 120002

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #53

Date Established:

System: STATE

Job Number: 5869

Nearest City: EDGEMONT

County: CLEBURNE

Route: 16

Section: 11

Log Mile: 5.23

Land Section Number: 16

Township: 11N

Range: 11W

Land Section: NW

Latitude: N 35 35 34.9

Longitude: W 92 10 31.9

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 153.159

Elevation (Feet): 502.489

Description: DISC IN TOP WING 21' LT. STA. 434+06 RECOVERED OCT. 8, 1998

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 120003

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #53

Date Established: 3/8/1989

System: STATE

Job Number: 5858

Nearest City:

County: CLEBURNE

Route: 25

Section: 3

Log Mile: 0.39

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 163.995

Elevation (Feet): 538.040

Description: AHTD STANDARD DISK- TOP DROP INLET- STA. 20+40 LT. SIDE NOT  
RECOVERED OCT. 8, 1998

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 120004

Class:

Vertical Datum:

Established by: RE OFFICE #53

Date Established: 3/8/1989

System: STATE

Job Number: 5858

Nearest City:

County: CLEBURNE

Route: 25

Section: 3

Log Mile: 1.77

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 167.634

Elevation (Feet): 549.979

Description: AHTD STANDARD DISK- TOP DROP INLET- STA. 75+06 LT. SIDE. NOT RECOVERED OCT. 12, 1998

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 120005

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #55

Date Established: 8/2/1991

System: STATE

Job Number: R50021

Nearest City:

County: CLEBURNE

Route: 25

Section: 3

Log Mile: 3.24

Land Section Number: 19

Township: 10N

Range: 09W

Land Section: SE

Latitude: N 35 28 37.5

Longitude: W 92 00 03.2

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 96.814

Elevation (Feet): 317.631

Description: DISC CULVERT EAST HEADWALL SOUTH END JOB R50021 RT. STA.  
146+77 52' RECOVERED OCT. 8, 1998

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 120006

Class:

Vertical Datum:

Established by: RE OFFICE #55

Date Established: 8/14/1991

System: STATE

Job Number: R50021

Nearest City:

County: CLEBURNE

Route: 25

Section: 3

Log Mile: 2.94

Land Section Number: 19

Township: 10N

Range: 09W

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 91.708

Elevation (Feet): 300.879

Description: DISC CULVERT EAST HEADWALL NORTH END JOB R50021 90 FT. STA.  
131+10 NOT RECOVERED OCT. 12, 1998

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 120007

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #53

Date Established:

System: STATE

Job Number: N/A

Nearest City: QUITMAN

County: CLEBURNE

Route: 356

Section: 2

Log Mile: 3.61

Land Section Number: 19

Township: 09N

Range: 11W

Land Section:

Latitude: N 35 24 04.4

Longitude: W 92 12 30.6

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 170.121

Elevation (Feet): 558.139

Description: DISK SOUTH ABUT EAST WING RECOVERED OCT. 8, 1998

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 120008

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #53

Date Established: 5/23/1996

System: COUNTY

Job Number: BR1204

Nearest City: DRASCO

County: CLEBURNE

Route: CR 87

Section:

Log Mile:

Land Section Number: 21

Township: 12N

Range: 09W

Land Section:

Latitude: N 35 27 19.7

Longitude: W 91 50 44.4

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 240.914

Elevation (Feet): 790.399

Description: AHTD STANDARD DISK IN TOP OF SE CORNER WINGWALL, BR # 4760,  
POSSUM WALK CREEK. RECOVERED OCT. 8, 1998 COUNTY ROAD  
HAS BEEN RENAMED MC JESTER ROAD AND NOT CR.75

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 120009

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #55

Date Established: 5/2/1995

System: COUNTY

Job Number: FA1208

Nearest City:

County: CLEBURNE

Route: CR 79

Section: B

Log Mile: 7.53

Land Section Number: 31

Township: 11N

Range: 09W

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 98.676

Elevation (Feet): 323.740

Description: DISC SE WING JOB FA1208 12.5 FT. RT. STA. 50+76. NOT RECOVERED  
OCT. 12, 1998

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 120010

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #53

Date Established: 6/18/1998

System: COUNTY

Job Number: BR1202

Nearest City: PANGBURN

County: CLEBURNE

Route: cJESTER R

Section: 34

Log Mile:

Land Section Number: 34

Township: 10N

Range: 08W

Land Section: NW

Latitude: N 35 27 19.7

Longitude: W 91 50 44.4

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.434

Elevation (Feet): 260.610

Description: AHTD DISK IN TOP OF S. E. WINGWALL, BR. NO. 04792 BIG CREEK STRS. & APPRS. (S) RECOVERED OCT. 8, 1998 COUNTY ROAD 75 HAS BEEN RENAMED McJESTER ROAD

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 120011

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #53

Date Established: 7/1/1998

System: STATE

Job Number: 005914

Nearest City: PRIM

County: CLEBURNE

Route: 263

Section: 0

Log Mile: 1.81

Land Section Number: 34

Township: 12N

Range: 10W

Land Section: NW

Latitude: N 35 37 58.8

Longitude: W 92 03 13.9

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 153.214

Elevation (Feet): 502.670

Description: AHTD DISK SOUTHWEST WINGWALL BRIDGE NO. 06674 JOB NO. 5914  
STA. 58+87 PAGE NO. 9 CHECK LEVEL BOOK RECOVERED OCT. 8,  
1998

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 120012

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #55

Date Established: 2/9/2000

System: COUNTY

Job Number: BR1203

Nearest City: PEARSON

County: CLEBURNE

Route: CR13

Section:

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 26 52.0

Longitude: W 92 07 19.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 193.977

Elevation (Feet): 636.406

Description: AHTD DISK IN RT WING WALL STA 15+71 BR 04806

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 120013

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #84

Date Established: 8/22/2005

System: STATE Job Number: 080116 Nearest City: Quitman

County: CLEBURNE Route: 25 Section: 1 Log Mile: 0.61

Land Section Number: 36 Township: 09n Range: 12w

Land Section: SENW

Latitude: N 35 22 16.8 Longitude: W 92 13 34.6 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 60.03859 Elevation (Feet): 196.977

Description: std ahtd disk in rt headwall of a 1500mm x 600mm rc box culvert 11.0 meters rt of centerline sta. 213+37.

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 120014

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #53

Date Established: 8/22/2016

System: STATE Job Number: 050228 Nearest City: Greers Ferry

County: CLEBURNE Route: 225 Section: 3 Log Mile: 1.63

Land Section Number: 11 Township: 11n Range: 11w

Land Section: NE

Latitude: N 35 36 19.30000 Longitude: W 92 07 43.80000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 160.1709 Elevation (Feet): 525.494

Description: AHTD benchmark disc in SE parapet wall bridge end

Comments: Elevation verified, three wire data available on EDM ins050228\_re\_BMs.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 120015

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #53

Date Established: 8/22/2016

System: STATE Job Number: 050228 Nearest City: Greers Ferry

County: CLEBURNE Route: 225 Section: 3 Log Mile: 1.80

Land Section Number: 11 Township: 11n Range: 11w

Land Section: NE

Latitude: N 35 36 27.80000 Longitude: W 92 07 40.40000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 167.046 Elevation (Feet): 548.050

Description: AHTD benchmark disc in NW parapet wall bridge end.

Comments: Elevation verified, three wire data available on EDM ins050228\_re\_BMs.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 120016

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #53

Date Established: 12/22/2016

System: STATE

Job Number: 050261

Nearest City: Drasco

County: CLEBURNE

Route: 25N

Section: 3

Log Mile: 19.73

Land Section Number: 23

Township: 25n

Range: 09w

Land Section: SE

Latitude: N 35 39 22.00000

Longitude: W 91 55 09.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 302.2967

Elevation (Feet): 991.785

Description: AHTD benchmark disc in SW headwall of R.C, Box Culvert at STA. 218+49 Rt.

Comments: Elevation reported by RE as 991.738', sdms produces elevation of 991.785'. three wire data available on EDM ins050261\_re\_BMs.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 130001

Class:

Vertical Datum:

Established by: RE OFFICE #21

Date Established: 1/19/1994

System: STATE Job Number: 20055 Nearest City: FORDYCE

County: CLEVELAND Route: 8 Section: 10 Log Mile: 1.42

Land Section Number: 35 Township: 10S Range: 12W

Land Section: SE

Latitude: N 33 47 39.0 Longitude: W 92 18 37.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 56.748 Elevation (Feet): 186.181

Description: STANDARD AHTD ALUMINUMAN DISK IN TOP OF HW 37' RT. STA.  
132+53; OF A DOUBLE 8'x3' R/C BOX. LOCATED BY S5102 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 130002

Class:

Vertical Datum:

Established by: RE OFFICE #21

Date Established: 1/19/1994

System: STATE

Job Number: 20055

Nearest City: FORDYCE

County: CLEVELAND

Route: 8

Section: 10

Log Mile: 1.966

Land Section Number: 36

Township: 10S

Range: 12W

Land Section: SW

Latitude: N 33 47 42.0

Longitude: W 92 18 02.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 59.131

Elevation (Feet): 193.999

Description: STANDARD ALUM. DISK AHTD IN TOP OF HW TRIPLE 10'x7' R.C. BOX  
CULVERT 34' RT. STA. 161+52. LOCATED BY S5102 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 130003

Class:

Vertical Datum:

Established by: RE OFFICE #21

Date Established: 1/19/1994

System: STATE

Job Number: 20055

Nearest City: NEW EDINBURG

County: CLEVELAND

Route: 8

Section: 10

Log Mile: 4.90

Land Section Number: 5

Township: 11S

Range: 11W

Land Section:

Latitude: N 33 46 45.0

Longitude: W 92 15 18.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.606

Elevation (Feet): 248.051

Description: CHISLED "[]" IN TOP OF HEADWALL OF DOUBLE 8'x6' R.C. BOX  
CULVERT 35' RT. STA. 316+35. LOCATED BY S5102 3/2004.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 130004

Class:

Vertical Datum:

Established by: RE OFFICE #21

Date Established: 6/17/1993

System: STATE

Job Number: 20100

Nearest City: RYE

County: CLEVELAND

Route: 63

Section: 5

Log Mile: 0.16

Land Section Number: 34

Township: 11S

Range: 09W

Land Section: SW

Latitude: N 33 42 22.0

Longitude: W 92 01 16.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 41.243

Elevation (Feet): 135.311

Description: AHTD DISK IN TOP OF WING S.E. CORNER BR. #544R 23' RT. STA. 82+71.  
0.16 MILES NORTH OF BRADLEY CO. LINE. LOCATED BY S5102 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 130005

Class:

Vertical Datum:

Established by:

Date Established: 6/17/1993

System: STATE

Job Number: 20100

Nearest City: RYE

County: CLEVELAND

Route: 63

Section: 5

Log Mile: 25.06

Land Section Number: 34

Township: 11S

Range: 09W

Land Section: NE

Latitude: N 33 42 50.0

Longitude: W 92 00 55.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 41.194

Elevation (Feet): 135.151

Description: AHTD DISK IN TOP OF WING S.E. CORNER BR. #543R 23' RT. STA. 115+98.  
0.80 MILES NORTH OF BRADLEY CO. LINE. LOCATED BY S5102 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 130006

Class:

Vertical Datum:

Established by: RE OFFICE #21

Date Established: 6/17/1993

System: STATE

Job Number: 20100

Nearest City: RYE

County: CLEVELAND

Route: 63

Section: 5

Log Mile: 24.73

Land Section Number: 34

Township: 11S

Range: 09W

Land Section: NE

Latitude: N 33 43 04.0

Longitude: W 92 00 44.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 41.252

Elevation (Feet): 135.341

Description: AHTD DISK IN TOP OF WING S.E. CORNER BR. #542R 23' RT. STA. 133+00.  
1.13 MILES NORTH OF BRADLEY CO. LINE. LOCATED BY S5102 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 130007

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 2961

Nearest City: RISON

County: CLEVELAND

Route: 114

Section: 0

Log Mile: 2.82

Land Section Number:

Township: 09S

Range: 09W

Land Section:

Latitude: N 33 56 30.0

Longitude: W 92 07 24.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 52.941

Elevation (Feet): 173.691

Description: BR. NO. 6071, STATION NO. 158+34, 18' RT. \*\*NOTE: PERMANENT METAL BENCH MARK CAPS SET IN SW WINGWALLS OF BRIDGES.\*\* OVER BIG VREEK. LOCATED BY S5102 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 130008

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 2961

Nearest City: RISON

County: CLEVELAND

Route: 114

Section: 0

Log Mile: 3.13

Land Section Number:

Township: 09S

Range: 09W

Land Section:

Latitude: N 33 58 30.0

Longitude: W 92 07 05.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 52.923

Elevation (Feet): 173.632

Description: BR. NO. 6072 STATION NO. 174+72 18' RT. \*\*NOTE: PERMANENT METAL BENCH MARK CAPS SET IN SW WINGWALLS OF BRIDGES.\*\* OVER BRUSHEY CREEK. LOCATED BY S5102 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 130009

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 2961

Nearest City: CALMER

County: CLEVELAND

Route: 114

Section: 0

Log Mile: 9.88

Land Section Number:

Township: 09S

Range: 09W

Land Section:

Latitude: N 33 56 15.0

Longitude: W 92 00 17.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 60.561

Elevation (Feet): 198.691

Description: BR. NO. 6073 STA 533+21 18' RT. \*\* NOTE: PERMANENT METAL BENCH MARK CAPS SET IN SW WINGWALLS OF BRIDGES.\*\* LOCATED BY S5102 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 130010

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 2961

Nearest City: CALMER

County: CLEVELAND

Route: 114

Section: 0

Log Mile: 10.03

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 33 56 14.0

Longitude: W 92 00 09.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 60.546

Elevation (Feet): 198.641

Description: BR. NO. 6074 STA 539+70 18' RT. \*\*NOTE: PERMANENT METAL BENCHMARK CAPS SET IN SW WINGWALLS OF BRIDGES.\*\* LOCATED BY S5102 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 130011

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 2961

Nearest City: CALMER

County: CLEVELAND

Route: 114

Section: 0

Log Mile: 11.41

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 33 56 11.0

Longitude: W 91 58 55.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 62.716

Elevation (Feet): 205.761

Description: BR. NO.6075 STATION NO. 603+65 18'RT. \*\*NOTE: PERMANENT METAL BENCH MARK CAPS SET IN SW WINGWALLS OF BRIDGES.\*\* OVER SANDERS CREEK. LOCATED BY S5102 3/2004.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 130012

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 2971

Nearest City: STAVES

County: CLEVELAND

Route: 212

Section: 1

Log Mile: 2.38

Land Section Number: 8

Township: 08S

Range: 11W

Land Section:

Latitude: N 34 02 41.0

Longitude: W 92 14 18.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 56.848

Elevation (Feet): 186.509

Description: METAL BENCH MARK CAP SET IN SW CONCRETE WINGWALL OF  
BRIDGE NO. 6135: 17 FT. RT. STA 125+60. LOCATED BY S5102 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 130013

Class:

Vertical Datum:

Established by:

Date Established: 1/17/1996

System: STATE

Job Number: 070067

Nearest City: NEW EDINBURG

County: CLEVELAND

Route: 8

Section: 10

Log Mile: 8.88

Land Section Number: 22

Township: 11S

Range: 11W

Land Section: NE

Latitude: N 33 44 39.0

Longitude: W 92 12 14.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 64.67

Elevation (Feet): 212.171

Description: METAL DISC IN N HW OF R. C. BOX. LOCATED BY S5102 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 130014

Class:

Vertical Datum:

Established by:

Date Established: 12/12/1995

System: STATE

Job Number: 070067

Nearest City: NEW EDINBURG

County: CLEVELAND

Route: 8

Section: 10

Log Mile: 12.87

Land Section Number: 33

Township: 11S

Range: 10W

Land Section: SW

Latitude: N 33 42 36.0

Longitude: W 92 08 57.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 60.378

Elevation (Feet): 198.090

Description: METAL DISC IN N HW OF R. C. BOX. LOCATED BY S5102 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 130015

Class:

Vertical Datum:

Established by:

Date Established: 12/12/1995

System: STATE

Job Number: 070067

Nearest City: NEW EDINBURG

County: CLEVELAND

Route: 8

Section: 10

Log Mile: 13.23

Land Section Number: 33

Township: 11S

Range: 10W

Land Section: SW

Latitude: N 34 42 25.0

Longitude: W 92 08 40.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 58.644

Elevation (Feet): 192.401

Description: METAL DISC IN N HW OF R.C. BOX. LOCATED BY S5102 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 130016

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 12/12/1995

System: STATE Job Number: 070067 Nearest City: NEW EDINBURG

County: CLEVELAND Route: 8 Section: 10 Log Mile: 10.20

Land Section Number: 19 Township: 11S Range: 10W

Land Section: SW

Latitude: N 33 44 08.0 Longitude: W 92 11 01.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.203 Elevation (Feet): 246.729

Description: METAL DISC IN N HW OF R. C. BOX. LOCATED BY S5102 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 130017

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 12/12/1995

System: STATE Job Number: 070067 Nearest City: NEW EDINBURG

County: CLEVELAND Route: 8 Section: 10 Log Mile: 10.36

Land Section Number: 19 Township: 11S Range: 10W

Land Section: SW

Latitude: N 33 44 03.0 Longitude: W 92 10 53.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.161 Elevation (Feet): 246.591

Description: METAL DISC IN NORTH HDWL. OF R. C. BOX.LOCATED BY S5102 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 130018

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 12/12/1995

System: STATE Job Number: 070067 Nearest City: NEW EDINBURG

County: CLEVELAND Route: 8 Section: 10 Log Mile: 11.18

Land Section Number: 30 Township: 11S Range: 10W

Land Section: SE

Latitude: N 33 43 38.0 Longitude: W 92 10 11.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.293 Elevation (Feet): 230.620

Description: METAL DISC IN N HW OF R. C. BOX. LOCATED BY S5102 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 130019

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 12/12/1995

System: STATE Job Number: 070067 Nearest City: NEW EDINBURG

County: CLEVELAND Route: 8 Section: 10 Log Mile: 11.35

Land Section Number: 30 Township: 11S Range: 10W

Land Section: SE

Latitude: N 33 43 32.0 Longitude: W 92 10 03.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 66.538 Elevation (Feet): 218.300

Description: METAL DISC IN N HW OF R. C. BOX. LOCATED BY S5102 3/2004.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 130020

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 12/12/1995

System: STATE Job Number: 070067 Nearest City: NEW EDINBURG

County: CLEVELAND Route: 8 Section: 10 Log Mile: 7.82

Land Section Number: 22 Township: 11S Range: 11W

Land Section: NE

Latitude: N 33 44 53.0 Longitude: W 92 13 18.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 73.609 Elevation (Feet): 241.499

Description: METAL DISC IN N HW OF R. C. BOX. LOCATED BY S5102 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 130021

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 12/12/1995

System: STATE Job Number: 070067 Nearest City: NEW EDINBURG

County: CLEVELAND Route: 8 Section: 10 Log Mile: 8.40

Land Section Number: 23 Township: 11S Range: 11W

Land Section: NW

Latitude: N 33 44 46.0 Longitude: W 92 12 43.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.161 Elevation (Feet): 243.310

Description: METAL DISK IN N HW OF R.C. BOX. LOCATED BY S5102 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 130022

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #74

Date Established: 6/27/1997

System: COUNTY

Job Number: BR1302

Nearest City: RYE

County: CLEVELAND

Route: 56

Section:

Log Mile: 4.59

Land Section Number: 9

Township: 11S

Range: 09W

Land Section: NE

Latitude: N 33 46 31.0

Longitude: W 92 02 32.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 43.242

Elevation (Feet): 141.870

Description: NW WING BR. # 4762. LOCATED BY S5102 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 130023

Class:

Vertical Datum:

Established by: RE OFFICE #74

Date Established: 8/14/1996

System: STATE Job Number: R70095 Nearest City:

County: CLEVELAND Route: 15 Section: 5 Log Mile: 3.27

Land Section Number: 23 Township: 11S Range: 09W

Land Section: NE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 54.17 Elevation (Feet): 177.723

Description: SW CURTAIN WALL RC PIPE F.E.S. NOT LOCATED BY S5102 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 130024

Class:

Vertical Datum:

Established by: RE OFFICE #74

Date Established: 9/29/1997

System: STATE

Job Number: R70109

Nearest City:

County: CLEVELAND

Route: 15

Section: 6

Log Mile: 4.5

Land Section Number: 34

Township: 09S

Range: 09W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.26

Elevation (Feet): 243.635

Description: RCP CURTAIN WALL RT STA 81+30 (12.5 METERS RIGHT). NOT  
LOCATED BY S5102 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 130025

Class:

Vertical Datum:

Established by: RE OFFICE #74

Date Established: 9/29/1997

System: STATE

Job Number: R70108

Nearest City:

County: CLEVELAND

Route: 15

Section: 5

Log Mile: 6

Land Section Number: 35

Township: 10S

Range: 09W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 63.82

Elevation (Feet): 209.383

Description: HEADWALL LT STA 113+95. NOT LOCATED BY S5102 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 130026

Class:

Vertical Datum:

Established by: RE OFFICE #74

Date Established:

System: STATE

Job Number: 070131

Nearest City: PANSEY

County: CLEVELAND

Route: 63

Section: 6

Log Mile: 9.6

Land Section Number: 23

Township: 10S

Range: 09W

Land Section: NW

Latitude: N 33 50 04.0

Longitude: W 92 00 36.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.076

Elevation (Feet): 236.469

Description: AHTD METAL DISK IN NW HEADWALL OF RC BOX CULVERT. LOCATED BY S5102 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 130027

Class:

Vertical Datum:

Established by: RE OFFICE #74

Date Established: 6/11/1998

System: STATE Job Number: 070130 Nearest City: RYE

County: CLEVELAND Route: 15 Section: 5 Log Mile: 2.22

Land Section Number: 23 Township: 11S Range: 09W

Land Section: SW

Latitude: N 33 44 01.0 Longitude: W 92 00 15.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 47.014 Elevation (Feet): 154.245

Description: CORNER OF R. C. BOX HEADWALL. LOCATED BY S5102 3/2004.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 130028

Class:

Vertical Datum:

Established by: RE OFFICE #74

Date Established: 6/11/1998

System: STATE

Job Number: 070130

Nearest City: RYE

County: CLEVELAND

Route: 15

Section: 6

Log Mile: 4.31

Land Section Number: 11

Township: 11S

Range: 09W

Land Section: SE

Latitude: N 33 45 47.0

Longitude: W 91 59 38.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 58.244

Elevation (Feet): 191.089

Description: SE CORNER R.C. BOX HEADWALL.. LOCATED BY S5102 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 130029

Class:

Vertical Datum:

Established by: RE OFFICE #74

Date Established: 3/22/1999

System: STATE

Job Number: R70107

Nearest City:

County: CLEVELAND

Route: 15

Section: 6

Log Mile: 11.48

Land Section Number: 32

Township: 08S

Range: 09W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 83.201

Elevation (Feet): 272.969

Description: STA. 197+11 13.5 M (44.29 FT) RT. OF C/L IN RC BOX HW. NOT LOCATED  
BY S5102 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 130030

Class:

Vertical Datum:

Established by: RE OFFICE #74

Date Established: 3/22/1999

System: STATE Job Number: R70107 Nearest City:

County: CLEVELAND Route: 15 Section: 8 Log Mile: 15.27

Land Section Number: 6 Township: 08S Range:

Land Section: SW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 82.302 Elevation (Feet): 270.019

Description: STA 252+89 10.5M (34.45FT.) RT. OF C/L IN RC BOX CLVT. HEADWALL.  
NOT LOCATED BY S5102 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 130031

Class:

Vertical Datum:

Established by:

Date Established: 10/23/1998

System: STATE

Job Number: 070132

Nearest City:

County: CLEVELAND

Route: 15

Section: 6

Log Mile: 5.81

Land Section Number: 27

Township: 09S

Range: 09W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 22.1806

Elevation (Feet): 72.771

Description: SE CORNER R.C. BOX HEADWALL. NOT LOCATED BY S5102 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 130032

Class:

Vertical Datum:

Established by:

Date Established: 7/27/1998

System: STATE

Job Number: N/A

Nearest City:

County: CLEVELAND

Route: 15

Section: 06

Log Mile: 9.92

Land Section Number: 04

Township: 09S

Range: 94

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 21.9331

Elevation (Feet): 71.959

Description: SE CORNER R.C. BOX HEADWALL. NOT LOCATED BY S5102 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 130033

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #74

Date Established: 12/19/2001

System: STATE

Job Number: RX0030

Nearest City:

County: CLEVELAND

Route: 63

Section: 6

Log Mile: 13

Land Section Number: 19

Township: 08S

Range: 09W

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.735

Elevation (Feet): 281.282

Description: STA 226+05 RC BOX HEADWALL RT. NOT LOCATED BY S5102 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 130034

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #74

Date Established: 12/18/2001

System: STATE

Job Number: RX0030

Nearest City:

County: CLEVELAND

Route: 63

Section: 6

Log Mile: 16.62

Land Section Number: 5

Township: 08S

Range: 09W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 86.556

Elevation (Feet): 283.976

Description: STA 274+54 RC BOX HW RT. NOT LOCATED BY S5102 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 130035

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #74

Date Established: 12/18/2001

System: STATE

Job Number: RX0030

Nearest City:

County: CLEVELAND

Route: 63

Section: 7

Log Mile: 0.19

Land Section Number: 28

Township: 07S

Range: 09W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 73.308

Elevation (Feet): 240.511

Description: STA 318+43 RC BOX HW RT. LOCATED BY S5102 3/2004.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 130036

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: DISTRICT 2 & 7

Date Established: 2/12/2003

System: FEDERAL

Job Number: RX0028

Nearest City: FORDYCE

County: CLEVELAND

Route: 167

Section: 8

Log Mile: 7.20

Land Section Number: 10

Township: 08S

Range: 13W

Land Section: NW

Latitude: N 34 02 15.2

Longitude: W 92 24 38.3

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 62.6456693

Elevation (Feet): 205.530

Description: ALUM AHTD DISC IN NE CORNER OF HEADWALL OF R.C. BOX  
CULVERT OVER BARN HILL CREEK, 55 FEET RT. OF STA. 342+40

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 130037

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: DISTRICT 2 & 7

Date Established: 2/12/2003

System: FEDERAL

Job Number: RX0028

Nearest City: FORDYCE

County: CLEVELAND

Route: 167

Section: 8

Log Mile: 7.80

Land Section Number: 3

Township: 08S

Range: 13W

Land Section: SW

Latitude: N 34 02 46.0

Longitude: W 92 34 37.7

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.24917451

Elevation (Feet): 246.880

Description: ALUM AHTD DISC IN SW CORNER OF HEADWALL OF R.C. BOX  
CULVERT, 54 FEET LT. OF STA. 373+68

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 130038

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: DISTRICT 2 & 7

Date Established: 2/12/2003

System: FEDERAL

Job Number: RX0028

Nearest City: FORDYCE

County: CLEVELAND

Route: 167

Section: 8

Log Mile: 8.20

Land Section Number: 3

Township: 08S

Range: 13W

Land Section: NW

Latitude: N 34 03 09.5

Longitude: W 92 24 37.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 71.83540768

Elevation (Feet): 235.680

Description: ALUM AHTD DISC IN SW CORNER OF HEADWALL OF R.C. BOX  
CULVERT, 55 FEET LT. OF STA. 397+45

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 130039

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: DISTRICT 2 & 7

Date Established: 2/12/2003

System: FEDERAL

Job Number: RX0028

Nearest City: FORDYCE

County: CLEVELAND

Route: 167

Section: 8

Log Mile: 8.40

Land Section Number: 3

Township: 08S

Range: 13W

Land Section: NW

Latitude: N 34 03 17.9

Longitude: W 92 24 36.6

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 67.15976633

Elevation (Feet): 220.340

Description: ALUM AHTD DISC IN SW CORNER OF HEADWALL OF R.C. BOX  
CULVERT, 56 FEET LT. OF STA. 405+90

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 140001

Class:

Vertical Datum:

Established by: RE OFFICE #73

Date Established:

System: Job Number: BR-14-6 Nearest City: MAGNOLIA

County: COLUMBIA Route: CR 15 Section: Log Mile:

Land Section Number: 22 Township: 17S Range: 21W

Land Section:

Latitude: N 33 14 40.0 Longitude: W 93 16 13.5 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.417 Elevation (Feet): 247.431

Description: BRIDGE NO. 4608 AHTD DISK RIGHT WING WALL STA. 121+70  
RECOVERED 9/12/01 BY S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 140002

Class:

Vertical Datum:

Established by: RE OFFICE #73

Date Established: 1/2/1992

System: STATE

Job Number: 70020

Nearest City: MAGNOLIA

County: COLUMBIA

Route: 371

Section: 6

Log Mile: 8.84

Land Section Number: 22

Township: 16S

Range: 21W

Land Section: SW

Latitude: N 33 19 55.0

Longitude: W 93 16 05.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 84.125

Elevation (Feet): 276.000

Description: AHTD BENCH MARK IN TOP OF RT. HEADWALL 44' RT. STA. 1287+49  
RECOVERED 9/12/01 BY S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 140003

Class:

Vertical Datum:

Established by: RE OFFICE #73

Date Established: 8/27/1993

System: STATE

Job Number: 70020

Nearest City: MAGNOLIA

County: COLUMBIA

Route: 371

Section: 6

Log Mile: 11.11

Land Section Number: 35

Township: 16S

Range: 21W

Land Section: SW

Latitude: N 33 18 08.0

Longitude: W 93 15 09.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 84.872

Elevation (Feet): 278.451

Description: AHTD BENCH MARK IN TOP OF RIGHT WING WALL 21' RT. 1166+62 BR.  
NO. 6363 BARLOW BRANCH RECOVERED 9/12/01 BY S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 140004

Class:

Vertical Datum:

Established by: RE OFFICE #73

Date Established: 9/9/1991

System: STATE

Job Number: 7929

Nearest City: MAGNOLIA

County: COLUMBIA

Route: 371

Section: 6

Log Mile: 9.66

Land Section Number: 27

Township: 16S

Range: 21W

Land Section: NW

Latitude: N 33 19 18.0

Longitude: W 93 15 41.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 83.811

Elevation (Feet): 274.970

Description: RT. WING BR. 6365 21 FT. RT. STA. 1243.62 BIG CREEK RELIEF  
RECOVERED 9/12/01 BY S5102

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 140005

Class:

Vertical Datum:

Established by: RE OFFICE #73

Date Established: 5/5/1992

System: STATE

Job Number: 7929

Nearest City: MAGNOLIA

County: COLUMBIA

Route: 371

Section: 6

Log Mile: 9.76

Land Section Number: 27

Township: 16S

Range: 21W

Land Section: NW

Latitude: N 33 19 13.0

Longitude: W 93 15 37.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 83.814

Elevation (Feet): 274.980

Description: TOP PARAPET RAIL 20 FT. RT. 1237+35 BR 6364 BIG CREEK RECOVERED  
9/12/01 BY S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 140006

Class:

Vertical Datum:

Established by: RE OFFICE #73

Date Established: 1/3/1994

System: STATE

Job Number: 70020

Nearest City:

County: COLUMBIA

Route: 82

Section: 4

Log Mile: 10.43

Land Section Number: 2

Township: 17S

Range: 21W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 80.608

Elevation (Feet): 264.461

Description: AHTD BENCH MARK ON TOP RT. HEAD WALL 64' RT. 364+50 NOT  
RECOVERED 9/12/2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 140007

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 7825

Nearest City: MAGNOLIA

County: COLUMBIA

Route: 82B

Section: MAIN ST

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 33 16 00.0

Longitude: W 93 13 36.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.475

Elevation (Feet): 280.429

Description: DISC TOP HEADWALL RT. SIDE STA. 46+10 WEST RCB EAST MAIN ST.  
MAGNOLIA RECOVERED 9/12/01 BY S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 140008

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 7742

Nearest City: MAGNOLIA

County: COLUMBIA

Route: 371

Section: 7

Log Mile: 3.79

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 33 16 09.0

Longitude: W 93 16 26.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.947

Elevation (Feet): 255.731

Description: DISK TOP OF RT. PARAPET RAIL JOB. 7742 BIG CREEK STA. 223+00 BR.  
5679. RECOVERED 9/12/01 BY S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 140009

Class:

Vertical Datum:

Established by: RE OFFICE #73

Date Established:

System: STATE

Job Number: 7883

Nearest City: MAGNOLIA

County: COLUMBIA

Route: 371

Section: 7

Log Mile: 12.89

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 33 12 07.0

Longitude: W 93 24 01.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 67.623

Elevation (Feet): 221.860

Description: BRIDGE NO. 6120 BRIDGE ABUTMENT RT. (ON DORCHEAT CREEK)  
RECOVERED 9/12/01 BY S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 140010

Class:

Vertical Datum:

Established by: RE OFFICE #73

Date Established:

System: STATE

Job Number: 7883

Nearest City: MAGNOLIA

County: COLUMBIA

Route: 371

Section: 7

Log Mile: 12.72

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 33 12 12.0

Longitude: W 93 23 54.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 67.608

Elevation (Feet): 221.811

Description: BRIDGE NO. 6121 BRIDGE ABUTMENT RT. (ON DORCHEAT BAYOU RELIEF) RECOVERED 9/12/01 BY S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 140011

Class:

Vertical Datum:

Established by: RE OFFICE #73

Date Established:

System: STATE

Job Number: 7883

Nearest City: MAGNOLIA

County: COLUMBIA

Route: 371

Section: 7

Log Mile: 12.35

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 33 12 23.0

Longitude: W 93 23 36.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 67.885

Elevation (Feet): 222.719

Description: BRIDGE NO. 6122 BRIDGE ABUTMENT RT. (ON DORCHEAT CREEK)  
RECOVERED 9/12/01 BY S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 140012

Class:

Vertical Datum:

Established by: RE OFFICE #73

Date Established:

System: STATE Job Number: 7960 Nearest City: MAGNOLIA

County: COLUMBIA Route: 344 Section: 1 Log Mile: 3.21

Land Section Number: Township: Range:

Land Section:

Latitude: N 33 19 01.0 Longitude: W 93 21 10.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 84.344 Elevation (Feet): 276.719

Description: AHTD BM TOP WING WALL BENT #1 BRIDGE 6195 STA. 169+07 RIGHT  
SIDE (BECH CREEK) RECOVERED 9/12/01 BY S5102

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 140013

Class:

Vertical Datum:

Established by: RE OFFICE #73

Date Established: 8/16/1995

System: STATE

Job Number: 007940

Nearest City: MAGNOLIA

County: COLUMBIA

Route: 19

Section: 1

Log Mile: 7.67

Land Section Number: 33

Township: 18S

Range: 21W

Land Section: SW

Latitude: N 33 07 44.0

Longitude: W 93 18 28.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.141

Elevation (Feet): 223.559

Description: AHTD DISC SET IN TOP OF EAST PARAPET WALL @ B. E. STA. 407+65 BR #6536. HORSEHEAD CREEK RECOVERED 9/12/01 BY S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 140014

Class:

Vertical Datum:

Established by: RE OFFICE #73

Date Established: 8/16/1995

System: STATE

Job Number: 007940

Nearest City: MAGNOLIA

County: COLUMBIA

Route: 19

Section: 1

Log Mile: 7.85

Land Section Number: 33

Township: 18S

Range: 21W

Land Section: SW

Latitude: N 33 07 50.0

Longitude: W 93 18 25.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 66.635

Elevation (Feet): 218.618

Description: AHTD DISC SET IN TOP OF WEST HDWL. OF R. C. CULVERT STA. 414+25.  
RECOVERED 9/12/01 BY S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 140015

Class:

Vertical Datum:

Established by: RE OFFICE #73

Date Established: 8/16/1995

System: STATE Job Number: 007940 Nearest City: MAGNOLIA

County: COLUMBIA Route: 19 Section: 1 Log Mile: 7.32

Land Section Number: 5 Township: 19S Range: 21W

Land Section: NW

Latitude: N 33 07 24.0 Longitude: W 93 18 35.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 66.215 Elevation (Feet): 217.240

Description: AHTD DISC SET IN TOP OF WEST HDWL. OF R. C. BOX CLVT. STA.  
386+18. RECOVERED 9/12/01 BY S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 140016

Class:

Vertical Datum:

Established by: RE OFFICE #73

Date Established: 8/16/1995

System: STATE

Job Number: 007940

Nearest City: MAGNOLIA

County: COLUMBIA

Route: 19

Section: 1

Log Mile: 7.58

Land Section Number: 33

Township: 18S

Range: 21W

Land Section: SW

Latitude: N 33 07 37.0

Longitude: W 93 18 30.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.141

Elevation (Feet): 223.559

Description: AHTD DISC SET IN TOP OF EAST PARAPET WALL STA. 400+10 BR. # 6535.  
HORSEHEAD CREEK RELIEF. RECOVERED 9/12/01 BY S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 140017

Class:

Vertical Datum:

Established by: RE OFFICE #73

Date Established: 8/8/1995

System: COUNTY

Job Number: BR1412

Nearest City: MAGNOLIA

County: COLUMBIA

Route: CR 36

Section:

Log Mile:

Land Section Number: 18

Township: 17S

Range: 19W

Land Section: SE

Latitude: N 33 15 27.0

Longitude: W 93 06 29.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.453

Elevation (Feet): 247.549

Description: AHTD DISC IN SW WING OF BRIDGE 4735 17' RIGHT CENTER LINE  
RDWY. RECOVERED 9/12/01 BY S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 140018

Class:

Vertical Datum:

Established by:

RE OFFICE #73

Date Established: 8/8/1995

System: COUNTY

Job Number:

BR1412

Nearest City:

MAGNOLIA

County:

COLUMBIA

Route:

CR 36

Section:

Log Mile:

Land Section Number:

18

Township:

17S

Range:

19W

Land Section:

NE

Latitude: N 33 15 33.0

Longitude: W 93 06 22.0

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

75.453

Elevation (Feet):

247.549

Description:

AHTD DISC IN SW WING OF BRIDGE 4736 17' RIGHT CENTERLINE RDWY.  
RECOVERED 9/12/01 BY S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 140019

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #73

Date Established: 2/24/1993

System: COUNTY

Job Number: F-14-4

Nearest City:

County: COLUMBIA

Route: FAS RT 2296

Section: 1

Log Mile: 1.2

Land Section Number: 26

Township: 17S

Range: 19W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 62.658

Elevation (Feet): 205.570

Description: RT. HEADWALL STATION 12+49. NOT RECOVERED 9/12/2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 140020

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 3/22/1992

System: COUNTY Job Number: F-14-5 Nearest City:

County: COLUMBIA Route: 2296 Section: Log Mile:

Land Section Number: 7 Township: 18S Range: 15W

Land Section: NW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 60.661 Elevation (Feet): 199.019

Description: RT. WING BR. 4653. NOT RECOVERED 9/12/2001

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 140021

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: COUNTY Job Number: BR-14-1 Nearest City: SHARMAN

County: COLUMBIA Route: CR 15 Section: Log Mile: 6.70

Land Section Number: 9 Township: 18S Range: 22W

Land Section:

Latitude: N 33 10 35.0 Longitude: W 93 23 02.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 66.916 Elevation (Feet): 219.540

Description: AHTD BENCH MARK ON RT. PARAPET 4' FROM SW END OF BR. NO. 4426 STA. 67+95. DORCHEAT BAYOU BR. & APPRS. RECOVERED 9/12/01 BY S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 140022

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #73

Date Established: 8/15/1993

System: COUNTY

Job Number: BR-14-11

Nearest City: SPRINGHILL, LA

County: COLUMBIA

Route: CR 21

Section:

Log Mile:

Land Section Number: 32

Township: 19S

Range: 22W

Land Section: NW

Latitude: N 33 03 15.7

Longitude: W 93 24 55.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 64.173

Elevation (Feet): 210.541

Description: BRIDGE END STATION 8+79 AHTD DISK. OVER CROOKED CREEK  
RECOVERED 9/12/01 BY S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 140023

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: COUNTY Job Number: BR-14-4 Nearest City:

County: COLUMBIA Route: CR 50 Section: Log Mile:

Land Section Number: 16 Township: 18S Range: 22W

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 71.198 Elevation (Feet): 233.589

Description: AHTD BM TOP WING WALL BENT #1 RIGHT STA. 21+91 BRIDGE NO. 4558. NOT RECOVERED 9/12/2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 140024

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: COUNTY Job Number: N/A Nearest City: MAGNOLIA

County: COLUMBIA Route: CR 61 Section: Log Mile:

Land Section Number: 5 Township: 17S Range: 20W

Land Section:

Latitude: N 33 17 00.0 Longitude: W 93 12 03.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 89.517 Elevation (Feet): 293.690

Description: TOP OF WINGWALL OF BRIDGE # 4543 OVER NATION'S CREEK 3/4 MILE  
EAST OF JCT. S. H. 28 & CO. RD. 61. RECOVERED 9/12/01 BY S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 140025

Class:

Vertical Datum:

Established by: SURVEYS DIVISION

Date Established: 8/15/1997

System:

Job Number: RX0027

Nearest City: MAGNOLIA

County: COLUMBIA

Route: 82

Section: 3

Log Mile: 9.58

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 33 18 13.0

Longitude: W 93 16 15.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.504

Elevation (Feet): 267.401

Description: SQUARE CUT ON NW CORNER BR. END ON BIG CREEK ON HWY. 82 1.3  
MI NW FROM INTERSECTION HWY. 371-82-B & HWY. 82. RECOVERED  
9/12/01 BY S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 140026

Class:

Vertical Datum:

Established by: SURVEYS DIVISION

Date Established: 8/15/1997

System:

Job Number: RX0027

Nearest City: MAGNOLIA

County: COLUMBIA

Route: 82

Section: 3

Log Mile: 5.01

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 33 20 45.0

Longitude: W 93 19 53.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 87.603

Elevation (Feet): 287.411

Description: SQUARE CUT ON NW CORNER BR. END ON BEECH CREEK ON HWY. 82  
.50 MI SE FROM INTERSECTION HWY. 82 & HWY. 98. BR # 5213 .  
RECOVERED 9/12/01 BY S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 140027

Class:

Vertical Datum:

Established by: RE OFFICE #73

Date Established: 8/26/1997

System:

Job Number: 070041

Nearest City: MAGNOLIA

County: COLUMBIA

Route: 19

Section: 1

Log Mile: 16.15

Land Section Number: 26

Township: 17S

Range: 21W

Land Section: NE

Latitude: N 33 14 15.0

Longitude: W 93 15 04.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.071

Elevation (Feet): 259.419

Description: TOP OF PARAPET TAIL 17' RT. OF STATION 852+73 BRIDGE #6642.  
NATIONS CREEK RECOVERED 9/12/01 BY S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 140028

Class:

Vertical Datum:

Established by:

RE OFFICE #73

Date Established: 8/26/1997

System:

Job Number:

070041

Nearest City:

MAGNOLIA

County:

COLUMBIA

Route:

19

Section:

1

Log Mile:

16.30

Land Section Number:

26

Township:

17S

Range:

21W

Land Section:

NE

Latitude:

N 33 14 20.0

Longitude:

W 93 14 56.0

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

79.083

Elevation (Feet):

259.458

Description:

TOP OF PARAPET RAIL OF STA. 860+92, BRIDGE #6643. NATIONS CREEK  
RELIEF. RECOVERED 9/12/01 BY S5102

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 140029

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #73

Date Established: 6/6/2000

System: COUNTY

Job Number: BR1414

Nearest City: EMERSON

County: COLUMBIA

Route: CR7

Section:

Log Mile:

Land Section Number: 26

Township: 19S

Range: 21W

Land Section: SE

Latitude: N 33 03 10.1

Longitude: W 93 15 10.5

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.988

Elevation (Feet): 239.461

Description: AHTD DISK IN SE WINGWALL OF BRIDGE 04802. RECOVERED 9/12/01 BY S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 140030

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #73

Date Established: 7/11/2001

System: STATE

Job Number: 070113

Nearest City: EMERSON

County: COLUMBIA

Route: 79

Section: 1

Log Mile: 0.97

Land Section Number: 2

Township: 20S

Range: 20W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.7099

Elevation (Feet): 281.200

Description: AHTD DISC IN TOP OF RT WW (SE CORNER) OF BR 06800 STA 92+45

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 140031

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #73

Date Established: 7/11/2001

System: STATE

Job Number: 070113

Nearest City: EMERSON

County: COLUMBIA

Route: 19

Section: 1

Log Mile: 0.06

Land Section Number: 7

Township: 20S

Range: 21W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 66.108

Elevation (Feet): 216.889

Description: AHTD DISK IN TOP OF THE RT WW (SE CORNER) OF BRIDGE 06799 STA 21+32

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 140032

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #73

Date Established: 3/12/2003

System: STATE

Job Number: BR1415

Nearest City: MAGNOLIA

County: COLUMBIA

Route: CR12

Section:

Log Mile:

Land Section Number: 10

Township: 18S

Range: 22W

Land Section: NE

Latitude: N 33 11 52.0

Longitude: W 93 21 58.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.845

Elevation (Feet): 232.431

Description: AHTD DISK IN TOP OF SW TRANSITION RAIL BR 04838 (BIG CREEK)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 140033

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #73

Date Established: 8/8/2003

System: STATE

Job Number: 070114

Nearest City: ATLANTA

County: COLUMBIA

Route: 98

Section: 3

Log Mile: 8.54

Land Section Number: 26

Township: 18S

Range: 19W

Land Section: SWNW

Latitude: N 33 05 00.6

Longitude: W 93 11 40.92

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 62.198

Elevation (Feet): 204.061

Description: AHTD DISK IN SE TRANSITION WALL BR 06862 (BEECH CREEK)

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 140034

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #73

Date Established: 3/3/2003

System: STATE

Job Number: 070114

Nearest City: WALDO

County: COLUMBIA

Route: 98

Section: 1

Log Mile: 0.89

Land Section Number: 13

Township: 16S

Range: 22W

Land Section: SWNE

Latitude: N 33 12 36.0

Longitude: W 93 11 40.92

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 88.977

Elevation (Feet): 291.919

Description: AHTD DISK IN SW TRANSITION WALL BR 06863 (BEECH CREEK)

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 140035

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 3/3/2004

System: FEDERAL Job Number: rx0027 Nearest City: WALDO

County: COLUMBIA Route: 82 Section: 3 Log Mile: 3.22

Land Section Number: 14 Township: 16S Range: 22W

Land Section:

Latitude: N 33 21 02.16 Longitude: W 93 21 35.58 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 92.299721 Elevation (Feet): 302.820

Description: AHTD DISC IN HEADWALL OF RCBC @ STA. 470+56, 55' RT OF  
CENTERLINE

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 140036

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by:

Date Established: 3/3/2004

System: FEDERAL

Job Number: RX0027

Nearest City: WALDO

County: COLUMBIA

Route: 82

Section: 3

Log Mile: 3.74

Land Section Number: 14

Township: 16S

Range: 22W

Land Section:

Latitude: N 33 20 59.97

Longitude: W 93 21 03.41

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 91.104902

Elevation (Feet): 298.900

Description: AHTD DISC IN HEADWALL OF RCBC @ STA. 498+08, 55' RT. OF  
CENTERLINE

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 140037

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 3/3/2004

System: FEDERAL Job Number: RX0027 Nearest City: WALDO

County: COLUMBIA Route: 82 Section: 3 Log Mile: 2.09

Land Section Number: 15 Township: 16S Range: 22W

Land Section:

Latitude: N 33 21 03.76 Longitude: W 93 22 45.70 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 93.74752 Elevation (Feet): 307.570

Description: AHTD DISC IN HEADWALL OF RCBC @ STA. 411+04, 55' RT OF CENTERLINE

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 140038

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by:

Date Established: 3/3/2004

System: FEDERAL

Job Number: RX0027

Nearest City: WALDO

County: COLUMBIA

Route: 82

Section: 3

Log Mile: 2.52

Land Section Number: 15

Township: 16S

Range: 22W

Land Section:

Latitude: N 33 21 03.38

Longitude: W 93 22 18.96

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 93.76886

Elevation (Feet): 307.640

Description: AHTD DISC IN HEADWALL OF RCBC @ STA 433+75, 55' RT OF  
CENTERLINE

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 140039

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 3/3/2004

System: FEDERAL Job Number: RX0027 Nearest City: WALDO

County: COLUMBIA Route: 82 Section: 3 Log Mile: 1.72

Land Section Number: 16 Township: 16S Range: 22W

Land Section:

Latitude: N 33 21 04.25 Longitude: W 93 23 08.99 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 89.050546 Elevation (Feet): 292.160

Description: AHTD DISC IN HEADWALL OF RCBC @ STA. 391+32, 55' RT OF  
CENTERLINE

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 150001

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: BIRDTOWN

County: CONWAY

Route: 9

Section: 8

Log Mile: 11.75

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 16 14.0

Longitude: W 92 37 47.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 125.038

Elevation (Feet): 410.229

Description: DISK S.W. WING BRIDGE CYPRESS CREEK #5875 RECOVERED 7-6-99  
CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 150002

Class:

Vertical Datum:

Established by: RE OFFICE #84

Date Established: 8/1/1990

System: STATE

Job Number: 8958

Nearest City: MORRILTON

County: CONWAY

Route: 9B

Section: 7B

Log Mile: 1.88

Land Section Number: 17

Township: 06N

Range: 16W

Land Section: NE

Latitude: N 35 10 06.0

Longitude: W 92 43 28.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 110.429

Elevation (Feet): 362.299

Description: STANDARD AHTD DISC SET IN TOP CONCRETE RETAINING WALL  
SOUTH END 35' LT. CENTER LINE CONSTRUCTION STA. 113+80.  
RECOVERED 7-8-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 150003

Class:

Vertical Datum:

Established by: RE OFFICE #84

Date Established: 11/1/1990

System: STATE Job Number: 8958 Nearest City:

County: CONWAY Route: 9B Section: 7B Log Mile: 1.99

Land Section Number: 8 Township: 06N Range: 16W

Land Section: SE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 106.973 Elevation (Feet): 350.961

Description: STANDARD AHTD DISC SET TOP CONCRETE HEAD WALL NORTH-WEST  
END OF BOX 30' LEFT OF CENTERLINE CONST. STA. 136+86 N/R 7-8-99  
CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 150004

Class:

Vertical Datum:

Established by: RE OFFICE #84

Date Established:

System: STATE

Job Number: 8992

Nearest City: MENIFEE

County: CONWAY

Route: 40

Section: 31&32

Log Mile: 120.29

Land Section Number: 28

Township: 06N

Range: 14W

Land Section:

Latitude: N 35 07 54.0

Longitude: W 92 30 58.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 90.526

Elevation (Feet): 297.001

Description: STD. DISC TOP WING WALL RT. OF LT. MAIN LANE CONWAY CO. END  
RECOVERED 7-7-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 150005

Class:

Vertical Datum:

Established by: RE OFFICE #84

Date Established:

System: STATE

Job Number: 8844

Nearest City:

County: CONWAY

Route: 64

Section: 7

Log Mile: 8.72

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 114.812

Elevation (Feet): 376.679

Description: STA. 29+25 30' LT. TOP DROP INLET: N/R 7-8-99 CREW S5102

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 150006

Class:

Vertical Datum:

Established by: RE OFFICE #84

Date Established:

System: STATE Job Number: 8844 Nearest City:

County: CONWAY Route: 64 Section: 7 Log Mile: 9.28

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 115.876 Elevation (Feet): 380.170

Description: STA. 58+75 30' LT. TOP DROP INLET2 N/R 7-8-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 150007

Class:

Vertical Datum:

Established by: RE OFFICE #86

Date Established:

System: STATE

Job Number: 80001

Nearest City: MORRILTON

County: CONWAY

Route: 113

Section: 5

Log Mile: 2.43

Land Section Number: 6

Township: 05N

Range: 16W

Land Section: SW

Latitude: N 35 06 21.0

Longitude: W 92 44 30.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 86.795

Elevation (Feet): 284.760

Description: AHTD DISC IN TOP OF S.E. WING 50' RT. OF CENTERLINE STA. 128+50  
(R.C. BOX CULVERT) RECOVERED 7-6-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 150008

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: DON OR PETIT JEAN STA

County: CONWAY

Route: 155

Section: 3

Log Mile: 1.14

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 05 18.0

Longitude: W 92 58 06.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 131.22

Elevation (Feet): 430.511

Description: STANDARD DISK N. END W. HEADWALL 18' LT. RECOVERED 7-7-99  
CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 150009

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE Job Number: N/A Nearest City: DON OR PETIT JEAN STAT

County: CONWAY Route: 155 Section: 3 Log Mile: 1.52

Land Section Number: Township: Range:

Land Section:

Latitude: N 35 05 24.0 Longitude: W 92 57 51.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 133.524 Elevation (Feet): 438.070

Description: DISK CENTER S. HEADWALL 26' RT. RECOVERED 7-7-99-CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 150010

Class:

Vertical Datum:

Established by: RE OFFICE #86

Date Established:

System: STATE

Job Number: R80014

Nearest City: PONTOON

County: CONWAY

Route: 247

Section: 4

Log Mile: 2.17

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 05 00.0

Longitude: W 93 00 54.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 94.692

Elevation (Feet): 310.669

Description: AHTD DISC IN TOP OF N.E. CORNER OF EAST HEADWALL ON RT. STA. 142+29 RECOVERED 7-7-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 150011

Class:

Vertical Datum:

Established by: RE OFFICE #86

Date Established:

System: STATE

Job Number: R80014

Nearest City: PONTOON

County: CONWAY

Route: 247

Section: 4

Log Mile: 1.176

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 05 49.0

Longitude: W 93 00 54.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 112.298

Elevation (Feet): 368.431

Description: AHTD DISC IN TOP OF N.E. CORNER OF EAST HEADWALL ON RT. STA.  
193+00 RECOVERED 7-7-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 150012

Class:

Vertical Datum:

Established by: RE OFFICE #86

Date Established:

System: STATE

Job Number: R80013

Nearest City: LANTY

County: CONWAY

Route: S.H. 287

Section: 5

Log Mile: 5.79

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 20 22.0

Longitude: W 92 41 17.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 140.568

Elevation (Feet): 461.180

Description: AHTD DISC IN TOP OF N.E. HEADWALL OF R.C. BOX CULVERT  
RECOVERED 7-6-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 150013

Class:

Vertical Datum:

Established by: RE OFFICE #84

Date Established: 10/5/1994

System: COUNTY Job Number: BR1505 Nearest City: SPRINGFIELD

County: CONWAY Route: 410 Section: Log Mile:

Land Section Number: 35 Township: 08N Range: 15W

Land Section:

Latitude: N 35 17 17.0 Longitude: W 92 34 19.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 152.635 Elevation (Feet): 500.770

Description: ON COUNTY RD. 410 AT SE COR. OF BRIDGE ON STRAHON CREEK STD.  
DISC MOUNTED IN TOP OF WINGWALL. RECOVERED 7-7-99 CREW S5102

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 150014

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established: 12/28/1995

System: STATE

Job Number: 008895

Nearest City: MORRILTON

County: CONWAY

Route: 9B

Section: 7B

Log Mile: 0.28

Land Section Number: 15

Township: 06N

Range: 16W

Land Section: SW

Latitude: N 35 09 22.0

Longitude: W 92 44 25.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 106.122

Elevation (Feet): 348.169

Description: AHTD DISC IN HEADWALL, 28' LT. OF CENTERLINE, STA. 35+04. CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 150015

Class:

Vertical Datum: NGVD29

Established by: RE OFFICE #86

Date Established: 4/8/1991

System: COUNTY

Job Number: S-15-8

Nearest City: CENTER RIDGE

County: CONWAY

Route: CO. RD. 46

Section:

Log Mile:

Land Section Number: 1

Township: 08N

Range: 14W

Land Section:

Latitude: N 35 22 00.0

Longitude: W 92 32 44.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 178.894

Elevation (Feet): 586.921

Description: AHTD DISC IN SE CORNER OF HDWL., 19' RT. OF STA. 57+60. (LOCATED 1.09 MILES EAST OF INTERSECTION HWY. 9 & CO. RD. 46 AT CENTER RIDGE.) RECOVERED 7-8-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 150016

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: COUNTY Job Number: S-76-7 Nearest City: PLUMMERVILLE

County: CONWAY Route: . CRD. 60 & Section: Log Mile: W WOC

Land Section Number: 6 Township: 06N Range: 14W

Land Section:

Latitude: N 35 11 43.0 Longitude: W 92 31 46.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 87.84 Elevation (Feet): 288.188

Description: DISK SET IN SW WINGWALL 15' RT. STA. 25+10 CARDRON CREEK BR.  
NO. 4362 4.5 MILES WEST WOOSTER RECOVERED 7-7-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 150017

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: COUNTY Job Number: ES-15-1 Nearest City: HATTIEVILLE

County: CONWAY Route: CO. RD. 30 Section: 17 Log Mile:

Land Section Number: 17 Township: 08N Range: 17W

Land Section: NE

Latitude: N 35 20 38.0 Longitude: W 92 49 28.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 106.644 Elevation (Feet): 349.881

Description: DISK TOP RT. WING WALL 15' WEST FORK POINT REMOVE CREEK  
RECOVERED 7-7-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 150018

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 1/8/1991

System: COUNTY Job Number: BR-76-7 Nearest City: SPRINGFIELD

County: CONWAY Route: 0. RD. 55 & 2 Section: 8 Log Mile:

Land Section Number: 8 Township: 07N Range: 14W

Land Section: SW

Latitude: N 35 15 12.0 Longitude: W 92 30 50.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 92.873 Elevation (Feet): 304.701

Description: DISC IN TOP OF RT. WINGWALL AT BEGINNING OF BR. 4595 (STA. 18+47)  
(DISC IS ON CONWAY END OF BRIDGE.) \*\*NOTE: BRIDGE SPANS  
CADRON CREEK & IS ON CONWAY-FAULKNER COUNTY  
LINE.\*\*RECOVERED 7-7-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 150019

Class:

Vertical Datum:

Established by: RE OFFICE #84

Date Established: 12/28/1998

System: STATE Job Number: R80092 Nearest City: OVERCUP

County: CONWAY Route: 9 Section: 8 Log Mile: 4.70

Land Section Number: 33 Township: 07N Range: 16W

Land Section: SE

Latitude: N 35 12 17.0 Longitude: W 92 41 57.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 92.9175 Elevation (Feet): 304.847

Description: STANDARD AHTD DISC 9 METERS LEFT CENTERLINE STATION 48+28 IN  
SW HEADWALL OF A QUAD 3000MM X 1800MM X 18.2 METER R. C. BOX  
CULVERT RECOVERED 7-6-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 150020

Class:

Vertical Datum:

Established by: RE OFFICE #84

Date Established: 12/29/1998

System: STATE

Job Number: R80092

Nearest City: OVERCUP

County: CONWAY

Route: 9

Section: 8

Log Mile: 6.72

Land Section Number: 22

Township: 07N

Range: 16W

Land Section: SE

Latitude: N 35 13 42.0

Longitude: W 92 41 07.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 103.234

Elevation (Feet): 338.694

Description: STANDARD AHTD DISC 6.7 METERS RIGHT CENTERLINE STATION  
80+75 IN NE CORNER HEADWALL OF A DBL. 2400MM X 1600MM X 10.3  
METER R. C. BOX CULVERT RECOVERED 7-6-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 150021

Class:

Vertical Datum:

Established by: RE OFFICE #84

Date Established: 12/28/1998

System: STATE

Job Number: R80092

Nearest City: SOLGOHACHIA

County: CONWAY

Route: 9

Section: 8

Log Mile: 8.08

Land Section Number: 14

Township: 07N

Range: 16W

Land Section: SW

Latitude: N 35 14 49.0

Longitude: W 92 40 44.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 116.984

Elevation (Feet): 383.805

Description: STANDARD AHTD DISC 9 METERS RIGHT CENTERLINE STATION 201+74  
IN NE CORNER HEADWALL OF A DBL. 2700MM X 1500MM X 21.0 METER  
R. C. BOX CULVERT. RECOVERED 7-6-99 CREW S5102

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 150022

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #86

Date Established: 11/4/2005

System: STATE

Job Number: 080209

Nearest City: MORRILTON

County: CONWAY

Route: 113

Section: 6

Log Mile: 3.62

Land Section Number: 15

Township: 06N

Range: 17W

Land Section: SW

Latitude: N 35 09 47.4

Longitude: W 92 48 13.2

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 93.665

Elevation (Feet): 307.299

Description: AHTD ALUM CAP SET IN NE COR OF PARAPET WALL OF BRIDGE #06988  
OVER POINT REMOVE CREEK

Comments: R.E. GARY BUZBEE. Elevations were entered but cannot be verified due to no  
information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 150023

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established: 6/9/2006

System: STATE

Job Number: 080113

Nearest City: MORRILTON

County: CONWAY

Route: 132

Section: 1

Log Mile: 0.46

Land Section Number: 7

Township: 06N

Range: 16W

Land Section: SE

Latitude: N 35 10 18.4

Longitude: W 92 44 22.8

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 94.725933

Elevation (Feet): 310.780

Description: DISK IN HEADWALL NW CORNER BOX CULVERT, STA. 24+30

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 150024

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #86

Date Established: 6/9/2006

System: STATE Job Number: 080113 Nearest City: MORRILTON

County: CONWAY Route: 132 Section: 1 Log Mile: 1.11

Land Section Number: 8 Township: 06N Range: 16W

Land Section: SE

Latitude: N 35 10 12.8 Longitude: W 92 43 41.7 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 101.36144 Elevation (Feet): 332.550

Description: DISK IN HEADWALL SW CORNER BOX CULVERT, STA. 58+50, 37' RIGHT OF CENTERLINE

Comments: R.E. GARY BUZBEE

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 150025

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established: 6/9/2006

System: STATE

Job Number: 080113

Nearest City: MORRILTON

County: CONWAY

Route: 132

Section: 1

Log Mile: 1.28

Land Section Number: 8

Township: 06N

Range: 16W

Land Section: SE

Latitude: N 35 10 13.6

Longitude: W 92 43 32.2

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 103.62306

Elevation (Feet): 339.970

Description: DISK IN HEADWALL NW CORNER BOX CULVERT, STA. 67+75. 44' LEFT OF CENTERLINE

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 150026

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #84

Date Established: 3/6/2014

System: STATE

Job Number: 080386

Nearest City: MORRILTON

County: CONWAY

Route: 95

Section: 1

Log Mile: 7.25

Land Section Number:

Township: 07N

Range: 17W

Land Section:

Latitude: N 35 15 02.36000

Longitude: W 92 43 59.32000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 92.8169

Elevation (Feet): 304.517

Description: SET ALUMINUM CAP SOUTH END OF HEADWALL STATION 208+96 37' RT.

Comments: ELEVATION VERIFIED FROM THREE WIRE DATA AND AVAILABLE ON EDM IN RE\_080386BM.ZIP

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160002

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established: 1/1/1996

System: STATE Job Number: 10993 Nearest City:

County: CRAIGHEAD Route: 18 Section: 4 Log Mile: 1.90

Land Section Number: 28 Township: 14N Range: 04E

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 80.4 Elevation (Feet): 263.779

Description: AHTD R/W DISC @ R/W LINE 50' RT. STA. 121+98.8 NOT RECOVERED BY S5102 ON 12/29/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160003

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System: STATE

Job Number: N/A

Nearest City:

County: CRAIGHEAD

Route: 49

Section: 3

Log Mile: 4.5

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.711

Elevation (Feet): 261.519

Description: [ ] S.E. CORNER E. HEADWALL. NOT RECOVERED BY S5102 ON 12/28/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160004

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City: BROOKLAND

County: CRAIGHEAD

Route: 49

Section: 3

Log Mile: 5.1

Land Section Number: 29

Township: 15N

Range: 05E

Land Section: SE

Latitude: N 35 53 49.4

Longitude: W 90 35 00.7

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.056

Elevation (Feet): 265.931

Description: [ ] S.W. CORNER S.W. POST. "[ ]" CUT SE CORNER OF SE ABUTMENT  
BRIDGE AT LOG MILE 5.12. RECOVEREE BY S5102 O N 12/28/99.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160005

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City: BROOKLND

County: CRAIGHEAD

Route: 49

Section: 3

Log Mile: 5.6

Land Section Number: 32

Township: 15N

Range: 05E

Land Section: NE

Latitude: N 35 53 31.4

Longitude: W 90 35 15.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.062

Elevation (Feet): 265.951

Description: [] S.W. CORNER S.W. POST. BRIDGE OVER "WHITTEN CREEK" AT LOG MILE 5.54. JUST NORTH OF BEG. OF BROOKLAND BYPASS. RECOVERED BY S5102 ON 12/28/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160006

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System: STATE

Job Number: N/A

Nearest City: BROOKLAND

County: CRAIGHEAD

Route: 49

Section: 3

Log Mile: 6.5

Land Section Number: 31

Township: 15N

Range: 05E

Land Section: SW

Latitude: N 35 52 51.5

Longitude: W 90 35 48.7

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.839

Elevation (Feet): 261.938

Description: [] S.W. CORNER S. WALL. THE BRIDGE IS CURRENTLY UNDER RECONSTRUCTION. RECOVERED BY S5102 ON 12/28/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160007

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System: STATE

Job Number: N/A

Nearest City:

County: CRAIGHEAD

Route: 49

Section: 3

Log Mile: 6.8

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.361

Elevation (Feet): 260.370

Description: [] S.W. CORNER E. HEADWALL NOT RECOVERED BY S5102 ON 12/28/99.  
RESONSTRUCTION IN PROGRESS.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160008

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System: STATE

Job Number: N/A

Nearest City:

County: CRAIGHEAD

Route: 49

Section: 3

Log Mile: 7.5

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.355

Elevation (Feet): 253.789

Description: [ ] N.E. CORNER S. HEADWALL RECONSTRUCTION IN PROGRESS. NOT  
RECOVERED BY S5102 ON 12/28/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160009

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System: STATE

Job Number: N/A

Nearest City:

County: CRAIGHEAD

Route: 49

Section: 3

Log Mile: 7.9

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 78.105

Elevation (Feet): 256.249

Description: [] S.W. CORNER S. HEADWALL. RECONSTRUCTION IS PROGRESS. NOT  
RECOVERED BY S5102 ON 12/28/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160010

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City:

County: CRAIGHEAD

Route: 49

Section: 3

Log Mile: 0.0

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 90.477

Elevation (Feet): 296.840

Description: [ ] S.E. CORNER E. HEADWALL. RECONSTRUCTION. NOT RECOVERED  
BY S5102 BY S5102 ON 12/28/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160011

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City:

County: CRAIGHEAD

Route: 49

Section: 3

Log Mile: 0.3

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 89.663

Elevation (Feet): 294.169

Description: [] S.E. CORNER E. HEADWALL. RECONSTRUCTION. NOT RECOVERED  
BYN S5102 ON 12/28/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160012

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City:

County: CRAIGHEAD

Route: 49

Section: 3

Log Mile: 0.6

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 90.212

Elevation (Feet): 295.971

Description: [] S.E. CORNER E. HEADWALL. RECONSTRUCTION. NOT RECOVERED  
BY S5102 ON 12/28/99.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160013

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City:

County: CRAIGHEAD

Route: 49

Section: 3

Log Mile: 1.4

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 91.315

Elevation (Feet): 299.589

Description: [ ] S.E. CORNER E. HEADWALL. NOT RECOVERED BY S5102 ON 12/28/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160014

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City: BROOKLAND

County: CRAIGHEAD

Route: 49

Section: 3

Log Mile: 2.3

Land Section Number: 8

Township: 15N

Range: 05E

Land Section: SE

Latitude: N 35 56 12.9

Longitude: W 90 34 35.7

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 87.569

Elevation (Feet): 287.299

Description: [] S.E. CORNER S.E. WING WALL. IN BRIDGE AT LOG MILE 2.28 JUST SOUTH OF NEW BROOKLAND BYPASS AND JUST NORTH OF COUNTY ROAD #952. RECOVERED BY S5102 ON 12/28/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160015

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City: BROOKLAND

County: CRAIGHEAD

Route: 49

Section: 3

Log Mile: 2.5

Land Section Number: 17

Township: 15N

Range: 05E

Land Section: NE

Latitude: N 35 56 02.5

Longitude: W 90 34 36.6

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 86.548

Elevation (Feet): 283.950

Description: [ ] S.E. CORNER E. HEADWALL. DOUBLE RC BOX AT LOGMILE 2.52.  
RECOVERED BY S5102 ON 12/28/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160016

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City: BROOKLAND

County: CRAIGHEAD

Route: 49

Section: 3

Log Mile: 3.5

Land Section Number: 20

Township: 15N

Range: 05E

Land Section: NE

Latitude: N 35 55 09.7

Longitude: W 90 34 36.4

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 83.811

Elevation (Feet): 274.970

Description: [ ] S.E. CORNER E. HEADWALL. RECOVERED BY S5102 ON 12/28/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160017

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City: JONESBORO

County: CRAIGHEAD

Route: 49

Section: 3

Log Mile: 11.3

Land Section Number: 16

Township: 14N

Range: 04E

Land Section:

Latitude: N 35 51 03.1

Longitude: W 90 39 53.4

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 87.392

Elevation (Feet): 286.719

Description: [ ] CENTER E. HEADWALL. RECOVERED BY S5102 ON 12/28/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160018

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City: JONESBORO

County: CRAIGHEAD

Route: 49

Section: 3

Log Mile: 11.9

Land Section Number: 21

Township: 14N

Range: 04E

Land Section:

Latitude: N 35 50 38.1

Longitude: W 90 40 01.6

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.612

Elevation (Feet): 280.879

Description: [ ] CENTER W. HEADWALL. STATION IS JUST NORTH OF ASU FOOTBALL FIELD. RECOVERED BY S5102 ON 12/28/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160019

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System: Job Number: N/A Nearest City:

County: CRAIGHEAD Route: 49 Section: 3 Log Mile: 12.4

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 91.269 Elevation (Feet): 299.438

Description: [] N.E. CORNER W. WHEELGUARD. DESTROYED. CONCRETE HAS BEEN  
CHIPPED AWAY. RECOVERED BY S5102 ON 12/28/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160020

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City: JONESBORO

County: CRAIGHEAD

Route: 49

Section: 3

Log Mile: 12.9

Land Section Number: 21

Township: 14N

Range: 04E

Land Section:

Latitude: N 35 49 37.3

Longitude: W 90 40 07.8

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 80.184

Elevation (Feet): 263.070

Description: [ ] CENTER W. HEADWALL. JUST SOUTH OF JCT. NETTLETON AND 49.  
RECOVERED BY S5102 ON 12/28/99.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160021

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City: JONESBORO

County: CRAIGHEAD

Route: 49

Section: 3

Log Mile: 13.2

Land Section Number: 28

Township: 14N

Range: 04E

Land Section:

Latitude: N 35 49 22.6

Longitude: W 90 40 07.9

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.76

Elevation (Feet): 261.679

Description: [ ] CENTER W. HEADWALL. JUST NORTH OF JCT. 18&49. RECOVERED BY S5102 ON 12/28/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160022

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City: JONESBORO

County: CRAIGHEAD

Route: 49

Section: 3

Log Mile: 13.6

Land Section Number: 28

Township: 14N

Range: 04E

Land Section:

Latitude: N 35 49 01.7

Longitude: W 90 40 08.8

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.388

Elevation (Feet): 260.459

Description: [ ] CENTER W. HEADWALL. NEAR SOUTH ENTRANCE TO  
FAIRGROUNDS. RECOVERED BY S5102 ON 12/28/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160023

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City: JONESBORO

County: CRAIGHEAD

Route: 49

Section: 3

Log Mile: 14.1

Land Section Number: 28

Township: 14N

Range: 04E

Land Section:

Latitude: N 35 48 37.8

Longitude: W 90 40 09.5

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 78.721

Elevation (Feet): 258.270

Description: [ ] CENTER W. HEADWALL. RECOVERED BY S5102 ON 12/28/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160024

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City:

County: CRAIGHEAD

Route: 49

Section: 3

Log Mile: 14.2

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.541

Elevation (Feet): 260.961

Description: [ ] CENTER W. HEADWALL. NOT RECOVERED BY S5102 ON 12/28/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160025

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City:

County: CRAIGHEAD

Route: 49

Section: 3

Log Mile: 3.4

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 91.154

Elevation (Feet): 299.061

Description: PROJECT 10729 STA. 59+64 AHTD BM DISC ON LT. HEADWALL (N. SIDE) OF 10'x4' BOX CULVERT 42' N. OF ROADWAY CENTERLINE. NOT RECOVERED BY S5102 ON 12/28/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160026

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City:

County: CRAIGHEAD

Route: 49

Section: 3

Log Mile: 4.9

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 83.848

Elevation (Feet): 275.091

Description: PROJECT 10729 STA. 136+58 AHTD BM DISC ON LT. HEADWALL (N. SIDE) OF DBL. 8'x8' R.C. BOX CULVERT 43' N. OF RDWY CENTERLINE. NOT RECOVERED BY S5102 ON 12/28/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160027

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City:

County: CRAIGHEAD

Route: 49

Section: 3

Log Mile: 6.3

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 78.886

Elevation (Feet): 258.812

Description: PROJECT 10729 STA. 212+66 AHTD BM DISC ON LT. (N SIDE) HEADWALL OF 8' x 3' RC BOX CULVERT 42' N OF ROADWAY CENTERLINE. NOT RECOVERED BY S5102 ON 12/28/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160028

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City:

County: CRAIGHEAD

Route: 49B

Section: 3B

Log Mile: 2.41

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 102.919

Elevation (Feet): 337.660

Description: AHTD DISC 28.5' LT. STA. 77+00 (4.0' SOUTH OF BEGINNING OF SPAN #3 IN SIDEWALK)

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160029

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established: 3/16/1994

System: STATE

Job Number: R00061

Nearest City:

County: CRAIGHEAD

Route: 49

Section: 4A

Log Mile: 0.0

Land Section Number: 25

Township: 14N

Range: 03E

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 116.434

Elevation (Feet): 382.001

Description: AHTD B.M. CAP, BRIDGE #6412, STA. 20+40.12 HWY. 49, 39' RT. OF  
CENTERLINE. (SOUTHEAST WINGWALL OF BRIDGE #6412)  
\*\*REFERENCE: PAGE 10 OF LEVELS AND ORIG. "X" SECT. BOOK, JOB  
#R00061.\*\*

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160030

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City:

County: CRAIGHEAD

Route: 49

Section: 4

Log Mile: 4.30

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.882

Elevation (Feet): 268.641

Description: [] SOUTH HEADWALL 36" PIPE. NOT RECOVERED BY S5102 ON 12/30/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160031

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City:

County: CRAIGHEAD

Route: 49

Section: 4

Log Mile: 4.62

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 80.486

Elevation (Feet): 264.061

Description: [] CENTER S. HEADWALL DBL. 3x4 BOX. NOT RECOVERED BY S5102 ON 12/28/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160032

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City: VALLEY VIEW

County: CRAIGHEAD

Route: 49

Section: 4

Log Mile: 4.85

Land Section Number: 4

Township: 13N

Range: 03E

Land Section: SW

Latitude: N 35 46 42.0

Longitude: W 90 47 08.8

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.782

Elevation (Feet): 261.751

Description: [ ] CENTER E. HEADWALL JCT HWY 226 AND 49. RECOVERED BY S5102  
ON 12/30/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160033

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City:

County: CRAIGHEAD

Route: 49

Section: 4

Log Mile: 5.08

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.053

Elevation (Feet): 259.360

Description: [ ] S. HEADWALL 6x5 BOX. NOT RECOVERED BY S5102 ON 12/30/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160034

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City:

County: CRAIGHEAD

Route: 49

Section: 4

Log Mile: 5.58

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.078

Elevation (Feet): 252.880

Description: [ ] CENTER HEADWALL LT. NOT RECOVERED BY S5102 ON 12/30/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160035

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City:

County: CRAIGHEAD

Route: 49

Section: 4

Log Mile: 6.28

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.115

Elevation (Feet): 249.721

Description: [] N.W. CORNER N. HEADWALL RT. NOT RECOVERED BY S5102 ON  
12/30/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160036

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City:

County: CRAIGHEAD

Route: 49

Section: 4

Log Mile: 6.58

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.142

Elevation (Feet): 253.090

Description: NIS PP 42' RT. NOT RECOVERED BY S5102 ON 12/30/99.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160037

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City:

County: CRAIGHEAD

Route: 49

Section: 4

Log Mile: 7.33

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.21

Elevation (Feet): 246.751

Description: CPS PP 60' LT. NOT RECOVERED BY S5102 ON 12/30/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160038

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City: GIBSON

County: CRAIGHEAD

Route: 49

Section: 4

Log Mile: 7.65

Land Section Number: 7

Township: 13N

Range: 03E

Land Section: SW

Latitude: N 35 45 47.0

Longitude: W 90 49 20.6

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.636

Elevation (Feet): 248.149

Description: TOP FIRE HYDRANT 40' LT. (E) RECOVERED BY S5102 ON 12/30/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160039

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City:

County: CRAIGHEAD

Route: 49

Section: 4

Log Mile: 7.98

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.505

Elevation (Feet): 251.000

Description: [ ] N. END E. WHEEL QUART 13' LT. NOT RECOVERED BY S5102 ON 12/30/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160040

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City: GIBSON

County: CRAIGHEAD

Route: 49

Section: 4

Log Mile: 8.25

Land Section Number: 13

Township: 13N

Range: 02E

Land Section: NE

Latitude: N 35 45 24.3

Longitude: W 90 49 30.2

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.069

Elevation (Feet): 249.570

Description: TOP FIRE HYDRANT 45' LT. RECOVERED BY S5102 ON 12/30/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160041

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City:

County: CRAIGHEAD

Route: 49

Section: 4

Log Mile: 8.34

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.133

Elevation (Feet): 246.499

Description: [ ] HEADWALL 20' LT. NOT RECOVERED BY S5102 ON 12/30/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160042

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City: OTWELL

County: CRAIGHEAD

Route: 49

Section: 4

Log Mile: 8.67

Land Section Number: 24

Township: 13N

Range: 02E

Land Section:

Latitude: N 35 44 54.9

Longitude: W 90 49 40.8

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.971

Elevation (Feet): 252.529

Description: TOP FIRE HYDRANT 54' LT (E) AT COUNTY ROAD 448. RECOVERED BY S5102 ON 12/30/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160043

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City:

County: CRAIGHEAD

Route: 49

Section: 4

Log Mile: 9.20

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.227

Elevation (Feet): 253.369

Description: TOP FIRE HYDRANT 55' LT. NOT RECOVERED BY S5102 ON 12/30/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160044

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City:

County: CRAIGHEAD

Route: 49

Section: 4

Log Mile: 9.56

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.612

Elevation (Feet): 251.351

Description: NIS PP 40' LEFT. NOT RECOVERED BY S5102 ON 12/30/99.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160045

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City:

County: CRAIGHEAD

Route: 49

Section: 4

Log Mile: 9.80

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.432

Elevation (Feet): 250.761

Description: [ ] HEADWALL 20' LT. E. NOT RECOVERED BY S5102 ON 12/30/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160046

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City:

County: CRAIGHEAD

Route: 49

Section: 4

Log Mile: 10.09

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.798

Elevation (Feet): 251.961

Description: [] CENTER LT. WHEEL GUARD 15' LT. NOT RECOVERED BY S5102 ON 12/30/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160047

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City: OTWELL

County: CRAIGHEAD

Route: 49

Section: 4

Log Mile: 10.30

Land Section Number: 25

Township: 13N

Range: 02E

Land Section: SW

Latitude: N 35 43 34.0

Longitude: W 90 50 11.7

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.855

Elevation (Feet): 255.429

Description: FIRE HYDRANT 75' LT. E RECOVERED BY S5102 ON 12/30/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160048

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City: OTWELL

County: CRAIGHEAD

Route: 49

Section: 4

Log Mile: 10.63

Land Section Number: 35

Township: 13N

Range: 02E

Land Section: NE

Latitude: N 35 43 18.8

Longitude: W 90 50 21.9

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 78.044

Elevation (Feet): 256.049

Description: [] N.E. CORNER SCALE FOUNDATION 50' RT. (W) RECOVERED BY S5102  
ON 12/30/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160049

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City:

County: CRAIGHEAD

Route: 49

Section: 4

Log Mile: 10.80

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.852

Elevation (Feet): 252.139

Description: [ ] CENTER RT. HEADWALL 24" CROSS DRAIN. NOT RECOVERED BY S5102 ON 12/230/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160050

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City:

County: CRAIGHEAD

Route: 49

Section: 4

Log Mile: 11.09

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.929

Elevation (Feet): 252.391

Description: [] S.W. CORNER STORM CELLAR. NOT RECOVERED BY S5102 ON 12/30/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160051

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City:

County: CRAIGHEAD

Route: 49

Section: 4

Log Mile: 11.31

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.176

Elevation (Feet): 253.202

Description: [ ] S.W. CORNER STORM CELLAR. NOT RECOVERED BY 12/20/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160052

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City:

County: CRAIGHEAD

Route: 49

Section: 4

Log Mile: 11.63

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.301

Elevation (Feet): 250.331

Description: [] CUT CENTER OF LEFT HEADWALL. NOT RECOVERED BY S5102 ON 12/30/99.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160053

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City: OTWELL

County: CRAIGHEAD

Route: 49

Section: 4

Log Mile: 11.89

Land Section Number: 35

Township: 13N

Range: 02E

Land Section: SE

Latitude: N 35 42 20.2

Longitude: W 90 50 58.1

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.779

Elevation (Feet): 255.180

Description: [] CUT BASE RR SIGNAL POLE 90' RT. POOR CONDITION CONCRETE,  
BASE IS CRACKED. RECOVERED BY S5102 ON 12/30/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160054

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City:

County: CRAIGHEAD

Route: 49

Section: 4

Log Mile: 0.00

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 107.628

Elevation (Feet): 353.110

Description: [ ] CENTER N.W. HEADWALL 60' RT. NOT RECOVERED BY S5012 ON 12/30/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160055

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City:

County: CRAIGHEAD

Route: 49

Section: 4

Log Mile: 0.51

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 123.395

Elevation (Feet): 404.838

Description: NIS PP 40' LT. NOT RECOVERED BY S5102 ON 12/30/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160056

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City:

County: CRAIGHEAD

Route: 49

Section: 4

Log Mile: 0.96

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 127.202

Elevation (Feet): 417.329

Description: NIS PP 75' LT. NOT RECOVERED BY S5102 ON 12/30/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160057

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City:

County: CRAIGHEAD

Route: 49

Section: 4

Log Mile: 1.28

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 113.474

Elevation (Feet): 372.289

Description: [ ] CENTER HEADWALL LT. NOT RECOVERED BY S5102 ON 12/30/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160058

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City:

County: CRAIGHEAD

Route: 49

Section: 4

Log Mile: 1.77

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 97.387

Elevation (Feet): 319.511

Description: [ ] CENTER LT. HEADWALL NOT RECOVERED BY S5102 ON 12/30/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160059

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City: VALLEY VIEW

County: CRAIGHEAD

Route: 49

Section: 4

Log Mile: 2.23

Land Section Number: 02

Township: 13N

Range: 03E

Land Section:

Latitude: N 35 46 58.7

Longitude: W 90 44 20.2

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 91.721

Elevation (Feet): 300.921

Description: [ ] CENTER RT. WHEEL GUARD. BRIDGE REPLACED WITH BOX. CAP IN SE HEADWALL #160070. RECOVERED BY S5102 ON 12/30/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160060

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City: VALLEY VIEW

County: CRAIGHEAD

Route: 49

Section: 4

Log Mile: 2.31

Land Section Number: 02

Township: 13N

Range: 03E

Land Section:

Latitude: N 35 46 51.6

Longitude: W 90 44 29.2

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 89.139

Elevation (Feet): 292.450

Description: [ ] CENTER LT. (SOUTH) HEADWALL. RECOVERED BY S5102 ON 12/30/99.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160061

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City:

County: CRAIGHEAD

Route: 49

Section: 4

Log Mile: 2.60

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.207

Elevation (Feet): 279.550

Description: [ ] CENTER RT. (NORTH) HEADWALL. NOT RECOVERED BY S5102 ON 12/30/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160062

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City:

County: CRAIGHEAD

Route: 49

Section: 4

Log Mile: 2.99

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.772

Elevation (Feet): 268.280

Description: [ ] CENTER LT. (SOUTH) HEADWALL. NOT RECOVERED IN 12/30/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160063

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City:

County: CRAIGHEAD

Route: 49

Section: 4

Log Mile: 3.23

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 82.165

Elevation (Feet): 269.570

Description: [ ] CENTER LT. (SOUTH) HEADWALL. HEADWALL REGROUTED. NOT RECOVERED BY S5102 ON 12/30/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160064

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City: VALLEY VIEW

County: CRAIGHEAD

Route: 49

Section: 4

Log Mile: 3.68

Land Section Number: 10

Township: 13N

Range: 03E

Land Section: NW

Latitude: N 35 46 40.5

Longitude: W 90 45 41.5

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 83.464

Elevation (Feet): 273.831

Description: [] S.E. CORNER S.E. POST BRIDGE 1305. RECOVERED BY S5102 ON 12/30/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160065

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City:

County: CRAIGHEAD

Route: 49

Section: 4

Log Mile: 3.78

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 84.064

Elevation (Feet): 275.800

Description: TOP FIRE HYDRANT 40' LT. NOT RECOVERED BY S510 ON 12/30/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160066

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City:

County: CRAIGHEAD

Route: 49

Section: 4

Log Mile: 4.06

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 83.031

Elevation (Feet): 272.411

Description: NIS PP 60'LT. NOT RECOVERED BY S5102 ON 12/30/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160067

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: 10937

Nearest City: OTWELL

County: CRAIGHEAD

Route: 49

Section: 4

Log Mile: 10.09

Land Section Number: 25

Township: 13N

Range: 02E

Land Section: SW

Latitude: N 35 43 47.7

Longitude: W 90 50 07.4

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.344

Elevation (Feet): 243.910

Description: AHTD BM CAP IN EAST HEADWALL 50' RT. STA. 600+15 DUPLICATE OF 160071

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160068

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: 10937

Nearest City: GIBSON

County: CRAIGHEAD

Route: 49

Section: 4

Log Mile: 6.27

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 46 39.3

Longitude: W 90 48 28.4

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.145

Elevation (Feet): 249.819

Description: AHTD BM CAP IN EAST CORNER OF SOUTH HEADWALL 30' RT. STA. 812+36. LOGMILE = 6.27. RECOVERED BY S5102 ON 12/30/99.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160069

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: 10937

Nearest City: GIBSON

County: CRAIGHEAD

Route: 49

Section: 4

Log Mile: 8.15

Land Section Number: 13

Township: 13N

Range: 02E

Land Section: NE

Latitude: N 35 45 29.7

Longitude: W 90 49 27.2

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.423

Elevation (Feet): 250.731

Description: AHTD BM CAP IN S.E. WING 25' RT. STA. 711+18. BRIDGE #6012 "BLACK FORK CREEK." RECOVERED BY S5102 ON 12/30/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160070

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: 10937

Nearest City: VALLEY VIEW

County: CRAIGHEAD

Route: 49

Section: 4

Log Mile: 2.23

Land Section Number: 2

Township: 13N

Range: 03E

Land Section:

Latitude: N 35 46 58.7

Longitude: W 90 44 20.2

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 91.242

Elevation (Feet): 299.350

Description: AHTD BM CAP IN S.W. CORNER OF SOUTH HEADWALL 37' RT. OF  
STATION 1025+36. RECOVERED BY S5102 ON 12/30/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160071

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: 10937

Nearest City: OTWELL

County: CRAIGHEAD

Route: 49

Section: 4

Log Mile: 10.09

Land Section Number: 25

Township: 13N

Range: 02E

Land Section: SW

Latitude: N 35 43 47.7

Longitude: W 90 50 07.4

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.344

Elevation (Feet): 243.910

Description: AHTD BENCH MARK IN N.E. CORNER OF EAST HEADWALL 50' RT. OF STA. 600+15. RECOVEREDBY S5102 ON 12/30/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160072

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City:

County: CRAIGHEAD

Route: 63

Section:

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.597

Elevation (Feet): 280.829

Description: DISC IN TOP S.W. CORNER WINGWALL (BR. #5914) KATHLEEN ST. W.  
FR. ROADS. NOT RCOVERED BY S5102 ON 12/29/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160073

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System: Job Number: R00017 Nearest City:

County: CRAIGHEAD Route: 63 Section: 7 Log Mile: 6.19

Land Section Number: 6 Township: 13N Range: 05E

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.918 Elevation (Feet): 232.670

Description: AHTD BM CAP IN TOP OF DROP INLET CENTERLINE MEDIAN STA.  
1109+00

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160074

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: R00017

Nearest City: JONESBORO

County: CRAIGHEAD

Route: 63

Section: 7

Log Mile: 5.89

Land Section Number: 6

Township: 13N

Range: 05E

Land Section:

Latitude: N 35 47 10.0

Longitude: W 90 36 09.6

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 71.049

Elevation (Feet): 233.100

Description: AHTD BM CAP IN TOP OF DROP INLET CENTERLINE MEDIAN STA.  
1125+00. CAP IS STAMPED "233.10." RECOVERED BY S5102 ON 12/29/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160075

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: R00017

Nearest City:

County: CRAIGHEAD

Route: 63

Section: 7

Log Mile: 5.55

Land Section Number: 6

Township: 13N

Range: 05E

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.942

Elevation (Feet): 232.749

Description: AHTD BM CAP IN TOP OF DROP INLET CENTERLINE MEDIAN STA.  
1142+80

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160076

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: R00018

Nearest City:

County: CRAIGHEAD

Route: 63

Section: 7

Log Mile: 8.66

Land Section Number: 17

Township: 13N

Range: 05E

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 78.733

Elevation (Feet): 258.310

Description: AHTD B.M. CAP IN S.E. WING BRIDGE NO. 6170-B

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160077

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: R00018

Nearest City:

County: CRAIGHEAD

Route: 63

Section: 7

Log Mile: 6.64

Land Section Number: 6

Township: 13N

Range: 05E

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.101

Elevation (Feet): 236.551

Description: AHTD B.M. CAP IN CENTER OF N.E. WING 20' RT. OF STA. 1085+28  
BRIDGE NO. 6172A

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160078

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System: Job Number: R00018 Nearest City:

County: CRAIGHEAD Route: 63 Section: 7 Log Mile: 4.20

Land Section Number: 35 Township: 14N Range: 04E

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.151 Elevation (Feet): 259.681

Description: AHTD BM CAP IN S.E. WING 21' RT. OF STA. 18+13 COMMERCIAL DR. BR. NO. 6173

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160079

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: R00017

Nearest City: JONESBORO

County: CRAIGHEAD

Route: 63

Section: 7

Log Mile: 5.55

Land Section Number: 6

Township: 13N

Range: 05E

Land Section:

Latitude: N 35 47 21.3

Longitude: W 90 36 25.8

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.942

Elevation (Feet): 232.749

Description: AHTD BM CAP IN TOP OF DROP INLET CENTERLINE MED. STA. 1142+80.  
RECOVERED BY S5102 ON 12/29/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160080

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System: Job Number: R00017 Nearest City:

County: CRAIGHEAD Route: 63 Section: 7 Log Mile: 3.79

Land Section Number: 35 Township: 14N Range: 04E

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 73.393 Elevation (Feet): 240.790

Description: AHTD BM CAP IN TOP OF DROP INLET CENTERLINE MED. STA. 1236+00

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160081

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: R00017

Nearest City:

County: CRAIGHEAD

Route: 63

Section: 7

Log Mile: 4.60

Land Section Number: 36

Township: 14N

Range: 04E

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 71.546

Elevation (Feet): 234.731

Description: AHTD BM CAP IN TOP OF DROP INLET CENTERLINE MED. STA. 1193+01

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160082

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: R00017

Nearest City: JONESBORO

County: CRAIGHEAD

Route: 63

Section: 7

Log Mile: 6.19

Land Section Number: 6

Township: 13N

Range: 05E

Land Section:

Latitude: N 35 47 00.0

Longitude: W 90 35 55.1

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.918

Elevation (Feet): 232.670

Description: AHTD BM CAP IN TOP OF DROP INLET CENTERLINE MED. STA. 1109+00.  
RECOVERED BY S5102 ON 12/29/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160083

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System: Job Number: R00017 Nearest City:

County: CRAIGHEAD Route: 63 Section: 7 Log Mile: 5.89

Land Section Number: 6 Township: 13N Range: 05E

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 71.049 Elevation (Feet): 233.100

Description: AHTD BM CAP IN TOP OF DROP INLET CENTERLINE MED. STA. 1125+00

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160084

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: R00018

Nearest City: BAY

County: CRAIGHEAD

Route: 63

Section: 7

Log Mile: 6.64

Land Section Number: 6

Township: 13N

Range: 05E

Land Section:

Latitude: N 35 46 45.3

Longitude: W 90 35 34.1

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.101

Elevation (Feet): 236.551

Description: AHTD BM CAP IN CENTER OF N.E. WING 20' RT. OF STA. 1085+28 BRIDGE NO. 6172A. STATION IS IN SOUTHEAST WING OF BRIDGE. RECOVERED BY S5102 ON 12/29/99.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160085

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: R00018

Nearest City: JONESBORO

County: CRAIGHEAD

Route: 63

Section: 7

Log Mile: 4.20

Land Section Number: 35

Township: 14N

Range: 04E

Land Section:

Latitude: N 35 48 03.0

Longitude: W 90 37 28.5

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.151

Elevation (Feet): 259.681

Description: AHTD BM CAP IN S.E. WING 21' RT. OF STA. 18+13 COMMERCIAL DR.  
BRIDGE NO. 6173. RECOVERED BY S5102 ON 12/29/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160086

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: R00017

Nearest City: BAY

County: CRAIGHEAD

Route: 63

Section: 7

Log Mile: 7.49

Land Section Number: 8

Township: 13N

Range: 05E

Land Section:

Latitude: N 35 46 18.8

Longitude: W 90 34 48.9

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.196

Elevation (Feet): 227.021

Description: BENCH MARK CAP IN N.E. CORNER HEADWALL R.C. BOX CULVERT 140'  
RT. STA. 1040+50. CAP IS IN NORTHWEST CORNER OF HEADWALL.  
RECOVERED BY S5102 ON 12/29/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160087

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: R00018

Nearest City: BAY

County: CRAIGHEAD

Route: 63

Section: 7

Log Mile: 8.66

Land Section Number: 17

Township: 13N

Range: 05E

Land Section:

Latitude: N 35 45 19.9

Longitude: W 90 34 41.7

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 78.733

Elevation (Feet): 258.310

Description: AHTD BM CAP IN S.E. WING BRIDGE NO. 6170-B. RECOVERED BY S5102 ON 12/29/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160088

Class:

Vertical Datum:

Established by:

RE OFFICE #06

Date Established:

System:

Job Number:

R00017

Nearest City:

County:

CRAIGHEAD

Route:

INTCHG. F

Section:

7

Log Mile:

0.34

Land Section Number:

17

Township:

13N

Range:

05E

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

68.885

Elevation (Feet):

226.000

Description:

AHTD BM CAP IN S.E. CORNER OF SOUTH HEADWALL 27' RT. OF STA.  
148+40 LT. FR. RD. (HWY 158)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160089

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 2/3/2004

System: STATE

Job Number: R00062

Nearest City: JONESBORO

County: CRAIGHEAD

Route: 63

Section: 7

Log Mile: 1.14

Land Section Number: 28

Township: 14N

Range: 04E

Land Section: SW

Latitude: N 35 48 24.4

Longitude: W 90 40 39.8

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 88.2528

Elevation (Feet): 289.543

Description: AHTD BM CAP IN TOP OF SE WING OF BR NO. 6315 ON CARAWAY ROAD (JONESBORO) 182' LT. (SOUTH) OF C/L HWY. 63 STA. 192+52 RECON (S5102) 12/29/99. (Old ZC=88.218M) ELEV BY 3WR LOOP FROM NGS A242 BY S5103 ON 1/2004

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160090

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System: STATE

Job Number: R00062

Nearest City:

County: CRAIGHEAD

Route: 63

Section: 7

Log Mile: 0.80

Land Section Number: 30

Township: 14N

Range: 04E

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 80.321

Elevation (Feet): 263.520

Description: AHTD BM CAP IN CENTER OF NORTH HEADWALL 28' RT. OF  
CENTERLINE STA. 186+55 RAMP #1 CARAWAY ROAD INTERCHANGE.  
NOT RECOVERED BY S5102 ON 12/29/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160091

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: R00017

Nearest City: BAY

County: CRAIGHEAD

Route: HWY. 158

Section: 5

Log Mile: 0.34

Land Section Number: 17

Township: 13N

Range: 05E

Land Section:

Latitude: N 35 45 11.8

Longitude: W 90 34 51.4

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.885

Elevation (Feet): 226.000

Description: AHTD BM CAP IN S.E. CORNER OF SOUTH HEADWALL 27' RT. OF STA. 148+40 LT. FR. RD. (HWY 158). RECOVERED BY S5102 ON 12/29/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160092

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 2/3/2004

System: STATE

Job Number: R00060

Nearest City: JONESBORO

County: CRAIGHEAD

Route: 63

Section: 7

Log Mile: 0.0

Land Section Number: 30

Township: 14N

Range: 04E

Land Section: SE

Latitude: N 35 48 25.5

Longitude: W 90 41 55.7

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 93.173

Elevation (Feet): 305.685

Description: AHTD BM CAP IN TOP OF SW WING OF BR NO. 6279 ON HWY IB  
(JONESBORO) 124' LT. (SOUTH) OF C/L HWY 63 STA. 18+76. RECON  
(S5102) 12/29/99. (Old ZC=93.107M 2/7/91) ELEV BY 3WR LOOP FROM NGS  
A242 BY S5103 ON 1/2004

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160093

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established: 2/1/1992

System: STATE Job Number: R00068 Nearest City:

County: CRAIGHEAD Route: 63 Section: 7 Log Mile:

Land Section Number: 34 Township: 14N Range: 04E

Land Section: NE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.24 Elevation (Feet): 243.569

Description: STATE BM EAST END R.C. BOX CULVERT HEADWALL 92' RT. STATION 23+40 WILLOW ROAD. \*\*NOTE: BM1 IS LOCATED SOUTH ON HWY. 63, APPROX. 1.0 MILES FROM BM2.\*\*

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160094

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established: 2/1/1992

System: STATE Job Number: R00068 Nearest City:

County: CRAIGHEAD Route: 63 Section: 7 Log Mile:

Land Section Number: 33 Township: 14N Range: 04E

Land Section: NE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 86.88

Elevation (Feet): 285.039

Description: STATE BM IN TOP OF WING RAIL STA. 18+14.58, STADIUM BLVD. BM  
LOCATED IN SE WING OF BRIDGE NO. 6352. INFO RECORDED IN JOB  
BOOK "WILLOW BR. PROFILE" BR# 6352.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160095

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: R00017

Nearest City:

County: CRAIGHEAD

Route: 63

Section: 7

Log Mile: 5.15

Land Section Number: 36

Township: 14N

Range: 04E

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 71.336

Elevation (Feet): 234.042

Description: AHTD B.M. CAP IN CENTER OF HEADWALL 110' LT. STA. 1163+89

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160096

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System: Job Number: R00017 Nearest City:

County: CRAIGHEAD Route: 63 Section: 7 Log Mile: 4.88

Land Section Number: 36 Township: 14N Range: 04E

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 71.183 Elevation (Feet): 233.540

Description: BENCH MARK CAP IN CENTER OF EAST HEADWALL OF R.C. BOX  
CULVERT 160' RT. STA. 1177+90

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160097

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: R00017

Nearest City:

County: CRAIGHEAD

Route: 63

Section: 7

Log Mile: 7.49

Land Section Number: 8

Township: 13N

Range: 05E

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.196

Elevation (Feet): 227.021

Description: BENCH MARK CAP IN N.E. CORNER HEADWALL R.C. BOX CULVERT  
140' RT. STA. 1040+50

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160098

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: R00017

Nearest City: JONESBORO

County: CRAIGHEAD

Route: 63

Section: 7

Log Mile: 4.88

Land Section Number: 36

Township: 14N

Range: 04E

Land Section:

Latitude: N 35 47 45.1

Longitude: W 90 36 55.2

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 71.183

Elevation (Feet): 233.540

Description: BENCH MARK CAP IN CENTER OF EAST HEADWALL OF R.C. BOX  
CULVERT 160' RT. STA. 1177+90. RECOVERED BY S5102 ON 12/29/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160099

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: R00017

Nearest City: JONESBORO

County: CRAIGHEAD

Route: 63

Section: 7

Log Mile: 5.15

Land Section Number: 36

Township: 14N

Range: 04E

Land Section:

Latitude: N 35 47 34.5

Longitude: W 90 36 45.4

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 71.336

Elevation (Feet): 234.042

Description: AHTD BM CAP IN CENTER OF HEADWALL 110' LT. STA. 1163+89.  
RECOVERED BY S5102 ON 12/29/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160100

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: R00017

Nearest City:

County: CRAIGHEAD

Route: 63

Section: 7

Log Mile: 3.79

Land Section Number: 35

Township: 14N

Range: 04E

Land Section:

Latitude: N 35 48 20.9

Longitude: W 90 37 52.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 73.393

Elevation (Feet): 240.790

Description: AHTD BM CAP IN TOP OF DROP INLET CENTERLINE MEDIAN STA.  
1236+00. DESTROYED. CAP GONE BUT SHANK REMAINS. RECOVERED  
BY S5102 ON 12/29/99.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160101

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: R00017

Nearest City: JONESBORO

County: CRAIGHEAD

Route: 63

Section: 7

Log Mile: 4.60

Land Section Number: 36

Township: 14N

Range: 04E

Land Section:

Latitude: N 34 47 53.6

Longitude: W 90 37 11.6

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 71.546

Elevation (Feet): 234.731

Description: AHTD BM CAP IN TOP OF DROP INLET CENTERLINE MEDIAN STATION  
1193+01. RECOVERED BY S5102 ON 12/29/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160102

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established: 4/27/1993

System: STATE

Job Number: R00014

Nearest City: BAY

County: CRAIGHEAD

Route: 63

Section: 7 & 8

Log Mile: 9.6

Land Section Number: 20

Township: 13N

Range: 05E

Land Section: SE

Latitude: N 35 44 29.5

Longitude: W 90 34 49.6

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.819

Elevation (Feet): 252.030

Description: AHTD DISC S.W. PARAPET WING 15' RT. STA. 18+70, CO. RD. #148  
APPROX. STA. 926+23 130' RT. CENTERLINE MAIN LINE. INFO. IN LEVEL  
LINE AND "X" SECTION, PG. 18, BR. #6402, CO. RD. # 148. ROAD IS NOW  
#638. RECOVERED BY S5102 ON 12/29/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160103

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established: 3/28/1994

System: STATE

Job Number: R00014

Nearest City: BAY

County: CRAIGHEAD

Route: 63

Section: 7 & 8

Log Mile: 12.4

Land Section Number: 33

Township: 13N

Range: 05E

Land Section: SW

Latitude: N 35 42 19.5

Longitude: W 90 34 01.7

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.545

Elevation (Feet): 247.851

Description: AHTD DISC S.W. PARAPET WING 15' RT. STA. 18+25. COUNTY ROAD #704. BR.#6400. INFO IN LEVEL LINE AND "X" SECTION BOOK PAGE 11 R0814 FIELD BOOKS. APPROX. STA. 780+52 130' RT. CENTERLINE MAIN LANE HWY 63. NOW KNOWN AS ROAD #652. RECOVERED BY S5102 ON 12/29/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160104

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City: JONESBORO

County: CRAIGHEAD

Route: 63B

Section: 6B

Log Mile: 1.58

Land Section Number: 10

Township: 14N

Range: 03E

Land Section: SE

Latitude: N 35 51 08.3

Longitude: W 90 45 01.8

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 88.74

Elevation (Feet): 291.141

Description: "[ ]" TOP & EAST END SOUTH WHEELGUARD BRIDGE BIG CREEK DITCH  
#1002. RECOVERED BY S5102 ON 12/29/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160105

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: 100017

Nearest City:

County: CRAIGHEAD

Route: 148

Section: 5

Log Mile: 3.56

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.625

Elevation (Feet): 231.709

Description: B U CAP 15' LT CENTERLINE STATION 0+18. NOT RECOVERED BY S5102  
ON 12/29/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160106

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: 100017

Nearest City:

County: CRAIGHEAD

Route: 148

Section: 5

Log Mile: 3.31

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.452

Elevation (Feet): 231.141

Description: B U CAP 15' LT CENTERLINE STATION 13+00. NIOT RECOVERED BY S5102 ON 12/28/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160107

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: 100110

Nearest City: APT

County: CRAIGHEAD

Route: 158

Section: 5

Log Mile: 4.59

Land Section Number: 22

Township: 13N

Range: 04E

Land Section: NW

Latitude: N 35 44 51.4

Longitude: W 90 39 08.2

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.555

Elevation (Feet): 238.041

Description: AHTD BM CAP IN SOUTHWEST WING 18' RT. STA. 50+23 BRIDGE NO. 6119. BRIDGE OVER 'VINEY SLOUGH DITCH.' RECOVERED BY S5102 ON 12/29/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160108

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: 100110

Nearest City: BAY

County: CRAIGHEAD

Route: 158

Section: 5

Log Mile:

Land Section Number: 18

Township: 13N

Range: 05E

Land Section: SE

Latitude: N 35 44 59.8

Longitude: W 90 35 37.1

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.065

Elevation (Feet): 229.872

Description: AHTD BM CAP IN NORTH HEADWALL 20' LT. STATION 92+30.  
RECOVERED BY S5102 ON 12/29/99.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160109

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System: Job Number: 10967 Nearest City:

County: CRAIGHEAD Route: 351 Section: 1A Log Mile: 0.2

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 80.967 Elevation (Feet): 265.639

Description: STATION 44+43 AHTD DISK TOP SW BRIDGE END POST BRIDGE 5810  
36' RT. OF CENTERLINE NETTLETON AVE.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160112

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #06

Date Established: 8/23/1995

System: STATE

Job Number: 100329

Nearest City:

County: CRAIGHEAD

Route: 49B

Section: 3B

Log Mile:

Land Section Number: 30

Township: 14N

Range: 04E

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 90.007

Elevation (Feet): 295.298

Description: AHTD DISK IN EAST HDWL. OF R. C. BOX CULVERT 46' RT. OF STA.  
65+18 ON SOUTHWEST DRIVE IN JONESBORO.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160113

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #06

Date Established: 4/22/1997

System: STATE

Job Number: R00081

Nearest City: GOOBER TOWN

County: CRAIGHEAD

Route: 49

Section: 3

Log Mile: 0.39

Land Section Number: 4

Township: 15N

Range: 05E

Land Section: NW

Latitude: N 35 57 38.0

Longitude: W 90 33 54.3

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 89.319

Elevation (Feet): 293.041

Description: B. M. #3 AHTD B. M. CAP IN CENTER OF HDWL 69' RT. STA. 524+14.  
RECOVERED BY S5102 ON 12/28/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160114

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #06

Date Established: 4/22/1997

System: STATE

Job Number: R00081

Nearest City: GOOBER TOWN

County: CRAIGHEAD

Route: 49

Section: 3

Log Mile: 0.26

Land Section Number: 4

Township: 15N

Range: 05E

Land Section: NW

Latitude: N 35 57 45.9

Longitude: W 90 33 47.9

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 89.166

Elevation (Feet): 292.539

Description: B. M. #4 AHTD B. M. CAP IN CENTER OF HDWL. 59' RT. STA. 531+43.  
RECOVERED BY S5102 ON 12/28/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160115

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #06

Date Established: 4/22/1997

System: STATE

Job Number: R0081

Nearest City: GOOBER TOWN

County: CRAIGHEAD

Route: 49

Section: 3

Log Mile: 1.38

Land Section Number: 8

Township: 15N

Range: 05E

Land Section: NE

Latitude: N 35 57 01.9

Longitude: W 90 34 33.8

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 89.989

Elevation (Feet): 295.239

Description: B. M. #1 AHTD B. M. CAP IN CENTER OF HDWL. @ STA. 471+85 RT.  
RECOVERED BY S5102 ON 12/28/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160116

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #06

Date Established: 4/22/1997

System: STATE

Job Number: R00081

Nearest City: GOOBER TOWN

County: CRAIGHEAD

Route: 49

Section: 3

Log Mile: 0.59

Land Section Number: 4

Township: 15N

Range: 05E

Land Section: NW

Latitude: N 35 57 30.4

Longitude: W 90 34 03.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 89.63

Elevation (Feet): 294.061

Description: B. M. #2 AHTD B. M. CAP IN CENTER OF HDWL. 60' RT. @ STA. 513+70.  
RECOVERED BY S5012 ON 12/28/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160118

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #06

Date Established:

System:

Job Number: BR-16-4

Nearest City: CASH

County: CRAIGHEAD

Route: CR 14

Section:

Log Mile:

Land Section Number: 9

Township: 13N

Range: 02e

Land Section: SE

Latitude: N 35 45 48.7

Longitude: W 90 52 34.2

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.441

Elevation (Feet): 244.229

Description: AHTD BM CAP IN CENTER OF N.W. WING BR. NO. 4563, 17' LT. STA.  
67+25 EMERSON DITCH, APPROX. 3 MILES WEST OF U. S. 49. STATION  
ON COUNTY ROAD 204. RECOVERED BY S5102 ON 12/28/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160119

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #06

Date Established:

System: Job Number: BR-16-2 Nearest City:

County: CRAIGHEAD Route: CR 448 Section: Log Mile:

Land Section Number: 14 Township: 14N Range: 03E

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 87.904 Elevation (Feet): 288.398

Description: AHTD BENCH MARK IN CENTER OF SOUTHW EST WING 19' LT.  
CENTERLINE STA. 21+90 BR. NO. 4538. LOST CREEK DITCH BRIDGE 1/2  
MILE SOUTH OF 63B JONESBORO. NOW KNOW AS "LACY DRIVE."  
RECOVERED BY S5102 ON 12/30/99.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160120

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #06

Date Established:

System: STATE

Job Number: R00068

Nearest City:

County: CRAIGHEAD

Route: 63

Section: 7

Log Mile: \*

Land Section Number: 34

Township: 14N

Range: 04E

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.24

Elevation (Feet): 243.569

Description: (BM #1) STATE B. M. EAST END R. C. BOX CULVERT HEADWALL 92' RT. STATION 23+40, WILLOW RD. \*NOTE: BM #1 IS LOCATED SOUTH ON HWY. 63, APPROX. 1.0 MILES FROM BM #2

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160121

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System: STATE

Job Number: R00068

Nearest City:

County: CRAIGHEAD

Route: 63

Section: 7

Log Mile: \*

Land Section Number: 33

Township: 14N

Range: 04E

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 86.88

Elevation (Feet): 285.039

Description: (BM #2) STATE B. M. IN TOP OF WING RAIL STA. 18+14.88, STADIUM BLVD. BM LOCATED IN SE WING OF BRIDGE NO. 6352. INFO. RECORDED IN JOB BOOK "WILLOW BR. PROFILE" BR. # 6352. \*NOTE: BM #1 IS LOCATED SOUTH ON HWY. 63, APPROX. 1.0 MILES FORM BM #2.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160122

Class:

Vertical Datum:

Established by: RE OFFICE #04

Date Established:

System: COUNTY Job Number: BR-16-3 Nearest City:

County: CRAIGHEAD Route: CR 69 Section: B Log Mile: 3.00

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 73.134 Elevation (Feet): 239.940

Description: DISC IN RT. WING W. END BRIDGE STATION 17+16. NOT RECOVERED  
BY S5102 ON 12/28/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160123

Class:

Vertical Datum:

Established by: RE OFFICE #04

Date Established:

System: COUNTY Job Number: BR-16-3 Nearest City:

County: CRAIGHEAD Route: CR 69 Section: B Log Mile: 4.20

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 73.131 Elevation (Feet): 239.931

Description: DISC IN RT. WING W. END BR. STA. 62+10.5 NOT RECOVERED BY S5102  
ON 12/28/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160124

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City: BONO

County: CRAIGHEAD

Route: 230

Section: 7A

Log Mile: 3.60

Land Section Number: 30

Township: 15N

Range: 02E

Land Section:

Latitude: N 35 54 30.9

Longitude: W 90 48 34.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 24.023

Elevation (Feet): 78.815

Description: "[ ]" TOP SE ABUT. BR. (TBM 1) RECOVERED BY S5102 ON 12/30/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160125

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: N/A

Nearest City: BONO

County: CRAIGHEAD

Route: 230

Section: 7A

Log Mile: 0.87

Land Section Number: 27

Township: 15N

Range: 02E

Land Section: NE

Latitude: N 35 54 31.4

Longitude: W 90 50 49.2

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 22.965

Elevation (Feet): 75.344

Description: "[ ]" TOP SE ABUT. BR. (TBM 2) RECOVERED S5102 ON 12/20/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160126

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established: 6/26/1986

System: CITY

Job Number: 100136

Nearest City:

County: CRAIGHEAD

Route: ARAWAY R

Section:

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 84.082

Elevation (Feet): 275.859

Description: AHTD BM CAP IN TOP D.I. 40' RT. STA. 36+20.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160127

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System:

Job Number: 100219

Nearest City: JONESBORO

County: CRAIGHEAD

Route: ST DR. (G. I

Section:

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 89.761

Elevation (Feet): 294.491

Description: AHTD BM CAP IN SE WINGWALL @ END OF BR. NO. 4594. NOT  
RECOVERED BY S5102 ON 12/29/99.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160128

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #06

Date Established:

System: COUNTY

Job Number: BR-16-4

Nearest City: CASH

County: CRAIGHEAD

Route: CR 14

Section:

Log Mile:

Land Section Number: 8

Township: 13S

Range: 02E

Land Section:

Latitude: N 35 45 50.7

Longitude: W 90 54 43.5

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.441

Elevation (Feet): 244.229

Description: AHTD BM CAP IN CENTER OF NW WING BR. NO. 4563, 17' LT. STA. 57+25.  
STATION IS ON COUNTY ROAD 204. RECOVERED BY S5102 ON 12/28/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160129

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established: 12/8/1998

System: STATE

Job Number: 100153

Nearest City: LAKE CITY

County: CRAIGHEAD

Route: 18

Section: 4

Log Mile: 16.38

Land Section Number: 22

Township: 14N

Range: 06E

Land Section: SE

Latitude: N 35 49 45.4

Longitude: W 90 25 58.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.673

Elevation (Feet): 238.428

Description: AHTD BM CAP IN TOP OF LT. (NORTH) PARAPET STA. 808+82 (WEST  
END OF BRIDGE NO. 6627) ACTUAL LOG MILE = 16.38. RECOVERED BY  
S5102 ON 12/29/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160130

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established: 12/8/1998

System: STATE

Job Number: 100153

Nearest City: LAKE CITY

County: CRAIGHEAD

Route: 18

Section: 4

Log Mile: 17.04

Land Section Number: 23

Township: 14N

Range: 06E

Land Section: NW

Latitude: N 35 49 36.2

Longitude: W 90 25 26.9

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.722

Elevation (Feet): 238.589

Description: AHTD BM CAP IN TOP OF RT. (SOUTH) PARAPET STA. 843+65 (EAST END OF BRIDGE NO. 6627). ACTUAL LOG MILE = 17.04. RECOVERED BY S5102 ON 12/29/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160131

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #06

Date Established: 4/3/2001

System: STATE

Job Number: 100447

Nearest City:

County: CRAIGHEAD

Route: 141

Section: 1

Log Mile: 0.40

Land Section Number: 18

Township: 14N

Range: 04E

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

Elevation (Feet):

Description: AHTD DISC IN NORTH EAST CORNER OF BACKWALL ZC = 296.960 FEET

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160132

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #06

Date Established: 2/12/1991

System: STATE

Job Number: 100194

Nearest City:

County: CRAIGHEAD

Route: 18

Section: 4

Log Mile: 2.47

Land Section Number: 22

Township: 14N

Range: 04E

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

Elevation (Feet):

Description: AHTD cap in top of SW wingwall sta. 150+51.52 BR 3014 R 38' RT CL (South)  
(Stadium - Nettleton Ave.) ZC = 256.960 FEET

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160133

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #06

Date Established:

System: STATE

Job Number: 10729

Nearest City:

County: CRAIGHEAD

Route: 49

Section: 3

Log Mile: 3.4

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

Elevation (Feet):

Description: AHTD BM Disk on LT HDWL (North side) of 10'x4' box culvert, 42' N of Roadway CL. (59+64) ZC = 299.090 FEET

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160134

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #06

Date Established:

System: STATE

Job Number: 10729

Nearest City:

County: CRAIGHEAD

Route: 49

Section: 3

Log Mile: 4.9

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

Elevation (Feet):

Description: AHTD BM Disk on LT HDWL (North side) of Dbl 8'x8' RCB culvert 43' North of Roadway CL. (Murry Tile) (136+58) ZC = 275.090 FEET

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160135

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #06

Date Established:

System: STATE

Job Number: 10729

Nearest City:

County: CRAIGHEAD

Route: 49

Section: 3

Log Mile: 6.3

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

Elevation (Feet):

Description: AHTD BM Disk on LT (North side) HDWL of 8'x3' RCB culv. 42' N of Rdwy CL  
ZC = 258.810 FEET

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160136

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #06

Date Established:

System: STATE

Job Number: 100063

Nearest City:

County: CRAIGHEAD

Route: 63

Section: 6

Log Mile: 0

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

Elevation (Feet):

Description: Project 100063 Sta. 69+15 AHTD BM Disk in top wing 19' RT. Bridge No. 5905  
LT Fr. Rd. ZC = 246.100 FEET

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160137

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #06

Date Established:

System: STATE

Job Number: 100063

Nearest City:

County: CRAIGHEAD

Route: 63

Section: 6

Log Mile: 0

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

Elevation (Feet):

Description: Project 100063 Sta. 83+45 AHTD BM Disk in top wing 19' Lt. Bridge No. 5906  
(Rt. Fr. Rd) ZC = 248.500 FEET

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160138

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #06

Date Established: 5/10/1995

System: STATE

Job Number: R00089

Nearest City:

County: CRAIGHEAD

Route: 63

Section: 6

Log Mile: 12

Land Section Number: 23

Township: 14N

Range: 03E

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

Elevation (Feet):

Description: AHTD BM Disk in top Center of North Headwall or 7'x5'x76' RC Box Culvert  
Under the Rt. Frontage Road 230' Rt CL Med. Sta. 388+20 Hwy 63 (Hwy 226  
Inter.) ZC = 338.280 FEET

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160139

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 2/3/2004

System: STATE

Job Number: 100589

Nearest City: JONESBORO

County: CRAIGHEAD

Route: 63

Section:

Log Mile:

Land Section Number:

Township: 14N

Range: 04E

Land Section:

Latitude: N 35 48 25.13

Longitude: W 90 41 36.532

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.3478

Elevation (Feet): 280.012

Description: COE POINT N-9-7-92 (Old ZC=279.785 FT) ELEV BY 3WR LOOP FROM NGS A242 BY S5103 ON 1/2004. TO REACH FROM INTERSECT HWY 63/18 GO E ON HWY 63 0.3 MI TO CONC BOX CULVERT UNDER HWY 63 AND STA ON RIGHT. MARK IS BRONZE COE MARKER ON S HW ON E END

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160140

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 2/3/2004

System: STATE

Job Number: 100589

Nearest City: JONESBORO

County: CRAIGHEAD

Route: 63

Section:

Log Mile:

Land Section Number:

Township: 14N

Range: 04E

Land Section:

Latitude: N 35 48 24.765

Longitude: W 90 41 54.438

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 92.052

Elevation (Feet): 302.007

Description: COE POINT N-9-6-92 (Old ZC=301.808 FT) ELEV BY 3WR LOOP FROM NGS A242 BY S5103 ON 1/2004. MARK IS AT INTERSECT OF HWY 63 AND ROUTE 1B ON SE END OF HWY 1B INTERCHANGE BRIDGE OVER HWY +63. MARK IS 1.4 FT FROM E CONC GUARD RAIL 1 FT FROM END OF BRIDGE.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160141

Class:

Vertical Datum: NAVD88

Established by: RE OFFICE #06

Date Established: 4/12/2007

System: STATE

Job Number: 100569

Nearest City: Jonesboro

County: CRAIGHEAD

Route: 349

Section: 1

Log Mile: 3.50

Land Section Number: 17

Township: 14N

Range: 03E

Land Section: SW

Latitude: N 35 50 25.9

Longitude: W 90 48 06.25

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 86.4475489

Elevation (Feet): 283.620

Description: AHTD BM Disk in top of SE Wing of Bridge Number 07036.

Comments: AHTD BM WAS RAN BY RE FROM CTL 1 FROM JOB#100569. ELEVATION ON CONTROL FOR JOB 100569 WAS BASED ON NGS MARKS H 315 & G 315. THE DATA FOR THIS BM CAN BE FOUND ON EDM UNDER JOB# 100569, s100569\_RE\_benches.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160142

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #06

Date Established: 4/17/2007

System: STATE Job Number: 100212 Nearest City: Jonesboro

County: CRAIGHEAD Route: 18 Section: 4 Log Mile: 5.90

Land Section Number: 25 Township: 14N Range: 05E

Land Section: NW

Latitude: N 35 49 15.5 Longitude: W 90 37 09.3 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.22555 Elevation (Feet): 236.960

Description: AHTD BM Disk in SW corner of Headwall of Quad 9' x 7' R.C. Box Culvert (Moores Ditch)

Comments: The datum of this BM is unknown. There wasn't any description or basis of elevation to check from. The elevations used came from the plan and profile sheets. This was an old job that was done with single wire levels in 1992 to establish the original benchmarks for the job but had no base bench. The current elevation of this benchmark is only good for job 100212 since there was not any base benchmark. The RE level runs can be found on EDM in job 100212, s100212\_RE\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160143

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #06

Date Established: 4/17/2007

System: STATE

Job Number: 100212

Nearest City: JONESBORO

County: CRAIGHEAD

Route: 18

Section: 4

Log Mile: 7.71

Land Section Number: 20

Township: 14N

Range: 05E

Land Section: SW

Latitude: N 35 49 18.3

Longitude: W 90 35 15.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 71.04293

Elevation (Feet): 233.080

Description: AHTD BM DISK IN NW HEADWALL OF 7 BARREL 10' X 12' R.C. BOX  
CULVERT (LITTLE BAY DITCH)

Comments: The datum of this BM is unknown. There wasn't any description or basis of elevation to check from. The elevations used came from the plan and profile sheets. This was an old job that was done with single wire levels in 1992 to establish the original benchmarks for the job but had no base bench. The current elevation of this benchmark is only good for job 100212 since there was not any base benchmark. The RE level runs can be found on EDM in job 100212, s100212\_RE\_benches.zip



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160144

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #06

Date Established: 4/17/2007

System: STATE Job Number: 100212 Nearest City: JONESBORO

County: CRAIGHEAD Route: 18 Section: 4 Log Mile: 9.76

Land Section Number: 22 Township: 14N Range: 05E

Land Section: SW

Latitude: N 35 49 18.3 Longitude: W 90 35 10.8 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 71.9177 Elevation (Feet): 235.950

Description: AHTD BM DISK IN EAST HEADWALL OF DOUBLE 8' X 6' R.C. BOX  
CULVERT SIDE DRAIN UNDER GRISHAM ROAD (CO. ROAD 908)

Comments: The datum of this BM is unknown. There wasn't any description or basis of elevation to check from. The elevations used came from the plan and profile sheets. This was an old job that was done with single wire levels in 1992 to establish the original benchmarks for the job but had no base bench. The current elevation of this benchmark is only good for job 100212 since there was not any base benchmark. The RE level runs can be found on EDM in job 100212, s100212\_RE\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160145

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #06

Date Established: 4/17/2007

System: STATE

Job Number: 100212

Nearest City: JONESBORO

County: CRAIGHEAD

Route: 18

Section: 4

Log Mile: 8.66

Land Section Number: 21

Township: 14N

Range: 05E

Land Section: SW

Latitude: N 35 49 19.0

Longitude: W 90 34 13.2

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.81433

Elevation (Feet): 232.330

Description: AHTD BM DISK IN NE CORNER OF HEADWALL OF 6 BARREL 11' X 10'  
R.C. BOX CULVERT (BUTLER DITCH)

Comments: The datum of this BM is unknown. There wasn't any description or basis of elevation to check from. The elevations used came from the plan and profile sheets. This was an old job that was done with single wire levels in 1992 to establish the original benchmarks for the job but had no base bench. The current elevation of this benchmark is only good for job 100212 since there was not any base benchmark. The RE level runs can be found on EDM in job 100212, s100212\_RE\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160146

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #06

Date Established: 4/19/2007

System: STATE

Job Number: 100417

Nearest City: JONESBORO

County: CRAIGHEAD

Route: 63

Section: 6B

Log Mile: 5.33

Land Section Number: 17

Township: 14N

Range: 04E

Land Section: NW

Latitude: N 35 50 42.59

Longitude: W 90 41 08.52

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 89.398

Elevation (Feet): 293.300

Description: AHTD BM DISK IN SW CORNER OF HEADWALL OF 8' X 5' R.C. BOX  
CULVERT. (JOB STATION: 101+66, OFFSET: 46.10' RIGHT)

Comments: The datum of this BM is unknown. There wasn't any description or basis of elevation to check from. The elevations used came from the plan and profile sheets. The current elevation of this benchmark is only good for job 100417 since there was not any base benchmark. (Job 100417 benches can also be found in job 100461 control file - the two jobs run into each other). The RE level runs can be found on EDM in job 100417, s100417\_RE\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160147

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #06

Date Established: 4/19/2007

System: STATE Job Number: 100417 Nearest City: JONESBORO

County: CRAIGHEAD Route: 63 Section: 6B Log Mile: 4.74

Land Section Number: 17 Township: 14N Range: 04E

Land Section: NW

Latitude: N 35 50 42.84 Longitude: W 90 41 46.20 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 91.01651 Elevation (Feet): 298.610

Description: AHTD BM DISK IN SW CORNER OF HEADWALL OF DBL 5' X 2' R.C. BOX CULVERT. (JOB STATION: 70+64, OFFSET: 53.20' RIGHT)

Comments: The datum of this BM is unknown. There wasn't any description or basis of elevation to check from. The elevations used came from the plan and profile sheets. The current elevation of this benchmark is only good for job 100417 since there was not any base benchmark. (Job 100417 benches can also be found in job 100461 control file - the two jobs run into each other). The RE level runs can be found on EDM in job 100417, s100417\_RE\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160148

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #06

Date Established: 4/19/2007

System: STATE

Job Number: 100417

Nearest City: JONESBORO

County: CRAIGHEAD

Route: 63

Section: 6B

Log Mile: 3.88

Land Section Number: 18

Township: 14N

Range: 04E

Land Section: NW

Latitude: N 35 50 43.67

Longitude: W 90 42 40.98

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 91.07442

Elevation (Feet): 298.800

Description: AHTD BM DISK IN SE CORNER OF TOP OF TYPE MO DROP INLET. (JOB STATION: 25+52)

Comments: The datum of this BM is unknown. There wasn't any description or basis of elevation to check from. The elevations used came from the plan and profile sheets. The current elevation of this benchmark is only good for job 100417 since there was not any base benchmark. (Job 100417 benches can also be found in job 100461 control file - the two jobs run into each other). The RE level runs can be found on EDM in job 100417, s100417\_RE\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160149

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #06

Date Established: 4/19/2007

System: STATE Job Number: 100461 Nearest City: JONESBORO

County: CRAIGHEAD Route: 63 Section: 6B Log Mile: 3.50

Land Section Number: 13 Township: 14N Range: 04E

Land Section: NE

Latitude: N 35 50 47.77 Longitude: W 90 43 03.32 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 88.86767 Elevation (Feet): 291.560

Description: AHTD BM DISK IN NW CORNER OF HEADWALL OF QUAD 6' X 6' R.C.  
BOX CULVERT. (JOB STATION: 282+81, OFFSET: 44.00' LEFT)

Comments: The datum of this BM is unknown. There wasn't any description or basis of elevation to check from. The elevations used came from the plan and profile sheets. The current elevation of this benchmark is only good for job 100461 since there was not any base benchmark. The RE level runs can be found on EDM in job 100461, s100461\_RE\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160150

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #06

Date Established: 4/19/2007

System: STATE Job Number: 100461 Nearest City: JONESBORO

County: CRAIGHEAD Route: 63 Section: 6B Log Mile: 1.58

Land Section Number: 10 Township: 14N Range: 03E

Land Section: SE

Latitude: N 35 51 10.01 Longitude: W 90 45 00.73 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 89.63576 Elevation (Feet): 294.080

Description: AHTD BM DISK IN TOP OF NW PARAPET WALL OF BRIDGE NUMBER 06888 (BIG CREEK DITCH) (JOB STATION: 181+13, OFFSET: 36.00' LEFT)

Comments: The datum of this BM is unknown. There wasn't any description or basis of elevation to check from. The elevations used came from the plan and profile sheets. The current elevation of this benchmark is only good for job 100461 since there was not any base benchmark. The RE level runs can be found on EDM in job 100461, s100461\_RE\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160151

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #06

Date Established: 4/19/2007

System: STATE Job Number: 100461 Nearest City: JONESBORO

County: CRAIGHEAD Route: 63 Section: 6B Log Mile: 2.41

Land Section Number: 14 Township: 14N Range: 03E

Land Section: NE

Latitude: N 35 50 57.6 Longitude: W 90 44 09.79 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 87.01143 Elevation (Feet): 285.470

Description: AHTD BM DISK IN SW CORNER OF HEADWALL OF DBL 10' X 5' R.C. BOX  
CULVERT. (JOB STATION: 224+89, OFFSET: 46.40' RIGHT)

Comments: The datum of this BM is unknown. There wasn't any description or basis of  
elevation to check from. The elevations used came from the plan and profile  
sheets. The current elevation of this benchmark is only good for job 100461 since  
there was not any base benchmark. The RE level runs can be found on EDM in job  
100461, s100461\_RE\_benches.zip



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160152

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #04

Date Established: 6/4/2007

System: STATE

Job Number: 100433

Nearest City: Jonesboro

County: CRAIGHEAD

Route: 141

Section: 1

Log Mile: 8.41

Land Section Number: 1

Township: 15N

Range: 03E

Land Section: NWSE

Latitude: N 35 57 54.0

Longitude: W 90 42 48.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 108.307849

Elevation (Feet): 355.340

Description: AHTD Disk in East headwall of RC Box 48' Rt.

Comments: Elevations were entered and verified. The BM was set from control PN 4 on job 100433. Elevation on PN 4 was est from GPS PN 160019A. The establishment of the elevation on 160019A could not be verified. The Level run information can be found on EDM under s100433\_RE\_benches.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160153

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #04

Date Established: 6/4/2007

System: STATE

Job Number: 100433

Nearest City: Jonesboro

County: CRAIGHEAD

Route: 141

Section: 1

Log Mile: 8.92

Land Section Number: 1

Township: 15N

Range: 03E

Land Section: SENE

Latitude: N 35 57 54.0

Longitude: W 90 42 48.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 110.770638

Elevation (Feet): 363.420

Description: ahtd disk in east headwall of rc box 72' rt.

Comments: Elevations were entered and verified. The BM was set from control PN 7 on job 100433. Elevation on PN 7 was est from GPS PN 160019A. The establishment of the elevation on 160019A could not be verified. The Level run information can be found on EDM under s100433\_RE\_benches.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160154

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #04

Date Established: 6/4/2007

System: STATE

Job Number: 100433

Nearest City: Jonesboro

County: CRAIGHEAD

Route: 141

Section: 1

Log Mile: 9.16

Land Section Number: 1

Township: 15N

Range: 03E

Land Section: NENE

Latitude: N 35 57 54.0

Longitude: W 90 42 48.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 108.381

Elevation (Feet): 355.580

Description: ahtd disk in east headwall of rc box 32' rt

Comments: Elevations were entered and verified. The BM was set from control PN 10 on job 100433. Elevation on PN 10 was est from GPS PN 160019A. The establishment of the elevation on 160019A could not be verified. The Level run information can be found on EDM under s100433\_RE\_benches.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160155

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #06

Date Established: 5/12/2010

System: STATE

Job Number: 100306

Nearest City: Lake City

County: CRAIGHEAD

Route: 18

Section: 4

Log Mile: 14.18

Land Section Number: 29

Township: 14N

Range: 06E

Land Section: NE

Latitude: N 35 49 19.26

Longitude: W 90 28 21.44

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.994666

Elevation (Feet): 226.360

Description: Standard AHTD Disc set in headwall of R.C. Box Culvert 59' Rt. Of Sta. 126+96

Comments: No survey data was submitted to Surveys to support the elevation derived by the R.E. Office.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160156

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #06

Date Established: 5/12/2010

System: STATE Job Number: 100306 Nearest City: Lake City

County: CRAIGHEAD Route: 18 Section: 4 Log Mile: 14.84

Land Section Number: 28 Township: 14N Range: 06W

Land Section: NW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.729489 Elevation (Feet): 225.490

Description: AHTD Standard Disc set in headwall of R.C. Box Culvert 58' Rt. of Sta. 162+05.

Comments: No survey data was submitted to Surveys to support the elevation derived by the R.E. Office.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160157

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #06

Date Established: 5/12/2010

System: STATE Job Number: 100306 Nearest City: Lake City

County: CRAIGHEAD Route: 18 Section: 4 Log Mile: 15.96

Land Section Number: 27 Township: 14N Range: 06E

Land Section: NW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.729489 Elevation (Feet): 225.490

Description: AHTD Standard Disc set in headwall of R.C. Box Culvert 52' Rt. of Sta. 221+19.

Comments: No survey data was submitted to Surveys to support the elevation derived by the R.E. Office. NOTE: SAME ELEVATION REPORTED ON STATION 160156 BY R.E. OFFICE #06

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160158

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #06

Date Established: 3/9/2015

System: STATE

Job Number: 100643

Nearest City: Jonesboro

County: CRAIGHEAD

Route: 226

Section: 2

Log Mile: 5.345

Land Section Number: 1

Township: 13n

Range: 01e

Land Section: NE

Latitude: N 35 47 37.00000

Longitude: W 90 56 20.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.667

Elevation (Feet): 244.970

Description: Standard AHTD BM disk in headwall, PN:960

Comments: Three wire ran from PN:1232 in job 100643. Elevation verified, three wire data available on EDM in s100643re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160159

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #06

Date Established: 5/16/2013

System: STATE Job Number: 100644 Nearest City: Jonesboro

County: CRAIGHEAD Route: 214 Section: 2 Log Mile: 2.56

Land Section Number: 12 Township: 11n Range: 04e

Land Section: NE

Latitude: N 35 36 20.00000 Longitude: W 90 36 54.00000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 67.6566

Elevation (Feet): 221.970

Description: AHTD BM DISK PN:921 from job 100644 LOCATED ON BR 07166 at sta 217+80 16' RT.

Comments: Elevation verified. Three-wire data available on EDM under job 100644 in s100644re\_benches.zip



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160160

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #06

Date Established: 5/16/2013

System: STATE

Job Number: 100644

Nearest City: Joneboro

County: CRAIGHEAD

Route: 214

Section: 2

Log Mile: 0.98

Land Section Number: 10

Township: 11n

Range: 04e

Land Section: NE

Latitude: N 35 36 21.00000

Longitude: W 90 34 35.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 67.6566

Elevation (Feet): 221.970

Description: ahtd bm disk pn:920 from job 100644 located on bridge 07165 at sta 149+80 16' rt

Comments: Elevation verified. Three-wire data available on EDM under job 100644 in s100644re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160161

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #06

Date Established: 5/16/2013

System: STATE Job Number: 100644 Nearest City: Joneboro

County: CRAIGHEAD Route: 214 Section: 5 Log Mile: 3.41

Land Section Number: 7 Township: 11n Range: 04e

Land Section: NE

Latitude: N 35 36 19.00000 Longitude: W 90 35 59.00000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 67.8303

Elevation (Feet): 222.540

Description: AHTD BM disk PN:922 from Job 100644 located on BR07167 at STA 312+90 16' RT.

Comments: Elevation verified. Three-wire data available on EDM under job 100644 in s100644re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160162

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #06

Date Established: 3/17/2015

System: STATE Job Number: 100308 Nearest City: Black Oak

County: CRAIGHEAD Route: 18 Section: 4 Log Mile: 17.34

Land Section Number: 23 Township: 14n Range: 06e

Land Section: NE

Latitude: N 35 49 46.00000 Longitude: W 90 25 15.00000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.445 Elevation (Feet): 237.680

Description: AHTD BM Disk top of SW wingwall BR#07179

Comments: Elevation verified. Control from 100308TV.CTL. Three wire data available on EDM under job 100308 in s100308re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

**Identification:** 160163

**Class:** THIRD-ORDER

**Vertical Datum:** NAVD88

**Established by:** RE OFFICE #06

**Date Established:** 3/17/2015

**System:** STATE

**Job Number:** 100308

**Nearest City:** Black Oak

**County:** CRAIGHEAD

**Route:** 18

**Section:** 4

**Log Mile:** 17.98

**Land Section Number:** 14

**Township:** 14n

**Range:** 06e

**Land Section:** SW

**Latitude:** N 35 50 11.00000

**Longitude:** W 90 24 48.00000

**Type:** GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

**Elevation (Meters):** 70.0371

**Elevation (Feet):** 229.780

**Description:** AHTD BM Disk NE corner Headwall RCB Quint. 12'x10'

**Comments:** Elevation verified. Control from 100308TV.CTL. Three wire data available on EDM under job 100308 in s100308re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160164

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #06

Date Established: 3/18/2015

System: STATE

Job Number: 100308

Nearest City: Black Oak

County: CRAIGHEAD

Route: 18

Section: 4

Log Mile: 19.08

Land Section Number: 13

Township: 14n

Range: 06e

Land Section: NE

Latitude: N 35 50 27.00000

Longitude: W 90 23 44.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.287

Elevation (Feet): 230.600

Description: AHTD BM DISK NE CORNER HEADWALL RCB QUAD 1'X9'

Comments: Elevation verified. Control from 100308TV.CTL. Three wire data available on EDM under job 100308 in s100308re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

**Identification:** 160165

**Class:** THIRD-ORDER

**Vertical Datum:** NAVD88

**Established by:** RE OFFICE #06

**Date Established:** 3/17/2015

**System:** STATE

**Job Number:** 100308

**Nearest City:** Black Oak

**County:** CRAIGHEAD

**Route:** 18

**Section:** 4

**Log Mile:** 20.36

**Land Section Number:** 17

**Township:** 14n

**Range:** 07e

**Land Section:** SW

**Latitude:** N 35 50 23.00000

**Longitude:** W 90 22 21.00000

**Type:** GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

**Elevation (Meters):** 69.5342

**Elevation (Feet):** 228.130

**Description:** AHTD BM DISK SW CORNER HEADWALL RCB QUINT 12'X7'

**Comments:** Elevation verified. Control from 100308TV.CTL. Three wire data available on EDM under job 100308 in s100308re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160166

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #06

Date Established: 3/17/2015

System: STATE Job Number: 100308 Nearest City: Black Oak

County: CRAIGHEAD Route: 18 Section: 4 Log Mile: 20.77

Land Section Number: 17 Township: 14N Range: 07E

Land Section: NW

Latitude: N 35 50 36.00000 Longitude: W 90 22 05.00000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.9609 Elevation (Feet): 229.530

Description: AHTD BM DISK SW CORNER HEADWALL RCB DBL 5'X3'

Comments: Elevation verified. Control from 100308TV.CTL. Three wire data available on EDM under job 100308 in s100308re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160167

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #06

Date Established: 3/17/2015

System: STATE Job Number: 100308 Nearest City: Black Oak

County: CRAIGHEAD Route: 18 Section: 4 Log Mile: 21.77

Land Section Number: 8 Township: 14N Range: 07E

Land Section: NE

Latitude: N 35 51 28.00000 Longitude: W 90 22 06.00000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.1407 Elevation (Feet): 230.120

Description: AHTD BM DISK SW CORNER HEADWEALL RCB QUINT 12'X7'

Comments: Elevation verified. Control from 100308TV.CTL. Three wire data available on EDM under job 100308 in s100308re\_benches.zip



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 160168

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #06

Date Established: 3/17/2015

System: STATE

Job Number: 100308

Nearest City: Black Oak

County: CRAIGHEAD

Route: 18

Section: 4

Log Mile: 22.56

Land Section Number: 5

Township: 14N

Range: 07E

Land Section: NE

Latitude: N 35 52 10.00000

Longitude: W 90 22 05.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.6894

Elevation (Feet): 231.920

Description: AHTD BM DISK TOP OF EAST HEADWALL 4'X3' RC BOX

Comments: Elevation verified. Control from 100308TV.CTL. Three wire data available on EDM under job 100308 in s100308re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170001

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #42

Date Established: 11/14/1989

System: STATE

Job Number: R40032

Nearest City: ALMA

County: CRAWFORD

Route: I-40

Section: 11

Log Mile: 11.97

Land Section Number: 1

Township:

Range:

Land Section: SE

Latitude: N 35 28 47.0

Longitude: W 94 14 48.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 132.192

Elevation (Feet): 433.700

Description: ALUM. DISC IN TOP BR. ABUTMENT N.W. CORNER OF BRIDGE  
#3802AR RECOVERED S5102 12-28-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170002

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #42

Date Established: 11/29/1989

System: STATE

Job Number: R40032

Nearest City:

County: CRAWFORD

Route: I-40

Section: 11

Log Mile: 12.66

Land Section Number: 6

Township:

Range:

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 142.595

Elevation (Feet): 467.830

Description: ALUM. DISC IN TOP BR. PARAPET LT. SIDE @ BT. #5 BR. #6212 NOT RECOVERD

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170003

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: R40011

Nearest City: VAN BUREN

County: CRAWFORD

Route: I-40

Section: 11

Log Mile: 3.56

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 27 53.0

Longitude: W 94 23 05.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 128.437

Elevation (Feet): 421.380

Description: DISC SET IN TOP OF EAST ABUTMENT 24' SOUTH OF CENTERLINE OF  
EAST BOUND LANE BRG. NO. 3272 B LEE CREEKRECOVERED S5102 12-  
28-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170004

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: R40011

Nearest City: VAN BUREN

County: CRAWFORD

Route: I-40

Section: 11

Log Mile: 5.26

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 27 44.0

Longitude: W 94 21 20.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 158.637

Elevation (Feet): 520.462

Description: DISC SET IN TOP OF EAST ABUTMENT 24' SOUTH OF CENTERLINE OF  
EAST BOUND LANE BRG. NO. 3273 B HWY 59 OVERPASS.RECOVERED  
S5102 12-28-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170005

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: R40011

Nearest City: VAN BUREN

County: CRAWFORD

Route: I-40

Section: 11

Log Mile: 6.98

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 27 24.00

Longitude: W 94 19 35.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 154.26

Elevation (Feet): 506.101

Description: DISC SET IN TOP OF EAST ABUTMENT 24' SOUTH OF CENTERLINE OF  
EAST BOUND LANE BRG. NO. 3451 B BURLINGTON-NORTHERN R.R.  
OVERPASSRECOVERED S5102 12-28-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170006

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: R40011

Nearest City: VAN BUREN

County: CRAWFORD

Route: I-40

Section: 11

Log Mile: 7.53

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 27 21.0

Longitude: W 94 19 05.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 137.834

Elevation (Feet): 452.210

Description: DISC SET IN TOP OF EAST ABUTMENT 24' SOUTH OF CENTERLINE OF  
EAST BOUND LANE BRG. NO. 3454 B FLAT ROCK CREEK.RECOVERED  
S5102 12-28-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170007

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 4828

Nearest City: CEDARVILLE

County: CRAWFORD

Route: 59

Section: 5

Log Mile: 16.90

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 34 15.0

Longitude: W 94 22 06.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 237.336

Elevation (Feet): 778.660

Description: DISC IN TOP OF SOUTH BRIDGE END BACKWALL 23 FEET EAST  
(UPSTREAM) OF CENTERLINERECOVERED S5102 12-27-99

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170008

Class:

Vertical Datum:

Established by: RE OFFICE #44

Date Established: 7/22/1992

System: STATE

Job Number: 40090

Nearest City: VAN BUREN

County: CRAWFORD

Route: 59

Section: 5

Log Mile: 26.7

Land Section Number: 24

Township: 09N

Range: 32W

Land Section: SE

Latitude: N 35 26 51.0

Longitude: W 94 21 17.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 194.792

Elevation (Feet): 639.080

Description: DISC IN FOUNDATION OF MAST ARM & POLE NORTHWEST OF  
INTERSECTION OF SHERWOOD & HWY. 59 VAN BUREN. 26 FEET LEFT  
STATION 53+40RECOVERED S5102 12-27-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170009

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 4913

Nearest City:

County: CRAWFORD

Route: 60

Section: 9

Log Mile: 1.35

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 179.052

Elevation (Feet): 587.440

Description: DISC IN TOP OF NORTHWEST WINGWALL OF R.C. BOX CULVERT 30  
WEST OF CENTERLINENOT RECOVERD

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170010

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 4935

Nearest City: ALMA

County: CRAWFORD

Route: 64

Section: 2

Log Mile: 7.33

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 28 33.0

Longitude: W 94 14 41.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 131.509

Elevation (Feet): 431.459

Description: DISC IN TOP OF WEST BRIDGE ABUTMENT WINGWALL 25 FT. NORTH  
(UPSTREAM) OF CENTERLINE OF BRIDGE NO. 2280 B FROG BAYOU  
(EAST BOUND LANE).RECOVERED S5102 12-29-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170011

Class:

Vertical Datum:

Established by: RE OFFICE #44

Date Established: 6/26/1990

System: STATE

Job Number: 40067

Nearest City: VAN BUREN

County: CRAWFORD

Route: 64

Section: 2

Log Mile: 1.88

Land Section Number: 19

Township: 09N

Range: 31W

Land Section:

Latitude: N 35 26 24.0

Longitude: W 94 19 53.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 139.583

Elevation (Feet): 457.949

Description: DISC SET IN TOP OF CONCRETE JUNCTION BOX 4' NORTH OF  
CENTERLINE OF HWY. 64. RECOVERED S5102 12-29-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170012

Class:

Vertical Datum:

Established by: RE OFFICE #44

Date Established: 6/26/1990

System: STATE

Job Number: 40067

Nearest City: VAN BUREN

County: CRAWFORD

Route: 64

Section: 2

Log Mile: 2.24

Land Section Number: 20

Township: 09N

Range: 31W

Land Section:

Latitude: N 35 26 38.0

Longitude: W 94 19 34.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 135.728

Elevation (Feet): 445.301

Description: DISC SET IN TOP OF CONCRETE JUNCTION BOX 73' NORTH OF  
CENTERLINE OF HWY. 64. RECOVERED S5102 12-29-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170013

Class:

Vertical Datum:

Established by:

Date Established: 1/1/1985

System: STATE

Job Number: N/A

Nearest City:

County: CRAWFORD

Route: 71 (I-40)

Section:

Log Mile: 12

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 132.418

Elevation (Feet): 434.441

Description: [ ] CUT ON N.E. COR. OF BR. ABUTMENT ON BR. OVER FROG BAYOU ON I-40 OF W BOUND LANE; EAST BR. END BR. W OF ALMA EXIT JAN. 1985. \*LINE RUN FROM GOV'T BENCH STAMPED X-93 1935 TO I-40 AND WEST TO FROG BAYOU NOT RECOVERED

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170014

Class:

Vertical Datum:

Established by:

Date Established: 1/1/1985

System: STATE

Job Number: N/A

Nearest City: ALMA

County: CRAWFORD

Route: 71

Section:

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 29 19.0

Longitude: W 94 13 55.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 133.366

Elevation (Feet): 437.552

Description: [] CUT ON S.W. CORNER OF WEST BRIDGE END SOUTH SIDE OF BRIDGE  
ON BRIDGE ABUTMENT ON CREEK AT ALMA EXIT OF WEST BOUND  
LANE OF I-40 JAN. 1985 \*LINE RUN FROM GOVT. BENCH STAMPED X-  
93 1935RECOVERED S5102 12-28-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170015

Class:

Vertical Datum:

Established by:

Date Established: 1/1/1985

System: STATE

Job Number: N/A

Nearest City: ALMA

County: CRAWFORD

Route: 71

Section: 15

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 32 14.0

Longitude: W 94 13 15.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 257.224

Elevation (Feet): 843.909

Description: CPS IN SIDE OF CP AT INT. OF HWY. 282 & 71 (282 W) ON E SIDE OF HWY. 71; 135 FT. S OF ASP. RD. LEADING E; 6 FT. NW OF A CONC. BLD; 65 FT. E OF C/L OF HWY. 71; 3.4 MILES N ALONG HWY 71 FROM I40 AT ALMA EXIT \*LINE RUN FROM GOVT. BENCH STAMPED X-93 1935 RECOVERED S5102 12-29-99

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170016

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City:

County: CRAWFORD

Route: 71

Section: 15

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 243.432

Elevation (Feet): 798.660

Description: CPS ON CP AT INT OF HWY 71 & 282, W SIDE OF HWY 71; 62 FT. LT. OF C/L OF HWY. 71 IN A CURVE TO RT.; 97 FT. S OF A GRAVEL RD. LEADING SW FROM HWY 282; 4.15 MILES N ALONG HWY. #71 FROM I-40 ALMA EXIT \*LINE RUN FROM GOVT. BENCH STAMPED X-93 1935 NOT RECOVERED

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170017

Class:

Vertical Datum:

Established by:

Date Established: 1/1/1985

System: STATE

Job Number: N/A

Nearest City: ALMA

County: CRAWFORD

Route: 71

Section: 15

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 31 24.0

Longitude: W 94 13 15.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 212.059

Elevation (Feet): 695.730

Description: [] CUT IN THE CENTER OF W HDWL. OF A CONC. BOX CULVERT ON HWY. 71, 1.05 MILE S OF JCT. 71 AND 282 (LEADING W); 2.35 MILE N ALONG HWY. 71 FROM I-40 AT ALMA EXIT; 23 FT. W FROM C/L OF HWY. 71. \*LINE RUN FROM GOVT. BENCH STAMPED X-93 1935 RECOVERED S5102 12-29-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170018

Class:

Vertical Datum:

Established by: RE OFFICE #42

Date Established: 12/5/1989

System: STATE

Job Number: R40033

Nearest City:

County: CRAWFORD

Route: 71

Section: 15

Log Mile:

Land Section Number: 7

Township: 10N

Range: 30W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 252.024

Elevation (Feet): 826.849

Description: R.C. BOX RT. HEADWALL RT. CENTERLINE MED. STATION 300+20NOT  
RECOVERED

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170019

Class:

Vertical Datum:

Established by: RE OFFICE #42

Date Established: 12/5/1989

System: STATE

Job Number: R40033

Nearest City:

County: CRAWFORD

Route: 71

Section: 15

Log Mile:

Land Section Number: 19

Township: 10N

Range: 30W

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 210.148

Elevation (Feet): 689.461

Description: R.C. BOX HEADWALL RT. CENTERLINE MED. STATION 174+00 NOT RECOVERED

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170020

Class:

Vertical Datum:

Established by: RE OFFICE #42

Date Established: 12/5/1989

System: STATE

Job Number: R40033

Nearest City: RUDY

County: CRAWFORD

Route: 282

Section: 15

Log Mile:

Land Section Number: 18

Township: 10N

Range: 30W

Land Section: SW

Latitude: N 35 32 24.0

Longitude: W 94 13 57.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 259.422

Elevation (Feet): 851.120

Description: HWY. 282 BRIDGE NO. 6235 LT. PARAPET WEST BRIDGE END STA.  
28+48.91 12-2-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170021

Class:

Vertical Datum:

Established by: RE OFFICE #42

Date Established: 4/30/1993

System: STATE

Job Number: R40075

Nearest City: MOUNTAINBURG

County: CRAWFORD

Route: 540

Section: 15

Log Mile: 8.00

Land Section Number: 32

Township: 11N

Range: 30W

Land Section: SENW

Latitude: N 35 35 19.0

Longitude: W 94 12 49.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 223.943

Elevation (Feet): 734.720

Description: NORTH END OF BRIDGE 6281 "A" 44' LT. OF CENTERLINE ON TOP OF LT. GUTTER'S PARAPET WALL. STA. 422+07 12-2-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170022

Class:

Vertical Datum:

Established by: RE OFFICE #42

Date Established: 12/5/1989

System: STATE

Job Number: R40033

Nearest City:

County: CRAWFORD

Route: 71

Section: 15

Log Mile:

Land Section Number: 36

Township: 10N

Range: 31W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 135.822

Elevation (Feet): 445.609

Description: R.C. BOX HEADWALL RT. CENTERLINE MED STATION 64+54 NOT RECOVERED

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170023

Class:

Vertical Datum:

Established by: RE OFFICE #42

Date Established: 12/5/1989

System: STATE Job Number: R40033 Nearest City:

County: CRAWFORD Route: 71 Section: 15 Log Mile:

Land Section Number: 36 Township: 10N Range: 31W

Land Section: NE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 164.007 Elevation (Feet): 538.080

Description: R. C. BOX HEADWALL RT. CENTERLINE MED. STATION 99+90 NOT RECOVERED

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170024

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City:

County: CRAWFORD

Route: 162

Section: 0

Log Mile: 0.075

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 268.474

Elevation (Feet): 880.818

Description: DISC IN HEADWALL BOX CULVERT 17' LT. STATION 44+60 \*\*=  
CORRECTED BENCH MARK (NOTE: LOG MILE 0.0=STA. 5+13) NOT  
RECOVERED

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170025

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: CEDARVILLE

County: CRAWFORD

Route: 162

Section: 0

Log Mile: 1.229

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 34 30.0

Longitude: W 94 20 58.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 260.827

Elevation (Feet): 855.730

Description: DISC IN HEADWALL BOX CULVERT 19' LT. STATION 70+10.  
\*\*=CORRECTED BENCH MARK (NOTE: LOG MILE 0.0=STA.  
5+13.)RECOVERED S5102 12-27-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170026

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City:

County: CRAWFORD

Route: 162

Section: 0

Log Mile: 1.803

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 34 09.0

Longitude: W 94 20 46.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 230.438

Elevation (Feet): 756.029

Description: DISC IN PARAPET WALL OF BRIDGE 14' RT. STATION 100+40  
\*\*=CORRECTED BENCH MARK (NOTE: LOG MILE 0.0=STA.  
5+13.)RECOVERED S5102 12-27-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170027

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: CEDARVILLE

County: CRAWFORD

Route: 162

Section: 0

Log Mile: 2.514

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 34 29.0

Longitude: W 94 20 12.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 257.541

Elevation (Feet): 844.949

Description: DISC IN HEADWALL BOX CULVERT LT. STATION 140+07.  
\*\*=CORRECTED BENCH MARK. (NOTE: LOG MILE 0.0=STA.  
5+13.)RECOVERED S5102 12-27-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170028

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: CEDARVILLE

County: CRAWFORD

Route: 162

Section: 0

Log Mile: \*\*3.481

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 34 54.0

Longitude: W 94 19 40.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 298.025

Elevation (Feet): 977.770

Description: DISC IN HEADWALL, BOX CULVERT 18' LT. STA. 191+40.  
\*\*=CORRECTED BENCH MARK. (NOTE: LOG MILE 0.0=STA.  
5+13.)RECOVERED S5102 12-27-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170029

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City:

County: CRAWFORD

Route: 162

Section: 0

Log Mile: 5.246

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 34 30.0

Longitude: W 94 18 15.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 250.759

Elevation (Feet): 822.698

Description: DISC IN HEADWALL BOX CULVERT LT. STATION 385+00.  
\*\*=CORRECTED BENCH MARK. (NOTE: LOG MILE 0.0=STA.  
5+13.)RECOVERED S5102 12-27-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170030

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 4874

Nearest City: VAN BUREN

County: CRAWFORD

Route: 162

Section: 1

Log Mile: 0.61

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 26 12.0

Longitude: W 94 19 28.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 130.973

Elevation (Feet): 429.701

Description: DISC SET IN TOP OF EAST BRIDGE END ABUTMENT WALL 29.5 FT.  
SOUTH OF CENTERLINE BRIDGE NO. 6048 (RAILROAD  
OVERPASS).RECOVERED S5102 12-27-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170031

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 4718

Nearest City:

County: CRAWFORD

Route: 162

Section: 1

Log Mile: 0.38

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 127.513

Elevation (Feet): 418.349

Description: NORTH WEST CORNER OF THE DROP INLET JOB 4718 HWY 64-EAST ON THE EAST SIDE OF HOLMES STREET AND 29 FT NORTH FROM THE CENTERLINE OF 162.NOT RECOVERD

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170032

Class:

Vertical Datum:

Established by: RE OFFICE #44

Date Established:

System: STATE Job Number: R40014 Nearest City: ALMA

County: CRAWFORD Route: 162 Section: 1 Log Mile: 7.39

Land Section Number: 17 Township: 09N Range: 30W

Land Section:

Latitude: N 35 26 18.0 Longitude: W 94 13 20.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 122.167 Elevation (Feet): 400.810

Description: DISC SET IN TOP OF R.C. BOX CULVERT HEADWALL ON THE RIGHT  
SIDE (DOWNSTREAM) OF STATION 190+14.RECOVERED S5102 12-27-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170033

Class:

Vertical Datum:

Established by: RE OFFICE #44

Date Established:

System: STATE

Job Number: R40014

Nearest City:

County: CRAWFORD

Route: 162

Section: 1

Log Mile: 8.67

Land Section Number: 19

Township: 09N

Range: 30W

Land Section:

Latitude: N 35 27 19.0

Longitude: W 94 13 00.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 118.333

Elevation (Feet): 388.231

Description: DISC SET IN TOP OF R.C. BOX CULVERT HEADWALL ON THE LEFT SIDE  
(UPSTREAM) OF STATION 122+74RECOVERED S5102 12-27-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170034

Class:

Vertical Datum:

Established by: RE OFFICE #44

Date Established:

System: STATE Job Number: 4004 Nearest City: CEADERVILLE

County: CRAWFORD Route: S. H. 220 Section: 2 Log Mile: 4.67

Land Section Number: Township: Range:

Land Section:

Latitude: N 35 38 54.0 Longitude: W 94 21 10.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 215.512 Elevation (Feet): 707.059

Description: DISC IN TOP OF HEADWALL OF BOX CULVERT 25 FT. EAST  
(UPSTREAM) OF CENTERLINE RECOVERED S5102 12-27-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170035

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 4658

Nearest City: RUDY

County: CRAWFORD

Route: 282

Section: 1

Log Mile: 6.67

Land Section Number: 23

Township: 10N

Range: 31W

Land Section:

Latitude: N 35 31 34.0

Longitude: W 94 16 17.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 153.025

Elevation (Feet): 502.050

Description: AHTD BENCH MARK SET IN TOP OF PARAPET WALL SOUTH SIDE  
(DOWNSTREAM) 55 FEET WEST THE EAST END OF BRIDGE  
#6044.RECOVERED S5102 12-28-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170036

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #42

Date Established: 6/15/1992

System: STATE

Job Number: R40086

Nearest City: ALMA

County: CRAWFORD

Route: 282

Section: 2-A

Log Mile: 1.75

Land Section Number: 6

Township:

Range:

Land Section: SE

Latitude: N 35 34 27.0

Longitude: W 94 13 12.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 296.592

Elevation (Feet): 973.069

Description: ALUMINUM DISC IN TOP OF INTEGRAL CAP BT. #10 RT. SIDE BRIDGE  
#6282RECOVERED S5102 12-29-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170037

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: ALMA

County: CRAWFORD

Route: (71) 282

Section: (15) 2

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 33 30.0

Longitude: W 94 13 15.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 277.682

Elevation (Feet): 911.028

Description: COTTON PICKER SPINDLE INSIDE OF A COMB. P. IN YARD AT MOUNTAIN VIEW ME. CHURCH; 47 FT. SOUTHEAST OF SOUTHEAST CORNER OF CHURCH HO.; 86 FT. WEST OF CENTERLINE OF STATE HWY #282; 39 FT. NORTH OF CENTERLINE OF A CO. RD. LEADING WEST FROM HWY. #282; 0.7 MILE RECOVERED S5102 12-28-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170038

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #42

Date Established: 12/4/1989

System: STATE

Job Number: R40032

Nearest City:

County: CRAWFORD

Route: I-540

Section: 2

Log Mile: 0.01

Land Section Number: 1

Township:

Range:

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 139.458

Elevation (Feet): 457.538

Description: ALUMINUM DISC IN TOP OF BRIDGE PARAPET NORTHEAST CORNER  
OF BRIDGE #6211 NOT RECOVERED

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170039

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #44

Date Established: 2/4/1997

System: STATE

Job Number: 040055

Nearest City: ALMA

County: CRAWFORD

Route: I-40

Section: 11

Log Mile: 8.80

Land Section Number: 16

Township: 09N

Range: 31W

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 139.571

Elevation (Feet): 457.909

Description: ALUMINUM CAP SET IN HEADWALL 144 FEET RIGHT OF CENTERLINE OF I-40 MEDIAN AND APPROXIMATELY 800 FEET WEST OF EAST BOUND SCALES, SOUTH SIDE OF SCALE APPROACH RAMP, EAST BOUND LANES. NOT RECOVERED

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170040

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #42

Date Established: 3/6/1995

System: STATE

Job Number: 004982

Nearest City: RUDY

County: CRAWFORD

Route: 348

Section: 1

Log Mile: 5.26

Land Section Number: 22

Township: 10N

Range: 31W

Land Section: NW

Latitude: N 35 31 34.0

Longitude: W 94 17 10.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 160.533

Elevation (Feet): 526.682

Description: 15' RIGHT CENTERLINE STA. 269+45 ATOP PARAPET WALL BRIDGE #  
6551.RECOVERED S5102 12-28-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170041

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #42

Date Established: 3/6/1995

System: STATE

Job Number: 004982

Nearest City: RUDY

County: CRAWFORD

Route: 348

Section: 1

Log Mile: 5.64

Land Section Number: 22

Township: 10N

Range: 31W

Land Section: NW

Latitude: N 35 31 48.0

Longitude: W 94 16 57.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 154.442

Elevation (Feet): 506.698

Description: 22' LEFT CENTERLINE STA. 289+65 (NW COR. R. C. BOX  
CULVERT).RECOVERED S5102 12-28-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170042

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #42

Date Established: 3/6/1995

System: STATE

Job Number: 004982

Nearest City: RUDY

County: CRAWFORD

Route: 348

Section: 1

Log Mile: 6.02

Land Section Number: 22

Township: 10N

Range: 31W

Land Section: NW

Latitude: N 35 31 49.0

Longitude: W 94 16 48.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 155.22

Elevation (Feet): 509.251

Description: 15' RIGHT CENTERLINE STA. 307+20 (ATOP PARAPET WALL) BRIDGE  
#6552.RECOVERED S5102 12-28-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170043

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #44

Date Established: 9/21/1994

System: COUNTY

Job Number: BR1707

Nearest City: RUDY

County: CRAWFORD

Route: CR 16

Section:

Log Mile:

Land Section Number: 8

Township: 09N

Range: 31W

Land Section: SW

Latitude: N 35 28 08.0

Longitude: W 94 19 13.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 143.72

Elevation (Feet): 471.521

Description: CO. RD. NO. 16 (OLD RUDY RD.) 15 FEET RT. OF CENTERLINE AT  
STATION 52+96 ON WINGWALL OF BRIDGE. RECOVERED S5102 12-30-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170044

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #42

Date Established:

System:

Job Number: R40034

Nearest City: MOUNTAINBURG

County: CRAWFORD

Route: I 540

Section: 15

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 36 38.0

Longitude: W 94 11 27.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 229.405

Elevation (Feet): 752.640

Description: 20' RT. OF BRIDGE END STA. 526+24.92 CENTERLINE RT. MAIN LANE  
ATOP PARAPET WALL BR # 6284B. 12-2-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170045

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #42

Date Established:

System:

Job Number: R40034

Nearest City:

County: CRAWFORD

Route: 71

Section: 15

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 223.94

Elevation (Feet): 734.710

Description: 15' RT. OF BRIDGE END STA. 526+68.92 RAMP #1 ATOP PARAPET WALL  
BR. #6286. NOT RECORDED

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170046

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #42

Date Established:

System:

Job Number: R40034

Nearest City:

County: CRAWFORD

Route: 71

Section: 15

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 215.83

Elevation (Feet): 708.102

Description: SOUTHWEST CORNER OF HEADWALL @ STA. 330+05 CENTERLINE  
DOLLARD RD. NOT RECOVERED

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170047

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #42

Date Established:

System:

Job Number: R40034

Nearest City:

County: CRAWFORD

Route: 71

Section: 15

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 239.147

Elevation (Feet): 784.601

Description: 25' RT. CENTERLINE MEDIAN STA. 575+94.97 ATOP DROP INLET.NOT  
RECOVERED

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170048

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #42

Date Established:

System:

Job Number:

R40034

Nearest City:

MOUNTAINBURG

County:

CRAWFORD

Route:

282

Section:

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude:

N 35 36 48.0

Longitude:

W 94 10 51.0

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

214.001

Elevation (Feet):

702.102

Description:

25' RT. BRIDGE END STA., 279+79.59 CENTERLINE DOLLARD RD. ATOP  
PARAPET WALL BR. # 6287.RECOVERED S5102 12-28-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170049

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #42

Date Established:

System:

Job Number: R40034

Nearest City:

County: CRAWFORD

Route: 71

Section: 15

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 248.946

Elevation (Feet): 816.750

Description: 15' RT. B. E. STA. 11+01.53 CENTERLINE CO. RD. 333 ATOP PARAPET  
WALL BR. # 6283. NOT RECORDED

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170050

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #44

Date Established: 5/31/1996

System: CITY

Job Number: 040117

Nearest City: VAN BUREN

County: CRAWFORD

Route: NA RD. CR

Section:

Log Mile:

Land Section Number: 15

Township: 09N

Range: 32W

Land Section: NE

Latitude: N 35 27 52.0

Longitude: W 94 23 20.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 128.687

Elevation (Feet): 422.201

Description: DISK SET IN TOP OF PARAPET WALL 14 FEET RIGHT OF CENTERLINE OF BRIDGE NO. 4722, LOCATED ON THE SOUTHEAST (DOWNSTREAM) CORNER OF BRIDGE ON LEE CREEK. RECOVERED S5102 12-30-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170051

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #42

Date Established: 11/8/1996

System: STATE

Job Number: R40035

Nearest City: CHESTER

County: CRAWFORD

Route: 540

Section: 15

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 39 15.0

Longitude: W 94 10 20.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 246.55

Elevation (Feet): 808.889

Description: BENCH MARK CAP ATOP PARAPET WALL LEFT OF BRIDGE END  
STATION 700+53.09 (BRIDGE # 6505A). 12-2-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170052

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #42

Date Established: 11/8/1996

System: STATE

Job Number: R40035

Nearest City: CHESTER

County: CRAWFORD

Route: I 540

Section: 15

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 39 33.0

Longitude: W 94 10 22.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 242.618

Elevation (Feet): 795.989

Description: BENCH MARK CAP ATOP PARAPET WALL LEFT OF BRIDGE END  
STATION 717+69.38 (BRIDGE # 6506A) 12-2-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170053

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #42

Date Established: 11/8/1996

System: STATE

Job Number: R40035

Nearest City: CHESTER

County: CRAWFORD

Route: 540

Section: 15

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 39 26.0

Longitude: W 94 10 18.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 239.198

Elevation (Feet): 784.769

Description: BENCH MARK CAP ATOP PARAPET WALL RIGHT OF BRIDGE END  
STATION 711+85.34 (BRIDGE # 6506B). 12-2-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170054

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #42

Date Established: 11/8/1996

System: STATE

Job Number: R40035

Nearest City: CHESTER

County: CRAWFORD

Route: 540

Section: 15

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 39 53.0

Longitude: W 94 10 07.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 249.287

Elevation (Feet): 817.869

Description: BENCH MARK CAP ATOP PARAPET WALL RIGHT OF BRIDGE END  
STATION 742+41.88 (BRIDGE # 6507B). 12-2-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170055

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #42

Date Established: 11/8/1996

System: STATE

Job Number: R40035

Nearest City: CHESTER

County: CRAWFORD

Route: 71

Section: 15

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 40 21.0

Longitude: W 94 09 54.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 262.269

Elevation (Feet): 860.461

Description: BENCH MARK CAP ATOP PARAPET WALL LEFT OF BRIDGE END  
STATION 768+94.18 (BRIDGE # 6508A). 12-2-99 CREW S5102

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170056

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #42

Date Established: 11/8/1996

System: STATE

Job Number: R40035

Nearest City: CHESTER

County: CRAWFORD

Route: I 540

Section: 15

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 39 55.0

Longitude: W 94 10 03.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 250.997

Elevation (Feet): 823.479

Description: BENCH MARK CAP ATOP PARAPET WALL LEFT OF BRIDGE END  
STATION 745+99.12 (BRIDGE #6507A). CREW S5102 12-2-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170057

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #42

Date Established: 11/8/1996

System: STATE

Job Number: R40035

Nearest City: CHESTER

County: CRAWFORD

Route: 540

Section: 15

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 40 07.0

Longitude: W 94 09 55.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 258.645

Elevation (Feet): 848.571

Description: BENCH MARK CAP ATOP PARAPET WALL RIGHT OF BRIDGE END  
STATION 759+65.43 (BRIDGE #6508B). 12-2-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170058

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #42

Date Established: 11/21/1996

System: STATE

Job Number: R40035

Nearest City: MOUNTAINBURG

County: CRAWFORD

Route: I 540

Section: 15

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 37 55.0

Longitude: W 94 11 11.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 271.629

Elevation (Feet): 891.169

Description: BENCH MARK CAP ATOP PARAPET WALL LEFT OF BRIDGE END STA.  
608+14.13 (BRIDGE #6503A). 12-2-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170059

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #42

Date Established: 11/21/1996

System: STATE

Job Number: R40035

Nearest City: MOUNTAINBURG

County: CRAWFORD

Route: 71

Section: 15

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 38 49.0

Longitude: W 94 10 19.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 257.941

Elevation (Feet): 846.261

Description: BENCH MARK CAP ATOP PARAPET WALL SOUTH OF WEST BRIDGE  
END #6504"B" CO. RD. 385-1.RECOVERED S5102 12-28-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170060

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #42

Date Established: 11/21/1996

System: STATE

Job Number: R40035

Nearest City: MOUNTAINBURG

County: CRAWFORD

Route: 540

Section: 15

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 37 45.0

Longitude: W 94 11 08.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 272.979

Elevation (Feet): 895.599

Description: BENCH MARK CAP ATOP PARAPET WALL RIGHT OF BRIDGE END STA.  
595+91.88 (BRIDGE #6503B). 12-2-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170061

Class:

Vertical Datum:

Established by: RE OFFICE #44

Date Established: 6/15/1992

System: COUNTY Job Number: BR-17-6 Nearest City: DYER

County: CRAWFORD Route: RIDGE 47 Section: Log Mile:

Land Section Number: 14 Township: 10N Range: 30W

Land Section: NW

Latitude: N 35 32 34.0 Longitude: W 94 09 32.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 198.629

Elevation (Feet): 651.669

Description: METAL DISC SET IN TOP OF HEADWALL OF DBL. 10'x8' RC BOX  
CULVERT (30 DEGREES RT. FWD. SKEW) 28.5 FEET LEFT OF  
CENTERLINE (DOWNSTREAM) OF STATION 23+60. THE R. C. BOX IS  
LOCATED APPROX. 205 FEET SOUTH OF BRG. #4683. RECOVERED S5102  
12-30-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170062

Class:

Vertical Datum:

Established by: RE OFFICE #44

Date Established: 9/22/1992

System: COUNTY Job Number: F-17-6 Nearest City: CHESTER

County: CRAWFORD Route: CO. FAS 226 Section: Log Mile:

Land Section Number: 30 Township: 12N Range: 30W

Land Section: SW

Latitude: N 35 40 53.0 Longitude: W 94 13 26.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 312.86 Elevation (Feet): 1026.442

Description: DISC SET IN TOP OF R. C. BOX CULVERT HEADWALL 21 FT. NORTH OF  
CENTERLINE OF ROADWAY STATION 153+10. RECOVERED S5102 12-30-  
99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170063

Class:

Vertical Datum:

Established by: RE OFFICE #44

Date Established: 9/22/1992

System: COUNTY Job Number: F-17-6 Nearest City: CHESTER

County: CRAWFORD Route: CO. FAS 226 Section: Log Mile:

Land Section Number: 29 Township: 12N Range: 30W

Land Section: SW

Latitude: N 35 40 54.0 Longitude: W 94 12 37.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 295.068 Elevation (Feet): 968.069

Description: DISC SET INTO TOP OF R. C. BOX CULVERT HEADWALL 29 FT. NORTH OF  
CENTERLINE OF ROADWAY STATION 200+83. RECOVERED S5102 12-30-  
99

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170064

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: BR-17-1

Nearest City: KIBLER

County: CRAWFORD

Route: CR 1

Section:

Log Mile:

Land Section Number: 36

Township: 09N

Range: 31W

Land Section:

Latitude: N 35 24 46.0

Longitude: W 94 15 33.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 125.773

Elevation (Feet): 412.640

Description: DISC SET IN CONC. WING WALL, SOUTHWEST CORNER (MAYS  
BRANCH) RECOVERED S5102 12-29-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170065

Class:

Vertical Datum:

Established by:

Date Established:

System: COUNTY

Job Number: BR-17-3

Nearest City: CHESTER

County: CRAWFORD

Route: FAS 2269

Section:

Log Mile:

Land Section Number: 28

Township: 12N

Range: 30W

Land Section:

Latitude: N 35 40 52.0

Longitude: W 94 11 03.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 267.142

Elevation (Feet): 876.448

Description: DISC IN TOP OF WING RT. SIDE OF BRIDGE END STA. 572+90. BRIDGE NO. 4555. RECOVERED S5102 12-30-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170066

Class:

Vertical Datum:

Established by: RE OFFICE #44

Date Established:

System:

Job Number: BR-17-4

Nearest City: RUDY

County: CRAWFORD

Route: CR 336

Section:

Log Mile: \*\*

Land Section Number: 14

Township: 10N

Range: 31W

Land Section:

Latitude: N 35 32 33.0

Longitude: W 94 16 06.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 158.722

Elevation (Feet): 520.740

Description: DISC IN TOP OF HEADWALL OF BOC CULVERT 53.5' RT.  
(DOWNSTREAM) OF CENTERLINE STA. 110+50. \*\*LOCATED ON CO. RD.  
336 750' EAST P. I. STA. 46+73 STATE JOB R40019 HWY. 60.\*\*  
RECOVERED S5102 12-29-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170067

Class:

Vertical Datum:

Established by: RE OFFICE #44

Date Established: 1/22/1991

System: CITY

Job Number: IAR-403

Nearest City: MULBERRY

County: CRAWFORD

Route: CCESS ROA

Section: 2

Log Mile: 15.82

Land Section Number: 29

Township: 10N

Range: 29W

Land Section: SW

Latitude: N 35 30 28.0

Longitude: W 94 06 29.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 130.098

Elevation (Feet): 426.830

Description: DISC SET IN DROP INLET TOP 31' LT. STA. 0+35 ZORBIT DRIVE/OR 1260 FEET SOUTH OF HWY. 64 AT LOG MILE 15.82, SECTION2, CRAWFORD COUNTY RECOVERED S5102 12-29-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170068

Class:

Vertical Datum:

Established by: RE OFFICE #44

Date Established: 3/26/1991

System: CITY

Job Number: 4754

Nearest City: VAN BUREN

County: CRAWFORD

Route: 28TH ST.

Section: 2

Log Mile: 2.07

Land Section Number: 20

Township: 09N

Range: 31W

Land Section: SW

Latitude: N 35 26 33.0

Longitude: W 94 19 44.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 140.839

Elevation (Feet): 462.069

Description: DISC SET IN TOP OF DROP INLET 15' RT. STA. 8+10 ON 28TH STH. IN CAN  
BUREN APPROX. 270' NORTH STATE HIGHWAY 64. RECOVERED S5102  
12-30-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170069

Class:

Vertical Datum:

Established by:

Date Established:

System: CITY

Job Number: 4941

Nearest City: VAN BUREN

County: CRAWFORD

Route: WATER TRAIL

Section:

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 161.605

Elevation (Feet): 530.199

Description: \*DISC IN TOP OF HEADWALL OF BOX CULVERT, 47 FT. SOUTH  
(UPSTREAM) OF CENTERLINE. \*STA. 24+16, 416 FEET EAST OF HWY. 59.  
NOT RECOVERED

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170070

Class:

Vertical Datum:

Established by: RE OFFICE #42

Date Established: 12/1/1995

System: STATE

Job Number: R40035

Nearest City:

County: CRAWFORD

Route: 71

Section: 15

Log Mile: 0.371

Land Section Number: 10

Township: 11N

Range: 30W

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 257.94

Elevation (Feet): 846.258

Description: 15' RT. STA. 19+58.95 COUNTY ROAD 385-1 BR. 6504A.NOT RECOVERED

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170071

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 7/21/1997

System: Job Number: R40038 Nearest City:

County: CRAWFORD Route: I-540 Section: Log Mile:

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 346.143 Elevation (Feet): 1135.637

Description: 136' LT. CENTERLINE ATOP OF PARAPET WALL BRIDGE 6505A STA.  
865+80. NOT RECORDED

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170072

Class:

Vertical Datum:

Established by:

Date Established: 7/21/1997

System:

Job Number: R40038

Nearest City: MOUNTAINBURG

County: CRAWFORD

Route: I-540

Section:

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 41 31.0

Longitude: W 94 10 57.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 365.151

Elevation (Feet): 1198.000

Description: 136' LT. CENTERLINE MEDIAN ATOP OF PARAPET WALL BRIDGE 6505A  
STA. 879+16 12-2-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170073

Class:

Vertical Datum:

Established by: RE OFFICE #42

Date Established: 7/21/1997

System: STATE Job Number: R40110 Nearest City:

County: CRAWFORD Route: I-540 Section: Log Mile:

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 346.034 Elevation (Feet): 1135.280

Description: 133' LT. CENTERLINE MEDIAN ATOP OF PARAPET WALL BRIDGE 6506A  
ATA. 942+94. NOT RECORDED

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170074

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #44

Date Established: 11/3/1998

System: STATE

Job Number: 040226

Nearest City: VAN BUREN

County: CRAWFORD

Route: 59

Section: 5

Log Mile: 24.8

Land Section Number: 12

Township: 09n

Range: 32w

Land Section: SW

Latitude: N 35 28 02.0

Longitude: W 94 21 24.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 149.427

Elevation (Feet): 490.245

Description: ALUMINUM CAP IN SE CORNER HEADWALL, 526 METERS NORTH ON HWY 59, NORTH OF I-40 OVERPASS AND 12.7 METERS EAST OF HWY 59 C/L (STA 134+26)RECOVERED S5102 12-27-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170075

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #44

Date Established: 11/3/1998

System: STATE

Job Number: 040226

Nearest City: VAN BUREN

County: CRAWFORD

Route: 59

Section: 5

Log Mile: 25.2

Land Section Number: 13

Township: 09N

Range: 32W

Land Section: NE

Latitude: N 35 27 40.0

Longitude: W 94 21 24.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 155.141

Elevation (Feet): 508.992

Description: ALUMINUM CAP IN SE CORNER HEADWALL ON HWY 59, 189 METERS  
SOUTH OF I-40 OVERPASS, AND 13 METERS EAST OF HWY 59  
CENTERLINE (STA 127+24)RECOVERED S5102 12-27-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170076

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #44

Date Established: 11/3/1998

System: STATE

Job Number: 040226

Nearest City:

County: CRAWFORD

Route: 59

Section: 5

Log Mile: 25.4

Land Section Number: 13

Township: 09N

Range: 32W

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 165.075

Elevation (Feet): 541.584

Description: ALUMINUM CAP IN TOP OF DROP INLET ON HWY 59, 450 METERS  
SOUTH OF I-40 OVERPASS, AND 10 METERS EAST OF HWY 59 C/L (STA  
124+50) NOT RECOVERED

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170077

Class:

Vertical Datum:

Established by: RE OFFICE #44

Date Established: 12/28/1998

System: STATE

Job Number: 040226

Nearest City: VAN BUREN

County: CRAWFORD

Route: 59

Section: 5

Log Mile: 25.4

Land Section Number: 13

Township: 09N

Range: 32W

Land Section: NE

Latitude: N 35 27 26.0

Longitude: W 94 21 23.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 171.373

Elevation (Feet): 562.246

Description: 585 M SOUTH ON HWY. 59 FROM THE INTERSECTION OF HWY. 59 & I-40, ALUMINUM CAP IN NE CORNER FO DROP INLET TOP, 9 M EAST OF CENTERLINE HWY. 59 (9 M RT. STA. 123+30).RECOVERED S5102 12-27-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170078

Class:

Vertical Datum:

Established by: RE OFFICE #42

Date Established: 5/6/1999

System: STATE

Job Number: R40092

Nearest City: CHESTER

County: CRAWFORD

Route: 540

Section:

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 43 53.0

Longitude: W 94 11 53.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 409.743

Elevation (Feet): 1344.298

Description: STATE OF AR DISK 132' RT. OF STA. 1030+80 CENTERLINE CONST.  
ATOP PARAPET WALL BR #6607 "B". 12-2-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170079

Class:

Vertical Datum:

Established by: RE OFFICE #42

Date Established: 5/6/1999

System: STATE

Job Number: R40092

Nearest City: CHESTER

County: CRAWFORD

Route: 540

Section:

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 44 09.0

Longitude: W 94 11 58.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 436.194

Elevation (Feet): 1431.080

Description: STATE OF AR DISK 132' LT. OF STA. 1046+02 CENTERLINE CONST.  
ATOP PARAPET WALL BR #6607 "A". 12-2-99 CREW S5102

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170080

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #44

Date Established: 11/17/2000

System: STATE

Job Number: 040149

Nearest City:

County: CRAWFORD

Route: 819

Section: 1

Log Mile: 1.02

Land Section Number: 1

Township: 08N

Range: 31W

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 118.092

Elevation (Feet): 387.440

Description: CAP IN TOP END WALL 15' RT STA 68+50 ON BRIDGE 06561

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170081

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #44

Date Established: 6/27/2000

System: STATE

Job Number: 040295

Nearest City:

County: CRAWFORD

Route: 220

Section: 2

Log Mile: 9.76

Land Section Number: 19

Township: 12

Range: 31

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 241.456

Elevation (Feet): 792.177

Description: ALUM CAP SET ON PARAPET WALL OF BR 06724 13' RIGHT STA 19+59

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170082

Class:

Vertical Datum:

Established by: RE OFFICE #43

Date Established: 11/25/2003

System: STATE Job Number: R40116 Nearest City: ALMA

County: CRAWFORD Route: I-540 Section: 3 Log Mile: 20.34

Land Section Number: 36 Township: 10N Range: 31W

Land Section: SE

Latitude: N 35 17 30.0 Longitude: W 94 08 51.0 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 134.213 Elevation (Feet): 440.330

Description: AHTD DISK IN HW OF RC BOX 740' WEST OF C/L OF I-540 AND LM 1.11  
NORTH OF I-40 AND I-540 INTERSECTION

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170083

Class:

Vertical Datum:

Established by:

RE OFFICE #43

Date Established: 11/25/2003

System: STATE

Job Number: R40116

Nearest City: ALMA

County: CRAWFORD

Route: I-540

Section: 3

Log Mile: 20.51

Land Section Number: 36

Township: 10N

Range: 31W

Land Section: SE

Latitude: N 35 17 36.0

Longitude: W 94 08 34.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 137.257

Elevation (Feet): 450.317

Description: AHTD DISK IN HW OF RC BOX CULVERT 475' EAST OF C/L OF I-540 AND  
1.28 MILES NORTH OF I-40 AND I-540 INTERSECTION

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170084

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 2/9/2010

System: STATE Job Number: 040130 Nearest City: Van Buren

County: CRAWFORD Route: I-540 Section: 30 Log Mile:

Land Section Number: Township: 09N Range: 31W

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 123.963322

Elevation (Feet): 406.703

Description: Standard AHTD Disc in top of box culvert headwall 40' Right of Station 61+75 on Frontage Road #1.

Comments: Field Survey data was not provided by the R.E. Office to validate the above derived elevation .

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170085

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 12/21/2011

System: STATE

Job Number: 0400226

Nearest City: MOUNTAINBURG

County: CRAWFORD

Route: 282

Section: 2

Log Mile: 5.91

Land Section Number:

Township: 11N

Range: 30W

Land Section:

Latitude: N 35 36 25.28000

Longitude: W 94 11 09.38000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 214.05537

Elevation (Feet): 702.280

Description: STA. 303+93 RT. BR #07132

Comments: ELEVATION NOT VERIFIED DUE TO NO THREE WIRE DATA

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170086

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 9/16/2013

System: STATE

Job Number: BB0407

Nearest City: VAN BUREN

County: CRAWFORD

Route: 540

Section: 2

Log Mile: 13.612

Land Section Number: 20

Township: 09N

Range: 31W

Land Section: SENE

Latitude: N 35 26 01.60000

Longitude: W 94 18 43.10000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 145.573

Elevation (Feet): 477.601

Description: BM # 958 ALUM. CAP TOP TRANSITION WALL SE CORNER OF SE  
CORNER WB BRIDGE HWY. 64

Comments: Elevation not verified due to insuffecient three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170087

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 9/16/2013

System: STATE

Job Number: bb0407

Nearest City: VAN BUREN

County: CRAWFORD

Route: 540

Section: 2

Log Mile: 13.612

Land Section Number: 20

Township: 09n

Range: 31w

Land Section:

Latitude: N 35 26 49.00000

Longitude: W 94 19 14.20000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 142.752

Elevation (Feet): 468.346

Description: ahtd aluminum cap top transition wall w/nw corner of south bridge hwy. 64 east bound

Comments: Elevation not verified due to insuffecient three wire data.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170088

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 3/11/2014

System: STATE

Job Number: bb0407

Nearest City: VAN BUREN

County: CRAWFORD

Route: 540

Section: 2

Log Mile: 14.905

Land Section Number: 17

Township: 09N

Range: 31W

Land Section:

Latitude: N 35 27 25.50000

Longitude: W 91 19 10.20000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 139.916

Elevation (Feet): 459.041

Description: BM 954 SE CORNER BRIDGE TRANSITION WALL OVER i-40 Ramp 2, over Flat Rock WB.

Comments: Elevation not verified due to insufficient three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170089

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 3/11/2014

System: STATE

Job Number: bb0402

Nearest City: VAN BUREN

County: CRAWFORD

Route: 540

Section: 2

Log Mile: 14.736

Land Section Number: 17

Township: 09N

Range: 31W

Land Section:

Latitude: N 35 27 18.10000

Longitude: W 94 19 15.60000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 149.665

Elevation (Feet): 491.026

Description: BM 957 SE CORNER BRIDGE TRANSITION OVER I-40 RAMP 1 ON SB

Comments: Elevation not verified due to insuffecient three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170090

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 3/11/2014

System: STATE

Job Number: BB0407

Nearest City: VAN BUREN

County: CRAWFORD

Route: 540

Section: 2

Log Mile: 13.59

Land Section Number: 17

Township: 09N

Range: 31W

Land Section:

Latitude: N 35 27 18.00000

Longitude: W 94 12 22.40000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 149.087

Elevation (Feet): 489.130

Description: BM 956 SE CORNER BRIDGE TRANSITION WALL OVER I 40 RAMP 2 ON SB

Comments: Elevation not verified due to insuffecient three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170091

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 3/11/2014

System: STATE Job Number: BB0402 Nearest City: VAN BUREN

County: CRAWFORD Route: I 540 Section: 2 Log Mile: 14.905

Land Section Number: 17 Township: 09n Range: 31w

Land Section:

Latitude: N 35 27 26.50000 Longitude: W 94 19 10.80000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 141.02 Elevation (Feet): 462.663

Description: BM 955 SE corner bridge transition wall Ramp 1 over Flat Rock SB

Comments: Elevation not verified due to insuffecient three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170092

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 2/21/2014

System: STATE

Job Number: BB0407

Nearest City: VAN BUREN

County: CRAWFORD

Route: I 540

Section: 2

Log Mile: 13.679

Land Section Number: 20

Township: 09N

Range: 31W

Land Section:

Latitude: N 35 26 23.00000

Longitude: W 94 19 10.70000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 137.9666

Elevation (Feet): 452.645

Description: RAIL ROAD BRIDGE SE CORNER ON TOP OF TRANSITION WALL AHTD  
DOMED DISK SBM 961

Comments: Elevation not verified due to insuffecient three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170093

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 2/19/2014

System: STATE

Job Number: BB0407

Nearest City: VAN BUREN

County: CRAWFORD

Route: I 540

Section: 2

Log Mile: 13.389

Land Section Number: 20

Township: 09N

Range: 31W

Land Section: NENW

Latitude: N 35 26 95.30000

Longitude: W 94 19 12.20000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 135.815

Elevation (Feet): 445.586

Description: BM 962, ALUM. CAP TOP SE CORNER TRANSITION WALLNB BRIDGE  
HWY. 162

Comments: Elevation not verified due to insuffecient three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170094

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 2/19/2014

System: STATE

Job Number: BB0407

Nearest City: VAN BUREN

County: CRAWFORD

Route: I 540

Section: 2

Log Mile: 13.389

Land Section Number: 29

Township: 09N

Range: 31W

Land Section: NENW

Latitude: N 35 26 09.64000

Longitude: W 94 19 14.40000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 134.741

Elevation (Feet): 442.063

Description: BM 963 ALUM. CAP TOP SE CORNER PARAPET WALL SB BRIDGE AT HWY 162.

Comments: Elevation not verified due to insuffecient three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170095

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 2/19/2014

System: STATE Job Number: BB0407 Nearest City: VAN BUREN

County: CRAWFORD Route: I 540 Section: 2 Log Mile: 13.698

Land Section Number: 20 Township: 09N Range: 31W

Land Section: SESW

Latitude: N 35 26 23.9000 Longitude: W 94 19 09.32000 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 138.05 Elevation (Feet): 452.919

Description: BM 960 UPRR BRIDGE SE CORNER CAP NB ON TOP TRANSITION WALL

Comments: Elevation not verified due to insuffecient three wire data.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170096

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 1/17/2014

System: STATE

Job Number: BB0407

Nearest City: VAN BUREN

County: CRAWFORD

Route: I 540

Section: 2

Log Mile: 12.908

Land Section Number: 29

Township: 09N

Range: 31W

Land Section: SWNW

Latitude: N 35 27 11.70000

Longitude: W 94 19 38.60000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 127.301

Elevation (Feet): 417.653

Description: BM 964 ALUM CAP TOP NW CORNER TYRANSITION WALL NB BRIDGE  
FLAT ROCK CREEK

Comments: Elevation not verified due to insuffecient three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170097

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 1/17/2014

System: STATE Job Number: BB0407 Nearest City: VAN BUREN

County: CRAWFORD Route: I 540 Section: 2 Log Mile: 12.901

Land Section Number: 29 Township: 09N Range: 31W

Land Section:

Latitude: N 35 25 57.60000 Longitude: W 94 19 38.90000 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 127.305

Elevation (Feet): 417.666

Description: BM 965 ALUM. CAP TOP NE CORNER TRANSITION WALL SB BRIDGE  
FLAT ROCK CREEK

Comments: Elevation not verified due to insuffecient three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170098

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 1/30/2014

System: STATE

Job Number: BB0407

Nearest City: VAN BUREN

County: CRAWFORD

Route: I 540

Section: 2

Log Mile: 11.869

Land Section Number: 30

Township: 09N

Range: 31W

Land Section: SWSW

Latitude: N 35 25 35.00000

Longitude: W 94 20 36.60000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 193.73658

Elevation (Feet): 635.617

Description: BM 966 ALUM. CAP TOP NE PARAPET WALL NB NE CORNER BRIDGE

Comments: Elevation not verified due to insuffecient three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170099

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 6/11/2012

System: STATE

Job Number: 040026

Nearest City: Mountainburg

County: CRAWFORD

Route: 282

Section: 2

Log Mile: 5.898

Land Section Number: 21

Township: 11n

Range: 30w

Land Section:

Latitude: N 35 36 26.80000

Longitude: W 94 11 08.80000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 214.1645

Elevation (Feet): 702.638

Description: SB999-AHTD DISC In BRDG WING WALL @ 14' RT . ELEVATION  
CARRIED FROM PNT.#102 GPS ON JOB # 040026 SEGMENT 040026LA.

Comments: Elevation verified, three wire data available on EDM in s040026re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170100

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 6/11/2012

System: STATE

Job Number: 040026

Nearest City: Mountainburg

County: CRAWFORD

Route: 282

Section: 2

Log Mile: 4.53

Land Section Number: 29

Township: 11n

Range: 30w

Land Section:

Latitude: N 35 36 25.00000

Longitude: W 94 12 09.89000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 203.5215

Elevation (Feet): 667.720

Description: SB998-AHTD DISC IN HEADWALL @ 25'RT . ELEVATION CARRIED  
FROM PNT.#27 CTL 040026GO.CTL ON JOB # 040026 SEGMENT 040026LB.

Comments: Elevation verified, three wire data available on EDM in s040026re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170101

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 1/30/2014

System: STATE

Job Number: BB0407

Nearest City: VAN BUREN

County: CRAWFORD

Route: 540

Section: 2

Log Mile: 11.869

Land Section Number: 30

Township: 09N

Range: 31W

Land Section: SWSW

Latitude: N 35 25 31.40000

Longitude: W 94 20 36.60000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 132.7897

Elevation (Feet): 435.661

Description: ALUM. CAP TOP N/E PARAPET WALL NB N/E CORNER BRIDGE END  
RIVER BRIDGE

Comments: \*\*\*\*\*USE CAUTION\*\*\*\*\*ELEVATION NOT VERIFIED  
DUE TO INADEQUATE THREE WIRE DATA\*\*\*\*\*

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170102

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 1/17/2014

System: STATE

Job Number: BB0407

Nearest City: VAN BUREN

County: CRAWFORD

Route: 540

Section: 2

Log Mile: 12.901

Land Section Number: 29

Township: 09N

Range: 31W

Land Section:

Latitude: N 35 25 57.50000

Longitude: W 94 19 38.90000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 127.303

Elevation (Feet): 417.660

Description: ALUM. CAP TOP N /E Corner Transition wall SB BRIDGE FLAT ROCK CREEK

Comments: \*\*\*\*\*USE CAUTION\*\*\*\*\*ELEVATION NOT VERIFIED  
DUE TO INADEQUATE THREE WIRE DATA\*\*\*\*\*

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170103

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 1/17/2014

System: STATE

Job Number: BB0407

Nearest City: VAN BUREN

County: CRAIGHEAD

Route: 540

Section: 2

Log Mile: 12.908

Land Section Number: 29

Township: 09N

Range: 31W

Land Section: SWNW

Latitude: N 35 25 56.70000

Longitude: W 94 19 38.50000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 127.301

Elevation (Feet): 417.653

Description: ALUM. CAP TOP N /W Corner Transition wall NB Bridge FLAT ROCK CREEK

Comments: \*\*\*\*\*USE CAUTION\*\*\*\*\*ELEVATION NOT VERIFIED  
DUE TO INADEQUATE THREE WIRE DATA\*\*\*\*\*



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170104

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 2/19/2014

System: STATE

Job Number: BB0407

Nearest City: VAN BUREN

County: CRAWFORD

Route: 540

Section: 2

Log Mile: 13.389

Land Section Number: 29

Township: 09N

Range: 31W

Land Section: NENW

Latitude: N 35 26 09.60000

Longitude: W 94 19 14.30000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 134.741

Elevation (Feet): 442.063

Description: ALUM. CAP TOP S/E CORNER PARAPET WALL SB BRIDGE @ HWY162

Comments: \*\*\*\*\*USE CAUTION\*\*\*\*\*ELEVATION NOT VERIFIED  
DUE TO INADEQUATE THREE WIRE DATA\*\*\*\*\*

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170104

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #06

Date Established: 3/20/2014

System: STATE Job Number: 100677 Nearest City: Joneboro

County: CRAIGHEAD Route: 226 Section: 2 Log Mile: 4.04

Land Section Number: 6 Township: 13n Range: 03e

Land Section: SW

Latitude: N 35 46 59.00000 Longitude: W 90 48 56.00000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 87.935 Elevation (Feet): 288.500

Description: AHTD BM DISK SW WINGWALL PN 971 B7200

Comments: ELEVATION NOT VERIFIED DUE TO LACK OF THREE WIRE DATA

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170105

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 4/28/2014

System: STATE

Job Number: BB0407

Nearest City: VAN BUREN

County: CRAWFORD

Route: 540

Section: 2

Log Mile: 13.389

Land Section Number: 20

Township: 09N

Range: 31W

Land Section: NENW

Latitude: N 35 26 09.50000

Longitude: W 94 19 12.20000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 135.812

Elevation (Feet): 445.577

Description: ALUM. CAP TOP S / E CORNER Transition WALL NB BRIDGE HWY. 162

Comments: \*\*\*\*\*USE CAUTION\*\*\*\*\*ELEVATION NOT VERIFIED  
DUE TO INADEQUATE THREE WIRE DATA\*\*\*\*\*

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170105

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #06

Date Established: 3/12/2014

System: STATE Job Number: 100677 Nearest City: Joneboro

County: CRAIGHEAD Route: 226 Section: 2 Log Mile: 4.33

Land Section Number: 6 Township: 13N Range: 03E

Land Section: NW

Latitude: N 35 47 06.00000 Longitude: W 90 49 10.00000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.3282 Elevation (Feet): 250.420

Description: AHTD BM DISK HEADWALL PN970 RCB

Comments: ELEVATION NOT VERIFIED DUE TO LACK OF THREE WIRE DATA

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170106

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 2/21/2014

System: STATE

Job Number: BB0407

Nearest City: VAN BUREN

County: CRAWFORD

Route: 540

Section: 2

Log Mile: 13.679

Land Section Number: 20

Township: 09N

Range: 31W

Land Section:

Latitude: N 35 26 23.00000

Longitude: W 94 19 10.70000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 138.0037

Elevation (Feet): 452.767

Description: AHTD ALUM DOMED DISK S/E CORNER ON TOP TRANSITION WALL

Comments: \*\*\*\*\*USE CAUTION\*\*\*\*\*ELEVATION NOT VERIFIED  
DUE TO INADEQUATE THREE WIRE DATA\*\*\*\*\*

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170106

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #06

Date Established: 3/20/2014

System: STATE

Job Number: 100677

Nearest City: JONESBORO

County: CRAIGHEAD

Route: 226

Section: 2

Log Mile: 3.47

Land Section Number: 6

Township: 13N

Range: 03E

Land Section: SE

Latitude: N 35 46 42.00000

Longitude: W 90 48 28.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.651

Elevation (Feet): 254.760

Description: AHTD BM DISK SW CORNER HEADWALL PN 972 RCB

Comments: ELEVATION NOT VERIFIED DUE TO LACK OF THREE WIRE DATA

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170107

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #06

Date Established: 1/6/2011

System: STATE Job Number: 10642 Nearest City: Jonesboro

County: CRAIGHEAD Route: 226 Section: 2 Log Mile: 1.754

Land Section Number: 5 Township: 14n Range: 01e

Land Section: NE

Latitude: N 35 47 44.00000 Longitude: W 91 00 15.00000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.9449 Elevation (Feet): 239.320

Description: ahtd bm disk in sw cnr hdwl of dbl 8x6 rcb gunner slough relief.

Comments: ELEVATION NOT VERIFIED DUE TO LACK OF THREE WIRE DATA

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170107

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 3/11/2014

System: STATE

Job Number: BB0407

Nearest City: VAN BUREN

County: CRAWFORD

Route: 540

Section: 2

Log Mile: 14.905

Land Section Number: 17

Township: 09N

Range: 31W

Land Section:

Latitude: N 35 27 25.50000

Longitude: W 94 19 10.20000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 139.916

Elevation (Feet): 459.041

Description: ALUM AHTD DISK SE Corner Bridge Transition wall over i40 Ramp 2 over Flat Rock WB i40

Comments: \*\*\*\*\*USE CAUTION\*\*\*\*\*ELEVATION NOT VERIFIED  
DUE TO INADEQUATE THREE WIRE DATA\*\*\*\*\*



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170108

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 4/28/2014

System: STATE

Job Number: BB0407

Nearest City: VAN BUREN

County: CRAWFORD

Route: 540

Section: 2

Log Mile: 14.736

Land Section Number: 17

Township: 09N

Range: 31W

Land Section:

Latitude: N 35 27 18.00000

Longitude: W 94 19 14.20000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 149.087

Elevation (Feet): 489.130

Description: ALUM AHTD DISK SE Corner Bridge Transition wall over i40 Ramp 2 on SB  
i540

Comments: \*\*\*\*\*USE CAUTION\*\*\*\*\*ELEVATION NOT VERIFIED  
DUE TO INADEQUATE THREE WIRE DATA\*\*\*\*\*

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170108

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #06

Date Established: 1/6/2011

System: STATE

Job Number: 100642

Nearest City: JONESBORO

County: CRAIGHEAD

Route: 226

Section: 2

Log Mile: 2.86

Land Section Number: 4

Township: 13N

Range: 01E

Land Section: NE

Latitude: N 34 11 39.00000

Longitude: W 94 20 39.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.5083

Elevation (Feet): 247.730

Description: AHTD BM DISK IN SW WINGWALL OF CACHE RIVER BR B7174

Comments: ELEVATION NOT VERIFIED DUE TO LACK OF THREE WIRE DATA

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170109

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #06

Date Established: 1/6/2011

System: STATE

Job Number: 100642

Nearest City: JONESBORO

County: CRAIGHEAD

Route: 226

Section: 2

Log Mile: 1.397

Land Section Number: 5

Township: 14N

Range: 01E

Land Section: NW

Latitude: N 35 47 45.00000

Longitude: W 90 00 38.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 73.2924

Elevation (Feet): 240.460

Description: AHTD BM DISK IN SW WINGWALL OF CACHE RIVER BR B7174

Comments: ELEVATION NOT VERIFIED DUE TO LACK OF THREE WIRE DATA

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170109

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 4/28/2004

System: STATE

Job Number: BB0407

Nearest City: VAN BUREN

County: CRAWFORD

Route: 540

Section: 2

Log Mile: 14.736

Land Section Number: 17

Township: 09N

Range: 31W

Land Section:

Latitude: N 35 27 18.00000

Longitude: W 94 19 14.20000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 149.664

Elevation (Feet): 491.023

Description: ALUM AHTD DISK SE Corner Bridge Transition wall over i40 Ramp 1 on SB

Comments: \*\*\*\*\*USE CAUTION\*\*\*\*\*ELEVATION NOT VERIFIED  
DUE TO INADEQUATE THREE WIRE DATA\*\*\*\*\*

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170110

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #41

Date Established: 10/21/2015

System: STATE Job Number: 040464 Nearest City: Dyer

County: CRAWFORD Route: Mulberry Wire Section: Log Mile:

Land Section Number: Township: 10n Range: 30w

Land Section:

Latitude: N 35 31 19.10000 Longitude: W 94 05 22.50000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 135.0754 Elevation (Feet): 443.160

Description: Located in North Head Wall of Box Culvert on Mulberry Wire Road  
approximately one half a mile East of Intersection of North Ham Town Road

Comments: Elevation verified, three wire data available on EDM in s040464re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170110

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #06

Date Established: 1/6/2011

System: STATE

Job Number: 100642

Nearest City: JONESBORO

County: CRAIGHEAD

Route: 226

Section: 2

Log Mile: 3.616

Land Section Number: 3

Township: 13N

Range: 01E

Land Section: NE

Latitude: N 35 47 42.00000

Longitude: W 90 56 53.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.6949

Elevation (Feet): 238.500

Description: AHTD BM DISK IN SW CNR HDWL OF TRI 12X7 RCB DITCH #32

Comments: ELEVATION NOT VERIFIED DUE TO LACK OF THREE WIRE DATA

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170111

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #41

Date Established: 10/18/2017

System: STATE

Job Number: 040456

Nearest City: Alma

County: CRAWFORD

Route: 162

Section:

Log Mile:

Land Section Number:

Township: 09n

Range: 31w

Land Section:

Latitude: N 35 28 46.17000

Longitude: W 94 12 58.59000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 139.0866

Elevation (Feet): 456.320

Description: Located on top surface of bridge parapet wall on the Southeast side at the beginning of Bridge 07324 over the Little Frog Bayou.

Comments: Elevation not verified due to lack of three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170111

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #06

Date Established: 1/6/2011

System: STATE

Job Number: 100642

Nearest City: JONESBORO

County: CRAIGHEAD

Route: 226

Section: 2

Log Mile: 4.439

Land Section Number: 2

Township: 13N

Range: 01E

Land Section: NW

Latitude: N 35 47 40.00000

Longitude: W 90 57 24.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.9022

Elevation (Feet): 239.180

Description: AHTD BM DISK IN SW CNR HDWL OF DBL 4X3 RCB

Comments: ELEVATION NOT VERIFIED DUE TO LACK OF THREE WIRE DATA



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170112

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #41

Date Established: 10/20/2017

System: STATE

Job Number: 040456

Nearest City: Alma

County: CRAWFORD

Route: 162

Section:

Log Mile:

Land Section Number:

Township: 09n

Range: 31w

Land Section:

Latitude: N 35 28 49.65000

Longitude: W 94 12 58.75000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 140.1534

Elevation (Feet): 459.820

Description: Located on top surface of bridge parapet wall on the Southeast side at the beginning of Bridge 07325 over Union Pacific Railroad.

Comments: Elevation not verified due to lack of three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170113

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 4/21/2018

System: STATE Job Number: 040623 Nearest City: Natural Dam

County: CRAWFORD Route: 59 Section: 5 Log Mile: 9.78

Land Section Number: 4 Township: 11n Range: 32w

Land Section: NWSE

Latitude: N 35 39 27.93000 Longitude: W 94 24 01.00000 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 206.46 Elevation (Feet): 677.361

Description: AHTD DISC TOP NW END WING WALL OF BOX CULVERT

Comments: Three wire data on EDM under job 040623 in s040623\_re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170114

Class: THIRD-ORDER

Vertical Datum: nAtVD88

Established by: RE OFFICE #42

Date Established: 4/17/2018

System: STATE Job Number: 040623 Nearest City: Natural Dam

County: CRAWFORD Route: 59 Section: 5 Log Mile: 10.41

Land Section Number: 4 Township: 11n Range: 32w

Land Section: NWSE

Latitude: N 35 38 47.17000 Longitude: W 94 23 37.00000 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 205.0272 Elevation (Feet): 672.660

Description: AHTD DISC TOP NW END PARAPIT WALL OF BRIDGE

Comments: Three wire data on EDM under job 040623 in s040623\_re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170115

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 4/17/2018

System: STATE Job Number: 040623 Nearest City: Natural Dam

County: CRAWFORD Route: 59 Section: 5 Log Mile: 10.51

Land Section Number: 4 Township: 11n Range: 32w

Land Section: NWSE

Latitude: N 35 38 52.19000 Longitude: W 94 23 29.20000 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 200.4786 Elevation (Feet): 657.737

Description: AHTD DISC TOP NW END WING WALL OF BOX CULVERT

Comments: Three wire data on EDM under job 040623 in s040623\_re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170115

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #06

Date Established: 9/15/2017

System: STATE

Job Number: 100679

Nearest City: Cash

County: CRAIGHEAD

Route: 226

Section: 2

Log Mile: 10.39

Land Section Number: 36

Township: 14n

Range: 02e

Land Section: SESW

Latitude: N 35 47 35.00000

Longitude: W 90 50 18.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 80.0376

Elevation (Feet): 262.590

Description: AHTD Disc in SW Corner Transition Wall 584+57

Comments: Digital level files available on EDM under job 100679 in s100679re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170116

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #06

Date Established: 9/15/2017

System: STATE

Job Number: 100679

Nearest City: Cash

County: CRAIGHEAD

Route: 226

Section: 2

Log Mile: 10.39

Land Section Number: 35

Township: 14n

Range: 02e

Land Section: SESW

Latitude: N 35 47 35.00000

Longitude: W 90 51 03.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 80.1443

Elevation (Feet): 262.940

Description: AHTD Disc in SW Corner Transition Wall 547+98

Comments: Digital level files available on EDM under job 100679 in s100679re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170117

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #06

Date Established: 9/15/2017

System: STATE Job Number: 100679 Nearest City: Cash

County: CRAIGHEAD Route: 226 Section: 2 Log Mile: 9

Land Section Number: 3 Township: 13n Range: 02e

Land Section: NWNW

Latitude: N 35 47 36.00000 Longitude: W 90 52 32.00000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.5872 Elevation (Feet): 251.270

Description: AHTD disc in SW corner of HW 474+59

Comments: Digital level files available on EDM under job 100679 in s100679re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170118

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #06

Date Established: 9/15/2017

System: STATE Job Number: 100679 Nearest City: Cash

County: CRAIGHEAD Route: 226 Section: 2 Log Mile: 8.84

Land Section Number: 4 Township: 13n Range: 02e

Land Section: NENE

Latitude: N 35 47 36.00000 Longitude: W 90 52 54.00000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.0358 Elevation (Feet): 246.180

Description: AHTD disc in SW corner of HW 466+08

Comments: Digital level files available on EDM under job 100679 in s100679re\_benches.zip



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170119

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #06

Date Established: 6/3/2015

System: STATE Job Number: 100679 Nearest City: Cash

County: CRAIGHEAD Route: 226 Section: 2 Log Mile: 8.65

Land Section Number: 4 Township: 13n Range: 02e

Land Section: NENE

Latitude: N 35 47 36.00000 Longitude: W 90 52 54.00000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.1242 Elevation (Feet): 246.470

Description: AHTD disc in SW corner of HW 456+09

Comments: Digital level files available on EDM under job 100679 in s100679re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170120

Class: SECOND-ORDER, CLASS I

Vertical Datum: NAVD88

Established by: RE OFFICE #06

Date Established: 9/21/2023

System: STATE

Job Number: 100824

Nearest City: Jonesboro

County: CRAIGHEAD

Route: 18

Section: 4

Log Mile: 4.11

Land Section Number: 4

Township: 14N

Range: 04E

Land Section: NENW

Latitude: N 35 49 15.9996

Longitude: W 90 39 04.968

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 87.9759

Elevation (Feet): 288.634

Description: ARDOT BM Disc in SE Corner of Wingwall Bridge 07408 STA 101+20.56 36.67  
Right of Center Line

Comments: Digital level files available on EDM under job 100824 in s100824\_RE\_BM.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 170121

Class: SECOND-ORDER, CLASS I

Vertical Datum: NAVD88

Established by: RE OFFICE #06

Date Established: 9/21/2023

System: STATE

Job Number: 100824

Nearest City: Jonesboro

County: CRAIGHEAD

Route: Watt St

Section:

Log Mile:

Land Section Number: 27

Township:

Range:

Land Section: NWN

Latitude: N 35 49 06.996

Longitude: W 90 39 00.9972

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.8103

Elevation (Feet): 281.529

Description: ARDOT BM Disc in SE CORNER OF WINGWALL BR 07407 STA 9+38.13  
14.98' Rt CL

Comments: Digital level files available on EDM under job 100824 in s100824\_RE\_BM.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180001

Class:

Vertical Datum:

Established by: RE OFFICE #13

Date Established: 9/28/1987

System: STATE

Job Number: 110066

Nearest City: WEST MEMPHIS

County: CRITTENDEN

Route: I-40

Section: 52

Log Mile: 272.8

Land Section Number: 8

Township: 06N

Range: 08E

Land Section: SE

Latitude: N 35 08 53.0

Longitude: W 90 15 51.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 64.542

Elevation (Feet): 211.752

Description: AHTD DISK-TOP OF WINGWALL (BR NO. 6146) 24' RT. OF STA. 408+04.  
RECOVERED BY S5102 ON 1/6/00

Comments: Elevation not verified due to lack of three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180002

Class:

Vertical Datum: NAVD88

Established by: RE OFFICE #14

Date Established: 9/1/1987

System: STATE

Job Number: 110066

Nearest City: WEST MEMPHIS

County: CRITTENDEN

Route: 40

Section: 52

Log Mile: 275.24

Land Section Number: 10

Township: 07N

Range: 08E

Land Section: NE

Latitude: N 35 09 36.5

Longitude: W 90 13 27.4

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.822

Elevation (Feet): 232.355

Description: AHTD DISK-TOP OF RT. WING WALL, 23' RT. C. L. STA. 11+08 @ AIRPORT  
TOAD INTERCHANGE. RECOVERED 1/6/00 BY S5102. MARCH 2000 3  
WIRE FROM NGS PT ON JOB 110358 UPDATED BY S5111.

Comments: Elevation not verified due to lack of three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180003

Class:

Vertical Datum:

Established by: RE OFFICE #14

Date Established: 9/1/1987

System: STATE

Job Number: 110066

Nearest City: WEST MEMPHIS

County: CRITTENDEN

Route: I-40

Section: 52

Log Mile: 273.37

Land Section Number: 8

Township: 60N

Range: 08E

Land Section: SE

Latitude: N 35 09 03.0

Longitude: W 90 15 18.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.787

Elevation (Feet): 232.240

Description: AHTD DISK-TOP OF LT. WING WALL, BR NO. 3115R, 18' LT. OF  
CENTERLINE STA. 11+07 @ EBONY ROAD OVERPASS.RECOVERED BY  
S5102 ON 01/06/00.

Comments: Elevation not verified due to lack of three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180004

Class:

Vertical Datum:

Established by: RE OFFICE #14

Date Established: 9/1/1987

System: STATE

Job Number: 110066

Nearest City: WEST MEMPHIS

County: CRITTENDEN

Route: I-40

Section: 52

Log Mile: 274.37

Land Section Number: 9

Township: 07N

Range: 08E

Land Section: NE

Latitude: N 35 09 24.0

Longitude: W 90 14 15.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.936

Elevation (Feet): 232.729

Description: AHTD DISK-TOP OF LT WINGWALL, BR NO 3116R, 20' LT OF  
CENTERLINE STA. 11+68 @ BOLING ROAD OVERPASS RECOVERED BY  
S5102 ON 01/06/00.

Comments: Elevation not verified due to lack of three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180005

Class:

Vertical Datum:

Established by: RE OFFICE #14

Date Established: 9/1/1987

System: STATE

Job Number: 110066

Nearest City: WEST MEMPHIS (LEHI)

County: CRITTENDEN

Route: I-40

Section: 52

Log Mile: 271.17

Land Section Number: 7

Township: 07N

Range: 08E

Land Section: NE

Latitude: N 35 08 53.0

Longitude: W 90 17 32.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.01

Elevation (Feet): 229.691

Description: AHTD DISK-TOP OF LT WINGWALL, BR NO 3108BR, 28' LT OF C.L. STA. 323+31 @ LEHI ON THE WEST BOUND LANE. RECOVERED BY S5102 ON 01/06/00.

Comments: Elevation not verified due to lack of three wire data.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180006

Class:

Vertical Datum:

Established by:

RE OFFICE #14

Date Established: 9/1/1987

System: STATE

Job Number: 110066

Nearest City: WEST MEMPHIS

County: CRITTENDEN

Route: I-40

Section: 52

Log Mile: 271.17

Land Section Number: 12

Township: 06N

Range: 07E

Land Section: SE

Latitude: N 35 08 52.0

Longitude: W 90 17 35.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.988

Elevation (Feet): 229.619

Description: AHTD DISK-TOP OF RT WINGWALL, BR NO 3108AR, 28' RT OF C.L. STA. 321+09 @ LEHI ON THE EAST BOUND LANE. RECOVERED BY S5102 ON 01/06/00.

Comments: Elevation not verified due to lack of three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180007

Class:

Vertical Datum:

Established by: RE OFFICE #14

Date Established: 8/1/1987

System: STATE

Job Number: 110096

Nearest City: WEST MEMPHIS

County: CRITTENDEN

Route: I-40

Section: 52

Log Mile: 276.05

Land Section Number: 2

Township: 06N

Range: 08E

Land Section: SE

Latitude: N 35 09 52.0

Longitude: W 90 12 37.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.499

Elevation (Feet): 214.891

Description: AHTD DISK-TOP OF SOUTH WING OF BENT NO. 1 BRIDGE NO. 6117.  
THIS BENCH MARK IS ON THE SOUTH FRONTAGE BRIDGE.  
RECOVERED BY S5102 ON 01/06/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180008

Class:

Vertical Datum:

Established by:

RE OFFICE #14

Date Established: 2/18/1988

System: STATE

Job Number: 110065

Nearest City: WEST MEMPHIS

County: CRITTENDEN

Route: I-55

Section: 11

Log Mile: 7.22

Land Section Number: 1

Township: 06N

Range: 08E

Land Section: SE

Latitude: N 35 10 13.0

Longitude: W 90 11 30.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 71.253

Elevation (Feet): 233.769

Description: AHTD DISK-TOP OF RT WING PARAPET WALL, STA. 26+86.21, BR NO. 6102, BT. NO. 1. RECOVERED BY S5102 ON 01/06/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180009

Class:

Vertical Datum:

Established by: RE OFFICE #14

Date Established: 2/18/1988

System: STATE

Job Number: 110065

Nearest City: WEST MEMPHIS

County: CRITTENDEN

Route: I-55

Section: 11

Log Mile: 7.22

Land Section Number: 1

Township: 06N

Range: 08E

Land Section: SE

Latitude: N 35 10 16.0

Longitude: W 90 11 35.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.984

Elevation (Feet): 249.291

Description: AHTD DISK-TOP OF LT. WING PARAPET WALL, STA. 32+22.07, BR NO 6102, BT NO 5. RECOVERED BY S5102 ON 01/06/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180010

Class:

Vertical Datum:

Established by: RE OFFICE #14

Date Established: 2/18/1988

System: STATE

Job Number: 110065

Nearest City: WEST MEMPHIS

County: CRITTENDEN

Route: I-55

Section: 11

Log Mile: 7.39

Land Section Number: 1

Township: 06N

Range: 08E

Land Section: NW

Latitude: N 35 10 23.0

Longitude: W 90 11 38.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 73.646

Elevation (Feet): 241.620

Description: AHTD DISK-TOP OF LT WING PARAPET WALL, STA. 40+50.39, BR. NO. 6103, BT. NO. 4. RECOVERED BY S5102 ON 01/06/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180011

Class:

Vertical Datum:

Established by: RE OFFICE #14

Date Established: 2/18/1988

System: STATE Job Number: 110065 Nearest City: WEST MEMPHIS

County: CRITTENDEN Route: I-55 Section: 11 Log Mile: 7.9

Land Section Number: 1 Township: 06N Range: 08E

Land Section: NW

Latitude: N 35 11 50.0 Longitude: W 90 11 45.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.384 Elevation (Feet): 244.042

Description: AHTD DISK-TOP OF LT WING WALL, STA 239+32.25, BR NO 2671AR, BT NO 1, SOUTH END OF BRIDGE. RECOVERED BY S5102 ON 01/06/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180012

Class:

Vertical Datum:

Established by: RE OFFICE #14

Date Established: 2/18/1988

System: STATE

Job Number: 110065

Nearest City: WEST MEMPHIS

County: CRITTENDEN

Route: I-55

Section: 11

Log Mile: 7.9

Land Section Number: 1

Township: 06N

Range: 08E

Land Section: NW

Latitude: N 35 11 00.0

Longitude: W 90 11 48.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.316

Elevation (Feet): 243.818

Description: AHTD DISK-TOP OF RT WING WALL, STA 47+84.88, BR NO 2671R, BENT NO 20, NORTH END OF BRIDGE. RECOVERED BY S5102 ON 01/06/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180013

Class:

Vertical Datum:

Established by: RE OFFICE #13

Date Established: 10/5/1987

System: STATE

Job Number: 110013

Nearest City: WEST MEMPHIS

County: CRITTENDEN

Route: 38

Section: 10

Log Mile: 0

Land Section Number: 6

Township: 06N

Range: 08E

Land Section: SE

Latitude: N 35 08 55.0

Longitude: W 90 08 26.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.406

Elevation (Feet): 214.586

Description: AHTD DISK-TOP OF DROP INLET 38' RT OF C.L. CLUB RD.S TA 2+05.  
LOCATED APPROX. 300 FT. NORTH OF THE INTERSECTION OF HWY. 70  
& MARTIN LUTHER KING DR. RECOVERED BY S5102 ON 01/06/00.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180014

Class:

Vertical Datum:

Established by: RE OFFICE #14

Date Established:

System: STATE

Job Number: 11921

Nearest City: WEST MEMPHIS

County: CRITTENDEN

Route: I-55

Section: 11

Log Mile: 0

Land Section Number: 15

Township: 06N

Range: 09E

Land Section: NW

Latitude: N 35 08 42.0

Longitude: W 90 07 16.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.374

Elevation (Feet): 244.009

Description: AHTD DISK-TOP OF PARAPET WALL 40' RT C.L. WEST BR. END. BR NO 5528B. RECOVERED BY S5102 ON 01/06/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180015

Class:

Vertical Datum:

Established by: RE OFFICE #14

Date Established:

System: STATE

Job Number: 11921

Nearest City: WEST MEMPHIS

County: CRITTENDEN

Route: I-55

Section: 11

Log Mile: 0

Land Section Number: 14

Township: 06N

Range: 09E

Land Section: SE

Latitude: N 35 08 20.0

Longitude: W 90 50 57.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 73.57

Elevation (Feet): 241.371

Description: AHTD DISK-TOP OF PARAPET WALL 50' RT OF C.L. WEST BR END. BR NO. 5529B. RECOVERED BY S5102 ON 01/06/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180016

Class:

Vertical Datum:

Established by: RE OFFICE #14

Date Established:

System: STATE

Job Number: 11921

Nearest City:

County: CRITTENDEN

Route: I-55

Section: 11

Log Mile: 0

Land Section Number: 13

Township: 06N

Range: 09E

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.487

Elevation (Feet): 244.379

Description: AHTD DISK-TOP OF BRIDGE WALK 30.5 RT. MEMPHIS-ARK BRIDGE  
(MISSISSIPPI RIVER). COULD FIND NO DISK BY S5102 ON 01/06/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180017

Class:

Vertical Datum:

Established by: RE OFFICE #14

Date Established:

System: STATE

Job Number: 11920

Nearest City: WEST MEMPHIS

County: CRITTENDEN

Route: I-55

Section: 11

Log Mile: 0

Land Section Number: 10

Township: 06N

Range: 09E

Land Section: SW

Latitude: N 35 08 50.0

Longitude: W 90 07 55.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.061

Elevation (Feet): 236.420

Description: AHTD DISK-TOP OF SE BR WING, BR NO 5723. BROADWAY OVERPASS.  
RECOVERED BY S5102 ON 01/06/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180018

Class:

Vertical Datum:

Established by: RE OFFICE #14

Date Established: 9/14/1993

System: STATE

Job Number: 110198

Nearest City: WEST MEMPHIS

County: CRITTENDEN

Route: I-55

Section: 11

Log Mile: 0

Land Section Number: 36

Township: 07N

Range: 08E

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.163

Elevation (Feet): 213.789

Description: AHTD DISK- TOP OF HEADWALL ON THE SE CORNER OF RC BOX  
CULVERT, STA 245+94. THIS BM IS LOCATED ON THE FRONTAGE ROAD  
CORSSOVER @ MO-PAC R/R. NOT RECOVERED BY S5102 ON 01/06/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180019

Class:

Vertical Datum:

Established by: RE OFFICE #14

Date Established:

System: STATE

Job Number: N/A

Nearest City: EARLE

County: CRITTENDEN

Route: 64

Section: 17

Log Mile: 7.21

Land Section Number: 6

Township: 07N

Range: 07E

Land Section: NE

Latitude: N 35 15 44.0

Longitude: W 90 23 14.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 64.142

Elevation (Feet): 210.439

Description: [] SOUTHWEST CORNER WHEELGUARD. RECOVERED BY S5102 ON 01/06/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180020

Class:

Vertical Datum:

Established by: RE OFFICE #14

Date Established:

System: STATE Job Number: N/A Nearest City:

County: CRITTENDEN Route: 64 Section: 17 Log Mile: 7.97

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 66.456 Elevation (Feet): 218.031

Description: [] SOUTHEAST CORNER WHEELGUARD BRIDGE 3265. NOT RECOVERED  
BY S5102 ON 01/06/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180021

Class:

Vertical Datum:

Established by: RE OFFICE #13

Date Established:

System: STATE

Job Number: 110043

Nearest City:

County: CRITTENDEN

Route: 64

Section: 17

Log Mile: 16.93

Land Section Number: 28

Township: 07N

Range: 08E

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 66.416

Elevation (Feet): 217.900

Description: METAL DISK IN TOP LEFT WING --EAST END OF BRIDGE NO. 6149

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180022

Class:

Vertical Datum:

Established by: RE OFFICE #14

Date Established: 8/27/1992

System: STATE

Job Number: 110154

Nearest City:

County: CRITTENDEN

Route: 118

Section: 4

Log Mile:

Land Section Number: 3

Township: 06N

Range: 08E

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 64.657

Elevation (Feet): 212.129

Description: AHTD DISK-TOP OF RT WING BENT NO. 1, BRIDGE NO. 6382-THIS BM IS LOCATED APPROX. 0.3 MILES NORTH OF I-40 ON AIRPORT RD.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180023

Class:

Vertical Datum:

Established by: RE OFFICE #14

Date Established:

System: STATE

Job Number: N/A

Nearest City: MIDWAY CORNER

County: CRITTENDEN

Route: 147

Section: 1

Log Mile: 10.34

Land Section Number: 7

Township: 05N

Range: 08E

Land Section: NW

Latitude: N 35 04 23.0

Longitude: W 90 17 38.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 63.28

Elevation (Feet): 207.611

Description: AHTD DISK-TOP OF SE WING WALL, BR NO 5748. APPROX. 0.5 MILES SOUTH OF MIDWAY CORNER. RECOVERED BY S5102 ON 01/06/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180024

Class:

Vertical Datum:

Established by:

RE OFFICE #14

Date Established:

System: STATE

Job Number:

11959

Nearest City:

EARLE

County:

CRITTENDEN

Route:

184

Section:

2

Log Mile:

Land Section Number:

29

Township:

08N

Range:

06E

Land Section:

SW

Latitude:

N 35 17 04.9

Longitude:

W 90 29 05.1

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

64.566

Elevation (Feet):

211.830

Description:

AHTD DISK-TOP OF NE WING BR NO 5908 @ TYRONZA RIVER.  
RECOVERED BY S5102 ON 01/06/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180025

Class:

Vertical Datum:

Established by: RE OFFICE #14

Date Established: 2/5/1993

System: STATE Job Number: R10046 Nearest City:

County: CRITTENDEN Route: 147 Section: 2 Log Mile: 16.61

Land Section Number: 1 Township: 06N Range: 07E

Land Section: SE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 64.663 Elevation (Feet): 212.149

Description: AHTD DISK-TOP OF DROP INLET 30' LT OF C.L. STA. 67+00. NOT  
RECOVERED BY S5102 ON 01/06/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180026

Class:

Vertical Datum:

Established by: RE OFFICE #14

Date Established: 6/1/1990

System: STATE

Job Number: 110168

Nearest City: WEST MEMPHIS

County: CRITTENDEN

Route: THOMPSON S

Section: 0

Log Mile: 0

Land Section Number: 8

Township: 06N

Range: 09E

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.377

Elevation (Feet): 214.491

Description: AHTD DISK-TOP OF DROP INLET 25' LT OF STATION 8+35 THOMPSON ST. IN THE NE QUADRANT OF THE INTERSECTION OF 7TH ST. AND THOMPSON ST. IN WEST MEMPHIS, AR. WAS NOTED DESTROYED BY STREET CONSTRUCTION. \*\*\*RECOVERED BY S5102 ON 01/06/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180027

Class:

Vertical Datum:

Established by: RE OFFICE #14

Date Established: 3/27/1990

System: STATE

Job Number: 110157

Nearest City: WEST MEMPHIS

County: CRITTENDEN

Route: 70

Section: 20

Log Mile: 0

Land Section Number: 7

Township: 06N

Range: 09E

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.553

Elevation (Feet): 215.068

Description: AHTD DISK-TOP OF FOOTING FOR THE MAST ARM AND POLE IN THE  
NW QUADRANT AT THE INTERSECTION OF 7TH ST. AND BROADWAY  
IN WEST MEMPHIS, AR. DESTROYED. NEW BANK PARKING LOT CONST.  
\*\*\*\*RECOVERED BY S5102 ON 01/06/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180028

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #14

Date Established:

System: STATE

Job Number: F-18-10

Nearest City: SHEAREVILLE

County: CRITTENDEN

Route: 218

Section: 1

Log Mile: 0.18

Land Section Number: 7

Township: 06N

Range: 07E

Land Section: SW

Latitude: N 35 09 05.0

Longitude: W 90 24 02.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.796

Elevation (Feet): 228.989

Description: ON THE TOP OF THE WHEEL GUARD, ON THE NE CORNER OF THE  
OVERPASS BRIDGE ON HWY. 79 OVER 1-40 AN AHTD ALUM. DISC.  
RECOVERED BY S5102 ON 01/06/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180029

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #14

Date Established: 12/22/1995

System: STATE

Job Number: 11934

Nearest City: WEST MEMPHIS

County: CRITTENDEN

Route: 70

Section: 20

Log Mile: 9.32

Land Section Number: 10

Township: 06N

Range: 08E

Land Section: SW

Latitude: N 35 08 49.5

Longitude: W 90 14 10.8

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 66.785

Elevation (Feet): 219.110

Description: AHTD DISC-TOP OF NW BR POST, BR NO 6454, LT OF STA. 491+87. 15 MILE BAYOU. RECOVERED BY S5102 ON 01/06/00.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180030

Class:

Vertical Datum: NAVD88

Established by: RE OFFICE #14

Date Established: 12/22/1995

System: STATE

Job Number: 11934

Nearest City: WEST MEMPHIS

County: CRITTENDEN

Route: 70

Section: 20

Log Mile: 10.21

Land Section Number: 11

Township: 06N

Range: 08E

Land Section: SW

Latitude: N 35 08 48.2

Longitude: W 90 13 12.9

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 66.578

Elevation (Feet): 218.431

Description: AHTD DISK-TOP OF NW BR NO 6455, LT OF STA 539+07. DITCH NO 13.  
RECOVERED ON 1/6/00 BY S5102. ELEVATION UPDATED FROM JOB  
110358 BY S5111. OLD ELEVATION = 218.54 FEET

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180031

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #14

Date Established: 12/22/1995

System: STATE

Job Number: 11934

Nearest City: WEST MEMPHIS

County: CRITTENDEN

Route: 70

Section: 20

Log Mile: 10.98

Land Section Number: 11

Township: 06N

Range: 08E

Land Section: SE

Latitude: N 35 08 46.7

Longitude: W 90 12 24.3

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 66.882

Elevation (Feet): 219.429

Description: AHTD DISK-TOP OF NW BR. POST BR NO. 6456, LT OF STA. 580+81. 10 MILE BAYOU. RECOVERED BY 01/06/00 ON 01/06/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180032

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #14

Date Established: 12/22/1995

System: STATE

Job Number: 11934

Nearest City: WEST MEMPHIS

County: CRITTENDEN

Route: 70

Section: 20

Log Mile: 11.21

Land Section Number: 12

Township: 06N

Range: 08E

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 63.426

Elevation (Feet): 208.090

Description: AHTD DISK-TOP OF NW CORNER OF JUNCTION BOX 60' LT OF C.L. STA. 593+08. NOT RECOVERED BY S5102 ON 01/06/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180033

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #14

Date Established: 12/22/1995

System: STATE

Job Number: 11934

Nearest City: WEST MEMPHIS

County: CRITTENDEN

Route: 70

Section: 20

Log Mile: 11.36

Land Section Number: 12

Township: 06N

Range: 08E

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 63.996

Elevation (Feet): 209.960

Description: AHTD DISK-TOP PF NW CORNER OF JUNCTION BOX 60' LT OF C.L. STA. 601+00. RECOVERED BY S5102 ON 01/06/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180034

Class:

Vertical Datum:

Established by: RE OFFICE #14

Date Established: 3/15/1996

System: CITY

Job Number: 110233

Nearest City:

County: CRITTENDEN

Route: GRAM BLV

Section: 0

Log Mile: 0

Land Section Number: 8

Township: 06N

Range: 09E

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.224

Elevation (Feet): 213.989

Description: AHTD DISK-TOP OF DROP INLET ON CENTERLINE OF ROAD STA 16+10.  
INGRAM BLVD. NOT RECOVERED BY S5102 BY 01/06/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180035

Class:

Vertical Datum:

Established by: RE OFFICE #14

Date Established: 3/15/1996

System: STATE

Job Number: 11931

Nearest City: WEST MEMPHIS

County: CRITTENDEN

Route: I-55

Section: 11

Log Mile: 0

Land Section Number: 8

Township: 06N

Range: 09E

Land Section: NW

Latitude: N 35 09 25.0

Longitude: W 90 09 22.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.396

Elevation (Feet): 237.519

Description: AHTD DISK-TOP OF WINGWALL ON SE CORNER OF BRIDGE NO. 6457,  
STA. 16+65. THIS BM IS LOCATED AT THE I-55 & INGRAM BLVD.  
INTERCHANGE. RECOVERED BY S5102 ON 01/06/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180036

Class:

Vertical Datum:

Established by:

RE OFFICE #14

Date Established: 3/15/1996

System: STATE

Job Number: 11931

Nearest City: WEST MEMPHIS

County: CRITTENDEN

Route: GRAM BLV

Section: 0

Log Mile: 0

Land Section Number: 8

Township: 06N

Range: 09E

Land Section: NE

Latitude: N 35 09 14.6

Longitude: W 90 09 30.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.727

Elevation (Feet): 215.639

Description: AHTD DISK-TOP OF DROP INLET 30' LT OF STA. 4+10 ON INGRAM BLVD.  
RECOVERED BY S5102 ON 01/06/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180037

Class:

Vertical Datum:

Established by: RE OFFICE #14

Date Established: 6/13/1994

System: STATE

Job Number: 110071

Nearest City: EDMONDSON

County: CRITTENDEN

Route: 131

Section: 3

Log Mile: 0.8

Land Section Number: 36

Township: 06N

Range: 07E

Land Section: NE

Latitude: N 35 05 56.0

Longitude: W 90 18 40.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 64.95

Elevation (Feet): 213.090

Description: AHTD DISK-TOP OF PARAPET WALL, 14.5' RT. OF CENTERLINE OF BR NO 6562, STA 35+16. THIS BM IS LOCATED ON THE SOUTH CITY LIMITS OF EDMONDSON, AR. RECOVERED BY S5102 ON 01/06/00.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180038

Class:

Vertical Datum:

Established by:

RE OFFICE #14

Date Established: 2/3/1995

System: STATE

Job Number: 110169

Nearest City: WEST MEMPHIS

County: CRITTENDEN

Route: 77

Section: 5

Log Mile: 17.5

Land Section Number: 12

Township: 06N

Range: 08E

Land Section: SE

Latitude: N 35 09 16.7

Longitude: W 90 11 04.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 64.42

Elevation (Feet): 211.351

Description: AHTD DISK-TOP OF HEADWALL ON SE CORNER OF QUIT. 12' X 12' X 156'  
RC BOX CULVERT-STA 102+00. MISSOURI ST. @ 10 MILE BAYOU.  
RECOVERED BY S5102 ON 01/06/00

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180039

Class:

Vertical Datum:

Established by: RE OFFICE #14

Date Established: 2/3/1995

System: STATE

Job Number: 110169

Nearest City: WEST MEMPHIS

County: CRITTENDEN

Route: 77

Section: 5

Log Mile: 17.5

Land Section Number: 12

Township: 06N

Range: 08E

Land Section: SE

Latitude: N 35 09 19.8

Longitude: W 90 11 05.8

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.291

Elevation (Feet): 214.209

Description: AHTD DISK-TOP OF HEADWALL ON NE CORNER OF 10' X 10' X 123' RC BOX CULVERT STA 103+00. MISSOURI ST. @ 10 MILE BAYOU. RECOVERED BY S5102 ON 01/06/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180040

Class:

Vertical Datum:

Established by: RE OFFICE #14

Date Established: 10/20/1988

System: COUNTY

Job Number: BR-18-2

Nearest City: BOOKER

County: CRITTENDEN

Route: CR 6

Section: 0

Log Mile: 0

Land Section Number: 15

Township: 08N

Range: 07E

Land Section: NW

Latitude: N 35 18 27.4

Longitude: W 90 19 55.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 67.663

Elevation (Feet): 221.991

Description: AHTD DISK-TOP OF RT WINGWALL 19' RT OF STA 33+98.5, BENT 1, BR NO 4574. 1/2 MILE NORTH AND 1/2 MILE SOUTH OF SMOKEY ALLEY GIN. STATION IS ON "CRISSWELL ROAD." RECOVERED BY S5102 ON 01/06/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180041

Class:

Vertical Datum:

Established by: RE OFFICE #14

Date Established: 3/21/1990

System: COUNTY Job Number: BR-18-4 Nearest City: GILMORE

County: CRITTENDEN Route: CR 8 Section: 0 Log Mile: 0

Land Section Number: 10 Township: 09N Range: 07E

Land Section: SE

Latitude: N 35 24 32.5 Longitude: W 90 19 43.2 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 66.719 Elevation (Feet): 218.894

Description: AHTD DISK-TOP OF SW WING, BR NO 4627. STATION IS ON "MARLIN SWAMP ROAD" 1.75 MILES EAST OF HWY-118. RECOVERED BY S5102 ON 01/07/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180042

Class:

Vertical Datum:

Established by: RE OFFICE #14

Date Established:

System: COUNTY Job Number: BR-18-1 Nearest City: CRAWFORDSVILLE

County: CRITTENDEN Route: CR 13 Section: 0 Log Mile: 0

Land Section Number: 33 Township: 08N Range: 07E

Land Section: NW

Latitude: N 35 16 45.1 Longitude: W 90 21 42.4 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 66.428 Elevation (Feet): 217.939

Description: AHTD DISK-TOP OF SE WINGWALL (BR NO 4442)-DITCH NO 7 BRIDGE & APPROACHES. THIS BM IS LOCATED 2 MILES NORTH OF OIL WELL CORNER @ HWY. 64. RECOVERED BY S5102 ON 01/06/00

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180043

Class:

Vertical Datum:

Established by:

RE OFFICE #14

Date Established:

System:

COUNTY

Job Number:

110049

Nearest City:

WEST MEMPHIS

County:

CRITTENDEN

Route:

RICH ROAD

Section:

0

Log Mile:

0

Land Section Number:

11

Township:

06N

Range:

08E

Land Section:

SE

Latitude:

N 35 09 09.0

Longitude:

W 90 12 07.0

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

64.706

Elevation (Feet):

212.290

Description:

AHTD DISK-TOP OF WING BR NO 6050. 0.4 MILES NORTH OF THE  
INTERSECTION OF RICH RD. & HWY. 70. RECOVERED BY S5102 ON  
01/06/00

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180044

Class:

Vertical Datum:

Established by: RE OFFICE #14

Date Established:

System: COUNTY

Job Number: F-18-4

Nearest City: PROCTOR

County: CRITTENDEN

Route: ROCTOR R

Section: 0

Log Mile: 0

Land Section Number: 33

Township: 06N

Range: 07E

Land Section: SW

Latitude: N 35 05 24.0

Longitude: W 90 21 25.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 62.463

Elevation (Feet): 204.931

Description: AHTD DISK-TOP OF SW WING WALL BR NO 4444. REFERENCE PROJECT  
NAME-WAREHOUSE BAYOU. RECOVERED BY S5102 ON 01/06/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180045

Class:

Vertical Datum:

Established by: RE OFFICE #13

Date Established:

System: COUNTY

Job Number: BR-18-3

Nearest City: MOUND CITY

County: CRITTENDEN

Route: CR 27

Section: 0

Log Mile: 0

Land Section Number: 33

Township: 07N

Range: 09E

Land Section: NE

Latitude: N 35 11 21.8

Longitude: W 90 08 13.3

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 66.389

Elevation (Feet): 217.811

Description: AHTD DISK-TOP OF NW WING WALL, BR NO (UNKNOWN). MOUND CITY ROAD. RECOVERED BY S5102 ON 01/06/00

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180046

Class:

Vertical Datum:

Established by:

RE OFFICE #14

Date Established:

System: CITY

Job Number:

110037

Nearest City:

WEST MEMPHIS

County:

CRITTENDEN

Route:

Avalon St.

Section:

0

Log Mile:

0

Land Section Number:

1

Township:

06N

Range:

08E

Land Section:

SW

Latitude:

N 35 09 53.0

Longitude:

W 90 11 36.0

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

65.377

Elevation (Feet):

214.491

Description:

AHTD DISC RT. WINGWALL BENT 1, TEN MILE DIVERSION BR.27' Rt of  
C.L. Sta 24+95, Bent 1. Location of BM is Avalon and Balfour.RECOVERED BY  
S5102 ON 01/06/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180047

Class:

Vertical Datum:

Established by: RE OFFICE #14

Date Established: 1/19/1996

System: STATE Job Number: 110214 Nearest City: HEAFER

County: CRITTENDEN Route: 42 Section: 5 Log Mile: 1.75

Land Section Number: 30 Township: 09N Range: 07E

Land Section: SE

Latitude: N 35 22 00.0 Longitude: W 90 23 11.3 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 62.765 Elevation (Feet): 205.922

Description: AHTD DISK-TOP OF NORTH HEADWALL OF RC BOX CULVERT 65' LT OF  
C.L. STA. 15+00. RECOVERED BY S5102 ON 01/07/00

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180048

Class:

Vertical Datum:

Established by:

RE OFFICE #14

Date Established: 1/19/1996

System: STATE

Job Number: 110214

Nearest City: HEAFER

County: CRITTENDEN

Route: 42

Section: 5

Log Mile: 1.75

Land Section Number: 31

Township: 09N

Range: 07E

Land Section: NE

Latitude: N 35 21 59.8

Longitude: W 90 23 13.5

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 62.608

Elevation (Feet): 205.406

Description: AHTD DISK-TOP OF SOUTH HEADWALL OF RC BOX CULVERT 65' RT OF  
C.L. STA. 14+50. RECOVERED BY S5102 ON 01/07/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180049

Class:

Vertical Datum:

Established by: RE OFFICE #14

Date Established: 1/19/1996

System: STATE

Job Number: 110214

Nearest City: HEAFER

County: CRITTENDEN

Route: 42

Section: 5

Log Mile: 2.26

Land Section Number: 32

Township: 09N

Range: 07E

Land Section: NW

Latitude: N 35 22 00.5

Longitude: W 90 22 38.4

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 64.773

Elevation (Feet): 212.509

Description: AHTD DISK-TOP OF HEADWALL OF RC BOX CULVERT 100' LT OF C.L.  
STA 42+00. RECOVERED BY S5102 ON 01/07/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180050

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #14

Date Established: 11/28/1995

System: CITY

Job Number: 110213

Nearest City: WEST MEMPHIS

County: CRITTENDEN

Route: AVALON ST

Section: 0

Log Mile: 0

Land Section Number: 12

Township: 06N

Range: 08E

Land Section: NE

Latitude: N 35 09 26.0

Longitude: W 90 11 37.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 64.77

Elevation (Feet): 212.500

Description: AHTD DISK-TOP OF RT WING WALL OF BR NO 4730, 30' RT OF C.L. STA. 39+02. RECOVERED BY S5102 ON 01/06/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180051

Class:

Vertical Datum:

Established by: RE OFFICE #14

Date Established: 9/23/1997

System: COUNTY

Job Number: BR1805

Nearest City: LEHI

County: CRITTENDEN

Route: CR 5

Section:

Log Mile: 0

Land Section Number: 16

Township: 06N

Range: 08E

Land Section: SW

Latitude: N 35 08 24.0

Longitude: W 90 15 18.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 64.212

Elevation (Feet): 210.669

Description: AHTD DISK-TOP OF BRIDGE WING (BR NO. 4670) 17' RT OF C.L. BRIDGE  
END STA. 4+33.5. ON KAVHN ROAD. RECOVERED BY S5102 ON 01/06/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180052

Class:

Vertical Datum: NAVD88

Established by: RE OFFICE #14

Date Established: 1/6/2000

System: STATE

Job Number: R10008

Nearest City: WEST MEMPHIS

County: CRITTENDEN

Route: I-40

Section: 52

Log Mile: 278.94

Land Section Number: 8

Township: 06N

Range: 09E

Land Section: NW

Latitude: N 35 09 52.0

Longitude: W 90 12 37.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.387

Elevation (Feet): 214.524

Description: AHTD DISK-TOP OF SW WING WALL, BR NO 2673BR. SOUTH FRONTAGE ROAD @ 10 MILE BAYOU DIVERSION DITCH. RECOVERED BY S5102 ON 1/6/2000. ELEVATION UPDATED FROM NGS POINT JOB 110358 BY S5111 USING 3WIRE LEVEL PROCEDURE. OLD ELEVATION = 217.60 FEET (\*\*3.08 FEET DIFFERENT\*\*)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180053

Class:

Vertical Datum:

Established by: RE OFFICE #14

Date Established: 1/8/1991

System: STATE

Job Number: R10008

Nearest City: WEST MEMPHIS

County: CRITTENDEN

Route: I-40

Section: 52

Log Mile: 0

Land Section Number: 1

Township: 06N

Range: 08E

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.012

Elevation (Feet): 213.294

Description: PAINT MARK- TOP OF NE CORNER OF NORTH HEADWALL @ S. FRTGE.  
RD & PARK AND RIDE LOT, WEST MEMPHIS, AR. NOT RECOVERED BY  
S5102 ON 01/06/00.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180054

Class:

Vertical Datum:

Established by: RE OFFICE #14

Date Established:

System: STATE

Job Number: R10008

Nearest City: WEST MEMPHIS

County: CRITTENDEN

Route: 191

Section: 1

Log Mile: 1.23

Land Section Number: 6

Township: 06N

Range: 09E

Land Section: SE

Latitude: N 35 09 53.5

Longitude: W 90 10 34.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.494

Elevation (Feet): 237.841

Description: AHTD DISK-TOP OF SW TRANSITION PARAPET WALL, BR NO 3130. 7TH ST. OVERPASS @ I-40. RECOVERED BY S5102 ON 01/06/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180055

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #14

Date Established: 4/10/2000

System: CITY

Job Number: 110304

Nearest City: WEST MEMPHIS

County: CRITTENDEN

Route: BARTON ST

Section:

Log Mile:

Land Section Number: 12

Township: 06N

Range: 08E

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 64.27

Elevation (Feet): 210.859

Description: AHTDdisc 33' lt. Of centerline of R.C .Box culvert sta. 11+40 in top of headwall.  
HWY 70 OVER TEN MILE BAYOU

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180058

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #14

Date Established: 1/16/2001

System: CITY

Job Number: 110304

Nearest City: West Memphis

County: CRITTENDEN

Route: Barton St.

Section:

Log Mile:

Land Section Number: 12

Township: 06n

Range: 08e

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 64.27

Elevation (Feet): 210.859

Description: AHTD DISC IN TOP OF HW OF RC BOX CULVERT 33' LT OF CENTERLINE  
STA 11+40 OVER TEN MILE BAYOU

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180059

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #14

Date Established: 1/16/2001

System: FEDERAL

Job Number: 110235

Nearest City: WEST MEMPHIS

County: CRITTENDEN

Route: I40

Section: 52

Log Mile: 283.5

Land Section Number: 1

Township: 06N

Range: 09E

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.975

Elevation (Feet): 239.419

Description: AHTD DISC IN NE CORNER OF 12' SCALE PIT WALL 76' NORTH OF I-40  
W.B. LANE EDGE STA 416+95 APPROX 3265' WEST OF I-40 MISS RIVER  
BRIDGE ABUTMENT

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180060

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #14

Date Established: 1/16/2001

System: STATE

Job Number: 110128

Nearest City: WEST MEMPHIS

County: CRITTENDEN

Route: 70

Section: 20

Log Mile:

Land Section Number: 7

Township: 06N

Range: 08E

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.65

Elevation (Feet): 215.387

Description: AHTD DISC IN TOP OF RT PARAPET WALL ON WEST BR. END STA  
102+08 BR # 6767 OVER DITCH # 11

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180061

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #14

Date Established: 1/16/2001

System: STATE

Job Number: 110128

Nearest City: WEST MEMPHIS

County: CRITTENDEN

Route: 70

Section: 20

Log Mile:

Land Section Number: 8

Township: 06N

Range: 08E

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 64.541

Elevation (Feet): 211.748

Description: AHTD DISC IN TOP OF RT PARAPET WALL IN WEST END BR STATION  
202+01 BR # 6768 OVER DITCH # 10

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180062

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #14

Date Established: 1/16/2001

System: STATE

Job Number: 110128

Nearest City: WEST MEMPHIS

County: CRITTENDEN

Route: 70

Section: 20

Log Mile:

Land Section Number: 9

Township: 06N

Range: 08E

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 64.541

Elevation (Feet): 211.748

Description: AHTD DISC IN TOP OF RT PARAPET WALL ON WEST BRIDGE END STA  
301+55 BR # 6769 OVER DITCH # 9

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180064

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #13

Date Established: 7/21/2003

System: STATE Job Number: 110334 Nearest City:

County: CRITTENDEN Route: 64 Section: 17 Log Mile: 4.71

Land Section Number: 35 Township: 08n Range: 06e

Land Section: NE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 62.775 Elevation (Feet): 205.954

Description: AHTD DISC IN SOUTH HW OF BOX CULVERT 58.4 RT OF STA 499+81

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180065

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #14

Date Established: 2/20/2008

System: STATE Job Number: 110434 Nearest City: GILMORE

County: CRITTENDEN Route: 63 Section: 2 Log Mile:

Land Section Number: 18 Township: 09N Range: 08E

Land Section: NE

Latitude: N 35 24 12.99 Longitude: W 90 16 45.26 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.67193295 Elevation (Feet): 228.582

Description: S.W. CORNER OF BRIDGE C6990

Comments: Elevations Verified by ESS on 5/15/08 by 3-wire levels. Elevations were based on control file of Job#110434 from NGS marks P 314, E 315, 1 JW, N 314, N 315, L 314, K 314, J 314, K 174, L 174 RESET, AND H 314. Data can be located on EDM under Job#110434, s110434\_RE\_bences.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180066

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #14

Date Established: 2/20/2008

System: STATE Job Number: 110434 Nearest City: GILMORE

County: CRITTENDEN Route: 63 Section: 2 Log Mile:

Land Section Number: 18 Township: 09N Range: 08E

Land Section: NE

Latitude: N 35 24 13.0 Longitude: W 90 17 45.4 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.68961139 Elevation (Feet): 228.640

Description: S.W. CORNER OF BRIDGE D6990

Comments: Elevations Verified by ESS on 5/15/08 by 3-wire levels. Elevations were based on control file of Job#110434 from NGS marks P 314, E 315, 1 JW, N 314, N 315, L 314, K 314, J 314, K 174, L 174 RESET, AND H 314. Data can be located on EDM under Job#110434, s110434\_RE\_bences.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180067

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #14

Date Established: 4/7/2008

System: STATE Job Number: 110434 Nearest City: GILMORE

County: CRITTENDEN Route: 63 Section: 2 Log Mile:

Land Section Number: 7 Township: 09N Range: 08E

Land Section: NE

Latitude: N 35 24 41.47 Longitude: W 90 16 54.27 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.43540768 Elevation (Feet): 247.491

Description: S.E. CORNER OF BRIDGE 06989 MENASHA ROAD OVERPASS

Comments: Elevations Verified by ESS on 5/15/08 by 3-wire levels. Elevations were based on control file of Job#110434 from NGS marks P 314, E 315, 1 JW, N 314, N 315, L 314, K 314, J 314, K 174, L 174 RESET, AND H 314. Data can be located on EDM under Job#110434, s110434\_RE\_bences.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180068

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #14

Date Established: 4/15/2008

System: STATE

Job Number: 110401

Nearest City: TURRELL

County: CRITTENDEN

Route: 55

Section: 02

Log Mile:

Land Section Number:

Township: 09N

Range: 08E

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.30927

Elevation (Feet): 250.358

Description: NORTHEAST CORNER OF BR. 06999

Comments:

3 wire levels were ran by RE14 but were out a little in the adjustment. Levels were based off of a TBM 960 but Job was based on NGS marks P 314, E 315, 1 JW, N 314, N315, L 314, K 314, J 314, K 174, L 174 RESET, H 314. Files can be found on EDM under s110401\_RE\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180069

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #14

Date Established: 4/15/2008

System: STATE Job Number: 110401 Nearest City: TURRELL

County: CRITTENDEN Route: 55 Section: 2 Log Mile:

Land Section Number: Township: 09N Range: 08E

Land Section: SW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.88646178 Elevation (Feet): 245.690

Description: NORTHEAST CORNER OF BR. 06998

Comments: 3 wire levels were ran by RE14 but were out a little in the adjustment. Levels were based off of a TBM 960 but Job was based on NGS marks P 314, E 315, 1 JW, N 314, N315, L 314, K 314, J 314, K 174, L 174 RESET, H 314. Files can be found on EDM under s110401\_RE\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180070

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #14

Date Established: 4/23/2008

System: STATE Job Number: 110463 Nearest City: WEST MEMPHIS

County: CRITTENDEN Route: 118 Section: 4 Log Mile: N/A

Land Section Number: Township: 06N Range: 08E

Land Section: NE

Latitude: N 35 09 53.2 Longitude: W 90 13 27.8 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.68962155 Elevation (Feet): 215.517

Description: HWY 118 SE CORNER BR. NO. 07032

Comments: THREE WIRE LEVELS WERE RAN TO MARK BUT CANNOT BE VERIFIED. BENCHMARK WAS DETERMINED BY AHTD MARK 180004, MARK DOES NOT HAVE A DETERMINED VERTICAL DATUM AND WHERE IT'S ELEVATION WAS DERIVED FROM. DATA CAN BE FOUND ON EDM UNDER 110463\_RE\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180071

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #14

Date Established: 4/22/2008

System: STATE

Job Number: 110358

Nearest City: WEST MEMPHIS

County: CRITTENDEN

Route: 40

Section: 52

Log Mile: N/A

Land Section Number:

Township: 06N

Range: 08E

Land Section: NE

Latitude: N 35 09 31.8

Longitude: W 90 13 48.2

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 66.7654153

Elevation (Feet): 219.046

Description: EAST BOUND CD ROAD SW CORNER OF BR. NO. D7025

Comments: THREE WIRE LEVELS WERE RAN TO MARK BUT CANNOT BE VERIFIED. BENCHMARK WAS DETERMINED BY AHTD MARK 180004, MARK DOES NOT HAVE A DETERMINED VERTICAL DATUM AND WHERE IT'S ELEVATION WAS DERIVED FROM. DATA CAN BE FOUND ON EDM UNDER 110358\_RE\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180072

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #14

Date Established: 4/22/2008

System: STATE Job Number: 110358 Nearest City: WEST MEMPHIS

County: CRITTENDEN Route: 40 Section: 52 Log Mile: N/A

Land Section Number: Township: 06N Range: 08E

Land Section: NE

Latitude: N 35 09 33.1 Longitude: W 90 13 46.6 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 67.1460503 Elevation (Feet): 220.295

Description: WEST BOUND CD ROAD SW CORNER BR. NO. C7025

Comments: THREE WIRE LEVELS WERE RAN TO MARK BUT CANNOT BE VERIFIED. BENCHMARK WAS DETERMINED BY AHTD MARK 180004, MARK DOES NOT HAVE A DETERMINED VERTICAL DATUM AND WHERE IT'S ELEVATION WAS DERIVED FROM. DATA CAN BE FOUND ON EDM UNDER 110358\_RE\_benches.zip



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180073

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #14

Date Established: 4/22/2008

System: STATE Job Number: 110358 Nearest City: WEST MEMPHIS

County: CRITTENDEN Route: 40 Section: 52 Log Mile: 3.41

Land Section Number: Township: 06N Range: 08E

Land Section: NE

Latitude: N 35 09 38.6 Longitude: W 90 13 27.9 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.15941073 Elevation (Feet): 236.743

Description: HWY 118 SW CORNER BR. NO. 07026

Comments: THREE WIRE LEVELS WERE RAN TO MARK BUT CANNOT BE VERIFIED. BENCHMARK WAS DETERMINED BY AHTD MARK 180004, MARK DOES NOT HAVE A DETERMINED VERTICAL DATUM AND WHERE IT'S ELEVATION WAS DERIVED FROM. DATA CAN BE FOUND ON EDM UNDER 110358\_RE\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180074

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #14

Date Established: 10/10/2008

System: STATE

Job Number: 110342

Nearest City: MARION

County: CRITTENDEN

Route: 77

Section: 5

Log Mile: N/A

Land Section Number: 25

Township: 07N

Range: 08E

Land Section: NE

Latitude: N 35 12 08.1

Longitude: W 90 11 18.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 67.66509526

Elevation (Feet): 221.998

Description: LEFT SIDE OF HWY 77, STA. 125+00, TOP OF DROP INLET

Comments: VERIFIED BY 3-WIRE LEVELS FROM 1ST ORDER NGS MARK C 5. DATA  
CAN BE FOUND ON EDM UNDER 110342\_RE\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180075

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #14

Date Established: 10/10/2008

System: STATE Job Number: 110342 Nearest City: MARION

County: CRITTENDEN Route: 77 Section: 5 Log Mile: N/A

Land Section Number: 24 Township: 07N Range: 08E

Land Section: SW

Latitude: N 35 12 29.9 Longitude: W 90 11 39.4 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 67.6397054 Elevation (Feet): 221.915

Description: LEFT SIDE OF HWY 77 STA. 155+00, TOP OF DROP INLET

Comments: VERIFIED BY 3-WIRE LEVELS FROM 1ST ORDER NGS MARK C 5. DATA  
CAN BE FOUND ON EDM UNDER 110342\_RE\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180076

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #14

Date Established: 10/10/2008

System: STATE Job Number: 110342 Nearest City: MARION

County: CRITTENDEN Route: 77 Section: 5 Log Mile: N/A

Land Section Number: 24 Township: 07N Range: 08E

Land Section: NW

Latitude: N 35 12 57.9 Longitude: W 90 11 52.6 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.00610618 Elevation (Feet): 223.117

Description: LEFT SIDE OF HWY 77, STATION 184+80, TOP OF DROP INLET

Comments: VERIFIED BY 3-WIRE LEVELS FROM 1ST ORDER NGS MARK C 5. DATA  
CAN BE FOUND ON EDM UNDER 110342\_RE\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180077

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #14

Date Established: 10/20/2009

System: STATE Job Number: 110337 Nearest City: MARION

County: CRITTENDEN Route: 64 Section: 17 Log Mile: 16.93

Land Section Number: 27 Township: 07N Range: 08E

Land Section: NW

Latitude: N 35 11 59.23 Longitude: W 90 14 43.68 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 67.4524 Elevation (Feet): 221.300

Description: NORTHWEST CORNER OF BRIDGE #06149

Comments: Elevations were entered and verified on 11/12/09. The mark was set from TBM 906 on job 110337. TBM 906 was set from NGS mark C 5. The data associated with the three wire level run can be found on the EDM under s110337\_RE\_benches.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180078

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #14

Date Established: 5/2/2014

System: STATE

Job Number: 110533

Nearest City: WEST MEMPHIS

County: CRITTENDEN

Route: 70

Section: 20

Log Mile:

Land Section Number: 11

Township: 06N

Range: 09E

Land Section: NE

Latitude: N 35 09 29.16000

Longitude: W 90 10 32.83000

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 64.9896

Elevation (Feet): 213.220

Description: ALUMINUM CAP SET IN DROP INLET BOX STATION 411+18

Comments: Elevations were entered and verified on 05/07/2014. The mark was set from TBM 908 on job 110533. The data associated with the three wire level run can be found on the EDM under s110533\_RE\_benches.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180079

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #14

Date Established: 5/18/2012

System: STATE

Job Number: 110528

Nearest City: EDMONDSON

County: CRITTENDEN

Route: 147

Section: 1

Log Mile: 14.21

Land Section Number: 31

Township: 06N

Range: 08E

Land Section: SWSW

Latitude: N 35 07 48.00000

Longitude: W 90 17 36.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 64.7976

Elevation (Feet): 212.590

Description: Disk in SE wall on bridge number 07183. Sta 104+35 20' right.

Comments: Elevation established by three wire levels from PN: 919 in job 110528. Elevation verified. Three-wire data available on EDM under job 110528 in s110528re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180079

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #14

Date Established: 6/19/2012

System: STATE Job Number: 110524 Nearest City: EDMUNSON

County: CRITTENDEN Route: 131 Section: 3 Log Mile:

Land Section Number: 26 Township: 06N Range: 07E

Land Section: SE

Latitude: N 35 07 06.07000 Longitude: W 90 18 38.15000 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 63.746

Elevation (Feet): 209.140

Description: DISK IN SE CORNER OF BRIDGE 07181

Comments: Elevation verified and based off PN:915 in job 110524. Three wire data available on EDM in s110452\_RE\_benches.zip



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180080

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #14

Date Established: 1/29/2013

System: STATE

Job Number: 110492

Nearest City: West Memphis

County: CRITTENDEN

Route: 40

Section: 52

Log Mile: 2.80

Land Section Number: 10

Township: 06n

Range: 09e

Land Section: NE

Latitude: N 35 09 18.00000

Longitude: W 90 08 51.90000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 73.1552

Elevation (Feet): 240.010

Description: DISC SW CORNER OF PARAPET WALL BRIDGE NO. B6984

Comments: Elevation not verified due to lack of three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180081

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #14

Date Established: 9/14/2018

System: STATE

Job Number: 110567

Nearest City: Heafer

County: CRITTENDEN

Route: 42

Section: 5

Log Mile: 3.7

Land Section Number: 33

Township: 09n

Range: 07e

Land Section: SW

Latitude: N 35 21 59.64000

Longitude: W 90 21 10.84000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 64.7884

Elevation (Feet): 212.560

Description: SW CORNER OF R.C. BOX

Comments: Three wire data on EDM under job 110567 in s110567\_re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180082

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #14

Date Established: 9/12/2018

System: STATE

Job Number: 110571

Nearest City: Earle

County: CRITTENDEN

Route: 149

Section: 4

Log Mile: 2.8

Land Section Number: 6

Township: 06n

Range: 06e

Land Section: NW

Latitude: N 35 10 39.58000

Longitude: W 90 29 20.48000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 60.0274

Elevation (Feet): 196.940

Description: NE CORNER OF R.C. BOX

Comments: Three wire data on EDM under job 110571 in s110571\_re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180083

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #14

Date Established: 9/5/2018

System: STATE

Job Number: CA0101

Nearest City: Crtawfordsville

County: CRITTENDEN

Route: 64

Section: 17

Log Mile: 8.5

Land Section Number: 5

Township: 07n

Range: 07e

Land Section: SW

Latitude: N 35 14 59.80000

Longitude: W 90 22 24.14000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 64.4447

Elevation (Feet): 211.432

Description: PN 920. NE CORNER OF R.C. BOX

Comments: Three wire data on EDM under job CA0101 in sCA0101\_re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180084

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #14

Date Established: 9/5/2018

System: STATE

Job Number: ca0101

Nearest City: Crawfordsville

County: CRITTENDEN

Route: 64

Section: 17

Log Mile: 8.5

Land Section Number: 5

Township: 07n

Range: 07e

Land Section: SW

Latitude: N 35 14 58.34000

Longitude: W 90 22 23.06000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 64.8433

Elevation (Feet): 212.740

Description: PN 921. SE CORNER OF R.C. BOX

Comments: Three wire data on EDM under job CA0101 in sCA0101\_re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180084

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by:

Date Established: 6/11/2020

System: STATE

Job Number: 110557

Nearest City: Horseshoe

County: CRITTENDEN

Route: 147

Section: 1

Log Mile: 1.020

Land Section Number: 11

Township: 04n

Range: 07e

Land Section: NE

Latitude: N 35 96 48.00000

Longitude: W 90 33 78.00000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 60.7833

Elevation (Feet): 199.420

Description: Disk NE of R.C. box

Comments: not verified.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 180085

Class: THIRD-ORDER

Vertical Datum: NAVD88 Established by:

Date Established: 9/12/2018

System: STATE Job Number: 110571 Nearest City: Earle

County: CRITTENDEN Route: 149 Section: 4 Log Mile: 2.8

Land Section Number: 4 Township: 06n Range: 06e

Land Section: NW

Latitude: N 35 10 39.58000 Longitude: W 90 29 20.48000 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 60.0274 Elevation (Feet): 196.940

Description: NE corner of RC Box

Comments: Elevation not verified

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190001

Class:

Vertical Datum:

Established by: RE OFFICE #13

Date Established:

System: STATE

Job Number: 110046

Nearest City: LEVESQUE

County: CROSS

Route: 64

Section: 16

Log Mile: 8.54

Land Section Number: 3

Township: 07N

Range: 04E

Land Section: SE

Latitude: N 35 15 45.5

Longitude: W 90 39 20.6

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 64.011

Elevation (Feet): 210.009

Description: METAL DISK IN TOP OF RIGHT WINGWALL--WEST END OF BRIDGE NO. 2124W

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190002

Class:

Vertical Datum:

Established by: RE OFFICE #13

Date Established:

System: STATE

Job Number: R10028

Nearest City:

County: CROSS

Route: 64S

Section: 15S

Log Mile: 0.64

Land Section Number: 8

Township: 07N

Range: 03E

Land Section: NE

Latitude: N 35 14 52.0

Longitude: W 90 47 37.5

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.615

Elevation (Feet): 251.361

Description: METAL DISK (AHTD) IN SOUTHWEST CORNER HEADWALL 23' LT. OF STATION 44+24

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190003

Class:

Vertical Datum:

Established by: RE OFFICE #13

Date Established:

System: STATE

Job Number: 110073

Nearest City: LEVESQUE

County: CROSS

Route: 163

Section: 1

Log Mile: 1.22

Land Section Number:

Township: 07N

Range: 04E

Land Section:

Latitude: N 35 14 33.0

Longitude: W 90 42 41.5

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 67.516

Elevation (Feet): 221.509

Description: METAL DISK-- RIGHT WINGWALL SOUTH END--BRIDGE NO.6130 THE ONLY BRIDGE ON HWY 163 SECTION 1 IS AT APPROX. LOGMILE 1.7 AND IS BRIDGE # 6138 AND HAS A AHTD CAP IN IT'S SW-WINGWALL, BRIDGE OVER "COPPERS CREEK". WITHOUT MORE INFORMATION ON THE JOB # I CAN ONLY ASSUME THAT THIS IS THE CORRECT INFO.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190004

Class:

Vertical Datum:

Established by: RE OFFICE #13

Date Established: 6/24/1993

System: STATE

Job Number: 110212

Nearest City: PLESANT HILL

County: CROSS

Route: 364

Section: 2

Log Mile: 3.34

Land Section Number: 12

Township: 08N

Range: 03E

Land Section: NW

Latitude: N 35 20 24.0

Longitude: W 90 43 47.1

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 92.873

Elevation (Feet): 304.701

Description: AHTD DISC SET IN TOP OF RIGHT WINGWALL STATION 176+78.88 WEST  
BRIDGE END BRIDGE NO. 6488 BRIDGE OVER "PRARIE CREEK."

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190005

Class:

Vertical Datum:

Established by: RE OFFICE #13

Date Established:

System:

Job Number: BR-19-2

Nearest City: CHERRY VALLEY

County: CROSS

Route: CR36

Section:

Log Mile: 0.81

Land Section Number: 6

Township: 09N

Range: 03E

Land Section: SE

Latitude: N 35 25 51.3

Longitude: W 90 48 37.5

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.741

Elevation (Feet): 238.651

Description: METAL DISK IN TOP OF LEFT WINGWALL-WEST END OF BRIDGE NO. 4533.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190006

Class:

Vertical Datum:

Established by: RE OFFICE #13

Date Established:

System: Job Number: BR-19-3 Nearest City: NEW CASTLE

County: CROSS Route: CR77 Section: Log Mile:

Land Section Number: Township: 06N Range: 04E

Land Section:

Latitude: N 35 08 46.1 Longitude: W 90 41 24.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.092 Elevation (Feet): 223.399

Description: METAL DISK-LT. WINGWALL-SOUTH ABUTMENT-BR. #4565. STATION IS ABOUT 200FT NORTH OF THE ST. FRANCIS CROSS COUNTY LINE. COUNTY ROAD #77IS NOW COUNTY ROAD #739

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190007

Class:

Vertical Datum:

Established by: RE OFFICE #13

Date Established: 10/15/1998

System: STATE

Job Number: 110129

Nearest City: LEVESQUE

County: CROSS

Route: 64

Section: 16

Log Mile: 7.37

Land Section Number: 4

Township: 07N

Range: 04E

Land Section: NW

Latitude: N 35 15 41.3

Longitude: W 90 40 35.6

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.257

Elevation (Feet): 223.940

Description: AHTD DISC IN TOP OF WINGWALL 21 FEET LEFT STATION 388+66.10. IN  
NORTHEAST CORNER OF BRIDGE OVER "ST. FRANCIS BAYOU ". BR #  
6665

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190008

Class:

Vertical Datum:

Established by: RE OFFICE #13

Date Established: 10/22/1998

System: STATE

Job Number: 110129

Nearest City:

County: CROSS

Route: 64

Section: 16

Log Mile: 7.04

Land Section Number: 4

Township: 07N

Range: 04E

Land Section: NW

Latitude: N 35 15 37.1

Longitude: W 90 40 56.4

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.263

Elevation (Feet): 223.960

Description: AHTD DISC IN TOP OF WINGWALL 21 FEET RIGHT OF STATION  
371+58.90. IN SOUTHWEST CORNER OVER "ST. FRANCIS BAYOU." BR#  
6665

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190009

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established: 11/6/1996

System: STATE

Job Number: 110199

Nearest City: HICKORY RIDGE

County: CROSS

Route: 42

Section: 2

Log Mile: 0.13

Land Section Number: 18

Township: 09N

Range: 01E

Land Section: SW

Latitude: N 35 23 52.5

Longitude: W 91 02 11.7

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 67.562

Elevation (Feet): 221.660

Description: AHTD DISK IN TOP OF RIGHT WINGWALL 18' RIGHT STA. 7+92

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190010

Class:

Vertical Datum:

Established by: RE OFFICE #13

Date Established: 5/6/1999

System: COUNTY

Job Number: FA1905

Nearest City: WYNNE

County: CROSS

Route: CR68

Section: NA

Log Mile: NA

Land Section Number: 5

Township: 06N

Range: 03E

Land Section: NE

Latitude: N 35 10 43.1

Longitude: W 90 47 57.2

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.777

Elevation (Feet): 255.173

Description: STATION 109+55.85, 15.08 FEET RIGHT OF CENTERLINE ON THE SOUTH WEST WING WALL OF BRIDGE NO. 04807. BRIDGE OVER "BEAR CREEK" COUNTY ROAD 68 IS NOW COUNTY ROAD #744

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190011

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 10/15/1998

System: STATE Job Number: 110129 Nearest City:

County: CROSS Route: 64 Section: 16 Log Mile: 7.37

Land Section Number: 4 Township: 07N Range: 04E

Land Section: NW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.257 Elevation (Feet): 223.940

Description: AHTD DISC IN TOP OF WINGWALL 21 FEET LEFT STATION 388+66.10

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190012

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 10/15/1998

System: Job Number: 110129 Nearest City:

County: CROSS Route: 64 Section: 16 Log Mile: 7.04

Land Section Number: 4 Township: 07N Range: 04E

Land Section: NW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.2631 Elevation (Feet): 223.960

Description: AHTD DISC IN TOP OF WINGWALL 21 FEET LEFT STATION 371+58.90.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190013

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established: 2/20/2002

System: STATE

Job Number: FA1906

Nearest City:

County: CROSS

Route: CR68

Section:

Log Mile:

Land Section Number: 34

Township: 06N

Range: 03E

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 80.17

Elevation (Feet): 263.024

Description: AHTD DISK IN HW RT STA 156+70 TRIPLE RC BOX CULVERT

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190014

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established: 2/28/2002

System: STATE

Job Number: 110397

Nearest City: Wynne

County: CROSS

Route: 1

Section: 14

Log Mile: 2.81

Land Section Number: 29

Township: 08N

Range: 03E

Land Section: NE

Latitude: N 35 17 41.0

Longitude: W 90 47 30.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.596

Elevation (Feet): 254.580

Description: AHTD DISK RC BOX CULVERT HW NW CORNER 54 LT OF C/L

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190015

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established: 5/20/2002

System: STATE

Job Number: 110397

Nearest City: Vanndale

County: CROSS

Route: 1

Section: 14

Log Mile: 3.59

Land Section Number: 20

Township: 08N

Range: 03E

Land Section: NE

Latitude: N 35 18 22.0

Longitude: W 90 47 29.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.901

Elevation (Feet): 255.580

Description: AHTD DISK SE CORNER RC BOX CULVERT HW 43 FT RT OF C/L

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190016

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established: 2/28/2002

System: STATE

Job Number: 110397

Nearest City: Wynne

County: CROSS

Route: 1

Section: 14

Log Mile: 2.02

Land Section Number: 32

Township: 08N

Range: 03E

Land Section: SE

Latitude: N 35 17 00.00

Longitude: W 90 47 30.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.712

Elevation (Feet): 251.679

Description: AHTD DISK RC BOX CULVERT HW NE CORNER 55 FT RT OF C/L

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190017

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established: 2/27/2002

System: STATE

Job Number: 110397

Nearest City: Wynne

County: CROSS

Route: 1

Section: 14

Log Mile: 1.52

Land Section Number: 32

Township: 08N

Range: 03E

Land Section: SE

Latitude: N 35 16 33.0

Longitude: W 90 47 30.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.32

Elevation (Feet): 250.393

Description: AHTD DISK IN RC BOX CULVERT HW NE CORNER 56' RT OF C/L

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190018

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established: 2/28/2002

System: STATE

Job Number: 110397

Nearest City: Wynne

County: CROSS

Route: 1

Section: 14

Log Mile: 1.77

Land Section Number: 32

Township: 08N

Range: 03E

Land Section: SE

Latitude: N 35 16 47.0

Longitude: W 90 47 30.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.886

Elevation (Feet): 252.250

Description: AHTD DISK RC BOX CULVERT HW NE CORNER 57'RT OF C/L

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190019

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established: 3/7/2002

System: STATE

Job Number: 110397

Nearest City: Vanndale

County: CROSS

Route: 1

Section: 14

Log Mile: 6.67

Land Section Number: 9

Township: 08N

Range: 03E

Land Section: SE

Latitude: N 35 20 39.0

Longitude: W 90 46 22.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 80.78

Elevation (Feet): 265.026

Description: AHTD DISK SE CORNER BOX CULVERT HW

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190020

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established: 3/8/2002

System: STATE

Job Number: 110397

Nearest City: Vanndale

County: CROSS

Route: 1

Section: 14

Log Mile: 6.84

Land Section Number: 9

Township: 08N

Range: 03E

Land Section: SE

Latitude: N 35 20 48.0

Longitude: W 90 46 22.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.117

Elevation (Feet): 266.131

Description: AHTD DISK SE CORNER BOX HW 55 FT RT OF C/L

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190021

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established: 3/4/2002

System: STATE

Job Number: 110397

Nearest City: Wynne

County: CROSS

Route: 1

Section: 14

Log Mile: 3.23

Land Section Number: 20

Township: 08N

Range: 03E

Land Section: SE

Latitude: N 35 18 03.00

Longitude: W 90 47 29.00

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.849

Elevation (Feet): 255.410

Description: AHTD DISK RC BOX CULVERT NE HW 42 FT RT OF C/L

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190022

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established: 3/4/2002

System: STATE

Job Number: 110397

Nearest City: Wynne

County: CROSS

Route: 1

Section: 14

Log Mile: 3.29

Land Section Number: 20

Township: 08N

Range: 03E

Land Section:

Latitude: N 35 18 06.00

Longitude: W 90 47 29.00

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.812

Elevation (Feet): 255.288

Description: AHTD DISK RC BOX CULVERT NE CORNER OF HW 42 FT RT OF C/L

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190023

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established: 3/7/2002

System: STATE

Job Number: 110397

Nearest City: Wynne

County: CROSS

Route: 1

Section: 14

Log Mile: 5.86

Land Section Number: 9

Township: 08N

Range: 03E

Land Section: SE

Latitude: N 35 19 58.0

Longitude: W 90 46 22.00

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.318

Elevation (Feet): 260.229

Description: AHTD DISK SE CORNER RC BOX CULVERT 56 FT RT OF C/L

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190024

Class:

Vertical Datum:

Established by: RE OFFICE #13

Date Established: 2/11/2004

System: COUNTY

Job Number: BR1905

Nearest City: VANNDALE

County: CROSS

Route: CR53

Section: 24

Log Mile: 0.189

Land Section Number: 24

Township: 08n

Range: 03e

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 105.708

Elevation (Feet): 346.810

Description: AHTD DISK IN SE CORNER HW 27' RT OF STA 105+38.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190025

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 10/4/2005

System: COUNTY Job Number: BR1906 Nearest City: \*

County: CROSS Route: CR 29 Section: \* Log Mile: \*

Land Section Number: 5 Township: 08N Range: 03E

Land Section: NE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.786 Elevation (Feet): 248.641

Description: AHTD DISC IN TOP OF NE HEADWALL OF BOX CULVERT 23' RT OF STATION 106+80. Bridge over Mcfaran Branch

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190026

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #13

Date Established: 1/3/2007

System: STATE Job Number: 110423 Nearest City:

County: CROSS Route: 64 Section: 15 Log Mile: 3.28

Land Section Number: 4 Township: 07N Range: 01E

Land Section: SE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 66.312 Elevation (Feet): 217.559

Description: BM 960 - AHTD DISK IN NW HEADWALL, 41' LT. STA 51+26

Comments: R.E. DANNY HARRIS

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190027

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #13

Date Established: 1/2/2007

System: STATE Job Number: 110423 Nearest City:

County: CROSS Route: 64 Section: 15 Log Mile: 3.71

Land Section Number: 3 Township: 07N Range: 01E

Land Section: SW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 66.965 Elevation (Feet): 219.701

Description: BM 961 - AHTD DISK IN NW HDWL. 46' LT STATION 73+66

Comments: R.R. DANNY HARRIS

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190028

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #13

Date Established: 1/3/2007

System: FEDERAL Job Number: 110423 Nearest City:

County: CROSS Route: 64 Section: 15 Log Mile: 4.61

Land Section Number: 2 Township: 07N Range: 01E

Land Section: SE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 66.803 Elevation (Feet): 219.170

Description: BM 962 AHTD DISK IN SW HDWL, 41 ' RT STA. 121+59

Comments: R.E. DANNY HARRIS

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190029

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #13

Date Established: 1/3/2007

System: STATE Job Number: 110423 Nearest City:

County: CROSS Route: 64 Section: 15 Log Mile: 5.21

Land Section Number: 1 Township: 07N Range: 01E

Land Section: SW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 67.233 Elevation (Feet): 220.580

Description: BM 963 AHTD DISK IN SW HDWL, 42 ' RT STA. 153+05

Comments: R.E. DANNY HARRIS

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190030

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #13

Date Established: 1/3/2007

System: STATE Job Number: 110423 Nearest City:

County: CROSS Route: 64 Section: 15 Log Mile: 8.86

Land Section Number: 4 Township: 07N Range: 03E

Land Section: SE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.303 Elevation (Feet): 224.091

Description: BM 964 AHTD DISK IN SW HDWL, 51 ' RT STA. 345+50

Comments: R.E. DANNY HARRIS

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190031

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #13

Date Established: 1/3/2007

System: STATE

Job Number: 110423

Nearest City:

County: CROSS

Route: 63

Section: 15

Log Mile: 13.49

Land Section Number: 5

Township: 07N

Range: 03E

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.539

Elevation (Feet): 244.550

Description: BM 965 AHTD DISK IN SW HDWL, 45 ' RT STA. 589+31

Comments: R.E. DANNY HARRIS

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

**Identification:** 190032

**Class:** UNKNOWN

**Vertical Datum:** NAVD88

**Established by:** RE OFFICE #13

**Date Established:** 7/16/2008

**System:** COUNTY

**Job Number:** BR1907

**Nearest City:** CHERRY VALLEY

**County:** CROSS

**Route:** CO RD 40

**Section:** N/A

**Log Mile:** N/A

**Land Section Number:** 34

**Township:** 09N

**Range:** 03E

**Land Section:** SE

**Latitude:** N 35 21 31.3

**Longitude:** W 90 45 31.2

**Type:** SCALED

Scaled, GPS (Handheld), or GPS (Observed)

**Elevation (Meters):** 84.1036322

**Elevation (Feet):** 275.930

**Description:** BR. NO. 04898, AHTD DISK IN S.W. WING WALL

**Comments:** ELEVATION OF BENCHMARK CANNOT BE VERIFIED. THREE WIRE LEVELS WERE RAN BUT DID NOT COME OFF OF SURVEY DIVISION CONTROL. DATA CAN BE FOUND ON EDM UNDER br1907\_RE\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190033

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established: 2/28/2006

System: STATE

Job Number: 110409

Nearest City: Parkin

County: CROSS

Route: 64

Section: 16

Log Mile: 16.5

Land Section Number: 1

Township: 07N

Range: 05E

Land Section: NW

Latitude: N 35 15 51.2

Longitude: W 90 31 13.6

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 60.74969

Elevation (Feet): 199.310

Description: AHTD Disk Southwest Corner of Box Culvert

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190034

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established: 7/20/2005

System: STATE

Job Number: 110288

Nearest City: Parkin

County: CROSS

Route: 64

Section: 16

Log Mile: 14.05

Land Section Number: 33

Township: 08N

Range: 05E

Land Section: SE

Latitude: N 35 16 25.4

Longitude: W 90 33 38.3

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 66.95542

Elevation (Feet): 219.670

Description: ahtd disc in top of parapet wall 22' rt of sta 112+95.

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190035

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #13

Date Established: 6/14/2005

System: STATE Job Number: r10071 Nearest City: Wynne

County: CROSS Route: 1 Section: 13 Log Mile: 0

Land Section Number: 8 Township: 06N Range: 03E

Land Section: SE

Latitude: N 35 08 53.0 Longitude: W 90 48 09.1 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.86116 Elevation (Feet): 255.449

Description: Ahtd disc. SE corner of box culvert 57' from centerline, Sta. 150+01

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190036

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established: 6/14/2005

System: STATE

Job Number: r10071

Nearest City: Wynne

County: CROSS

Route: 1

Section: 13

Log Mile: 0.12

Land Section Number: 8

Township: 06N

Range: 03E

Land Section: SE

Latitude: N 35 08 58.7

Longitude: W 90 48 09.1

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 78.10805

Elevation (Feet): 256.259

Description: ahtd disc. Se corner rc box culvert 57' off of centerline sta. 156+33

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190037

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #13

Date Established: 6/28/2005

System: STATE Job Number: r10071 Nearest City: Wynne

County: CROSS Route: 1 Section: 13 Log Mile: 0.43

Land Section Number: 8 Township: 06n Range: 03e

Land Section: SE

Latitude: N 35 09 15.4 Longitude: W 90 48 08.9 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 80.49158 Elevation (Feet): 264.079

Description: ahtd disc. Se end parapet wall 39' off of centerline Sta. 172+68 (lick creek)

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190038

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established: 6/28/2005

System: STATE

Job Number: r10071

Nearest City: Wynne

County: CROSS

Route: 1

Section: 13

Log Mile: 1.15

Land Section Number: 8

Township: 06n

Range: 03e

Land Section: NE

Latitude: N 35 09 43.9

Longitude: W 90 48 08.8

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.27315

Elevation (Feet): 250.239

Description: ahtd kisk se corner rc box culvert 57' off of centerline sta. 203+79

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190039

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established: 6/28/2005

System: STATE

Job Number: r10071

Nearest City: Wynne

County: CROSS

Route: 1

Section: 13

Log Mile: 1.16

Land Section Number: 5

Township: 06n

Range: 03e

Land Section: SE

Latitude: N 35 09 44.4

Longitude: W 90 48 08.8

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.67854

Elevation (Feet): 251.570

Description: ahtd disk se corner rc box culvert 57' off of centerline sta. 204+58

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190040

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established: 6/29/2005

System: STATE

Job Number: r10071

Nearest City: Wynne

County: CROSS

Route: 1

Section: 13

Log Mile: 1.36

Land Section Number: 5

Township: 06n

Range: 03e

Land Section: SE

Latitude: N 35 09 54.8

Longitude: W 90 48 08.7

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.69378

Elevation (Feet): 251.620

Description: ahtd disk se corner rc box culvert 57' off of centerline sta. 213+79

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190041

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #13

Date Established: 6/29/2005

System: STATE Job Number: r10071 Nearest City: Wynne

County: CROSS Route: 1 Section: 13 Log Mile: 1.51

Land Section Number: 5 Township: 06n Range: 03e

Land Section: SE

Latitude: N 35 10 02.7 Longitude: W 90 48 08.7 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.39812 Elevation (Feet): 250.649

Description: ahtd disk se corner box culvert 57' off of centerline sta. 221+66

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190042

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #13

Date Established: 6/29/2005

System: STATE Job Number: r10071 Nearest City: Wynne

County: CROSS Route: 1 Section: 13 Log Mile: 1.7

Land Section Number: 5 Township: 06n Range: 03e

Land Section: NE

Latitude: N 35 10 12.5 Longitude: W 90 48 08.6 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.50175 Elevation (Feet): 250.989

Description: ahtd disk se corner box culvert 57' off of centerline sta. 231+34

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190043

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #13

Date Established: 6/29/2005

System: STATE Job Number: r10071 Nearest City: Wynne

County: CROSS Route: 1 Section: 13 Log Mile: 1.71

Land Section Number: 5 Township: 06n Range: 03e

Land Section: NE

Latitude: N 35 10 13.3 Longitude: W 90 48 08.6 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.38593 Elevation (Feet): 250.610

Description: AHTD DISK SE CORNER BOX CULVERT 57' OFF OF CENTERLINE STA.  
231+97

Comments: Elevations were entered but cannot be verified due to no information on the control  
used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190044

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established: 6/29/2005

System: STATE

Job Number: r10071

Nearest City: Wynne

County: CROSS

Route: 1

Section: 13

Log Mile: 2.37

Land Section Number: 32

Township: 06n

Range: 03e

Land Section: SE

Latitude: N 35 10 56.3

Longitude: W 90 48 03.7

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.1779

Elevation (Feet): 259.769

Description: AHTD DISK SE end papapet wall 39' OFF OF CENTERLINE STA. 275+38

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190045

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established: 6/29/2005

System: STATE

Job Number: r10071

Nearest City: Wynne

County: CROSS

Route: 1

Section: 13

Log Mile: 2.66

Land Section Number: 32

Township: 06n

Range: 03e

Land Section: SE

Latitude: N 35 11 10.2

Longitude: W 90 47 58.1

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.86142

Elevation (Feet): 252.170

Description: AHTD DISK NW CORNER BOX CULVERT 61' OFF OF CENTERLINE STA.  
290+60

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190046

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established: 6/29/2005

System: STATE

Job Number: r10071

Nearest City: Wynne

County: CROSS

Route: 1

Section: 13

Log Mile: 2.47

Land Section Number: 32

Township: 06n

Range: 03e

Land Section: SE

Latitude: N 35 11 00.8

Longitude: W 90 48 02.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.90104

Elevation (Feet): 252.299

Description: AHTD DISK SE CORNER BOX CULVERT 57' OFF OF CENTERLINE STA.  
280+63

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190047

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established: 6/29/2005

System: STATE

Job Number: r10071

Nearest City: Wynne

County: CROSS

Route: 1

Section: 13

Log Mile: 2.66

Land Section Number: 32

Township: 06n

Range: 03e

Land Section: SE

Latitude: N 35 11 10.2

Longitude: W 90 47 58.1

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.63586

Elevation (Feet): 251.429

Description: AHTD DISK SE CORNER BOX CULVERT 57' OFF OF CENTERLINE STA.  
290+75

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190048

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established: 7/1/2005

System: STATE

Job Number: r10071

Nearest City: Wynne

County: CROSS

Route: 1

Section: 13

Log Mile: 2.91

Land Section Number: 32

Township: 06n

Range: 03e

Land Section: NE

Latitude: N 35 11 22.8

Longitude: W 90 47 53.4

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.3369

Elevation (Feet): 253.729

Description: AHTD DISK SE CORNER BOX CULVERT 57' OFF OF CENTERLINE STA.  
303+90

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190049

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #13

Date Established: 8/30/2005

System: STATE Job Number: r10071 Nearest City: Wynne

County: CROSS Route: 1 Section: 13 Log Mile: 3.19

Land Section Number: 32 Township: 06n Range: 03e

Land Section: NE

Latitude: N 35 11 37.4 Longitude: W 90 47 47.9 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 80.20812 Elevation (Feet): 263.149

Description: AHTD DISK SE CORNER BOX CULVERT 39' OFF OF CENTERLINE STA.  
319+62

Comments: Elevations were entered but cannot be verified due to no information on the control  
used during the 3 wire level run.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190050

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #13

Date Established: 8/30/2005

System: STATE Job Number: r10071 Nearest City: Wynne

County: CROSS Route: 1 Section: 13 Log Mile: 3.59

Land Section Number: 28 Township: 07n Range: 03e

Land Section: SW

Latitude: N 35 11 57.2 Longitude: W 90 47 40.0 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.97698 Elevation (Feet): 255.829

Description: AHTD DISK SE CORNER BOX CULVERT 57' OFF OF CENTERLINE STA.  
340+46

Comments: Elevations were entered but cannot be verified due to no information on the control  
used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190051

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established: 8/30/2005

System: STATE

Job Number: r10071

Nearest City: Wynne

County: CROSS

Route: 1

Section: 13

Log Mile: 3.72

Land Section Number: 28

Township: 07n

Range: 03e

Land Section: NW

Latitude: N 35 12 03.6

Longitude: W 90 47 37.5

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 78.17206

Elevation (Feet): 256.470

Description: AHTD DISK SE CORNER BOX CULVERT 57' OFF OF CENTERLINE STA.  
347+10

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190052

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #13

Date Established: 8/30/2005

System: STATE Job Number: r10071 Nearest City: Wynne

County: CROSS Route: 1 Section: 13 Log Mile: 4.17

Land Section Number: 28 Township: 07n Range: 03e

Land Section: NW

Latitude: N 35 10 26.2 Longitude: W 90 47 28.7 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 78.35494 Elevation (Feet): 257.069

Description: AHTD DISK SE CORNER BOX CULVERT 57' OFF OF CENTERLINE STA.  
370+60

Comments: Elevations were entered but cannot be verified due to no information on the control  
used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190053

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #13

Date Established: 12/6/2016

System: STATE

Job Number: 110147

Nearest City: Wynne

County: CROSS

Route: 284

Section: 1

Log Mile: 13.97

Land Section Number: 24

Township: 07n

Range: 02e

Land Section: NE

Latitude: N 35 13 25.00000

Longitude: W 90 49 48.00000

Type: GPS (Observed)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.5372

Elevation (Feet): 228.140

Description: BM 901 - AHTD ALUM. DISK IN SW CORN. OF RCBC HW, 35' RT. @ STA. 107+76 (HWY. 284).

Comments: Elevation verified. Three wire data available on EDM under job 110147 in s110147\_re\_bm.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190054

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #13

Date Established: 9/30/2019

System: STATE Job Number: 110622 Nearest City: Cherry Valley

County: CROSS Route: 1 Section: 14 Log Mile: 12.42

Land Section Number: 11 Township: 09n Range: 03e

Land Section: SW

Latitude: N 35 25 13.00000 Longitude: W 90 45 06.00000 Type: GPS (Observed)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.1958 Elevation (Feet): 266.390

Description: AHTD alum. Disc in se corner of hw, 41' RT @ STA 109+80 Hwy 1

Comments: Three wire data available on EDM under job 110622 in s110622\_re\_bm.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190055

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #13

Date Established: 9/30/2019

System: STATE

Job Number: 110622

Nearest City: Cherry Valley

County: CROSS

Route: 1

Section: 14

Log Mile: 13.42

Land Section Number: 2

Township: 09n

Range: 03e

Land Section: SW

Latitude: N 35 26 06.00000

Longitude: W 90 45 06.00000

Type: GPS (Observed)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.8948

Elevation (Feet): 255.560

Description: AHTD alum. Disc in SE corn. Of HW, 37' RT @ STA 162+61

Comments: Three wire data available on EDM under job 110622 in s110622\_re\_bm.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190056

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #13

Date Established: 9/30/2019

System: STATE

Job Number: 110622

Nearest City: Cherry Valley

County: CROSS

Route: 1

Section: 14

Log Mile: 12.54

Land Section Number: 11

Township: 09n

Range: 03e

Land Section: SW

Latitude: N 35 25 20.00000

Longitude: W 90 45 06.00000

Type: GPS (Observed)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.2629

Elevation (Feet): 266.610

Description: AHTD disc in SE corner of HW, 39' RT @ STA 116+35

Comments: Three wire data available on EDM under job 110622 in s110622\_re\_bm.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190057

Class: THIRD-ORDER

Vertical Datum: NAVD88 Established by:

Date Established: 5/21/2020

System: STATE Job Number: 110648 Nearest City: Vanndale

County: CROSS Route: 364 Section: 2 Log Mile: 4.34

Land Section Number: 6 Township: 08n Range: 04e

Land Section: SW

Latitude: N 35 20 47.00000 Longitude: W 90 42 57.00000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 94.1773 Elevation (Feet): 308.980

Description: AHTD Alum Disk in SW corner of BC HW 28' RT. @ STA 128+87.

Comments: Not verified.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190058

Class: SECOND-ORDER, CLASS I

Vertical Datum: NAVD88

Established by: RE OFFICE #14

Date Established: 1/11/2024

System: STATE

Job Number: 110645

Nearest City: Parkin

County: CROSS

Route: 306

Section: 5

Log Mile: 4.62

Land Section Number: 5

Township: 06N

Range: 05E

Land Section: NE

Latitude: N 35 10 46.01

Longitude: W 90 35 01.8

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 62.8101

Elevation (Feet): 206.069

Description: PN 910 SWCorner

Comments: Three wire data available on EDM under job 110645 in s110645\_RE\_BM.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190059

Class: SECOND-ORDER, CLASS I

Vertical Datum: NAVD88

Established by: RE OFFICE #14

Date Established: 1/11/2024

System: STATE Job Number: 110645 Nearest City: Parkin

County: CROSS Route: 306 Section: 5 Log Mile: 3.78

Land Section Number: 6 Township: 06N Range: 05E

Land Section: NE

Latitude: N 35 10 46.64 Longitude: W 90 35 55.85 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 61.86525 Elevation (Feet): 202.970

Description: PN 911 SWCorner

Comments: Three wire data available on EDM under job 110645 in s110645\_RE\_BM.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 190060

Class: SECOND-ORDER, CLASS I

Vertical Datum: NAVD88

Established by: RE OFFICE #14

Date Established: 1/11/2024

System: STATE

Job Number: 110645

Nearest City: Parkin

County: CROSS

Route: 306

Section: 5

Log Mile: 0.14

Land Section Number: 3

Township: 06N

Range: 04E

Land Section: NW

Latitude: N 35 10 48.58

Longitude: W 90 39 44.10

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 60.798

Elevation (Feet): 199.468

Description: PN 912 SWCorner

Comments: Three wire data available on EDM under job 110645 in s110645\_RE\_BM.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 200001

Class:

Vertical Datum:

Established by: RE OFFICE #74

Date Established:

System: STATE Job Number: 7836 Nearest City: SPARKMAN

County: DALLAS Route: 7 Section: 5 Log Mile: 13.88

Land Section Number: 31 Township: 08S Range: 17W

Land Section:

Latitude: N 33 59 18.0 Longitude: W 92 52 54.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 59.793 Elevation (Feet): 196.171

Description: METAL DISC IN SOUTHEAST WING OF BRIDGE. RECOVERED 8/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 200002

Class:

Vertical Datum:

Established by: RE OFFICE #74

Date Established: 3/20/1989

System: STATE

Job Number: 7937

Nearest City: FORDYCE

County: DALLAS

Route: 79B

Section: 6B

Log Mile: 1.44

Land Section Number: 34

Township: 10S

Range: 13W

Land Section:

Latitude: N 33 48 46.0

Longitude: W 92 25 37.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 92.4

Elevation (Feet): 303.149

Description: STATION 81+05 24' LT. OF C/L (DISK IN NE CORNER OF DROP INLET TOP). RECOVERED 8/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 200003

Class:

Vertical Datum:

Established by: RE OFFICE #74

Date Established: 2/5/1990

System: STATE

Job Number: R70009

Nearest City:

County: DALLAS

Route: 207

Section: 0

Log Mile: 3.31

Land Section Number: 12

Township: 10S

Range: 17W

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.56

Elevation (Feet): 251.181

Description: METAL DISC IN CONCRETE 40' EAST OF C/L UNABLE TO LOCATE 8/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 200004

Class:

Vertical Datum:

Established by: RE OFFICE #74

Date Established: 2/5/1990

System: STATE

Job Number: R70009

Nearest City: SPARKMAN

County: DALLAS

Route: 207

Section: 0

Log Mile: 4.14

Land Section Number: 6

Township: 10S

Range: 16W

Land Section: NW

Latitude: N 33 52 57.0

Longitude: W 92 46 40.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.388

Elevation (Feet): 260.459

Description: METAL DISC IN CONCRETE 40' NW OF C/L OF HWY. 207. RECOVERED  
8/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 200005

Class:

Vertical Datum:

Established by: RE OFFICE #74

Date Established: 2/5/1990

System: STATE

Job Number: R70009

Nearest City: SPARKMAN

County: DALLAS

Route: 207

Section: 0

Log Mile: 0.09

Land Section Number: 15

Township: 10S

Range: 17W

Land Section: NE

Latitude: N 33 51 07.0

Longitude: W 92 49 54.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 47.494

Elevation (Feet): 155.820

Description: METAL DISC IN CONCRETE 40' SOUTHEAST OF CENTERLINE OF HWY.  
207. RECOVERED 8/2003

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 200006

Class:

Vertical Datum:

Established by: RE OFFICE #74

Date Established: 2/5/1990

System: STATE Job Number: R70009 Nearest City:

County: DALLAS Route: 207 Section: 0 Log Mile: 2.24

Land Section Number: 14 Township: 10S Range: 17W

Land Section: NE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 57.726

Elevation (Feet): 189.389

Description: METAL DISC IN CONCRETE 40' NW OF C/L OF HWY. 207. UNABLE TO LOCATE 8/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 200007

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: FORDYCE

County: DALLAS

Route: 229

Section: 0

Log Mile: 14.23

Land Section Number: 23

Township: 08S

Range: 14W

Land Section:

Latitude: N 34 00 20.0

Longitude: W 92 29 53.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 71.854

Elevation (Feet): 235.741

Description: DISK SOUTHEAST WING BRIDGE. RECOVERED 8/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 200008

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: FORDYCE

County: DALLAS

Route: 229

Section: 0

Log Mile: 17.01

Land Section Number: 9

Township: 08S

Range: 14W

Land Section:

Latitude: N 34 02 21.0

Longitude: W 92 31 31.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.703

Elevation (Feet): 248.369

Description: DISK WEST WING R.C. 13 RECOVERED 8/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 200009

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: R70029

Nearest City: FORDYCE

County: DALLAS

Route: 229

Section: 0

Log Mile: 13.16

Land Section Number: 25

Township: 08S

Range: 14W

Land Section:

Latitude: N 33 59 32.0

Longitude: W 92 29 31.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.622

Elevation (Feet): 231.699

Description: DISK S. E. WINGWALL BRIDGE #6045. RECOVERED 8/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 200010

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: HOLLY SPRINGS

County: DALLAS

Route: 273

Section: 1

Log Mile: 4.01

Land Section Number: 15

Township: 10S

Range: 15W

Land Section:

Latitude: N 33 50 46.0

Longitude: W 92 37 09.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.089

Elevation (Feet): 226.669

Description: METAL DISC IN SOUTHWEST HEADWALL OF R.C.B. RECOVERED 8/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 200011

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: HOLLY SPRINGS

County: DALLAS

Route: 273

Section: 1

Log Mile: 5.76

Land Section Number: 23

Township: 10S

Range: 15W

Land Section:

Latitude: N 33 50 43.0

Longitude: W 92 35 29.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 71.619

Elevation (Feet): 234.970

Description: METAL DISC IN SOUTHWEST WING BRIDGE NO. 6147. RECOVERED  
8/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 200012

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City: HOLLY SPRINGS

County: DALLAS Route: 273 Section: 1 Log Mile: 7.56

Land Section Number: 20 Township: 10S Range: 14W

Land Section:

Latitude: N 33 50 22.0 Longitude: W 92 33 47.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 71.305 Elevation (Feet): 233.940

Description: METAL DISC IN SW WING BR. #6148. RECOVERED 8/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 200013

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City:

County: DALLAS

Route: 273

Section: 1

Log Mile: 9.21

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.758

Elevation (Feet): 255.111

Description: METAL DISC IN NORTHWEST HEADWALL R.C.B. UNABLE TO RECOVER  
8/2003

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 200014

Class:

Vertical Datum: NGVD29

Established by:

Date Established: 9/3/1996

System: STATE

Job Number: R70028

Nearest City: HOLLY SPRINGS

County: DALLAS

Route: 273

Section: 1

Log Mile: 1.29

Land Section Number: 17

Township: 10S

Range: 15W

Land Section: SW

Latitude: N 33 51 06.0

Longitude: W 92 40 15.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.604

Elevation (Feet): 251.325

Description: AHTD METAL DISK IN S HW OF R. C. BOX CULVERT AT STA 67+78, RT.  
RECOVERED 8/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 200015

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: COUNTY Job Number: N/A Nearest City:

County: DALLAS Route: CR49 Section: Log Mile:

Land Section Number: 8 Township: 10S Range: 14W

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 80.117 Elevation (Feet): 262.851

Description: DISK NE COR. RCB, 0.7 M S INT. 8 & 49 CO. RD. UNABLE TO LOCATE  
8/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 200016

Class:

Vertical Datum:

Established by: RE OFFICE #74

Date Established: 9/11/1995

System: STATE

Job Number: R70030

Nearest City: FORDYCE

County: DALLAS

Route: 229

Section: 0

Log Mile: 10.46

Land Section Number: 12

Township: 09S

Range: 14W

Land Section: NW

Latitude: N 33 57 18.0

Longitude: W 92 29 21.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.628

Elevation (Feet): 231.719

Description: AHTD METAL DISK IN NORTH EAST CORNER OF BRIDGE NUMBER 6579  
AT STATION 533+05, RIGHT. RECOVERED 8/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 200017

Class:

Vertical Datum:

Established by: RE OFFICE #74

Date Established: 9/16/1996

System: STATE Job Number: R70038 Nearest City: HOLLY SPRINGS

County: DALLAS Route: 273 Section: 1 Log Mile: 10.65

Land Section Number: 27 Township: 10S Range: 14W

Land Section: SW

Latitude: N 33 49 16.0 Longitude: W 92 31 46.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 82.156 Elevation (Feet): 269.540

Description: AHTD DISK IN NORTH HEADWALL OF RC BOX CULVERT AT STA 564+75  
LEFT. RECOVERED 8/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 200018

Class:

Vertical Datum:

Established by: RE OFFICE #74

Date Established: 9/16/1996

System: STATE

Job Number: R70079

Nearest City: HOLLY SPRINGS

County: DALLAS

Route: 273

Section: 1

Log Mile: 4.6

Land Section Number: 14

Township: 10S

Range: 15W

Land Section: SW

Latitude: N 33 50 49.0

Longitude: W 92 36 41.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.641

Elevation (Feet): 225.200

Description: AHTD DISK IN NORTH HEADWALL OF RC BOX CULVERT AT 253+70,  
LEFT. RECOVERED 8/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 200019

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #74

Date Established: 10/7/1999

System: COUNTY

Job Number: EF2001

Nearest City:

County: DALLAS

Route: 20

Section:

Log Mile: 1.77

Land Section Number: 9

Township: 10S

Range: 16W

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 50.978

Elevation (Feet): 167.250

Description: METAL DISC SE WING BR# 04817. UNABLE TO LOCATE 8/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 200020

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #74

Date Established: 10/7/1999

System: COUNTY

Job Number: EF2001

Nearest City:

County: DALLAS

Route: 20

Section:

Log Mile: 2.16

Land Section Number: 10

Township: 10S

Range: 16W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 50.981

Elevation (Feet): 167.260

Description: METAL DISC IN SE WING BR # 04818. UNABLE TO LOCATE 8/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 200021

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #74

Date Established: 11/16/2004

System: STATE Job Number: 070161 Nearest City: \*

County: DALLAS Route: 229 Section: 1 Log Mile: 2.39

Land Section Number: 16 Township: 07S Range: 14W

Land Section: SW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.527 Elevation (Feet): 280.600

Description: METAL DISK IN SE WING BRIDGE NUMBER 06935

Comments: BY RE 74 JEFF VENABLE



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 200022

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #74

Date Established: 11/19/2004

System: STATE Job Number: 070161 Nearest City: \*

County: DALLAS Route: 229 Section: 1 Log Mile: 2.21

Land Section Number: 16 Township: 07S Range: 14W

Land Section: SW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.247 Elevation (Feet): 279.681

Description: METAL DISC IN SE WING BRIDGE NUMBER 06934

Comments: BY RE74 JEFF VENABLE

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 200023

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #74

Date Established: 11/16/2004

System: STATE Job Number: 070161 Nearest City: \*

County: DALLAS Route: 229 Section: 1 Log Mile: 4.31

Land Section Number: 4 Township: 07S Range: 14W

Land Section: SW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.989 Elevation (Feet): 216.499

Description: METAL DISK IN NE HEADWALL OF RC BOX

Comments: BY RE74 JEFF VENABLE

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 200024

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: DISTRICT 2 & 7

Date Established: 2/12/2003

System: FEDERAL

Job Number: RX0028

Nearest City: FORDYCE

County: DALLAS

Route: 167

Section: 10

Log Mile: 1.89

Land Section Number: 15

Township: 10S

Range: 13W

Land Section: NE

Latitude: N 33 51 15.4

Longitude: W 92 24 34.3

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 66.57454916

Elevation (Feet): 218.420

Description: ALUM AHTD DISC IN NE CORNER OF HEADWALL OF R.C. BOX  
CULVERT, 46 FEET RT. OF STA. 100+85

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 200025

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: DISTRICT 2 & 7

Date Established: 2/12/2003

System: FEDERAL

Job Number: RX0028

Nearest City: FORDYCE

County: DALLAS

Route: 167

Section: 10

Log Mile: 2.89

Land Section Number: 10

Township: 10S

Range: 13W

Land Section: NE

Latitude: N 33 52 10.7

Longitude: W 92 24 33.3

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 67.50419102

Elevation (Feet): 221.470

Description: ALUM AHTD DISC IN NE CORNER OF HEADWALL OF R.C. BOX  
CULVERT, 58 FEET RT. OF STA. 156+88

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 200026

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: DISTRICT 2 & 7

Date Established: 2/12/2003

System: FEDERAL

Job Number: RX0028

Nearest City: FORDYCE

County: DALLAS

Route: 167

Section: 10

Log Mile: 4.50

Land Section Number: 34

Township: 09S

Range: 13W

Land Section: NE

Latitude: N 33 53 31.7

Longitude: W 92 24 52.9

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 62.13360427

Elevation (Feet): 203.850

Description: ALUM AHTD DISC IN NE CORNER OF HEADWALL OF R.C. BOX  
CULVERT, 55 FEET RT. OF STA. 229+12

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 200027

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: DISTRICT 2 & 7

Date Established: 2/12/2003

System: FEDERAL

Job Number: RX0028

Nearest City: FORDYCE

County: DALLAS

Route: 167

Section: 10

Log Mile: 4.80

Land Section Number: 34

Township: 09S

Range: 13W

Land Section: NE

Latitude: N 33 53 48.7

Longitude: W 92 24 57.2

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 61.91109983

Elevation (Feet): 203.120

Description: ALUM AHTD DISC IN NE CORNER OF HEADWALL OF R.C. BOX  
CULVERT OVER BEECH CREEK, 54 FEET RT. OF STA. 241+85

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 200028

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: DISTRICT 2 & 7

Date Established: 2/12/2003

System: FEDERAL

Job Number: RX0028

Nearest City: FORDYCE

County: DALLAS

Route: 167

Section: 10

Log Mile: 5.40

Land Section Number: 27

Township: 09S

Range: 13W

Land Section: SW

Latitude: N 33 54 19.8

Longitude: W 92 25 04.7

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 61.80746762

Elevation (Feet): 202.780

Description: ALUM AHTD DISC IN NE CORNER OF HEADWALL OF R.C. BOX  
CULVERT OVER DRY BRANCH CREEK, 54 FEET RT. OF STA. 273+91

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 200029

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #73

Date Established: 6/1/2010

System: STATE Job Number: 070309 Nearest City: PRINCETON

County: DALLAS Route: 9 Section: 3 Log Mile: 122

Land Section Number: Township: 08S Range: 15W

Land Section:

Latitude: N 34 00 01.77000 Longitude: W 92 37 34.45000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 78.349 Elevation (Feet): 257.050

Description: NE CORNER IN HEADWALL.

Comments: ELEVATION NOT VERIFIED DUE TO NO THREE WIRE DATA.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 200030

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #73

Date Established: 5/4/2011

System: STATE Job Number: 070309 Nearest City: PRINCETON

County: DALLAS Route: 9 Section: Log Mile:

Land Section Number: Township: 08S Range: 15W

Land Section:

Latitude: N 33 59 55.67000 Longitude: W 92 37 30.17000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): Elevation (Feet):

Description:

Comments: ELEVATION NOT VERIFIED DUE TO NO THREE WIRE DATA.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 210001

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: Mc GEHEE

County: DESHA

Route: 278

Section: 16

Log Mile: 2.55

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 33 37 45.0

Longitude: W 91 24 29.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 43.943

Elevation (Feet): 144.170

Description: BRIDGE NO. 5843- AHTD DISC NORTHEAST CORNER = BLACK POND  
SLOUCH RECOVERED 14 APR 2004 VJB

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 210002

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City:

County: DESHA

Route: 65

Section: 19

Log Mile: 9.45

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 43.166

Elevation (Feet): 141.620

Description: BRIDGE NO. 2068-W-AHTD DISC NORTHEAST CORNER= BLACK POND SLOUGH DESTROYED BY CONSTRUCTION 14 APR 2004 VJB

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 210003

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: BACK GATE

County: DESHA

Route: 165

Section: 4

Log Mile: 10.35

Land Section Number: 27

Township: 08N

Range: 03W

Land Section: NW

Latitude: N 33 58 30.0

Longitude: W 91 23 04.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 59.025

Elevation (Feet): 193.651

Description: CUT IN CURB SOUTH BRIDGE END 15' RIGHT= ARKANSAS RIVER  
PENDLETON RECOVERED 13 APR 2004 VJB

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 210004

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: BACK GATE

County: DESHA

Route: 165

Section: 4

Log Mile: 10.63

Land Section Number: 27

Township: 08N

Range: 03W

Land Section: NW

Latitude: N 33 58 59.0

Longitude: W 91 23 04.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 59.567

Elevation (Feet): 195.429

Description: C. E. DISC NO. 226- 1976 NORTHEAST CORNER= ARKANSAS RIVER  
PENDLETON RECOVERED 13 APR 2004 VJB

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 210005

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: R20073

Nearest City: BACK GATE

County: DESHA

Route: 277

Section: 2

Log Mile: 0.98

Land Section Number: 24

Township: 09S

Range: 03W

Land Section: NE

Latitude: N 33 54 31.0

Longitude: W 91 20 12.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 45.717

Elevation (Feet): 149.990

Description: 3" ALUMINUM AHTD DISK SET FLUSH IN TOP OF CONCRETE  
HEADWALL OF BOX CULVERT 16' RIGHT OF STATION 53+91  
RECOVERED 13 APR 2004 VJB

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 210006

Class:

Vertical Datum:

Established by:

Date Established: 3/15/1991

System: STATE

Job Number: N/A

Nearest City: DUMAS

County: DESHA

Route: 277

Section: 2

Log Mile: 4.96

Land Section Number: 35

Township: 09S

Range: 03W

Land Section: SE

Latitude: N 33 52 24.0

Longitude: W 91 21 19.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 47.637

Elevation (Feet): 156.289

Description: 3' ALUMINUM AHTD DISK SET FLUSH IN TOP OF CONCRETE ANCHOR  
POST USE FOR GUARD RAIL 20' RIGHT OF STATION 264+38  
RECOVERED 13 APR 2004 VJB

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 210007

Class:

Vertical Datum:

Established by: RE OFFICE #24

Date Established: 3/26/1992

System: COUNTY

Job Number: BR-21-5

Nearest City: Mc GEHEE

County: DESHA

Route: CR 66

Section: 20

Log Mile: 6.0

Land Section Number: 20

Township: 12S

Range: 02W

Land Section: NE

Latitude: N 33 38 54.0

Longitude: W 91 19 33.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 45.275

Elevation (Feet): 148.540

Description: AHTD DISC IN SOUTHEAST WINGWALL OF BRIDGE STATION 15+93.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 210008

Class:

Vertical Datum:

Established by:

Date Established: 2/1/1994

System: STATE

Job Number: 20021

Nearest City:

County: DESHA

Route: 65

Section: 19

Log Mile:

Land Section Number: 23

Township: 12S

Range: 03W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 50.841

Elevation (Feet): 166.801

Description: AHTD DISC STA. 349+30 36' RT. IN TOP OF WINGWALL. NOT  
RECOVERED 14 APR 2004 VJB

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 210009

Class:

Vertical Datum:

Established by:

Date Established: 1/27/1995

System: COUNTY

Job Number: FA2104

Nearest City: Mc ARTHUR

County: DESHA

Route: 10

Section: 34

Log Mile: 4.47

Land Section Number: 34

Township: 11S

Range: 03W

Land Section: NW

Latitude: N 33 42 08.0

Longitude: W 91 23 43.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 46.494

Elevation (Feet): 152.539

Description: AHTD DISK TOP OF WINGWALL 15' RT. STA. 68+42 BR. NO. 4726.  
RECOVERED 14 APR 2004 VJB

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 210010

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City: DUMAS

County: DESHA Route: 21 Section: G Log Mile: 2.82

Land Section Number: 5 Township: 10S Range: 04W

Land Section:

Latitude: N 33 51 51.0 Longitude: W 91 31 43.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 49.57 Elevation (Feet): 162.631

Description: BR. NO. 4328-AHTD DISC S. W. COR=LITTLE WAGON BAYOU.  
RECOVERED 14 APR 2004 VJB

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 210011

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City: REED

County: DESHA Route: 12 Section: E Log Mile: 0.91

Land Section Number: 18 Township: 11S Range: 03W

Land Section:

Latitude: N 33 44 16.0 Longitude: W 91 26 15.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 46.747 Elevation (Feet): 153.369

Description: BR. NO. 4364-AHTD DISC S.W. COR.=BAYOU MACON RECOVERED 14  
APR 2004 VJB

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 210012

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: BR-21-2 Nearest City: REED

County: DESHA Route: 8 Section: Log Mile: 0.41

Land Section Number: 5 Township: 12S Range: 03W

Land Section:

Latitude: N 33 41 16.0 Longitude: W 91 25 43.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 44.775 Elevation (Feet): 146.899

Description: BR. NO. 4471-AHTD DISC N. W. COR. CANAL, 18. (1/2 MILE E OF U.S. 65.)  
RECOVERED 14 APR 2004 VJB

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 210013

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City: Mc ARTHUR

County: DESHA Route: 11 Section: E Log Mile: 0.02

Land Section Number: 1 Township: 12S Range: 03W

Land Section:

Latitude: N 33 41 39.0 Longitude: W 91 21 51.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 45.357 Elevation (Feet): 148.809

Description: BR. NO. 4329-AHTD DISC N.W. COR.=BAYOU MACON RECOVERED 14  
APR 2004 VJB

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 210014

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #21

Date Established: 7/18/1990

System: COUNTY

Job Number: F-21-3

Nearest City: DUMAS

County: DESHA

Route: RS-1653 (3)

Section:

Log Mile: 5.7

Land Section Number: 19

Township: 10S

Range: 04W

Land Section: NW

Latitude: N 33 49 27.0

Longitude: W 91 33 07.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 50.749

Elevation (Feet): 166.499

Description: AHTD DISK IN TOP OF RT. WINGWALL 1.0' BACK FROM BR. END 1.0'  
ABOVE THE BR. NAME PLATE OF BR. #4612.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 210015

Class:

Vertical Datum:

Established by: RE OFFICE #24

Date Established: 5/12/1998

System: STATE

Job Number: R20118

Nearest City: DUMAS

County: DESHA

Route: U. S. 165

Section: 4

Log Mile: 5.41

Land Section Number: 16

Township: 08S

Range: 03W

Land Section: SE

Latitude: N 33 54 54.0

Longitude: W 91 24 48.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 48.731

Elevation (Feet): 159.878

Description: AHTD DISK IN CENTER OF TRANSITION PANEL 6.1 METERS RIGHT AT  
STA. 87+00.7 SET ON CANAL # 43 RECOVERED 13 APR 2004 VJB

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 210017

Class:

Vertical Datum:

Established by: RE OFFICE #24

Date Established: 11/19/1997

System: COUNTY

Job Number: BR2106

Nearest City:

County: DESHA

Route: CR 31

Section: 14

Log Mile: 2.27

Land Section Number: 14

Township: 09S

Range: 04W

Land Section: NW

Latitude: N 33 55 35.0

Longitude: W 91 28 51.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 49.926

Elevation (Feet): 163.799

Description: AHTD DISK 29 FT. RT. STA. 15+12 TOP OF BRDG. PARAPET WALL SW CORNER. BRIDGE NO. 04795 RECOVERED 14 APR 2004 VJB

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 210018

Class:

Vertical Datum:

Established by: RE OFFICE #24

Date Established: 5/12/1998

System: STATE

Job Number: R20118

Nearest City: DUMAS

County: DESHA

Route: US165

Section: 4

Log Mile: 6.0

Land Section Number: 17

Township: 08S

Range: 03W

Land Section: NW

Latitude: N 33 55 16.0

Longitude: W 91 24 19.9

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 47.936

Elevation (Feet): 157.270

Description: 3' ALUMINUM AHTD DISK SET FLUSH IN TOP OF CONCRETE  
HEADWALL OF BOX CULVERT 16' RIGHT OF STATION 53+91 RECOV.  
2/11/00 NW END OF BRIDGE. S5102 RECOVERED 13 APR 2004 VJB

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 210019

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #24

Date Established: 2/15/2002

System: County

Job Number: BR2107

Nearest City: ROHWER, AR

County: DESHA

Route: CR 55

Section: 2

Log Mile: 1.27

Land Section Number: 2

Township: 11S

Range: 02W

Land Section: NE

Latitude: N 33 46 31.0

Longitude: W 91 15 50.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 43.8516

Elevation (Feet): 143.870

Description: AHTD DISK IN NE CORNER OF WW OF BR # 04850 AT THE  
INTERSECTION OF CR 55 AND CR 207 CITY OF ROHWER, AR. SET ON  
BRIDGE OVER AMOS BAYOU RECOVERED 14 APR 2004 VJB

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 210020

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #24

Date Established: 8/8/2002

System: STATE

Job Number: 020239

Nearest City: Mc GEHEE

County: DESHA

Route: 65

Section: 2-3

Log Mile: 9.45

Land Section Number: 2

Township: 13S

Range: 03W

Land Section: SW

Latitude: N 33 35 45.0

Longitude: W 91 22 59.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 44.33

Elevation (Feet): 145.439

Description: SE WINGWALL BR 6811 NORTHBOUND LANE 19'RT C/L RECOVERED 14  
APR 2004 VJB

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 210021

Class:

Vertical Datum:

Established by: RE OFFICE #24

Date Established: 1/14/2004

System: STATE

Job Number: R20122

Nearest City: DUMAS

County: DESHA

Route: 165

Section: 4

Log Mile: 1.26

Land Section Number: 36

Township: 10

Range: 04

Land Section: NW

Latitude: N 33 52 57.0

Longitude: W 91 27 43.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 50.289

Elevation (Feet): 164.990

Description: AHTD DISK IN TOP OS SW HW, BR 6855, APPROX STA 109+52 21' RT  
DITCH 19 RECOVERED 13 APR 2004 VJB

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 210022

Class:

Vertical Datum:

Established by: RE OFFICE #24

Date Established: 1/14/2004

System: STATE Job Number: R20122 Nearest City:

County: DESHA Route: 165 Section: 4 Log Mile: 1.86

Land Section Number: 36 Township: 10 Range: 04

Land Section: NE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 49.091 Elevation (Feet): 161.059

Description: AHTD DISK ON TOP OF SW HW, BR 6856, APPRX STA 141+12, 21' RT  
(CYPRESS CREEK)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 210023

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #24

Date Established: 11/20/2006

System: STATE Job Number: R20094 Nearest City:

County: DESHA Route: 65 Section: 11 Log Mile: 9.61

Land Section Number: 11 Township: 10S Range: 04W

Land Section: NE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 50.048

Elevation (Feet): 164.199

Description: ALUMINUM AHTD CAP IN LT. WINGWALL-22' LT CL NORTH BOUND  
LANE STATION 332+30 BRIDGE NO B6966

Comments: R.E. JOHNATHON MORMON FOR TIM KELLY

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 210024

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #24

Date Established: 11/20/2006

System: STATE Job Number: R20094 Nearest City:

County: DESHA Route: 65 Section: 11 Log Mile: 8.46

Land Section Number: 11 Township: 10S Range: 04W

Land Section: NW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 47.165 Elevation (Feet): 154.741

Description: ALUMINUM AHTD CAP IN RT HEADWALL 75' RT STATION 394+00 OF  
DOUBLE 8'X4' R.C. BOX CULVERT.

Comments: R.E. JOHNATHON MORMON FOR TIM KELLY



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 210025

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #24

Date Established: 8/23/2006

System: STATE

Job Number: 020044

Nearest City: McGehee

County: DESHA

Route: 1

Section: 1

Log Mile: 0.69

Land Section Number: 22

Township: 12S

Range: 03W

Land Section: SW

Latitude: N 33 38 12.0

Longitude: W 91 23 33.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 42.849

Elevation (Feet): 140.580

Description: AHTD DISK 20 FT RIGHT CENTERLINE IN HEADWALL OF DOUBLE  
BARREL R.C. BOX CULVERT STA 110+13

Comments: Elevations cannot be verified, there were no 3-wire levels submitted. R.E.  
JOHNATHON MORMON FOR TIM KELLY

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 210026

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #24

Date Established: 10/20/2006

System: STATE

Job Number: 020044

Nearest City: McGehee

County: DESHA

Route: 1

Section: 1

Log Mile: 1.70

Land Section Number: 23

Township: 12S

Range: 03W

Land Section: NW

Latitude: N 33 38 51.6

Longitude: W 91 22 50.3

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 45.013

Elevation (Feet): 147.680

Description: AHTD DISK 20 FT RIGHT CENTERLINE IN TRANSITION WALL OF  
BRIDGE 07030 STATION 209+92

Comments: Elevations cannot be verified, there were no 3-wire levels submitted. R.E.  
JOHNATHON MORMON FOR TIM KELLY

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 210027

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #24

Date Established: 10/18/2007

System: STATE

Job Number: 020044

Nearest City: McGEHEE

County: DESHA

Route: 1

Section: 1

Log Mile: 3.99

Land Section Number: 12

Township: 12S

Range: 03W

Land Section: SW

Latitude: N 33 40 11.1

Longitude: W 91 21 21.4

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 45.2659385

Elevation (Feet): 148.510

Description: AHTD DISC IN RIGHT TRANSITION WALL AT BEGINNING OF BRIDGE

Comments: Elevations cannot be verified, there were no 3-wire levels submitted. R.E.  
JOHNATHON MORMON FOR TIM KELLY

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 210028

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #24

Date Established:

System: STATE

Job Number: R20093

Nearest City: Dumas

County: DESHA

Route: 65

Section: 9

Log Mile: 8.14

Land Section Number: 35

Township: 09S

Range: 04W

Land Section: SW

Latitude: N 33 52 07.6

Longitude: W 91 28 50.4

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 48.89602

Elevation (Feet): 160.420

Description: AHTd disk center section of RC box culvert headwall, 60' RT STA. 60+00

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 210029

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #24

Date Established:

System: STATE

Job Number: R20093

Nearest City: Dumas

County: DESHA

Route: 65

Section: 9

Log Mile: 6.03

Land Section Number: 27

Township: 09S

Range: 04W

Land Section:

Latitude: N 33 53 53.32

Longitude: W 91 29 19.29

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 48.9905

Elevation (Feet): 160.730

Description: Ahtd disc. In center section of RC box culvert, 60' RT of STA. 171+90

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 210030

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #24

Date Established:

System: STATE

Job Number: r20093

Nearest City: Dumas

County: DESHA

Route: 65

Section: 9

Log Mile: 4.78

Land Section Number: 21

Township: 09S

Range: 04W

Land Section: NE

Latitude: N 33 54 47.0

Longitude: W 91 30 05.3

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 48.67961

Elevation (Feet): 159.710

Description: ahtd disk in center section of RC box culvert headwall, 60" RT of sta. 238+52

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 210031

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: Danny Harris

Date Established: 11/18/2004

System: STATE Job Number: 020238 Nearest City: McGehee

County: DESHA Route: 65 Section: 19 Log Mile: 3.58

Land Section Number: 8 Township: 12s Range: 03w

Land Section: SE

Latitude: N 33 40 10.9 Longitude: W 91 25 16.8 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 43.29379 Elevation (Feet): 142.040

Description: ahtd aluminum mounument in headwall sta. 186+86 32' rt.

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 210032

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: Danny Harris

Date Established: 11/18/2004

System: STATE Job Number: 020238 Nearest City: McGehee

County: DESHA Route: 65 Section: 19 Log Mile: 3.2

Land Section Number: 8 Township: 12s Range: 03w

Land Section: NW

Latitude: N 33 40 27.3 Longitude: W 91 25 29.0 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 43.91558 Elevation (Feet): 144.080

Description: ahtd aluminum monument in headwall sta. 206+92 35' rt.

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 210033

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: Danny Harris

Date Established: 11/18/2004

System: STATE Job Number: 020238 Nearest City: McGehee

County: DESHA Route: 65 Section: 19 Log Mile: 1.68

Land Section Number: 6 Township: 12s Range: 03w

Land Section: NE

Latitude: N 33 41 34.8 Longitude: W 91 26 19.3 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 44.7995 Elevation (Feet): 146.980

Description: ahtd aluminum monument in headwall sta. 287+30 25' rt.

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 210034

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #24

Date Established:

System: STATE

Job Number: 020045

Nearest City: McGehee

County: DESHA

Route: 1

Section: 1

Log Mile: 7.01

Land Section Number:

Township: 11S

Range: 02W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 43.12319

Elevation (Feet): 141.480

Description: AHTD STANDARD DISC IN RT. PARAPET WALL OF BRIDGE # 6931

Comments: There was no survey data submitted to support the elevation derived by the R.E. Office.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 210035

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #24

Date Established:

System: STATE

Job Number: 020045

Nearest City: McGehee

County: DESHA

Route: 1

Section: 1

Log Mile: 7.17

Land Section Number:

Township: 11S

Range: 02W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 41.708915

Elevation (Feet): 136.840

Description: AHTD Standard Disc in the Rt. Headwall of an R.C. Box Culvert.

Comments: There was no survey data submitted to support the elevation derived by the R.E. Office.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 210036

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #24

Date Established:

System: STATE

Job Number: 020045

Nearest City: McGehee

County: DESHA

Route: 1

Section: 1

Log Mile: 7.92

Land Section Number:

Township: 11S

Range: 02W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 40.328169

Elevation (Feet): 132.310

Description: AHTD Standard Disc set in the Rt. Parapet Wall of Bridge #6932 over Coon Bayou.

Comments: There was no survey data submitted to support the elevation derived by the R.E. Office.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 210037

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #24

Date Established:

System: STATE

Job Number: 020045

Nearest City: McGehee

County: DESHA

Route: 1

Section: 1

Log Mile: 9.73

Land Section Number:

Township: 11S

Range: 09W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 43.504191

Elevation (Feet): 142.730

Description: AHTD Standard Disc set in the Rt. Parapet Wall of Bridge #6933 over Boggy Bayou.

Comments: There was no survey data submitted to support the elevation derived by the R.E. Office.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 210038

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #24

Date Established: 12/19/2012

System: STATE

Job Number: 020448

Nearest City: Desha

County: DESHA

Route: 65

Section: 17

Log Mile: 0.07

Land Section Number: 6

Township: 09s

Range: 04w

Land Section: NW

Latitude: N 33 58 05.02000

Longitude: W 91 32 52.36000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 49.623063

Elevation (Feet): 162.805

Description: ahtd disk in headwall 60' rt sta 482+72.

Comments: Elevations were entered and verified. The benchmark was established by coming off of PN 72 The 3 WR Level information can be found on the EDM under s020448\_RE\_Benches.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 220001

Class:

Vertical Datum:

Established by: RE OFFICE #21

Date Established: 12/4/1992

System: STATE

Job Number: 20121

Nearest City:

County: DREW

Route: 4

Section: 14

Log Mile: 9.7

Land Section Number: 28

Township: 12S

Range: 07W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.233

Elevation (Feet): 214.019

Description: "[ ]" CUT IN TOP OF HEADWALL NORTHEAST CORNER R.C. BOX  
CULVERT 32' RT STA. 67+42 10-13-99 N/R CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 220002

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 2962

Nearest City: MCGEHEE

County: DREW

Route: 278

Section: 15

Log Mile: 19.82

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 33 37 48.1

Longitude: W 91 30 54.5

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 43.626

Elevation (Feet): 143.130

Description: HWY DEPT DISK IN RIGHT HEADWALL; NORTHWEST CORNER 30 FT.  
FROM END OF HEADWALL ON WEST SIDE OF HWY #4 10-13-99 CREW  
S5102

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 220003

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 2793

Nearest City: MONTICELLO

County: DREW

Route: 278

Section: 15

Log Mile:

Land Section Number: 15

Township: 12S

Range: 07W

Land Section:

Latitude: N 33 37 48.7

Longitude: W 91 47 40.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 80.467

Elevation (Feet): 263.999

Description: DISC SET DROP INLET SOUTH MCCLOY AVE. 29' RIGHT 4+42 JOB 2793 (NEAR JUNCTION 81 & HWY 4 MONTICELLO). AHTD DISC SET IN TOP OF SOUTHWEST CORNER OF SOUTH DROP INLET ON HWY 4 & HWY 35 0.2 MILES WEST OF JUNCTION HWY 83 AT TOWN SQUARE PARK IN MONTICELLO 10-13-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 220004

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 2980

Nearest City: MONTICELLO

County: DREW

Route: 35

Section: 7

Log Mile: 4.17

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 33 42 56.0

Longitude: W 91 54 32.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 48.713

Elevation (Feet): 159.819

Description: DISK SOUTHWEST WINGWALL BRIDGE #6143 RECOVERED 10-13-99  
CREW S5102 RECOVERED 10-13-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 220005

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 2980

Nearest City: MONTICELLO

County: DREW

Route: 35

Section: 7

Log Mile: 1.28

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 33 43 40.0

Longitude: W 91 57 18.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 42.648

Elevation (Feet): 139.921

Description: DISK SOUTHWEST WINGWALL BRIDGE #6141 10-13-99 RECOVERED  
CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 220006

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 2980

Nearest City: MONTICELLO

County: DREW

Route: 35

Section: 7

Log Mile: 6.76

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 33 41 31.0

Longitude: W 91 52 23.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 57.354

Elevation (Feet): 188.169

Description: DISK SOUTHWEST WINGWALL BRIDGE #6145 RECOVERED 10-13-99  
CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 220007

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: MONTICELLO

County: DREW

Route: 425

Section: 4

Log Mile: 11.56

Land Section Number: 4

Township: 11S

Range: 07W

Land Section:

Latitude: N 33 47 26.0

Longitude: W 91 50 19.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 0

Elevation (Feet): 0.000

Description: DISK NORTH CORNER EAST HEADWALL R.C. BOX 0.10 MILE SOUTH  
LINCOLN COUNTY LINE 10-18-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 220008

Class:

Vertical Datum:

Established by: RE OFFICE #21

Date Established: 11/18/1993

System: STATE

Job Number: 2995

Nearest City: MONTICELLO

County: DREW

Route: 83

Section: 2

Log Mile: 8.43

Land Section Number: 20

Township: 11S

Range: 06W

Land Section: SW

Latitude: N 33 44 21.0

Longitude: W 91 44 50.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 67.087

Elevation (Feet): 220.101

Description: AHTD DISK IN TOP OF PARAPET WALL AT BEGINNING OF BRIDGE #6437  
ON THE RIGHT SIDE AT STATION 445+07 SOUTHEAST CORNER BRIDGE  
OVER UPPER CUT-OFF CREEK 10-18-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 220009

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #21

Date Established: 1/17/1997

System: COUNTY

Job Number: FA2212

Nearest City: MONTICELLO

County: DREW

Route: CR 15

Section:

Log Mile:

Land Section Number: 4

Township: 12S

Range: 07W

Land Section: NW

Latitude: N 33 36 30.0

Longitude: W 91 49 51.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 59.82

Elevation (Feet): 196.259

Description: AHTD DISK IN SW WINGWALL, BRIDGE NO. 04772, RIGHT OF STA.16+57.  
10-18-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 220010

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #21

Date Established: 5/30/1995

System: COUNTY

Job Number: FA2211

Nearest City: MONTICELLO

County: DREW

Route: 15

Section:

Log Mile: 0.40

Land Section Number: 16

Township: 13S

Range: 08W

Land Section: SE

Latitude: N 33 34 54.0

Longitude: W 91 55 46.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 44.653

Elevation (Feet): 146.499

Description: AHTD DISK IN SE END POST BRIDGE # 4723. BRIDGE OVER TEN MILE CREEK 10-18-99 CREW S5102

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 220011

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #21

Date Established: 12/4/1992

System: COUNTY

Job Number: BR-22-4

Nearest City:

County: DREW

Route: 96

Section:

Log Mile:

Land Section Number: 22

Township: 12S

Range: 07W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 71.817

Elevation (Feet): 235.620

Description: "[ ]" CUT IN TOP HEADWALL NE CORNER R. C. BOX CULVERT 30' RT.  
STA. 12+51 0.2 MILES WEST OF 425 INTERSECTION ON CO. RD. 96

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 220012

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #21

Date Established: 8/26/2002

System: STATE

Job Number: R20137

Nearest City:

County: DREW

Route: 425

Section: 4

Log Mile: 3.8

Land Section Number: 10

Township: 12S

Range: 07W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 86.045

Elevation (Feet): 282.299

Description: AHTD DISC IN CENTER OF RC BOX HW 51' LT OF C/L STA 397+30

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 220013

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #21

Date Established: 10/22/1991

System: COUNTY

Job Number: BR-22-3

Nearest City: DERMOTT

County: DREW

Route: CR 60

Section: A

Log Mile: 2.39

Land Section Number: 36

Township: 13S

Range: 04W

Land Section: SE

Latitude: N 33 31 21.0

Longitude: W 91 27 27.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 42.535

Elevation (Feet): 139.550

Description: AHTD DISK 1' ABOVE THE NAME PLATE ON TOP OF THE CORNER POST  
OF BR. #4611 ON THE SOUTHWEST CORNER. "BRIDGE OVER BAYOU  
BARTHOLOMEN" 10-18-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 220014

Class:

Vertical Datum:

Established by: RE OFFICE #21

Date Established: 12/8/1998

System: STATE

Job Number: R20115

Nearest City: MONTICELLO

County: DREW

Route: 425

Section: 4A

Log Mile: 1.85

Land Section Number: 13

Township: 12S

Range: 07W

Land Section: SE

Latitude: N 33 39 24.0

Longitude: W 91 48 10.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 86.727

Elevation (Feet): 284.537

Description: A CHISELED [] IN TOP OF TOP "C" DROP INLET 31' RT. OF CENTERLINE  
STATION 300+88 RECOVERED 10-13-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 220015

Class:

Vertical Datum:

Established by: RE OFFICE #21

Date Established: 12/8/1998

System: STATE

Job Number: R20115

Nearest City: MONTICELLO

County: DREW

Route: 425

Section: 4A

Log Mile: 0.98

Land Section Number: 22

Township: 12S

Range: 07W

Land Section: SE

Latitude: N 33 38 38.0

Longitude: W 91 48 03.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.584

Elevation (Feet): 244.698

Description: STANDARD AHTD DISK IN W HEADWALL OF 5' X 6' R. C. BOX CULVERT  
STATION 254+98 RECOVERED 10-13-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 220016

Class:

Vertical Datum:

Established by: RE OFFICE #21

Date Established: 12/8/1998

System: STATE

Job Number: R20115

Nearest City: MONTICELLO

County: DREW

Route: 425

Section: 4A

Log Mile: 0.23

Land Section Number: 26

Township: 12S

Range: 07W

Land Section: SW

Latitude: N 33 37 59.0

Longitude: W 91 48 10.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.957

Elevation (Feet): 239.360

Description: STANDARD AHTD DISK IN WEST HEADWALL OF 10' X 8' R. C. BOX  
CULVERT STATION 215+20. RECOVERED 10-13-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 220017

Class:

Vertical Datum:

Established by: RE OFFICE #21

Date Established: 3/4/1999

System: STATE

Job Number: R20108

Nearest City: MONTICELLO

County: DREW

Route: 425

Section: 3

Log Mile: 15.7

Land Section Number: 10

Township: 13S

Range: 17W

Land Section: SE

Latitude: N 33 36 52.0

Longitude: W 91 48 02.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.629

Elevation (Feet): 254.688

Description: STANDARD AHTD DISK IN WEST HEADWALL OF 5' x 4' R. C. BOX  
CULVERT. RECOVERED 10-13-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 220018

Class:

Vertical Datum:

Established by: RE OFFICE #21

Date Established: 3/4/1999

System: STATE

Job Number: R20108

Nearest City: MONTICELLO

County: DREW

Route: 425

Section: 3

Log Mile: 14.20

Land Section Number: 10

Township: 13S

Range: 07W

Land Section: NE

Latitude: N 33 35 33.0

Longitude: W 91 48 04.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 47.149

Elevation (Feet): 154.688

Description: STANDARD AHTD DISK IN WEST HEADWALL OF 4' x 3' R. C. BOX  
CULVERT. RECOVERED 10-13-99 CREW S5102

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 220019

Class:

Vertical Datum:

Established by: RE OFFICE #21

Date Established: 3/4/1999

System: STATE

Job Number: R20108

Nearest City: MONTICELLO

County: DREW

Route: 425

Section: 3

Log Mile: 16.4

Land Section Number: 34

Township: 12S

Range: 07W

Land Section: NE

Latitude: N 33 37 41.0

Longitude: W 91 48 10.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.61

Elevation (Feet): 261.187

Description: A STANDARD AHTD DISK LOCATED IN THE WEST HEADWALL OF A 4' X 6' R/C BOX CULVERT. RECOVERED 10-13-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 220020

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #21

Date Established: 8/26/2002

System: STATE

Job Number: R20137

Nearest City:

County: DREW

Route: 425

Section: 4

Log Mile: 4.7

Land Section Number: 10

Township: 12S

Range: 07W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 84.838

Elevation (Feet): 278.339

Description: AHTD DISC IN RC BOX CULVERT HW 51 FT LT OF C/L STA 440+13

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 220021

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #21

Date Established: 9/16/2002

System: STATE

Job Number: r20125

Nearest City:

County: DREW

Route: 425

Section: 4

Log Mile: 8.9

Land Section Number: 15

Township: 11s

Range: 07W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.001

Elevation (Feet): 259.189

Description: AHTD DISC IN HW OF RC BOX CULVERT SW CORNER 38 FT LT OF C/L  
STA 124+37

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 220022

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #21

Date Established: 9/16/2002

System: STATE

Job Number: R20125

Nearest City:

County: DREW

Route: 425

Section: 4

Log Mile: 11.2

Land Section Number: 4

Township: 11S

Range: 07W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 80.205

Elevation (Feet): 263.139

Description: AHTD DISC IN HW OF RC BOX CULVERT SE CORNER 38 FT RT OF C/L  
STA 243+75

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 220023

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #21

Date Established: 8/26/2002

System: STATE

Job Number: R20137

Nearest City:

County: DREW

Route: 425

Section: 4

Log Mile: 2.9

Land Section Number: 16

Township: 12S

Range: 07N

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 78.6751

Elevation (Feet): 258.120

Description: AHTD DISK IN CENTER OF RC BOX HW 51 FT LT OF C/L STA 346+90

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 220024

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #21

Date Established: 7/18/2003

System: STATE

Job Number: 020282

Nearest City:

County: DREW

Route: 35

Section: 7

Log Mile: 7.34

Land Section Number: 7

Township: 11S

Range: 08W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 61.067

Elevation (Feet): 200.351

Description: AHTD DISK PLACED ON NW HW 52' LEFT OF C/L STA 169+71 IN RC BOX

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 220025

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #21

Date Established: 7/18/2003

System: STATE

Job Number: 020282

Nearest City:

County: DREW

Route: 35

Section: 7

Log Mile: 4.65

Land Section Number: 35

Township: 11S

Range: 08W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 49.39

Elevation (Feet): 162.040

Description: AHTD DISK IN SE CORNER OF HW OF RC BOX CULVERT, 49.5' RT OF C/L  
STA 27+37

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 220026

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #21

Date Established: 7/18/2003

System: STATE

Job Number: 020282

Nearest City:

County: DREW

Route: 35

Section: 7

Log Mile: 5.75

Land Section Number: 1

Township: 11S

Range: 08W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 62.402

Elevation (Feet): 204.731

Description: AHTD DISK IN SW CORNER OF HW 50' RT OF C/L STA 85+02

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 220027

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #21

Date Established: 8/6/2003

System: STATE

Job Number: 020249

Nearest City:

County: DREW

Route: 278

Section: 14

Log Mile: 8.845

Land Section Number: 29

Township: 12s

Range: 07w

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 67.699

Elevation (Feet): 222.109

Description: AHTD DISK IN NE HW 60' LT OF C/L ON RC BOX CULVERT JOB STATION  
347+21

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 220028

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #21

Date Established: 8/6/2003

System: STATE

Job Number: 020249

Nearest City:

County: DREW

Route: 278

Section: 14

Log Mile: 4.245

Land Section Number: 26

Township: 12S

Range: 08W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 54.224

Elevation (Feet): 177.900

Description: AHTD DISK IN SW HW 59' RT OF C/L ON RC BOX CULVERT JOB STATION  
101+40

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 220029

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #21

Date Established: 8/6/2003

System: STATE

Job Number: 020249

Nearest City:

County: DREW

Route: 278

Section: 14

Log Mile: 5.545

Land Section Number: 25

Township: 12S

Range: 08W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 62.774

Elevation (Feet): 205.951

Description: AHTD DISK IN SW HW 60' RT OF C/L ON RC BOX CULVERT JOB STA 175+18

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 220030

Class:

Vertical Datum:

Established by: RE OFFICE #21

Date Established: 8/7/2003

System: STATE

Job Number: 020288

Nearest City:

County: DREW

Route: 278

Section: 14

Log Mile: 10

Land Section Number: 27

Township: 12s

Range: 07w

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 66.043

Elevation (Feet): 216.676

Description: AHTD DISK IN SW CORNER HW 45' RT OF C/L STA 103+25.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 220031

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #21

Date Established:

System: STATE

Job Number: R20111

Nearest City:

County: DREW

Route: 425

Section: 3

Log Mile: 10.76

Land Section Number: 27

Township: 14S

Range: 07W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 67.839

Elevation (Feet): 222.568

Description: AHTD DISK IN CENTER OF RC BOX LT HW

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 220032

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #21

Date Established:

System: STATE

Job Number: R20111

Nearest City:

County: DREW

Route: 425

Section: 3

Log Mile: 3.4

Land Section Number: 5

Township: 15S

Range: 07W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 61.55

Elevation (Feet): 201.935

Description: AHTD DISK IN CENTER OF HW LT OF RC BOX CULVERT

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 220033

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #21

Date Established:

System: STATE

Job Number: R20111

Nearest City:

County: DREW

Route: 425

Section: 3

Log Mile: 6.41

Land Section Number: 16

Township: 14S

Range: 07W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 57.88

Elevation (Feet): 189.895

Description: AHTD DISK IN CENTER OF RT HW OF RC BOX

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 220034

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #21

Date Established: 2/25/2008

System: Job Number: 020286 Nearest City: MONTICELLO

County: DREW Route: 35 Section: 7 Log Mile: 10.41

Land Section Number: 14

Township: 12S

Range: 07W

Land Section: NW

Latitude: N 33 40 02.4

Longitude: W 91 49 03.5

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 63.46192533

Elevation (Feet): 208.208

Description: AHTD DISK IN SOUTH (RT) HEADWALL IN A R.C. BOX CULVERT,  
STATION 300+11

Comments: Elevations cannot be verified. 3-wire levels were ran but Bench was ran from a nail  
in a tree that was not in the surveys control file. Data can be located on EDM under  
Job#020415, s020286\_RE\_bences.zip



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 220035

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #24

Date Established: 7/1/2006

System: STATE

Job Number: 020138

Nearest City: WINCHESTER

County: DREW

Route: 65

Section: 17,18

Log Mile: 7.11

Land Section Number: 1

Township: 10S

Range: 04W

Land Section: SE

Latitude: N 33 46 09.6

Longitude: W 91 27 43.9

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 48.69189739

Elevation (Feet): 159.750

Description: ALUM CAP IN SOUTH END OF BRIDGE SOUTH BOUND LANE

Comments: Elevations cannot be verified, no 3-wire levels were submitted.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 220036

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #24

Date Established: 7/1/2006

System: STATE

Job Number: 020138

Nearest City: WINCHESTER

County: DREW

Route: 65

Section: 17,18

Log Mile: 6.70

Land Section Number: 12

Township: 10S

Range: 04W

Land Section: NE

Latitude: N 33 45 54.9

Longitude: W 91 27 40.3

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 46.57962916

Elevation (Feet): 152.820

Description: ALUM CAP IN HEADWALL OF BOX CULVERT, RIGHT SIDE

Comments: Elevations cannot be verified, no 3-wire levels were submitted.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 220037

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #21

Date Established: 1/10/2005

System: STATE

Job Number: 020359

Nearest City: MONTICELLO

County: DREW

Route: SERVICE

Section: N/A

Log Mile: N/A

Land Section Number: 25

Township: 12S

Range: 08

Land Section: SW

Latitude: N 33 38 03.4

Longitude: W 91 53 06.9

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 63.77

Elevation (Feet): 209.219

Description: AHTD DISC IN THE HEADWALL, RT. STA. 0+74 (SERVICE RD)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 220038

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #21

Date Established: 1/10/2005

System: STATE

Job Number: 020359

Nearest City: MONTICELLO

County: DREW

Route: 530

Section: N/A

Log Mile: N/A

Land Section Number: 25

Township: 12S

Range: 08W

Land Section: SW

Latitude: N 33 38 25.7

Longitude: W 91 53 15.8

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 57.604

Elevation (Feet): 188.989

Description: AHTD DISC IN THE HEADWALL, RT. STA. 123+10, RT. MAIN LANE

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 220039

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #21

Date Established: 1/10/2005

System: STATE Job Number: 020359 Nearest City: MONTICELLO

County: DREW Route: 530 Section: N/A Log Mile: N/A

Land Section Number: 25 Township: 12S Range: 08W

Land Section: NW

Latitude: N 33 38 39.3 Longitude: W 91 53 15.3 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 55.809 Elevation (Feet): 183.100

Description: AHTD DISC IN THE HEADWALL, RT. STA. 136+90, RT. MAIN LANE

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 220040

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #21

Date Established: 1/10/2005

System: STATE

Job Number: 020359

Nearest City: MONTICELLO

County: DREW

Route: 530

Section: N/A

Log Mile: N/A

Land Section Number: 24

Township: 12S

Range: 08W

Land Section: SW

Latitude: N 33 38 51.6

Longitude: W 91 53 14.8

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 56.108

Elevation (Feet): 184.081

Description: AHTD DISC IN THE HEADWALL, RT. STA. 149+05, RT MAIN LANE

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 220041

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #21

Date Established: 1/10/2005

System: STATE

Job Number: 020359

Nearest City: MONTICELLO

County: DREW

Route: 530

Section: N/A

Log Mile: N/A

Land Section Number: 24

Township: 12S

Range: 08W

Land Section: NW

Latitude: N 33 39 27.6

Longitude: W 91 53 13.7

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 60.424

Elevation (Feet): 198.241

Description: AHTD DISC IN THE HEADWALL, RT. STA. 185+75, RT. MAIN LANE

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 220042

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #21

Date Established: 1/10/2005

System: STATE

Job Number: 020359

Nearest City: MONTICELLO

County: DREW

Route: 530

Section: N/A

Log Mile: N/A

Land Section Number: 13

Township: 12S

Range: 08W

Land Section: NW

Latitude: N 33 39 51.3

Longitude: W 91 53 12.9

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 56.806

Elevation (Feet): 186.371

Description: AHTD DISC IN THE HEADWALL, RT. STA. 209+67, RT. MAIN LANE

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 220043

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #21

Date Established: 1/10/2005

System: STATE

Job Number: 020359

Nearest City: MONTICELLO

County: DREW

Route: 530

Section: N/A

Log Mile: N/A

Land Section Number: 13

Township: 12S

Range: 08W

Land Section: NW

Latitude: N 33 40 00.2

Longitude: W 91 53 12.5

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 56.025

Elevation (Feet): 183.809

Description: AHTD DISC IN THE HEADWALL, RT. STA. 218+50, RT. MAIN LANE

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 220044

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #21

Date Established: 1/10/2005

System: STATE

Job Number: 020359

Nearest City: MONTICELLO

County: DREW

Route: 530

Section: N/A

Log Mile: N/A

Land Section Number: 12

Township: 12S

Range: 08W

Land Section: NW

Latitude: N 33 41 07.3

Longitude: W 91 53 09.9

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 53.014

Elevation (Feet): 173.930

Description: AHTD DISC IN THE HEADWALL, RT. STA. 285+45, RT. MAIN LANE

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 220045

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #21

Date Established: 6/9/2006

System: STATE Job Number: 020250 Nearest City: MONTICELLO

County: DREW Route: 278 Section: 14 Log Mile: N/A

Land Section Number: 27 Township: 12S Range: 07W

Land Section: SW

Latitude: N 33 37 51.9 Longitude: W 91 48 45.6 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 64.938 Elevation (Feet): 213.051

Description: AHTD DISC IN HEADWALL, 47 FEET LEFT OF CENTERLINE @ STA. 87+10

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 220046

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #24

Date Established: 2/21/2006

System: COUNTY

Job Number: BR2206

Nearest City: McGehee

County: DREW

Route: CR 67

Section:

Log Mile: 7.56

Land Section Number: 2

Township: 13S

Range: 04W

Land Section: SE

Latitude: N 33 35 47.8

Longitude: W 91 28 18.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 46.16806

Elevation (Feet): 151.470

Description: 15' RT of CL STA. 112+43.

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 220047

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #21

Date Established: 9/25/2018

System: STATE

Job Number: 020484

Nearest City: Monticello

County: DREW

Route: 425

Section: 7

Log Mile: 12.56

Land Section Number: 23

Township: 13s

Range: 07w

Land Section: NW

Latitude: N 33 34 07.00000

Longitude: W 91 48 03.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 80.1947

Elevation (Feet): 263.105

Description: Fom instersection of Hwy 425 and 278, head North 210' to station on right. North point of biggest concrete island.

Comments: Elevation verified, three wire data on EDM under job 020484 in s020484re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 220048

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #21

Date Established: 9/25/2018

System: STATE

Job Number: 020484

Nearest City: Monticello

County: DREW

Route: 425

Section: 3

Log Mile: 85.9

Land Section Number: 8

Township: 13s

Range: 06w

Land Section: SE

Latitude: N 37 34 59.00000

Longitude: W 91 44 17.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 63.1093

Elevation (Feet): 207.051

Description: From Hwy 35 and 278, head West for 1.6 Miles to station on Left 41.7' southeast of edge of pavement.

Comments: Elevation verified, three wire data on EDM under job 020484 in s020484re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 220049

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #21

Date Established: 9/25/2018

System: STATE

Job Number: 020484

Nearest City: Monticello

County: DREW

Route: 278B

Section: 0

Log Mile: 88.2

Land Section Number: 4

Township: 13s

Range: 06w

Land Section: SW

Latitude: N 33 37 20.00000

Longitude: W 91 14 42.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 52.1627

Elevation (Feet): 171.137

Description: From Hwy 35 and 278B, Head East for 1.6 Mile to station on left, 41' northwest of edge of pavement

Comments: Elevation verified, three wire data on EDM under job 020484 in s020484re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 220050

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #21

Date Established: 9/25/2018

System: STATE

Job Number: 020484

Nearest City: Monticello

County: DREW

Route: 278B

Section: 0

Log Mile: 88.2

Land Section Number: 4

Township: 13s

Range: 06w

Land Section: SW

Latitude: N 33 36 33.00000

Longitude: W 91 42 44.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 52.1627

Elevation (Feet): 171.137

Description: From Hwy 35 and 278B, head east 0.6 mile to station on right 33.7' northwest of westerly edge of gate

Comments: Elevation verified, three wire data on EDM under job 020484 in s020484re\_benches.zip



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 220051

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #21

Date Established:

System: STATE

Job Number: 020471

Nearest City: Monticello

County: DREW

Route: 278B

Section: 0

Log Mile: 86.0

Land Section Number: 9

Township: 13s

Range: 06w

Land Section: NW

Latitude: N 33 35 41.00000

Longitude: W 91 43 29.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.4917

Elevation (Feet): 231.272

Description: From Hwy 35 and 278, head west for 0.5 mile to station on left, 38' northeast of easterly side of drop inlet

Comments: Elevation verified, three wire data on EDM under job 020484 in s020471re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 220052

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #24

Date Established: 7/6/2021

System: STATE Job Number: 020587 Nearest City: Winchester

County: DREW Route: 138 Section: 3 Log Mile: 16.10

Land Section Number: 24 Township: 11s Range: 05w

Land Section: NE

Latitude: N 33 44 17.00000 Longitude: W 91 33 35.00000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 47.1686

Elevation (Feet): 154.752

Description: To reach from intersection of US 65 and AR 138, go West 7.1 miles to station on right at SW corner of headwall on RCBC. 16.8' South of NW corner of headwall, 65.8' SW of NE corner of headwall, 63.7' West of SE corner of headwall.

Comments: Elevation verified. Three wire data available on EDM under job 020587 in 020857\_re\_bm.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 220053

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #24

Date Established: 7/6/2021

System: STATE

Job Number: 020587

Nearest City: Winchester

County: DREW

Route: 138

Section: 3

Log Mile: 15.95

Land Section Number: 24

Township: 11s

Range: 05w

Land Section: NE

Latitude: N 33 44 10.00000

Longitude: W 91 33 41.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 49.61

Elevation (Feet): 162.762

Description: to reach from intersection of US 65 and AR 138, go West 7.3 miles to station on left at bridge. 12.3' North of SE corner of Parapet wall, 34.2' East of SW corner of parapet wall, 178.7' South of NE corner of parapet wall.

Comments: Elevation verified. Three wire data available on EDM under job 020587 in 020857\_re\_bm.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230001

Class:

Vertical Datum:

Established by: RE OFFICE #84

Date Established:

System: STATE

Job Number: 8841

Nearest City: CONWAY

County: FAULKNER

Route: 25N

Section: 0

Log Mile: 3.17

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 08 40.0

Longitude: W 92 26 46.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 84.924

Elevation (Feet): 278.621

Description: STANDARD AHTD DISC SET TOP EAST HEADWALL SOUTHEAST  
CORNER BOX CULVERT EAST CADRON RELIEF CREEK. CREW S5102  
RECOVERED 9-8-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230002

Class:

Vertical Datum:

Established by: RE OFFICE #84

Date Established:

System: STATE

Job Number: 8841

Nearest City: CONWAY

County: FAULKNER

Route: 25N

Section: 0

Log Mile: 4.22

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 09 33.0

Longitude: W 92 26 31.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 90.696

Elevation (Feet): 297.558

Description: STANDARD AHTD DISC SET TOP NORTHWEST WINGWALL EAST  
CADRON BRIDGE. RECOVERED 9-8-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230003

Class:

Vertical Datum:

Established by: RE OFFICE #84

Date Established:

System: STATE

Job Number: 8841

Nearest City: WOOSTER

County: FAULKNER

Route: 25N

Section: 0

Log Mile: 4.71

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 09 56.0

Longitude: W 92 26 32.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 87.158

Elevation (Feet): 285.951

Description: STANDARD AHTD DISC SET TOP EAST HEADWALL SOUTHEAST  
CORNER BOX CULVERT SOUTH FORK KANEY CREEK. CREW S5102  
RECOVERED 9-8-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230004

Class:

Vertical Datum:

Established by: RE OFFICE #84

Date Established:

System: STATE

Job Number: 8841

Nearest City: WOOSTER

County: FAULKNER

Route: 25N

Section: 0

Log Mile: 5.16

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 10 15.0

Longitude: W 92 26 48.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 84.445

Elevation (Feet): 277.050

Description: STANDARD AHTD DISC SET TOP EAST HEADWALL SOUTHEAST  
CORNER BOX CULVERT KANEY CREEK CREW S5102 RECOVERED 9-8-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230005

Class:

Vertical Datum: NAVD88

Established by: RE OFFICE #84

Date Established:

System: STATE

Job Number: 8841

Nearest City: WOOSTER

County: FAULKNER

Route: 25N

Section: 0

Log Mile: 6.86

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 11 40.0

Longitude: W 92 27 08.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 86.5625

Elevation (Feet): 283.997

Description: STANDARD AHTD DISC SET TOP SOUTHEAST WINGWALL GREENBRIER CREEK BRIDGE. CREW S5102 RECOVERED 9-8-99 Updated May 2000 by S5103 from NGS Pt D 18

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230006

Class:

Vertical Datum:

Established by: RE OFFICE #84

Date Established:

System: STATE

Job Number: 8841

Nearest City: GREENBIER

County: FAULKNER

Route: 25N

Section: 0

Log Mile: 12.13

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 13 33.0

Longitude: W 92 23 29.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 102.59

Elevation (Feet): 336.581

Description: STANDARD AHTD DISC SET TOP SOUTH PARAPET WALL SOUTHEAST  
END GREENBRIER CREEK BRIDGE. CREW S5102 RECOVERED 9-8-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230007

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: GREENBRIER

County: FAULKNER

Route: 25

Section: 0

Log Mile: 11.87

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 13 33.0

Longitude: W 92 23 29.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 102.59

Elevation (Feet): 336.581

Description: ALUMINUM CAP IN PARAPET WALL ON SOUTHEAST CORNER OF  
BRIDGE END; BRIDGE OVER GREENBRIER CREEK FAULKNER COUNTY  
APPX 1100 FEET SOUTHWEST ALONG HWY. 25 FROM INTERSECTION OF  
HWY'S 25 & 65 AT GREENBRIER BRIDGE #HS20 534R CREW S5102  
RECOVERED 9-8-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230008

Class:

Vertical Datum:

Established by: RE OFFICE #84

Date Established: 6/12/1990

System: STATE

Job Number: R-800-21

Nearest City: WOOSTER

County: FAULKNER

Route: 25

Section: 0

Log Mile: 8.55

Land Section Number: 36

Township: 07N

Range: 14W

Land Section: NE

Latitude: N 35 12 22.0

Longitude: W 92 26 44.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 91.111

Elevation (Feet): 298.920

Description: STANDARD AHTD DISC SET TOP OF CONCRETE HEADWALL IN THE  
SOUTHWEST CORNER OF THE SOUTH END OF A 6'x 3'x 44' REF.  
CONCRETE BOX CULVERT 22' RIGHT OF CENTERLINE OF HWY. #25  
STATION 56+56 CREW S5102 RECOVERED9-8-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230009

Class:

Vertical Datum:

Established by: RE OFFICE #84

Date Established: 10/24/1990

System: STATE

Job Number: R-800-11

Nearest City: GREENBRIER

County: FAULKNER

Route: 25N

Section: 1

Log Mile: 0.0

Land Section Number: 9

Township: 07N

Range: 13W

Land Section: NE

Latitude: N 35 15 51.0

Longitude: W 92 23 11.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 161.785

Elevation (Feet): 530.790

Description: STANDARD AHTD DISC SET TOP EAST CONCRETE HEADWALL 4' x 4'  
BOX CULVERT INTERSECTION OF HWY #65 & HWY #25 NORTH  
GREENBRIER CREW S5102 RECOVERED 9-8-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230010

Class:

Vertical Datum:

Established by: RE OFFICE #84

Date Established:

System: STATE

Job Number: 8846

Nearest City: NAYLOR

County: FAULKNER

Route: 36

Section: 1

Log Mile: 10.60

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 09 34.0

Longitude: W 92 11 25.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 99.633

Elevation (Feet): 326.879

Description: AHTD DISC NORTHWEST HEADWALL R.C. BOX CULVERT @ STATION  
559+78 CREW S5102 RECOVERED 9-7-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230011

Class:

Vertical Datum:

Established by: RE OFFICE #84

Date Established:

System: STATE

Job Number: 8846

Nearest City: NAYLOR

County: FAULKNER

Route: 36

Section: 1

Log Mile: 10.85

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 09 32.0

Longitude: W 92 11 11.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 99.694

Elevation (Feet): 327.079

Description: AHTD DISC SOUTHWEST HEADWALL R.C. BOX CULVERT @ STATION  
572+13 CREW S5102 RECOVERED 9-7-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230012

Class:

Vertical Datum:

Established by: RE OFFICE #84

Date Established:

System: STATE

Job Number: 8907

Nearest City: HAMLET

County: FAULKNER

Route: 36

Section: 1

Log Mile: 3.81

Land Section Number: 28

Township: 06N

Range: 12W

Land Section: SW

Latitude: N 35 07 15.0

Longitude: W 92 17 04.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 110.576

Elevation (Feet): 362.781

Description: BENCHMARK (AHTD) SOUTHEAST HEADWALL OF BOX CULVERT  
CREW S5102 RECOVERED 9-7-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230013

Class:

Vertical Datum:

Established by: RE OFFICE #84

Date Established: 1/1/1991

System: STATE

Job Number: 8865

Nearest City: CONWAY

County: FAULKNER

Route: 64E

Section: 9

Log Mile: 0.10

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 05 30.0

Longitude: W 92 26 03.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 95.921

Elevation (Feet): 314.701

Description: STANDARD AHTD DISC SET TOP OF DROP INLET ON NORTHWEST  
CORNER OF THE INTERSECTION OF FACTORY & HWY #64E IN  
DOWNTOWN CONWAY AR. CREW S5102 RECOVERED 9-7-99

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230014

Class:

Vertical Datum:

Established by: RE OFFICE #84

Date Established: 12/18/1991

System: STATE

Job Number: 8919

Nearest City: CONWAY

County: FAULKNER

Route: 64

Section: 9

Log Mile: 1.491

Land Section Number: 5

Township: 05N

Range: 13W

Land Section: SE

Latitude: N 35 05 30.0

Longitude: W 92 24 35.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 90.572

Elevation (Feet): 297.152

Description: STANDARD AHTD DISC SET IN TOP OF NORTH HEADWALL OF 6' X 4' X 64' R.C. BOX CULVERT IN THE NORTHWEST CORNER 40' LEFT OF CENTERLINE STATION 102+11 hWY. 64- EAST CONWAY CREW S5102 VRECOVERED 9-7-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230015

Class:

Vertical Datum:

Established by: RE OFFICE #84

Date Established: 11/8/1993

System: STATE

Job Number: 8943

Nearest City: HAMLET

County: FAULKNER

Route: 64

Section: 9

Log Mile: 7.86

Land Section Number: 8

Township: 05N

Range: 12W

Land Section: SE

Latitude: N 35 04 42.40

Longitude: W 92 18 04.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 90.517

Elevation (Feet): 296.971

Description: STANDARD AHTD DISC SET TOP PARAPET WALL SOUTHWEST END OF  
EAST WALL LITTLE PALARM CREEK BRIDGE #6386 35.5 RIGHT OF  
CENTERLINE STATION 437+95 CREW S5102 RECOVERED 9-7-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230016

Class:

Vertical Datum:

Established by: RE OFFICE #84

Date Established: 11/8/1993

System: STATE

Job Number: 8943

Nearest City: VILONIA

County: FAULKNER

Route: 64

Section: 9

Log Mile: 16.67

Land Section Number: 2

Township: 05N

Range: 11W

Land Section: NW

Latitude: N 35 05 45.0

Longitude: W 92 09 05.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 91.684

Elevation (Feet): 300.800

Description: STANDARD AHTD DISC SET TOP PARAPET WALL NORTHWEST END OF  
NORTH WALL LITTLE CYPRESS CREEK BRIDGE #6387 35.5 LEFT OF  
CENTERLINE STATION 879+80 CREW S5102 RECOVERED 9-9-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230017

Class:

Vertical Datum:

Established by: RE OFFICE #84

Date Established: 11/8/1993

System: STATE

Job Number: 8943

Nearest City: CONWAY

County: FAULKNER

Route: 64

Section: 9

Log Mile: 5.19

Land Section Number: 12

Township: 05N

Range: 13W

Land Section: NW

Latitude: N 35 05 07.0

Longitude: W 92 20 45.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 92.854

Elevation (Feet): 304.638

Description: STANDARD AHTD DISC SET TOP PARAPET WALL SOUTHWEST END OF  
SOUTH WALL WARREN CREEK BRIDGE #6385 35.5 LEFT OF  
CENTERLINE STATION 297+18 CREW S5102 RECOVERED 9-7-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230018

Class:

Vertical Datum:

Established by:

RE OFFICE #84

Date Established: 11/8/1993

System: STATE

Job Number:

8943

Nearest City:

HAMLET

County:

FAULKNER

Route:

64

Section:

9

Log Mile:

7.52

Land Section Number:

8

Township:

05N

Range:

12W

Land Section:

SW

Latitude: N 35 04 41.0

Longitude: W 92 18 26.0

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

89.938

Elevation (Feet):

295.072

Description:

STANDARD AHTD DISC SET TOP PARAPET WALL NORTHEAST END OF  
WEST WALL PALARM CREEK BRIDGE #2578R 35.5 LEFT OF  
CENTERLINE STATION 421+79 CREW S5102 RECOVERED 9-7-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230019

Class:

Vertical Datum:

Established by: RE OFFICE #84

Date Established:

System: STATE

Job Number: R80010

Nearest City:

County: FAULKNER

Route: 65

Section: 9

Log Mile: 8.96

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 102.76

Elevation (Feet): 337.138

Description: AHTD STANDARD DISC CENTER HEADWALL OF A 5'X 3'X186' R.C. BOX  
SOUTHWEST CORNER OF INTERSECTION STATE HWY. #25 SOUTH &  
HWY. 65 AT GREENBRIER N/R CREW S5102 RECOVERED 9-9-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230020

Class:

Vertical Datum:

Established by: RE OFFICE #84

Date Established:

System: STATE

Job Number: R80010

Nearest City: GREENBRIER

County: FAULKNER

Route: 65

Section: 9

Log Mile: 7.85

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 104.025

Elevation (Feet): 341.289

Description: AHTD STANDARD DISC CENTER HEADWALL OF A 10'X 4'X 87' R.C. BOX  
EAST SIDE OF ROAD 1.1 MILE SOUTH OF INTERSECTION HWY. 25  
SOUTH & HWY 65 CREW S5102 RECOVERED 9-7-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230021

Class:

Vertical Datum:

Established by: RE OFFICE #84

Date Established:

System:

Job Number: 8827

Nearest City: CONWAY

County: FAULKNER

Route: 65

Section: 9

Log Mile: 18.47

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 07 30.0

Longitude: W 92 24 04.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 96.582

Elevation (Feet): 316.869

Description: STANDARD AHTD DISC SET IN TOP SOUTHWEST WINGWALL PICKLES  
GAP BRIDGE CREW S5102 RECOVERED 9-3-99

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230022

Class:

Vertical Datum:

Established by: RE OFFICE #84

Date Established:

System: STATE

Job Number: 8827

Nearest City:

County: FAULKNER

Route: 65

Section: 9

Log Mile: 18.18

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 93.309

Elevation (Feet): 306.131

Description: STANDARD AHTD DISC SET TOP SOUTHEAST WINGWALL PICKLES GAP  
RELIEF BRIDGE N/R RECOVERED 9-9-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230023

Class:

Vertical Datum:

Established by: RE OFFICE #84

Date Established:

System: STATE

Job Number: 8871

Nearest City: CONWAY

County: FAULKNER

Route: 65

Section: 9

Log Mile: 16.23

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 09 26.0

Longitude: W 92 24 00.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 91.885

Elevation (Feet): 301.459

Description: STANDARD AHTD DISC SOUTHWEST WING WALL 64' LEFT OF  
CENTERLINE STATION 295+35 BRIDGE NO. 6113 RECOVERED 9-7-99  
CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230024

Class:

Vertical Datum:

Established by: RE OFFICE #84

Date Established:

System: STATE

Job Number: 8871

Nearest City: CONWAY

County: FAULKNER

Route: 65

Section: 9

Log Mile: 15.77

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 09 59.0

Longitude: W 92 23 52.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 94.11

Elevation (Feet): 308.759

Description: STANDARD AHTD DISC NORTHWEST CORNER OF HEADWALL IN BOX  
CULVERT STATION 325+69 CREW S5102 RECOVERED 9-7-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230025

Class:

Vertical Datum:

Established by: RE OFFICE #84

Date Established: 7/8/1991

System: STATE Job Number: 8871 Nearest City:

County: FAULKNER Route: 65 Section: 9 Log Mile: 12.22

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 106.153 Elevation (Feet): 348.270

Description: STANDARD AHTD DISC SOUTHWEST CORNER OF HEADWALL IN BOX  
CULVERT STATION 398+72 NO CAP IN HW. N/R 9-7-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230026

Class:

Vertical Datum:

Established by: RE OFFICE #84

Date Established: 7/8/1991

System: STATE

Job Number: 8944

Nearest City: CONWAY

County: FAULKNER

Route: 64 & 65B

Section:

Log Mile: 5.06

Land Section Number: 36

Township: 06N

Range: 14W

Land Section:

Latitude: N 35 06 32.0

Longitude: W 92 26 29.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 106.272

Elevation (Feet): 348.661

Description: TOP OF HEADWALL OF 36" R.C.P. NORTHWEST OF INTERSECTION HWY.  
64 & 65B STANDARD AHTD DISC RECOVERED 9-7-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230027

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: VILONIA

County: FAULKNER

Route: 107

Section: 2

Log Mile: 4.38

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 03 27.0

Longitude: W 92 11 27.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 93.138

Elevation (Feet): 305.570

Description: [] CUT HUB RAIL SOUTHEAST CORNER BRIDGE #M141 SOUTH FORK  
CYPRESS BAYOU JUST NORTH OF INTERSECTION OF HWY. 107 & 319  
SET 6-29-77 RECOVERED 9-9-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230028

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 8720

Nearest City: CONWAY

County: FAULKNER

Route: 286

Section: 1

Log Mile: 4.47

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 04 16.0

Longitude: W 92 27 41.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 88.947

Elevation (Feet): 291.820

Description: CHISELED [] NORTHWEST CORNER OF NORTHWEST HDWL. 4/10 MILE WEST OF DONAGHEY ST. ON HWY. 286 (HARTJE ST.) \*\*HWY. 286 AS DESIGNATED 1-2-79; HWY 286 ROUTING IS TO BE CHANGED UPON COMPLETION OF JOB 8720 (SALEM RD.).\*\* RECOVERED 9-8-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230029

Class:

Vertical Datum:

Established by: RE OFFICE #84

Date Established:

System: STATE

Job Number: 8792

Nearest City: CONWAY

County: FAULKNER

Route: 286

Section: 2

Log Mile: 0.45

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 04 00.0

Longitude: W 92 24 42.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 89.255

Elevation (Feet): 292.831

Description: STANDARD AHTD DISC SET TOP SOUTH HEADWALL SOUTHWEST  
CORNER LEWIS CREEK BOX CULVERT RECOVERED 9-8-99 CREW S5102

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230030

Class:

Vertical Datum:

Established by: RE OFFICE #84

Date Established:

System: STATE Job Number: 8855 Nearest City:

County: FAULKNER Route: 310 Section: 4 Log Mile: 5.32

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 125.005 Elevation (Feet): 410.121

Description: BENCH MARK AHTD NORTHEAST WINGWALL OF 3 SPAN R.C. SLAB  
BRIDGE N/R 9-9-99 CREW S5102 N/R 9-9-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230031

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 8721

Nearest City: VILONIA

County: FAULKNER

Route: 319

Section: 3

Log Mile: 2.5

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 03 22.0

Longitude: W 92 08 52.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 87.014

Elevation (Feet): 285.478

Description: DISK SET IN TOP PARAPET 14' RIGHT STATION 140+14 WILSON CREEK  
BRIDGE RECOVERED 9-9-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230032

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: VILONIA

County: FAULKNER

Route: 319

Section: 3

Log Mile: 0.0

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 03 22.0

Longitude: W 92 07 13.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.128

Elevation (Feet): 279.291

Description: [] CUT TOP F.A.S. MARKER ON SOUTH SIDE OF HWY. 319 AT FAULKNER-LONOKE COUNTY LINE. SET 9-77 RECOVERED 9-9-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230033

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #84

Date Established: 5/19/1996

System: STATE

Job Number: 080067

Nearest City:

County: FAULKNER

Route: 64

Section: 8

Log Mile: 5.06

Land Section Number: 36

Township: 06N

Range: 14W

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 115.092

Elevation (Feet): 377.598

Description: STANDARD AHTD DISC SET TOP OF CONCRETE DROP INLET 9.90 M.  
LEFT CENTERLINE AND STA. 23+77M. NOT RECOVERED 9-7-99 CREW  
S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230034

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #84

Date Established: 9/16/1996

System: STATE

Job Number: 8998

Nearest City: CONWAY

County: FAULKNER

Route: 286

Section: 1

Log Mile: 7.34

Land Section Number: 18

Township: 05N

Range: 13W

Land Section: SW

Latitude: N 35 04 00.0

Longitude: W 92 25 25.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 90.733

Elevation (Feet): 297.680

Description: STANDARD DISC TOP OF HEADWALL SOUTH SIDE OF TRIPLEe 5'x3'x81'  
R. C. BOX CULVERT 41' RIGHT OF CENTERLINE STATION 195+40.  
RECOVERED 9-8-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230035

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #84

Date Established: 9/16/1996

System: STATE

Job Number: 8998

Nearest City: CONWAY

County: FAULKNER

Route: 286

Section: 1

Log Mile: 6.83

Land Section Number: 18

Township: 05N

Range: 13W

Land Section: SW

Latitude: N 35 03 57.0

Longitude: W 92 25 58.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 86.932

Elevation (Feet): 285.209

Description: STANDARD DISC TOP OF HEADWALL NORTH SIDE OF DOUBLE  
12'x8'x94' R. C. BOX CULVERT 44' LEFT OF CENTERLINE STATION 168+65.  
RECOVERED 9-8-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230036

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #84

Date Established: 4/5/1996

System: STATE

Job Number: 8998

Nearest City: CONWAY

County: FAULKNER

Route: 286

Section: 1

Log Mile: 7.0

Land Section Number: 18

Township: 05N

Range: 13W

Land Section: SW

Latitude: N 35 04 00.0

Longitude: W 92 25 45.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 98.871

Elevation (Feet): 324.379

Description: STANDARD DISC TOP WINGWALL SOUTHEAST SIDE BRIDGE #6583  
EAST BRIDGE END OF UNION PACIFIC R. R. OVERPASS CONWAY,  
FAULKNER COUNTY. RECOVERED 9-8-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230037

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #84

Date Established:

System: STATE

Job Number: 8920

Nearest City:

County: FAULKNER

Route: 64

Section: 9

Log Mile: 6.04

Land Section Number: 12

Township: 05N

Range: 13W

Land Section: NE

Latitude:

Longitude:

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 90.319

Elevation (Feet): 296.322

Description: STANDARD AHTD DISC SET IN TOP CONCRETE HEADWALL DOUBLE 8' x 8' x 159' CONCRETE BOX CULVERT ON SOUTH END OF BOX. NOT RECOVERED 9-7-99 NO DISC FOUND CREW S5102

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230038

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #84

Date Established: 9/30/1993

System: COUNTY

Job Number: BR-23-5

Nearest City:

County: FAULKNER

Route: 280

Section:

Log Mile:

Land Section Number: 6

Township: 08N

Range: 12W

Land Section: SW

Latitude: N 35 21 12.0

Longitude: W 92 18 51.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 155.93

Elevation (Feet): 511.580

Description: STANDARD AHTD DISC SET TOP OF SOUTH END OF NORTHWEST  
PARAPET WALL CADRON CREEK BRIDGE #4698 25' RT. CENTERLINE  
STA. 29+24 APP. 2 1/4 MILES SOUTH HWY. 124 RECOVERED 9-8-99 CREW  
S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230039

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #84

Date Established:

System: COUNTY

Job Number: F-23-1

Nearest City:

County: FAULKNER

Route: 310

Section: 16

Log Mile: AST OF

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 140.961

Elevation (Feet): 462.470

Description: STANDARD DISC IN NORTHWEST CORNER PARAPET WALL 13' RT.  
CENTERLINE STATION 48+99. N/R 9-9-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230041

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #84

Date Established: 1/29/1991

System: COUNTY

Job Number: 8962

Nearest City: CONWAY

County: FAULKNER

Route: TURGES RI

Section: 19

Log Mile:

Land Section Number: 19

Township: 05N

Range: 13W

Land Section: SW

Latitude: N 35 03 16.0

Longitude: W 92 25 45.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 84.424

Elevation (Feet): 276.981

Description: STANDARD DISC IN TOP OF NORTHWEST WING 18' LEFT OF ROADWAY  
STATION 104+30. RECOVERED 9-9-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230042

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #84

Date Established: 1/29/1992

System:

Job Number:

8962

Nearest City:

County:

FAULKNER

Route:

STURGIS RD

Section:

Log Mile:

Land Section Number:

19

Township:

05N

Range:

13W

Land Section:

SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

84.424

Elevation (Feet):

276.981

Description:

STD. AHTD DISC SET IN TOP OF NW WING 18' LT. OF ROADWAY STA.  
104+30 IN FAULKNER COUNTY ON STURGIS RD.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230043

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #84

Date Established: 8/6/1998

System: COUNTY

Job Number: BR2307

Nearest City: CONWAY

County: FAULKNER

Route: CR 4

Section:

Log Mile: 2.75

Land Section Number: 31

Township: 05N

Range: 13W

Land Section: NE

Latitude: N 35 01 36.0

Longitude: W 92 25 25.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 84.399

Elevation (Feet): 276.899

Description: AHTD DISK IN TOP OF PARAPET WALL 15 ' RIGHT CENTERLINE  
329+71 RECOVERED 9-8-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230044

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #84

Date Established: 6/29/1998

System: FEDERAL

Job Number: 008495

Nearest City: CONWAY

County: FAULKNER

Route: 64

Section: 8

Log Mile: 0.28

Land Section Number: 32

Township: 06W

Range: 14W

Land Section: SW

Latitude: N 35 06 41.0

Longitude: W 92 31 10.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 99.362

Elevation (Feet): 325.990

Description: BENCHMARK CAP IN TOP OF WINGWALL SW CORNER OF MOPAC  
BRIDGE NO. 06632

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230045

Class:

Vertical Datum:

Established by: RE OFFICE #84

Date Established: 8/11/1998

System: STATE

Job Number: 008903

Nearest City: TWIN GROVES

County: FAULKNER

Route: 285

Section: 1

Log Mile: 9.79

Land Section Number: 23

Township: 08N

Range: 14W

Land Section: NE

Latitude: N 35 19 19.0

Longitude: W 92 27 23.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 102.885

Elevation (Feet): 337.549

Description: STANDARD AHTD DISC 16' RIGHT CENTERLINE STATION 515+44 IN TOP OF PARAPET WALL SOUTH END OF BRIDGE #6650. NO AHTD CAP IN PAMLET WALL OF BRIDGE 6640 BATESVILLE CREEK BRIDGE

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230046

Class:

Vertical Datum:

Established by: RE OFFICE #82

Date Established: 11/19/1998

System: STATE

Job Number: 008903

Nearest City: TWIN GROVES

County: FAULKNER

Route: 285

Section: 1

Log Mile: 9.23

Land Section Number: 23

Township: 08N

Range: 14W

Land Section: SW

Latitude: N 35 18 50.0

Longitude: W 92 27 30.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 117.762

Elevation (Feet): 386.357

Description: STANDARD AHTD DISK 48' RIGHT C/L STATION 487+38 IN NORTH EAST  
HEADWALL OF A DOUBLE 8'X4'X96' RC BOX CULVERT RECOVERED 9-  
7-99 BY CREW S5102

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230047

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: RE OFFICE #82

Date Established: 11/13/1998

System: STATE

Job Number: 008903

Nearest City:

County: FAULKNER

Route: 285

Section: 1

Log Mile: 1.53

Land Section Number: 26

Township: 07N

Range: 14W

Land Section: NW

Latitude: N 35 13 09.0

Longitude: W 92 28 04.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 93.07

Elevation (Feet): 305.347

Description: STANDARD AHTD DISC 33' RIGHT CENTERLINE STATION 80+83 IN  
NORTH EAST HEADWALL OF A QUAD 10' X 9' X 64' R. C. BOX  
CULVERT. RECOVERED 9-7-99 by CREW S5102 Updated May 2000 by  
S5103 from NGS Pt. D 18

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230048

Class:

Vertical Datum: NAVD88

Established by: RE OFFICE #82

Date Established: 11/13/1998

System: STATE

Job Number: 008903

Nearest City:

County: FAULKNER

Route: 285

Section: 1

Log Mile: 1.68

Land Section Number: 27

Township: 07N

Range: 14W

Land Section: NE

Latitude: N 35 13 14.0

Longitude: W 92 28 08.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 93.189

Elevation (Feet): 305.738

Description: STANDARD AHTD DISC 37' RIGHT CENTERLINE STATION 86+63 IN  
NORTH EAST HEADWALL OF A TRL. 9' X 8' X 80' R. C. BOX CULVERT  
RECOVERED 9-7-99 by CREW S5102. Run From NGS PT D 18 by S5111 May-  
2000

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230049

Class:

Vertical Datum:

Established by: RE OFFICE #82

Date Established: 11/13/1998

System: STATE

Job Number: 008903

Nearest City: SHADY GROVE

County: FAULKNER

Route: 285

Section: 1

Log Mile: 3.60

Land Section Number: 15

Township: 07N

Range: 14W

Land Section: SE

Latitude: N 35 14 36.0

Longitude: W 92 28 35.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 91.321

Elevation (Feet): 299.609

Description: STANDARD AHTD DISC 26' RIGHT CENTERLINE STATION 191+80 IN  
NORTH EAST HEADWALL OF A DBL. 10' X 6' X 62' R. C. BOX CULVERT  
RECOVERED 9-7-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230050

Class:

Vertical Datum:

Established by: RE OFFICE #82

Date Established: 11/13/1998

System: STATE

Job Number: 008903

Nearest City: BOND

County: FAULKNER

Route: 285

Section: 1

Log Mile: 3.89

Land Section Number: 15

Township: 07N

Range: 14W

Land Section: NE

Latitude: N 35 14 54.0

Longitude: W 92 28 33.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 90.397

Elevation (Feet): 296.577

Description: STANDARD AHTD DISC 29' RIGHT OF CENTERLINE STATION 206+30 IN  
NORTH WEST HEADWALL OF A QUAD. 12' X 6' X 80' R. C. BOX  
CULVERT. RECOVERED 9-7-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230051

Class:

Vertical Datum:

Established by: RE OFFICE #84

Date Established: 1/19/1999

System: STATE

Job Number: R80064

Nearest City: TWIN GROVES

County: FAULKNER

Route: 65

Section: 9

Log Mile: 6.02

Land Section Number: 29

Township: 08N

Range: 13W

Land Section: SE

Latitude: N 35 17 53.0

Longitude: W 92 24 13.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 132.182

Elevation (Feet): 433.667

Description: STANDARD AHTD DISC 35' RIGHT CENTERLINE STATION 169+93 IN  
SOUTH EAST TOP OF PARAPET WALL OF BRIDGE NO. 06628.  
RECOVERED 9-7-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230052

Class:

Vertical Datum:

Established by: RE OFFICE #84

Date Established: 1/19/1999

System: STATE

Job Number: R80064

Nearest City: GREENBRIER

County: FAULKNER

Route: 65

Section: 9

Log Mile: 7.33

Land Section Number: 33

Township: 08N

Range: 13W

Land Section: SW

Latitude: N 35 17 08.0

Longitude: W 92 23 27.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 154.201

Elevation (Feet): 505.908

Description: STANDARD AHTD DISC 103' LEFT CENTERLINE STATION 105+45 IN  
NORTH WEST CORNER HEADWALL OF A DOUBLE 10 X 10 X 205 R.C.  
BOX CULVERT. RECOVERED 9-7-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230053

Class:

Vertical Datum:

Established by: RE OFFICE #84

Date Established: 1/19/1999

System: STATE

Job Number: R80064

Nearest City: TWIN GROVES

County: FAULKNER

Route: 65

Section: 9

Log Mile: 5.64

Land Section Number: 29

Township: 08N

Range: 13W

Land Section: NE

Latitude: N 35 18 11.0

Longitude: W 92 24 13.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 298.149

Elevation (Feet): 978.177

Description: STANDARD AHTD DISC 65' RIGHT CENTERLINE STATION 190+35 IN  
SOUTH EAST CORNER HEADWALL OF A 5' X 5' X 156' R. C. BOX  
CULVERT.CREW S5102 RECOVERED 9-7-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230054

Class:

Vertical Datum:

Established by: RE OFFICE #84

Date Established: 4/12/1999

System: STATE

Job Number: R80079

Nearest City: HAMLET

County: FAULKNER

Route: 36

Section: 1

Log Mile: 5.44

Land Section Number: 27

Township: 06N

Range: 11W

Land Section: NE

Latitude: N 35 07 49.0

Longitude: W 92 15 48.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 130.461

Elevation (Feet): 428.021

Description: STANDARD AHTD DISC IN NW CORNER HEADWALL OF A TRIPLE 5' x 4'  
x 82' R. C. BOX CULVERT 31' LEFT OF CENTERLINE STATION  
282+73.RECOVERED 9-7-99 CREW S5102

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230055

Class:

Vertical Datum:

Established by: RE OFFICE #84

Date Established: 4/12/1999

System: STATE

Job Number: R80079

Nearest City: HAMLET

County: FAULKNER

Route: 287

Section: 1

Log Mile: 0.01

Land Section Number: 27

Township: 06N

Range: 11W

Land Section: NE

Latitude: N 35 07 53.0

Longitude: W 92 15 46.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 123.444

Elevation (Feet): 404.999

Description: STANDARD AHTD DISC IN NW CORNER HEADWALL OF A TRIPLE 6' x 4' x 60' R. C. BOX CULVERT 30' RIFHT OF LOG MILE 0.01. CREW S5102 RECOVERED 9-8-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230056

Class:

Vertical Datum:

Established by:

Date Established: 5/8/2000

System: STATE

Job Number: 080093

Nearest City:

County: FAULKNER

Route: 310

Section: 5

Log Mile: 0.08

Land Section Number: 26

Township: 07N

Range: 11W

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 115.5517

Elevation (Feet): 379.106

Description: STANDARD AHTD DISC IN TOP PARAPET WALL 4.9M LEFT CENTERLINE  
STATION 145+35.10 OF CANEY CREEK BRIDGE #06703.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230057

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #84

Date Established: 8/10/2000

System: STATE

Job Number: R80065

Nearest City:

County: FAULKNER

Route: 65

Section: 9

Log Mile: 2.3

Land Section Number: 17

Township: 08N

Range: 13W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 153.328

Elevation (Feet): 503.044

Description: AHTD DISK 60'RT OF CL STA 311+11. SE CORN. TOP OF HW IN A DOUBLE  
6X4X234 RC BOX CULVERT ON FORWARD 45 DEG. RT SKEW

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230058

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #84

Date Established: 8/10/2000

System: STATE

Job Number: R80065

Nearest City:

County: FAULKNER

Route: 65

Section: 9

Log Mile: 2.1

Land Section Number: 17

Township: 08N

Range: 13W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 136.703

Elevation (Feet): 448.500

Description: AHTD DISK 36' RT OF C/L STA 321+55. IN TOP OF PARAPET WALL (SE CORN) OF A 70'X356' CONTINOUS W-BEAM BRIDGE # 06745

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230059

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #84

Date Established: 8/10/2000

System: STATE

Job Number: R80065

Nearest City:

County: FAULKNER

Route: 65

Section: 9

Log Mile: 1.05

Land Section Number: 6

Township: 08N

Range: 13W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 182.598

Elevation (Feet): 599.074

Description: AHTD DISK 70'RT OF C/L STA 375+84 IN CENTER OF HW (EAST END) OF  
A 4X2X140 RC BOX CULVERT

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230060

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #61

Date Established: 10/18/2000

System: STATE

Job Number: 001765

Nearest City: MAYFLOWER

County: FAULKNER

Route: 40

Section: 32

Log Mile: 137.66

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.262

Elevation (Feet): 279.730

Description: DISK IN WINGWALL AT BRIDGE END ON RIGHT RML (EB) BRIDGE B3696

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230061

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #61

Date Established: 10/18/2000

System: STATE

Job Number: 001765

Nearest City: MAYFLOWER

County: FAULKNER

Route: I40

Section: 32

Log Mile: 137.88

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.551

Elevation (Feet): 280.679

Description: DISK ON TOP OF LEFT PARAPET WALL LMLS (WB) BRIDGE A3667

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230062

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #61

Date Established: 9/13/2000

System: STATE

Job Number: 001765

Nearest City: MAYFLOWER

County: FAULKNER

Route: I40

Section: 32

Log Mile: 137.67

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 84.713

Elevation (Feet): 277.929

Description: DISK IN WING AT BRIDGE END ON LEFT LMLS (WB) BRIDGE A3696

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230063

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #61

Date Established: 9/13/2000

System: STATE

Job Number: 001765

Nearest City: MAYFLOWER

County: FAULKNER

Route: I40

Section: 32

Log Mile: 137.81

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 86.097

Elevation (Feet): 282.470

Description: DISK ON TOP OF RIGHT PARAPET WALL RMLS (EB) BRIDGE B3667

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230064

Class:

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 3/21/2001

System: STATE

Job Number: 080211

Nearest City: CONWAY

County: FAULKNER

Route: 365

Section: 10

Log Mile: 0

Land Section Number: 18

Township: 05N

Range: 13W

Land Section: SESW

Latitude: N 35 03 59.82945

Longitude: W 92 25 44.83108

Type: GPS (Observed)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 98.8191

Elevation (Feet): 324.209

Description: AHTD BM IN SE WALL OF OVERPASS OVER RR &365 "TBM901"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230065

Class:

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 3/22/2001

System: STATE

Job Number: 080211

Nearest City: CONWAY

County: FAULKNER

Route: 65B

Section: 9B

Log Mile: 3.7

Land Section Number: 18

Township: 05N

Range: 13W

Land Section: SESE

Latitude: N 35 03 59.46382

Longitude: W 92 25 38.77156

Type: GPS (Observed)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 92.3573

Elevation (Feet): 303.009

Description: CH SQ CENTER S CA BASIN 35 FT S OF C/L "TBM902"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230066

Class:

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 3/22/2001

System: STATE

Job Number: 080211

Nearest City: CONWAY

County: FAULKNER

Route: 65B

Section: 9B

Log Mile: 3.4

Land Section Number: 18

Township: 05N

Range: 13W

Land Section: SWSE

Latitude: N 35 03 59.1319

Longitude: W 92 25 22.78319

Type: GPS (Observed)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 91.4395

Elevation (Feet): 299.998

Description: CH SQ S OF CA 34 FT S OF C/L 45 FT E OF COVINGTON SQ DRIVE

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230067

Class:

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 3/22/2001

System: STATE

Job Number: 080211

Nearest City: CONWAY

County: FAULKNER

Route: 286

Section: 2

Log Mile: 0

Land Section Number: 17

Township: 05N

Range: 13W

Land Section: SWSW

Latitude: N 35 03 58.99085

Longitude: W 92 25 03.22522

Type: GPS (Observed)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 97.0921

Elevation (Feet): 318.543

Description: CH SQ SE COR I-40 HWY 65B OVERPASS 18 FT S OF C/L

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230068

Class:

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 3/22/2001

System: STATE

Job Number: 080211

Nearest City: CONWAY

County: FAULKNER

Route: 286

Section: 2

Log Mile: .2

Land Section Number: 17

Township: 05N

Range: 13W

Land Section: SESW

Latitude: N 35 03 58.65784

Longitude: W 92 24 53.74713

Type: GPS (Observed)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 90.1533

Elevation (Feet): 295.778

Description: CH SQ CENTER OF HW 30 FT S OF HWY 286 AND 106 W OF AMITY RD.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230069

Class:

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 3/22/2001

System: STATE

Job Number: 080211

Nearest City: CONWAY

County: FAULKNER

Route: 286

Section: 2

Log Mile: 0.45

Land Section Number: 17

Township: 05N

Range: 13W

Land Section: SESW

Latitude: N 35 03 59.6545

Longitude: W 92 24 41.17224

Type: GPS (Observed)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 89.1922

Elevation (Feet): 292.625

Description: AHTD DISK SW COR RC BOX 30 FT S OF CENTER HWY 286 98 FT WEST OF THOMAS WILSON ROAD

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230070

Class:

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 3/22/2001

System: STATE

Job Number: 080211

Nearest City: CONWAY

County: FAULKNER

Route: I-40

Section: 32

Log Mile: 129.5

Land Section Number: 20

Township: 05N

Range: 13W

Land Section: SWNW

Latitude: N 35 03 19.37688

Longitude: W 92 24 54.88498

Type: GPS (Observed)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.3783

Elevation (Feet): 280.112

Description: CH SQ CENTER HW 19 FT E OF AMITY RD 0.85 MILES S OF HWY 286

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230071

Class:

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 3/22/2001

System: STATE

Job Number: 080211

Nearest City: CONWAY

County: FAULKNER

Route: I-40

Section: 32

Log Mile: 128.25

Land Section Number: 17

Township: 05N

Range: 13W

Land Section: SENW

Latitude: N 35 04 16.4392

Longitude: W 92 24 59.30545

Type: GPS (Observed)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 95.1709

Elevation (Feet): 312.240

Description: CH SQ CENTER OF HW 29 FT W OF CENTER OF AMITY RD. 0.4 MILE  
NORTH OF HWY 286

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230072

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #84

Date Established: 8/22/2005

System: STATE Job Number: 080116 Nearest City: Quitman

County: FAULKNER Route: 25 Section: 1 Log Mile: 12.55

Land Section Number: 1 Township: 08n Range: 12w

Land Section: NW

Latitude: N 35 21 41.1 Longitude: W 92 13 52.5 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.09455 Elevation (Feet): 229.969

Description: STD. ahtd disk in lt headwall of a 900mm x 600mm rc box culvert 14.10 meters lt of centerline sta. 202+08.

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230073

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #84

Date Established: 8/22/2005

System: STATE Job Number: 080116 Nearest City:

County: FAULKNER Route: 25 Section: 1 Log Mile: 6.36

Land Section Number: 2 Township: 08n Range: 13w

Land Section: SE

Latitude: N 35 19 22.9 Longitude: W 92 19 02.8 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 63.48374 Elevation (Feet): 208.280

Description: std ahtd disk in rt headwall of a 900mm x 600mm rc box culvert 14.14 meters rt of centerline sta. 102+36.

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230074

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #84

Date Established: 8/22/2005

System: STATE Job Number: 080116 Nearest City:

County: FAULKNER Route: 25 Section: 1 Log Mile: 6.78

Land Section Number: 18 Township: 08n Range: 12w

Land Section: SE

Latitude: N 35 19 18.5 Longitude: W 92 18 37.6 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 64.45118 Elevation (Feet): 211.454

Description: Std. ahtd disk in rt headwall of a 2400mm x 1800mm rc box culvert 13.92 meters rt of centerline sta. 109+19.

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230075

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #84

Date Established: 8/22/2005

System: STATE Job Number: 080116 Nearest City:

County: FAULKNER Route: 25 Section: 1 Log Mile: 7.45

Land Section Number: 17 Township: 08n Range: 12w

Land Section: SW

Latitude: N 35 19 23.8 Longitude: W 92 17 55.5 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 67.51564 Elevation (Feet): 221.508

Description: std. ahtd disk in lt headwall of a 900mm x 600mm rc box culvert 17.79 meters lt of centerline sta. 120+01.

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230076

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #84

Date Established: 8/22/2005

System: STATE Job Number: 080116 Nearest City:

County: FAULKNER Route: 25 Section: 1 Log Mile: 7.60

Land Section Number: 17 Township: 08n Range: 12w

Land Section: SE

Latitude: N 35 19 24.2 Longitude: W 92 17 46.00 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.73149 Elevation (Feet): 225.497

Description: std. disk in lt headwall of a 900mm x 600mm rc box culvert 10.35 meters lt of centerline sta. 122+40

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230077

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #84

Date Established: 8/22/2005

System: STATE Job Number: 080116 Nearest City:

County: FAULKNER Route: 25 Section: 1 Log Mile: 0.58

Land Section Number: 4 Township: 07n Range: 13w

Land Section: NE

Latitude: N 35 16 15.7 Longitude: W 92 22 58.5 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 57.16707 Elevation (Feet): 187.556

Description: std ahtd disk in rt headwall of a 1200mm x 600mm rc box culvert 12.3 meters rt of centerline sta. 9+30.

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230078

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #84

Date Established: 9/2/2005

System: STATE

Job Number: 080116

Nearest City:

County: FAULKNER

Route: 25

Section: 1

Log Mile: 1.06

Land Section Number: 34

Township: 08n

Range: 13w

Land Section: SW

Latitude: N 35 16 39.5

Longitude: W 92 22 50.3

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 53.61676

Elevation (Feet): 175.908

Description: std. ahtd disk in rt headwall of a 3000mm x 1800mm dbl rc box culvert 14 meters lt of centerline sta. 17+14.

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230079

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #84

Date Established: 9/2/2005

System: STATE Job Number: 080116 Nearest City:

County: FAULKNER Route: 25 Section: 1 Log Mile: 2.01

Land Section Number: 27 Township: 08n Range: 13w

Land Section: SW

Latitude: N 35 17 24.0 Longitude: W 92 22 24.3 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 58.99434 Elevation (Feet): 193.551

Description: std disk in lt headwall of a 1500mm x 900mm rc box culvert 11.0 meters lt of centerline sta. 32+42.

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230080

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #84

Date Established: 9/2/2005

System: STATE Job Number: 080116 Nearest City:

County: FAULKNER Route: 25 Section: 1 Log Mile: 2.45

Land Section Number: 27 Township: 08n Range: 13w

Land Section: SW

Latitude: N 35 17 45.2 Longitude: W 92 22 13.1 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 58.27989 Elevation (Feet): 191.207

Description: std. ahtd disk in lt headwall of a 1500mm x 900mm rc box culvert 12.7 meters lt of centerline sta. 39+50.

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230081

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #84

Date Established: 4/16/2009

System: STATE Job Number: 080302 Nearest City: Conway

County: FAULKNER Route: 64 Section: 8 Log Mile: 4.5

Land Section Number: 36 Township: 06N Range: 14W

Land Section: NW

Latitude: N 35 06 50.9 Longitude: W 92 26 57.6 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 118.543 Elevation (Feet): 388.920

Description: ahtd benchmark disc set in top of south east headwall of a single 10' x 12' x 81' RC Box culvert 39.5' Rt. Of centerline sta. 148+90.

Comments: The Elevation was entered but could not be verified. The control used to est. the benchmark was TV pt 1127, which only had a trig derived elevation on it. The elevation of Pt 1127 used during the establishment of the benchmark was found to be the same as the trig elevation but with no prior 3 WR level data the benchmark cannot be verified. The 3 WR files associated with the est. of the benchmark can be seen on the EDM under s080302\_RE\_benches.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230082

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #84

Date Established: 4/16/2009

System: STATE

Job Number: 080305

Nearest City: Vilonia

County: FAULKNER

Route: 64

Section: 9

Log Mile: 13.13

Land Section Number: 18

Township: 05N

Range: 11W

Land Section: SW

Latitude: N 35 05 01.3

Longitude: W 92 12 38.5

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 94.27178

Elevation (Feet): 309.290

Description: AHTD Benchmark disc set in top of north east corner headwall of a Quint. 6 x 6'x 228' RC Box Culvert. 79.5' LT of Centerline station 585 + 20.

Comments: The benchmark was entered and verified. The BM was est. with 3 WR levels ran from control PN 65. The data associated with the 3 WR level run can be seen on the EDM under s080305\_RE\_Benches.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230083

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #84

Date Established: 4/16/2009

System: STATE

Job Number: 080306

Nearest City: Vilonia

County: FAULKNER

Route: 64

Section: 9

Log Mile: 14.55

Land Section Number: 16

Township: 05N

Range: 11W

Land Section: SW

Latitude: N 35 05 16.8

Longitude: W 92 11 09.9

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 89.47117

Elevation (Feet): 293.540

Description: AHTD BENCHMARK DISC SET IN TOP OF Southe West CORNER  
HEADWALL OF A QUINT. 10' X 6' X 160' RC BOX CULVERT. 79.5' RT OF  
CENTERLINE STATION 660 + 30.

Comments: The benchmark was entered and verified. The BM was est. with 3 WR levels ran from control PN 111. The data associated with the 3 WR level run can be seen on the EDM under s080306\_RE\_Benches.zip. The PN 9000 is the specified BM within the 3 WR files.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230084

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #84

Date Established: 4/16/2009

System: STATE

Job Number: 080306

Nearest City: Vilonia

County: FAULKNER

Route: 64

Section: 9

Log Mile: 15.72

Land Section Number: 16

Township: 05N

Range: 11W

Land Section: NE

Latitude: N 35 05 32.2

Longitude: W 92 09 58.1

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 88.28549

Elevation (Feet): 289.650

Description: AHTD BENCHMARK DISC SET IN TOP OF NORTH EAST Parapet wall of a 221' x 38' clear roadway bridge # B7095 Integral W - Beam Unit, 57.5' RT of centerline sta. 722+30.

Comments: The benchmark was entered but could not be verified due to no information on the control used during the 3 WR level run. The BM was est. with 3 WR levels ran from control PN 818. The data associated with the 3 WR level run can be seen on the EDM under s080306\_RE\_Benches.zip. The PN 9002 is the specified BM within the 3 WR files.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230085

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #84

Date Established: 4/16/2009

System: STATE

Job Number: 080306

Nearest City: Vilonia

County: FAULKNER

Route: 64

Section: 9

Log Mile: 16.91

Land Section Number: 10

Township: 05N

Range: 11W

Land Section: NE

Latitude: N 35 05 52.7

Longitude: W 92 08 46.6

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 87.5113

Elevation (Feet): 287.110

Description: AHTD BENCHMARK DISC SET IN TOP Center of HEADWALL OF A Triple 9' X 5'X 229' RC BOX CULVERT. 79.5' RT OF CENTERLINE STATION 784 + 95.

Comments: The benchmark was entered but could not be verified due to no information on the control used during the 3 WR level run. The BM was est. with 3 WR levels ran from control PN 828. The data associated with the 3 WR level run can be seen on the EDM under s080306\_RE\_Benches.zip. The PN 9003 is the specified BM within the 3 WR files.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230086

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #84

Date Established: 1/6/2011

System: COUNTY

Job Number: BR2309

Nearest City: Saltillo

County: FAULKNER

Route: CO. RD. 51

Section: N/A

Log Mile: N/A

Land Section Number: 29

Township: 05N

Range: 12W

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 86.342393

Elevation (Feet): 283.275

Description: AHTD STANDARD DISC SET IN TOP OF SOUTHEAST PARAPET WALL OF  
BRIDGE #04911 AND 16.0' RT. OF STA. 109+16.

Comments: ELEVATION TRANSFERRED FROM T-1.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230087

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #84

Date Established: 5/5/2014

System: FEDERAL

Job Number: 080388

Nearest City: Conway

County: FAULKNER

Route: 40

Section: 32

Log Mile: 131.73

Land Section Number: 32

Township: 05n

Range: 13w

Land Section: SW

Latitude: N 35 01 28.20000

Longitude: W 92 24 34.50000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.8062

Elevation (Feet): 281.516

Description: Standard AHTD disc set in top of south west parapet wing wall of bridge number B6884. 65' Right of CL Sta 7402+59.

Comments: Elevations verified and three wire data available on EDM in s080388re\_benches.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230088

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #84

Date Established: 6/30/2014

System: FEDERAL

Job Number: 080388

Nearest City: Conway

County: FAULKNER

Route: 40

Section: 32

Log Mile: 129.87

Land Section Number: 20

Township: 05n

Range: 13w

Land Section: SW

Latitude: N 35 03 01.00000

Longitude: W 92 24 51.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.8093

Elevation (Feet): 281.526

Description: Standard AHTD disc set in top on north east parapet wing wall of bridge number A6883. 65' Left of CL Sta 7330+34

Comments: Elevations verified and three wire data available on EDM in s080388re\_benches.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230089

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #84

Date Established: 6/30/2014

System: FEDERAL

Job Number: 080388

Nearest City: Conway

County: FAULKNER

Route: 40

Section: 32

Log Mile: 126.74

Land Section Number: 06

Township: 05n

Range: 13w

Land Section: SE

Latitude: N 35 05 31.00000

Longitude: W 92 25 22.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 38.6304

Elevation (Feet): 126.740

Description: Standard AHTD disc set in top of north west parapet wall; of bridge number 07226.  
65' Right of CL Sta 7167+68.

Comments: Elevations verified and three wire data available on EDM in s080388re\_benches.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230090

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #84

Date Established: 12/18/2012

System: STATE

Job Number: 080273

Nearest City: Conway

County: FAULKNER

Route: 65B

Section: 9B

Log Mile: 1.55

Land Section Number: 06

Township: 05n

Range: 13w

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 96.6218

Elevation (Feet): 317.000

Description: AHTD DISC SET IN NORTH EAST CORNER TOP OF DROP INLET 18 FEET  
NORTH OF MERRIMAN STREET, 38.2 'FEET RIGHT OF CENTERLINE  
STATION 151+75.10.

Comments: Elevations verified and available on EDM in s080273re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230091

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #84

Date Established: 1/3/2013

System: STATE Job Number: 080273 Nearest City: Conway

County: FAULKNER Route: 65B Section: 9B Log Mile: 1.87

Land Section Number: 01 Township: 05n Range: 14w

Land Section: SE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 99.4564 Elevation (Feet): 326.300

Description: AHTD DISC SET IN SOUTHWEST CORNER TOP OF DROP INLET (NORTH OF PINE STREET) 13 FEET LEFT OF CENTERLINE STATION 168+68

Comments: Elevations verified and available on EDM in s080273re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230092

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #84

Date Established: 12/20/2012

System: STATE Job Number: 080339 Nearest City: Naylor

County: FAULKNER Route: 36 Section: 1 Log Mile: 8.45

Land Section Number: 7 Township: 06n Range: 11w

Land Section: SW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 94.2352 Elevation (Feet): 309.170

Description: AHTD DISC IN EAST END TOP OF CONCRETE ISLAND 12.1 FEET LEFT OF  
C/L STATION 100+42.

Comments: Elevation verified and available on EDM in s080339re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230093

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #84

Date Established: 12/20/2012

System: STATE

Job Number: 080384

Nearest City: Holland

County: FAULKNER

Route: 287

Section: 1

Log Mile: 1.39

Land Section Number: 21

Township: 06n

Range: 12w

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 102.3063

Elevation (Feet): 335.650

Description: AHTD DISC SET IN TOP OF SOUTH-EAST HEADWALL OF A  
QUINTUPLE 7' x 4' x 64' RC BOX CULVERT 32.6 FEET RIGHT OF CENTER  
LINE STATION 105+61.

Comments: Elevation verified, three wire data available on EDM in s080384re\_benches.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230094

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #84

Date Established: 5/3/2016

System: FEDERAL

Job Number: 080395

Nearest City: Conway

County: FAULKNER

Route: I-40

Section: 32

Log Mile:

Land Section Number: 5

Township: 04n

Range: 13w

Land Section: SENW

Latitude: N 35 01 04.0000

Longitude: W 92 24 38.0000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 83.3553

Elevation (Feet): 273.475

**Description:** USING THE 080388 I-40 ALIGNMENT, THE BENCHMARK IS LOCATED IN CENTER OF HEADWALL OF BOX CULVERT AT STATION 7425+76.6039 WITH AN OFFSET OF 206.059 FEET RIGHT OF CENTERLINE. USING THE 080395 RAMP 1 ALIGNMENT THE BENCHMARK IS LOCATED IN CENTER OF HEADWALL AT STATION 7426+24.2225 WITH AN OFFSET OF 40.273 RIGHT OF CENTERLINE.

**Comments:** elevation has been verified, Three wire data is on EDM under job 080395 in file s080395re\_benches.zip



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230095

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #84

Date Established: 4/28/2016

System: FEDERAL

Job Number: 080395

Nearest City: Conway

County: FAULKNER

Route: I-40

Section: 32

Log Mile:

Land Section Number: 5

Township: 04n

Range: 13w

Land Section: NWNE

Latitude: N 35 01 03.00000

Longitude: W 92 24 38.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.52

Elevation (Feet): 280.577

Description: USING THE 080388 I-40 ALIGNMENT THE BENCHMARK IS LOCATED IN CENTER OF HEADWALL OF BOX CULVERT AT STATION 7432+40.4278 WITH A OFFSET OF 170.380 RIGHT OF CENTERLINE. USING THE 080395 MAIN LANES ALIGNMENT THE BENCHMARK IS LOCATED IN THE CENTER OF THE HEADWALL OF BOX CULVERT AT STATION 22+08.2797 WITH AN OFFSET OF 120.411 FT RIGHT OF CENTERLINE

Comments: elevation has been verified, Three wire data is on EDM under job 080395 in file s080395re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230096

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #84

Date Established: 4/20/2016

System: FEDERAL

Job Number: 080395

Nearest City: Conway

County: FAULKNER

Route: I-40

Section: 32

Log Mile:

Land Section Number: 5

Township: 04n

Range: 13w

Land Section: NWNE

Latitude: N 35 00 54.00000

Longitude: W 92 24 44.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 86.8167

Elevation (Feet): 284.831

Description: USING 080388 I-40 ALIGNMENT THE BENCHMARK IS LOCATED IN CENTER OF HEADWALL OF BOX CULVERT AT STATION 7434+99.1277 WITH AN OFFSET OF 761.556 RIGHT OF CENTERLINE. IF USING THE 080395 MAIN LANES ALIGNMENT THE BENCHMARK IS LOCATED IN CENTER OF HEADWALL OF BOX CULVERT AT STATION 27+07.7731 WITH AN OFFSET OF 288.148 FEET LEFT OF CENTERLINE

Comments: elevation has been verified, Three wire data is on EDM under job 080395 in file s080395re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230097

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #84

Date Established: 1/22/2018

System: STATE Job Number: 080492 Nearest City: Conway

County: FAULKNER Route: 286 Section: 2 Log Mile: 3.96

Land Section Number: 17 Township: 05n Range: 13w

Land Section: NESW

Latitude: N 35 04 01.40000 Longitude: W 92 24 43.60000 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 89.841

Elevation (Feet): 294.753

Description: USING THE ALIGNMENT FOR 286 ON JOB 080492 THE BENCHMARK IS LOCATED IN THE CENTER OF HEADWALL ON BOX CULVERT AT STATION 45+16.22 WITH AN OFFSET OF 199.57 LEFT OF CENTERLINE.

Comments: elevation has been verified, Three wire data is on EDM under job 080492 in file s080492re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230098

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #84

Date Established: 1/22/2018

System: STATE

Job Number: 080492

Nearest City: Conway

County: FAULKNER

Route: 286

Section: 2

Log Mile: 3.91

Land Section Number: 17

Township: 05n

Range: 13w

Land Section: NESW

Latitude: N 35 03 59.10000

Longitude: W 92 24 44.00000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 89.035

Elevation (Feet): 292.109

Description: USING THE ALIGNMENT FOR 286 ON JOB 080492 THE BENCHMARK IS  
LOCATED IN THE CENTER OF HEADWALL ON BOX CULVERT AT  
STATION 47+56 WITH AN OFFSET OF 71.37 RIGHT OF CENTERLINE

Comments: elevation has been verified, Three wire data is on EDM under job 080492 in file  
s080492re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230099

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #84

Date Established: 8/1/2018

System: STATE

Job Number: 080397

Nearest City: Conway

County: FAULKNER

Route: 25

Section: 0

Log Mile: 0.97

Land Section Number: 26

Township: 06n

Range: 14w

Land Section: SWSE

Latitude: N 35 07 15.74400

Longitude: W 92 27 34.27140

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 104.585

Elevation (Feet): 343.126

Description: USING THE CENTERLINE MAIN LANES ALIGNMENT ON JOB 080397 THE BENCHMARK IS LOCATED IN THE CENTER OF HEADWALL ON THE BOX CULVERT AT STATION 106+03.49 WITH AN OFFSET OF 103.837' RIGHT OF CENTERLINE. LAT/LONG ESTABLISHED USING GOOGLE EARTH ON A CELL PHONE

Comments: elevation has been verified, Three wire data is on EDM under job 080492 in file s080397re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 230100

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #84

Date Established: 8/1/2018

System: STATE Job Number: 080397 Nearest City: Conway

County: FAULKNER Route: 25 Section: 0 Log Mile: 1.97

Land Section Number: 26 Township: 06n Range: 14w

Land Section: NWNE

Latitude: N 35 08 07.83540 Longitude: W 92 27 32.93940 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 93.164

Elevation (Feet): 305.656

Description: USING THE CENTERLINE MAIN LANES ALIGNMENT ON JOB 080397 THE BENCHMARK IS LOCATED IN THE CENTER OF THE HEADWALL ON THE BOX CULVERT AT STATION 158+87 WITH AN OFFSET OF 45.864' RIGHT OF CENTERLINE. LAT/LONG ESTABLISHED USING GOOGLE EARTH ON A CELL PHONE

Comments: elevation has been verified, Three wire data is on EDM under job 080492 in file s080397re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 240001

Class:

Vertical Datum:

Established by: RE OFFICE #44

Date Established:

System: STATE

Job Number: 4914

Nearest City: PETER PENDER

County: FRANKLIN

Route: 60

Section: 6

Log Mile: 1.62

Land Section Number: 22

Township: 08N

Range: 28W

Land Section: SE

Latitude: N 35 21 14.5

Longitude: W 93 57 24.4

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 124.365

Elevation (Feet): 408.021

Description: TOP WINGWALL 15 FEET DOWNSTREAM FROM CENTERLINE SOUTH  
ABUTMENT BRIDGE NO. 6190 BRIDGE OVER "HURRICANE CREEK" 2  
DEC 99 VJBIII

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 240002

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 4995

Nearest City: TONEY

County: FRANKLIN

Route: 64

Section: 3

Log Mile: 3.0

Land Section Number: 28

Township: 10N

Range: 28W

Land Section:

Latitude: N 35 30 34.2

Longitude: W 93 59 02.2

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 209.934

Elevation (Feet): 688.758

Description: DISC ON WEST END OF HEADWALL 29' LEFT (NORTH) OF CENTERLINE.  
2 DEC 99 VJB III

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 240003

Class:

Vertical Datum:

Established by: RE OFFICE #44

Date Established: 6/26/1990

System: STATE

Job Number: 4937

Nearest City: WEBB CITY

County: FRANKLIN

Route: 96

Section: 4

Log Mile: 13.0

Land Section Number: 22

Township: 09N

Range: 27W

Land Section: SW

Latitude: N 35 26 26.4

Longitude: W 93 51 33.4

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 141.071

Elevation (Feet): 462.830

Description: DISC SET IN TO OF R.C. BOX CULVERT HEADWALL 23' SOUTH  
(DOWNSTREAM) OF CENTERLINE OF HWY. 96. 2 DEC 99 VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 240004

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 4770

Nearest City:

County: FRANKLIN

Route: 215

Section: 0

Log Mile: 5.63

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 156.366

Elevation (Feet): 513.011

Description: TOP PARAPET WALL RIGHT SIDE SPAN #2 STATION 193+44 BRIDGE 5678  
THE BRIDGE AT THIS ROUTE, SECTION & LOG IS BRIDGE # 5634 OVER "  
ONION CREEK" BUT THERE IS NO CAP HERE.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 240005

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 4723

Nearest City:

County: FRANKLIN

Route: 219

Section: 1

Log Mile: 9.70

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 474.48

Elevation (Feet): 1556.690

Description: DISC TOP HEADWALL 48' RIGHT STATION 193+86 NR 2 DEC 99 VJB III  
THE LOG MILE DOES NOT MATCH THE DESCRIPTION

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 240006

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 4734

Nearest City: ETNA

County: FRANKLIN

Route: 288

Section: 2

Log Mile: 0.69

Land Section Number: 15

Township: 08N

Range: 27W

Land Section: SE

Latitude: N 35 21 30.7

Longitude: W 93 51 02.3

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 119.817

Elevation (Feet): 393.100

Description: STATE CONST. JOB NO. 4734 0.69 LOG MILE ON HWY. 288 EAST OF HWY. 23 SOUTH NW CORNER OF NORTH HEADWALL 2 DEC 99 VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 240007

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: BR-24-1 Nearest City: OZARK

County: FRANKLIN Route: CO. RD. 67 Section: Log Mile:

Land Section Number: 9 Township: 10N Range: 27W

Land Section:

Latitude: N 35 53 00.0 Longitude: W 93 51 54.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 152.864 Elevation (Feet): 501.521

Description: DISC SET IN TOP OF WINGWALL ON NORTH SIDE OF ROAD AT THE  
EAST END OF BRIDGE NO. 4526. CAP IN NORTH EAST WING OF BRIDGE  
OVER "NORTH FORK WHITE OAK CREEK" 2 DEC 99 VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 240008

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: F-24-2 Nearest City:

County: FRANKLIN Route: CO. RD. 110 Section: Log Mile:

Land Section Number: 23 Township: 10N Range: 26W

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 169.198 Elevation (Feet): 555.110

Description: DISC IN TOP OF HEADWALL RC BOX CULVERT (RT) STA. 14+20 NR 2  
DEC 99 VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 240009

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: F-24-2 Nearest City: OZARK

County: FRANKLIN Route: CO. RD. 1100 Section: Log Mile:

Land Section Number: 23 Township: 10N Range: 26W

Land Section:

Latitude: N 35 30 34.3 Longitude: W 93 45 44.5 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 188.3 Elevation (Feet): 617.781

Description: DISC IN TOP OF HEADWALL RC BOX CULVERT (RT) STA. 118-66 2 DEC 99 VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 240010

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #42

Date Established: 6/8/1988

System:

Job Number: F-24-4

Nearest City:

County: FRANKLIN

Route: CR 2084

Section:

Log Mile: 1.00

Land Section Number: 12

Township: 08N

Range: 28W

Land Section: SW

Latitude: N 35 22 44.0

Longitude: W 93 55 49.8

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 126.678

Elevation (Feet): 415.609

Description: ALUM. CAP SET IN TOP HDWL. OF TRIP. 10 X 9 R. C. BOX CULVERT 1/4 MILE NORTHEAST JCT. HWY. 41 & CO. RD. FAS #2084 CAP IN EAST HEADWALL. STATION IS ON COUNTY ROAD 48 2 DEC 99 VJB III

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 240012

Class:

Vertical Datum:

Established by:

Date Established: 8/15/1997

System:

Job Number: 040125

Nearest City: CASS

County: FRANKLIN

Route: 215

Section: 3

Log Mile: 4.7

Land Section Number: 27

Township: 12N

Range: 26W

Land Section:

Latitude: N 35 41 16.1

Longitude: W 93 44 53.4

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 245.065

Elevation (Feet): 804.017

Description: STANDARD DISC IN TOP OF NW WINGWALL 14' RT. STA. 251+96 BRIDGE  
#06646 HERRODS CR. 2 DEC 99 VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 240013

Class:

Vertical Datum:

Established by: RE OFFICE #82

Date Established: 11/21/1997

System: STATE

Job Number: 040115

Nearest City: CASS

County: FRANKLIN

Route: 215

Section: 3

Log Mile: 1.43

Land Section Number: 19

Township: 12N

Range: 26W

Land Section: SE

Latitude: N 35 41 27.7

Longitude: W 93 47 26.1

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 229.6

Elevation (Feet): 753.279

Description: AHTD STD. DISC IN TOP OF SW WINGWALL OF BR. OVER MOUNTAIN CREEK. BR # 6572. 2 DEC 99 VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 240014

Class:

Vertical Datum:

Established by: RE OFFICE #44

Date Established: 10/24/1997

System: STATE

Job Number: 040196

Nearest City: OZARK

County: FRANKLIN

Route: IOENIX AV

Section: 12

Log Mile: 35.8

Land Section Number: 22

Township: 10N

Range: 27W

Land Section: SE

Latitude: N 35 31 11.5

Longitude: W 93 51 11.7

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 220.166

Elevation (Feet): 722.328

Description: ALUMINUM CAP IN TOP OF DROP INLET 410' SOUTH & 375' WEST FROM  
SIDE OF RESTROOM BUILDOMG IN EAST BOUND REST AREA. 2 DEC 99  
VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 240015

Class:

Vertical Datum:

Established by: RE OFFICE #44

Date Established: 10/24/1997

System: STATE

Job Number: 040196

Nearest City: OZARK

County: FRANKLIN

Route: IOENIX AV

Section: 12

Log Mile: 36.8

Land Section Number: 23

Township: 10N

Range: 27W

Land Section: NE

Latitude: N 35 31 02.1

Longitude: W 93 50 13.2

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 211.354

Elevation (Feet): 693.417

Description: ALUMINUM CAP SET IN CONCRETE MONUMENT 210' SOUTH & 10' WEST FROM SOUTH SIDE OF RESTROOM BUILDING IN WEST BOUND REST AREA. 2 DEC 99 VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 240016

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #44

Date Established: 5/28/2002

System: STATE

Job Number: 040157

Nearest City:

County: FRANKLIN

Route: 215

Section: 3

Log Mile:

Land Section Number: 26

Township: 12n

Range: 26w

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 255.977

Elevation (Feet): 839.818

Description: ALUM CAP SET IN TOP EAST END OF HW (RT SIDE STA 2+644)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 240017

Class:

Vertical Datum:

Established by: RE OFFICE #44

Date Established: 12/22/2003

System: STATE

Job Number: 004984

Nearest City:

County: FRANKLIN

Route: 41

Section: 0

Log Mile: 15.76

Land Section Number: 24

Township: 07n

Range: 28w

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 126.791

Elevation (Feet): 415.980

Description: AHTD CAP SET IN TOP OF PARAPET WALL 12' LT OF STA 110+28

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run. Need to look at Station Name 240020.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 240018

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 9/27/2004

System: STATE Job Number: 040347 Nearest City: Roseville

County: FRANKLIN Route: 309 Section: Log Mile: 1.64

Land Section Number: 36 Township: 09N Range: 27W

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 113.258 Elevation (Feet): 371.581

Description: Alum cap set on top of bridge number 06963 parapet wall, 18' rt

Comments: set by Ernest Schlaefli

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 240019

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #42

Date Established: 5/24/2005

System: STATE

Job Number: FA2416

Nearest City: Altus

County: FRANKLIN

Route: 90

Section:

Log Mile:

Land Section Number: 24

Township: 10N

Range: 26W

Land Section: NE

Latitude: N 35 31 05.0

Longitude: W 93 42 33.5

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 179.1605

Elevation (Feet): 587.796

Description: Aluminum Cap set in top headwall 35' RT. Sta 269+50.

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 240020

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #42

Date Established: 6/2/2005

System: STATE Job Number: 004984 Nearest City: Ratcliff

County: FRANKLIN Route: 41 Section: 0 Log Mile: 15.74

Land Section Number: 24 Township: 07N Range: 28W

Land Section: NW

Latitude: N 35 16 04.2 Longitude: W 93 56 09.70 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 126.8242 Elevation (Feet): 416.089

Description: Alum. Cap set in top of parapit wall 15' Lt. Sta. 110+15. Job # 004984. BR# 06956

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run. Need to look at Station Name 240017.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 240021

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 7/3/2012

System: STATE

Job Number: 040506

Nearest City: Ozark

County: FRANKLIN

Route: N 2nd St

Section:

Log Mile:

Land Section Number: 36

Township: 10n

Range: 27w

Land Section: NESW

Latitude: N 35 29 37.70000

Longitude: W 93 49 53.90000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 120.2073

Elevation (Feet): 394.380

Description: AHTD DISK NE COR. BRDG. N 2ND ST. ONE BLOCK EAST OF HWY 219.  
ELEV. CARRIED FROM CTL#4 SEGMENT 040506LB

Comments: Elevation verified, three wire data available on EDM in s040506re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 240022

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #41

Date Established: 11/20/2015

System: STATE

Job Number: 040493

Nearest City: Ozark

County: FRANKLIN

Route: Hillbilly Lane

Section:

Log Mile:

Land Section Number:

Township: 10n

Range: 27w

Land Section:

Latitude: N 35 30 17.10000

Longitude: W 93 51 02.90000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 162.6873

Elevation (Feet): 533.750

Description: Located on Head Wall of Box Culvert on Hillbilly Lane, approximately 0.30 Miles West from intersection with Hwy 23

Comments: Elevation verified. Three wire data available on EDM under job 040493 in s040493re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 250001

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: UNION

County: FULTON

Route: 9

Section: 14

Log Mile: 1.51

Land Section Number: 26

Township: 19N

Range: 09W

Land Section:

Latitude: N 36 16 24.2

Longitude: W 91 54 25.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 212.809

Elevation (Feet): 698.191

Description: TOP NORTHEAST WING WALL BRIDGE NO. 5849 BRIDGE OVER "  
STRAWBERRY RIVER" RECOVERED 19 NOV 99. VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 250002

Class:

Vertical Datum:

Established by: RE OFFICE #53

Date Established: 5/8/1991

System: STATE

Job Number: R50020

Nearest City: ELIZABETH

County: FULTON

Route: 87

Section: 9

Log Mile: 0.62

Land Section Number: 12

Township: 19N

Range: 11W

Land Section: SE

Latitude: N 36 20 18.6

Longitude: W 92 06 08.4

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 211.334

Elevation (Feet): 693.352

Description: AHTD STANDARD DISK IN TOP OF R.C. BOX HEADWALL RIGHT SIDE  
STATION 32+62 IN GOOD CONDITION 18 NOV 99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 250003

Class:

Vertical Datum:

Established by: RE OFFICE #53

Date Established: 5/8/1991

System: STATE

Job Number: R50020

Nearest City: GEPP

County: FULTON

Route: 87

Section: 9

Log Mile: 2.92

Land Section Number: 25

Township: 20N

Range: 11W

Land Section: SW

Latitude: N 36 21 55.3

Longitude: W 92 06 41.9

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 203.735

Elevation (Feet): 668.421

Description: AHTD STANDARD DISK IN TOP OF R.C. BOX HEADWALL RIGHT SIDE  
STATION 154+23 RECOVERED 18 NOV 99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 250004

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: GEPP

County: FULTON

Route: 87

Section: 9

Log Mile: 2.32

Land Section Number: 36

Township: 20N

Range: 11W

Land Section: NW

Latitude: N 36 21 24.8

Longitude: W 92 06 44.2

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 185.717

Elevation (Feet): 609.307

Description: AHTD DISC IN TOP OF WINGWALL 17' LEFT OF BRIDGE END STATION  
116+89.96 OF CENTERLINE. BRIDGE OVER "BIG CREEK" # 6191  
RECOVERED 18 NOV 99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 250005

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: VIDETTE

County: FULTON

Route: 87

Section: 9

Log Mile: 12.62

Land Section Number: 14

Township: 21N

Range: 11W

Land Section: SW

Latitude: N 36 28 50.3

Longitude: W 92 07 40.3

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 206.344

Elevation (Feet): 676.980

Description: DISK NORTHEAST CORNER SOUTH ABUT BRIDGE NO. 5666 20' RIGHT  
OF CENTERLINE 656+60 BRIDGE OVER " LITTLE CREEK" BR # 5666  
RECOVERED 18 NOV 99

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 250006

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 5860

Nearest City: VIOLA

County: FULTON

Route: 62

Section: 12

Log Mile: 8.57

Land Section Number: 14

Township: 20N

Range: 10W

Land Section: SW

Latitude: N 36 23 49.0

Longitude: W 92 01 10.9

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 251.336

Elevation (Feet): 824.592

Description: AHTD DISK IN TOP OF SOUTHWEST WINGWALL WEST ABUTMENT  
BRIDGE NO. 1927W JOB NO. 5860 BRIDGE OVER " SHIPMAN CREEK" 18  
NOV 99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 250007

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: USGS

Date Established:

System:

Job Number: 5860

Nearest City: VIOLA

County: FULTON

Route: 62

Section: 12

Log Mile: 11.00

Land Section Number: 18

Township: 20N

Range: 09W

Land Section: SE

Latitude: N 36 23 48.3

Longitude: W 91 58 42.3

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 252.76

Elevation (Feet): 829.263

Description: BRASS USGS DISK STAMPED "U38 RESET 1984" IN TOP SOUTHWEST WINGWALL WEST ABUT. BRIDGE NO. 1831W BRIDGE OVER " BIG CREEK" 18 NOV 99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 250008

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 5860

Nearest City: VIOLA

County: FULTON

Route: 62

Section: 12

Log Mile: 14.58

Land Section Number: 14

Township: 20N

Range: 09W

Land Section: NW

Latitude: N 36 23 43.2

Longitude: W 91 55 03.2

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 253.776

Elevation (Feet): 832.597

Description: BRASS USGS DISK STAMPED "W38 RESET 1984" IN TOP NORTHEAST  
WINGWALL EAST ABUT. BRIDGE NO. 1832W BRIDGE OVER  
"DAVENPORT CREEK" 18 NOV 99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 250009

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 5860

Nearest City: SALEM

County: FULTON

Route: 62

Section: 12

Log Mile: 17.29

Land Section Number: 18

Township: 20N

Range: 08W

Land Section: SE

Latitude: N 36 23 18.0

Longitude: W 91 52 23.3

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 232.542

Elevation (Feet): 762.932

Description: BRASS USGS DISK STAMPED "Y38 RESET 1984" IN TOP NORTHWEST WINGWALL WEST ABUT. BRIDGE NO. 1833W BRIDGE OVER " PINE HILL CREEK". 18 NOV 99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 250010

Class:

Vertical Datum:

Established by: RE OFFICE #53

Date Established:

System: STATE Job Number: R50029 Nearest City: VIOLA

County: FULTON Route: US 62 Section: 12 Log Mile: 12.66

Land Section Number: 16 Township: 20N Range: 09W

Land Section:

Latitude: N 36 24 00.1 Longitude: W 91 57 12.4 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 282.471 Elevation (Feet): 926.740

Description: STANDARD DISC IN SOUTHWEST CORNER RIGHT HEADWALL R.C. BOX  
CULVERT

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 250011

Class:

Vertical Datum:

Established by: RE OFFICE #53

Date Established:

System: STATE

Job Number: R50029

Nearest City: SALEM

County: FULTON

Route: US 62

Section: 12

Log Mile: 15.32

Land Section Number: 14

Township: 20N

Range: 09W

Land Section: SE

Latitude: N 36 23 32.1

Longitude: W 91 54 30.6

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 248.342

Elevation (Feet): 814.769

Description: STANDARD DISC IN SOUTHEAST CORNER RIGHT HEADWALL DOUBLE  
R.C. BOX CULVERT RECOVERED 18 NOV 99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 250012

Class:

Vertical Datum:

Established by: RE OFFICE #53

Date Established:

System: STATE Job Number: R50029 Nearest City: SALEM

County: FULTON Route: US 62 Section: 12 Log Mile: 18.81

Land Section Number: 21 Township: 20N Range: 08W

Land Section:

Latitude: N 36 22 40.6 Longitude: W 91 51 17.7 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 241.865 Elevation (Feet): 793.519

Description: STANDARD DISC IN SOUTHWEST CORNER RIGHT HEADWALL R.C. BOX  
CULVERT

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 250013

Class:

Vertical Datum:

Established by: RE OFFICE #53

Date Established:

System: STATE

Job Number: R50029

Nearest City: SALEM

County: FULTON

Route: US 62

Section: 12

Log Mile: 18.93

Land Section Number: 21

Township: 20N

Range: 08W

Land Section:

Latitude: N 36 22 36.6

Longitude: W 91 51 12.3

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 237.714

Elevation (Feet): 779.900

Description: STANDARD DISC IN NORTHWEST CORNER LEFT HEADWALL DOUBLE  
R.C. BOX CULVERT ROUTE US62 SECTION 12 LOG MILE 18.93  
RECOVERED 18 NOV 99

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 250014

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: MOKO

County: FULTON

Route: 395

Section: 1

Log Mile: 5.75

Land Section Number: 34

Township: 21N

Range: 08W

Land Section: NW

Latitude: N 36 26 21.7

Longitude: W 91 49 45.5

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 205.079

Elevation (Feet): 672.830

Description: DISK TOP SOUTHWEST WINGWALL SOUTH ABUT BRIDGE 5953 SOUTH  
FORK SPRING RIVER RECOVERED 18 NOV 99 VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 250015

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #53

Date Established: 12/20/1995

System: STATE

Job Number: 5941

Nearest City: ASHFLAT

County: FULTON

Route: 62

Section: 16

Log Mile: 0.36

Land Section Number: 36

Township: 18N

Range: 06W

Land Section: SE

Latitude: N 36 15 12.0

Longitude: W 91 34 51.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 185.986

Elevation (Feet): 610.189

Description: AHTD STD. DISK IN TOP SE CORNER, RT. HDWL., 10' x 6' R. C. BOX-STA. 101+57.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 250016

Class:

Vertical Datum:

Established by: RE OFFICE #53

Date Established:

System: STATE

Job Number: 5941

Nearest City: ASHFLAT

County: FULTON

Route: 62

Section: 16

Log Mile: 0.79

Land Section Number: 35

Township: 18N

Range: 06W

Land Section: SE

Latitude: N 36 15 20.0

Longitude: W 91 34 25.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 185.645

Elevation (Feet): 609.070

Description: AHTD STD. DISK IN TOP SE CORNER, RT. HDWL., TRIP. 11' x 7' R. C. BOX, STA. 124+55.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 250017

Class:

Vertical Datum:

Established by: RE OFFICE #53

Date Established: 8/13/1995

System: STATE

Job Number: 5941

Nearest City: ASHFLAT

County: FULTON

Route: 62

Section: 16

Log Mile: 0.09

Land Section Number: 35

Township: 18N

Range: 06W

Land Section: SE

Latitude: N 36 15 06.0

Longitude: W 91 35 04.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 187.894

Elevation (Feet): 616.449

Description: AHTD STD. DISK IN TOP SE CORNER, RT. HDWL., 8' x 5' R. C. BOX, STA 89+48.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 250019

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #52

Date Established: 5/16/1990

System: COUNTY

Job Number: F-25-3

Nearest City: SADDLE

County: FULTON

Route: 61

Section: 1

Log Mile: 1.40

Land Section Number: 31

Township: 20N

Range: 06W

Land Section: SE

Latitude: N 36 20 53.5

Longitude: W 91 39 32.9

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 155.217

Elevation (Feet): 509.241

Description: AHTD STD. DISC TOP OF SW WINGWALL OF SOUTHFORK SPRING  
RIVER BRIDGE. RECOVERED 19 NOV 99 VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 250020

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #52

Date Established: 5/16/1990

System: COUNTY

Job Number: F-25-3

Nearest City: SADDLE

County: FULTON

Route: 61

Section: 1

Log Mile: 1.40

Land Section Number: 31

Township: 20N

Range: 06W

Land Section: SE

Latitude: N 36 20 52.7

Longitude: W 91 39 27.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 154.94

Elevation (Feet): 508.332

Description: AHTD STD. DISK TOP OF NE WINGWALL OF SOUTHFORK SPRING RIVER  
BRIDGE. RECOVERED 19 NOV 99 VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 250021

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #52

Date Established: 6/18/1990

System: COUNTY

Job Number: BR-25-1

Nearest City: CAMP

County: FULTON

Route: CR44

Section:

Log Mile:

Land Section Number: 14

Township: 21N

Range: 07W

Land Section: SE

Latitude: N 36 28 47.1

Longitude: W 91 41 47.2

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 185.648

Elevation (Feet): 609.080

Description: AHTD STD. DISK IN TOP OF SW WING OF THE MYATT CREEK BRIDGE

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 250022

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #52

Date Established: 11/1/1989

System: COUNTY

Job Number: S-25-15

Nearest City:

County: FULTON

Route: 64

Section:

Log Mile: 0.28

Land Section Number: 8

Township: 21N

Range: 05W

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 161.02

Elevation (Feet): 528.280

Description: STD. DISK IN TOP OF NE CORNER OF HEADWALL, TRI. 8' X 4' X 45' R. C. BOX CULVERT.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 250023

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 11/16/1998

System: STATE Job Number: 005905 Nearest City:

County: FULTON Route: 09 Section: 15 Log Mile: 4.05

Land Section Number: 07 Township: 20N Range: 07W

Land Section: SE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 210.506 Elevation (Feet): 690.635

Description: AHTD DISK IN WEST END OF SOUTH HEADWALL R.C. BOX STA. 65+25.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 250024

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 11/16/1998

System: STATE Job Number: 005905 Nearest City:

County: FULTON Route: 09 Section: 15 Log Mile: 4.39

Land Section Number: 07 Township: 20N Range: 07W

Land Section: SE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 211.314 Elevation (Feet): 693.286

Description: AHTD DISK IN WEST END OF SOUTH HEADWALL R.C. BOX STA. 70+80

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 250025

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 6/7/2001

System: STATE Job Number: 050098 Nearest City: SALEM

County: FULTON Route: 412 Section: 13 Log Mile: 2.99

Land Section Number: Township: Range:

Land Section:

Latitude: N 36 21 10.0 Longitude: W 91 46 35.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 187.298 Elevation (Feet): 614.494

Description: NGS BM B 40 "TBM 950"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 250026

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 6/7/2001

System: STATE Job Number: 050098 Nearest City: SALEM

County: FULTON Route: 412 Section: 13 Log Mile: 5.90

Land Section Number: Township: Range:

Land Section:

Latitude: N 36 18 47.0 Longitude: W 91 46 04.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 247.441 Elevation (Feet): 811.813

Description: NGS POINT D 40 RESET TBM 961

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 250027

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 6/7/2001

System: STATE

Job Number: 050098

Nearest City: ASH FLAT

County: FULTON

Route: 412

Section: 13

Log Mile: 12.5

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 16 01.0

Longitude: W 91 40 14.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 255.851

Elevation (Feet): 839.404

Description: NGS POINT K 40 RESET TBM 966

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 250028

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 6/7/2001

System: STATE

Job Number: 050098

Nearest City:

County: FULTON

Route: 412

Section:

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 19 39.0

Longitude: W 91 46 25.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 239.266

Elevation (Feet): 784.992

Description: NGS POINT M 167 TBM 954

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 250029

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 6/7/2001

System: STATE Job Number: 050098 Nearest City:

County: FULTON Route: 412 Section: Log Mile:

Land Section Number: Township: Range:

Land Section:

Latitude: N 36 20 13.0 Longitude: W 91 46 31.0 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 188.872 Elevation (Feet): 619.658

Description: NGS POINT C 40 "TBM 953"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 250030

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 6/7/2001

System: STATE Job Number: 050098 Nearest City:

County: FULTON Route: 412 Section: Log Mile:

Land Section Number: Township: Range:

Land Section:

Latitude: N 36 17 38.0 Longitude: W 91 44 49.0 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 241.85 Elevation (Feet): 793.470

Description: NGS POINT F 40 RESET "TBM 963"

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 250031

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 6/7/2001

System: STATE Job Number: 050098 Nearest City:

County: FULTON Route: 412 Section: Log Mile:

Land Section Number: Township: Range:

Land Section:

Latitude: N 36 15 28.0 Longitude: W 91 37 36.0 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 215.001 Elevation (Feet): 705.382

Description: NGS POINT H 167 "TBM 970"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 250032

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #53

Date Established: 12/15/2003

System: FEDERAL

Job Number: 050063

Nearest City: MAMMOTH SPRING

County: FULTON

Route: 63

Section: 1

Log Mile: 1.85

Land Section Number: 16

Township: 21N

Range: 05W

Land Section: NW

Latitude: N 36 28 38.5

Longitude: W 91 31 21.4

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 148.439

Elevation (Feet): 487.004

Description: NW CORNER OF HW OF RC BOX CULVERT JOB STA 106+66

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 250033

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #53

Date Established: 12/15/2003

System: STATE

Job Number: 050063

Nearest City: MAMMOTH SPRING

County: FULTON

Route: 63

Section: 1

Log Mile: 3.35

Land Section Number: 15

Township: 21N

Range: 05W

Land Section: SW

Latitude: N 36 28 04.7

Longitude: W 91 30 06.8

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 168.565

Elevation (Feet): 553.034

Description: NW CORNER OF END BENT WING OF BR 060804 FIELD CREEK JOB STA  
186+31.74

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 250034

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #53

Date Established: 12/15/2003

System: FEDERAL Job Number: 050063 Nearest City: MAMMOTH SPRING

County: FULTON Route: 63 Section: 1 Log Mile: 5.67

Land Section Number: 27 Township: 21N Range: 05W

Land Section: SE

Latitude: N 36 26 20.8 Longitude: W 91 29 47.6 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 151.74 Elevation (Feet): 497.834

Description: NW CORNER OF END BENT WING OF BR 060805 BIG CREEK JOB STA  
422+62.91

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 250035

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #52

Date Established: 7/16/2008

System: STATE Job Number: BR2502 Nearest City: VIOLA

County: FULTON Route: CO RD 6 Section: N/A Log Mile: 2.36

Land Section Number: 4 Township: 20N Range: 10W

Land Section:

Latitude: N 36 25 39.6 Longitude: W 92 03 14.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 211.044 Elevation (Feet): 692.400

Description: A STANDARD AHTD METAL DISK IN THE SOUTHEAST CORNER OF  
HEADWALL OF A QUAD 10' X 8' R.C. BOX CULVERT LOCATED 2.36  
MILES NORTH OF U.S. 62/412 ON COUNTY ROAD NO. 6

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 250036

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #52

Date Established: 7/16/2008

System: STATE

Job Number: BR2502

Nearest City: VIOLA

County: FULTON

Route: CO RD 6

Section:

Log Mile:

Land Section Number: 4

Township: 20N

Range: 10W

Land Section:

Latitude: N 36 25 44.3

Longitude: W 92 03 11.63

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 213.616

Elevation (Feet): 700.838

Description: A METAL DISK IN THE HEADWALL OF THE BENNETTS RIVER BRIDGE  
LOCATED IN THE SOUTHEAST CORNER ABOVE THE NAME PLATE.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 250094

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #23

Date Established: 3/8/2012

System: STATE

Job Number: 020353

Nearest City: Pine Bluff

County: JEFFERSON

Route: 530

Section: 6

Log Mile: NA

Land Section Number: 26

Township: 06S

Range: 09W

Land Section:

Latitude: N 34 10 05.58

Longitude: W 91 51 07.54

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 60.983

Elevation (Feet): 200.075

Description: BM 998 Imbeau Bayou RCBC @ STA2272+50. Aluminum disc in headwall on right.

Comments: Elevation established from point No. 9839, cannot be verified due to no data on No. 9839. Data can be found on EDM under file s020353\_Rebenches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 250095

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #34

Date Established: 1/14/2009

System: STATE

Job Number: 030314

Nearest City: Texarkana

County: MILLER

Route: 71

Section: 3

Log Mile: NA

Land Section Number: 9

Township: 15S

Range: 28W

Land Section:

Latitude: N 33 28 04.0000

Longitude: W 93 59 40.0000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 99.654

Elevation (Feet): 326.948

Description: Aluminum cap in South headwall of RCBC

Comments: Elevation not verified due to no three wire data



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 250096

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #34

Date Established: 1/14/2009

System: STATE

Job Number: 030314

Nearest City: Texarkana

County: MILLER

Route: 71

Section: 3

Log Mile: NA

Land Section Number: 10

Township: 15S

Range: 28W

Land Section:

Latitude: N 33 28 22.0000

Longitude: W 93 59 14.0000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 93.187

Elevation (Feet): 305.731

Description: Aluminum cap in South headwall of RCBC

Comments: Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260001

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 60297

Nearest City: FOUNTAIN LAKE

County: GARLAND

Route: 5

Section: 6

Log Mile: 0.87

Land Section Number: 6

Township: 02S

Range: 18W

Land Section: SWNE

Latitude: N 34 35 10.0

Longitude: W 92 58 13.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 163.797

Elevation (Feet): 537.391

Description: RIGHT WINGWALL BRIDGE #6126 (SOUTH FORK SALINE). LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260002

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE Job Number: 60265 Nearest City: FOUNTAIN LAKE

County: GARLAND Route: 5 Section: 6 Log Mile: 5.01

Land Section Number: 27 Township: 01S Range: 18W

Land Section: SENE

Latitude: N 34 36 59.0 Longitude: W 92 54 55.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 144.805 Elevation (Feet): 475.081

Description: ALUMINUM DISK IN SOUTHWEST CORNER OF WINGWALL LOCKETT CREEK BRIDGE #6154. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260003

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 60265

Nearest City: FOUNTAIN LAKE

County: GARLAND

Route: 5

Section: 6

Log Mile: 6.23

Land Section Number: 25

Township: 01S

Range: 18W

Land Section: SWNW

Latitude: N 34 36 51.0

Longitude: W 92 53 35.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 137.072

Elevation (Feet): 449.710

Description: ALUMINUM DISK IN SOUTHWEST CORNER WINGWALL CEDAR CREEK  
BRIDGE #6155. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260004

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 60297

Nearest City: HOT SPRINGS

County: GARLAND

Route: 7

Section: 9

Log Mile: 15.43

Land Section Number: 14

Township: 02S

Range: 19W

Land Section: NWSE

Latitude: N 34 33 23.43

Longitude: W 93 00 27.03

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 202.875

Elevation (Feet): 665.599

Description: AHTD MONUMENT-TOP SOUTHWEST CORNER OF RIGHT SIDE  
HEADWALL OF R.C. BOX CULVERT @ STA. 22+87. LOCATED BY S5102  
ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260005

Class:

Vertical Datum:

Established by:

Date Established: 5/3/1991

System: STATE

Job Number: 60502

Nearest City: HOT SPRINGS

County: GARLAND

Route: 7

Section: 9

Log Mile: 4.20

Land Section Number: 3

Township: 03S

Range: 19W

Land Section: NW

Latitude: N 34 25 54.0

Longitude: W 93 05 10.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 132.235

Elevation (Feet): 433.841

Description: TOP OF PARAPET RAIL RIGHT SIDE ABUTMENT "A" BRIDGE 6179.  
LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260006

Class:

Vertical Datum:

Established by:

Date Established: 5/13/1991

System: STATE

Job Number: 60502

Nearest City: HOT SPRINGS

County: GARLAND

Route: 7

Section: 9

Log Mile: 4.02

Land Section Number: 3

Township: 03S

Range: 19W

Land Section: NW

Latitude: N 34 25 46.0

Longitude: W 93 05 05.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 132.344

Elevation (Feet): 434.199

Description: TOP OF PARAPET RAIL-RIGHT SIDE ABUTMENT "A" BRIDGE 6178.  
LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260007

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 60297

Nearest City: FOUNTAIN LAKE

County: GARLAND

Route: 7

Section: 10

Log Mile: 1.53

Land Section Number: 2

Township: 02S

Range: 19W

Land Section: SENE

Latitude: N 34 35 27.33

Longitude: W 93 00 03.7

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 182.103

Elevation (Feet): 597.450

Description: AHTD DISC SOUTHEAST CORNER OF RIGHT HEADWALL OF R.C. BOX.  
LOCATED BY S5102 ON 3/2004.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260008

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 60297

Nearest City: FOUNTAIN LAKE

County: GARLAND

Route: 7

Section: 10

Log Mile: 2.32

Land Section Number: 35

Township: 01S

Range: 19W

Land Section: SESW

Latitude: N 34 35 44.3

Longitude: W 93 00 45.3

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 185.797

Elevation (Feet): 609.569

Description: AHTD DISC TOP OF RIGHT WINGWALL ABUT. #1 (SOUTH FORK SALINE). BR 2475R. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260009

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 60297

Nearest City: HOT SPRINGS

County: GARLAND

Route: 7

Section: 10

Log Mile: 3.54

Land Section Number: 34

Township: 01S

Range: 19W

Land Section: SENW

Latitude: N 34 36 23.0

Longitude: W 93 01 41.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 210.197

Elevation (Feet): 689.621

Description: AHTD DISC SOUTHEAST CORNER OF RIGHT HEADWALL OF R.C. BOX.  
LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260010

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 60297

Nearest City: MOUNTAIN VALLEY

County: GARLAND

Route: 7

Section: 10

Log Mile: 5.55

Land Section Number: 20

Township: 01S

Range: 19W

Land Section: SE

Latitude: N 34 27 34.0

Longitude: W 93 03 09.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 202.15

Elevation (Feet): 663.220

Description: AHTD DISC SOUTHEAST CORNER OF RIGHT HEADWALL OF R.C. BOX (GLAZYPEU CREEK) RECOVERED BY RON REDMAN (12/20/2001) BUT NOT UPDATED. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260011

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE Job Number: 60297 Nearest City: MOUNTAIN VALLEY

County: GARLAND Route: 7 Section: 10 Log Mile: 6.99

Land Section Number: 17 Township: 01S Range: 19W

Land Section: NWSE

Latitude: N 34 38 40.0 Longitude: W 93 03 30.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 228.881 Elevation (Feet): 750.920

Description: AHTD DISC SOUTHEAST CORNER OF RIGHT HEADWALL R.C. BOX.  
LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260012

Class:

Vertical Datum:

Established by: RE OFFICE #64

Date Established: 10/20/1993

System: STATE

Job Number: 60612

Nearest City: LAKE HAMILTON

County: GARLAND

Route: 70

Section: 8

Log Mile: 9.32

Land Section Number: 26

Township: 03S

Range: 21W

Land Section: SE

Latitude: N 34 26 35.0

Longitude: W 93 12 41.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 172.06

Elevation (Feet): 564.500

Description: BENCH MARK CAP IN WINGWALL AT SOUTH END OF LAKE HAMILTON  
SCHOOL PEDESTRIAN OVERPASS LEFT OF STATION 13+12.50. SOUTH  
OF HWY. 70W. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260013

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 60287

Nearest City:

County: GARLAND

Route: 88

Section: 4

Log Mile: 8.60

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 151.175

Elevation (Feet): 495.980

Description: NORTHWEST CORNER TOP OF DROP INLET STATION 24+63 RIGHT. NOT  
LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260014

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 6987

Nearest City: LONSDALE

County: GARLAND

Route: 88

Section: 5

Log Mile: 0.66

Land Section Number: 23

Township: 02S

Range: 17W

Land Section: NW

Latitude: N 34 32 42.0

Longitude: W 92 48 26.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 127.797

Elevation (Feet): 419.281

Description: DISK BRIDGE END POST LEFT. BR 5619 OVER TEN MILE CREEK.  
LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260015

Class:

Vertical Datum:

Established by:

Date Established: 4/24/1991

System: STATE

Job Number: 60319

Nearest City: HOT SPRINGS

County: GARLAND

Route: 128

Section: 10

Log Mile: 1.21

Land Section Number: 10

Township: 03S

Range: 19W

Land Section:

Latitude: N 34 26 38.0

Longitude: W 93 01 03.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 102.898

Elevation (Feet): 337.591

Description: TOP OF NORTHWEST WINGWALL BRIDGE 6381 OVER OUACHITA RIVER. LOCATED BY S5102 ON 3/2004.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260016

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 60308

Nearest City: LONSDALE

County: GARLAND

Route: 128

Section: 11

Log Mile: 1.04

Land Section Number: 10

Township: 01S

Range: 17W

Land Section:

Latitude: N 34 34 11.0

Longitude: W 92 48 41.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 121.64

Elevation (Feet): 399.081

Description: STANDARD DISK IN THE NORTHWEST WINGWALL OF BRIDGE #6080.  
LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260017

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 60308

Nearest City: LONSDALE

County: GARLAND

Route: 128

Section: 11

Log Mile: 1.34

Land Section Number: 10

Township: 01S

Range: 17W

Land Section:

Latitude: N 34 34 26.0

Longitude: W 92 48 41.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 122.121

Elevation (Feet): 400.659

Description: STANDARD DISK IN THE NORTHWEST WINGWALL OF BRIDGE 6079  
OVER SMITH'S CREEK. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260018

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 60308

Nearest City: OWENSVILLE

County: GARLAND

Route: 128

Section: 11

Log Mile: 6.43

Land Section Number:

Township: 02S

Range: 18W

Land Section:

Latitude: N 34 35 44.0

Longitude: W 92 53 24.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 142.223

Elevation (Feet): 466.610

Description: STANDARD DISK IN WINGWALL ON NORTHWEST CORNER OF BRIDGE  
#6078. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260019

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 60308

Nearest City: FOUNTAIN LAKE

County: GARLAND

Route: 128

Section: 11

Log Mile: 8.49

Land Section Number:

Township: 02S

Range: 18W

Land Section:

Latitude: N 34 36 11.0

Longitude: W 92 55 23.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 145.853

Elevation (Feet): 478.519

Description: STANDARD DISK IN WINGWALL ON SOUTHWEST CORNER OF BRIDGE #6077. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260020

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: R60014

Nearest City:

County: GARLAND

Route: 128

Section: 11

Log Mile: 0.96

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 144.725

Elevation (Feet): 474.819

Description: DISK IN HEADWALL OF R.C. BOX CULVERT STATION 57+35 ON RIGHT.  
NOT LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260021

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: R60014

Nearest City:

County: GARLAND

Route: 128

Section: 11

Log Mile: 3.14

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 147.929

Elevation (Feet): 485.330

Description: DISK IN HEADWALL R.C. BOX CULVERT STATION 172+70 RT. NOT  
LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260022

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City:

County: GARLAND

Route: 227

Section: 1

Log Mile: 3.80

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 146.832

Elevation (Feet): 481.731

Description: DISK TOP BRIDGE WINGWALL NORTHEAST CLEAR CREEK 19.7 RIGHT OF CENTERLINE. NOTED DESTROYED. DISK IS NOT LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260023

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 60036

Nearest City: HOT SPRINGS

County: GARLAND

Route: 227

Section: 1

Log Mile: 1.02

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 31 03.0

Longitude: W 93 07 40.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 138.584

Elevation (Feet): 454.671

Description: TOP OF DROP INLET (DISK) LEFT. LOCATED BY S5102 ON 3/2004.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260024

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City:

County: GARLAND

Route: 270

Section: 5

Log Mile: 17.0

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 124.904

Elevation (Feet): 409.789

Description: DISK NEAR JUNCTION OF HWY. 227 SOUTHEAST HEADWALL 43 RIGHT.  
NOT LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260025

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City:

County: GARLAND

Route: 270

Section: 5

Log Mile: 17.85

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 145.387

Elevation (Feet): 476.991

Description: DISK NORTHWEST HEADWALL 34' LEFT OF CENTERLINE. NOT  
LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260026

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City:

County: GARLAND

Route: 270

Section: 5

Log Mile: 18.50

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 162.55

Elevation (Feet): 533.299

Description: DISK SOUTHEAST HEADWALL 49' RIGHT OF CENTERLINE. NOT  
LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260027

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City:

County: GARLAND

Route: 270

Section: 5

Log Mile: 18.85

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 179.585

Elevation (Feet): 589.188

Description: DISK SOUTH HEADWALL 41' RIGHT OF CENTERLINE. NOT LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260028

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City:

County: GARLAND

Route: 270

Section: 5

Log Mile: 19.35

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 187.91

Elevation (Feet): 616.501

Description: DISK RETAINING WALL 40' RIGHT OF CENTERLINE. NOT LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260029

Class:

Vertical Datum:

Established by: RE OFFICE #64

Date Established: 4/13/1994

System: COUNTY

Job Number: 60419

Nearest City: ROYAL

County: GARLAND

Route: 270

Section: 5

Log Mile: 13.51

Land Section Number: 6

Township: 03S

Range: 20W

Land Section: NE

Latitude: N 34 30 26.0

Longitude: W 93 10 59.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 130.692

Elevation (Feet): 428.779

Description: STANDARD AHTD DISK IN TOP OF RIGHT SIDE (SOUTH) PARAPET RAIL  
ON WEST BRIDGE END OF BRIDGE NO. 6429 (STATION 713+45).  
LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260030

Class:

Vertical Datum:

Established by: RE OFFICE #64

Date Established: 4/13/1994

System: STATE

Job Number: 60419

Nearest City: ROYAL

County: GARLAND

Route: 270

Section: 5

Log Mile: 13.625

Land Section Number: 6

Township: 03S

Range: 20W

Land Section: NE

Latitude: N 34 30 28.0

Longitude: W 93 10 52.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 130.634

Elevation (Feet): 428.588

Description: STANDARD AHTD DISK IN TOP OF RIGHT SIDE (SOUTH) PARAPET RAIL  
ON EAST BRIDGE END OF BRIDGE NO. 6429 (STATION 719+38).  
LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260031

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City:

County: GARLAND

Route: 270

Section: 5

Log Mile: 17.92

Land Section Number: 11

Township: 03S

Range: 20W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 145.32

Elevation (Feet): 476.771

Description: R161 1935 (DISK) NORTH HEADWALL CULVERT USG & GS. LOCATED BY S5102 ON 3/2004.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260032

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE Job Number: 6944 Nearest City: HOT SPRING

County: GARLAND Route: 270 Section: 5 Log Mile: 17.92

Land Section Number: Township: Range:

Land Section:

Latitude: N 34 29 47.0 Longitude: W 93 07 18.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 127.077 Elevation (Feet): 416.918

Description: TOP OF BRIDGE POST NORTHWEST END OF BRIDGE 1093A (DISK) BULL BAYOU. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260033

Class:

Vertical Datum:

Established by:

RE OFFICE #64

Date Established: 8/4/1992

System: FAP

Job Number: R60103

Nearest City: HOT SPRINGS

County: GARLAND

Route: 270

Section: 5

Log Mile: 3.211

Land Section Number: 13

Township: 03S

Range: 20W

Land Section:

Latitude: N 34 28 13.0

Longitude: W 93 05 24.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 134.847

Elevation (Feet): 442.411

Description: STANDARD DISK IN MOST NORTHWEST CORNER OF WINGWALL  
BRIDGE 6372 MAIN LANES. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260034

Class:

Vertical Datum:

Established by: RE OFFICE #64

Date Established: 8/4/1992

System: STATE

Job Number: R60103

Nearest City: HOT SPRINGS

County: GARLAND

Route: 270

Section: 5

Log Mile: 3.380

Land Section Number: 18

Township: 03S

Range: 19W

Land Section:

Latitude: N 34 28 06.0

Longitude: W 93 05 18.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 145.228

Elevation (Feet): 476.469

Description: STANDARD DISK IN MOST NORTHWEST CORNER OF WINGWALL  
BRIDGE 6376B MAIN LANES & RAMP 2 TRANS. LOCATED BY S5102 ON  
3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260035

Class:

Vertical Datum:

Established by: RE OFFICE #64

Date Established: 6/16/1993

System: FAP

Job Number: R60036

Nearest City: HOT SPRINGS

County: GARLAND

Route: 270

Section: 5

Log Mile: 2.048

Land Section Number: 14

Township: 03S

Range: 20W

Land Section: SE

Latitude: N 34 28 14.0

Longitude: W 93 06 37.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 140.297

Elevation (Feet): 460.291

Description: STANDARD DISK IN MOST SOUTHWEST CORNER OF HEADWALL OF BOX CULVERT (14'X 10'X 150' SINGLE). LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260036

Class:

Vertical Datum:

Established by: RE OFFICE #64

Date Established: 6/16/1993

System: FAP

Job Number: R60036

Nearest City:

County: GARLAND

Route: 270

Section: 5

Log Mile: 3.424

Land Section Number: 18

Township: 03S

Range: 19W

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 136.715

Elevation (Feet): 448.539

Description: STANDARD DISK IN MOST NORTHWEST CORNER OF HEADWALL OF R.C. BOX CULVERT (DOUBLE 4'X 4'X 347'). NOT LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260037

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: R60079

Nearest City: HOT SPRINGS

County: GARLAND

Route: 270

Section: 5

Log Mile: 1.40

Land Section Number: 14

Township: 03S

Range: 20W

Land Section:

Latitude: N 34 28 41.0

Longitude: W 93 06 54.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 146.874

Elevation (Feet): 481.869

Description: DISK IN TOP OF NORTHWEST WINGWALL OF BRIDGE 6318. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260038

Class:

Vertical Datum: NAVD88

Established by: RE OFFICE #64

Date Established: 6/16/1993

System: FAP

Job Number: R60036

Nearest City: HOT SPRINGS

County: GARLAND

Route: 270

Section: 5

Log Mile: 4.352

Land Section Number: 17

Township: 03S

Range: 19W

Land Section: SE

Latitude: N 34 27 58.9306

Longitude: W 93 04 20.2575

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 171.441

Elevation (Feet): 562.469

Description: STANDARD DISK IN MOST NORTHWEST CORNER OF WINGWALL  
BRIDGE #6369. ELEVATION RUN FROM NGS POINT AP 1970 STA A3 HOT.  
LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260039

Class:

Vertical Datum:

Established by: RE OFFICE #64

Date Established: 6/16/1993

System: FAP

Job Number: R60036

Nearest City: HOT SPRINGS

County: GARLAND

Route: 270

Section: 5

Log Mile: 4.848

Land Section Number: 17

Township: 03S

Range: 19W

Land Section: SE

Latitude: N 34 27 56.0

Longitude: W 93 03 51.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 154.049

Elevation (Feet): 505.409

Description: STANDARD DISK IN MOST SOUTHEAST CORNER OF HEADWALL OF R.C. BOX CULVERT (TRI. 5'X 3'X 346'). LOCATED BY S5102 ON 3/2004.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260040

Class:

Vertical Datum: NAVD88

Established by: RE OFFICE #64

Date Established: 8/4/1992

System: FAP

Job Number: R60103

Nearest City: HOT SPRINGS

County: GARLAND

Route: 270

Section: 5

Log Mile: 3.253

Land Section Number: 18

Township: 03S

Range: 19W

Land Section:

Latitude: N 34 28 13.0

Longitude: W 93 05 19.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 129.376

Elevation (Feet): 424.461

Description: STANDARD DISK IN MOST NORTHEAST CORNER OF WINGWALL,  
BRIDGE 6374, RAMP 3. ELEVATION RUN FROM NGS POINT AP 1970 STA  
A3 HOT. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260041

Class:

Vertical Datum:

Established by: RE OFFICE #64

Date Established: 6/4/1992

System: FAP

Job Number: R60103

Nearest City: HOT SPRINGS

County: GARLAND

Route: 270

Section: 5

Log Mile: 3.226

Land Section Number: 13

Township: 03S

Range: 20W

Land Section:

Latitude: N 34 28 12.0

Longitude: W 93 05 25.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 130.805

Elevation (Feet): 429.149

Description: STANDARD DISK IN MOST NORTHWEST CORNER OF WINGWALL  
BRIDGE 6373 RAMP 2. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260042

Class:

Vertical Datum:

Established by: RE OFFICE #64

Date Established: 8/4/1992

System: FAP

Job Number: R60103

Nearest City:

County: GARLAND

Route: 270

Section: 5

Log Mile: 3.352

Land Section Number: 18

Township: 03S

Range: 19W

Land Section:

Latitude: N 34 28 12.0

Longitude: W 93 05 12.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 133.707

Elevation (Feet): 438.670

Description: STANDARD DISK IN MOST SOUTHEAST CORNER OF WINGWALL  
BRIDGE 6375 LEFT FRT. RD. OVER STOKES CREEK. LOCATED BY S5102  
ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260043

Class:

Vertical Datum:

Established by:

RE OFFICE #64

Date Established: 10/7/1993

System: NHS

Job Number: R60037

Nearest City: HOT SPRINGS

County: GARLAND

Route: 270

Section: 5

Log Mile: 6.98

Land Section Number: 22

Township: 03S

Range: 19W

Land Section: NE

Latitude: N 34 27 51.0

Longitude: W 93 01 37.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 139.873

Elevation (Feet): 458.900

Description: LOCATED IN THE TOP OF THE PARAPET WALL ON THE SOUTHEAST  
CORNER OF BRIDGE 6427 B. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260044

Class:

Vertical Datum:

Established by: RE OFFICE #64

Date Established:

System:

Job Number: N/A

Nearest City: HOT SPRINGS

County: GARLAND

Route: 270

Section: 5

Log Mile: 0.360

Land Section Number:

Township: 03S

Range: 20W

Land Section:

Latitude: N 34 29 34.0

Longitude: W 93 05 43.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 163.224

Elevation (Feet): 535.511

Description: ON TOP OF NORTHEAST BRIDGE ABUTMENT BRIDGE #6277. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260045

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: HOT SPRINGS

County: GARLAND

Route: 270

Section: 5

Log Mile: 0.46

Land Section Number: 31

Township: 03S

Range: 20W

Land Section:

Latitude: N 34 29 29.0

Longitude: W 93 06 43.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 162.596

Elevation (Feet): 533.450

Description: ON TOP OF NORTHWEST BRIDGE ABUTMENT BRIDGE #6278 STATION 24+49.44. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260046

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: R60043 Nearest City: HOT SPRINGS

County: GARLAND Route: 270 Section: 5 Log Mile: 1.1

Land Section Number: Township: 03S Range: 20W

Land Section:

Latitude: N 34 28 59.0 Longitude: W 93 06 50.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 131.689 Elevation (Feet): 432.050

Description: ON TOP OF RIGHT HEADWALL NORTH CORNER STATION 56+63.  
LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260047

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 60115

Nearest City: HOT SPRINGS

County: GARLAND

Route: 270

Section: 6

Log Mile: 4.81

Land Section Number:

Township: 03S

Range: 19W

Land Section:

Latitude: N 34 28 16.0

Longitude: W 92 59 12.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 99.807

Elevation (Feet): 327.450

Description: DISK SET RIGHT WINGWALL GULPHA CREEK BRIDGE 5780. STATION 1260+03. LOCATED BY S5102 ON 3/2004.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260048

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City:

County: GARLAND

Route: 270

Section: 6

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 110.984

Elevation (Feet): 364.120

Description: DISK SET WINGWALL 56' LEFT STATION 301+07 R.C. BOX

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260049

Class:

Vertical Datum:

Established by: RE OFFICE #64

Date Established: 6/25/1993

System: STATE Job Number: R60107 Nearest City:

County: GARLAND Route: 270 Section: 6 Log Mile: 8.929

Land Section Number: 13 Township: 03S Range: 19W

Land Section: SW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 110.658 Elevation (Feet): 363.050

Description: BENCH MARK CAP IN HEADWALL NORTHWEST CORNER (LEFT OF CENTERLINE) R.C. BOX CULVERT STATION 471+50. NOT LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260050

Class:

Vertical Datum:

Established by: RE OFFICE #64

Date Established: 9/10/1993

System: STATE Job Number: R60107 Nearest City:

County: GARLAND Route: 270 Section: 6 Log Mile: 8.986

Land Section Number: 13 Township: 03S Range: 19W

Land Section: SW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 100.822 Elevation (Feet): 330.780

Description: BENCH MARK CAP IN HEADWALL SOUTHWEST CORNER (LEFT OF CENTERLINE R-1) R.C. BOX CULVERT STATION 494+50

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260051

Class:

Vertical Datum:

Established by: RE OFFICE #64

Date Established: 1/23/1996

System: STATE

Job Number: R60063

Nearest City:

County: GARLAND

Route: 70

Section: 8

Log Mile: 14.53

Land Section Number: 14

Township: 03S

Range: 20W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 127.952

Elevation (Feet): 419.789

Description: CHISELED "X" IN SE CORNER OF HEADWALL ON R. C. BOX CULVERT  
STA. 38+51 36' RT. NOT LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260052

Class:

Vertical Datum:

Established by: RE OFFICE #64

Date Established: 1/23/1996

System: STATE

Job Number: R60063

Nearest City:

County: GARLAND

Route: 70

Section: 8

Log Mile: 16.01

Land Section Number: 2

Township: 02S

Range: 19W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 165.318

Elevation (Feet): 542.381

Description: WEST CORNER OF HEADWALL ON R. C. BOX CULVERT STA. 116+74 44'  
LT. STANDARD AHTD DISK. NOT LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260053

Class:

Vertical Datum:

Established by: RE OFFICE #64

Date Established: 1/23/1996

System: STATE Job Number: R60063 Nearest City:

County: GARLAND Route: 70 Section: 8 Log Mile: 16.24

Land Section Number: 2 Township: 03S Range: 20W

Land Section: NE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 172.868 Elevation (Feet): 567.151

Description: SOUTH END OF HEADWALL ON R. C. BOX CULVERT STA. 128+92 38' LT.  
STANDARD AHTD DISK. NOT LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260054

Class:

Vertical Datum:

Established by: RE OFFICE #64

Date Established: 10/8/1993

System: NHS

Job Number: R60037

Nearest City: HOT SPRINGS

County: GARLAND

Route: 270

Section: 5

Log Mile: 6.06

Land Section Number: 21

Township: 03S

Range: 19W

Land Section: NE

Latitude: N 34 27 40.0

Longitude: W 93 02 35.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 132.668

Elevation (Feet): 435.262

Description: DISK IN TOP OF PARAPET RAIL EAST END BRIDGE 6426 B. (HOT SPRINGS CREEK). LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260055

Class:

Vertical Datum:

Established by:

RE OFFICE #64

Date Established: 6/27/1984

System: STATE

Job Number: R60107

Nearest City: HOT SPRINGS

County: GARLAND

Route: 270

Section: 6

Log Mile: 7.3708

Land Section Number: 13

Township: 03S

Range: 19W

Land Section: SW

Latitude: N 34 27 56.0

Longitude: W 93 01 13.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 141.525

Elevation (Feet): 464.320

Description: BENCH MARK CAP IN BRIDGE WING, RT. CENTERLINE, BENT 4, BR. 6493B. LOCATED BY S5102 ON 3/2004.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260056

Class:

Vertical Datum:

Established by:

RE OFFICE #64

Date Established: 9/10/1993

System: STATE

Job Number: R60107

Nearest City: HOT SPRINGS

County: GARLAND

Route: 270

Section: 6

Log Mile: 9.36

Land Section Number: 13

Township: 03S

Range: 19W

Land Section: SW

Latitude: N 34 28 15.0

Longitude: W 92 59 19.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 97.737

Elevation (Feet): 320.659

Description: BENCH MARK CAP IN HEADWALL, SW CORNER (LT. OF CENTERLINE RAMP 1) R. C. BOX CULVERT, STA. 494+50 "ADDITIONAL TO PLAN LOCATIONS." LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260058

Class:

Vertical Datum: UNKNOWN

Established by:

Date Established:

System:

Job Number:

N/A

Nearest City:

PEARCY

County:

GARLAND

Route:

CR 71

Section:

Log Mile:

Land Section Number:

6

Township:

04S

Range:

21W

Land Section:

Latitude:

N 34 23 59.0

Longitude:

W 93 16 49.0

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

168.21

Elevation (Feet):

551.869

Description:

SOUTH FORK LITTLE MAZARN CREEK; DISK SET WING WALL 16' RT.  
BRIDGE NO. 4434. 2 MILES SOUTH OF PEARCY. LOCATED BY S5102 ON  
3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260059

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 5/8/1986

System: COUNTY Job Number: BR-26-3 Nearest City:

County: GARLAND Route: CR 1459 Section: 1 Log Mile: 3.1

Land Section Number: 35 Township: 01S Range: 20W

Land Section:

Latitude: N 34 29 08.0 Longitude: W 93 03 37.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 160.673 Elevation (Feet): 527.141

Description: SOUTH EAST (RIGHT) WINGWALL. BEGINNING OF GLAZYPEAU CREEK-  
R. C. SLAB BRIDGE STA. 14+85 RT.-LOCATED 3.1 MILES FROM EXXON  
CORNER STORE, HWY. 227 ON GLAZYPEAU ROAD. LOCATED BY S5102  
ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260061

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: COUNTY Job Number: N/A Nearest City: HOT SPRINGS

County: GARLAND Route: CITY STS. Section: Log Mile:

Land Section Number: 24 Township: 03S Range: 19W

Land Section:

Latitude: N 34 27 34.0 Longitude: W 93 00 55.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 122.1 Elevation (Feet): 400.590

Description: JCT. HTS. AND SHADY HEIGHTS RD. [] SEWER LINE 50' SOUTH JCT. & 15'  
EAST OF CENTERLINE OF ROAD. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260062

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: CITY Job Number: N/A Nearest City: HOT SPRINGS

County: GARLAND Route: CITY STS. Section: Log Mile:

Land Section Number: 23 Township: 03S Range: 19W

Land Section:

Latitude: N 34 27 45.0 Longitude: W 93 59 09.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 141.821 Elevation (Feet): 465.291

Description: [] WEST SIDE OF MANHOLE 15' SOUTH CATHERINE RD. 250' EAST JCT.  
SHADY GROVE RD. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260066

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: CITY Job Number: N/A Nearest City:

County: GARLAND Route: CITY STS. Section: T SPRIN Log Mile:

Land Section Number: 17 Township: 03S Range: 19W

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 172.365 Elevation (Feet): 565.501

Description: [ ] SW NATIONAL PARK CHURCH HWY. 88 6' E BOTTOM FRONT OF  
CHURCH. (DESTROYED) NOT LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260067

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: CITY Job Number: N/A Nearest City:

County: GARLAND Route: CITY STS. Section: T SPRIN Log Mile:

Land Section Number: 14 Township: 03S Range: 20W

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 124.651 Elevation (Feet): 408.959

Description: [] NE CORNER WHEELGUARD BR. LAKESHORE DRIVE. NOT LOCATED  
BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260070

Class:

Vertical Datum:

Established by: RE OFFICE #64

Date Established: 9/17/1998

System: STATE

Job Number: 060418

Nearest City: CRYSTAL SPRINGS

County: GARLAND

Route: 270

Section: 5

Log Mile: 0.61

Land Section Number: 31

Township: 02

Range: 22

Land Section: NE

Latitude: N 34 31 19.0

Longitude: W 93 23 46.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 221.263

Elevation (Feet): 725.927

Description: METAL DISK IN PARAPET RAIL ON BR 06634. DISK IS @ STA. 31+62 RT. 20.5. MURPHY CREEK. LOCATED BY S5102 ON 3/2004.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260071

Class:

Vertical Datum:

Established by: RE OFFICE #64

Date Established: 9/17/1998

System: STATE

Job Number: 060418

Nearest City: CRYSTAL SPRING

County: GARLAND

Route: 270

Section: 5

Log Mile: 6.83

Land Section Number: 31

Township: 02

Range: 21

Land Section: SW

Latitude: N 34 30 59.0

Longitude: W 93 17 45.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 193.648

Elevation (Feet): 635.327

Description: METAL DISK IN PARAPET RAIL ON BR. 06635. DISK IS @ STA. 359+94-20.5' RT. MAYBERRY CREEK. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260072

Class:

Vertical Datum:

Established by: RE OFFICE #64

Date Established: 9/17/1998

System: STATE

Job Number: 060418

Nearest City: ROYAL

County: GARLAND

Route: 270

Section: 5

Log Mile: 9.24

Land Section Number: 4

Township: 03

Range: 21

Land Section: NW

Latitude: N 34 30 30.0

Longitude: W 93 15 22.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 153.165

Elevation (Feet): 502.509

Description: METAL DISK IN PARAPET RAIL ON VBR 06636 20.5 RT. OF STA. 487+09.  
BEAR CREEK. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260073

Class:

Vertical Datum:

Established by: RE OFFICE #64

Date Established: 9/18/1998

System: STATE

Job Number: 060418

Nearest City:

County: GARLAND

Route: 270

Section: 5

Log Mile: 13.32

Land Section Number: 1

Township: 03S

Range: 02

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 127.29

Elevation (Feet): 417.617

Description: METAL DISK IN PARAPET RAIL ON BR. 01091 20.5 LT. OF STA. 662+58.  
NOT LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260074

Class:

Vertical Datum: NAVD88

Established by:

Date Established:

System: STATE

Job Number: 060776

Nearest City: FOUNTAIN LAKE

County: GARLAND

Route: 7

Section: 10

Log Mile: 2.10

Land Section Number: 35

Township: 01S

Range: 19W

Land Section: SESW

Latitude: N 34 35 41.0

Longitude: W 93 00 28.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 186.033

Elevation (Feet): 610.343

Description: NGS POINT K 103 2.10 MI NW ALONG HWY. 7 FROM HWY 7/HWY 5; 20' W OF THE C/L SURREY RD; 51' N OF THE C/L OF HWY. 7; 61' SE OF SE COR. FOUNTAIN LAKE FIRE DEPT BLD. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260075

Class:

Vertical Datum: NAVD88

Established by:

Date Established:

System: STATE

Job Number: 060776

Nearest City: HOT SPRINGS

County: GARLAND

Route: 7

Section: 10

Log Mile: 4.10

Land Section Number: 28

Township: 01S

Range: 19W

Land Section:

Latitude: N 34 36 39.0

Longitude: W 93 02 02.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 232.294

Elevation (Feet): 762.118

Description: NGS L 103. 4.10 MI. NW ALONG HWY. 7 FROM THE INTERS. OF HWY. 7 & HWY. 5; APPROX. 600' W OF A PAVED RD. LEADING N FROM HWY. 7; 50' S OF THE C/L OF HWY. 7; A BRASS CAP SET IN THE TOP OF A CONCRETE POST STAMPED L-103. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260076

Class:

Vertical Datum:

Established by: RE OFFICE #64

Date Established: 5/3/2000

System: COUNTY Job Number: FA2606 Nearest City: MOUNTAIN VALLEY

County: GARLAND Route: 7 Section: 10 Log Mile: 6.05

Land Section Number: 19 Township: 15 Range: 19W

Land Section: SW

Latitude: N 34 37 43.0 Longitude: W 93 03 43.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 207.0541 Elevation (Feet): 679.310

Description: ALUMINUM DISK IN SOUTH SIDE PARAPET WALL ON THE WEST END OF BR. #04814 LOCATED 1430' WEST OF INTERSECTION OF STATE HWY. 7 AND GLAZYPEAU ROAD. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260077

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #64

Date Established: 10/31/2002

System: STATE

Job Number: R60040

Nearest City: HOT SPRINGS

County: GARLAND

Route: 70

Section: 9

Log Mile:

Land Section Number: 7

Township: 03S

Range: 18W

Land Section: SW

Latitude: N 34 29 05.0

Longitude: W 92 58 53.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 110.974

Elevation (Feet): 364.087

Description: AHTD DISC IN TOP OF TRANS. PANEL ON RT OF BR 6809B (BALD MT. OVERPASS ON BYPASS). ELEVATION BY RE 8/14/2003. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260078

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #64

Date Established: 10/31/2002

System: STATE

Job Number: R60040

Nearest City: HOT SPRINGS

County: GARLAND

Route: 70

Section: 9

Log Mile:

Land Section Number: 7

Township: 03S

Range: 18W

Land Section: SW

Latitude: N 34 29 10.0

Longitude: W 92 58 52.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 113.709

Elevation (Feet): 373.060

Description: AHTD DISC TOP OF TRANS. PANEL ON LT OF BR 6809A (BALD MT. OVERPASS ON BYPASS). ELEVATION BY RE 8/14/2003. LOCATED BY S5102 ON 3/2004.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260079

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #64

Date Established: 10/31/2002

System: STATE

Job Number: R60040

Nearest City: HOT SPRINGS

County: GARLAND

Route: 70

Section: 9

Log Mile:

Land Section Number: 13

Township: 03S

Range: 19W

Land Section: SE

Latitude: N 34 28 18.0

Longitude: W 92 59 21.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 106.647

Elevation (Feet): 349.891

Description: AHTD DISC IN TOP OF TRANS PANEL ON RT OF BT.1 BR 6806A (HWY. 270 BYPASS OVERPASS). ELEVATION BY RE 8/14/2003. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260080

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #64

Date Established: 10/31/2002

System: STATE

Job Number: R60040

Nearest City: HOT SPRINGS

County: GARLAND

Route: 70

Section: 9

Log Mile:

Land Section Number: 13

Township: 03S

Range: 19W

Land Section: SE

Latitude: N 34 28 15.0

Longitude: W 92 59 22.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 108.399

Elevation (Feet): 355.639

Description: AHTD DISC IN TOP OF TRANS PANEL ON RT OF BT. 5 BR 6806B (HWY. 270 BYPASS OVERPASS). ELEVATION BY RE 8/14/2003. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260081

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #64

Date Established: 10/31/2002

System: STATE

Job Number: R60040

Nearest City: HOT SPRINGS

County: GARLAND

Route: 70

Section: 9

Log Mile:

Land Section Number: 13

Township: 03S

Range: 19W

Land Section: NE

Latitude: N 34 28 26.0

Longitude: W 92 59 15.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 109.826

Elevation (Feet): 360.321

Description: AHTD DISC IN TOP OF TRANS PANEL ON RT BT. 1 BR 6807B (GULPA CREEK & WESTINGHOUSE DR. OVERPASS) ELEVATION BY RE 8/14/2003. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260082

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #64

Date Established: 10/31/2002

System: STATE

Job Number: R60040

Nearest City: HOT SPRINGS

County: GARLAND

Route: 70

Section: 9

Log Mile:

Land Section Number: 13

Township: 03S

Range: 19W

Land Section: NE

Latitude: N 34 28 33.0

Longitude: W 92 59 12.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 111.734

Elevation (Feet): 366.581

Description: AHTD DISC IN TOP OF TRANS PANEL ON LT. BT. 7 BR 6807 A(GULPHA CREEK & WESTINGHOUSE DR. OVERPASS. ELEVATION BY RE 8/14/2003. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260083

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #64

Date Established: 10/31/2002

System: STATE

Job Number: R60040

Nearest City: HOT SPRINGS

County: GARLAND

Route: 70

Section: 9

Log Mile:

Land Section Number: 18

Township: 03S

Range: 18W

Land Section: NW

Latitude: N 34 28 40.0

Longitude: W 92 59 06.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 106.79

Elevation (Feet): 350.360

Description: AHTD DISC IN TOP OF TRANS PANEL ON RT BR 6808B (EAST BRANCH GULPHA CREEK) NORTH OF WESTINGHOUSE DR. ELEVATION BY RE 8/14/2003. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260084

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #64

Date Established: 10/31/2002

System: STATE

Job Number: R60040

Nearest City: HOT SPRINGS

County: GARLAND

Route: 70

Section: 9

Log Mile:

Land Section Number: 18

Township: 03S

Range: 18W

Land Section: NW

Latitude: N 34 28 43.0

Longitude: W 92 59 05.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 105.059

Elevation (Feet): 344.681

Description: AHTD DISC IN TOP OF TRANS PANEL ON LT BR 6808A (EAST BRANCH GULPHA CREEK) NORTH OF WESTINGHOUSE DR. ELEVATION BY RE 8/14/2003. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260085

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #64

Date Established: 3/1/2005

System: STATE Job Number: 060989 Nearest City: Hot Springs

County: GARLAND Route: 70 Section: 9 Log Mile: 16.26

Land Section Number: 6 Township: 03S Range: 19W

Land Section: NE

Latitude: N 34 28 49.0 Longitude: W 93 06 14.0 Type: UNKNOWN

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 156.9418 Elevation (Feet): 514.900

Description: STANDARD DISK IN MOST SE CORNER OF PARAPET WALL BR.#6974

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260086

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #64

Date Established: 8/4/2005

System: STATE

Job Number: 060942

Nearest City: HOT SPRINGS

County: GARLAND

Route: 270

Section: 5

Log Mile: 22.88

Land Section Number: 20

Township: 03S

Range: 19W

Land Section: NE

Latitude: N 34 27 54.6

Longitude: W 93 03 36.6

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 162.504445

Elevation (Feet): 533.150

Description: METAL DISK ON BR 6425, LOCATED ON TOP OF RIGHT PARAPET RAIL  
ON WEST END OF BRIDGE OVER HIGHWAY 7.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260087

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #64

Date Established: 8/11/2008

System: STATE Job Number: 061135 Nearest City: HOT SPRINGS

County: GARLAND Route: 128 Section: 10 Log Mile: 2.56

Land Section Number: 22 Township: 03S Range: 19W

Land Section: NE

Latitude: N 34 27 31.8 Longitude: W 93 01 35.5 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 119.7927356 Elevation (Feet): 393.020

Description: STANDARD DISK IN TOP OF SE CORNER OF HEADWALL OF QUAD  
8'X5'X65' R.C. BOX CULVERT. STATION 135+38 (CARPENTER DAM ROAD)

Comments: Mark can not be verified. 3-wire levels were not ran.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260088

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #64

Date Established: 8/11/2008

System: STATE

Job Number: 061135

Nearest City: HOT SPRINGS

County: GARLAND

Route: 128

Section: 10

Log Mile: 2.82

Land Section Number: 22

Township: 03S

Range: 19W

Land Section: NE

Latitude: N 34 27 44.2

Longitude: W 93 01 31.9

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 128.4582169

Elevation (Feet): 421.450

Description: STANDARD DISK IN TOP OF DROP INLET, RIGHT OF STATION 149+00  
(CARPENTER DAM ROAD)

Comments: Mark can not be verified. 3-wire levels were not ran.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260089

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #64

Date Established: 1/16/2007

System: FEDERAL

Job Number: R60032

Nearest City: HOT SPRINGS

County: GARLAND

Route: 70

Section: 8

Log Mile: 13.00

Land Section Number: 21

Township: 03S

Range: 20W

Land Section: NE

Latitude: N 34 27 43.7

Longitude: W 93 08 48.3

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 138.428

Elevation (Feet): 454.159

Description: BENCHMARK CAP IN NW CORNER OF HEADWALL, DBL 6'X10' RC BOX  
CULVERT, STA. 271+07, LT. APPROX. 400 FEET WEST OF HWY. 192

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260090

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #64

Date Established: 10/2/2006

System: FEDERAL

Job Number: R60032

Nearest City: HOT SPRINGS

County: GARLAND

Route: 70

Section: 8

Log Mile: 12.04

Land Section Number: 21

Township: 03S

Range: 20W

Land Section: SE

Latitude: N 34 27 21.6

Longitude: W 93 09 41.4

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 164.717

Elevation (Feet): 540.409

Description: BENCHMARK CAP IN TOP OF DROP INLET, LT., STA. 221+00. NE CORNER OF INTERSECTION W/ STANDPIPE RD.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260091

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #64

Date Established: 10/2/2006

System: FEDERAL

Job Number: R60032

Nearest City: HOT SPRINGS

County: GARLAND

Route: 70

Section: 8

Log Mile: 12.50

Land Section Number: 21

Township: 03S

Range: 20W

Land Section: SW

Latitude: N 34 27 28.7

Longitude: W 93 09 12.1

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 163.37

Elevation (Feet): 535.990

Description: BENCHMARK CAP IN TOP OF DROP INLET, LT., STA. 245+00. 1300' EAST OF NORTH RODGERS RD.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260092

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #64

Date Established: 3/21/2006

System: STATE

Job Number: R60130

Nearest City: Hot Springs

County: GARLAND

Route: 70

Section: 9

Log Mile: 6.61

Land Section Number: 6

Township: 03S

Range: 18W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 151.8636

Elevation (Feet): 498.239

Description: Std. disk in parapet wall rt. Of bt. 1, Br. # 6947

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run. Log miles seem incorrect, therefore no Lat. And long. Was est.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260093

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #64

Date Established: 3/21/2006

System: STATE

Job Number: r60130

Nearest City: Hot Springs

County: GARLAND

Route: 70

Section: 9

Log Mile: 6.98

Land Section Number: 6

Township: 03s

Range: 18w

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 155.7132

Elevation (Feet): 510.869

Description: Std. disk in parapet wall rt. Of bt. 1 Br. #6948

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run. Log miles seem incorrect, therefore no Lat. And long. was est.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260094

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 3/21/2006

System: STATE Job Number: r60130 Nearest City: Hot Springs

County: GARLAND Route: 70 Section: 9 Log Mile: 6.62

Land Section Number: 6 Township: 03s Range: 18w

Land Section: NE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 156.6184 Elevation (Feet): 513.839

Description: Std. disk in parapet wall rt. Of bt. 1 Br. #6948

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run. Log miles seem incorrect, therefore no Lat. And long. was est.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260095

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #64

Date Established: 11/5/2009

System: STATE

Job Number: 061217

Nearest City: HOT SPRINGS

County: GARLAND

Route: 70

Section: 09

Log Mile: 3.20

Land Section Number: 5

Township: 03S

Range: 18W

Land Section: NW

Latitude: N 34 30 42.75

Longitude: W 93 00 47.6

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 143.313

Elevation (Feet): 470.186

Description: STD. AHTD DISK IN TOP OF MOST SW CORNER OF PARAPET WALL OF  
BRIDGE #07135 STA. 888+24.

Comments: The elevation was entered but could not be verified without the information for the  
control used to set the mark.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260096

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #64

Date Established: 10/26/2010

System: STATE Job Number: 061156 Nearest City: Hot Springs

County: GARLAND Route: 171 Section: 2 Log Mile: 1.44

Land Section Number: 31 Township: 35N Range: 18W

Land Section: SW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 102.125883 Elevation (Feet): 335.058

Description: AHTD Standard Disc set in most southeast corner of bridge #07066.

Comments: No electronic file submitted to verify acceptable 3-Wire level closure.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260097

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #64

Date Established: 2/23/2012

System: STATE

Job Number: 060686

Nearest City: hot springs

County: GARLAND

Route: 88

Section: 4

Log Mile: 2.32

Land Section Number: 19

Township: 03s

Range: 19w

Land Section: SE

Latitude: N 34 27 18.44000

Longitude: W 93 04 38.59000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 140.378969

Elevation (Feet): 460.560

Description: ahtd disk located in the nw corner of box culvert headwall approx. sta 136+40 lt.

Comments: Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260098

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #64

Date Established: 2/2/2012

System: STATE

Job Number: 060776

Nearest City: JESSIEVILLE

County: GARLAND

Route: 7

Section: 10

Log Mile: 3.79

Land Section Number: 27

Township: 01S

Range: 19W

Land Section: SW

Latitude: N 34 36 31.28000

Longitude: W 93 01 48.93000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 217.6173

Elevation (Feet): 713.966

Description: AHTD STD. DISK HEADWALL OF BOX CULVERT STATION 205+72 LT. OF CENTERLINE (WEST SIDE).

Comments: Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260099

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #64

Date Established: 2/2/2012

System: STATE

Job Number: 060776

Nearest City: JESSIEVILLE

County: GARLAND

Route: 7

Section: 10

Log Mile: 6.97

Land Section Number: 17

Township: 01S

Range: 19W

Land Section: SE

Latitude: N 34 36 31.28000

Longitude: W 93 03 29.92000

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 228.9336

Elevation (Feet): 751.093

Description: AHTD STD. DISK NORTHEAST CORNER OF BOX CULVERT HEADWALL  
STA. 362+02 RIGHT OF CENTERLINE.

Comments: Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260100

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #64

Date Established: 10/15/2013

System: STATE Job Number: 061059 Nearest City: ROYAL

County: GARLAND Route: 270 Section: 5 Log Mile: 2.54

Land Section Number: 33 Township: 02s Range: 22w

Land Section: SW

Latitude: N 34 31 21.07000 Longitude: W 93 21 57.00000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 228.6069 Elevation (Feet): 750.021

Description: STANDARD DISK IN HEADWALL ON SOUTH SIDE OF BOX CULVERT

Comments: Elevation not verified due to no three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260101

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #64

Date Established: 10/15/2013

System: STATE Job Number: 061059 Nearest City: ROYAL

County: GARLAND Route: 270 Section: 5 Log Mile: 5.56

Land Section Number: 36 Township: 02S Range: 22W

Land Section: SW

Latitude: N 34 31 15.00000 Longitude: W 93 19 00.00000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 214.7528 Elevation (Feet): 704.568

Description: STANDARD DISK IN HEADWALL ON NORTH SIDE OF BOX CULVERT

Comments: Elevation not verified due to no three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260102

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #64

Date Established: 3/5/2014

System: STATE

Job Number: 061059

Nearest City: ROYAL

County: GARLAND

Route: 270

Section: 5

Log Mile: 8.90

Land Section Number: 34

Township: 02S

Range: 21W

Land Section: SW

Latitude: N 34 30 29.00000

Longitude: W 93 15 45.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 143.7552

Elevation (Feet): 471.637

Description: STANDARD DISK IN HEADWALL ON SOUTH SIDE OF BOX CULVERT

Comments: Elevation not verified due to no three wire data.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260103

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #64

Date Established:

System: STATE

Job Number: 061285

Nearest City: Hot Springs

County: GARLAND

Route: 70

Section: 9B

Log Mile: 6.75

Land Section Number: 6

Township: 35W

Range: 12S

Land Section: NE

Latitude: N 34 30 16.20000

Longitude: W 92 58 29.20000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 156.3078

Elevation (Feet): 512.820

Description: STD. AHTD DISK S.E. CORNER OF PARAPET WALL @ BRIDGE # 07207RT.  
CD ROAD BRIDGE OVER HWY. 70

Comments: Elevation not verified due to no three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 260104

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #64

Date Established: 4/8/2013

System: STATE

Job Number: 061113

Nearest City: Hot Springs

County: GARLAND

Route: 88

Section:

Log Mile: 2.21

Land Section Number: 17

Township: 03s

Range: 19w

Land Section: SE

Latitude: N 34 28 24.67000

Longitude: W 93 03 49.68000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 160.9692

Elevation (Feet): 528.113

Description: ahtd disk located in south end of retaining wall, east side of hwy. Sta 218+25 RT

Comments: Elevation not verified due to no three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 270001

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 60300

Nearest City:

County: GRANT

Route: 190

Section: 3

Log Mile: 4.30

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 82.318

Elevation (Feet): 270.072

Description: ALUMINUM DISC IN RIGHT PARAPET WALL STA 226+70. NOTE: UNABLE TO LOCATE WITH THIS DESCRIPTION 8/11/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 270002

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 60301

Nearest City: LEOLA

County: GRANT

Route: 222

Section: 2

Log Mile: 2.43

Land Section Number: 5

Township: 06S

Range: 15W

Land Section:

Latitude: N 34 13 25.0

Longitude: W 92 38 39.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.886

Elevation (Feet): 255.531

Description: ALUMINUM DISC IN SW CORNER HW 19' RIGHT STA 232+12 BRIDGE NO. 6125. RECOVERED 8/11/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 270003

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 60301

Nearest City: LEOLA

County: GRANT

Route: 222

Section: 2

Log Mile: 1.3

Land Section Number: 8

Township: 06S

Range: 15W

Land Section:

Latitude: N 34 13 04.0

Longitude: W 92 39 19.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 83.296

Elevation (Feet): 273.280

Description: ALUMINUM DISC IN SE CORNER HW BOX CULVERT 20' RIGHT STA 185+85. RECOVERED 8/11/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 270004

Class:

Vertical Datum:

Established by:

Date Established: 12/10/1991

System: COUNTY

Job Number: R60023

Nearest City: LEOLA

County: GRANT

Route: 222

Section: 2

Log Mile: 4.15

Land Section Number: 10

Township: 06S

Range: 15W

Land Section: NW

Latitude: N 34 12 59.0

Longitude: W 92 37 08.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 73.551

Elevation (Feet): 241.309

Description: ALUMINUM DISK NE CORNER OF DROP INLET TOP LEFT OF STA 326+00.  
RECOVERED 8/11/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 270005

Class:

Vertical Datum:

Established by:

Date Established: 4/22/1993

System: STATE

Job Number: 60447

Nearest City: LEOLA

County: GRANT

Route: 229

Section: 3

Log Mile: 3.24

Land Section Number: 10

Township: 06S

Range: 15W

Land Section: NW

Latitude: N 34 12 49.0

Longitude: W 92 36 53.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.455

Elevation (Feet): 224.589

Description: AHTD ALUM DISC IN RT PARAPET WALL ABOVE BRIDGE NAME PLATE  
BRIDGE #6424. RECOVERED 8/11/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 270006

Class:

Vertical Datum:

Established by:

Date Established: 2/19/1993

System: STATE

Job Number: 60447

Nearest City: LEOLA

County: GRANT

Route: 229

Section: 3

Log Mile: 1.58

Land Section Number: 15

Township: 06S

Range: 15W

Land Section: SE

Latitude: N 34 11 34.0

Longitude: W 92 36 33.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.482

Elevation (Feet): 231.240

Description: AHTD ALUMINUM DISC IN RIGHT PARAPET WALL ABOVE BRIDGE  
NAME PLATE BRIDGE #6423. RECOVERED 8/11/2003.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 270007

Class:

Vertical Datum: NGVD29

Established by:

Date Established: 2/17/1993

System: STATE

Job Number: 60447

Nearest City: LEOLA

County: GRANT

Route: 229

Section: 3

Log Mile: 0.84

Land Section Number: 23

Township: 06S

Range: 15W

Land Section: NW

Latitude: N 34 11 13.0

Longitude: W 92 35 59.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.876

Elevation (Feet): 229.252

Description: AHTD ALUMINUM DISC IN RIGHT PARAPET WALL ABOVE BRIDGE  
NAME PLATE BRIDGE #6421 COX CREEK BR. RECOVERED 8/11/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 270008

Class:

Vertical Datum:

Established by:

Date Established: 4/22/1993

System: STATE

Job Number: 60447

Nearest City: LEOLA

County: GRANT

Route: 229

Section: 3

Log Mile: 1.28

Land Section Number: 23

Township: 06S

Range: 15W

Land Section: NW

Latitude: N 34 11 29.0

Longitude: W 92 36 17.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.549

Elevation (Feet): 231.460

Description: AHTD ALUM DISC IN RT PARAPET WALL ABOVE BRIDGE NAME PLATE  
BRIDGE #6422. RECOVERED 8/11/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 270009

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: SHERIDAN

County: GRANT

Route: 270

Section: 10

Log Mile: 3.42

Land Section Number: 6

Township: 05S

Range: 12W

Land Section:

Latitude: N 34 19 12.0

Longitude: W 92 20 34.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 67.949

Elevation (Feet): 222.929

Description: "[ ]" ON NW HEADWALL OF BRIDGE OVER HURRICANE CREEK.  
RECOVERED 8/11/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 270010

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: R60013

Nearest City:

County: GRANT

Route: 291

Section: 1

Log Mile: 6.91

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 83.671

Elevation (Feet): 274.511

Description: "[ ]" ON SOUTHEAST CORNER HEADWALL R.C. BOX CULVERT @ STA 32+91 RT. NOTED DESTROYED 8/11/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 270011

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: PRATTSVILLE

County: GRANT

Route: 291

Section: 1

Log Mile: 7.76

Land Section Number: 6

Township: 04S

Range: 14W

Land Section:

Latitude: N 34 20 06.0

Longitude: W 92 33 21.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 89.27

Elevation (Feet): 292.880

Description: ALUMINUM CAP ON HEADWALL RIGHT STATION 78+05 R.C. BOX  
CULVERT. RECOVERED 8/11/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 270012

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: R60013

Nearest City: PRATTSVILLE

County: GRANT

Route: 291

Section: 1

Log Mile: 8.83

Land Section Number: 30

Township: 04S

Range: 14W

Land Section:

Latitude: N 34 20 06.0

Longitude: W 92 33 47.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 80.004

Elevation (Feet): 262.480

Description: ALUMINUM CAP ON HEADWALL RIGHT OF STA 132+52 R.C. BOX  
CULVERT. RECOVERED 8/11/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 270013

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: R60013

Nearest City: PRATTSVILLE

County: GRANT

Route: 291

Section: 1

Log Mile: 9.77

Land Section Number: 19

Township: 04S

Range: 14W

Land Section:

Latitude: N 34 21 44.0

Longitude: W 92 33 47.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 80.8

Elevation (Feet): 265.091

Description: ALUMINUM CAP ON HEADWALL SE CORNER @ STA 182+80 R.C. BOX  
CULVERT. RECOVERED 8/11/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 270014

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: R60013

Nearest City: PRATTSVILLE

County: GRANT

Route: 291

Section: 1

Log Mile: 10.80

Land Section Number: 13

Township: 04S

Range: 15W

Land Section:

Latitude: N 34 22 34.0

Longitude: W 92 33 54.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.925

Elevation (Feet): 255.659

Description: ALUMINUM CAP ON SE CORNER OF WINGWALL STA 236+60 R.C. BOX  
CULVERT. 8/11/2003 AT THIS LOCATION IS BRIDGE 5880 JORDAN  
CREEK 1982

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 270015

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: R60013

Nearest City: TULL

County: GRANT

Route: 291

Section: 1

Log Mile: 11.80

Land Section Number: 12

Township: 04S

Range: 15W

Land Section:

Latitude: N 34 23 23.0

Longitude: W 92 34 07.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 89.825

Elevation (Feet): 294.701

Description: ALUMINUM CAP ON SE CORNER HW R.C. BOX CULVERT RIGHT OF STA 289+86. RECOVERED 8/11/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 270016

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: R60013

Nearest City: TULL

County: GRANT

Route: 291

Section: 1

Log Mile: 12.64

Land Section Number: 1

Township: 04S

Range: 15W

Land Section:

Latitude: N 34 24 00.0

Longitude: W 92 34 29.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 78.459

Elevation (Feet): 257.411

Description: ALUMINUM CAP ON WINGWALL RIGHT OF STATION 334+03 R.C. BOX  
CULVERT. 8/11/2003 AT THIS LOCATION IS BR5881 OVER JACK CREEK  
1982

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 270017

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: R60013

Nearest City:

County: GRANT

Route: 291

Section: 1

Log Mile: 13.85

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.926

Elevation (Feet): 245.820

Description: "[ ]" SOUTHEAST CORNER OF EAST HW R.C. BOX CULVERT STA 398.06.  
NOTED DESTROYED 8/11/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 270018

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: R60013

Nearest City: TULL

County: GRANT

Route: 291

Section: 1

Log Mile: 14.23

Land Section Number: 33

Township: 03S

Range: 15W

Land Section:

Latitude: N 34 25 18.0

Longitude: W 92 34 53.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.1

Elevation (Feet): 246.391

Description: ALUMINUM CAP IN WING ABUTMENT (SE CORNER) @ STA 417+78.  
RECOVERED 8/11/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 270019

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: SHERIDAN

County: GRANT

Route: 35 & 167

Section: 3

Log Mile: .1

Land Section Number: 3

Township: 06S

Range: 13W

Land Section:

Latitude: N 34 13 30.0

Longitude: W 92 24 14.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 73.707

Elevation (Feet): 241.820

Description: HWY. DEPT. ALUMINUM DISC BENCH MARK IN CURTAIN WALL LT. OF CENTER LINE HWY. 35. FOUR HUNDRED AND EIGHTY FEET (480') FROM INTERSECTION HWY. 167. EAST OF JUNCTION HWY. 167 & HWY. 35. RECOVERED 8/11/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 270020

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 2/3/1994

System: COUNTY Job Number: BR-27-3 Nearest City: SHERIDAN

County: GRANT Route: CR 52 Section: Log Mile:

Land Section Number: 23 Township: 03S Range: 13W

Land Section: NE

Latitude: N 34 27 06.0 Longitude: W 92 22 22.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 80.952 Elevation (Feet): 265.590

Description: AHTD ALUMINUM DISC IN RIGHT PARAPET WALL ABOVE BRIDGE  
NAME PLATE-BRIDGE. RECOVERED 8/11/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 270021

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City: GRAPEVINE

County: GRANT Route: CR18 Section: Log Mile:

Land Section Number: 5 Township: 07S Range: 11W

Land Section:

Latitude: N 34 08 44.0 Longitude: W 92 14 40.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 64.45 Elevation (Feet): 211.450

Description: DISK IN NW WINGWALL BR. #4423 (DERRIEUSSEAU CREEK BRIDGE).  
RECOVERED 8/11/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 270022

Class:

Vertical Datum:

Established by:

Date Established: 8/15/1995

System: STATE

Job Number: 020178

Nearest City: BENTON

County: GRANT

Route: 35

Section: 2

Log Mile: 2.24

Land Section Number: 28

Township: 03S

Range: 14W

Land Section: SE

Latitude: N 34 25 42.0

Longitude: W 92 30 40.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 97.594

Elevation (Feet): 320.190

Description: AHTD MEDALLION ON THE SW END OF BOX CULVERT@ LITTLE LOST CREEK. RECOVERED 8/11/2003.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 270023

Class:

Vertical Datum:

Established by:

Date Established: 8/16/1995

System: STATE

Job Number: 020178

Nearest City: SHERIDAN

County: GRANT

Route: 35

Section: 2

Log Mile: 7.97

Land Section Number: 24

Township: 04S

Range: 14W

Land Section: NE

Latitude: N 34 21 51.0

Longitude: W 92 27 31.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 80.034

Elevation (Feet): 262.578

Description: AHTD MEDALLION ON NW END OF BRIDGE # 6538 @ LOST CREEK.  
RECOVERED 8/11/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 270024

Class:

Vertical Datum:

Established by:

Date Established: 5/9/1996

System: STATE

Job Number: 020178

Nearest City: SHERIDAN

County: GRANT

Route: 35

Section: 2

Log Mile: 8.86

Land Section Number: 19

Township: 04S

Range: 13W

Land Section: SE

Latitude: N 34 21 27.0

Longitude: W 92 26 43.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 78.976

Elevation (Feet): 259.107

Description: AHTD MEDALLION ON HEADWALL ON SW END OF BOX CULVERT @  
GRAVES CREEK. RECOVERED 8/11/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 270025

Class:

Vertical Datum:

Established by: RE OFFICE #64

Date Established: 12/15/1997

System: STATE Job Number: 020182 Nearest City: LEOLA

County: GRANT Route: 229 Section: 3 Log Mile: 4.32

Land Section Number: 3 Township: 06S Range: 15W

Land Section: SW

Latitude: N 34 13 40.0 Longitude: W 92 37 08.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.189 Elevation (Feet): 223.717

Description: SE WINGWALL BR. 6494 BRADLEY CREEK. RECOVERED 8/11/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 270026

Class:

Vertical Datum:

Established by: RE OFFICE #64

Date Established: 12/15/1997

System: STATE

Job Number: 020182

Nearest City: LEOLA

County: GRANT

Route: 229

Section: 3

Log Mile: 4.49

Land Section Number: 3

Township: 06S

Range: 15W

Land Section: NW

Latitude: N 34 13 50.0

Longitude: W 92 37 07.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.141

Elevation (Feet): 223.559

Description: TOP SE WINGWALL BR. 6495 BRUSH CREEK. RECOVERED 8/11/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 270027

Class:

Vertical Datum:

Established by: RE OFFICE #64

Date Established: 12/15/1997

System: STATE

Job Number: 020182

Nearest City: LEOLA

County: GRANT

Route: 229

Section: 3

Log Mile: 6.05

Land Section Number: 34

Township: 05S

Range: 15W

Land Section: NW

Latitude: N 34 15 06.0

Longitude: W 92 37 06.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 66.656

Elevation (Feet): 218.687

Description: TOP SE WINGWALL BR 6496 BENNETT CREEK. RECOVERED 8/11/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 270028

Class:

Vertical Datum:

Established by: RE OFFICE #64

Date Established: 12/15/1997

System: STATE

Job Number: 020182

Nearest City: LEOLA

County: GRANT

Route: 229

Section: 3

Log Mile: 6.95

Land Section Number: 28

Township: 05S

Range: 15W

Land Section: NE

Latitude: N 34 15 51.0

Longitude: W 92 37 25.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 66.961

Elevation (Feet): 219.688

Description: TOP SE WINGWALL BR. 6497 GORE CREEK. RECOVERED 8/11/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 270029

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 4/14/1999

System: STATE Job Number: 020183 Nearest City: PRATTSVILLE

County: GRANT Route: 270 Section: 9 Log Mile: 4.56

Land Section Number: 2 Township: 05S Range: 15W

Land Section: NW

Latitude: N 34 19 12.0 Longitude: W 92 36 01.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.552 Elevation (Feet): 224.908

Description: MOST SW CORNER OF WINGWALL BR. # 06708-SALINE RIVER RELIEF..  
RECOVERED 8/11/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 270030

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 5/5/1999

System: STATE Job Number: 020183 Nearest City: PRATTSVILLE

County: GRANT Route: 270 Section: 9 Log Mile: 5.26

Land Section Number: 2 Township: 05S Range: 15W

Land Section: NE

Latitude: N 34 19 10.0 Longitude: W 92 35 17.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.765 Elevation (Feet): 225.607

Description: MOST SW CORNER OF WINGWALL BR. #06709-SALINE RIVER..  
RECOVERED 8/11/2003.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 270031

Class:

Vertical Datum:

Established by:

Date Established: 2/3/1999

System: STATE

Job Number: 020183

Nearest City: PRATTSVILLE

County: GRANT

Route: 270

Section: 9

Log Mile: 3.45

Land Section Number: 4

Township: 05S

Range: 15W

Land Section: NE

Latitude: N 34 19 17.0

Longitude: W 92 37 10.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.583

Elevation (Feet): 225.009

Description: MOST SW CORNER OF WINGWALL BR # 06706-FRANCOIS CREEK.  
RECOVERED 8/11/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 270032

Class:

Vertical Datum:

Established by:

Date Established: 2/23/1999

System: STATE

Job Number: 020183

Nearest City: PRATTSVILLE

County: GRANT

Route: 270

Section: 9

Log Mile: 4.05

Land Section Number: 3

Township: 05S

Range: 15W

Land Section: NE

Latitude: N 34 19 15.0

Longitude: W 92 36 33.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.585

Elevation (Feet): 225.016

Description: MOST SW CORNER OF WINGWALL BR #06707-SALINE RIVER RELIEF.  
RECOVERED 8/11/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 270033

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 10/2/2000

System: COUNTY Job Number: N/A Nearest City:

County: GRANT Route: CR 14 Section: Log Mile: 8.51

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 55.2 Elevation (Feet): 181.102

Description: AHTD DISC IN RC BOX CULVERT HEADWALL 33' LEFT OF C/L. NOTE:  
UNABLE TO LOCATE WITH THIS DESCRIPTION 8/11/2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 270033

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #23

Date Established: 6/18/2007

System: FEDERAL

Job Number: 020328

Nearest City: LEOLA

County: GRANT

Route: 46

Section: 2

Log Mile: 7.82

Land Section Number:

Township: 06S

Range: 14W

Land Section:

Latitude: N 34 12 43.8

Longitude: W 92 32 47.9

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 61.74729998

Elevation (Feet): 202.583

Description: 4" ALUMINUM DISK IN WINGWALL, 21' LT. OF CENTERLINE, STA. 131+88.

Comments: BM MARK RAN WITH 3-WIRE LEVELS BY RE 23 FROM USGS MARK 927 (WLE 1936) IN JOB 020328 CONTROL FILE. VERIFIED BY ESS 10/10/07, PROCESSED AND RAW DATA CAN BE FOUND ON EDM UNDER s020328\_RE\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 270034

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #23

Date Established: 6/21/2007

System: FEDERAL

Job Number: 020328

Nearest City: LEOLA

County: GRANT

Route: 46

Section: 2

Log Mile: 7.59

Land Section Number:

Township: 06S

Range: 14W

Land Section:

Latitude: N 34 12 31.9

Longitude: W 92 32 56.2

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 61.74477014

Elevation (Feet): 202.574

Description: 4" ALUMINUM DISK IN WINGWALL, 21' LT. OF CENTERLINE, STA. 119+38.

Comments: BM MARK RAN WITH 3-WIRE LEVELS BY RE 23 FROM USGS MARK 927 (WLE 1936) IN JOB 020328 CONTROL FILE. VERIFIED BY ESS 10/10/07, PROCESSED AND RAW DATA CAN BE FOUND ON EDM UNDER s020328\_RE\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 270035

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: DISTRICT 2 & 7

Date Established: 2/12/2003

System: FEDERAL

Job Number: RX0028

Nearest City: SHERIDAN

County: CLEVELAND

Route: 167

Section: 5

Log Mile: 9.30

Land Section Number: 34

Township: 05S

Range: 13W

Land Section: NW

Latitude: N 34 14 45.6

Longitude: W 92 24 09.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.96393194

Elevation (Feet): 229.540

Description: ALUM AHTD DISC IN NE CORNER OF HEADWALL OF R.C. BOX  
CULVERT, 69 FEET RT. OF STA. 781+62

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 270035

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #23

Date Established: 3/19/2009

System: STATE Job Number: 020318 Nearest City: Sheridan

County: GRANT Route: 167 Section: 11 Log Mile: 7.45

Land Section Number: 35 Township: 03s Range: 13w

Land Section: SE

Latitude: N 34 24 38.3 Longitude: W 92 22 20.7 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.8764 Elevation (Feet): 255.499

Description: 4" ahtd aluminum disk in headwall of rc box culvert, sta. 469+48 67' lt.

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 270036

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #74

Date Established: 3/21/2006

System: STATE

Job Number: 070204

Nearest City: STAR CITY

County: CLEVELAND

Route: 63

Section: 16

Log Mile: 4.47

Land Section Number: 9

Township: 09S

Range: 09W

Land Section: SE

Latitude: N 33 56 49.4

Longitude: W 92 01 56.1

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.41986285

Elevation (Feet): 247.440

Description: AHTD DISC IN CENTER OF R.C. BOX HEADWALL, WEST SIDE

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 270036

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #23

Date Established: 3/19/2009

System: STATE

Job Number: 020318

Nearest City: Sheridan

County: GRANT

Route: 167

Section: 11

Log Mile: 7.66

Land Section Number: 35

Township: 03s

Range: 13w

Land Section: SE

Latitude: N 34 24 52.4

Longitude: W 92 22 18.5

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.54975

Elevation (Feet): 260.989

Description: 4" aluminum disk in headwall of rc box culvert sta. 484+74 64' lt.

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 270037

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #74

Date Established: 3/21/2006

System: STATE

Job Number: 070204

Nearest City: STAR CITY

County: CLEVELAND

Route: 63

Section: 15

Log Mile: 7.36

Land Section Number: 4

Township: 09S

Range: 09W

Land Section: SE

Latitude: N 33 57 34.6

Longitude: W 92 02 20.8

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.36525274

Elevation (Feet): 243.980

Description: AHTD DISC IN CENTER OF R.C. BOX HEADWALL, WEST SIDE

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 270037

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #23

Date Established: 3/31/2008

System: STATE Job Number: 020318 Nearest City: Sheridan

County: GRANT Route: 167 Section: 11 Log Mile: 8.71

Land Section Number: 25 Township: 03s Range: 13w

Land Section:

Latitude: N 34 25 42.34 Longitude: W 92 21 44.17 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 78.94015 Elevation (Feet): 258.989

Description: 4" ALUMINUM DISK IN parapet wall sTA. 539+39 37' rt

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 270038

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #23

Date Established: 1/31/2006

System: STATE

Job Number: 001942

Nearest City: RISON

County: CLEVELAND

Route: 79

Section: 8

Log Mile: 2.94

Land Section Number: 8

Township: 08S

Range: 11W

Land Section: NE

Latitude: N 33 59 59.7

Longitude: W 92 11 55.5

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.6396

Elevation (Feet): 244.880

Description: AHTD BM IN NE HEADWALL OF R.C. BOX CULVERT, 30 FEET LT. @ STA. 175+24

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 270038

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #23

Date Established: 2/5/2007

System: STATE

Job Number: 020318

Nearest City: Sheridan

County: GRANT

Route: 167

Section: 11

Log Mile: 5.66

Land Section Number: 11

Township: 04s

Range: 13w

Land Section:

Latitude: N 34 23 10.59

Longitude: W 92 22 40.90

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.53502

Elevation (Feet): 254.379

Description: 4" alum disk in headwall of rc box culvert @ sta. 378+38 60' lt.

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 270039

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #23

Date Established: 1/31/2006

System: STATE

Job Number: 001942

Nearest City: RISON

County: CLEVELAND

Route: 79

Section: 8

Log Mile: 3.04

Land Section Number: 8

Township: 08S

Range: 11W

Land Section: NE

Latitude: N 34 00 05.3

Longitude: W 92 11 55.6

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.1638

Elevation (Feet): 246.600

Description: AHTD BM IN NE HEADWALL OF R.C. BOX CULVERT, 30 FEET LEFT @  
STA. 179+54

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 270040

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #23

Date Established: 1/2/2006

System: STATE

Job Number: 001942

Nearest City: RISON

County: CLEVELAND

Route: 79

Section: 8

Log Mile: 6.03

Land Section Number: 11

Township: 08S

Range: 11W

Land Section: NW

Latitude: N 34 02 40.1

Longitude: W 92 11 55.1

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 66.0655

Elevation (Feet): 216.750

Description: DISC IN HEADWALL, LT. @ STA. 337+29

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 270041

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #23

Date Established: 1/2/2006

System: STATE Job Number: 001942 Nearest City: RISON

County: CLEVELAND Route: 79 Section: 8 Log Mile: 5.86

Land Section Number: 11 Township: 08S Range: 11W

Land Section: NW

Latitude: N 34 02 32.5 Longitude: W 92 11 55.6 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 67.5072 Elevation (Feet): 221.480

Description: DISC IN HEADWALL, LT. @ STA. 328+36

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280001

Class:

Vertical Datum:

Established by: RE OFFICE #64

Date Established: 3/20/1990

System: STATE

Job Number: 100090

Nearest City: DELAPLAINE

County: GREENE

Route: 34

Section: 3

Log Mile: 0.50

Land Section Number: 2

Township: 18N

Range: 03E

Land Section: NE

Latitude: N 36 13 49.9

Longitude: W 90 43 05.4

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 83.832

Elevation (Feet): 275.039

Description: NORTHWEST CORNER OF BOX CULVERT TOP OF HEADWALL  
RECOVERED 23 NOV 99 VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280002

Class:

Vertical Datum:

Established by: RE OFFICE #04

Date Established: 3/20/1990

System: STATE Job Number: 100090 Nearest City: EVENING STAR

County: GREENE Route: 34 Section: 3 Log Mile: 3.01

Land Section Number: 13 Township: 18N Range: 03E

Land Section: NE

Latitude: N 36 12 04.1 Longitude: W 90 42 18.8 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 84.738 Elevation (Feet): 278.011

Description: NORTHWEST CORNER OF BRIDGE TOP OF PARAPET WALL BR# 6252  
OVER CACHE RIVER RECOVERED 23 NOV 99 VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280003

Class:

Vertical Datum:

Established by: RE OFFICE #04

Date Established: 3/20/1990

System: STATE

Job Number: 100090

Nearest City: EVENING STAR

County: GREENE

Route: 34

Section: 3

Log Mile: 2.89

Land Section Number: 13

Township: 18N

Range: 03E

Land Section: NE

Latitude: N 36 12 07.7

Longitude: W 90 42 23.3

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 82.955

Elevation (Feet): 272.162

Description: NORTHWEST CORNER OF BOX CULVERT TOP OF HEADWALL  
RECOVERED 23 NOV 99 VJBIII

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280004

Class:

Vertical Datum:

Established by: RE OFFICE #04

Date Established: 8/12/1992

System: STATE

Job Number: 100225

Nearest City: EVENING STAR

County: GREENE

Route: 34

Section: 3

Log Mile: 4.49

Land Section Number: 24

Township: 18N

Range: 03E

Land Section: SE

Latitude: N 36 10 48.2

Longitude: W 90 42 03.4

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.142

Elevation (Feet): 266.213

Description: AHTD ALUMINUM BENCH MARK DISK TOP OF NORTHWEST  
HEADWALL OF BOX CULVERT

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280005

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 10920

Nearest City:

County: GREENE

Route: 34

Section: 4

Log Mile:

Land Section Number: 13

Township: 18N

Range: 06E

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 82.641

Elevation (Feet): 271.131

Description: RESET H32 1934E 270-291 (DESTROYED) BY OLDER NORTHEAST CORNER  
OF NORTH HEADWALL R.C. BOX DISK (NEW 1979) NR 23 NOV 99 VJBIII

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280006

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City:

County: GREENE

Route: 49

Section:

Log Mile:

Land Section Number: 23

Township: 16N

Range: 05E

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 87.033

Elevation (Feet): 285.541

Description: APPROX. 1.0 MILE EAST OF JUNCTION HIGHWAY 49 & COUNTY ROAD #268 AT GREENE HIGH. A NAIL SET IN SOUTHEAST CORNER OF RAIL ROAD BRIDGE #107.11 ST. LOUIS SOUTHWEST R.Y. OVER VILLAGE CREEK. 300' NORTH OF INTERSECTION OF COUNTY ROADS #37 & #268.  
\*\*FROM R.M. NR 22 NOV 99 VJBIII

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280007

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: BR-28-4

Nearest City:

County: GREENE

Route: 49

Section: 2

Log Mile: 20.39\*

Land Section Number: 14

Township: 16N

Range: 05E

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 89.819

Elevation (Feet): 294.681

Description: BRIDGE OVER VILLAGE CREEK CHISELED SQUARE IN TOP OF CURB AT  
SOUTHEAST CORNER OF BRIDGE ON HWY. 49 \*\*FROM R.M. OF TABLE  
"12 JW 1978" CHISELED SQUARE OVER VILLAGE CREEK BRIDGE HWY.  
69 ARK. #198 LINE 1 THIRD ORDER\*\* NR BRIDGE REPLACED IN 97 VJBIII

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280008

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: PARAGOULD

County: GREENE

Route: 63

Section: UNTY F

Log Mile: 0.72

Land Section Number: 18

Township: 17N

Range: 06E

Land Section:

Latitude: N 36 06 01.3

Longitude: W 90 28 28.2

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 88.697

Elevation (Feet): 291.000

Description: AHTD DISC TOP WING SOUTHEAST CORNER BRIDGE (JACKS CREEK)  
RECOVERED 22 NOV 99 VJB III

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280009

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: RECTOR

County: GREENE

Route: 70

Section: UNTY F

Log Mile: 0.49

Land Section Number: 29

Township: 19N

Range: 07E

Land Section: NW

Latitude: N 36 15 06.9

Longitude: W 90 21 20.6

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 93.912

Elevation (Feet): 308.110

Description: AHTD DISC TOP SOUTHWEST HEADWALL OF BOX CULVERT STATION  
15+22 RECOVERED 23 NOV 99 NOW KNOWN AS COUNTY ROAD # 434  
VJBIII

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280010

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: PARAGOULD

County: GREENE

Route: 135

Section: 4

Log Mile: 1.6

Land Section Number: 27

Township: 16N

Range: 06E

Land Section: NW

Latitude: N 35 59 12.2

Longitude: W 90 26 29.6

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.798

Elevation (Feet): 248.681

Description: CHISELED [] ON TOP OF EAST HEADWALL OF 13' R.C. BOX CULVERT  
APPROX. 1.5 MILES SOUTH OF BRIDGE OVER EIGHT MILE CREEK

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280011

Class:

Vertical Datum:

Established by: RE OFFICE #04

Date Established:

System: STATE

Job Number: 100089

Nearest City: OAK GROVE HEIGHTS

County: GREENE

Route: 135

Section: 5

Log Mile: 6.34

Land Section Number: 35

Township: 18N

Range: 05E

Land Section: NE

Latitude: N 36 09 13.3

Longitude: W 90 30 36.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 100.109

Elevation (Feet): 328.441

Description: DISC IS TOP EAST WINGWALL SOUTH B.E. STATION 334+53.8 BRIDGE # 6104 OVER "GAINSVILLE CREEK" RECOVERED 23 NOV 99 VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280012

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 100089

Nearest City: OAK GROVE HEIGHTS

County: GREENE

Route: 135

Section: 5

Log Mile: 6.71

Land Section Number: 35

Township: 18N

Range: 05E

Land Section: NE

Latitude: N 36 09 32.9

Longitude: W 90 30 34.1

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 102.483

Elevation (Feet): 336.230

Description: DISC IN EAST WINGWALL SOUTH B.E. STATION 353+94.8 RECOVERED  
23 NOV 99 BRIDGE # 6105 VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280013

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 9/15/2003

System: STATE

Job Number: 100089

Nearest City: LAFE

County: GREENE

Route: 135

Section: 5

Log Mile: 9.63

Land Section Number: 14

Township: 18N

Range: 05E

Land Section: NE

Latitude: N 36 11 51.6

Longitude: W 90 30 18.1

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 99.739

Elevation (Feet): 327.227

Description: DISC TOP WEST HEADWALL R.C. BOX CULVERT LEFT OF STATION  
508+20 RECOVERED IN GOOD CONDITION 23 NOV 99 VJB III. (FROM  
RE04 ZC=327.27). SEPT 2003 FROM NGS Q32 LOOP BY S5103

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280014

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 9/15/2003

System: STATE

Job Number: 100089

Nearest City: LAFE

County: GREENE

Route: 135

Section: 5

Log Mile: 9.96

Land Section Number: 14

Township: 18N

Range: 05E

Land Section: NE

Latitude: N 36 12 07.9

Longitude: W 90 30 21.1

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 99.6385

Elevation (Feet): 326.897

Description: DISC IN TOP SOUTH WINGWALL E.B.E. STATION 525+0 RECOVERED IN GOOD CONDITION BRIDGE # 6107 OVER "BIG CREEK" 23 NOV 99 VJB III. (FROM RE04 ZC=326.85). SEPT 2003 FROM NGS Q32 LOOP BY S5103

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280015

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 9/15/2003

System: STATE

Job Number: 100089

Nearest City: LAFE

County: GREENE

Route: 135

Section: 5

Log Mile: 11.21

Land Section Number: 10

Township: 18N

Range: 05E

Land Section: NE

Latitude: N 36 12 53.1

Longitude: W 90 31 17.3

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 94.427

Elevation (Feet): 309.799

Description: DISC IN TOP NORTH HEADWALL R.C. BOX CULVERT STATION 592+00  
RECOVERED 23 NOV 99 VJB III. (FROM RE04 ZC=309.87). SEPT 2003  
FROM NGS Q32 LOOP BY S5103

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280016

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: GAINSVILLE

County: GREENE

Route: 135

Section: 5

Log Mile: 7.50

Land Section Number: 25

Township: 18N

Range: 05E

Land Section: SW

Latitude: N 36 10 14.5

Longitude: W 90 30 45.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 105.741

Elevation (Feet): 346.919

Description: DISC IN TOP NORTHWEST CORNER WEST HEADWALL R.C. BOX  
STATION 396+0 RECOVERED 23 NOV 99 VJB III

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280017

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 9/15/2003

System: STATE

Job Number: 100570

Nearest City: LAFE

County: GREENE

Route: 135

Section: 5

Log Mile: 10.26

Land Section Number: 11

Township: 18N

Range: 05E

Land Section: SE

Latitude: N 36 12 18.2

Longitude: W 90 30 36.1

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 97.7342

Elevation (Feet): 320.650

Description: DISC IN TOP NORTHWEST CORNERNORTH HEADWALL R.C. BOX  
CULVERT STATION 542+90 RECOVERED 23 NOV 99 VJB III. (FROM RE04  
ZC=320.38). SEPT 2003 FROM NGS Q32 LOOP BY S5103.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280018

Class:

Vertical Datum:

Established by: RE OFFICE #04

Date Established:

System: STATE Job Number: R00035 Nearest City: HOOKER

County: GREENE Route: 141 Section: 4 Log Mile: 4.18

Land Section Number: 25 Township: 19N Range: 05E

Land Section: NE

Latitude: N 36 15 34.5 Longitude: W 90 28 45.8 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 93.226 Elevation (Feet): 305.859

Description: SOUTHEAST CORNER PARAPET WALL BRIDGE NO. 6245 OVER MILL CREEK RECOVERED 23 NOV 99. DISC IS IN SOUTHWEST CORNER OF PARAPET OF BRIDGE VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280019

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: PARAGOULD

County: GREENE

Route: 358

Section: 0

Log Mile: 0.00

Land Section Number: 07

Township: 16N

Range: 06E

Land Section: SW

Latitude: N 36 01 27.0

Longitude: W 90 29 10.7

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.251

Elevation (Feet): 266.571

Description: AHTD DISC NORTHWEST CORNER OF NORTH HEADWALL BOX  
CULVERT 50' LEFT OF STATION 121+17 (NORTHWEST CORNER OF  
INTERSECTION OF HWY. 358 & HWY 69) RECOVERED 22 NOV 99. VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280020

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: LIGHT

County: GREENE

Route: 412

Section: 8

Log Mile: 1.34

Land Section Number: 30

Township: 17N

Range: 03E

Land Section: SE

Latitude: N 36 04 12.9

Longitude: W 90 47 58.1

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.919

Elevation (Feet): 262.201

Description: CHISELED SQUARE ON WHEEL GUARD NORTH EAST CORNER BRIDGE  
OVER NEGRO HEAD CREEK RECOVERED 23 NOV 99 VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280021

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: LIGHT

County: GREENE

Route: 412

Section: 8

Log Mile: 2.67

Land Section Number: 28

Township: 17N

Range: 03E

Land Section: SW

Latitude: N 36 04 12.0

Longitude: W 90 46 34.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 80.617

Elevation (Feet): 264.491

Description: CHISELED SQUARE ON WHEEL GUARD NORTHEAST CORNER BRIDGE  
OVER LATERAL NUMBER 3 RECOVERED 23 NOV 99 VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280022

Class:

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 4/28/1989

System: STATE

Job Number: 100180

Nearest City: PARAGOULD

County: GREENE

Route: 412

Section: 8

Log Mile: 17.87

Land Section Number: 35

Township: 17N

Range: 05E

Land Section:

Latitude: N 36 03 28.8

Longitude: W 90 30 48.3

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 90.301

Elevation (Feet): 296.263

Description: BENCH MARK DISC TOP SOUTHWEST CORNER SIDEWALK OVER BT. #1  
OF BRIDGE RIGHT STATION 161+70 RECOVERED 22 NOV 99. BRIDGE #  
6289 OVER " EIGHT MILE CREEK ". VJB III Updated elevation by S5103

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280023

Class:

Vertical Datum:

Established by: RE OFFICE #04

Date Established: 1/31/1989

System: STATE

Job Number: 100180

Nearest City: PARAGOULD

County: GREENE

Route: 412

Section: 8

Log Mile: 17.38

Land Section Number: 35

Township: 17N

Range: 05E

Land Section:

Latitude: N 36 03 36.5

Longitude: W 90 31 26.2

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 90.879

Elevation (Feet): 298.159

Description: BENCH MARK DISC SOUTHWEST CORNER OF DROP INLET RIGHT OF  
STATION 136+00 RECOVERED 22 NOV 99. S5102 Note by S5103: Destroyed  
April 2000

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280024

Class:

Vertical Datum: NAVD88

Established by: RE OFFICE #04

Date Established: 11/9/1989

System: STATE

Job Number: 100180

Nearest City: PARAGOULD

County: GREENE

Route: 412

Section: 8

Log Mile: 18.88

Land Section Number: 36

Township: 17N

Range: 05E

Land Section:

Latitude: N 36 03 09.0

Longitude: W 90 29 52.5

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 99.415

Elevation (Feet): 326.164

Description: BENCH MARK DISC SOUTHWEST CORNER TOP OF DROP INLET RIGHT  
STATION 214+80 RECOVERED 22 NOV 99 S5102. NGVD 29 = 99.402

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280025

Class:

Vertical Datum: NAVD88

Established by: RE OFFICE #04

Date Established: 4/29/1988

System: STATE

Job Number: 100180

Nearest City: PARAGOULD

County: GREENE

Route: 412

Section: 8

Log Mile: 18.47

Land Section Number: 36

Township: 17N

Range: 05E

Land Section:

Latitude: N 36 03 11.7

Longitude: W 90 30 26.2

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 93.522

Elevation (Feet): 306.830

Description: BENCH MARK DISC TOP SOUTHWEST CORNER OF SOUTH HEADWALL  
R.C. CULVERT RIGHT OF STATION 186+63 RECOVERED 22 NOV 99  
S5102. NGVD29 = 93.507

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280026

Class:

Vertical Datum: NGVD29

Established by:

Date Established:

System:

Job Number: N/A

Nearest City:

County: GREENE

Route: 412

Section: 9

Log Mile: 0.95

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 90.55

Elevation (Feet): 297.079

Description: DISC IN TOP SOUTH PARAPET WALL 65' EAST OF WEST BRIDGE END.  
NR 22 NOV 99 VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280027

Class:

Vertical Datum: NAVD88

Established by: RE OFFICE #04

Date Established: 12/29/1994

System: STATE

Job Number: 10940

Nearest City: CENTER HILL

County: GREENE

Route: 412

Section: 8

Log Mile: 15.40

Land Section Number: 33

Township: 17N

Range: 05E

Land Section: NE

Latitude: N 36 03 49.3

Longitude: W 90 33 18.1

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 107.257

Elevation (Feet): 351.892

Description: AHTD MARKER SE CORNER HEADWALL BOX CULVERT STA. 31+12 48'  
RT. RECOVERED 22 NOV 99 S5102. NGVD29 = 107.229

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280028

Class:

Vertical Datum:

Established by:

RE OFFICE #04

Date Established:

System: COUNTY

Job Number:

BR2811

Nearest City:

MOUNDS

County:

GREENE

Route:

CR 58

Section:

Log Mile:

Land Section Number:

27

Township:

18N

Range:

07E

Land Section:

NE

Latitude:

N 36 10 18.4

Longitude:

W 90 18 44.2

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

79.571

Elevation (Feet):

261.059

Description:

RT. WING BENT 1 DISK. RECOVERED 23 NOV 99 COUNTY ROAD IS NOW  
# 842 BRIDGE # 4764 OVER "BIG SLOUGH DITCH". VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280029

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #06

Date Established: 4/22/1997

System: STATE

Job Number: R00081

Nearest City: GOOBERTOWN

County: GREENE

Route: 49

Section: 2

Log Mile: 23.00

Land Section Number: 34

Township: 16N

Range: 05E

Land Section: NW

Latitude: N 35 58 34.7

Longitude: W 90 32 56.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 97.801

Elevation (Feet): 320.869

Description: B.M. #7 AHTD B.M. CAP IN CENTER OF HDWL. 79' RT. OF STA. 596+80.  
RECOVERED IN GOOD CONDITION. 22 NOV 99. VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280030

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #06

Date Established: 4/22/1997

System: STATE

Job Number: R00081

Nearest City: GREENE HIGH

County: GREENE

Route: 49

Section: 2

Log Mile: 22.38

Land Section Number: 27

Township: 16N

Range: 05E

Land Section: SW

Latitude: N 35 59 01.9

Longitude: W 90 32 34.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 90.059

Elevation (Feet): 295.469

Description: B.M. #8 AHTD B.M. CAP IN CENTER OF HDWL. 61' RT. OF STA. 629+46.  
RECOVERED IN GOOD CONDITION 22 NOV 99. VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280031

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #06

Date Established: 4/22/1997

System: STATE

Job Number: R00081

Nearest City: GOOBER TOWN

County: GREENE

Route: 49

Section: 2

Log Mile: 23.92

Land Section Number: 33

Township: 16N

Range: 05E

Land Section: SW

Latitude: N 35 57 57.4

Longitude: W 90 33 33.9

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 90.111

Elevation (Feet): 295.639

Description: B.M. #5 AHTD B.M. CAP IN CENTER OF HDWL. 59' RT. OF STA. 548+12.  
RECOVERED 22 NOV 99 GOOD CONDITION. VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280032

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #06

Date Established: 4/22/1997

System: STATE

Job Number: R00081

Nearest City: GOOBER TOWN

County: GREENE

Route: 49

Section: 2

Log Mile: 23.44

Land Section Number: 33

Township: 16N

Range: 05E

Land Section: NE

Latitude: N 35 58 16.8

Longitude: W 90 33 13.6

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 94.01

Elevation (Feet): 308.431

Description: B.M. #6 AHTD B.M. CAP IN CENTER OF HDWL. 99' RT. OF STA. 573+65.  
RECOVERED IN GOOD CONDITION 22 NOV 99. VJB III

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280033

Class:

Vertical Datum: UNKNOWN

Established by:

Date Established:

System: COUNTY

Job Number:

BR-28-4

Nearest City:

GREENE HIGH

County:

GREENE

Route:

CR 32

Section:

Log Mile:

1.2

Land Section Number:

16

Township:

16N

Range:

05E

Land Section:

SE

Latitude:

N 36 00 31.4

Longitude:

W 90 33 11.8

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

94.72

Elevation (Feet):

310.761

Description:

19' RT. OF SW BR. END STA. 41+10.8 1. 2 MILE WEST OF HWY. 49 ON CR.  
32. RECOVERED 22 NOV 99 NOW COUNTY ROAD 721

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280034

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #04

Date Established:

System: COUNTY

Job Number: BR-28-6

Nearest City: EVENING STAR

County: GREENE

Route: CR 97

Section:

Log Mile: 1.29

Land Section Number: 23

Township: 18N

Range: 03E

Land Section: SE

Latitude: N 36 11 07.8

Longitude: W 90 43 25.4

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 83.052

Elevation (Feet): 272.480

Description: BM: SW WINGWALL @ BEGINNING OF BRIDGE #4636. RECOVERED 23  
NOV 99. VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280035

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City: STANFORD

County: GREENE Route: CR 811 Section: Log Mile: 0.29

Land Section Number: 14 Township: 17N Range: 04E

Land Section:

Latitude: N 36 06 17.0 Longitude: W 90 37 56.1 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 93.117 Elevation (Feet): 305.501

Description: B.M. DISC TOP WING RT. BR. END STA. 33+44. 1 1/2 MILE E. HWY. 141.  
RECOVERED 23 NOV 99 VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280036

Class:

Vertical Datum:

Established by:

RE OFFICE #04

Date Established: 5/13/1998

System: STATE

Job Number: R00071

Nearest City: GREENE HIGH

County: GREENE

Route: 49

Section: 2

Log Mile:

Land Section Number: 22

Township: 16N

Range: 05E

Land Section: SE

Latitude: N 35 59 58.3

Longitude: W 90 32 04.7

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 101.696

Elevation (Feet): 333.648

Description: AHTD BENCH MARK LOCATED IN SOUTHEAST CORNER OF HEADWALL OF BOX CULVERT RT. STA. 692+94.19 RECOVERED IN GOOD CONDITION. 22 NOV 99. VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280037

Class:

Vertical Datum:

Established by: RE OFFICE #04

Date Established: 5/13/1998

System: STATE

Job Number: R00071

Nearest City:

County: GREENE

Route: 49

Section: 2

Log Mile:

Land Section Number: 27

Township: 16N

Range: 05E

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 90.038

Elevation (Feet): 295.400

Description: AHTD BENCHMARK LOCATED IN SOUTH EAST CORNER OF HEADWALL  
OF BOX CULVERT RT. STA 643+49.36

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280038

Class:

Vertical Datum:

Established by:

RE OFFICE #04

Date Established: 5/13/1998

System: STATE

Job Number: R00071

Nearest City: PARAGOULD

County: GREENE

Route: 49

Section: 2

Log Mile:

Land Section Number: 22

Township: 16N

Range: 05E

Land Section: NE

Latitude: N 36 00 32.4

Longitude: W 90 31 55.4

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 88.773

Elevation (Feet): 291.249

Description: AHTD BENCH MARK LOCATED IN HEADWALL BOX CULVERT RT. STA.  
727+99.25 RECOVERED IN GOOD CONDITION . 22 NOV 99 VJBIII

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280039

Class:

Vertical Datum:

Established by: RE OFFICE #04

Date Established: 5/13/1998

System: STATE

Job Number: R00071

Nearest City: PARAGOULD

County: GREENE

Route: 49

Section: 2

Log Mile:

Land Section Number: 14

Township: 16N

Range: 05E

Land Section: SW

Latitude: N 36 00 39.4

Longitude: W 90 31 52.5

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 91.891

Elevation (Feet): 301.479

Description: AHTD BENCHMARK LOCATED IN SOUTHEAST WINGWALL OF BRIDGE  
6501 RT. STA. 734+30. RECOVERED IN GOOD CONDITION. 22 NOV 99  
VJBIII

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280040

Class:

Vertical Datum:

Established by: RE OFFICE #04

Date Established: 5/13/1998

System: STATE

Job Number: R00071

Nearest City: PARAGOULD

County: GREENE

Route: 49

Section: 2

Log Mile:

Land Section Number: 14

Township: 16N

Range: 05E

Land Section: SW

Latitude: N 36 01 08.02

Longitude: W 90 31 35.8

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 90.083

Elevation (Feet): 295.547

Description: AHTD BENCH MARK IN SOUTH EAST HEADWALL OF BOX CULVERT  
RT. OF STA. 767+55.37 RECOVERED IN GOOD CONDITION. 22 NOV 99  
VJB III

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280041

Class:

Vertical Datum:

Established by: RE OFFICE #04

Date Established: 5/13/1998

System: STATE

Job Number: R00071

Nearest City: PARAGOULD

County: GREENE

Route: 49

Section: 2

Log Mile:

Land Section Number: 1

Township: 16N

Range: 05E

Land Section: NW

Latitude: N 36 03 02.2

Longitude: W 90 30 18.6

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 108.563

Elevation (Feet): 356.177

Description: AHTD BENCH MARK LOCATED IN SOUTH EAST CORNER TOP OF  
JUNCTION BOX RT. STA. 902+25. RECOVERED 22 NOV 99. VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280042

Class:

Vertical Datum:

Established by: RE OFFICE #04

Date Established: 5/13/1998

System: STATE

Job Number: R00071

Nearest City: PARAGOULD

County: GREENE

Route: 49

Section: 2

Log Mile:

Land Section Number: 22

Township: 16N

Range: 05E

Land Section: NE

Latitude: N 36 00 22.0

Longitude: W 90 31 59.1

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 90.102

Elevation (Feet): 295.610

Description: AHTD BENCH MARK LOCATED IN SOUTH EAST CORNER OF  
HEADWALL OF BOX CULVERT RT. OF STA. 717+00.77. RECOVERED IN  
GOOD CONDITION. 22 NOV 99 VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280043

Class:

Vertical Datum:

Established by:

RE OFFICE #04

Date Established: 5/13/1998

System: STATE

Job Number: R00071

Nearest City: PARAGOULD

County: GREENE

Route: 49

Section: 2

Log Mile:

Land Section Number: 14

Township: 16N

Range: 05E

Land Section: NW

Latitude: N 36 01 25.2

Longitude: W 90 31 25.8

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 103.988

Elevation (Feet): 341.167

Description: AHTD BENCH MARK LOCATED IN SOUTH WEST CORNER DROP INLET  
TOP, LT. STA. 787+00. RECOVERED 22 NOV 99 GOOD CONDITION. VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280044

Class:

Vertical Datum:

Established by: RE OFFICE #04

Date Established: 5/13/1998

System: STATE

Job Number: R00071

Nearest City: PARAGOULD

County: GREENE

Route: 49

Section: 2

Log Mile:

Land Section Number: 11

Township: 16N

Range: 05E

Land Section: SE

Latitude: N 36 01 35.5

Longitude: W 90 31 24.7

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 111.169

Elevation (Feet): 364.727

Description: AHTD BENCH MARK LOCATED IN SOUTH EAST CORNER OF DROP  
INLET TOP, RT. STA. 799+50. RECOVERED IN GOOD CONDITION. 22 NOV  
99 VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280045

Class:

Vertical Datum:

Established by: RE OFFICE #04

Date Established: 5/13/1998

System: STATE

Job Number: R00071

Nearest City: PARAGOULD

County: GREENE

Route: 49

Section: 2

Log Mile:

Land Section Number: 11

Township: 16N

Range: 05E

Land Section: NE

Latitude: N 36 02 00.8

Longitude: W 90 31 09.3

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 112.87

Elevation (Feet): 370.308

Description: AHTD BENCH MARK LOCATED IN NORTH WEST CORNER OF DROP  
INLET TOP LT. STA. 826+00. RECOVERED 22 NOV 99. VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280046

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #04

Date Established: 5/13/1998

System: STATE

Job Number: R00071

Nearest City: PARAGOULD

County: GREENE

Route: 49

Section: 2

Log Mile:

Land Section Number: 11

Township: 16N

Range: 05E

Land Section: NE

Latitude: N 36 02 14.6

Longitude: W 90 30 54.2

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 118.914

Elevation (Feet): 390.137

Description: AHTD BENCH MARK IN SOUTHEAST CORNER IN TOP OF DROP INLET  
RT. STA. 844+50. RECOVERED 22 NOV 99. VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280047

Class:

Vertical Datum:

Established by: RE OFFICE #04

Date Established: 5/13/1998

System: STATE

Job Number: R00071

Nearest City: PARAGOULD

County: GREENE

Route: 49

Section: 2

Log Mile:

Land Section Number: 1

Township: 16N

Range: 05E

Land Section: SW

Latitude: N 36 02 41.2

Longitude: W 90 30 32.9

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 106.439

Elevation (Feet): 349.209

Description: AHTD BENCH MARK LOCATED IN SOUTH EAST CORNER OF TOP OF  
DROP INLET, RT. STA. 879+40. RECOVERED IN GOOD CONDITION. 22  
NOV 99 VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280048

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #04

Date Established: 9/9/1997

System: STATE

Job Number: 100226

Nearest City:

County: GREENE

Route: 34

Section: 3

Log Mile: 9.75

Land Section Number: 26

Township: 18N

Range: 04E

Land Section: NE

Latitude: N 36 10 28.2

Longitude: W 90 36 44.7

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 95.555

Elevation (Feet): 313.500

Description: AHTD DISK TOP NW WINGWALL 16' RT C/L STA 514+86 ON BRIDGE #  
6253 RECOVERED 23 NOV 99. DISC IS IN NORTH WEST WING WALL  
BRIDGE OVER " LICK CREEK" VJB III

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280049

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #04

Date Established: 4/25/2002

System: COUNTY

Job Number: BR2812

Nearest City: MOUNDS

County: GREENE

Route: CR 538

Section:

Log Mile:

Land Section Number: 16

Township: 17N

Range: 07W

Land Section:

Latitude: N 36 06 34.0

Longitude: W 90 20 44.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 80.336

Elevation (Feet): 263.569

Description: AHTD DISK IN TOP OF SW WINGWALL 15' RT OF STA 23+04.83

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

**Identification:** 280050

**Class:** THIRD-ORDER

**Vertical Datum:** NAVD88

**Established by:** RE OFFICE #04

**Date Established:** 8/27/2012

**System:** STATE

**Job Number:** 100675

**Nearest City:** HOOKER

**County:** GREENE

**Route:** 135

**Section:** 5

**Log Mile:** 13.62

**Land Section Number:** 33

**Township:** 19N

**Range:** 05E

**Land Section:** NENE

**Latitude:** N 36 14 50.00000

**Longitude:** W 90 32 01.00000

**Type:** GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

**Elevation (Meters):** 88.7457

**Elevation (Feet):** 291.160

**Description:** AHTD STANDARD DISC IN SE HEADWALL OF BRIDGE # 07187. (100675  
pn:910)

**Comments:** Elevation verified, control based on s100675gi. Three wire data available on edm in  
file S100675re\_benches.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280051

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #04

Date Established: 8/27/2012

System: STATE

Job Number: 100675

Nearest City: HOOKER

County: GREENE

Route: 135

Section: 5

Log Mile: 13.62

Land Section Number: 28

Township: 19N

Range: 05E

Land Section: SESE

Latitude: N 36 14 59.00000

Longitude: W 90 32 05.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 88.7732

Elevation (Feet): 291.250

Description: AHTD STANDARD DISC IN SE HEADWALL OF BRIDGE # 07187. (100675  
pn:911)

Comments: Elevation verified, control based on s100675gi. Three wire data available on edm in  
file S100675re\_benches.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280052

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #04

Date Established: 9/25/2013

System: STATE

Job Number: 100722

Nearest City: LAFE

County: GREENE

Route: 34

Section: 4

Log Mile: 1.61

Land Section Number: 34

Township: 18N

Range: 05E

Land Section: NWNW

Latitude: N 36 12 09.00000

Longitude: W 90 28 47.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 117.2751

Elevation (Feet): 384.760

Description: AHTD DISC 46.1 FT RIGHT OF CENTERLINE IN HEADWALL OF RC BOX  
(10722 PN 950)

Comments: Elevation verified, control based on s100722gi. Three wire data available on edm in  
file S100722re\_benches.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280053

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #04

Date Established: 9/27/2013

System: STATE

Job Number: 100722

Nearest City: MARMADUKE

County: GREENE

Route: 34

Section: 4

Log Mile: 6.70

Land Section Number: 34

Township: 18N

Range: 06E

Land Section: NENE

Latitude: N 36 11 13.00000

Longitude: W 90 23 40.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 88.7214

Elevation (Feet): 291.080

Description: AHTD DISC 17 FT RIGHT OF CENTERLINE IN WINGWALL OF BRIDGE  
07212 (10722 PN 951)

Comments: Elevation verified, control based on s100722gi. Three wire data available on edm in  
file S100722re\_benches.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

**Identification:** 280054

**Class:** THIRD-ORDER

**Vertical Datum:** NAVD88

**Established by:** RE OFFICE #04

**Date Established:** 10/22/2013

**System:** STATE

**Job Number:** 100722

**Nearest City:** MARMADUKE

**County:** GREENE

**Route:** 34

**Section:** 4

**Log Mile:** 3.66

**Land Section Number:** 34

**Township:** 18N

**Range:** 06E

**Land Section:** NENE

**Latitude:** N 36 11 16.00000

**Longitude:** W 90 27 03.00000

**Type:** GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

**Elevation (Meters):** 99.8192

**Elevation (Feet):** 327.490

**Description:** AHTD DISC 17 FT RIGHT OF CENTERLINE IN WINGWALL OF BRIDGE  
07212 (10721 PN 951)

**Comments:** Elevation verified, control based on s100722gi. Three wire data available on edm in  
file S100722re\_benches.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280055

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #04

Date Established: 8/1/2013

System: STATE

Job Number: 100710

Nearest City: Paragould

County: GREENE

Route: 412

Section: 8&9

Log Mile:

Land Section Number: 14

Township: 16n

Range: 05e

Land Section:

Latitude: N 36 01 01.00000

Longitude: W 90 31 27.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 86.8965

Elevation (Feet): 285.093

Description: AHTD Disc in NW corner of RC Box Culvert 384+19

Comments: Elevation verified, control based on s100722gi. Three wire data available on edm in file S100722re\_benches.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280056

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #04

Date Established: 8/16/2013

System: STATE

Job Number: 100710

Nearest City: Paragould

County: GREENE

Route: 412

Section: 8&9

Log Mile:

Land Section Number: 5

Township: 16n

Range:

Land Section:

Latitude: N 36 02 40.00000

Longitude: W 90 28 20.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 83.8735

Elevation (Feet): 275.175

Description: AHTD Disc in SE corner of Bridge A7224

Comments: Elevation verified, control based on s100722gi. Three wire data available on edm in file S100722re\_benches.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280057

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #04

Date Established: 9/17/2013

System: STATE Job Number: 100710 Nearest City: Paragould

County: GREENE Route: 412 Section: 8&9 Log Mile:

Land Section Number: 8 Township: 16n Range: 06e

Land Section:

Latitude: N 36 02 17.00000 Longitude: W 90 28 22.00000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.6231 Elevation (Feet): 261.230

Description: AHTD Disc in SW corner of RC Box Culvert 600+13

Comments: Elevation verified, control based on s100722gi. Three wire data available on edm in file S100722re\_benches.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280058

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #04

Date Established: 10/22/2013

System: STATE

Job Number: 100710

Nearest City: Paragould

County: GREENE

Route: 412

Section: 8&9

Log Mile:

Land Section Number: 8

Township: 16n

Range: 06e

Land Section:

Latitude: N 36 01 37.00000

Longitude: W 90 28 24.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.5926

Elevation (Feet): 261.130

Description: AHTD Disc in SW corner of RC Box Culvert 559+42

Comments: Elevation verified, control based on s100722gi. Three wire data available on edm in file S100722re\_benches.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280059

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #04

Date Established: 10/22/2013

System: STATE Job Number: 100710 Nearest City: Paragould

County: GREENE Route: 412 Section: 8&9 Log Mile:

Land Section Number: 5 Township: 16n Range: 06e

Land Section:

Latitude: N 36 01 05.00000 Longitude: W 90 30 48.00000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 93.3498 Elevation (Feet): 306.265

Description: AHTD Disc in NE corner of Bridge A7223

Comments: Elevation verified, control based on s100722gi. Three wire data available on edm in file S100722re\_benches.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280060

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #04

Date Established: 8/18/2020

System: STATE

Job Number: 100841

Nearest City: Sedgwick

County: GREENE

Route: 228

Section: 5

Log Mile: 0.40

Land Section Number: 25

Township: 16n

Range: 02e

Land Section: NWSW

Latitude: N 35 59 17.00000

Longitude: W 90 50 30.00000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 80.3576

Elevation (Feet): 263.640

Description: AHTD disc 905 in SE corner of Wing wall 104+38

Comments: Elevation verified. Three wire data available on EDM under job 100841 in s100841\_re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280061

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: B&F

Date Established: 12/2/2020

System: STATE

Job Number: CA1003

Nearest City:

County: GREENE

Route: 412

Section: 8

Log Mile: 1.16

Land Section Number: 31

Township: 17n

Range: 03e

Land Section: NE

Latitude: N 36 04 12.00000

Longitude: W 90 47 59.70000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.7724

Elevation (Feet): 261.720

Description: ARDOT aluminum disk SW corner of RC Box HW STA 475+66.55, 59.91' Rt of CL

Comments: Elevation not verified.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280062

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: B&F

Date Established: 12/2/2020

System: STATE Job Number: CA1003 Nearest City:

County: GREENE Route: 412 Section: 8 Log Mile: 2.46

Land Section Number: 33 Township: 17n Range: 03e

Land Section: NW

Latitude: N 36 02 28.00000 Longitude: W 90 27 49.00000 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 80.251

Elevation (Feet): 263.290

Description: ARDOT aluminum disk SW corner of RC Box HW STA 544+33.79, 60.89' Rt of CL.

Comments: Elevation not verified

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280063

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: B&F

Date Established: 12/2/2020

System: STATE

Job Number: CA1003

Nearest City:

County: GREENE

Route: 412

Section: 8

Log Mile: 4.37

Land Section Number: 34

Township: 17n

Range: 03e

Land Section: NE

Latitude: N 36 03 55.00000

Longitude: W 90 44 37.00000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 111.112

Elevation (Feet): 364.540

Description: ARDOT aluminum disk SW corner of RC Box HW STA 644+92.16, 60.23' Rt of CL

Comments: Elevation not verified

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280064

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: B&F

Date Established: 12/2/2020

System: STATE

Job Number: CA1003

Nearest City:

County: GREENE

Route: 412

Section: 8

Log Mile: 3.62

Land Section Number: 34

Township: 17n

Range: 03e

Land Section: NW

Latitude: N 36 03 55.00000

Longitude: W 90 45 25.00000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 86.1732

Elevation (Feet): 282.720

Description: ARDOT aluminum disk SW corner of RC Box HW STA 605+21.98, 67.41' Rt of CL.

Comments: Elevation not verified.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280065

Class: t120220

Vertical Datum: NAVD88

Established by: B&F

Date Established: 12/2/2020

System: STATE

Job Number: CA1003

Nearest City:

County: GREENE

Route: 412

Section: 8

Log Mile: 5.31

Land Section Number: 35

Township: 17n

Range: 03e

Land Section: NE

Latitude: N 36 04 06.00000

Longitude: W 90 43 39.00000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.3696

Elevation (Feet): 266.960

Description: ARDOT alukinum disk SW corner of RC Box HW STA 694+33.88, 60.79' Rt of CL

Comments: Elevation not verified.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280066

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: B&F

Date Established: 12/2/2020

System: STATE

Job Number: CA1003

Nearest City:

County: GREENE

Route: 412

Section: 8

Log Mile: 5.51

Land Section Number: 36

Township: 17n

Range: 03e

Land Section: NW

Latitude: N 36 04 07.00000

Longitude: W 90 43 26.00000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.3604

Elevation (Feet): 266.930

Description: ARDOT aluminum disk SW corner of RC Box HW STA 705+25.00, 60.14' Rt of CL

Comments: Elevation not verified.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280069

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: B&F

Date Established: 12/2/2020

System: STATE Job Number: CA1003 Nearest City:

County: GREENE Route: 412 Section: 8 Log Mile: 8.17

Land Section Number: 29 Township: 17n Range: 04e

Land Section: SE

Latitude: N 36 04 07.00000 Longitude: W 90 52 35.00000 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.3533 Elevation (Feet): 280.030

Description: ARDOT aluminum disk SW corner RC Box HW STA 845.39.44, 60.79' Rt of CL

Comments: Elevation not verified.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280070

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #04

Date Established: 5/24/2021

System: STATE

Job Number: 100708

Nearest City: Paragould

County: GREENE

Route: 412

Section: 08

Log Mile: 15.311

Land Section Number: 5

Township: 16n

Range: 05e

Land Section: SENE

Latitude: N 36 02 54.60000

Longitude: W 90 34 04.80000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 100.521

Elevation (Feet): 329.793

Description: AHTD disc in SW corner of headwall STA 181+58.123

Comments: Not verified

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280071

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #04

Date Established: 5/24/2021

System: STATE

Job Number: 100708

Nearest City: Paragould

County: GREENE

Route: 412

Section: 8

Log Mile: 17.65

Land Section Number: 16

Township: 16n

Range: 05e

Land Section: NENE

Latitude: N 36 01 13.00000

Longitude: W 90 03 00.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 96.1503

Elevation (Feet): 315.453

Description: AHTD disk in NE corner of headwall STA 305+08.253

Comments: Elevation not verified

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280072

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #04

Date Established: 5/24/2021

System: STATE

Job Number: 100708

Nearest City: Paragould

County: GREENE

Route: 412

Section: 8

Log Mile: 16.471

Land Section Number: 9

Township: 16n

Range: 05e

Land Section: SENW

Latitude: N 36 02 02.00000

Longitude: W 90 33 28.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 100.649

Elevation (Feet): 330.213

Description: AHTD disk in NE corner of headwall 242+85.599

Comments: Elevation not verified

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280073

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #04

Date Established: 6/7/2021

System: STATE

Job Number: 100708

Nearest City: Paragould

County: GREENE

Route: 412

Section: 8

Log Mile: 15.420

Land Section Number: 5

Township: 16n

Range: 05e

Land Section: SENE

Latitude: N 36 02 49.00000

Longitude: W 90 34 01.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 98.733

Elevation (Feet): 323.927

Description: AHTD disk in NE cornr of headwall at STA 187+33.495

Comments: Elevation not verified.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280074

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #04

Date Established: 5/24/2021

System: STATE Job Number: 100708 Nearest City: Paragould

County: GREENE Route: 412 Section: 8 Log Mile: 14.615

Land Section Number: 32 Township: 17n Range: 05e

Land Section: NWSE

Latitude: N 36 03 28.00000 Longitude: W 90 34 16.00000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 103.451 Elevation (Feet): 339.405

Description: AHTD disk in SE corner of headwall STA 144+82.364

Comments: Elevation not verified



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

**Identification:** 280075

**Class:** THIRD-ORDER

**Vertical Datum:** NAVD88

**Established by:** RE OFFICE #04

**Date Established:** 5/24/2021

**System:** STATE

**Job Number:** 100708

**Nearest City:** Paragould

**County:** GREENE

**Route:** 412

**Section:** 8

**Log Mile:** 15.311

**Land Section Number:** 5

**Township:** 16n

**Range:** 05e

**Land Section:** SENE

**Latitude:** N 36 02 54.00000

**Longitude:** W 90 34 04.00000

**Type:** GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

**Elevation (Meters):** 100.521

**Elevation (Feet):** 329.793

**Description:** AHTD disc in SW corner of Headwall STA. 181+58.123

**Comments:** Elevation not verified

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280076

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #04

Date Established: 5/24/2021

System: STATE Job Number: 100708 Nearest City: Paragould

County: GREENE Route: 412 Section: 8 Log Mile: 14.615

Land Section Number: 32 Township: 17n Range: 05e

Land Section: NWSE

Latitude: N 36 03 28.8000 Longitude: W 90 34 19.74000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 103.451 Elevation (Feet): 339.405

Description: AHTD disk in SE corner of headwall STA. 144+82.364

Comments: Elevation not verified

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 280078

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #04

Date Established: 5/24/2021

System: STATE

Job Number: 100708

Nearest City: Paragould

County: GREENE

Route: 412

Section: 8

Log Mile: 17.65

Land Section Number: 16

Township: 16n

Range: 05e

Land Section: NENE

Latitude: N 36 01 13.00000

Longitude: W 90 03 01.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 96.15

Elevation (Feet): 315.452

Description: AHTD disc in NE corner of headwall STA. 305+08.253

Comments: Elevation not verified.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 28067

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: B&F

Date Established: 12/2/2020

System: STATE Job Number: CA1003 Nearest City:

County: GREENE Route: 412 Section: 8 Log Mile: 6.45

Land Section Number: 31 Township: 17n Range: 04e

Land Section: NW

Latitude: N 36 04 07.00000 Longitude: W 90 42 26.00000 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.7902 Elevation (Feet): 268.340

Description: ARDOT aluminum disk SW corner of RC Box HW STA 754+61.91, 61.21' Rt of CL

Comments: Elevation not verified.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 28068

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: B&F

Date Established: 12/2/2020

System: STATE Job Number: CA1003 Nearest City:

County: GREENE Route: 412 Section: 8 Log Mile: 6.98

Land Section Number: 31 Township: 17n Range: 04e

Land Section: NE

Latitude: N 36 02 26.00000 Longitude: W 90 24 54.00000 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 83.3051 Elevation (Feet): 273.310

Description: ARDOT aluminum disk SW corner of RC Box HW STA 782+83.3, 61.97' Rt of CL

Comments: Elevation not verified.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 2890077

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #04

Date Established: 5/24/2021

System: STATE

Job Number: 100708

Nearest City: Paragould

County: GREENE

Route: 412

Section: 8

Log Mile: 15.420

Land Section Number: 5

Township: 16n

Range: 05e

Land Section: SENE

Latitude: N 36 02 49.00000

Longitude: W 90 34 01.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 98.733

Elevation (Feet): 323.927

Description: AHTD disk in NE corner of headwall STA. 187+33.495

Comments: Elevation not verified.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290001

Class:

Vertical Datum:

Established by:

Date Established: 1/1/1989

System:

Job Number: N/A

Nearest City: HOPE

County: HEMPSTEAD

Route: 4

Section: 5

Log Mile: 23.95

Land Section Number: 33

Township: 12S

Range: 24W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 106.333

Elevation (Feet): 348.861

Description: [] IN N. WHEEL GUARD ON W. BRIDGE END HWY. 4 INT. @ HOPE 14'  
LEFT OF STATION 691+44 HWY. 4. NOT LOCATABLE JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290002

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City:

County: HEMPSTEAD Route: 4 Section: 5 Log Mile: 22.22

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 104.202 Elevation (Feet): 341.869

Description: [] IN N.W. CORNER OF E. WHEELGUARD ON TOWN CREEK BR. JUNE  
2003 NOT RECOVERABLE

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290003

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City:

County: HEMPSTEAD

Route: 4

Section: 5

Log Mile: 17.92

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 104.202

Elevation (Feet): 341.869

Description: [] IN N.W. CORNER OF E. WHEELGUARD ON TOWN CREEK BR. JUNE 2003 NOT LOCATABLE.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290004

Class:

Vertical Datum:

Established by: RE OFFICE #32

Date Established: 4/16/1992

System: STATE

Job Number: R30037

Nearest City: OZAN

County: HEMPSTEAD

Route: 4

Section: 5

Log Mile: 11.89

Land Section Number: 5

Township: 11S

Range: 25W

Land Section: SW

Latitude: N 33 49 14.0

Longitude: W 93 42 28.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 106.506

Elevation (Feet): 349.428

Description: AHTD METAL DISC IN TOP OF SOUTH END OF WEST PARAPET WALL OF  
BRIDGE NO. 6332. RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290005

Class:

Vertical Datum:

Established by: RE OFFICE #32

Date Established: 10/1/1991

System: STATE

Job Number: R30037

Nearest City: OZAN

County: HEMPSTEAD

Route: 4

Section: 5

Log Mile: 11.3

Land Section Number: 5

Township: 11S

Range: 25W

Land Section: NW

Latitude: N 33 49 46.0

Longitude: W 93 42 27.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 105.866

Elevation (Feet): 347.329

Description: ALUMINUM CAP IN TOP OF NORTHWEST WINGWALL OF REINFORCED  
CONCRETE BOX CULVERT 244+84 LEFT. RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290006

Class:

Vertical Datum:

Established by: RE OFFICE #32

Date Established: 10/1/1991

System: STATE

Job Number: R30037

Nearest City:

County: HEMPSTEAD

Route: 4

Section: 5

Log Mile: 10.3

Land Section Number: 31

Township: 10S

Range: 26W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 110.719

Elevation (Feet): 363.251

Description: ALUMINUM CAP IN TOP OF NORTH END OF WEST HEADWALL OF  
REINFORCED CONCRETE BOX CULVERT STATION 294+88 LEFT. JUNE  
2003 NOT LOCATABLE

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290007

Class:

Vertical Datum:

Established by: RE OFFICE #32

Date Established: 10/1/1991

System: STATE

Job Number: R30037

Nearest City:

County: HEMPSTEAD

Route: 4

Section: 5

Log Mile: 15.7

Land Section Number: 8

Township: 11S

Range: 25W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 110.612

Elevation (Feet): 362.900

Description: ALUMINUM CAP IN NORTHWEST WINGWALL REINFORCED CONCRETE  
BOX CULVERT 184+77 LEFT. JUNE 2003 NOT LOCATABLE

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290008

Class:

Vertical Datum:

Established by:

RE OFFICE #32

Date Established: 10/1/1991

System: STATE

Job Number: R30037

Nearest City:

County: HEMPSTEAD

Route: 4

Section: 5

Log Mile: 11.8

Land Section Number: 5

Township: 11S

Range: 25W

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 103.251

Elevation (Feet): 338.749

Description: ALUMINUM CAP IN TOP OF SOUTH END OF EAST HEADWALL R.C.B.C.  
220+57 RIGHT. JUNE 2003 NOT LOCATABLE.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290009

Class:

Vertical Datum:

Established by: RE OFFICE #32

Date Established: 10/1/1991

System: STATE Job Number: R30037 Nearest City: OZAN

County: HEMPSTEAD Route: 4 Section: 5 Log Mile: 10.1

Land Section Number: 31 Township: 10S Range: 26W

Land Section: NW

Latitude: N 33 50 27.0 Longitude: W 93 42 56.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 112.346 Elevation (Feet): 368.589

Description: ALUMINUM CAP IN TOP OF NORTH END OF WEST HEADWALL OF  
REINFORCED CONCRETE BOX CULVERT 309+44 LEFT. RECOVERED  
JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290010

Class:

Vertical Datum:

Established by: RE OFFICE #31

Date Established: 4/4/1994

System: STATE

Job Number: R30014

Nearest City: NASHVILLE

County: HEMPSTEAD

Route: 27

Section: 3

Log Mile: 3.52

Land Section Number: 4

Township: 09S

Range: 26W

Land Section: SENW

Latitude: N 34 00 01.0

Longitude: W 93 46 33.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 140.708

Elevation (Feet): 461.639

Description: DISK IN TOP CENTER LEFT HEADWALL DOUBLE 10'X 10'X 71' R.C.B.C.  
STATION 298+85 JOB #R30014 (STATE HIGHWAY 27 NORTHEAST OF  
NASHVILLE). RECOVERED JUNE 2003.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290011

Class:

Vertical Datum:

Established by: RE OFFICE #31

Date Established: 4/4/1994

System: STATE

Job Number: R30014

Nearest City: NASHVILLE

County: HEMPSTEAD

Route: 27

Section: 3

Log Mile: 4.23

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 00 16.0

Longitude: W 93 46 15.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 144.549

Elevation (Feet): 474.241

Description: DISK IN TOP CENTER LEFT HEADWALL TRIPLE 10'X 6'X 86' R.C.B.C.  
STATION 336+41 JOB #R30014 (STATE HIGHWAY 27 NORTHEAST OF  
NASHVILLE). RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290012

Class:

Vertical Datum:

Established by: RE OFFICE #31

Date Established: 4/4/1994

System: STATE

Job Number: R30014

Nearest City: NASHVILLE

County: HEMPSTEAD

Route: 27

Section: 3

Log Mile: 1.02

Land Section Number: 18

Township: 09S

Range: 26W

Land Section: NE

Latitude: N 33 58 20.0

Longitude: W 93 48 18.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 130.36

Elevation (Feet): 427.689

Description: DISK IN TOP CENTER LEFT HEADWALL DOUBLE 4 X 3 X 70 R.C.B.C.  
STATION 166+84 JOB # R30014 (STATE HIGHWAY 27 NORTHEAST OF  
NASHVILLE). RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290013

Class:

Vertical Datum:

Established by: RE OFFICE #31

Date Established: 4/4/1994

System: STATE

Job Number: R30014

Nearest City: NASHVILLE

County: HEMPSTEAD

Route: 27

Section: 3

Log Mile: 1.33

Land Section Number: 8

Township: 09S

Range: 26W

Land Section: SW

Latitude: N 33 58 27.0

Longitude: W 93 48 10.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 132.043

Elevation (Feet): 433.211

Description: DISK IN TOP CENTER LEFT HEADWALL DOUBLE 6'X 3'X 76' R.C.B.C.  
STATION 183+59 JOB # R30014 (STATE HIGHWAY NORTHEAST OF  
NASHVILLE). RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290014

Class:

Vertical Datum:

Established by: RE OFFICE #31

Date Established: 3/31/1994

System: STATE Job Number: R30014 Nearest City: NASHVILLE

County: HEMPSTEAD Route: 27 Section: 3 Log Mile: 0.35

Land Section Number: 18 Township: 09S Range: 26W

Land Section: SE

Latitude: N 33 58 11.0 Longitude: W 93 49 03.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 133.622 Elevation (Feet): 438.392

Description: DISK CENTER LEFT HEADWALL 4' X 4' X 71' R.C.B.C. STATION 131+58  
JOB # R30014 (STATE HIGHWAY 27 NORTHEAST OF NASHVILLE).  
RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290015

Class:

Vertical Datum:

Established by: RE OFFICE #31

Date Established: 3/31/1994

System: STATE

Job Number: R30014

Nearest City: NASHVILLE

County: HEMPSTEAD

Route: 27

Section: 3

Log Mile: 0.65

Land Section Number: 18

Township: 09S

Range: 26W

Land Section: SW

Latitude: N 33 58 12.0

Longitude: W 93 48 28.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 133.643

Elevation (Feet): 438.460

Description: DISK IN TOP RIGHT WING @ B.E. STATION 147+51 JOB #R30014 CARY CREEK BR. #6418 (STATE HIGHWAY 27 NORTHEAST OF NASHVILLE). RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290016

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City:

County: HEMPSTEAD

Route: 29

Section: 3

Log Mile: 0.93

Land Section Number: 31

Township: 14S

Range: 24W

Land Section:

Latitude: N 33 29 19.0

Longitude: W 93 37 35.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 87.155

Elevation (Feet): 285.941

Description: DISK SET NORTHWEST TERMINAL ANCHOR POST BRIDGE 5617 23' LEFT OF STATION 132+96. 0.93 MILE NORTH OF COUNTY LINE. RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290017

Class:

Vertical Datum:

Established by: RE OFFICE #32

Date Established: 11/2/1993

System: STATE

Job Number: R30030

Nearest City: HOPE

County: HEMPSTEAD

Route: 29

Section: 3

Log Mile: 0.13

Land Section Number: 4

Township: 13S

Range: 24W

Land Section: NE

Latitude: N 33 38 28.0

Longitude: W 93 35 03.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 113.148

Elevation (Feet): 371.220

Description: ALUMINUM DISK IN NORTHWEST CORNER OF DROP INLET STATION  
55+501+ (HWY 29) .13 MILE EAST OF HWY 29 AND PATMOS ROAD  
INTERSECTION. RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290018

Class:

Vertical Datum:

Established by:

RE OFFICE #31

Date Established: 11/2/1993

System: STATE

Job Number: R30030

Nearest City: HOPE

County: HEMPSTEAD

Route: 29

Section: 3

Log Mile: 0.24

Land Section Number: 34

Township: 12S

Range: 24W

Land Section: SW

Latitude: N 33 39 26.0

Longitude: W 93 34 18.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 106.689

Elevation (Feet): 350.029

Description: ALUMINUM DISK IN NORTHWEST CORNER OF HEADWALL R.C. BOX  
CULVERT STATION 22+68 LEFT SHOVER ROAD .24 MILE EAST OF HWY  
4 & 29 INTERSECTION. RECOVERED JUNE 2003.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290019

Class:

Vertical Datum:

Established by: RE OFFICE #32

Date Established:

System: STATE

Job Number: R30029

Nearest City: HOPE

County: HEMPSTEAD

Route: 29

Section: 4

Log Mile: 1.01\*

Land Section Number: 27

Township: 12S

Range: 24W

Land Section:

Latitude: N 33 40 58.0

Longitude: W 93 34 32.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 92.099

Elevation (Feet): 302.161

Description: METAL PLATE IN SE CORNER HEAD WALL R. C. BOX CULVERT 42' RT. STA. 214+80 CENTERLINE HWY. 29 NEW LOCATION. \*\*\*1.01 MILES NORTH INT. HWY. 67 AND HWY. 29 NEW LOCATION\*\*\*. RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290020

Class:

Vertical Datum:

Established by: RE OFFICE #32

Date Established:

System: STATE Job Number: R30029 Nearest City: HOPE

County: HEMPSTEAD Route: 29 Section: 4 Log Mile: 1.45 \*

Land Section Number: 22 Township: 12S Range: 24W

Land Section:

Latitude: N 33 41 15.0 Longitude: W 93 34 50.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 94.153 Elevation (Feet): 308.900

Description: METAL PLATE IN SOUTHEAST CORNER HEADWALL R.C. BOX 42' RIGHT  
STATION 238+00 CENTERLINE HWY 29 NEW LOCATION. \*\*\*1.45  
MILES NORTH INT. HWY. 67 AND HWY. 29 NEW LOCATION.\*\*\*.  
RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290021

Class:

Vertical Datum:

Established by: RE OFFICE #32

Date Established:

System: STATE Job Number: R30029 Nearest City: HOPE

County: HEMPSTEAD Route: 29 Section: 4 Log Mile: 1.88 \*

Land Section Number: Township: 12S Range: 24W

Land Section:

Latitude: N 33 41 10.0 Longitude: W 93 35 06.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 96.826 Elevation (Feet): 317.670

Description: METAL PLATE IN SE CORNER HEADWALL R. C. BOX 38' RT. STA. 260+50  
CENTERLINE HWY. 29 NEW LOCATION. \*\*\*1.88 MILES NORTH INT..  
HWY. 67 AND HWY. 29 NEW LOCATION.\*\*\*. RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290022

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: HOPE

County: HEMPSTEAD

Route: 73

Section: 2

Log Mile: 12.98

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 33 41 40.0

Longitude: W 93 39 26.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 91.974

Elevation (Feet): 301.751

Description: DISK 1.2 MILE WEST JUNCTION HWY. 4 & 73 NORTHWEST HEADWALL  
R.C. BOX AT MUD CREEK. RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290023

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: CROSS ROADS

County: HEMPSTEAD

Route: 73

Section: 2

Log Mile: 8.61

Land Section Number: 8

Township: 12S

Range: 25W

Land Section:

Latitude: N 33 43 20.0

Longitude: W 93 42 55.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 106.284

Elevation (Feet): 348.700

Description: DISK 5.6 MILE WEST JUNCTION HWY. 4 & 73 NORTHWEST CORNER  
HEADWALL R.C. BOX AT WATER CREEK. RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290024

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: HOPE

County: HEMPSTEAD

Route: 174

Section: 0

Log Mile: 0.55

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 33 35 43.0

Longitude: W 93 38 51.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 90.431

Elevation (Feet): 296.689

Description: METAL BENCH MARK PLACED IN CONCRETE WINGWALL 18' RIGHT OF CENTERLINE OF BRIDGE NO. 6127 (STATION 14+62). RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290025

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: HOPE

County: HEMPSTEAD

Route: 174

Section: 0

Log Mile: 2.35

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 33 37 04.0

Longitude: W 93 38 01.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 92.464

Elevation (Feet): 303.359

Description: METAL DISC SET IN CONCRETE IN NORTHEAST CORNER OF  
HEADWALL OF BOX CULVERT ON BOIS D'ARC ON HWY. 174.  
RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290026

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: HOPE

County: HEMPSTEAD

Route: 174

Section: 0

Log Mile: 3.66

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 33 38 01.0

Longitude: W 93 37 24.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 88.855

Elevation (Feet): 291.518

Description: BENCH MARK IN RIGHT WINGWALL 17' RIGHT OF CENTERLINE AT STATION 178+17. RECOVERED JUNE 2003.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290027

Class:

Vertical Datum:

Established by:

Date Established: 10/12/1995

System: STATE

Job Number: 030060

Nearest City: BLEVINS

County: HEMPSTEAD

Route: 371

Section: 3

Log Mile: 20.92

Land Section Number: 24

Township: 09S

Range: 26W

Land Section: NW

Latitude: N 33 52 07.0

Longitude: W 93 31 18.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 108.411

Elevation (Feet): 355.678

Description: AHTD BENCH MARK LOCATED IN THE CENTER OF SOUTH HEADWALL OF R. C BOX CULVERT LOCATED 3.15 MILES EAST OF JCT. OF ARK. HWY. 29 & U. S. HWY. 371 ON U. S. HWY. 371. EAST OF BLEVINS. RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290028

Class:

Vertical Datum:

Established by:

Date Established: 9/3/1996

System: STATE

Job Number: 030060

Nearest City: BLEVINS

County: HEMPSTEAD

Route: 371

Section: 3

Log Mile: 16.17

Land Section Number: 17&18

Township: 10S

Range: 24W

Land Section:

Latitude: N 33 52 34.0

Longitude: W 93 35 35.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 95.442

Elevation (Feet): 313.129

Description: AHTD BENCH MARK LOCATED 1.60 MILES WEST FROM INTERSECTION OF HWY. 29 & US 371 IN BLEVINS IN NW WINGWALL OF BRIDGE #6611, OZAN CREEK. RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290029

Class:

Vertical Datum:

Established by:

Date Established: 10/7/1994

System: COUNTY

Job Number: BR2906

Nearest City: WASHINGTON

County: HEMPSTEAD

Route: CR16

Section:

Log Mile:

Land Section Number: 22

Township: 11S

Range: 25W

Land Section: SW

Latitude: N 33 46 26.4

Longitude: W 93 40 21.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 113.995

Elevation (Feet): 373.999

Description: AHTD BENCHMARK DISK LOCATED IN MIDDLE OF SOUTH HEADWALL OF RCBC 0.45 MILES N.EAST OF INTERSECTION OF HWY. 4 AND FRANKLIN ST. IN WASHINGTON, AR. RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290030

Class:

Vertical Datum:

Established by:

Date Established: 7/21/1997

System: NHS

Job Number: 030084

Nearest City:

County: HEMPSTEAD

Route: I-30

Section: 12

Log Mile: 24.04

Land Section Number: 9

Township: 13S

Range: 25W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.97

Elevation (Feet): 226.279

Description: DISK LOCATED IN TOP OF PARAPET WALL SW COR. BR#3994A

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290031

Class:

Vertical Datum:

Established by:

Date Established: 7/21/1997

System: NHS

Job Number: 030084

Nearest City:

County: HEMPSTEAD

Route: I-30

Section: 12

Log Mile: 24.04

Land Section Number: 9

Township: 13S

Range: 25W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 149.916

Elevation (Feet): 491.849

Description: DISK LOCATED IN TOP OF PARAPER WALL SW CORNER BR# 3994B

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290032

Class:

Vertical Datum:

Established by:

Date Established: 7/21/1997

System: NHS

Job Number: 030084

Nearest City: FULTON

County: HEMPSTEAD

Route: I-30

Section: 12

Log Mile: 23.27

Land Section Number: 8

Township: 13S

Range: 25W

Land Section: NE

Latitude: N 33 38 07.0

Longitude: W 93 42 41.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 82.354

Elevation (Feet): 270.190

Description: DISK LOCATED IN TOP OF PARAPET WALL SE COR. BR# 3993A  
SOUTHBOUND. RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290033

Class:

Vertical Datum:

Established by:

Date Established: 7/21/1997

System: NHS

Job Number: 030084

Nearest City: FULTON

County: HEMPSTEAD

Route: I-30

Section: 12

Log Mile: 23.30

Land Section Number: 8

Township: 13S

Range: 25W

Land Section: NE

Latitude: N 33 38 07.0

Longitude: W 93 42 39.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 82.189

Elevation (Feet): 269.648

Description: DISK LOCATED IN TOP OF PARAPET WALL SE COR. BR# 3993B.  
RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290034

Class:

Vertical Datum:

Established by:

Date Established: 7/21/1997

System: NHS

Job Number: 030084

Nearest City:

County: HEMPSTEAD

Route: I-30

Section: 12

Log Mile: 27.00

Land Section Number: 35

Township: 12S

Range: 25W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.773

Elevation (Feet): 281.407

Description: DISK LOCATED IN TOP OF PARAPET WALL SW COR. BR# 5042A.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290035

Class:

Vertical Datum:

Established by:

Date Established: 7/21/1997

System: NHS

Job Number: 030084

Nearest City:

County: HEMPSTEAD

Route: I-30

Section: 12

Log Mile: 27.00

Land Section Number: 35

Township: 12S

Range: 25W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.633

Elevation (Feet): 280.948

Description: DISK LOCATED IN TOP OF PARAPET WALL SW COR. BR# 5042B.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290036

Class:

Vertical Datum:

Established by:

Date Established: 7/21/1997

System: NHS

Job Number: 030084

Nearest City:

County: HEMPSTEAD

Route: I-30

Section: 12

Log Mile: 26.47

Land Section Number: 2

Township: 13S

Range: 25W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.776

Elevation (Feet): 281.417

Description: DISK LOCATED IN TOP OF PARAPET WALL SW COR. BR3 5041A.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290037

Class:

Vertical Datum:

Established by:

Date Established: 7/21/1997

System: NHS

Job Number: 030084

Nearest City:

County: HEMPSTEAD

Route: I-30

Section: 12

Log Mile: 26.47

Land Section Number: 2

Township: 13S

Range: 25W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.639

Elevation (Feet): 280.967

Description: DISK LOCATED IN TOP OF PARAPET WALL SW COR. BR# 5041B.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290038

Class:

Vertical Datum:

Established by:

Date Established: 7/21/1997

System: NHS

Job Number: 030084

Nearest City:

County: HEMPSTEAD

Route: I-30

Section: 12

Log Mile: 29.17

Land Section Number: 1

Township: 12S

Range: 24W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 100.94

Elevation (Feet): 331.167

Description: DISK LOCATED IN TOP OF PARAPET WALL SW COR. BR # 5045A.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290039

Class:

Vertical Datum:

Established by:

Date Established: 7/21/1997

System: NHS

Job Number: 030084

Nearest City:

County: HEMPSTEAD

Route: I-30

Section: 12

Log Mile: 29.23

Land Section Number: 1

Township: 12S

Range: 24W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 101.388

Elevation (Feet): 332.637

Description: DISK LOCATED IN TOP OF PARAPET WALL SW COR. BR# 5045B.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290040

Class:

Vertical Datum:

Established by:

Date Established: 7/21/1997

System: NHS

Job Number: 030084

Nearest City: FULTON

County: HEMPSTEAD

Route: I-30

Section: 12

Log Mile: 27.23

Land Section Number: 36

Township: 12S

Range: 25W

Land Section: SW

Latitude: N 33 39 31.0

Longitude: W 93 38 55.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.776

Elevation (Feet): 281.417

Description: DISK LOCATED IN TOP OF PARAPET WALL SW COR. BR# 5043A.  
RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290041

Class:

Vertical Datum:

Established by:

Date Established: 7/21/1997

System: NHS

Job Number: 030084

Nearest City: FULTON

County: HEMPSTEAD

Route: I-30

Section: 12

Log Mile: 27.23

Land Section Number: 36

Township: 12S

Range: 25W

Land Section: SW

Latitude: N 33 38 30.0

Longitude: W 93 38 54.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.645

Elevation (Feet): 280.987

Description: DISK LOCATED IN TOP OF PARAPET WALL SE COR. BR# 5043B  
NORTHBOUND. RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290042

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: OZAN

County: HEMPSTEAD

Route: CR333

Section:

Log Mile: 0.75

Land Section Number:

Township: 10S

Range: 25W

Land Section:

Latitude: N 33 51 38.0

Longitude: W 93 43 20.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 104.186

Elevation (Feet): 341.817

Description: BRIDGE 4437 MIDDLE FORK OZAN RIVER NORTH ON COUNTY ROAD  
OZAN TOP OF PARAPET WALL. RECOVERED JUNE 2003.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290043

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: S-29-19

Nearest City:

County: HEMPSTEAD

Route: O. RD. 2 & 1

Section:

Log Mile: .4

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 94.271

Elevation (Feet): 309.287

Description: CPS IN POWER POLE OF GREATER ST. LUKE CHURCH, 0.4 MILES EAST FROM BM. NOT LOCATABLE JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290044

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: S-29-19

Nearest City:

County: HEMPSTEAD

Route: CR 2 & CR10

Section:

Log Mile: 0.7

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 88.517

Elevation (Feet): 290.410

Description: CPS IN POWER POLE WITH TRANSFORMER. NOT LOCATABLE JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290045

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: S-29-19

Nearest City:

County: HEMPSTEAD

Route: CR2 & CR10

Section:

Log Mile: 1.0

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 83.045

Elevation (Feet): 272.457

Description: CPS IN POWER POLE NEAR TAR. NOT LOCATABLE JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290046

Class:

Vertical Datum:

Established by:

Date Established: 5/29/1992

System: COUNTY

Job Number:

BR-29-5

Nearest City:

HOPE

County:

HEMPSTEAD

Route:

CR2

Section:

Log Mile:

Land Section Number:

30

Township:

Range:

Land Section:

SW

Latitude: N 33 40 06.0

Longitude: W 93 37 34.2

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

85.761

Elevation (Feet):

281.368

Description:

AHTD STANDARD METAL DISC IN NE CORNER HEADWALL RC BOX  
CULVERT APROX. 433' EAST OF INTERSECTION CO. RD. #21 & CO. RD.  
#2. RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290047

Class:

Vertical Datum:

Established by:

Date Established: 5/29/1992

System: COUNTY

Job Number: BR-29-5

Nearest City:

County: HEMPSTEAD

Route: CR2

Section:

Log Mile:

Land Section Number: 30

Township: 12

Range: 24

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.761

Elevation (Feet): 281.368

Description: AHTD STANDARD METAL DISC IN NE CORNER HEADWALL 24' RT. STA. 12+10. NOT LOCATABLE JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290050

Class:

Vertical Datum:

Established by: RE OFFICE #32

Date Established:

System: COUNTY Job Number: BR-29-4 Nearest City: OAKHAVEN

County: HEMPSTEAD Route: CR 23 Section: Log Mile: 3.21

Land Section Number: 29 Township: 11S Range: 24W

Land Section:

Latitude: N 33 46 00.0 Longitude: W 93 36 18.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 102.403 Elevation (Feet): 335.967

Description: AHTD BENCH MARK IN SOUTHEAST WINGWALL OF BRIDGE OVER  
TERRE ROUGE CK. APPROX. 0.85 MILES SOUTH OF JCT. CO. RD. 23 AND  
S. H. 29. RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290051

Class:

Vertical Datum:

Established by: RE OFFICE #32

Date Established: 2/14/1992

System: COUNTY Job Number: IAR 301 Nearest City:

County: HEMPSTEAD Route: 279 Section: Log Mile: 1/10

Land Section Number: 6 Township: 12S Range: 24W

Land Section: NE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 110.103 Elevation (Feet): 361.230

Description: 1/10 MILE NORTH FROM INTERSECTION HWY. 32 ON COUNTY RD. 279  
STANDARD DISC IN SE CORNER OF DI TOP 22 FT. FROM CENTER LINE  
RIGHT. JUNE 2003 DESTROYED.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290052

Class:

Vertical Datum:

Established by: RE OFFICE #32

Date Established: 2/14/1992

System: COUNTY Job Number: IAR 301 Nearest City:

County: HEMPSTEAD Route: 279 Section: Log Mile: 6/10

Land Section Number: 6 Township: 12S Range: 24W

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 111.142 Elevation (Feet): 364.638

Description: 6/10 MILE NORTH FROM INTERSECTION HWY. 32 ON COUNTY RD. 279  
STANDARD DISC IN SW CORNER OF DI TOP 21 FT. RIGHT FROM  
CENTERLINE. JUNE 2003 NOT LOCATABLE

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290053

Class:

Vertical Datum:

Established by: RE OFFICE #32

Date Established: 7/12/1991

System:

Job Number: R30022

Nearest City: MCCASKILL

County: HEMPSTEAD

Route: 195

Section: 5 & 6

Log Mile: 3.22

Land Section Number: 5

Township: 09

Range: 24

Land Section:

Latitude: N 33 56 04.0

Longitude: W 93 33 50.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 84.298

Elevation (Feet): 276.568

Description: BENCHMARK 30' RT. OF STA. 75+85 IN HEADWALL (LOG MILE 3.22)  
LOCATED 3.2 MILES FROM THE INTERSECTION OF STATE HIGHWAY 24  
& 195 NORTH. RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290056

Class:

Vertical Datum:

Established by: RE OFFICE #32

Date Established: 2/26/1991

System: CITY

Job Number: IAR 302

Nearest City: HOPE

County: HEMPSTEAD

Route: 4

Section:

Log Mile:

Land Section Number: 28

Township: 12S

Range: 24W

Land Section: SW

Latitude: N 33 40 07.0

Longitude: W 93 35 05.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 104.25

Elevation (Feet): 342.027

Description: PERMANENT BENCH MARK (SILVER DISK) IN TOP OF RETAINING WALL  
25 FT. RT. OF STA. 68+02. 92' WEST OF CENTERLINE OF SIGNAL POLE  
ON S.W. CORNER OF INTERSECTION OF HWY. 4 AND POND ST.  
RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290057

Class:

Vertical Datum:

Established by:

Date Established: 7/25/1997

System: STATE

Job Number: 030089

Nearest City: HOPE

County: HEMPSTEAD

Route: 73

Section: 2

Log Mile: 11.78

Land Section Number: 22

Township: 12S

Range: 25W

Land Section: NW

Latitude: N 33 41 44.0

Longitude: W 93 40 45.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 92.802

Elevation (Feet): 304.468

Description: DISK LOCATED ON BRIDGE PARAPET WALL N.E. END STA. 148+75 RT.,  
2.47 MILES NORTH OF JUNCTION 73 & 4. RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290058

Class:

Vertical Datum:

Established by:

Date Established: 7/25/1997

System: STATE

Job Number: 030089

Nearest City: HOPE

County: HEMPSTEAD

Route: 73

Section: 2

Log Mile: 11.91

Land Section Number: 22

Township: 12S

Range: 25W

Land Section: NW

Latitude: N 33 41 43.0

Longitude: W 93 48 36.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 90.556

Elevation (Feet): 297.099

Description: DISK LOCATED ON R. C. BOX CULVERT NE END HEADWALL STA.  
141+45 RT., 2.34 MILES NORTH OF JUNCTION 73 & 4. RECOVERED JUNE  
2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290059

Class:

Vertical Datum:

Established by:

Date Established: 7/25/1997

System: STATE

Job Number: 030089

Nearest City: HOPE

County: HEMPSTEAD

Route: 73

Section: 2

Log Mile: 12.31

Land Section Number: 22

Township: 12S

Range: 25W

Land Section: NE

Latitude: N 33 41 43.0

Longitude: W 93 40 11.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 95.097

Elevation (Feet): 311.997

Description: DISK LOCATED ON R.C . BOX CULVERT HEADWALL CENTER STA.  
120+51 RT., 1.94 MILES NORTH OF JUNCTION 73 & 4. RECOVERED JUNE  
2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290060

Class:

Vertical Datum:

Established by:

Date Established: 7/25/1997

System: STATE

Job Number: 030089

Nearest City: HOPE

County: HEMPSTEAD

Route: 73

Section: 2

Log Mile: 10.38

Land Section Number: 16

Township: 12S

Range: 25W

Land Section: SW

Latitude: N 33 42 18.0

Longitude: W 93 41 51.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 99.209

Elevation (Feet): 325.488

Description: DISK LOCATED ON R. C. BOX CULVERT HEADWALL CENTER STA.  
222+49 RT., 3.87 MILES NORTH OF JUNCTION 73 & 4. RECOVERED JUNE  
2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290061

Class:

Vertical Datum:

Established by:

Date Established: 7/25/1997

System: STATE

Job Number: 030089

Nearest City: CROSSROADS

County: HEMPSTEAD

Route: 73

Section: 2

Log Mile: 9.49

Land Section Number: 8

Township: 12S

Range: 25W

Land Section: SE

Latitude: N 33 42 54.0

Longitude: W 93 42 23.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 105.354

Elevation (Feet): 345.649

Description: CHIPPED OUT SQUARE LOCATED ON R. C. BOX CULVERT HEADWALL  
CENTER STA. 269+60 RT., 4.76 MILES NORTH OF JUNCTION 73 & 4.  
RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290062

Class:

Vertical Datum:

Established by: RE OFFICE #32

Date Established: 4/6/1998

System: STATE

Job Number: R30081

Nearest City: HOPE

County: HEMPSTEAD

Route: 73

Section: 3

Log Mile: 0.64

Land Section Number: 35

Township: 12S

Range: 24W

Land Section: NW

Latitude: N 33 39 51.0

Longitude: W 93 33 38.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 99.56

Elevation (Feet): 326.640

Description: DISK IN SE WING OF BOX CULVERT LOCATED 0.64 MILES EAST ON HWY. 73 FROM THE JUNCTION OF HWY. 67. RECOVERED JUNE 2003.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290063

Class:

Vertical Datum:

Established by:

Date Established: 7/21/1997

System: NHS

Job Number: 030084

Nearest City: FULTON

County: HEMPSTEAD

Route: I-30

Section: 12

Log Mile: 27.00

Land Section Number: 35

Township: 12S

Range: 25W

Land Section: SE

Latitude: N 33 39 26.0

Longitude: W 93 39 09.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.773

Elevation (Feet): 281.407

Description: DISK LOCATED IN TOP OF PARAPET WALL SW COR. BR #5042A.  
RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290064

Class:

Vertical Datum:

Established by:

Date Established: 7/21/1997

System: NHS

Job Number: 030084

Nearest City: FULTON

County: HEMPSTEAD

Route: I-30

Section: 12

Log Mile: 27.00

Land Section Number: 35

Township: 12S

Range: 25W

Land Section: SE

Latitude: N 33 39 25.0

Longitude: W 93 39 08.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.633

Elevation (Feet): 280.948

Description: DISK LOCATED IN TOP OF PARAPET WALL SW COR. BR #5042B.  
RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290065

Class:

Vertical Datum:

Established by:

Date Established: 7/21/1997

System: NHS

Job Number: 030084

Nearest City: FULTON

County: HEMPSTEAD

Route: I-30

Section: 12

Log Mile: 26.47

Land Section Number: 2

Township: 13S

Range: 25W

Land Section: NW

Latitude: N 33 39 15.0

Longitude: W 93 39 39.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.776

Elevation (Feet): 281.417

Description: DISK LOCATED IN TOP OF PARAPET WALL SW COR. BR # 5041A.  
RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290066

Class:

Vertical Datum:

Established by:

Date Established: 7/21/1997

System: NHS

Job Number: 030084

Nearest City: FULTON

County: HEMPSTEAD

Route: I-30

Section: 12

Log Mile: 26.47

Land Section Number: 2

Township: 13S

Range: 25W

Land Section: NW

Latitude: N 33 39 13.0

Longitude: W 93 39 38.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.639

Elevation (Feet): 280.967

Description: DISK LOCATED IN TOP OF PARAPET WALL SE COR. BR # 5041B.  
RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290067

Class:

Vertical Datum:

Established by:

Date Established: 7/21/1997

System: NHS

Job Number: 030084

Nearest City:

County: HEMPSTEAD

Route: I-30

Section: 12

Log Mile: 24.04

Land Section Number: 9

Township: 13S

Range: 25W

Land Section: NW

Latitude: N 33 38 23.0

Longitude: W 93 41 57.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.162

Elevation (Feet): 266.279

Description: DISK LOCATED IN TOP OF PARAPET WALL SE COR. BR #3994A.  
RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290068

Class:

Vertical Datum:

Established by:

Date Established: 7/21/1997

System: NHS

Job Number: 030084

Nearest City: FULTON

County: HEMPSTEAD

Route: I-30

Section: 12

Log Mile: 24.04

Land Section Number: 9

Township: 13S

Range: 25W

Land Section: NW

Latitude: N 33 38 23.0

Longitude: W 93 41 56.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 80.945

Elevation (Feet): 265.567

Description: DISK LOCATED IN TOP OF PARAPET WALL SW COR. BR #3994B.  
RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290069

Class:

Vertical Datum:

Established by:

Date Established: 7/21/1997

System: NHHS

Job Number: 030084

Nearest City:

County: HEMPSTEAD

Route: I-30

Section: 12

Log Mile: 23.27

Land Section Number: 8

Township: 13S

Range: 25W

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 82.354

Elevation (Feet): 270.190

Description: DISK LOCATED IN TOP OF PARAPET WALL SW COR. BR #3993A

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290070

Class:

Vertical Datum:

Established by:

Date Established: 7/21/1997

System: NHS

Job Number: 030084

Nearest City:

County: HEMPSTEAD

Route: I-30

Section: 12

Log Mile: 23.30

Land Section Number: 8

Township: 13S

Range: 25W

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 82.189

Elevation (Feet): 269.648

Description: DISK LOCATED IN TOP OF PARAPET WALL SW COR. BR #3993B

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290071

Class:

Vertical Datum:

Established by:

Date Established: 7/21/1997

System: NHS

Job Number: 030084

Nearest City: HOPE

County: HEMPSTEAD

Route: I-30

Section: 12

Log Mile: 29.17

Land Section Number: 1

Township: 12S

Range: 24W

Land Section: SE

Latitude: N 33 40 27.0

Longitude: W 93 37 16.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 100.94

Elevation (Feet): 331.167

Description: DISK LOCATED IN TOP OF PARAPET WALL SE COR. BR #5045A.  
RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290072

Class:

Vertical Datum:

Established by:

Date Established: 7/21/1997

System: NHS

Job Number: 030084

Nearest City: HOPE

County: HEMPSTEAD

Route: I-30

Section: 12

Log Mile: 29.23

Land Section Number: 1

Township: 12S

Range: 24W

Land Section: SE

Latitude: N 33 40 28.0

Longitude: W 93 37 12.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 101.388

Elevation (Feet): 332.637

Description: DISK LOCATED IN TOP OF PARAPET WALL SW COR. BR #5045B.  
RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290073

Class:

Vertical Datum:

Established by:

Date Established: 7/21/1997

System: NHS

Job Number: 030084

Nearest City:

County: HEMPSTEAD

Route: I-30

Section: 12

Log Mile: 27.23

Land Section Number: 36

Township: 12S

Range: 25W

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.776

Elevation (Feet): 281.417

Description: DISK LOCATED IN TOP OF PARAPET WALL SW COR. BR #5043A

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290074

Class:

Vertical Datum:

Established by:

Date Established: 7/21/1997

System: NHS

Job Number: 030084

Nearest City:

County: HEMPSTEAD

Route: I-30

Section: 12

Log Mile: 27.23

Land Section Number: 36

Township: 12S

Range: 25W

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.645

Elevation (Feet): 280.987

Description: DISK LOCATED IN TOP OF PARAPET WALL SW COR. BR #5043B

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290075

Class:

Vertical Datum:

Established by: RE OFFICE #32

Date Established: 8/12/1998

System: CITY

Job Number: 030091

Nearest City: HOPE

County: HEMPSTEAD

Route: 16 TH ST

Section: 16TH S

Log Mile:

Land Section Number:

Township: 13S

Range: 24W

Land Section:

Latitude: N 33 39 08.4

Longitude: W 93 35 10.8

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 107.771

Elevation (Feet): 353.579

Description: AHTD DISC CAST IN DROP INLET ON SW COR. OF INTERSECTION @ W 16 TH & ELM AT 200 W 16 TH ST. RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290076

Class:

Vertical Datum:

Established by:

Date Established: 8/12/1998

System: CITY

Job Number: 030091

Nearest City:

County: HEMPSTEAD

Route: 16 TH ST

Section: 16TH S

Log Mile:

Land Section Number:

Township: 13S

Range: 24W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 101.469

Elevation (Feet): 332.903

Description: AHTD DISC CAST IN DROP INLET ON SE COR. OF INTERSECTION OF 16TH ST. AND HWY. 174 AT 1119 W 16THS. NOTED DESTROYED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290077

Class:

Vertical Datum:

Established by: RE OFFICE #32

Date Established: 4/8/1999

System: STATE

Job Number: 030088

Nearest City: CROSSROADS

County: HEMPSTEAD

Route: 73

Section: 2

Log Mile: 6.66

Land Section Number: 12

Township: 12S

Range: 26W

Land Section: NE

Latitude: N 33 44 09.0

Longitude: W 93 44 39.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 109.52

Elevation (Feet): 359.317

Description: DISK IN NORTH WEST HEADWALL OF CONCRETE BOX CULVERT.  
RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290078

Class:

Vertical Datum:

Established by: RE OFFICE #32

Date Established: 4/8/1999

System: STATE

Job Number: 030088

Nearest City: COLUMBUS

County: HEMPSTEAD

Route: 73

Section: 2

Log Mile: 4.32

Land Section Number: 35

Township: 11S

Range: 26W

Land Section: NW

Latitude: N 33 43 35.0

Longitude: W 93 46 17.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 125.805

Elevation (Feet): 412.745

Description: DISK IN NORTH WEST HEADWALL OF BOX CULVERT. RECOVERED  
JUNE 2003.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290080

Class:

Vertical Datum:

Established by: RE OFFICE #32

Date Established: 4/8/1999

System: STATE

Job Number: 030088

Nearest City: CROSSROADS

County: HEMPSTEAD

Route: 73

Section: 2

Log Mile: 6.28

Land Section Number: 1

Township: 12S

Range: 26W

Land Section: SW

Latitude: N 33 44 17.0

Longitude: W 93 45 01.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 104.757

Elevation (Feet): 343.690

Description: DISK ON SE WINGWALL OF BRIDGE #06705. RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290081

Class:

Vertical Datum:

Established by: RE OFFICE #32

Date Established: 4/8/1999

System: STATE

Job Number: 030088

Nearest City: CROSS ROADS

County: HEMPSTEAD

Route: 73

Section: 2

Log Mile: 6.04

Land Section Number: 1

Township: 12S

Range: 26W

Land Section: NW

Latitude: N 33 44 25.0

Longitude: W 93 45 12.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 106.582

Elevation (Feet): 349.678

Description: DISK IN NW HEADWALL OF BOX CULVERT. RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290082

Class:

Vertical Datum:

Established by: RE OFFICE #32

Date Established: 4/8/1999

System: STATE

Job Number: 030088

Nearest City: COLUMBUS

County: HEMPSTEAD

Route: 73

Section: 2

Log Mile: 4.13

Land Section Number: 34

Township: 11S

Range: 26W

Land Section: NE

Latitude: N 33 45 43.0

Longitude: W 93 46 22.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 126.065

Elevation (Feet): 413.598

Description: DISK IN NW HEADWALL OF CONCRETE BOX CULVERT. RECOVERED  
JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290083

Class:

Vertical Datum:

Established by: RE OFFICE #32

Date Established: 4/8/1999

System: STATE

Job Number: 030088

Nearest City: COLUMBUS

County: HEMPSTEAD

Route: 73

Section: 2

Log Mile: 1.29

Land Section Number: 20

Township: 11S

Range: 26W

Land Section: SE

Latitude: N 33 46 34.0

Longitude: W 93 48 48.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 123.367

Elevation (Feet): 404.747

Description: DISK ON NW HEADWALL OF CONCRETE BOX CULVERT. RECOVERED  
JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290084

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #32

Date Established: 4/1/2000

System: STATE

Job Number: 030068

Nearest City: COLUMBUS

County: HEMPSTEAD

Route: 278

Section: 5

Log Mile:

Land Section Number: 29

Township: 12s

Range: 24w

Land Section: NE

Latitude: N 33 46 32.0

Longitude: W 93 47 51.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 97.362

Elevation (Feet): 319.428

Description: BM DISK IN NW END OF HW OF BOX CULVERT ON LEFT OF C/L STA 55+84 LOCATED 0.11 MILES FROM THE INTERSECTION OF US 278 AND US 278B. RECOVERED JUNE 2003.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290085

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #32

Date Established: 4/1/2000

System: STATE

Job Number: 030068

Nearest City:

County: HEMPSTEAD

Route: 278

Section: 5

Log Mile:

Land Section Number: 21

Township: 12S

Range: 24W

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 103.934

Elevation (Feet): 340.990

Description: CHISLED SQ CUT IN DROP INLET IN SE CORNER RIGHT OF C/L STA 90+00 LOCATED 0.76 MILES FROM THE INTERSECTION OF US 278 AND US 278B

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290086

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #32

Date Established: 1/19/2001

System: FEDERAL

Job Number: 030115

Nearest City:

County: HEMPSTEAD

Route: I-30

Section: 12

Log Mile: 34.76

Land Section Number: 2

Township: 12

Range: 24

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 89.177

Elevation (Feet): 292.575

Description: AHTD DISK IN TOP OF PARAPET WALL OF THE SW CORNER OF THE  
WEST BOUND LANE BRIDGE ON TERRE ROUGE CREEK

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290087

Class:

Vertical Datum:

Established by: RE OFFICE #32

Date Established: 4/8/1999

System: STATE

Job Number: 030088

Nearest City:

County: HEMPSTEAD

Route: 73

Section: 2

Log Mile: 2.19

Land Section Number: 21

Township: 11S

Range: 26W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 117.567

Elevation (Feet): 385.718

Description: DISK ON NW HEADWALL OF CONCRETE BOX CULVERT.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290088

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 12/14/2001

System: STATE

Job Number: 030190

Nearest City:

County: HEMPSTEAD

Route: I-30

Section: 12

Log Mile: 17.79

Land Section Number:

Township: 13S

Range: 26W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 90.2941

Elevation (Feet): 296.240

Description: BM DISC IN CONCRETE PIER PROTECTION WALL RT OF RT MAIN LANE  
(EASTBOUND) AT RED LAKE ROAD UNDERPASS

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290088

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 5/8/2002

System: STATE

Job Number: 030237

Nearest City:

County: HEMPSTEAD

Route: 29

Section: 4

Log Mile: 9.8

Land Section Number: 21

Township: 11s

Range: 24w

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 111.682

Elevation (Feet): 366.410

Description: AHTD DISK IN SW CORNER OF HW OF RCBOX 35 LT OF C/L

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290089

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 5/8/2002

System: STATE

Job Number: 030237

Nearest City:

County: HEMPSTEAD

Route: 29

Section: 4

Log Mile: 14.3

Land Section Number: 5

Township: 11S

Range: 24W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 126.614

Elevation (Feet): 415.399

Description: AHTD DISK IN NW CORNER OF HW OF RC BOX 42' LEFT OF C/L

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290090

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: N/A Nearest City:

County: HEMPSTEAD Route: 4 Section: 5 Log Mile: 17.92

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 104.2021844 Elevation (Feet): 341.870

Description: SQ IN NW CORNER OF E WHEELGUARD ON TOWN CREEK BRIDGE

Comments: Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290091

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: N/A Nearest City:

County: HEMPSTEAD Route: 4 Section: 5 Log Mile: 22.22

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 91.94919991 Elevation (Feet): 301.670

Description: SQ IN SE BRIDGE ABUTMENT ON CANEY CREEK

Comments: Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290092

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: N/A Nearest City:

County: HEMPSTEAD Route: 4 Section: 5 Log Mile: 23.95

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 106.3327407 Elevation (Feet): 348.860

Description: 14' LT OF STATION 691+44 / SQ IN NORTH WHEEL GUARD ON W BRIDGE  
END

Comments: Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290093

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: N/A Nearest City:

County: HEMPSTEAD Route: 29 Section: 3 Log Mile: 0.93

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 87.1546864 Elevation (Feet): 285.940

Description: 23' LEFT OF STATION 132+96 / DISK SET NW TERMINAL ANCHOR POST  
OF BR 5617

Comments: Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290094

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: 3825 Nearest City:

County: HEMPSTEAD Route: 73 Section: Log Mile:

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 91.97358396 Elevation (Feet): 301.750

Description: 1.2 M WEST OF JUNCTION SH 4 & SH 73, IN RCBC @ MUD CREEK IN NW  
CORNER OF HEADWALL, APPROX. 18' RIGHT OF PAVEMENT

Comments: Benches were set in 1994 by District 3



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290095

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: N/A Nearest City:

County: HEMPSTEAD Route: 73 Section: Log Mile:

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 106.2839726 Elevation (Feet): 348.700

Description: 5.6 M WEST OF SH 4 & SH 73 JUNCTION / DISK IN NW CORNER OF  
HEADWALL RCBC @ WATER CREEK

Comments: Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290096

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: 3986 Nearest City:

County: HEMPSTEAD Route: 174 Section: Log Mile: 0.55

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 90.43129287 Elevation (Feet): 296.690

Description: 18' RIGHT OF STATION 14+62 / DISK IN WINGWALL OF BRIDGE 6127

Comments: Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290097

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: 3987 Nearest City:

County: HEMPSTEAD Route: 174 Section: Log Mile: 2.35

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 92.46431294 Elevation (Feet): 303.360

Description: DISK IN NE CORNER OF HEADWALL OF RCBC

Comments: Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290098

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: N/A Nearest City:

County: HEMPSTEAD Route: 174 Section: Log Mile: 3.66

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 88.85547372 Elevation (Feet): 291.520

Description: 17' RIGHT OF STATION 178+17 / RIGHT WINGWALL

Comments: Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290099

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: F-29-4 Nearest City:

County: HEMPSTEAD Route: CO RD 21 Section: Log Mile:

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 94.00965203 Elevation (Feet): 308.430

Description: 239' SOUTH OF JUNCTION SH 67 & CR 21 / DISK IN CONCRETE, FLUSH W/  
GROUND, 35' LEFT

Comments: Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290100

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: F-29-4 Nearest City:

County: HEMPSTEAD Route: CO RD 21 Section: Log Mile:

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 98.92608586 Elevation (Feet): 324.560

Description: 1022' WEST OF JUNCTION SH 67 & CR 21 / DISK IN CONCRETE FLUSH W/  
GROUND 37' RT

Comments: Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290101

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: F-29-4 Nearest City:

County: HEMPSTEAD Route: CO RD 21 Section: Log Mile:

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 94.009652 Elevation (Feet): 308.430

Description: 35' LT STATION 12+39

Comments: Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290102

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: F-29-4 Nearest City:

County: HEMPSTEAD Route: CO RD 21 Section: Log Mile:

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 98.92609 Elevation (Feet): 324.560

Description: 37' LT STATION 100+78

Comments: Benches were set in 1994 by District 3



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290103

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: N/A Nearest City:

County: HEMPSTEAD Route: CO RD 333 Section: Log Mile:

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 104.18694 Elevation (Feet): 341.820

Description: BR 4437 OVER MIDDLE FORK OZAN RIVER / TOP OF PARAPET WALL

Comments: Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290106

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: R30037 Nearest City:

County: HEMPSTEAD Route: 4 Section: 5 Log Mile: 12.40

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 110.4597409 Elevation (Feet): 362.400

Description: STATION 184+77 LEFT / DISK IN NW WINGWALL RCBC

Comments: Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290107

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #32

Date Established: 6/8/2005

System: STATE

Job Number: R30045

Nearest City: HOPE

County: HEMPSTEAD

Route: 174

Section: 0

Log Mile: 3.27

Land Section Number: 7

Township: 13S

Range: 24W

Land Section: SE

Latitude: N 33 37 47.9

Longitude: W 93 37 36.7

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 89.34298

Elevation (Feet): 293.119

Description: Benchmark disk in headwall SW corner of RC Box culvert 32' LT. Sta 182+85

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290108

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #32

Date Established: 6/8/2005

System: STATE

Job Number: R30045

Nearest City: HOPE

County: HEMPSTEAD

Route: 174

Section: 0

Log Mile: 5.6

Land Section Number: 32

Township: 12S

Range: 24W

Land Section: SE

Latitude: N 33 39 26.44

Longitude: W 93 36 11.57

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 95.45726

Elevation (Feet): 313.179

Description: Benchmark Disk in headwall of SW corner of RC box culvert 34' Rt. Sta. 305 + 92

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290109

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #32

Date Established: 6/8/2005

System: STATE Job Number: 030238 Nearest City: HOPE

County: HEMPSTEAD Route: 29 Section: 4 Log Mile: 4.72

Land Section Number: 34 Township: 11S Range: 24W

Land Section: SW

Latitude: N 33 44 38.10 Longitude: W 93 34 46.16 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 96.72523 Elevation (Feet): 317.339

Description: Benchmark Disk in top of headwall 17' Lt. on SW corner of Bridge No. M4066 Sta. 173+93

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290110

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #32

Date Established: 6/8/2005

System: STATE

Job Number: 030238

Nearest City: HOPE

County: HEMPSTEAD

Route: 29

Section: 17

Log Mile: 2.09

Land Section Number: 17

Township: 12S

Range: 24W

Land Section: NE

Latitude: N 33 42 43.3

Longitude: W 93 35 56.5

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 104.1258

Elevation (Feet): 341.619

Description: Benchmark disk in headwall SE corner of RC box culvert 34' Rt. Sta. 35+46

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290111

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #32

Date Established: 6/8/2005

System: STATE

Job Number: 030238

Nearest City: HOPE

County: HEMPSTEAD

Route: 29

Section: 4

Log Mile: 4.63

Land Section Number: 34

Township: 11S

Range: 24W

Land Section: SW

Latitude: N 33 44 31.9

Longitude: W 93 34 46.91

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 94.13443

Elevation (Feet): 308.839

Description: Benchmark disc in headwall SE corner of RC box culvert 37' rt sta. 169+41

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290112

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #32

Date Established: 6/8/2005

System: STATE

Job Number: 030238

Nearest City: HOPE

County: HEMPSTEAD

Route: 29

Section: 4

Log Mile: 3.51

Land Section Number: 9

Township: 12S

Range: 24W

Land Section: NE

Latitude: N 33 43 33.8

Longitude: W 93 34 51.4

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 98.17303

Elevation (Feet): 322.089

Description: Benchmark disk in headwall se corner of RC box culvert 42' Rt. Sta. 110 +19

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290113

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #31

Date Established: 8/27/2013

System: STATE Job Number: 030387 Nearest City: Nashville

County: HEMPSTEAD Route: 371 Section: 3 Log Mile: 2.83

Land Section Number: 28 Township: 09s Range: 26w

Land Section:

Latitude: N 33 56 58.0000 Longitude: W 93 46 44.70000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 113.85522 Elevation (Feet): 373.540

Description: AHTD BM Disk located in Southwest wingwall of the Ozan Creek Relief Bridge #07214.

Comments: AHTD BM WAS RAN FROM PN:912 IN JOB 030387. CONTROL FOR JOB 030387 WAS BASED ON NGS MARK RV 605 THE DATA FOR THIS BM CAN BE FOUND ON EDM UNDER JOB# 030387, s030387\_RE\_BENCHES.ZIP.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290114

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #31

Date Established: 8/27/2013

System: STATE Job Number: 030387 Nearest City: Nashville

County: HEMPSTEAD Route: 371 Section: 3 Log Mile: 2.90

Land Section Number: 28 Township: 09S Range: 26W

Land Section:

Latitude: N 33 56 57.70000 Longitude: W 93 46 27.50000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 113.846076

Elevation (Feet): 373.510

Description: AHTD BM DISK LOCATED IN SOUTHWEST WINGWALL OF THE OZAN CREEK BRIDGE #07215.

Comments: AHTD BM WAS RAN FROM PN:912 IN JOB 030387. CONTROL FOR JOB 030387 WAS BASED ON NGS MARK RV 605 THE DATA FOR THIS BM CAN BE FOUND ON EDM UNDER JOB# 030387, s030387\_RE\_BENCHES.ZIP.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290115

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #32

Date Established: 4/16/2008

System: STATE

Job Number: 030078

Nearest City: hope

County: HEMPSTEAD

Route: 278B

Section: 5B

Log Mile: 0.48

Land Section Number: 28

Township: 12s

Range: 24w

Land Section: SW

Latitude: N 33 40 30.00000

Longitude: W 93 35 57.40000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 98.10922

Elevation (Feet): 321.880

Description: ahtd disk in se corner of rcbc. Note: log miles run opposite of project stationing.

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290116

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #32

Date Established: 2/9/2011

System: STATE Job Number: 030348 Nearest City: LEWISVILLE

County: HEMPSTEAD Route: 29 Section: 3 Log Mile: 0.85

Land Section Number: 31 Township: 14S Range: 24W

Land Section:

Latitude: N 33 28 57.32000 Longitude: W 93 38 04.71000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 88.261 Elevation (Feet): 289.570

Description: ALUMINUM CAP IN HEADWALL OF RCBC. STATION 371+77, 17' LT OF CL.

Comments: ELEVATION NOT VERIFIED DUE TO NO THREE WIRE DATA.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290116

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #32

Date Established: 4/16/2008

System: STATE

Job Number: 030078

Nearest City: hope

County: HEMPSTEAD

Route: 278

Section: 5

Log Mile: 24.18

Land Section Number: 29

Township: 12s

Range: 24w

Land Section: NE

Latitude: N 33 40 50.50000

Longitude: W 93 36 26.60000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 96.25207

Elevation (Feet): 315.787

Description: ahtd disk in se corner of rcbc. Note: log miles run opposite of project stationing.

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290117

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #32

Date Established: 2/18/2011

System: STATE

Job Number: 030348

Nearest City: HOPE

County: HEMPSTEAD

Route: 29

Section: 3

Log Mile: 7.92

Land Section Number: 29

Township: 14S

Range: 24W

Land Section:

Latitude: N 33 35 41.45000

Longitude: W 93 36 31.16000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 111.821

Elevation (Feet): 366.866

Description: ALUMINUM CAP IN HEADWALL OF RCBC. STATION 510+29, 55' RT OF CL.

Comments: ELEVATION NOT VERIFIED DUE TO NO THREE WIRE DATA.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290118

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #32

Date Established: 2/18/2011

System: STATE

Job Number: 030348

Nearest City: HOPE

County: HEMPSTEAD

Route: 29

Section: 3

Log Mile: 9.82

Land Section Number: 29

Township: 13S

Range: 24W

Land Section:

Latitude: N 33 36 20.91000

Longitude: W 93 36 10.84000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 110.416

Elevation (Feet): 362.256

Description: ALUMINUM CAP IN HEADWALL OF RCBC, STATION 612+46, 50' RT OF CL.

Comments: ELEVATION NOT VERIFIED DUE TO NO THREE WIRE DATA.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290119

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #32

Date Established: 11/18/2013

System: STATE

Job Number: 030152

Nearest City: HOPE

County: HEMPSTEAD

Route: 67

Section: 2

Log Mile: 15.46

Land Section Number: 26

Township: 12S

Range: 24W

Land Section:

Latitude: N 33 40 34.00000

Longitude: W 93 33 40.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 105.9764

Elevation (Feet): 347.691

Description: ALUMINUM CAP IN PARAPET WALL (SE CORNER OF BRIDGE #07136).  
22+68, 21' RT OF CL

Comments: ELEVATION VERIFIED. AHTD BM WAS RAN FROM PN:101 PD:GPS  
290015A IN JOB 030152. CONTROL FOR JOB 030152 WAS BASED ON NGS  
MARK W 62. THE DATA FOR THIS BM CAN BE FOUND ON EDM UNDER  
JOB# 030152, s030152\_RE\_BENCHES.ZIP.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290120

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #32

Date Established: 12/10/2013

System: STATE

Job Number: 030152

Nearest City: HOPE

County: HEMPSTEAD

Route: 67

Section: 2

Log Mile: 15.46

Land Section Number: 26

Township: 12S

Range: 24W

Land Section:

Latitude: N 33 40 36.80000

Longitude: W 93 33 39.92000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 105.3095

Elevation (Feet): 345.503

Description: ALUMINMUM CAP IN PARAPET WALL (NW CORNER) OF BRIDGE #07136.

Comments: ELEVATION VERIFIED. AHTD BM WAS RAN FROM PN:980 IN JOB 030152. CONTROL FOR JOB 030152 WAS BASED ON NGS MARK W 62. THE DATA FOR THIS BM CAN BE FOUND ON EDM UNDER JOB# 030152, s030152\_RE\_BENCHES.ZIP.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290121

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #32

Date Established: 12/11/2013

System: STATE

Job Number: 030152

Nearest City: HOPE

County: HEMPSTEAD

Route: 67

Section: 2

Log Mile: 16.02

Land Section Number: 26

Township: 12S

Range: 24W

Land Section:

Latitude: N 33 40 52.22000

Longitude: W 93 33 34.85000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 91.73

Elevation (Feet): 300.951

Description: ALUMINUM CAP IN PARAPET WALL (SE CORNER) OF BRIDGE #07137.

Comments: ELEVATION VERIFIED. AHTD BM WAS RAN FROM PN:980 IN JOB 030152. CONTROL FOR JOB 030152 WAS BASED ON NGS MARK W 62. THE DATA FOR THIS BM CAN BE FOUND ON EDM UNDER JOB# 030152, s030152\_RE\_BENCHES.ZIP.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290122

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #32

Date Established: 6/10/2014

System: STATE

Job Number: 030152

Nearest City: HOPE

County: HEMPSTEAD

Route: 67

Section: 2

Log Mile: 16.91

Land Section Number: 23

Township: 12S

Range: 24W

Land Section:

Latitude: N 33 41 27.86000

Longitude: W 93 33 00.02000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 91.927

Elevation (Feet): 301.597

Description: ALUMINUM CAP IN HEADWALL (NW CORNER) @ PHILLIPS CREEK.

Comments: ELEVATION VERIFIED. AHTD BM WAS RAN FROM PN:910 IN JOB 030152. CONTROL FOR JOB 030152 WAS BASED ON NGS MARK W 62. THE DATA FOR THIS BM CAN BE FOUND ON EDM UNDER JOB# 030152, s030152\_RE\_BENCHES.ZIP.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290123

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #32

Date Established: 12/13/2013

System: STATE

Job Number: 030152

Nearest City: HOPE

County: HEMPSTEAD

Route: 67

Section: 2

Log Mile: 19.49

Land Section Number: 18

Township: 12S

Range: 23w

Land Section:

Latitude: N 33 42 32.47000

Longitude: W 93 30 38.39000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 83.515

Elevation (Feet): 273.999

Description: ALUMINUM CAP IN PARAPET WALL (SW CORNER) OF BRIDGE #07138

Comments: ELEVATION VERIFIED. AHTD BM WAS RAN FROM PN:103 PD:GPS 290012A IN JOB 030152. CONTROL FOR JOB 030152 WAS BASED ON NGS MARK W 62. THE DATA FOR THIS BM CAN BE FOUND ON EDM UNDER JOB# 030152, s030152\_RE\_BENCHES.ZIP.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290124

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #32

Date Established: 12/13/2013

System: STATE

Job Number: 030152

Nearest City: HOPE

County: HEMPSTEAD

Route: 67

Section: 2

Log Mile: 19.95

Land Section Number: 2

Township: 12S

Range: 23W

Land Section:

Latitude: N 33 42 42.68000

Longitude: W 93 30 17.21000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 82.571

Elevation (Feet): 270.902

Description: ALUMINUM CAP IN PARAPET WALL (SW CORNER) OF BRIDGE # 07139.

Comments: ELEVATION VERIFIED. AHTD BM WAS RAN FROM PN:103 PD:GPS 290012A IN JOB 030152. CONTROL FOR JOB 030152 WAS BASED ON NGS MARK W 62. THE DATA FOR THIS BM CAN BE FOUND ON EDM UNDER JOB# 030152, s030152\_RE\_BENCHES.ZIP.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290125

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #32

Date Established: 12/17/2013

System: STATE

Job Number: 030152

Nearest City: HOPE

County: HEMPSTEAD

Route: 67

Section: 2

Log Mile: 20.1

Land Section Number: 8

Township: 12S

Range: 23W

Land Section:

Latitude: N 33 42 51.76000

Longitude: W 93 29 58.10000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 83.083

Elevation (Feet): 272.581

Description: ALUMINUM CAP IN PARAPET WALL (SW CORNER) OF BRIDGE # 07140.

Comments: ELEVATION VERIFIED. AHTD BM WAS RAN FROM PN:103 PD:GPS 290012A IN JOB 030152. CONTROL FOR JOB 030152 WAS BASED ON NGS MARK W 62. THE DATA FOR THIS BM CAN BE FOUND ON EDM UNDER JOB# 030152, s030152\_RE\_BENCHES.ZIP.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290125

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #32

Date Established: 6/9/2016

System: STATE Job Number: bb0303 Nearest City: Fulton

County: HEMPSTEAD Route: 30 Section: 12 Log Mile: 17.40

Land Section Number: 21 Township: 13s Range: 26w

Land Section:

Latitude: N 33 36 28.38000 Longitude: W 93 48 18.80000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.611 Elevation (Feet): 254.629

Description: BM 966 - Aluminum Disk in RCBC headwall on the right side of East Bound I-30.

Comments: Three wire data available on EDM under job bb0303 in sbb0303\_re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

**Identification:** 290126

**Class:** THIRD-ORDER

**Vertical Datum:** NAVD88

**Established by:** RE OFFICE #32

**Date Established:** 7/13/2017

**System:** STATE

**Job Number:** bb0303

**Nearest City:** Fulton

**County:** HEMPSTEAD

**Route:** 30

**Section:** 12

**Log Mile:** 17.03

**Land Section Number:** 19

**Township:** 13s

**Range:** 19w

**Land Section:**

**Latitude:** N 33 36 22.65000

**Longitude:** W 93 48 41.20000

**Type:** GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

**Elevation (Meters):** 86.072

**Elevation (Feet):** 282.388

**Description:** BM 969, Aluminum Disk in Parapet Wall (Northeast Corner) of BR 07335.

**Comments:** Three wire data available on EDM under job bb0303 in sbb0303\_re\_benches.zip



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290126

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #32

Date Established: 6/9/2016

System: STATE

Job Number: BB0303

Nearest City: Fulton

County: HEMPSTEAD

Route: 30

Section: 12

Log Mile: 17.40

Land Section Number: 21

Township: 13s

Range: 26w

Land Section:

Latitude: N 33 36 28.38000

Longitude: W 93 48 18.80000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.611

Elevation (Feet): 254.629

Description: Alum. Disk in RCBC headwall on the right side of Eastbound I-30

Comments: Elevation not verified

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290127

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #32

Date Established: 1/5/2016

System: STATE

Job Number: bb0303

Nearest City: Fulton

County: HEMPSTEAD

Route: 30

Section: 12

Log Mile: 17.03

Land Section Number: 20

Township: 13s

Range: 26w

Land Section:

Latitude: N 33 36 21.91000

Longitude: W 93 48 40.84000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 86.09

Elevation (Feet): 282.447

Description: BM 970: Aluminum Disk in Parapet Wall (Southeast Corner) of BR 07335.

Comments: Three wire data available on EDM under job bb0303 in sbb0303\_re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290127

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #32

Date Established: 7/13/2017

System: STATE

Job Number: BB0303

Nearest City: Fulton

County: HEMPSTEAD

Route: 30

Section: 12

Log Mile: 17.03

Land Section Number: 19

Township: 13s

Range: 26w

Land Section:

Latitude: N 33 36 22.65000

Longitude: W 93 48 41.20000

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 86.072

Elevation (Feet): 282.388

Description: Aluminum disk in parapet wall (NE corner) of BR 07335

Comments: Elevation not verified

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290128

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #32

Date Established: 7/13/2017

System: STATE

Job Number: BB0303

Nearest City: Fulton

County: HEMPSTEAD

Route: 30

Section: 12

Log Mile: 17.03

Land Section Number: 20

Township: 13s

Range: 26w

Land Section:

Latitude: N 33 36 21.91000

Longitude: W 93 48 40.84000

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 86.09

Elevation (Feet): 282.447

Description: Aluminum disk in parapet wall (NE corner) of BR 07335

Comments: Elevation not verified

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290128

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #32

Date Established: 7/13/2017

System: STATE

Job Number: bb0303

Nearest City: Fulton

County: HEMPSTEAD

Route: 30

Section: 12

Log Mile: 17.12

Land Section Number: 20

Township: 13s

Range: 26w

Land Section:

Latitude: N 33 36 24.22000

Longitude: W 93 48 35.89000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 84.768

Elevation (Feet): 278.110

Description: BM 971 Aluminum Disk in Parapet Wall (Northeast Corner) of BR 07336.

Comments: Three wire data available on EDM under job bb0303 in sbb0303\_re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290129

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #32

Date Established: 7/13/2017

System: STATE Job Number: bb0303 Nearest City: Fulton

County: HEMPSTEAD Route: 30 Section: 12 Log Mile: 17.12

Land Section Number: 20 Township: 13s Range: 26w

Land Section:

Latitude: N 33 36 23.41000 Longitude: W 93 48 35.50000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 84.775 Elevation (Feet): 278.133

Description: BM 972, Aluminum Disk in Parapet Wall (Southeast Corner) of BR 07336.

Comments: Three wire data available on EDM under job bb0303 in sbb0303\_re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290129

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #32

Date Established: 4/13/2017

System: STATE

Job Number: BB0303

Nearest City: Fulton

County: HEMPSTEAD

Route: 30

Section: 12

Log Mile: 17.12

Land Section Number: 20

Township: 13s

Range: 26w

Land Section:

Latitude: N 33 36 24.22000

Longitude: W 93 48 35.89000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 84.768

Elevation (Feet): 278.110

Description: Aluminum disk in parapet wall (NE corner) of Bridge 07336.

Comments: Elevation not verified

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290130

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #32

Date Established: 7/13/2017

System: STATE

Job Number: BB0303

Nearest City: Fulton

County: HEMPSTEAD

Route: 30

Section: 12

Log Mile: 17.12

Land Section Number: 20

Township: 13s

Range: 26w

Land Section:

Latitude: N 33 36 23.41000

Longitude: W 93 48 35.50000

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 84.775

Elevation (Feet): 278.133

Description: Aluminum disk in parapet wall (SE corner) of BR07336.

Comments: Elevation not verified



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290131

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #32

Date Established: 3/4/2020

System: STATE

Job Number: BB0303

Nearest City: Fulton

County: HEMPSTEAD

Route: 30

Section: 12

Log Mile: 17.03

Land Section Number: 19

Township: 13s

Range: 26w

Land Section:

Latitude: N 33 36 32.65000

Longitude: W 91 48 41.20000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 86.072

Elevation (Feet): 282.388

Description: Aluminum Disk in parapet wall SE corner of bridge.

Comments: Elevation not verified.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290132

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #32

Date Established: 7/13/2017

System: STATE Job Number: BB0303 Nearest City: Fulton

County: HEMPSTEAD Route: 30 Section: 12 Log Mile: 17.03

Land Section Number: 20 Township: 11s Range: 26w

Land Section:

Latitude: N 33 36 21.91000 Longitude: W 93 48 40.84000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 86.09 Elevation (Feet): 282.447

Description: Aluminum Disk parapet wall SE corner of bridge

Comments: Elevation not verified.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290133

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #32

Date Established: 7/12/2017

System: STATE

Job Number: BB0303

Nearest City: Fulton

County: HEMPSTEAD

Route: 30

Section: 12

Log Mile: 17.12

Land Section Number: 20

Township: 13s

Range: 26w

Land Section:

Latitude: N 33 36 34.22000

Longitude: W 93 48 35.89000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 84.768

Elevation (Feet): 278.110

Description: Aluminum disk in parapet wall NE corner of bridge

Comments: Elevation not verified

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290134

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #32

Date Established: 3/4/2020

System: STATE

Job Number: BB0303

Nearest City: Fulton

County: HEMPSTEAD

Route: 30

Section: 12

Log Mile: 17.12

Land Section Number: 20

Township: 13s

Range: 26w

Land Section:

Latitude: N 33 36 23.41000

Longitude: W 93 48 35.50000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 84.775

Elevation (Feet): 278.133

Description: Aluminum disk in parapet wall SE corner of bridge

Comments: Elevation not verified.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 290135

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #32

Date Established: 6/9/2016

System: STATE

Job Number: BB0303

Nearest City: Fulton

County: HEMPSTEAD

Route: 30

Section: 12

Log Mile: 17.4

Land Section Number: 21

Township: 13s

Range: 26w

Land Section:

Latitude: N 33 36 28.38000

Longitude: W 93 48 18.80000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.611

Elevation (Feet): 254.629

Description: Aluminum disk in RCBC headwall om the right of East bound I-30

Comments: Elevation not verified.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 300001

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: MALVERN

County: HOT SPRING

Route: 270

Section: 8

Log Mile: 9.3

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 192.012

Elevation (Feet): 629.959

Description: STAND DISK IN SOUTHEAST CORNER HEADWALL OF DOUBLE 10'X 6'X 90' R.C. BOX 42' RIGHT CENTERLINE. NOT RECOVERED BY S5102 ON 02/03/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 300002

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: BISMARK

County: HOT SPRING

Route: 7

Section: 8

Log Mile: 12.5

Land Section Number: 20

Township: 04S

Range: 20W

Land Section: NE

Latitude: N 34 22 37.0

Longitude: W 93 09 45.1

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 202.171

Elevation (Feet): 663.289

Description: STAND DISK IN TOP OF PARAPET WALL SOUTHWEST CORNER BR.  
#5941 OVER FOURCHE A'LOUPE CREEK 22' RIGHT OF CENTERLINE.  
RECOVERED BY S5102 ON 03/03/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 300003

Class:

Vertical Datum:

Established by:

Date Established:

System: FEDERAL

Job Number: 60381

Nearest City: MALVERN

County: HOT SPRING

Route: I-30

Section: 2

Log Mile: 97.1

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 23 22.3

Longitude: W 92 50 27.5

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 82.577

Elevation (Feet): 270.921

Description: TOP OF WINGWALL ON LEFT SIDE BT. 1 BRIDGE 3424 AR. RECOVERED BY S5102 ON 02/25/00.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 300004

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 60117

Nearest City: SHOREWOOD HILLS

County: HOT SPRING

Route: 270

Section: 7

Log Mile:

Land Section Number: 32

Township: 03S

Range: 17W

Land Section: NESE

Latitude: N 34 26 18.0

Longitude: W 92 52 45.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 87.456

Elevation (Feet): 286.929

Description: AHTD METAL DISK IN TOP OF SOUTHWEST WINGWALL BR. 6024 COVE CREEK. RECOVERED BY S5102 ON 02/25/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 300005

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 60117

Nearest City: SHOREWOOD HILLS

County: HOT SPRING

Route: 270

Section: 7

Log Mile:

Land Section Number: 32

Township: 03S

Range: 17W

Land Section: NENE

Latitude: N 34 25 45.0

Longitude: W 92 50 38.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 96.872

Elevation (Feet): 317.821

Description: AHTD METAL DISK IN TOP OF SOUTHWEST WINGWALL BR. 6026  
MOPAC R.R. OVERPASS. RECOVERED BY S5102 ON 02/25/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 300006

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE Job Number: 60117 Nearest City: SHOREWOOD HILLS

County: HOT SPRING Route: 270 Section: 7 Log Mile:

Land Section Number: 32 Township: 03S Range: 17W

Land Section: NENE

Latitude: N 34 25 41.0 Longitude: W 92 51 06.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 86.49 Elevation (Feet): 283.759

Description: AHTD METAL DISK IN TOP OF SOUTHWEST WINGWALL BR. 6025 STONE QUARRY CREEK. RECOVERED BY S5102 ON 02/25/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 300007

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 60253

Nearest City:

County: HOT SPRING

Route: 84

Section: 5

Log Mile: 4.39

Land Section Number: 6

Township: 05S

Range: 21W

Land Section:

Latitude: N 34 19 48.3

Longitude: W 93 17 08.6

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 147.219

Elevation (Feet): 483.001

Description: STANDARD DISK SET IN MOST SOUTHWEST CORNER OF HEADWALL OF QUAD. 12'X 11'X 76' R.C. BOX AT PHILLIPPI CREEK 32' RIGHT CENTERLINE ROAD. RECOVERED BY S5102 ON 03/03/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 300008

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 60253

Nearest City:

County: HOT SPRING

Route: 84

Section: 5

Log Mile: 6.33

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 141.065

Elevation (Feet): 462.811

Description: STANDARD DISK SET IN MOST SOUTHWEST WING ABUTMENT BR.  
#6029 OVER VALLEY CREEK 18' RIGHT OF CENTERLINE OF BRIDGE

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 300009

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 60253

Nearest City: MARCUS

County: HOT SPRING

Route: 84

Section: 5

Log Mile: 7.87

Land Section Number: 11

Township: 05S

Range: 21W

Land Section:

Latitude: N 34 19 17.1

Longitude: W 93 14 02.4

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 155.156

Elevation (Feet): 509.041

Description: STANDARD DISK SET IN MOST SOUTHWEST CORNER OF HEADWALL  
OF DOUBLE 5'X 4'X 68' R.C. BOX 33' RIGHT CENTERLINE ROAD.  
RECOVERED BY S5102 ON 03/03/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 300010

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 60253

Nearest City: BISMARK

County: HOT SPRING

Route: 84

Section: 5

Log Mile: 9.72

Land Section Number: 12

Township: 05S

Range: 21W

Land Section:

Latitude: N 34 18 31.1

Longitude: W 93 12 28.3

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 130.546

Elevation (Feet): 428.300

Description: STANDARD DISK SET IN MOST NORTHEAST END OF HEADWALL OF QUAD. 27'X 10'X 78' ALUMINUM STRUCTURE PLATE ARCH SUPER SPAN OVER BIG HILL CR. 45' LEFT CENTERLINE ROAD. RECOVERED BY S5102 ON 03/02/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 300011

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 60253

Nearest City: POINT CEDAR

County: HOT SPRING

Route: 84

Section: 5

Log Mile: 1.12

Land Section Number: 2

Township: 05S

Range: 22W

Land Section:

Latitude: N 34 19 54.7

Longitude: W 93 20 16.9

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 171.92

Elevation (Feet): 564.041

Description: STANDARD DISK SET IN MOST SOUTHWEST CORNER OF HEADWALL  
OF DOUBLE 9'X 5'X 53' R.C. BOX 25' RIGHT OF CENTERLINE.  
RECOVERED BY S5102 ON 03/03/00.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 300012

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 60253

Nearest City: POINT CEDAR

County: HOT SPRING

Route: 84

Section: 5

Log Mile: 2.77

Land Section Number: 1

Township: 05S

Range: 22W

Land Section:

Latitude: N 34 19 42.2

Longitude: W 93 18 38.2

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 155.832

Elevation (Feet): 511.259

Description: STANDARD DISK SET IN MOST SOUTHWEST CORNER OF HEADWALL OF TRIPLE 8'X 4 X 41' R.C. BOX 20' RIGHT OF CENTERLINE. RECOVERED BY S5102 ON 03/03/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 300013

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 60253

Nearest City: POINT CEDAR

County: HOT SPRING

Route: 84

Section: 5

Log Mile: 3.09

Land Section Number: 1

Township: 05S

Range: 22W

Land Section: SE

Latitude: N 34 19 41.6

Longitude: W 93 18 19.9

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 153.936

Elevation (Feet): 505.038

Description: STANDARD DISK SET IN MOST SOUTHWEST END OF HEADWALL OF  
DOUBLE 7 X 4 X 65' R.C. BOX 23' RIGHT OF CENTERLINE ROAD.  
RECOVERED BY S5102 ON 03/03/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 300014

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: BISMARK

County: HOT SPRING

Route: 84

Section: 6

Log Mile: 0.96

Land Section Number: 4

Township: 55

Range: 20W

Land Section: SW

Latitude: N 34 19 21.3

Longitude: W 93 09 26.6

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 163.542

Elevation (Feet): 536.554

Description: CHISELED SQUARE NORTHEAST CORNER OF NORTH HEADWALL OF BOX CULVERT RECOVERED BY S5102 ON 03/02/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 300015

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 60355

Nearest City: DEROCHE

County: HOT SPRING

Route: 128

Section: 8

Log Mile: 4.90

Land Section Number: 19

Township: 45

Range: 19W

Land Section: SE

Latitude: N 34 33 50.4

Longitude: W 93 03 31.9

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 163.324

Elevation (Feet): 535.839

Description: STANDARD DISK SET IN MOST SOUTHEAST CORNER OF HEADWALL OF QUAD. 12'X 7' ARCH PLATE CULVERT AT MT. CARMEL CREEK 30' RIGHT CENTERLINE ROAD. RECOVERED BY S5102 ON 03/02/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 300016

Class:

Vertical Datum:

Established by: RE OFFICE #64

Date Established:

System: STATE Job Number: R60057 Nearest City:

County: HOT SPRING Route: 171 Section: 0 Log Mile: 0.254

Land Section Number: 8 Township: 04S Range: 16W

Land Section:

Latitude: N 34 23 17.5 Longitude: W 92 44 32.7 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 92.769 Elevation (Feet): 304.360

Description: PERMANENT BENCHMARK IN R.C. BOX HEADWALL RIGHT STATION  
23+42. BENCHMARK CAP IN SOUTHWEST CORNER OF HEADWALL  
0.254 MILE EAST OF HWY. 67 RECOVERED BY S5102 ON 02/25/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 300017

Class:

Vertical Datum:

Established by: RE OFFICE #64

Date Established:

System:

Job Number: N/A

Nearest City: PERLA

County: HOT SPRING

Route: 171

Section: 0

Log Mile: 0.850

Land Section Number: 16

Township: 04S

Range: 16W

Land Section:

Latitude: N 34 23 10.0

Longitude: W 92 43 56.1

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 90.187

Elevation (Feet): 295.889

Description: PERMANENT BENCH MARK IN R.C. BOX HEADWALL RIGHT OF STATION 55+00. BENCHMARK CAP IN SOUTHWEST CORNER OF HEADWALL 0.850 MILE EAST OF HWY. 67. RECOVERED BY S5102 ON 02/25/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 300018

Class:

Vertical Datum:

Established by: RE OFFICE #64

Date Established: 9/1/1992

System: STATE

Job Number: R60020

Nearest City: JONES MILL

County: HOT SPRING

Route: 171

Section: 5

Log Mile: 1.89

Land Section Number: 12

Township: 03S

Range: 17W

Land Section: NENE

Latitude: N 34 29 18.0

Longitude: W 92 53 23.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 133.679

Elevation (Feet): 438.579

Description: TOP SOUTHWEST BRIDGE END POST WIGGINS CREEK. RECOVERED BY S5102 ON 02/25/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 300019

Class:

Vertical Datum:

Established by: RE OFFICE #64

Date Established: 9/1/1992

System: STATE

Job Number: R60020

Nearest City: JONES MILL

County: HOT SPRING

Route: 171

Section: 5

Log Mile: 3.40

Land Section Number: 6

Township: 03S

Range: 16W

Land Section: NE

Latitude: N 34 30 01.0

Longitude: W 92 52 15.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 146.222

Elevation (Feet): 479.730

Description: TOP SOUTHWEST WING WALL BOX CULVERT TIGRE CREEK.  
RECOVERED BY S5102 ON 02/25/00.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 300020

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City:

County: HOT SPRING

Route: 270

Section: 5

Log Mile: 0.55

Land Section Number: 0

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 98.432

Elevation (Feet): 322.939

Description: STANDARD DISK BRIDGE #5863 38' LT.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 300021

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: MALVERN

County: HOT SPRING

Route: 270

Section: 7

Log Mile: 0.70

Land Section Number: 0

Township:

Range:

Land Section:

Latitude: N 34 27 44.0

Longitude: W 92 54 08.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 98.829

Elevation (Feet): 324.241

Description: DISK HDWLL R. C. BOX 42' RT. RECOVERED BY S5102 ON 02/25/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 300022

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: MALVERN

County: HOT SPRING

Route: 270

Section: 7

Log Mile: 1.31

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 27 21.0

Longitude: W 92 53 47.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 108.917

Elevation (Feet): 357.339

Description: DISK HEADWALL R. C. BOX 50' RT. RECOVERED BY S5102 ON 02/25/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 300023

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE Job Number: N/A Nearest City: MALVERN

County: HOT SPRING Route: 270 Section: 7 Log Mile: 2.0

Land Section Number: Township: Range:

Land Section:

Latitude: N 34 26 47.0 Longitude: W 92 53 26.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 113.047 Elevation (Feet): 370.888

Description: DISK HEADWALL R. C. BOX 52' RT. RECOVERED BY S5102 ON 02/25/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 300024

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City: MALVERN

County: HOT SPRING Route: 270 Section: 7 Log Mile: 2.5

Land Section Number: Township: Range:

Land Section:

Latitude: N 34 26 31.0 Longitude: W 92 53 06.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 110.457 Elevation (Feet): 362.391

Description: DISK HEADWALL R.C. BOX 42 ' RT. RECOVERED BY S5102 ON 02/25/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 300025

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #64

Date Established: 10/23/1992

System: STATE

Job Number: R60017

Nearest City: POINT CEDAR

County: HOT SPRING

Route: 347

Section: 2

Log Mile: 4.4

Land Section Number: 18

Township: 04S

Range: 21W

Land Section: SE

Latitude: N 34 22 25.6

Longitude: W 93 16 16.4

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 191.022

Elevation (Feet): 626.711

Description: STANDARD AHTD DISK SET IN HEADWALL 21' RT. CENTERLINE HWY.  
347 DISK SET IN MOST SW CORNER OF HEADWALL OF TRIPLE 8' x 4' x  
53' R. C. BOX CULVERT. RECOVERED BY S5102 ON 03/03/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 300026

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #64

Date Established: 11/28/1994

System: COUNTY

Job Number: B30-3

Nearest City: FRIENDSHIP

County: HOT SPRING

Route: CR 647

Section: 1

Log Mile:

Land Section Number: 14

Township: 06S

Range: 19W

Land Section:

Latitude: N 34 12 49.2

Longitude: W 92 59 50.6

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 66.767

Elevation (Feet): 219.051

Description: STANDARD DISK SET IN TOP OF BR. END POST 13' RT. CENTERLINE  
SOUTH BR. 4704 ON OUACHITA RIVER. ROAD KNOWN LOCALLY AS  
"RIVER ST." RECOVERED BY S5102 ON 03/02/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 300027

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #64

Date Established: 11/1/1994

System: STATE

Job Number: 060616

Nearest City: MALVERN

County: HOT SPRING

Route: I-30

Section: 21

Log Mile: 104.5

Land Section Number: 17

Township: 03S

Range: 16W

Land Section: SE

Latitude: N 34 27 40.0

Longitude: W 92 45 05.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 111.453

Elevation (Feet): 365.659

Description: STANDARD DISK IN WINGWALL ON SOUTHWEST CORNER OF BRIDGE  
3432 BR. 9 MILE CREEK. RECOVERED BY S5102 ON 02/25/00.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 300028

Class:

Vertical Datum:

Established by:

RE OFFICE #64

Date Established: 2/1/1995

System: STATE

Job Number: 060616

Nearest City: MALVERN

County: HOT SPRING

Route: I-30

Section: 21

Log Mile: 105.2

Land Section Number: 17

Township: 03S

Range: 16W

Land Section: SE

Latitude: N 34 28 22.0

Longitude: W 92 44 16.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 114.733

Elevation (Feet): 376.420

Description: STANDARD DISK LOCATED IN WINGWALL ON NORTHWEST CORNER  
OF BRIDGE 3245 BR. 10 MILE CREEK. RECOVERED BY S5102 ON 02/25/00

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 300029

Class:

Vertical Datum:

Established by: RE OFFICE #64

Date Established: 10/1/1995

System: STATE

Job Number: 060616

Nearest City: MALVERN

County: HOT SPRING

Route: I-30

Section: 21

Log Mile: 105.2

Land Section Number: 16

Township: 03S

Range: 16W

Land Section: NW

Latitude: N 34 28 19.0

Longitude: W 92 99 16.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 113.852

Elevation (Feet): 373.529

Description: STANDARD DISK LOCATED IN SOUTHEAST CORNER OF BRIDGE 3245  
AR. 10 MILE CREEK. RECOVERED BY S5102 ON 02/25/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 300030

Class:

Vertical Datum:

Established by:

Date Established: 8/7/1990

System: COUNTY

Job Number: F-30-6

Nearest City: POINT CEDAR

County: HOT SPRING

Route: 1460

Section: 19

Log Mile: 2.6530

Land Section Number: 19

Township: 04S

Range: 21W

Land Section: NWNE

Latitude: N 34 22 50.4

Longitude: W 93 17 31.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 176.056

Elevation (Feet): 577.610

Description: PERMANENT BENCH CAP IN SOUTHWEST HEADWALL OF DOUBLE 10' x 8' x 56' R. C. BOX CULVERT. LOCATED ON "AMITY ROAD" RECOVERED BY S5102 ON 03/03/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 300033

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: COUNTY Job Number: F-30-7 Nearest City: OMA

County: HOT SPRING Route: 1460 Section: 3 Log Mile: 4.0984

Land Section Number: 17 Township: 04S Range: 21W

Land Section:

Latitude: N 34 23 33.2 Longitude: W 93 16 21.8 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 169.844 Elevation (Feet): 557.230

Description: STANDARD B. M. DISK IN SE WINGWALL OF PRE-CAST BR. NO 4603, RT. STA. 216+40. LOCATED ON "AMITY ROAD" RECOVERED BY S5102 ON 03/03/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 300034

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: CITY Job Number: S-30-22 Nearest City: MALVERN

County: HOT SPRING Route: ANKS STRE Section: Log Mile: OCK ST

Land Section Number: 22 Township: 04S Range: 17W

Land Section:

Latitude: N 34 21 56.7 Longitude: W 92 48 49.4 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.495 Elevation (Feet): 280.495

Description: IN R. R. DEPOT AT MALVERN STD. DISK "A 79 1935' SET VERTICALLY IN  
BRICK WALL 5' E OF NW CORNER OF STA.RECOVERED BY S5102 ON  
02/25/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 300035

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: CITY Job Number: S-30-22 Nearest City: MALVERN

County: HOT SPRING Route: ANKS STRE Section: Log Mile: KS STR

Land Section Number: 23 Township: 04S Range: 17W

Land Section:

Latitude: N 34 22 09.0 Longitude: W 92 48 07.2 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.192 Elevation (Feet): 279.501

Description: IN BRIDGE OVER TOWN CREEK A CHISELED SQUARE ON TOP OF BRICK WALL SW CORNER OF BR. APPROX. 0.2 MILES SOUTH OF WILSON ELEMENTRY SCHOOL ON BANKS STREET IN MALVERN, AR. RECOVERED BY S5102 ON 02/25/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 300036

Class:

Vertical Datum:

Established by: RE OFFICE #64

Date Established:

System: FEDERAL Job Number: 60381 Nearest City: MALVERN

County: HOT SPRING Route: I-30 Section: 21 Log Mile: 97.1

Land Section Number: 9 Township: 05S Range: 18W

Land Section: NW

Latitude: Longitude: Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 82.576 Elevation (Feet): 270.918

Description: AHTD DISK LOCATED IN TOP OF WINGWALL ON NW CORNER OF  
WESTBOUND BRIDGE NO. 3424AR. DESTROYED BY BRIDGE REPAIR.  
NOT RECOVERED BY S5102.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 300037

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #34

Date Established: 5/3/1999

System: STATE

Job Number: 060455

Nearest City: BISMARK

County: HOT SPRING

Route: 84

Section: 6

Log Mile: 1.97

Land Section Number: 4

Township: 05S

Range: 20W

Land Section: SW

Latitude: N 34 19 40.1

Longitude: W 93 08 27.5

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 165.455

Elevation (Feet): 542.830

Description: STANDARD DISK IN MOST SW WINGWALL BR. 06719 OVER DEROCHE BAYOU-9.5M RT. CENTERLINE. RECOVERED BY S5102 ON 03/02/00.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 300038

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #64

Date Established: 7/13/2000

System: COUNTY

Job Number: FA3009

Nearest City:

County: HOT SPRING

Route: CR30

Section:

Log Mile:

Land Section Number: 25

Township: 04S

Range: 18W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.056

Elevation (Feet): 252.808

Description: AHTD DISC IN TOP SW WINGWALL BR 04778, JOB STA 40+73.85 OVER  
THE OUACHITA RIVER

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 300039

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #62

Date Established: 7/25/2002

System: STATE

Job Number: B60115

Nearest City:

County: HOT SPRING

Route: I-30

Section: 21

Log Mile: 89.63

Land Section Number: 03

Township: 05S

Range: 18W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.056

Elevation (Feet): 279.055

Description: AHTD CAP IN TOP OF SE WING BR B3941

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 300040

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #62

Date Established: 7/25/2002

System: STATE

Job Number: B60115

Nearest City:

County: HOT SPRING

Route: I-30

Section: 21

Log Mile: 89.69

Land Section Number: 03

Township: 05S

Range: 18W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 86.005

Elevation (Feet): 282.168

Description: AHTD CAP IN TOP OF NW WING BR A3941

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 300041

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #62

Date Established: 7/25/2002

System: STATE

Job Number: B60115

Nearest City:

County: HOT SPRING

Route: I-30

Section: 21

Log Mile: 91.75

Land Section Number: 35

Township: 04S

Range: 18W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 83.155

Elevation (Feet): 272.818

Description: AHTD CAP IN TOP OF SE WING BR B5025

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 300042

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #62

Date Established: 7/25/2002

System: STATE

Job Number: B60115

Nearest City:

County: HOT SPRING

Route: I-30

Section: 21

Log Mile: 91.81

Land Section Number: 35

Township: 04S

Range: 18W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 83.912

Elevation (Feet): 275.301

Description: AHTD CAP IN TOP OF NW WING BR A5025

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 300043

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #62

Date Established: 4/24/2006

System: STATE

Job Number: BR3005

Nearest City: Glen Rose

County: HOT SPRING

Route: CR66

Section:

Log Mile:

Land Section Number: 13

Township: 03S

Range: 15W

Land Section:

Latitude: N 34 27 36.0

Longitude: W 92 41 49.0

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.351

Elevation (Feet): 266.899

Description: BM#62900 ALUM DISK NE. QUAD 10 X5 RCBOX 38 LT. STA. 112+40  
ESTABLISHED DMDC434, RE-62

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 300044

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: RE OFFICE #64

Date Established: 2/28/2012

System: STATE

Job Number: 060900

Nearest City: malvern

County: HOT SPRING

Route: 270

Section: 8

Log Mile: 3.57

Land Section Number: 12

Township: 04s

Range: 12w

Land Section: NW

Latitude: N 34 23 52.11000

Longitude: W 92 47 05.87000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 104.188468

Elevation (Feet): 341.825

Description: rc box culvert southeast corner of headwall sta 188+50

Comments: Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 300045

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: RE OFFICE #64

Date Established: 2/28/2012

System: STATE

Job Number: 060900

Nearest City: malvern

County: HOT SPRING

Route: 270

Section: 8

Log Mile: 4.30

Land Section Number: 2

Township: 04s

Range: 17w

Land Section: SE

Latitude: N 34 24 24.33000

Longitude: W 92 47 36.97000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 101.422403

Elevation (Feet): 332.750

Description: rc box culvert southeast corner of headwall sta 226+90.

Comments: Elevation not verified due to no three wire data



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 300046

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #64

Date Established: 2/28/2012

System: STATE

Job Number: 060900

Nearest City: malvern

County: HOT SPRING

Route: 270

Section: 8

Log Mile: 1.26

Land Section Number: 19

Township: 04s

Range: 16w

Land Section: NE

Latitude: N 34 22 10.40000

Longitude: W 92 45 59.62000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 112.481788

Elevation (Feet): 369.034

Description: bridge parapet wall northeast corner sta 66+64 rt.

Comments: Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 300047

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: RE OFFICE #64

Date Established: 2/28/2012

System: STATE Job Number: 060900 Nearest City: malvern

County: HOT SPRING Route: 270 Section: 8 Log Mile: 1.91

Land Section Number: 18 Township: 04s Range: 16w

Land Section: NW

Latitude: N 34 22 43.20000 Longitude: W 92 46 10.44000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 103.862027 Elevation (Feet): 340.754

Description: rc box culvert headwall northeast corner sta 100+85 lt.

Comments: Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 300048

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: RE OFFICE #64

Date Established: 2/28/2012

System: STATE

Job Number: 060900

Nearest City: malvern

County: HOT SPRING

Route: 270

Section: 8

Log Mile: 5.09

Land Section Number: 2

Township: 04s

Range: 17w

Land Section: NW

Latitude: N 34 24 45.90000

Longitude: W 92 48 18.37000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 132.311201

Elevation (Feet): 434.091

Description: bridge parapet wall southwest corner sta 268+92029.

Comments: Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310001

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City: UMPIRE

County: HOWARD Route: 4 Section: 2 Log Mile: 4.62

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 200.315 Elevation (Feet): 657.200

Description: INFOOTING OFGUARD FENCE ANCHOR POST RIGHT SIDE AT WEST  
END COSSATOT RIVER BRIDGE. RECON 1/2004 BY S5102. DESTROYED  
DUE TO BROKEN CONCRETE AT THIS LOCATION.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310002

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: 3838 Nearest City: WICKES

County: HOWARD Route: 4 Section: 2 Log Mile: 1.75

Land Section Number: Township: Range:

Land Section:

Latitude: N 34 17 26.0 Longitude: W 94 13 34.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 254.737 Elevation (Feet): 835.750

Description: DISK NORTHWEST CORNER R.C.B. HEADWALL NORTH STATION 92+34.  
RECON 1/2004 BY S5102.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310003

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: 3838 Nearest City: UMPIRE

County: HOWARD Route: 4 Section: 2 Log Mile: 10.06

Land Section Number: Township: 05S Range: 29W

Land Section:

Latitude: N 34 17 45.0 Longitude: W 94 05 20.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 201.165 Elevation (Feet): 659.989

Description: DISK IN TOP OF SOUTHEAST WING WALL OF BRIDGE 5761. RECON  
1/2004 BY S5102.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310004

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: 3838 Nearest City: UMPIRE

County: HOWARD Route: 4 Section: 2 Log Mile: 12.09

Land Section Number: Township: Range:

Land Section:

Latitude: N 34 17 18.0 Longitude: W 94 03 52.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 252.024 Elevation (Feet): 826.849

Description: DISK IN TOP MIDDLE OF SOUTH HEADWALL OF DOUBLE 6 X 4 R.C.  
BOX. RECON 1/2004 BY S5102.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310005

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City:

County: HOWARD Route: 4 Section: 3 Log Mile: 1.8

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 147.804 Elevation (Feet): 484.920

Description: 8" BRIDGE SPIKE IN COMBINATION POLE 125' NORTH AND 60' EAST OF  
INTERSECTION OF HWY. 4 AND PAVED COUNTY ROAD TO MUDDY  
FORK. NOT RECOVERED. POLE REPLACED. RECON 1/2004 BY S5102.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310006

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City: DIERKS

County: HOWARD Route: 4 Section: 3 Log Mile: 2.3

Land Section Number: Township: 07S Range: 28W

Land Section:

Latitude: N 34 07 04.0 Longitude: W 93 59 08.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 138.209 Elevation (Feet): 453.441

Description: CHISELED SQUARE IN CENTER OF SOUTHWEST HEADWALL OF A  
DOUBLE 8'X 3'X 44' BOX CULVERT. 24' SOUTH OF CENTERLINE OF  
HWY. 4. RECON 1/2004 BY S5102.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310007

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City: DIERKS

County: HOWARD Route: 4 Section: 3 Log Mile: 2.6

Land Section Number: Township: 07N Range: 28W

Land Section:

Latitude: N 34 06 56.0 Longitude: W 93 58 49.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 153.894 Elevation (Feet): 504.901

Description: 8" BRIDGE SPIKE IN COMBINATION POLE 123' SOUTHEAST ALONG HWY. 4 FROM WOODS ROAD NORTHEAST AND 43' NORTHWEST FROM CENTERLINE OF HWY. 4- NEAR CORNER OF SECTIONS 27-28-33-34. RECON 1/2004 BY S5102.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310008

Class:

Vertical Datum: UNKNOWN

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: DIERKS

County: HOWARD

Route: 4

Section: 3

Log Mile: 3.0

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 06 43.0

Longitude: W 93 58 30.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 140.355

Elevation (Feet): 460.481

Description: CHISELED SQUARE IN CENTER OF SOUTHWEST HEADWALL OF  
DOUBLE 48"X 66' CONCRETE PIPES 190' NORTHWEST OF CROSSING OF  
HWY. 4 AND DEQUEEN AND EASTERN RAILROAD AND 34' SOUTHWEST  
OF CENTERLINE OF HWY. RECON 1/2004 BY S5102.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310009

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City: DIERKS

County: HOWARD Route: 4 Section: 3 Log Mile: 3.39

Land Section Number: Township: Range:

Land Section:

Latitude: N 34 06 25.0 Longitude: W 93 58 17.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 138.099 Elevation (Feet): 453.080

Description: CHISELED SQUARE ON EAST END OF NORTH BACKWALL OF BRIDGE  
OVER THOMPSON BRANCH 14' EAST OF CENTERLINE OF HWY. 4.  
RECON 1/2004 BY S5102.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310010

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City:

County: HOWARD Route: 4 Section: 3 Log Mile: 3.85

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 132.299 Elevation (Feet): 434.051

Description: 8" BRIDGE SPIKE IN COMBINATION POLE 'WEST OF CENTERLINE OF  
HWY. 4 'NORTH OF LITTLE HOLLY CREEK. BASED ON THIS  
DESCRIPTION NOT RECOVERED 1/2004 BY S5102.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310011

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City: CENTER POINT

County: HOWARD Route: 4 Section: 3 Log Mile: 5.0

Land Section Number: Township: 08S Range: 28W

Land Section:

Latitude: N 34 05 14.0 Longitude: W 93 58 49.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 156.558 Elevation (Feet): 513.641

Description: CHISELED SQUARE IN SOUTHEAST CORNER OF A 5' WIDE SIDEWALK  
IN FRONT OF FELLOWSHIP BAPTIST CHURCH 61' WEST OF  
CENTERLINE OF HWY. 4. RECON 1/2004 BY S5102.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310012

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City: CENTER POINT

County: HOWARD Route: 4 Section: 3 Log Mile: 5.9

Land Section Number: Township: 08S Range: 28W

Land Section:

Latitude: N 34 04 35.0 Longitude: W 93 58 17.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 145.28 Elevation (Feet): 476.639

Description: 8" BRIDGE SPIKE IN POWER POLE 80' SOUTHEAST OF GRAVEL COUNTY ROAD RUNNING NORTHEAST AND 39' NORTHEAST OF CENTERLINE OF HWY. 4. RECON 1/2004 BY S5102.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310013

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established:

System: STATE

Job Number: N/A

Nearest City: CENTERPOINT

County: HOWARD

Route: 4

Section: 3

Log Mile: 9.88

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 01 35.0

Longitude: W 93 56 47.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 179.204

Elevation (Feet): 587.938

Description: BENCHMARK DISC- NORTHWEST OF DOUBLE 10'X 6'X 55' R.C.B.C.  
RECON 1/2004 BY S5102.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310014

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established:

System: STATE

Job Number: N/A

Nearest City: NASHVILLE

County: HOWARD

Route: 4

Section: 3

Log Mile: 17.03

Land Section Number:

Township: 09S

Range: 27W

Land Section:

Latitude: N 33 57 09.0

Longitude: W 93 52 41.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 121.698

Elevation (Feet): 399.271

Description: BENCHMARK DISC- NORTHWEST CORNER OF TYPE E DROP INLET AT  
INTERSECTION ISLAND OF STATE HIGHWAY 4 AND 24. RECON 1/2004 BY  
S5102.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310015

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 3/24/1992

System: STATE

Job Number: 3922

Nearest City: CENTERPOINT

County: HOWARD

Route: 4

Section: 3

Log Mile: 6.48

Land Section Number: 15

Township: 08S

Range: 28W

Land Section:

Latitude: N 34 04 05.0

Longitude: W 93 58 02.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 131.442

Elevation (Feet): 431.239

Description: STANDARD AHTD ALUMINUM CAP SET IN TOP OF WEST WINGWALL  
(RIGHT SIDE) STATION 349+20 JOB #3922 BRIDGE OVER MESSER CREEK  
BRIDGE NO. 6415 SET BY W. DULL.. RECON 1/2004 BY S5102.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310016

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 5/29/1992

System: STATE

Job Number: 3922

Nearest City: CENTERPOINT

County: HOWARD

Route: 4

Section: 3

Log Mile: 3.94

Land Section Number: 34

Township: 08S

Range: 28W

Land Section: SW

Latitude: N 34 06 03.0

Longitude: W 93 58 24.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 134.71

Elevation (Feet): 441.961

Description: STANDARD ALUMINUM CAP SET IN TOP WINGWALL WEST SIDE  
LITTLE HOLLY CREEK BRIDGE #6414 SET ON JOB 3922 BY W. DULL  
STATION NO. 202+76. RECON 1/2004 BY S5102.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310017

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 9/29/1992

System: STATE

Job Number: 3922

Nearest City: DIERKS

County: HOWARD

Route: 4

Section: 3

Log Mile: 3.38

Land Section Number: 34

Township: 08S

Range: 28W

Land Section: SW

Latitude: N 34 06 25.0

Longitude: W 93 58 17.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 136.865

Elevation (Feet): 449.031

Description: STANDARD ALUMINUM CAP SET IN WEST HEADWALL TRIPLE 7 X 7 X  
85 R.C. BOX CULVERT OVER THOMPSON BRANCH. BY W. DULL.  
RECON 1/2004 BY S5102.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310018

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 6/9/1993

System: STATE

Job Number: 3922

Nearest City:

County: HOWARD

Route: 4

Section: 3

Log Mile: 0.69

Land Section Number: 29

Township: 07S

Range: 28W

Land Section: NW

Latitude: N 34 07 24.0

Longitude: W 94 00 28.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 130.912

Elevation (Feet): 429.500

Description: ALUMINUM CAP SET IN TOP WINGWALL SOUTHEAST CORNER BRIDGE  
OVER HOLLY CREEK STATION 37+32 BRIDGE #6413 JOB NO. 3922 BY  
G.C. SPENCER. RECON 1/2004 BY S5102.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310019

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City:

County: HOWARD Route: 4 Section: 04 Log Mile: 0.7

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 107.418 Elevation (Feet): 352.421

Description: "[ ]" IN CENTER OF SOUTH HEADWALL OF BOX CULVERT (APPROX. 174' RIGHT OF CENTERLINE OF 27/4 RELOCATION). BASED ON DESCRIPTION NOT RECOVERED 1/2004 BY S5102.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310020

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 9/21/1993

System: STATE

Job Number: 3826

Nearest City: NASHVILLE

County: HOWARD

Route: 24

Section:

Log Mile: 10.32

Land Section Number: 21

Township: 09S

Range: 27W

Land Section:

Latitude: N 33 57 10.0

Longitude: W 93 53 15.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 125.06

Elevation (Feet): 410.301

Description: AHTD ALUMINUM CAP PLACED IN RIGHT HEADWALL OF R.C. BOX  
CULVERT. RECON 1/2004 BY S5102.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310021

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 3/8/1993

System: STATE

Job Number: 3826

Nearest City: NASHVILLE

County: HOWARD

Route: 24

Section:

Log Mile: 10.98

Land Section Number: 22

Township: 09S

Range: 27W

Land Section:

Latitude: N 33 57 08.0

Longitude: W 93 52 35.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 122.975

Elevation (Feet): 403.460

Description: AHTD ALUMINUM CAP PLACED IN RIGHT WINGWALL OF BRIDGE 6389.  
RECON 1/2004 BY S5102.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310022

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 4/21/2003

System: COUNTY

Job Number: FA3111

Nearest City: NASHVILLE

County: HOWARD

Route: CR284

Section:

Log Mile:

Land Section Number: 28

Township: 09s

Range: 27w

Land Section:

Latitude: N 33 56 47.0

Longitude: W 93 52 38.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 118.08

Elevation (Feet): 387.401

Description: AHTD DISC IN WEST HW OF DOUBLE 9X6X56 RCBC AT STATION 105+80  
LOCATED ON CR384 0.4 MILES SOUTH OF HWY 371/CR384

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310023

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 7/26/2003

System: STATE Job Number: 030239 Nearest City: MINERAL SPRINGS

County: HOWARD Route: 355 Section: 0 Log Mile: 5.39

Land Section Number: 36 Township: 09S Range: 28W

Land Section:

Latitude: N 33 55 44.6 Longitude: W 93 56 14.8 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 139.132 Elevation (Feet): 456.469

Description: AHTD DISK IN CENTER OF E HW OF QUAD BOX (12X7X58) 1.6 MILES S  
OF HWY 371 AND HWY 355 INTERSECTION

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310024

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established:

System: STATE

Job Number: 3937

Nearest City: LOCKESBURG

County: HOWARD

Route: 24

Section: 1& 2

Log Mile: 16.80

Land Section Number: 25

Township: 09S

Range: 29W

Land Section:

Latitude: N 33 57 43.0

Longitude: W 94 03 42.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 100.167

Elevation (Feet): 328.631

Description: BENCHMARK DISC IN ABUTMENT ON RIGHT BRIDGE 6308 STATION  
149+16 (USGS ? BENCHMARK) RECON 1/2004 BY S5102.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310025

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established:

System: STATE

Job Number: 3937

Nearest City: LOCKESBURG

County: HOWARD

Route: 24

Section: 1 & 2

Log Mile: 0.08

Land Section Number:

Township: 09S

Range: 29W

Land Section:

Latitude: N 33 57 43.0

Longitude: W 94 03 36.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 100.09

Elevation (Feet): 328.379

Description: BENCHMARK DISC IN ABUTMENT ON RIGHT BRIDGE 6309 STATION  
154+52. RECON 1/2004 BY S5102.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310026

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established:

System: STATE

Job Number: 3937

Nearest City: LOCKESBURG

County: HOWARD

Route: 24

Section: 1 & 2

Log Mile: 0.27

Land Section Number:

Township: 09S

Range: 29W

Land Section:

Latitude: N 33 57 42.0

Longitude: W 94 03 24.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 99.819

Elevation (Feet): 327.490

Description: BM DISC IN ABUTMENT ON RT. BR. 6310 STA. 164+58. RECON 1/2004 BY S5102.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310027

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 5/10/1993

System: STATE

Job Number: 3826

Nearest City: LOCKESBURG

County: HOWARD

Route: 24

Section: 2

Log Mile: 0.87

Land Section Number: 24

Township: 09S

Range: 29W

Land Section:

Latitude: N 33 57 49.0

Longitude: W 94 02 47.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 107.564

Elevation (Feet): 352.900

Description: AHTD ALUMINUM CAP PLACED IN RIGHT WINGWALL OF BRIDGE 446R.  
RECON 1/2004 BY S5102.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310028

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 6/29/1992

System: STATE

Job Number: 3826

Nearest City: NASHVILLE

County: HOWARD

Route: 24

Section: 2

Log Mile: 3.80

Land Section Number: 21

Township: 09S

Range: 28W

Land Section:

Latitude: N 33 57 40.0

Longitude: W 93 59 46.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 142.019

Elevation (Feet): 465.941

Description: AHTD ALUMINUM CAP PLACED IN RIGHT WINGWALL OF BRIDGE 6388.  
RECON 1/2004 BY S5102.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310029

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 6/4/1993

System: STATE

Job Number: 3826

Nearest City: NASHVILLE

County: HOWARD

Route: 24

Section: 2

Log Mile: 5.90

Land Section Number: 26

Township: 09S

Range: 28W

Land Section:

Latitude: N 33 57 05.0

Longitude: W 93 57 47.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 124.663

Elevation (Feet): 408.999

Description: AHTD ALUMINUM CAP PLACED IN RIGHT WINGWALL OF BRIDGE 444R.  
RECON 1/2004 BY S5102.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310030

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 2/5/1993

System: STATE

Job Number: 3826

Nearest City: NASHVILLE

County: HOWARD

Route: 24

Section: 2

Log Mile: 8.80

Land Section Number: 30

Township: 09S

Range: 27W

Land Section:

Latitude: N 33 56 58.0

Longitude: W 93 54 46.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 125.566

Elevation (Feet): 411.961

Description: AHTD ALUMINUM CAP PLACED IN RIGHT WINGWALL OF BRIDGE 443R.  
RECON 1/2004 BY S5102.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310031

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established:

System: STATE

Job Number: 3857

Nearest City: NASHVILLE

County: HOWARD

Route: 24

Section: 2

Log Mile: 12.69

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 33 56 53.0

Longitude: W 93 50 41.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 114.474

Elevation (Feet): 375.570

Description: BENCHMARK DISC IN NORTHWEST BRIDGE END WING ON BRIDGE  
5904 (HWY. 27-WEST (NASHVILLE). RECON 1/2004 BY S5102.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310032

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 3/31/1994

System: STATE

Job Number: R30017

Nearest City: NASHVILLE

County: HOWARD

Route: 27

Section: 2

Log Mile: 14.75

Land Section Number: 26

Township: 09S

Range: 27W

Land Section: NENE

Latitude: N 33 56 57.0

Longitude: W 93 50 22.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 113.963

Elevation (Feet): 373.894

Description: DISK CENTER RIGHT HEADWALL DOUBLE 10'X 4'X 62' R.C.B.C. STATION 15+50 JOB #R330014 (STATE HIGHWAY 27 NORTHEAST OF NASHVILLE). RECON 1/2004 BY S5102.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310033

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 3/31/1995

System: STATE

Job Number: R30014

Nearest City: NASHVILLE

County: HOWARD

Route: 27

Section: 2

Log Mile: 0.86

Land Section Number: 24

Township: 19S

Range: 27W

Land Section: SENW

Latitude: N 33 57 33.0

Longitude: W 93 50 08.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 136.688

Elevation (Feet): 448.451

Description: DISK CENTER OF LEFT HEADWALL 3'X 3'X 69' R.C.B.C. STATION 56+98  
JOB #R30014 (STATE HIGHWAY 27 NORTHEAST OF NASHVILLE). RECON  
1/2004 BY S5102.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310034

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: NASHVILLE

County: HOWARD

Route: 27

Section: 2

Log Mile: 11.78

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 33 55 14.0

Longitude: W 93 51 24.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 101.864

Elevation (Feet): 334.199

Description: DISC IN TOP OF WING OF R.C. BOX CULVERT 42' RIGHT STATION 31+50.  
RECON 1/2004 BY S5102.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310035

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: NASHVILLE

County: HOWARD

Route: 27

Section: 2

Log Mile: 12.64

Land Section Number:

Township: 09S

Range: 27W

Land Section:

Latitude: N 33 55 26.0

Longitude: W 93 50 34.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 104.986

Elevation (Feet): 344.442

Description: DISC IN TOP OF LEFT WING BENT #4 BRIDGE NO. 5860 SANDY BRANCH.  
RECON 1/2004 BY S5102.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310036

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: NASHVILLE

County: HOWARD

Route: 27

Section: 2

Log Mile: 1.33

Land Section Number:

Township: 09S

Range: 27W

Land Section:

Latitude: N 33 55 52.0

Longitude: W 93 50 06.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 115.151

Elevation (Feet): 377.791

Description: DISC IN TOP OF LEFT WING BENT #1 BRIDGE NO. 5861 STATE HIGHWAY 4 AND MOPAC RR. RECON 1/2004 BY S5102.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310037

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: NASHVILLE

County: HOWARD

Route: 27

Section: 2

Log Mile: 14.62

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 55 52.0

Longitude: W 93 50 06.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 111.749

Elevation (Feet): 366.630

Description: DISC IN TOP OF LEFT HEADWALL OF R.C. BOX CULVERT STATION  
165+25. RECON 1/2004 BY S5102. QUESTIONABLE LAT/LON.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310038

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number:

N/A

Nearest City:

NASHVILLE

County:

HOWARD

Route:

27

Section:

2

Log Mile:

11.19

Land Section Number:

Township:

09S

Range:

27W

Land Section:

Latitude:

N 33 55 02.0

Longitude:

W 93 51 51.0

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

103.145

Elevation (Feet):

338.402

Description:

"[" IN NORTHEAST ABUTMENT OF COLEMAN CREEK BR. 23' LEFT  
(MARKED "AHD B.M. EL. 337) BRIDGE 5274. RECON 1/2004 BY S5102.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310039

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: UMPIRE

County: HOWARD

Route: 246

Section: 2

Log Mile: 2.59

Land Section Number: 8

Township: 05S

Range: 28W

Land Section:

Latitude: N 34 19 57.0

Longitude: W 94 00 44.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 287.296

Elevation (Feet): 942.570

Description: BENCHMARK DISC TOP OF SOUTHWEST CORNER OF PARAPET RAIL  
BRIDGE NO. 5758. RECON 1/2004 BY S5102.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310040

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: UMPIRE

County: HOWARD

Route: 246

Section: 2

Log Mile: 3.20

Land Section Number: 8

Township: 05S

Range: 28W

Land Section:

Latitude: N 34 19 40.0

Longitude: W 94 00 14.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 279.679

Elevation (Feet): 917.580

Description: BENCHMARK DISC TOP OF NORTHWEST WING OF TRIPLE R.C. BOX  
CULVERT. RECON 1/2004 BY S5102.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310041

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: UMPIRE

County: HOWARD

Route: 246

Section: 2

Log Mile: 4.28

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 19 22.0

Longitude: W 93 59 13.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 287.985

Elevation (Feet): 944.831

Description: BENCHMARK DISC TOP OF NORTHWEST END OF HEADWALL OF  
DOUBLE R.C. BOX CULVERT. RECON 1/2004 BY S5102.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310042

Class:

Vertical Datum:

Established by: RE OFFICE #31

Date Established:

System: STATE

Job Number: 3945

Nearest City: MINERAL SPRINGS

County: HOWARD

Route: 355

Section: 1A

Log Mile: 1.25

Land Section Number:

Township: 10S

Range: 27W

Land Section:

Latitude: N 33 51 55.0

Longitude: W 93 53 48.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 92.26

Elevation (Feet): 302.690

Description: STANDARD BENCHMARK DISC SET IN SOUTHWEST WING WALL OF  
BRIDGE OVER MINE CREEK. 1 MILE SOUTH OF MINERAL SPRINGS.  
RECON 1/2004 BY S5102.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310043

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City:

County: HOWARD

Route: 980

Section: 25

Log Mile: 0.00

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 115.239

Elevation (Feet): 378.080

Description: DISC IN TOP DROP INLET 38' NORTH OF HWY. 24 INTERSECTION AND 22' EAST OF CENTERLINE RDWY. RECON 1/2004 BY S5102. DESTROYED DUE TO NEW SIDEWALK HANDICAP RAMP AT THIS LOCATION.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310044

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: NASHVILLE

County: HOWARD

Route: 980

Section: 25

Log Mile: 0.30

Land Section Number: 14

Township: 09S

Range: 27W

Land Section:

Latitude: N 33 57 20.0

Longitude: W 93 50 48.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 116.019

Elevation (Feet): 380.639

Description: DISC IN TOP SOUTHWEST TURNOUT POST BR. #5746. RECON 1/2004 BY S5102.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310045

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: NASHVILLE

County: HOWARD

Route: 980

Section: 25

Log Mile: 1.34

Land Section Number:

Township: 09S

Range: 27W

Land Section:

Latitude: N 33 58 01.0

Longitude: W 93 50 35.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 125.435

Elevation (Feet): 411.531

Description: DISC IN TOP SOUTHWEST WINGWALL ON DOUBLE R.C. BOX CULVERT.  
RECON 1/2004 BY S5102.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310046

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: NASHVILLE

County: HOWARD

Route: 980

Section: 25

Log Mile: 2.74

Land Section Number: 11

Township: 09S

Range: 27W

Land Section:

Latitude: N 33 59 11.0

Longitude: W 93 50 38.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 138.419

Elevation (Feet): 454.130

Description: DISC IN TOP SOUTHEAST PARAPET WALL SOUTH END OF BRIDGE  
#5747. RECON 1/2004 BY S5102.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310047

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 2/2/1997

System: COUNTY

Job Number: BR3105

Nearest City: NASHVILLE

County: HOWARD

Route: CR 8

Section: 34

Log Mile: 1.7

Land Section Number: 34

Township: 09S

Range: 27W

Land Section: NW

Latitude: N 33 56 06.0

Longitude: W 93 52 22.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 113.34

Elevation (Feet): 371.850

Description: 1.7 MILES SW OF HOWARD CO. COURT HOUSE ON CO. RD. #8 DISC IN  
TOP OF NW WING POST OF COLEMAN CREEK BRIDGE #4703. RECON  
1/2004 BY S5102.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310048

Class:

Vertical Datum:

Established by: RE OFFICE #31

Date Established: 10/17/1995

System: COUNTY

Job Number: FA3105

Nearest City: NASHVILLE

County: HOWARD

Route: CR 8

Section: B

Log Mile: 0.61

Land Section Number: 6

Township:

Range:

Land Section: SW

Latitude: N 33 54 56.0

Longitude: W 93 55 35.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 107.299

Elevation (Feet): 352.030

Description: AHTD BENCHMARK IS LOCATED 5 1/2 MI. WEST OF NASHVILLE ON HWY. 24, THEN SOUTH FROM JCT. S. H. 355 & S. H. 24 2.8 MILES TO CO. RD. #8, TURN EAST .61 MILES TO BR # 4750 ON LEFEVER CREEK. IT IS LOCATED ON SW CORNER ON TOP OF TRANSITION RAIL 1' FROM THE END. RECON 1/2004 BY S5102.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310049

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 1/20/1994

System: COUNTY

Job Number: F-31-4

Nearest City: MIDWAY

County: HOWARD

Route: CR

Section:

Log Mile:

Land Section Number: 6

Township: 10S

Range: 27W

Land Section:

Latitude: N 33 54 57.0

Longitude: W 93 54 59.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 106.019

Elevation (Feet): 347.831

Description: AHTD ALUMINUM BENCH MARK IN NW WINGWALL OF BR. 4702. 1  
MILE EAST OF S. H. 355. RECON 1/2004 BY S5102.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310050

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 7/1/1991

System: COUNTY

Job Number: BR-31-4

Nearest City: NASHVILLE

County: HOWARD

Route: CR 5

Section:

Log Mile:

Land Section Number: 2

Township: 10S

Range: 27W

Land Section:

Latitude: N 33 55 03.0

Longitude: W 93 15 16.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 103.117

Elevation (Feet): 338.310

Description: AHTD BENCH MARK DISK LOCATED IN THE RT. WINGWALL OF BR. 4637 APPROXIMATELY STA. 27+42, 15 FEET RT. OF CENTERLINE. RECON 1/2004 BY S5102.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310052

Class:

Vertical Datum:

Established by: RE OFFICE #31

Date Established: 4/2/1999

System: STATE

Job Number: 030074

Nearest City: NASHVILLE

County: HOWARD

Route: 27B

Section: 2B

Log Mile: 0.47

Land Section Number: 35

Township: 09S

Range: 31W

Land Section: SW

Latitude: N 33 55 29.0

Longitude: W 93 51 15.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 108.128

Elevation (Feet): 354.750

Description: SOUTH OF NASHVILLE, AR FROM JUNCTION 27 & 27b GO APP. 1/2 MILES NORTH ON HIGHWAY 27B, 235' PAST POULAN DR. BM IN TOP OF DROP INLET 35' ON RT. SIDE. RECON 1/2004 BY S5102.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310053

Class:

Vertical Datum:

Established by:

RE OFFICE #31

Date Established: 4/2/1999

System: STATE

Job Number: 030074

Nearest City: NASHVILLE

County: HOWARD

Route: 27B

Section: 2B

Log Mile: 1.31

Land Section Number: 35

Township: 09S

Range: 31W

Land Section: NE

Latitude: N 33 56 02.0

Longitude: W 93 50 55.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 111.526

Elevation (Feet): 365.898

Description: IN NASHVILLE, ARKANSAS, ROM JUNCTION OF SOUTH MAIN & 27B GO 530' SOUTH ON 27B TO RC BOX CULVERT. BM IN CENTER OF TOP OF SOUTH HEADWALL 41' LT. OF CENTERLINE. RECON 1/2004 BY S5102.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310055

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 10/4/2000

System: COUNTY

Job Number: FA3109

Nearest City: CENTER POINT

County: HOWARD

Route: CR19

Section: NA

Log Mile: NA

Land Section Number: 20

Township: 08S

Range: 28W

Land Section:

Latitude: N 34 03 05.0

Longitude: W 94 00 56.8

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 115.821

Elevation (Feet): 379.989

Description: AHTD DISC IN SE WW OF BR 4825 LOCATED 3.95 MILES N OF  
HWY26/POSSUM HOLLOW ROAD JUNCTION ON POSSUM HOLLOW  
ROAD. WEST OF CENTER POINT, ARK.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310056

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #31

Date Established: 3/10/2008

System: FEDERAL

Job Number: FA3107

Nearest City: NASHVILLE

County: HOWARD

Route: 8

Section:

Log Mile:

Land Section Number: 33

Township: 09S

Range: 27W

Land Section:

Latitude: N 33 55 29.4

Longitude: W 93 53 32.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 112.6170892

Elevation (Feet): 369.478

Description: AHTD ALUMINUM DISK LOCATED IN THE SOUTH HEADWALL OF  
DOUBLE 7' X 7' RC BOX CULVERT

Comments: Elevations Verified by ESS on 5/15/08 by 3-wire levels. Elevations were based on control file of Job#FA3107 from NGS marks C 62. Data can be located on EDM under Job#FA3107, sfa3107\_RE\_bences.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310057

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: N/A Nearest City:

County: HOWARD Route: 4 Section: 2 Log Mile: 4.62

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 200.31496 Elevation (Feet): 657.200

Description: INFOOTING GUARD FENCE ANCHOR POST RIGHT SIDE @ WEST END  
COSSATOT RIVER BR

Comments: Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310058

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: 3909 Nearest City:

County: HOWARD Route: 4 Section: 3 Log Mile: 9.88

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 179.20447 Elevation (Feet): 587.940

Description: CENTER POINT / DISK IN NW WINGWALL OF DOUBLE 10' X 6' X 55' RCBC

Comments: Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310059

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: 3909 Nearest City:

County: HOWARD Route: 4 Section: 3 Log Mile: 17.03

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 121.6977 Elevation (Feet): 399.270

Description: ISLAND IN JUNCTION SH 4 & SH 24 / DISK IN NW CORNER DI

Comments: Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310060

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/29/1994

System: Job Number: N/A Nearest City:

County: HOWARD Route: 4 Section: 4 Log Mile: 0.70

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 107.41783 Elevation (Feet): 352.420

Description: SQ IN CENTER OF S HEADWALL RCBC

Comments: Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310061

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: N/A Nearest City:

County: HOWARD Route: 27 Section: 2 Log Mile: 11.19

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 103.14453 Elevation (Feet): 338.400

Description: 23' LT / SQ IN NE ABUTMENT COLEMAN CR BR (MAKED "AHD BM EL. 337)

Comments: Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310062

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: N/A Nearest City:

County: HOWARD Route: 27 Section: 2 Log Mile: 11.78

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 101.86436 Elevation (Feet): 334.200

Description: 42' RT STATION 31+50 / DISK IN TOP OF WING, RCBC

Comments: Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310063

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: N/A Nearest City:

County: HOWARD Route: 27 Section: 2 Log Mile: 12.68

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 104.98552 Elevation (Feet): 344.440

Description: DISK IN TOP OF LT WING, BENT 4, BR 5860

Comments: Benches were set in 1994 by District 3



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310064

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City:

County: HOWARD Route: 27 Section: 2 Log Mile: 13.36

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 115.15062 Elevation (Feet): 377.790

Description: DISK IN TOP OF LT WING, BENT 4, BR 5861

Comments: Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310065

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: N/A Nearest City:

County: HOWARD Route: 27 Section: 2 Log Mile: 14.32

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 111.74905 Elevation (Feet): 366.630

Description: STATION 165+25 / DISK IN TOP OF LT HEADWALL, RCBC

Comments: Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310066

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: N/A Nearest City:

County: HOWARD Route: 246 Section: 2 Log Mile: 2.59

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 287.29591 Elevation (Feet): 942.570

Description: DISK IN TOP OF SW CORNER OF PARAPET RAIL, BR 5758

Comments: Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310067

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: N/A Nearest City:

County: HOWARD Route: 246 Section: 2 Log Mile: 3.20

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 279.67894 Elevation (Feet): 917.580

Description: DISK IN TOP NW WING, TRIPLE RCBC

Comments: Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310068

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: N/A Nearest City:

County: HOWARD Route: 246 Section: 2 Log Mile: 4.28

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 287.98476 Elevation (Feet): 944.830

Description: DISK IN TOP NW END OF HEADWALL, DOUBLE RCBC

Comments: Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310069

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: N/A Nearest City:

County: HOWARD Route: 980 Section: 25 Log Mile: 0.00

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 115.23901 Elevation (Feet): 378.080

Description: 38' NORTH JUNCTION SH 24 & SH 980; 22' E CL ROADWAY / DISK IN TOP DI

Comments: Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310070

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: N/A Nearest City:

County: HOWARD Route: 980 Section: 25 Log Mile: 0.30

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 116.0193 Elevation (Feet): 380.640

Description: DISK IN TOP SW TURNOUT POST, BR 5746

Comments: Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310071

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: N/A Nearest City:

County: HOWARD Route: 980 Section: 25 Log Mile: 1.34

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 125.43459 Elevation (Feet): 411.530

Description: DISK IN TOP SW WINGWALL, DOUBLE RCBC

Comments: Benches were set in 1994 by District 3



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 310072

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: N/A Nearest City:

County: HOWARD Route: 980 Section: 25 Log Mile: 2.74

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 138.4191 Elevation (Feet): 454.130

Description: DISK IN TOP SE PARAPET WALL, SOUTH END BR 5747

Comments: Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320001

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 5835

Nearest City: SALADO

County: INDEPENDENCE

Route: 14

Section: 9

Log Mile: 3.04

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 4 21.3

Longitude: W 91 36 20.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 125.066

Elevation (Feet): 410.321

Description: DISK TOP HEADWALL SOUTHEAST CORNER R.C.BOX -4- 12'X 6' R  
FOUND "6-02-99" BY CREW 55102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320002

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 5814

Nearest City: DOWDY

County: INDEPENDENCE

Route: 25

Section: 5

Log Mile: 22.89

Land Section Number: 9

Township: 14N

Range: 03W

Land Section:

Latitude: N 35 52 15.

Longitude: W 91 18 36.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 82.732

Elevation (Feet): 271.430

Description: AHTD DISC TOP OF SOUTHEAST WING BRIDGE NO. 6062 FOUND 6-02-99  
BY CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320003

Class:

Vertical Datum:

Established by: RE OFFICE #52

Date Established: 11/9/1988

System: STATE

Job Number: R50044

Nearest City: CUSHMAN

County: INDEPENDENCE

Route: 69

Section: 2

Log Mile: 3.71

Land Section Number: 4

Township: 14N

Range: 07W

Land Section: NW

Latitude: N 35 53 41.

Longitude: W 91 45 21.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 150.846

Elevation (Feet): 494.901

Description: AHTD STANDARD DISK IN TOP SW CENTER OF HEADWALL OF A  
DOUBLE 5' X 4' RC BOX CLVT. (40.5 LT OF STA. 582+50)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320004

Class:

Vertical Datum:

Established by: RE OFFICE #52

Date Established: 9/20/1988

System: STATE

Job Number: R50044

Nearest City: CUSHMAN

County: INDEPENDENCE

Route: 69

Section: 2

Log Mile: 3.4

Land Section Number: 5

Township: 14N

Range: 07W

Land Section: NE

Latitude: N 35 53 53.

Longitude: W 91 45 33.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 135.478

Elevation (Feet): 444.481

Description: AHTD STANDARD DISK IN TOP OF NORTHEAST CORNER OF  
HEADWALL OF A QUAD. 10' X 5' R.C. BOX CULVERT (42' RIGHT OF  
STATION 599+60). FOUND 6-02-99 BY CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320005

Class:

Vertical Datum:

Established by: RE OFFICE #52

Date Established: 5/22/1990

System: STATE

Job Number: R50044

Nearest City: MT. PLEASANT

County: INDEPENDENCE

Route: 69

Section: 2

Log Mile: 0.18

Land Section Number: 21

Township: 15N

Range: 07W

Land Section: NW

Latitude: N 35 56 27.

Longitude: W 91 44 51.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 196.508

Elevation (Feet): 644.710

Description: AHTD STANDARD DISK IN TOP OF NE CENTER OF A DOUBLE 6' X 4' R.C. BOX CULVERT (43.5' RIGHT OF STATION 772+90)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320006

Class:

Vertical Datum:

Established by: RE OFFICE #52

Date Established: 5/9/1989

System: STATE

Job Number: R50044

Nearest City: MT. PLEASANT

County: INDEPENDENCE

Route: 69

Section: 2

Log Mile: 1.15

Land Section Number: 28

Township: 15N

Range: 07W

Land Section: NW

Latitude: N 35 55 39.

Longitude: W 91 45 00.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 176.147

Elevation (Feet): 577.909

Description: AHTD STANDARD DISK IN TOP OF NE CENTER OF HEADWALL OF A  
DOUBLE 9 X 5 R.C. BOX CULVERT (64' RIGHT OF STATION 721+60)  
FOUND 6-2-99 BY CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320007

Class:

Vertical Datum:

Established by: RE OFFICE #52

Date Established: 11/29/1988

System: STATE

Job Number: R50044

Nearest City: MT. PLEASANT

County: INDEPENDENCE

Route: 69

Section: 2

Log Mile: 0.51

Land Section Number: 21

Township: 15N

Range: 07W

Land Section: NW

Latitude: N 35 56 11.

Longitude: W 91 44 47.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 202.341

Elevation (Feet): 663.847

Description: AHTD STANDARD DISK IN TOP NW CENTER OF HEADWALL OF A 4' X 3' R.C. BOX CULVERT (58' LEFT OF STATION 754+75) FOUND 6-02-99 BY CREW S5102

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320008

Class:

Vertical Datum:

Established by: RE OFFICE #52

Date Established: 8/29/1988

System: STATE

Job Number: R50044

Nearest City: MT. PLEASANT

County: INDEPENDENCE

Route: 69

Section: 2

Log Mile: 1.9

Land Section Number: 28

Township: 15N

Range: 07W

Land Section: SW

Latitude: N 35 55 05.

Longitude: W 91 45 06.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 154.04

Elevation (Feet): 505.380

Description: AHTD STANDARD DISK IN TOP OF SW CENTER OF HEADWALL OF A  
DOUBLE 10' X 5' R.C. BOX CULVERT (55' LEFT OF STATION 681+25)  
FOUND BY CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320009

Class:

Vertical Datum:

Established by: RE OFFICE #52

Date Established: 4/11/1989

System: STATE

Job Number: R50044

Nearest City: MT. PLEASANT

County: INDEPENDENCE

Route: 69

Section: 2

Log Mile: 1.24

Land Section Number: 28

Township: 15N

Range: 07W

Land Section: NW

Latitude: N 35 55 34.

Longitude: W 91 45 01.01

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 174.937

Elevation (Feet): 573.939

Description: AHTD STANDARD DISK IN TOP OF NE CENTER OF HEADWALL OF A 4' X 3' R.C. BOX CULVERT (50' RIGHT OF STATION 715+75) FOUND 6-2-99 BY CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320010

Class:

Vertical Datum:

Established by: RE OFFICE #52

Date Established: 9/20/1988

System: STATE

Job Number: R50044

Nearest City: CUSHMAN

County: INDEPENDENCE

Route: 69

Section: 2

Log Mile: 3.08

Land Section Number: 32

Township: 15N

Range: 07W

Land Section: SE

Latitude: N 35 54 09.

Longitude: W 91 45 28.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 141.501

Elevation (Feet): 464.241

Description: AHTD STANDARD DISK IN TOP OF NE CENTER OF HEADWALL OF A 4' X 4' R.C. BOX CULVERT (54.5' RIGHT OF STATION 618+29) FOUND 6-2-99 BY CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320011

Class:

Vertical Datum:

Established by: RE OFFICE #52

Date Established: 2/3/1989

System: STATE

Job Number: R50044

Nearest City: CUSHMAN

County: INDEPENDENCE

Route: 69

Section: 2

Log Mile: 2.99

Land Section Number: 32

Township: 15N

Range: 07W

Land Section: SE

Latitude: N 35 54 12.

Longitude: W 91 45 26.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 141.098

Elevation (Feet): 462.919

Description: AHTD STANDARD DISK IN TOP NE CENTER OF HEADWALL OF A  
DOUBLE 6' X 5' R.C. CULVERT (53' RIGHT OF STATION 622+59) 6-2-99 BY  
CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320012

Class:

Vertical Datum:

Established by: RE OFFICE #52

Date Established: 9/21/1988

System: STATE

Job Number: R50044

Nearest City: MT. PLEASANT

County: INDEPENDENCE

Route: 69

Section: 2

Log Mile: 2.41

Land Section Number: 33

Township: 15N

Range: 07W

Land Section: NW

Latitude: N 35 54 38.

Longitude: W 91 45 11.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 146.743

Elevation (Feet): 481.439

Description: AHTD STANDARD DISK IN TOP SW CENTER OF HEADWALL OF A 4' X 4' R.C. BOX CULVERT (78' LEFT OF STATION 653+00) FOUND 6-2-99 BY CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320013

Class:

Vertical Datum:

Established by: RE OFFICE #52

Date Established: 5/4/1989

System: STATE

Job Number: R50044

Nearest City: MT. PLEASANT

County: INDEPENDENCE

Route: 69

Section: 2

Log Mile: 2.34

Land Section Number: 33

Township: 15N

Range: 07W

Land Section: NW

Latitude: N 35 54 43.

Longitude: W 91 45 09.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 149.517

Elevation (Feet): 490.540

Description: AHTD STANDARD DISK IN TOP NE CENTER OF HEADWALL OF A 10' X 5' R.C. BOX CULVERT (45.5' RIGHT OF STATION 657+00) FOUND 6-2-99 BY CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320014

Class:

Vertical Datum:

Established by: RE OFFICE #52

Date Established: 1/20/1989

System: STATE

Job Number: R50044

Nearest City: MT. PLEASANT

County: INDEPENDENCE

Route: 69

Section: 2

Log Mile: 2.24

Land Section Number: 33

Township: 15N

Range: 07W

Land Section: NW

Latitude: N 35 54 46.

Longitude: W 91 45 08.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 150.221

Elevation (Feet): 492.850

Description: AHTD STANDARD DISK IN TOP NE CENTER OF HEADWALL OF A 4' X 3' R.C. BOX CULVERT (42' RIGHT OF STATION 662+80). FOUND 6-2-99 BY CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320015

Class:

Vertical Datum:

Established by: RE OFFICE #52

Date Established: 9/22/1988

System: STATE

Job Number: R50044

Nearest City: MT. PLEASANT

County: INDEPENDENCE

Route: 69

Section: 2

Log Mile: 2.15

Land Section Number: 28

Township: 15N

Range: 07W

Land Section: SW

Latitude: N 35 54 54.

Longitude: W 91 45 07.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 152.071

Elevation (Feet): 498.920

Description: AHTD STANDARD DISK IN TOP 6" SOUTH OF NORTHWEST CORNER OF HEADWALL OF A QUAD 6' X 3' R.C. BOX CULVERT (49' LEFT STATION 670+23). FOUND 6-2-99 BY CREW S5102

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320016

Class:

Vertical Datum:

Established by: RE OFFICE #52

Date Established:

System: STATE

Job Number: R50023

Nearest City: CUSHMAN

County: INDEPENDENCE

Route: 69

Section: 2

Log Mile: 6.93

Land Section Number: 16

Township: 14N

Range: 07W

Land Section:

Latitude: N 35 51 21.

Longitude: W 91 44 48.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 188.605

Elevation (Feet): 618.782

Description: AHTD STANDARD DISC TOP OF SOUTHWEST CORNER HEADWALL 4' X 3' X 96' R.C. BOX CULVERT STATION 406+90. SET 1988. FOUND 5-28-99 BY CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320017

Class:

Vertical Datum:

Established by: RE OFFICE #52

Date Established:

System: STATE

Job Number: R50023

Nearest City: CUSHMAN

County: INDEPENDENCE

Route: 69

Section: 2

Log Mile: 6.74

Land Section Number: 16

Township: 14N

Range: 07W

Land Section:

Latitude: N 35 51 29.

Longitude: W 91 44 58.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 184.791

Elevation (Feet): 606.268

Description: AHTD STANDARD DISC TOP OF SOUTHWEST CORNER HEADWALL  
DOUBLE 8' X 5' X 111' R.C. BOX CULVERT STATION 416+35 SET 1988.  
FOUND 6-2-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320018

Class:

Vertical Datum:

Established by: RE OFFICE #52

Date Established: 1/1/1988

System: STATE

Job Number: R50023

Nearest City: CUSHMAN

County: INDEPENDENCE

Route: 69

Section: 2

Log Mile: 6.31

Land Section Number: 16

Township: 14N

Range: 07W

Land Section:

Latitude: N 35 51 48.

Longitude: W 91 45 02.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 197.069

Elevation (Feet): 646.551

Description: AHTD STANDARD DISC TOP OF SOUTHWEST CORNER HEADWALL 4' X 3' X 88' R.C. BOX CULVERT STATION 440+28. FOUND 6-2-99 BY CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320019

Class:

Vertical Datum:

Established by: RE OFFICE #52

Date Established:

System: STATE

Job Number: R50023

Nearest City: CUSHMAN

County: INDEPENDENCE

Route: 69

Section: 2

Log Mile: 6.04

Land Section Number: 16

Township: 14N

Range: 07W

Land Section:

Latitude: N 35 52 02.

Longitude: W 91 45 12.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 204.668

Elevation (Feet): 671.482

Description: AHTD STANDARD DISC TOP OF NORTHWEST CORNER HEADWALL  
DOUBLE 5' X 3' X 90' R.C. BOX CULVERT STATION 454+50, SET 1988  
FOUND 6-2-99 BY CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320020

Class:

Vertical Datum:

Established by: RE OFFICE #52

Date Established:

System: STATE

Job Number: 5838

Nearest City: BATESVILLE

County: INDEPENDENCE

Route: 69

Section: 2

Log Mile: 9.27

Land Section Number: 27

Township: 14N

Range: 07W

Land Section:

Latitude: N 35 49 45.

Longitude: W 91 43 51.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 131.15

Elevation (Feet): 430.281

Description: AHTD STANDARD DISC TOP OF NORTHEAST CORNER HEADWALL  
TRIPLE 10' X 5' X 84' R.C. BOX CULVERT STATION 291+50, SET 1988.  
FOUND 5-28-99 CREW S5102 SIGN SAYS 9.27 NOT 9.11

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320021

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #52

Date Established: 6/13/1988

System: STATE

Job Number: 5838

Nearest City: BATESVILLE

County: INDEPENDENCE

Route: 69

Section: 2

Log Mile: 8.54

Land Section Number: 22

Township: 14N

Range: 05W

Land Section:

Latitude: N 35 50 18.

Longitude: W 91 44 05.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 142.355

Elevation (Feet): 467.043

Description: AHTD STANDARD DISC TOP OF SOUTHEAST CORNER HEADWALL  
TRIPLE 7' X 5' X 122' R.C. BOX CULVERT STATION 329+52. FOUND 5-28-  
99 CREW S5102 SIGN SAYS 8.54 NOT 8.39. CONVERTED TO NAVD88  
JULY 2000. NGVD29 = 466.75 FEET

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320022

Class:

Vertical Datum:

Established by: RE OFFICE #52

Date Established:

System: STATE

Job Number: R50023

Nearest City: CUSHMAN

County: INDEPENDENCE

Route: 69

Section: 2

Log Mile: 5.74

Land Section Number: 9

Township: 14N

Range: 07W

Land Section:

Latitude: N 35 52 16.

Longitude: W 91 45 12.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 211.145

Elevation (Feet): 692.732

Description: AHTD STANDARD DISC TOP SOUTHWEST CORNER HEADWALL 5' X 4' X 74' R.C. BOX CULVERT STATION 470+19, SET 1988. FOUND 6-2-99 BY CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320023

Class:

Vertical Datum:

Established by: RE OFFICE #52

Date Established:

System: STATE

Job Number: 5838

Nearest City: BATESVILLE

County: INDEPENDENCE

Route: 69

Section: 2

Log Mile: 10.61

Land Section Number: 35

Township: 14N

Range: 07W

Land Section:

Latitude: N 35 49 02.

Longitude: W 91 42 51.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 116.885

Elevation (Feet): 383.480

Description: AHTD STANDARD DISC TOP OF SOUTHEAST CORNER HEADWALL  
TRIPLE 8' X 6' X 95' R.C. BOX CULVERT STATION 217+62, SET 1988.  
FOUND 5-28-99 CREW S5102 LOGMILE SIGN SAYS 10.61 NOT 10.49

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320024

Class:

Vertical Datum:

Established by: RE OFFICE #52

Date Established: 6/13/1988

System: STATE

Job Number: 5838

Nearest City: BATESVILLE

County: INDEPENDENCE

Route: 69

Section: 2

Log Mile: 9.35

Land Section Number: 27

Township: 14N

Range: 07W

Land Section:

Latitude: N 35 49 42.

Longitude: W 91 43 38.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 130.769

Elevation (Feet): 429.031

Description: AHTD STANDARD DISC TOP OF SOUTHEAST CORNER HEADWALL 8' X 5' X 84' R.C. BOX CULVERT STATION 279+00. FOUND 5-28-99 BY CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320025

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: BATESVILLE

County: INDEPENDENCE

Route: 69

Section: 2

Log Mile: 15.39

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 47 29.

Longitude: W 91 38 38.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 84.911

Elevation (Feet): 278.579

Description: POLK BAYOU "[ ]" N. W. WING WAL W. BR. END. FOUND 6-3-99 BY CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320026

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 5709

Nearest City:

County: INDEPENDENCE

Route: 69

Section: 2

Log Mile:

Land Section Number: 15

Township: 13N

Range: 06W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 90.892

Elevation (Feet): 298.202

Description: AHTD DISC IN TOP OF HEADWALL 30' LEFT STATION 644+37. 6-2-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320027

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 5709

Nearest City:

County: INDEPENDENCE

Route: 69

Section: 3

Log Mile:

Land Section Number: 15

Township: 13N

Range: 06W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 120.466

Elevation (Feet): 395.229

Description: AHTD DISC IN TOP OF DROP INLET 23' RIGHT STATION 703+86. N/R 5-28-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320028

Class:

Vertical Datum:

Established by: RE OFFICE #52

Date Established: 6/25/1991

System: STATE

Job Number: R50018

Nearest City: MOOREFIELD

County: INDEPENDENCE

Route: 69

Section: 3

Log Mile: 5.27

Land Section Number: 17

Township: 13N

Range: 05W

Land Section: SW

Latitude: N 35 46 02.

Longitude: W 91 33 18.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 98.633

Elevation (Feet): 323.598

Description: AHTD STANDARD DISK IN NORTHWEST CORNER OF HEADWALL OF A 9' X 5' X 90 R.C. BOX CULVERT (45' RIGHT OF STATION 492+67). FOUND 5-28-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320029

Class:

Vertical Datum:

Established by: RE OFFICE #52

Date Established: 12/17/1991

System: STATE

Job Number: R50018

Nearest City: SULPHUR ROCK

County: INDEPENDENCE

Route: 69

Section: 3

Log Mile: 6.49

Land Section Number: 16

Township: 13N

Range: 05W

Land Section: SW

Latitude: N 35 45 37.

Longitude: W 91 32 07.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 131.454

Elevation (Feet): 431.279

Description: AHTD STANDARD DISK IN TOP OF PARAPET WALL NORTHEAST  
CORNER OF BRIDGE NO. 5858 (21 FEET RIGHT OF STATION  
430+98).FOUND 5-28-99 CREWS 5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320030

Class:

Vertical Datum:

Established by: RE OFFICE #52

Date Established: 7/23/1993

System: STATE Job Number: R50018 Nearest City: MOOREFIELD

County: INDEPENDENCE Route: 69 Section: 3 Log Mile: 4.88

Land Section Number: 18 Township: 13N Range: 05W

Land Section: NE

Latitude: N 35 46 05. Longitude: W 91 33 41.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 95.881 Elevation (Feet): 314.570

Description: AHTD STANDARD DISK IN TOP OF HEADWALL NORTHEAST CORNER  
OF A 5' X 3' R.C. BOX CULVERT (42' RIGHT OF STATION 513+33). FOUND  
5-28-99 BY CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320031

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 5805

Nearest City: SULPHUR ROCK

County: INDEPENDENCE

Route: 69

Section: 3

Log Mile: 9.35

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 44 40.

Longitude: W 91 29 49.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 88.56

Elevation (Feet): 290.551

Description: DISK TOP NORTHEAST WINGWALL NORTH ABUTMENT BRIDGE 5857.  
FOUND 5-28-99 BY CREW S5102

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320032

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City: JACKSON PORT

County: INDEPENDENCE Route: 69 Section: 4 Log Mile: 8.52

Land Section Number: Township: Range:

Land Section:

Latitude: N 35 38 41. Longitude: W 91 18 55.0 Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 71.348 Elevation (Feet): 234.081

Description: DISK IN TOP SOUTHWEST WING BRIDGE NO. 5899. FOUND 5-28-99 BY  
CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320033

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: 5886 Nearest City: BATESVILLE

County: INDEPENDENCE Route: 106 Section: 1 Log Mile: 2.41

Land Section Number: Township: Range:

Land Section:

Latitude: N 35 46 27. Longitude: W 91 42 09.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 105.086 Elevation (Feet): 344.770

Description: AHTD STANDARD DISC TOP OF SOUTHWEST WING BRIDGE NO. 6180 (SPRING CREEK BRIDGE). ELEVATION 105.186 IS MARKED ON HWY. 106 AT BRIDGE END ALSO TBM-13 IS MARKED AT THE LOCATION. FOUND 6-2-99 BY CREW S5102 NOTE: ELEV. 105.186 IS MARKED ON HWY -106 AT BRIDGE END ALSO TBM-13 IS MARKED AT THE LOCATION.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320034

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #52

Date Established: 1/1/1988

System: STATE

Job Number: 5738

Nearest City: BATESVILLE

County: INDEPENDENCE

Route: 167

Section: 17

Log Mile: 15.49

Land Section Number: 28

Township: 13N

Range: 06W

Land Section:

Latitude: N 35 44 16.

Longitude: W 91 38 20.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 138.913

Elevation (Feet): 455.750

Description: AHTD DISC TOP OF DROP INLET RIGHT OF STATION 24+20. FOUND 6-2-99 BY CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320035

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #52

Date Established:

System: STATE

Job Number: 5738

Nearest City: BATESVILLE

County: INDEPENDENCE

Route: 167

Section: 17

Log Mile: 15.81

Land Section Number: 28

Township: 13N

Range: 06W

Land Section:

Latitude: N 35 44 25.

Longitude: W 91 38 09.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 124.121

Elevation (Feet): 407.220

Description: AHTD DISC TOP OF DROP INLET RIGHT OF STATION 41+00. FOUND 6-2-99 BY CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320036

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #52

Date Established:

System: STATE

Job Number: 5738

Nearest City: BATESVILLE

County: INDEPENDENCE

Route: 167

Section: 17

Log Mile: 16.05

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 44 31.

Longitude: W 91 38 12.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 96.491

Elevation (Feet): 316.571

Description: AHTD DISC TOP OF HEADWALL 4' X 3' R.C. BOX CULVERT RIGHT OF STATION 53+41. FOUND 6-2-99 BY CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320037

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City:

County: INDEPENDENCE Route: 167 Section: 17 Log Mile: 16.40

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.11 Elevation (Feet): 266.108

Description: DISK NORTHWEST CORNER NORTH ABUTMENT BRIDGE 5644 36' LEFT  
OF CENTERLINE STATION 82+04. DESTROYED 6-2-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320038

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #52

Date Established:

System: STATE

Job Number: N/A

Nearest City: BATESVILLE

County: INDEPENDENCE

Route: 167

Section: 17

Log Mile: 17.25

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 45 39.

Longitude: W 91 38 28.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 82.763

Elevation (Feet): 271.532

Description: DISK NORTHWEST CORNER NORTH ABUTMENT BRIDGE NO. 5661 36'  
LEFT OF CENTERLINE STATION 128+85. FOUND 6-2-99 BY CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320039

Class:

Vertical Datum:

Established by: RE OFFICE #52

Date Established: 2/24/1992

System: STATE Job Number: R50022 Nearest City: BATESVILLE

County: INDEPENDENCE Route: 69 Section: 2 Log Mile: 14.22

Land Section Number: 8 Township: 13N Range: 06W

Land Section: NW

Latitude: N 35 47 22. Longitude: W 91 39 43.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 112.438 Elevation (Feet): 368.890

Description: AHTD STD. DISK IN THE TOP OF THE SOUTH END OF THE EAST  
HEADWALL OF A 10' x 4' x 78' R. C. BOX CULVERT. 40' RT. OF STA. 18+57.  
FOUND 5-28-99 CREW S5102

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320040

Class:

Vertical Datum:

Established by: RE OFFICE #52

Date Established: 9/24/1995

System: STATE

Job Number: R50022

Nearest City: BATESVILLE

County: INDEPENDENCE

Route: 69

Section: 2

Log Mile: 11.07

Land Section Number: 35

Township: 14N

Range: 07W

Land Section: SE

Latitude: N 35 48 47.

Longitude: W 91 42 20.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 140.266

Elevation (Feet): 460.189

Description: AHTD STD. DISK IN THE TOP OF THE SW HEADWALL OF A 6' x 4' x 123' R. C. BOX CULVERT. 77' LEFT OF STA. 186+75. FOUND 5-28-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320041

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #52

Date Established: 10/20/1992

System: STATE

Job Number: R50022

Nearest City: BATESVILLE

County: INDEPENDENCE

Route: 69

Section: 2

Log Mile: 7.97

Land Section Number: 21

Township: 14N

Range: 07W

Land Section: SW

Latitude: N 35 50 41.

Longitude: W 91 44 09.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 153.44

Elevation (Feet): 503.411

Description: AHTD STANDARD DISK IN THE TOP AND CENTER OF THE EAST HEADWALL OF A 6' X 3' X53' R. C. BOX CULVERT. 58 FT. RT. OF STA. 352+16. FOUND 5-28-99 BY CREW S5102. CONVERTED FROM NGVD29 (153.440 Meters) ON 7/31/2000

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320042

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #52

Date Established: 9/24/1992

System: STATE

Job Number: R50022

Nearest City: CUSHMAN

County: INDEPENDENCE

Route: 69

Section: 2

Log Mile: 7.46

Land Section Number: 21

Township: 14N

Range: 07W

Land Section: NE

Latitude: N 35 51 05.

Longitude: W 91 44 23.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 164.382

Elevation (Feet): 539.310

Description: AHTD STD. DISK IN THE TOP & CENTER OF THE NW HEADWALL OF A TRP. 6' x 3' x 53' R. C. BOX CULVERT, 27' LT. OF STA. 378+87. FOUND 5-28-99 BY CREW S5102. CONVERTED FROM NGVD29 (164.291 meters) ON 7/31/2000

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320043

Class:

Vertical Datum:

Established by:

RE OFFICE #52

Date Established: 1/31/1995

System: STATE

Job Number: R50022

Nearest City: BATESVILLE

County: INDEPENDENCE

Route: 69

Section: 2

Log Mile: 8.16

Land Section Number: 22

Township: 14N

Range: 07W

Land Section: SW

Latitude: N 35 50 30.

Longitude: W 91 44 06.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 147.505

Elevation (Feet): 483.939

Description: AHTD STD. DISK IN THE TOP & CENTER OF THE EAST HEADWALL OF A DBL. 5' x 3' x 74' R. C. BOX CULVERT, 36' RT. OF STA. 341+60. FOUND 5-28-99 BY CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320044

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #52

Date Established: 1/31/1995

System: STATE

Job Number: R50022

Nearest City: BATESVILLE

County: INDEPENDENCE

Route: 69

Section: 2

Log Mile: 10.66

Land Section Number: 35

Township: 14N

Range: 07W

Land Section: NE

Latitude: N 35 48 54.

Longitude: W 91 42 43.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 121.387

Elevation (Feet): 398.251

Description: AHTD STANDARD DISK IN THE TOP AND CENTER OF THE SOUTH HEADWALL OF A DOUBLE 6' X 3' X 66' R. C. BOX CULVERT, 38' LEFT OF STATION 208+45. FOUND 5-28-99 BY CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320045

Class:

Vertical Datum:

Established by: RE OFFICE #52

Date Established: 9/29/1983

System: STATE

Job Number: 5805

Nearest City: NEWARK

County: INDEPENDENCE

Route: 69

Section: 3

Log Mile: 13.90

Land Section Number: 6

Township: 12N

Range: 04W

Land Section: NE

Latitude: N 35 42 20.

Longitude: W 91 27 22.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.087

Elevation (Feet): 249.629

Description: AHTD STD. DISK IN THE TOP OF THE NW WINGWALL OF A DBL. 7' x 5' x 68' R. C. BOX CULVERT, 35' RT. OF STA. 45+70. FOUND 5-28-99 BY CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320046

Class:

Vertical Datum:

Established by:

RE OFFICE #52

Date Established: 8/30/1994

System: STATE

Job Number: R50016

Nearest City: SULPHUR ROCK

County: INDEPENDENCE

Route: 69

Section: 3

Log Mile: 7.64

Land Section Number: 22

Township: 13N

Range: 05W

Land Section: NE

Latitude: N 35 45 30.

Longitude: W 91 30 54.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 103.489

Elevation (Feet): 339.530

Description: AHTD STD. DISK IN NORTH HEADWALL OF R. C. BOX 44' RT. STA.  
369+22. FOUND 5-28-99 BY CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320047

Class:

Vertical Datum:

Established by: RE OFFICE #52

Date Established: 8/30/1994

System: STATE

Job Number: R50016

Nearest City: SULPHUR ROCK

County: INDEPENDENCE

Route: 69

Section: 3

Log Mile: 7.35

Land Section Number: 15

Township: 13N

Range: 05W

Land Section: SWSW

Latitude: N 35 45 37.

Longitude: W 91 31 13.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 113.038

Elevation (Feet): 370.859

Description: AHTD STD. DISK IN NORTH HEADWALL OF R. C. BOX 45' RT. STA.  
3385+00. FOUND 5-28-99 BY CREW BY S5102

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320048

Class:

Vertical Datum:

Established by: RE OFFICE #52

Date Established: 8/30/1994

System: STATE

Job Number: R50016

Nearest City: SULPHUR ROCK

County: INDEPENDENCE

Route: 69

Section: 3

Log Mile: 8.97

Land Section Number: 23

Township: 13N

Range: 05W

Land Section: SESW

Latitude: N 35 44 45.

Longitude: W 91 30 02.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 88.938

Elevation (Feet): 291.791

Description: AHTD STD. DISK IN NORTH HEADWALL R. C. BOX 38' RT. STA. 298+97.  
FOUND 5-28-99 BY CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320049

Class:

Vertical Datum:

Established by: RE OFFICE #52

Date Established: 8/30/1994

System: STATE

Job Number: R50016

Nearest City: SULPHUR ROCK

County: INDEPENDENCE

Route: 69

Section: 3

Log Mile: 8.65

Land Section Number: 22

Township: 13N

Range: 05W

Land Section: SE

Latitude: N 35 45 30.

Longitude: W 91 30 54.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 92.949

Elevation (Feet): 304.950

Description: AHTD STD. DISK IN NORTH HEADWALL R. C. BOX 28' RT. STA. 316+08.  
FOUND 5-28-99 BY CREW S5102 LOGMILE SIGN SAYS 8.78 NOT 8.65

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320050

Class:

Vertical Datum:

Established by: RE OFFICE #52

Date Established: 8/30/1994

System: STATE

Job Number: R5016

Nearest City: MOOREFIELD

County: INDEPENDENCE

Route: 69

Section: 3

Log Mile: 4.55

Land Section Number: 18

Township: 13N

Range: 05W

Land Section: SE

Latitude: N 35 45 03.

Longitude: W 91 34 00.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 95.037

Elevation (Feet): 311.801

Description: AHTD STD. DISK IN NORTH HEADWALL OF R. C. BOX 26' RT. STA.  
530+41. FOUND 5-28-99 BY CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320051

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: COUNTY Job Number: EF-32-1 Nearest City: CUSHMAN

County: INDEPENDENCE Route: 2450 Section: F Log Mile: 5.12

Land Section Number: 31 Township: 15N Range: 06W

Land Section:

Latitude: N 35 54 17. Longitude: W 91 40 54.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 117.879 Elevation (Feet): 386.741

Description: DISK IN SOUTHEAST WING OF BENT-BRIDGE #4497 BR. OVER POLK CREEK. FOUND 6-3-99 BY CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320052

Class:

Vertical Datum:

Established by: RE OFFICE #52

Date Established: 9/22/1988

System:

Job Number: F-32-9

Nearest City:

County: INDEPENDENCE

Route: 2558

Section:

Log Mile: 2.405

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 111.566

Elevation (Feet): 366.029

Description: AHTD STANDARD DISK TOP S. E. CORNER HEADWALL, TRIPLE BOX  
CULVERT, STA. 127+00. N/R 6-3-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320053

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: COUNTY Job Number: BR-32-3 Nearest City: BATESVILLE

County: INDEPENDENCE Route: 1243 Section: UNTY F Log Mile: 1.86

Land Section Number: 2 Township: 13N Range: 07W

Land Section:

Latitude: N 35 48 44. Longitude: W 91 43 01.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 113.691 Elevation (Feet): 373.001

Description: BR4435 OVER SPRING CREEK IN THE N.E. WING WALL FOUND 6-3-99  
BY CREW S5102 NOTE: BR# 4435 OVER SPRING CREEK IN THE N.E.  
WING WALL

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320054

Class:

Vertical Datum:

Established by: RE OFFICE #52

Date Established: 11/6/1997

System: STATE

Job Number: R50016

Nearest City: MOOREFIELD

County: INDEPENDENCE

Route: 69

Section: 3

Log Mile: 3.70

Land Section Number: 13

Township: 13N

Range: 06W

Land Section: SE

Latitude: N 35 45 09.

Longitude: W 91 34 56.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 90.925

Elevation (Feet): 298.310

Description: AHTD STANDARD DISK IN THE TOP OF THE NORTH HEADWALL OF A 8' X 4' X 71' R. C. BOX CULVERT, RIGHT OF STA. 575+38 FOUND 5-28-99 BY CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320055

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: COUNTY Job Number: F-32-4 Nearest City: ALONZO

County: INDEPENDENCE Route: CO. RD. 209 Section: Log Mile: 10.25

Land Section Number: 1 Township: 11N Range: 07W

Land Section:

Latitude: N 35 36 28. Longitude: W 91 42 27.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 151.903 Elevation (Feet): 498.368

Description: DISK NW APPR. GUTTER BRIDGE 4378 SALADO CREEK. 2 MILES N OF CEDAR GROVE HWY. 87. FOUND 6-3-99 BY CREW S5102

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320056

Class:

Vertical Datum:

Established by: RE OFFICE #52

Date Established: 11/6/1997

System: STATE

Job Number: R50016

Nearest City: MOOREFIELD

County: INDEPENDENCE

Route: 69

Section: 3

Log Mile: 3.48

Land Section Number: 13

Township: 13N

Range: 06W

Land Section: SW

Latitude: N 35 46 07.

Longitude: W 91 35 11.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 90.239

Elevation (Feet): 296.059

Description: AHTD STD, DISK IN THE TOP OF THE NORTH HEADWALL OF A TRIPLE  
10' X 5' X 89' R. C. BOX CULVERT, RT. OF STA. 580+00 FOUND 5-28-99 BY  
CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320057

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: COUNTY Job Number: N/A Nearest City: MAGNESS

County: INDEPENDENCE Route: 394 Section: 0 Log Mile: .34

Land Section Number: 35 Township: Range:

Land Section:

Latitude: N 35 43 20. Longitude: W 91 29 49.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 80.309 Elevation (Feet): 263.480

Description: BM DISK TOP OF PARAPET @ SE CORNER BR 4406, BIG CREEK. 1 MILE NORTH OF MAGNESS 1/2 W 69. BR4406 LOCATION HWY-394, SECTON-0, LOG MILE=0.34, @ BIG CREEK FOUND 6-3-99 BY CREW S5102 NOTE: BR 4406 LOCATION HWY-394, SECTION-0, LOG MILE = 0.34, @ BIG CREEK

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320058

Class:

Vertical Datum:

Established by:

RE OFFICE #52

Date Established: 11/6/1997

System: STATE

Job Number: R50016

Nearest City: MOOREFIELD

County: INDEPENDENCE

Route: 69

Section: 3

Log Mile: 4.29

Land Section Number: 18

Township: 13N

Range: 05W

Land Section: NW

Latitude: N 35 46 06.

Longitude: W 91 34 17.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 95.71

Elevation (Feet): 314.009

Description: AHTD STD. DISK IN THE TOP OF NORTH HEADWALL OF A 5' X 4' X 69' R.  
C. BOX CULVERT, 27' RT. OF STA. 543+99 FOUND 5-28-99 BY CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320059

Class:

Vertical Datum:

Established by: RE OFFICE #52

Date Established: 11/6/1997

System: STATE

Job Number: R50016

Nearest City: MOOREFIELD

County: INDEPENDENCE

Route: 69

Section: 3

Log Mile: 4.47

Land Section Number: 18

Township: 13N

Range: 05W

Land Section: SW

Latitude: N 35 46 03.

Longitude: W 91 34 04.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 95.463

Elevation (Feet): 313.198

Description: AHTD STANDARD DISK IN TOP OF THE NORTH HEADWALL OF A  
TRIPLE 6' X 3' X 67' R. C. BOX CULVERT, 27' RT. OF STA. 534+91. FOUND 5-  
28-99 BY CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320060

Class:

Vertical Datum:

Established by: RE OFFICE #52

Date Established: 11/6/1997

System: STATE

Job Number: R50016

Nearest City: MOOREFIELD

County: INDEPENDENCE

Route: 69

Section: 3

Log Mile: 4.13

Land Section Number: 18

Township: 13N

Range: 05W

Land Section: NW

Latitude: N 35 46 09.

Longitude: W 91 34 29.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 94.57

Elevation (Feet): 310.268

Description: AHTD STANDARD DISK ON THE TOP OF THE NORTH HEADWALL OF A DBL. 4' X 3' X 55' R. C. BOX CULVERT, RT OF STA. 552+49 FOUND 8-28-99 BY CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320061

Class:

Vertical Datum: NAVD88

Established by: RE OFFICE #53

Date Established: 3/13/2002

System: STATE

Job Number: 050008

Nearest City: BATESVILLE

County: INDEPENDENCE

Route: 394

Section: 30

Log Mile: 5.09

Land Section Number: 30

Township: 13N

Range: 05W

Land Section: SW

Latitude: N 35 44 25.0

Longitude: W 91 34 24.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.255

Elevation (Feet): 260.022

Description: NE CORNER OF HW OF RC BOX CULVERT 31.5 RT @ JOB STA 17+50

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320062

Class:

Vertical Datum: NAVD88

Established by: RE OFFICE #55

Date Established: 7/18/2001

System: STATE

Job Number: 005964

Nearest City: SOUTHSIDE

County: INDEPENDENCE

Route: 167

Section: 3

Log Mile: 12.5

Land Section Number:

Township: 12N

Range: 06W

Land Section:

Latitude: N 35 42 57.0

Longitude: W 91 38 04.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 104.801

Elevation (Feet): 343.835

Description: AHTD DISK IN SE CORNER OF HW OF RC BOX CULVERT

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320063

Class:

Vertical Datum: NAVD88

Established by: RE OFFICE #55

Date Established: 7/18/2001

System: STATE

Job Number: 005964

Nearest City: SOUTHSIDE

County: INDEPENDENCE

Route: 167

Section: 3

Log Mile: 13.3

Land Section Number:

Township: 12N

Range: 06W

Land Section:

Latitude: N 35 42 57.0

Longitude: W 91 38 04.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 105.914

Elevation (Feet): 347.486

Description: AHTD DISK IN SE CORNER OF HW OF RC BOX CULVERT

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320064

Class:

Vertical Datum: NAVD88

Established by: RE OFFICE #55

Date Established: 7/18/2001

System: STATE

Job Number: 005964

Nearest City: SOUTHSIDE

County: INDEPENDENCE

Route: 167

Section: 4

Log Mile: 13.9

Land Section Number:

Township: 12N

Range: 06W

Land Section:

Latitude: N 35 42 57.0

Longitude: W 91 38 04.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 108.706

Elevation (Feet): 356.646

Description: AHTD DISK IN SE CORNER OF HW OF RC BOX CULVERT

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320065

Class:

Vertical Datum: NAVD88

Established by: RE OFFICE #55

Date Established: 7/18/2001

System: STATE

Job Number: 005964

Nearest City: SOUTHSIDE

County: INDEPENDENCE

Route: 167

Section: 33

Log Mile: 14.45

Land Section Number:

Township: 13N

Range: 06W

Land Section:

Latitude: N 35 42 57.0

Longitude: W 91 38 04.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 137.493

Elevation (Feet): 451.092

Description: AHTD DISK IN SE CORNER OF DI TOP ON EAST SIDE

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320066

Class:

Vertical Datum: NAVD88

Established by: RE OFFICE #55

Date Established: 7/18/2001

System: STATE

Job Number: 005964

Nearest City: SOUTHSIDE

County: INDEPENDENCE

Route: 167

Section: 28

Log Mile: 15.4

Land Section Number:

Township: 13N

Range: 06W

Land Section:

Latitude: N 35 42 57.0

Longitude: W 91 38 04.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 134.766

Elevation (Feet): 442.145

Description: AHTD DISK IN SW CORNER OF DI TOP ON WEST SIDE

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320067

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: RE OFFICE #52

Date Established: 4/24/2002

System: STATE

Job Number: R50109

Nearest City: BETHESDA

County: INDEPENDENCE

Route: 106

Section: 1

Log Mile: 11.31

Land Section Number: 20

Township: 14N

Range: 07W

Land Section: NW

Latitude: N 35 50 15.0

Longitude: W 91 45 13.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 152.887

Elevation (Feet): 501.597

Description: AHTD DISK EAST SIDE OF ROAD ON TOP OF SE COLUMN

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320068

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #52

Date Established: 2/27/2003

System: STATE

Job Number: 050030

Nearest City: SOUTHSIDE

County: INDEPENDENCE

Route: 167

Section: 17

Log Mile: 12.00

Land Section Number: 10

Township: 12N

Range: 06W

Land Section: NE

Latitude: N 35 41 24.0

Longitude: W 91 37 06.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 107.387

Elevation (Feet): 352.319

Description: AHTD DISK IN NE HW OF RC BOX CULVERT STA 188+40 45' RT OF C/L

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320069

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #52

Date Established: 2/27/2003

System: STATE

Job Number: 050030

Nearest City: SOUTHSIDE

County: INDEPENDENCE

Route: 167

Section: 17

Log Mile: 11.22

Land Section Number: 10

Township: 12N

Range: 06W

Land Section: SE

Latitude: N 35 40 45.0

Longitude: W 91 36 57.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 80.48

Elevation (Feet): 264.041

Description: AHTD DISK IN NE WW STA 146+65.1 41FT LEFT OF C/L

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320070

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #52

Date Established: 2/27/2003

System: STATE Job Number: 050030 Nearest City: SOUTHSIDE

County: INDEPENDENCE Route: 167 Section: 17 Log Mile: 11.94

Land Section Number: 10 Township: 12N Range: 06W

Land Section: NE

Latitude: N 35 41 21.0 Longitude: W 91 37 05.0 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 98 Elevation (Feet): 321.522

Description: AHTD DISK IN NE HW OF RC BOX CULVERT STA 184+90, 45FT RIGHT OF C/L

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320071

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #52

Date Established: 2/27/2003

System: STATE Job Number: 050030 Nearest City: SOUTHSIDE

County: INDEPENDENCE Route: 167 Section: 17 Log Mile: 12.27

Land Section Number: 3 Township: 12N Range: 06W

Land Section: SE

Latitude: N 35 41 41.0 Longitude: W 91 37 12.0 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 103.995 Elevation (Feet): 341.190

Description: AHTD DISK IN HW OF RC BOX CULVERT STA 202+50 53 FT RT OF C/L

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320072

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #52

Date Established: 2/27/2003

System: STATE Job Number: 050030 Nearest City: SOUTHSIDE

County: INDEPENDENCE Route: 167 Section: 17 Log Mile: 9.51

Land Section Number: 23 Township: 12N Range: 06W

Land Section: NW

Latitude: N 35 39 10.0 Longitude: W 91 36 18.0 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 82.943 Elevation (Feet): 272.122

Description: AHTD DISK IN THE HW OF RC BOX CULVERT STA 57+00 69 FT RT OF C/L

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320073

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #52

Date Established: 2/27/2003

System: STATE

Job Number: 050030

Nearest City: SOUTHSIDE

County: INDEPENDENCE

Route: 167

Section: 17

Log Mile: 10.39

Land Section Number: 14

Township: 12N

Range: 06W

Land Section: SW

Latitude: N 35 40 05.0

Longitude: W 91 36 39.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 83.215

Elevation (Feet): 273.015

Description: AHTD DISK IN SW HW OF RC BOX CULVERT STA 103+45 64 FT RT OF C/L

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320074

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #52

Date Established: 2/27/2003

System: STATE

Job Number: 050030

Nearest City: SOUTHSIDE

County: INDEPENDENCE

Route: 167

Section: 17

Log Mile: 10.57

Land Section Number: 14

Township: 12N

Range: 06W

Land Section: NW

Latitude: N 35 40 13.0

Longitude: W 91 36 44.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.771

Elevation (Feet): 268.277

Description: AHTD DISK IN NE HW OF RC BOX CULVERT STA 112+70 76 FT RT OF C/L

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320075

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #52

Date Established: 2/27/2003

System: STATE

Job Number: 050030

Nearest City: SOUTHSIDE

County: INDEPENDENCE

Route: 167

Section: 17

Log Mile: 12.10

Land Section Number: 10

Township: 12N

Range: 06W

Land Section: NE

Latitude: N 35 41 30.0

Longitude: W 91 37 07.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 100.573

Elevation (Feet): 329.963

Description: AHTD DISK IN NE HW OF RC BOX CULVERT STA 193+74 46 FT RT OF C/L

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320076

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #52

Date Established: 2/27/2003

System: STATE Job Number: 050030 Nearest City: SOUTHSIDE

County: INDEPENDENCE Route: 167 Section: 17 Log Mile: 11.7

Land Section Number: 10 Township: 12N Range: 06W

Land Section: NE

Latitude: N 35 41 09.0 Longitude: W 91 37 00.0 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 94.529 Elevation (Feet): 310.134

Description: AHTD DISK IN NE HW OF RC BOX CULVERT STA 172+33 47 FT RT OF C/L

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320077

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #52

Date Established: 2/27/2003

System: STATE

Job Number: 050030

Nearest City: SOUTHSIDE

County: INDEPENDENCE

Route: 167

Section: 17

Log Mile: 11.04

Land Section Number: 15

Township: 12N

Range: 06W

Land Section: NE

Latitude: N 35 40 36.0

Longitude: W 91 36 55.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.858

Elevation (Feet): 281.686

Description: AHTD DISK IN NW TOP OF INLET STA 137+77 50 FT RT OF C/L

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320078

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #53

Date Established: 12/16/2003

System: STATE

Job Number: 050115

Nearest City: BATESVILLE

County: INDEPENDENCE

Route: 167

Section: 17

Log Mile: 15.61

Land Section Number: 28

Township: 13N

Range: 06W

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 127.21

Elevation (Feet): 417.355

Description: AHTD DISC IN TYPE E DROP INLET LT OF C/L JOB STA 6+67

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320079

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #52

Date Established: 1/2/2007

System: STATE Job Number: 050136 Nearest City: BATESVILLE

County: INDEPENDENCE Route: 25 Section: 5 Log Mile: 1.1

Land Section Number: 10 Township: 13N Range: 06W

Land Section: NENE

Latitude: N 35 47 29.000 Longitude: W 91 36 56.000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 90.35509272 Elevation (Feet): 296.440

Description: A metal disk in the headwall of the Pfeiffer Creek Bridge located in the southwest corner above the name plate

Comments: Point was established by RE52 on 1-8-07 by 3-WIRE LEVELS. The information of the level run can be found in the raw and processed files of job 050136. This point in JOB 050136 is recognized as PN:908.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320080

Class:

Vertical Datum: NAVD88

Established by: RE OFFICE #52

Date Established: 5/13/2003

System: COUNTY

Job Number: R50064

Nearest City: NEWARK

County: INDEPENDENCE

Route: 69

Section: 4

Log Mile: 6.54

Land Section Number: 30

Township: 12N

Range: 03W

Land Section: NW

Latitude: N 35 38 56.000

Longitude: W 91 21 00.000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 73.13547372

Elevation (Feet): 239.945

Description: AHTD STD. DISK IN NORTHWEST CORNER OF BRIDGE

Comments: AHTD BM WAS RAN FROM GPS 320008A (PN:101 IN JOB R50064).  
CONTROL FOR JOB R50064 WAS BASED ON NGS MARK B 9. THE DATA  
FOR THIS BM CAN BE FOUND ON EDM UNDER JOB# R50064,  
sr50064\_RE\_benches.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320081

Class:

Vertical Datum: NAVD88

Established by: RE OFFICE #52

Date Established: 5/13/2003

System: COUNTY

Job Number: R50064

Nearest City: NEWARK

County: INDEPENDENCE

Route: 69

Section: 4

Log Mile: 4.27

Land Section Number: 14

Township: 12N

Range: 04W

Land Section: SE

Latitude: N 35 39 29.0000

Longitude: W 91 23 17.0000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.94085853

Elevation (Feet): 229.464

Description: AHTD STD. DISK IN NORTHWEST CORNER OF HEADWALL OF A R.C. BOX CULVERT

Comments: AHTD BM WAS RAN FROM GPS 320008A (PN:101 IN JOB R50064). CONTROL FOR JOB R50064 WAS BASED ON NGS MARK B 9. THE DATA FOR THIS BM CAN BE FOUND ON EDM UNDER JOB# R50064, SR50064\_RE\_BENCHES.ZIP.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320082

Class:

Vertical Datum: NAVD88

Established by: RE OFFICE #52

Date Established: 5/13/2003

System: COUNTY

Job Number: R50064

Nearest City: NEWARK

County: INDEPENDENCE

Route: 69

Section: 4

Log Mile: 1.74

Land Section Number: 16

Township: 12N

Range: 04W

Land Section: SWNE

Latitude: N 35 40 04.000

Longitude: W 91 25 33.0000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.78644654

Elevation (Feet): 228.958

Description: AHTD STD. DISK IN NORTHEAST CORNER OF HEADWALL OF A R.C. BOX CULVERT.

Comments: AHTD BM WAS RAN FROM GPS 320008A (PN:101 IN JOB R50064). CONTROL FOR JOB R50064 WAS BASED ON NGS MARK B 9. THE DATA FOR THIS BM CAN BE FOUND ON EDM UNDER JOB# R50064, SR50064\_RE\_BENCHES.ZIP.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 320083

Class:

Vertical Datum: NAVD88

Established by: RE OFFICE #52

Date Established: 5/13/2003

System: COUNTY

Job Number: R50064

Nearest City: NEWARK

County: INDEPENDENCE

Route: 69

Section: 4

Log Mile: 0.70

Land Section Number: 9

Township: 12N

Range: 04W

Land Section: SW

Latitude: N 35 40 49.0000

Longitude: W 91 25 46.0000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.34434342

Elevation (Feet): 243.911

Description: AHTD STD. DISK IN SOUTHWEST CORNER OF BRIDGE WINGWALL

Comments: AHTD BM WAS RAN FROM GPS 320008A (PN:101 IN JOB R50064).  
CONTROL FOR JOB R50064 WAS BASED ON NGS MARK B 9. THE DATA  
FOR THIS BM CAN BE FOUND ON EDM UNDER JOB# R50064,  
SR50064\_RE\_BENCHES.ZIP.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330001

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: 5811 Nearest City: MELBOURNE

County: IZARD Route: 9 Section: 12 Log Mile: 18.89

Land Section Number: 11 Township: 16N Range: 09W

Land Section: NE

Latitude: N 36 03 14.0 Longitude: W 91 54 59.9 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 168.689 Elevation (Feet): 553.440

Description: AHTD STANDARD DISC TOP OF SOUTHEAST WING BRIDGE NO. 6046  
(MILL CREEK).

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330002

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: 5811 Nearest City: BRANDEN BERG

County: IZARD Route: 9 Section: 12 Log Mile: 8.35

Land Section Number: 2 Township: 15N Range: 10W

Land Section: NW

Latitude: N 35 59 10.4 Longitude: W 92 02 12.4 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 0 Elevation (Feet): 0.000

Description: AHTD STANDARD DISC TOP OF HEADWALL NORTHWEST CORNER  
TRIPLE 10 X 8 X 124 R.C. BOX CULVERT. ELEVATION NOT RUN

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330003

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City:

County: IZARD Route: 56 Section: 2 Log Mile: 6.50

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 228.905 Elevation (Feet): 750.999

Description: NIS P. POLE 40' RT CENTERLINE HWY., POLE IS IN FRONT OF A WHITE FRAME HOUSE WITH A NATIVE ROCK PORCH. 8-4-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330004

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City:

County: IZARD Route: 56 Section: 2 Log Mile: 8.75

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 228.997 Elevation (Feet): 751.301

Description: CPS ROOT 24" POST OAK 39' RIGHT OF CENTERLINE OF HWY." NR" 8-4-99

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330005

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City: FRANKLIN

County: IZARD Route: 56 Section: 2 Log Mile: 10.28

Land Section Number: 31 Township: 18N Range: 07W

Land Section:

Latitude: N 36 10 33.7 Longitude: W 91 46 01.2 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 171.03 Elevation (Feet): 561.121

Description: CHISELED SQUARE IN WEST ABUTMENT OF BRIDGE AND 14' SOUTH OF CENTERLINE OF HWY.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330006

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #53

Date Established:

System: STATE

Job Number: R50054

Nearest City: GUION

County: IZARD

Route: 58

Section: 0-A & 0

Log Mile:

Land Section Number: 27

Township: 15N

Range: 09W

Land Section: NW

Latitude: N 35 55 29.5

Longitude: W 91 56 48.7

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 98.298

Elevation (Feet): 322.499

Description: AHTD STANDARD DISK IN TOP LEFT WING (CENTER) @ BRIDGE END  
BRIDGE NO. 6316 GUION (IZARD CO.) SIDE. BRIDGE OVER WHITE RIVER

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330007

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #52

Date Established: 10/26/1993

System: COUNTY

Job Number: F-33-13

Nearest City: MYRON

County: IZARD

Route: 61

Section:

Log Mile: 4.74

Land Section Number: 11

Township: 17N

Range: 07W

Land Section: NW

Latitude: N 36 08 36.9

Longitude: W 91 42 39.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 147.731

Elevation (Feet): 484.681

Description: STANDARD AHTD DISC IN TOP OF SOUTHEAST CORNER OF  
HEADWALL OF TRIPLE 9 X 6 X 44 R.C. BOX CULVERT (22' RIGHT OF  
STATION 27+47). 2.3 SOUTH OF MYRON

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330008

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #52

Date Established: 4/24/1990

System: COUNTY

Job Number: BR-33-5

Nearest City: VIOLET HILL

County: IZARD

Route: CR9

Section: 1

Log Mile: 1.11

Land Section Number: 9

Township: 17N

Range: 08W

Land Section: NE

Latitude: N 36 08 12.7

Longitude: W 91 50 23.9

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 209.014

Elevation (Feet): 685.740

Description: AHTD STANDARD DISK IN TOP OF NE WINGWALL OF THE EDMONSON CREEK BRIDGE. STATION IS ON COUNTY ROAD #9

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330009

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City:

County: IZARD Route: 69 Section: 1 Log Mile: 2.79

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 212.833 Elevation (Feet): 698.270

Description: CHISELED SQUARE IN TOP OF NORTH END OF 18" X 32' RCP. N/R AREA  
CURRENTLY UNDER CONSTRUCTION. 4 AUGUST 99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330010

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City:

County: IZARD Route: 69 Section: 1 Log Mile: 3.34

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 236.681 Elevation (Feet): 776.511

Description: CHISELED SQUARE TOP OF NORTHEAST HEADWALL -24" X 30' RCP. NR  
AREA UNDER CONSTRUCTION 8-4-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330011

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City: MELBOURNE

County: IZARD Route: 69 Section: 1 Log Mile: 3.94

Land Section Number: 9 Township: 16N Range: 08W

Land Section: SE

Latitude: N 36 02 58.5 Longitude: W 91 50 35.4 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 245.779 Elevation (Feet): 806.360

Description: CHISELED SQUARE-WEST END OF NORTH HEADWALL -1.5' X 25' X 28' CMP.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330012

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City:

County: IZARD Route: 69 Section: 1 Log Mile: 4.29

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 229.082 Elevation (Feet): 751.580

Description: CHISELED SQUARE -WEST END OF NORTH HEADWALL -4' X 8' X 28' RC BOX. NR HEADWALL DAMAGED

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330013

Class:

Vertical Datum: NGVD29

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: SAGE

County: IZARD

Route: 69

Section: 1

Log Mile: 4.67

Land Section Number: 10

Township: 16N

Range: 08W

Land Section: SW

Latitude: N 36 02 47.9

Longitude: W 91 49 53.1

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 230.448

Elevation (Feet): 756.061

Description: CHISELED SQUARE -TOP OF NORTH END -18" X 32' RCP. HWY IS NOW 69B

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330014

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City: SAGE

County: IZARD Route: 69B Section: 1 Log Mile: 5.09

Land Section Number: 10 Township: 16N Range: 08W

Land Section: SE

Latitude: N 36 02 46.6 Longitude: W 91 49 29.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 219.435 Elevation (Feet): 719.930

Description: CHISELED SQUARE -TOP OF NORTH END -30"X 32' RCP. HIGHWAY IS  
NOW 69B

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330015

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City: SAGE

County: IZARD Route: 289 Section: 1 Log Mile: 0.17

Land Section Number: 11 Township: 16N Range: 08W

Land Section: SW

Latitude: N 36 02 56.2 Longitude: W 91 49 07.1 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 210.315 Elevation (Feet): 690.008

Description: BENCHMARK DISC IN SOUTHEAST CORNER HEADWALL.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330016

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City: ZION

County: IZARD Route: 289 Section: 1 Log Mile: 2.50

Land Section Number: 1 Township: 16N Range: 08W

Land Section: SE

Latitude: N 36 03 52.5 Longitude: W 91 47 48.5 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 196.939 Elevation (Feet): 646.124

Description: BENCHMARK DISC IN SOUTHWEST CORNER HEADWALL

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330017

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City: ZION

County: IZARD Route: 289 Section: 1 Log Mile: 4.65

Land Section Number: 31 Township: 17N Range: 07W

Land Section: SE

Latitude: N 36 04 49.8 Longitude: W 91 46 22.3 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 206.054 Elevation (Feet): 676.029

Description: BENCHMARK DISC IN SOUTHEAST CORNER DROP INLET RIGHT SIDE.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330018

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: 5896 Nearest City:

County: IZARD Route: 289 Section: 2 Log Mile: 0.50

Land Section Number: Township: 18N Range: 07W

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 227.936 Elevation (Feet): 747.820

Description: NIS COMBINATION POLE 35' LT. OF CENTERLINE HWY. LEVELS: (JOB 5896) STRAWBERRY RIVER BR. & APP'S. "NR" 8-4-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330019

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: 5896 Nearest City:

County: IZARD Route: 289 Section: 2 Log Mile: 1.05

Land Section Number: Township: 18N Range: 07W

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 202.692 Elevation (Feet): 664.999

Description: NIS P. POLE 40 RIGHT OF CENTERLINE OF HWY. LEVELS: JOB #5896  
STRAWBERRY RIVER BRIDGE AND APP'S. "NR" 8-4-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330020

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #52

Date Established: 6/29/1988

System: STATE

Job Number: 5896

Nearest City: HORSE SHOE BEND

County: IZARD

Route: 289

Section: 2

Log Mile: 1.70

Land Section Number: 20

Township: 18N

Range: 07W

Land Section: SE

Latitude: N 36 12 00.4

Longitude: W 91 45 34.5

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 173.06

Elevation (Feet): 567.781

Description: AHTD STANDARD DISK TOP SOUTHEAST WINGWALL STRAWBERRY RIVER BRIDGE. LOG MILE LISTED ON BRIDGE SIGN IS 1.81

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330021

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #52

Date Established: 6/5/1992

System: STATE

Job Number: 5856

Nearest City: OXFORD

County: IZARD

Route: 354

Section: 1

Log Mile: 2.89

Land Section Number: 7

Township: 18N

Range: 08W

Land Section: SW

Latitude: N 36 13 48.9

Longitude: W 91 52 56.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 198.587

Elevation (Feet): 651.531

Description: AHTD STANDARD DISK IN TOP OF SOUTHWEST WING OF  
STRAWBERRY RIVER BRIDGE.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330022

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #52

Date Established: 4/13/1992

System: STATE

Job Number: 5856

Nearest City: WISEMAN

County: IZARD

Route: 354

Section: 1

Log Mile: 5.58

Land Section Number: 10

Township: 18N

Range: 08W

Land Section: NW

Latitude: N 36 14 14.4

Longitude: W 91 50 13.4

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 190.491

Elevation (Feet): 624.969

Description: AHTD STANDARD DISK IN TOP OF SOUTHWEST WING OF BULL PEN CREEK BRIDGE.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330023

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #52

Date Established: 6/13/1995

System: STATE

Job Number: 005979

Nearest City: MELBOURNE

County: IZARD

Route: 69

Section: 1S

Log Mile: 1.55

Land Section Number: 4

Township: 16N

Range: 08W

Land Section: NE

Latitude: N 36 04 08.9

Longitude: W 91 50 23.1

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 213.531

Elevation (Feet): 700.560

Description: AHTD STD. DISK IN TOP OF THE WEST HEADWALL OF AN 8'x6' R. C. BOX CULVERT, 30' LT. OF STA. 108+85.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330024

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #52

Date Established: 6/13/1995

System: STATE

Job Number: 005979

Nearest City: MELBOURNE

County: IZARD

Route: 69

Section: 1S

Log Mile: 2.23

Land Section Number: 34

Township: 17N

Range: 08W

Land Section: SW

Latitude: N 36 04 22.5

Longitude: W 91 50 03.5

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 209.968

Elevation (Feet): 688.870

Description: AHTD STD. DISK IN THE TOP OF THE WEST END OF THE NORTH  
HEADWALL OF A DBL. 8'x6' R. C. BOX CULVERT, 26' LT OF STA. 153+68.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330025

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #52

Date Established: 5/10/1994

System: STATE

Job Number: R50080

Nearest City: MT. PLEASANT

County: IZARD

Route: 69

Section: 1

Log Mile: 10.42

Land Section Number: 31

Township: 16N

Range: 07W

Land Section: SW

Latitude: N 35 59 20.1

Longitude: W 91 47 07.8

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 223.007

Elevation (Feet): 731.649

Description: AHTD STANDARD DISK SET IN THE HEADWALL ON THE S.E. CORNER OF A 3 FT. x 3 FT. R. C. BOX CULVERT, 30 FT. RT. OF STA. 995+55.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330026

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #52

Date Established: 5/17/1994

System: STATE

Job Number: R50080

Nearest City: MT. PLEASANT

County: IZARD

Route: 69

Section: 1

Log Mile: 9.68

Land Section Number: 36

Township: 16N

Range: 08W

Land Section: NE

Latitude: N 35 59 52.5

Longitude: W 91 47 30.7

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 224.096

Elevation (Feet): 735.222

Description: AHTD STANDARD DISK SET IN THE EAST HEADWALL OF A 7 FT. x 6 FT.  
R. C. BOX CULVERT, 63 FT. RT. OF STA. 1034+38.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330027

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #52

Date Established: 5/17/1994

System: STATE

Job Number: R50080

Nearest City: SAGE

County: IZARD

Route: 69

Section: 1

Log Mile: 7.47

Land Section Number: 23

Township: 16N

Range: 08W

Land Section: SE

Latitude: N 36 01 22.5

Longitude: W 91 48 48.3

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 236.156

Elevation (Feet): 774.788

Description: AHTD STANDARD DISK SET IN THE SW HEADWALL OF A 10 FT. x 10 FT.  
R. C. BOX CULVERT, 56 FT. LT. OF STA. 1151+35.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330028

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #52

Date Established: 10/26/1993

System: COUNTY

Job Number: F-33-13

Nearest City: MYRON

County: IZARD

Route: CR61

Section:

Log Mile: 4.74

Land Section Number: 11

Township: 17N

Range: 07W

Land Section: NW

Latitude: N 36 08 36.9

Longitude: W 91 42 39.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 150.779

Elevation (Feet): 494.681

Description: STANDARD AHTD DISK IN TOP SE CORNER OF HEADWALL OF TRP. 9 X 6 X 44 RC BOX CLVT. (22' RT. OF STA. 27+47). 2.3MI SOUTH OF MYRON

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330029

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #52

Date Established: 10/26/1993

System: COUNTY

Job Number: F-33-13

Nearest City: MYRON

County: IZARD

Route: CR61

Section:

Log Mile: 4.92

Land Section Number: 11

Township: 17N

Range: 07W

Land Section: NW

Latitude: N 36 08 28.6

Longitude: W 91 42 48.6

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 152.973

Elevation (Feet): 501.879

Description: STANDARD AHTD DISK IN TOP OF SE CORNER OF HEADWALL OF TRP.  
9 X 5 X 50 RC BOX CLVT. (22' RT. OF STA. 18+00.). 2.5 MI SOUTH OF  
MYRON

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330030

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: COUNTY Job Number: F-33-2 Nearest City: ZION

County: IZARD Route: CR61 Section: Log Mile:

Land Section Number: 28 Township: 17N Range: 07W

Land Section: NW

Latitude: N 36 05 54.9 Longitude: W 91 44 58.5 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 179.768 Elevation (Feet): 589.789

Description: STA. 103+00 RT. HEADWALL TRP. 10' X 5' X 50' R. C. BOX CULVERT ON  
NORTHEAST FORK OF PINEY FORK CREEK 1 3/4 MI. NORTH OF EAST  
ZION.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330031

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #52

Date Established: 4/24/1991

System: COUNTY

Job Number: BR-33-5

Nearest City: VIOLET HILL

County: IZARD

Route: CR9

Section: 1

Log Mile: 1.11

Land Section Number: 9

Township: 17N

Range: 08W

Land Section: NE

Latitude: N 36 08 12.7

Longitude: W 91 50 23.9

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 210.002

Elevation (Feet): 688.982

Description: AHTD STANDARD DISK IN TOP OF SE WINGWALL OF EDMONSON CREEK BRIDGE. STATION IS ON COUNTY ROAD #9

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330032

Class:

Vertical Datum:

Established by: RE OFFICE #52

Date Established: 10/26/1993

System: County

Job Number: F-33-13

Nearest City: MYRON

County: IZARD

Route: 61

Section:

Log Mile: 4.92

Land Section Number: 11

Township: 17n

Range: 07w

Land Section: NW

Latitude: N 36 08 28.6

Longitude: W 91 42 48.6

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 152.973

Elevation (Feet): 501.879

Description: STD AHTD DISK IN TOP OF SE CORNER OF HEADWALL OF TRIPLE  
9X5X50 RC BOX CULVERT (22' RIGHT OF STA 18+00) 2.5 MI SOUTH OF  
MYRON

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330033

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: COUNTY Job Number: N/A Nearest City: ZION

County: IZARD Route: CR71 Section: Log Mile: 2.20

Land Section Number: 19 Township: 17N Range: 07W

Land Section: SW

Latitude: N 36 06 20.0 Longitude: W 91 46 59.5 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 184.831 Elevation (Feet): 606.400

Description: AHTD DISK TOP SE WINGWALL PINEY FORK CR. BR. BR. 4516 STATION  
IS 2.2 MI NORTH OF HWY.289, AND ABOUT 2.5 MI NORTHWEST OF ZION.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330034

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: COUNTY Job Number: N/A Nearest City: ZION

County: IZARD Route: CR61 Section: Log Mile: 9.74

Land Section Number: 29 Township: 17N Range: 07W

Land Section: SE

Latitude: N 36 05 34.5 Longitude: W 91 45 14.4 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 176.178 Elevation (Feet): 578.011

Description: DISC IN SOUTH EAST END OF SOUTH ABUTMENT BR. 18038 1 3/4 MI.  
NORTHEAST OF ZION JCT. HWY. 289.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330035

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #52

Date Established:

System: COUNTY

Job Number: BR-33-4

Nearest City: WISEMAN

County: IZARD

Route: FAS 1209

Section:

Log Mile: \*\*

Land Section Number: 11

Township: 18N

Range: 08W

Land Section: NW

Latitude: N 36 13 59.6

Longitude: W 91 48 58.6

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 183.78

Elevation (Feet): 602.952

Description: AHTD STANDARD DISC TOP OF SE WING BR. NO. 4542, STRAWBERRY RIVER, WISEMAN. \*\* S OF HWY. 354 NEAR WISEMAN.\*\* STATION IS ON COUNTY ROAD 55 JUST SOUTH OF HWY 354

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330036

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: COUNTY Job Number: N/A Nearest City: MT. PLEASANT

County: IZARD Route: FAS 2066 Section: OF MT Log Mile: AFFERT

Land Section Number: 9 Township: 15N Range: 08W

Land Section: SW

Latitude: N 35 57 33.5 Longitude: W 91 50 09.5 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 129.815 Elevation (Feet): 425.901

Description: AHTD DISC TOP SE WINGWALL BR. NO. 4472. KNOWN LOCALLY AS WEST ROAD. IN BRIDGE OVER WEST LAFFERTY CREEK

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330037

Class:

Vertical Datum:

Established by: RE OFFICE #52

Date Established: 6/26/1997

System: COUNTY

Job Number: FA3310

Nearest City: ZION

County: IZARD

Route: CR61

Section:

Log Mile: 3.8

Land Section Number: 5

Township: 16N

Range: 07W

Land Section: NW

Latitude: N 36 04 10.8

Longitude: W 91 45 59.6

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 181.374

Elevation (Feet): 595.058

Description: AHTD STD. DISK IN TOP OF SE WING OF THE CANEY CREEK BRIDGE  
(STA. 13+24) STATION IS 0.75 MI SOUTH OF ZION ON COUNTY ROAD

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330038

Class:

Vertical Datum:

Established by:

RE OFFICE #52

Date Established: 5/17/1994

System: STATE

Job Number: R50080

Nearest City: SAGE

County: IZARD

Route: 69

Section: 1

Log Mile: 7.47

Land Section Number: 23

Township: 16N

Range: 08W

Land Section: SE

Latitude: N 36 01 22.5

Longitude: W 91 48 48.3

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 236.156

Elevation (Feet): 774.788

Description: AHTD STANDARD DISK SET IN THE SW HEADWALL OF A 10 FT. X 10 FT.  
R. C. BOX CULVERT, 56 FT. LEFT OF STA. 1151+35.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330039

Class:

Vertical Datum:

Established by: RE OFFICE #52

Date Established: 5/10/1994

System: STATE

Job Number: R50080

Nearest City: MT.PLEASANT

County: IZARD

Route: 69

Section: 1

Log Mile: 10.42

Land Section Number: 31

Township: 16N

Range: 07W

Land Section: SW

Latitude: N 35 59 20.0

Longitude: W 91 47 07.8

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 223.007

Elevation (Feet): 731.649

Description: AHTD STANDARD DISK SET IN THE HEADWALL ON THE SE CORNER OF  
A 3' X 3' R. C. BOX CULVERT, 30' RT. OF STA. 995+55.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330040

Class:

Vertical Datum:

Established by: RE OFFICE #52

Date Established: 5/17/1994

System: STATE

Job Number: R50080

Nearest City: MT. PLEASANT

County: IZARD

Route: 69

Section: 1

Log Mile: 9.68

Land Section Number: 36

Township: 16N

Range: 08W

Land Section: NE

Latitude: N 35 59 52.5

Longitude: W 91 47 30.7

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 224.095

Elevation (Feet): 735.218

Description: AHTD STANDARD DISK SET IN THE EAST HEADWALL OF A 7' X 6' R. C. BOX CULVERT, 63' RT. OF STA. 1034+38.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330041

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #52

Date Established: 11/17/2000

System: STATE

Job Number: r50067

Nearest City: MELBOURNE

County: IZARD

Route: 69

Section: 1

Log Mile: 0.40

Land Section Number: 1

Township: 16n

Range: 09w

Land Section: SWNE

Latitude: N 36 03 15.0

Longitude: W 91 53 35.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 178.271

Elevation (Feet): 584.877

Description: AHTD DISC NE WINGWALL IN BENT 1 RIGHT OF STA 1518+40 BR06723  
(MILL CREEK BRIDGE)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330042

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #52

Date Established: 9/5/2000

System: STATE

Job Number: R50067

Nearest City: MELBOURNE

County: IZARD

Route: 69

Section: 1

Log Mile: 0.4

Land Section Number: 1

Township: 16N

Range: 09W

Land Section: SWSE

Latitude: N 36 03 15.0

Longitude: W 91 53 35.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 178.272

Elevation (Feet): 584.881

Description: AHTD DISK IN TOP NE WING WALL OF BR 06723 (MILL CREEK BRIDGE)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330043

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #52

Date Established: 11/22/2002

System: STATE

Job Number: r50067

Nearest City: MELBOURNE

County: IZARD

Route: 69

Section: 1

Log Mile: 1.77

Land Section Number: 6

Township: 16N

Range: 08W

Land Section: SESE

Latitude: N 36 03 15.0

Longitude: W 91 52 10.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 192.965

Elevation (Feet): 633.086

Description: AHTD DISK IN TOP OF THE NE CORNER OF THE NORTH HW OF A  
10X6X152 RC BOX

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330044

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #52

Date Established: 11/22/2002

System: STATE

Job Number: R50067

Nearest City: MELBOURNE

County: IZARD

Route: 69

Section: 1

Log Mile: 2.26

Land Section Number: 5

Township: 16N

Range: 08W

Land Section: SESW

Latitude: N 36 03 15.0

Longitude: W 91 51 30.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 203.272

Elevation (Feet): 666.902

Description: AHTD DISK IN TOP OF THE NE CORNER OF THE NORTH HW OF A  
TRIPLE 5X5X106 RC BOX CULVERT

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330045

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #52

Date Established: 11/22/2002

System: COUNTY

Job Number: FA3316

Nearest City: WIDEMAN

County: IZARD

Route: CR36

Section: 1

Log Mile: 3.5

Land Section Number: 36

Township: 18N

Range: 10W

Land Section: SENW

Latitude: N 36 10 41.0

Longitude: W 92 00 38.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 166.06

Elevation (Feet): 544.815

Description: AHTD DISK IN TOP OF SE WING WALL OF BR 04842 (DRY HOLLOW CREEK)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330046

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #52

Date Established: 5/3/2014

System:

Job Number: 050178

Nearest City: MELBOURNE

County: Izard

Route: 9

Section: 13

Log Mile: 2.492

Land Section Number: 26

Township: 17N

Range: 09W

Land Section: SWSE

Latitude: N 36 05 31.00000

Longitude: W 91 55 06.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 180.962

Elevation (Feet): 593.706

Description: ALUMINUM DISK IN SOUTHEAST HEADWALL ON BRIDGE

Comments: ELEVATIONS VERIFIED. THREE WIRE DATA AVAILABLE ON EDM IN  
s050178\_rebenches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330047

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #52

Date Established: 6/3/2014

System: STATE

Job Number: 050178

Nearest City: MELBOURNE

County: IZARD

Route: 9

Section: 13

Log Mile: 3.01

Land Section Number: 26

Township: 17N

Range: 09W

Land Section: SENW

Latitude: N 36 05 57.00000

Longitude: W 91 55 11.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 190.4614

Elevation (Feet): 624.872

Description: DISK IN SOUTHEAST CORNER OF HEADWALL ON BOX CULVERT.

Comments: ELEVATIONS VERIFIED. THREE WIRE DATA AVAILABLE ON EDM IN s050178\_rebenches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330048

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #52

Date Established: 6/3/2014

System: STATE

Job Number: 050178

Nearest City: MELBOURNE

County: IZARD

Route: 9

Section: 13

Log Mile: 3.822

Land Section Number: 22

Township: 17N

Range: 09W

Land Section: NESE

Latitude: N 36 06 27.00000

Longitude: W 91 55 42.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 199.6849

Elevation (Feet): 655.133

Description: DISK IN SOUTHEAST HEADWALL ON BOX CULVERT

Comments: ELEVATIONS VERIFIED. THREE WIRE DATA AVAILABLE ON EDM IN  
s050178\_rebenches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330049

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #52

Date Established: 6/3/2014

System: STATE

Job Number: 050178

Nearest City: MELBOURNE

County: IZARD

Route: 9

Section: 13

Log Mile: 3.888

Land Section Number: 22

Township: 17N

Range: 09W

Land Section: NESE

Latitude: N 36 06 29.00000

Longitude: W 91 55 43.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 199.2893

Elevation (Feet): 653.835

Description: DISK IN SOUTHEAST CORNER OF HEADWALL ON BOX CULVERT.

Comments: ELEVATIONS VERIFIED. THREE WIRE DATA AVAILABLE ON EDM IN  
s050178\_rebenches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330050

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #52

Date Established: 5/3/2014

System:

Job Number: 050178

Nearest City: MELBOURNE

County: IZARD

Route: 9

Section: 13

Log Mile: 4.57

Land Section Number: 15

Township: 17N

Range: 09W

Land Section: SESE

Latitude: N 36 07 04.00000

Longitude: W 91 55 44.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 183.2108

Elevation (Feet): 601.084

Description: DISK IN SOUTHEAST HEADWALL ON BOX CULVERT.

Comments: ELEVATIONS VERIFIED. THREE WIRE DATA AVAILABLE ON EDM IN  
s050178\_rebenches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330051

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #52

Date Established: 6/3/2014

System: STATE

Job Number: 050178

Nearest City: MELBOURNE

County: IZARD

Route: 9

Section: 13

Log Mile: 4.792

Land Section Number: 15

Township: 17N

Range: 09W

Land Section: SESE

Latitude: N 36 07 15.00000

Longitude: W 91 55 43.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 155.1261

Elevation (Feet): 508.943

Description: DISK IN SOUTHEAST HEADWALL ON BOX CULVERT

Comments: ELEVATIONS VERIFIED. THREE WIRE DATA AVAILABLE ON EDM IN  
s050178\_rebenches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330052

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #52

Date Established: 6/3/2014

System: STATE

Job Number: 050178

Nearest City: MELBOURNE

County: IZARD

Route: 9

Section: 13

Log Mile: 4.916

Land Section Number: 15

Township: 17N

Range: 09W

Land Section: NESE

Latitude: N 36 07 21.00000

Longitude: W 91 55 40.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 189.6411

Elevation (Feet): 622.181

Description: DISK IN SOUTHEAST CORNER OF HEADWALL ON BOX CULVERT.

Comments: ELEVATIONS VERIFIED. THREE WIRE DATA AVAILABLE ON EDM IN  
s050178\_rebenches.zip



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330053

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #52

Date Established: 6/3/2014

System: STATE

Job Number: 050178

Nearest City: MELBOURNE

County: IZARD

Route: 9

Section: 13

Log Mile: 5.465

Land Section Number: 14

Township: 17N

Range: 09W

Land Section: NWNW

Latitude: N 36 07 48.00000

Longitude: W 91 55 34.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 213.9953

Elevation (Feet): 702.083

Description: DISK IN SOUTHEAST CORNER OF HEADWALL ON BOX CULVERT

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330054

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #52

Date Established: 6/3/2014

System:

Job Number:

050178

Nearest City:

BROCKWELL

County:

IZARD

Route:

9

Section:

13

Log Mile:

5.584

Land Section Number:

14

Township:

17N

Range:

09W

Land Section:

NWNW

Latitude: N 36 07 54.00000

Longitude: W 91 55 34.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

212.0534

Elevation (Feet):

695.712

Description:

DISK IN SOUTHEAST CORNER OF HEADWALL ON BOX CULVERT.

Comments:

ELEVATIONS VERIFIED. THREE WIRE DATA AVAILABLE ON EDM IN  
s050178\_rebenches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330055

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #52

Date Established: 6/3/2014

System: STATE

Job Number: 050178

Nearest City: BROCKWELL

County: IZARD

Route: 9

Section: 13

Log Mile: 5.821

Land Section Number: 11

Township: 17N

Range: 09W

Land Section: SWSW

Latitude: N 36 08 64.00000

Longitude: W 91 55 32.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 202.4309

Elevation (Feet): 664.142

Description: DISK IN SOUTHEAST CORNER OF HEADWALL ON BOX CULVERT.

Comments: ELEVATIONS VERIFIED. THREE WIRE DATA AVAILABLE ON EDM IN  
s050178\_rebenches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330056

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #52

Date Established: 11/13/2012

System: STATE Job Number: 050012 Nearest City: Oxford

County: IZARD Route: 9 Section: 13 Log Mile: 14.27

Land Section Number: 2 Township: 18n Range: 09w

Land Section: NWSW

Latitude: N 36 14 55.00000 Longitude: W 91 55 31.00000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 220.827 Elevation (Feet): 724.497

Description: disk in center of headwall on East side.

Comments: ELEVATIONS VERIFIED. THREE WIRE DATA AVAILABLE ON EDM IN  
s050012\_rebenches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330057

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #52

Date Established: 6/3/2014

System: STATE

Job Number: 050012

Nearest City: Oxford

County: IZARD

Route: 9

Section: 13

Log Mile: 11.883

Land Section Number: 15

Township: 18n

Range: 09w

Land Section: NESE

Latitude: N 36 13 02.00000

Longitude: W 91 55 40.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 221.2892

Elevation (Feet): 726.013

Description: Disk in center of headwall on East side.

Comments: ELEVATIONS VERIFIED. THREE WIRE DATA AVAILABLE ON EDM IN  
s050012\_rebenches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 330058

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #52

Date Established: 6/3/2014

System: STATE

Job Number: 030058

Nearest City: Oxford

County: IZARD

Route: 9

Section: 13

Log Mile: 13.16

Land Section Number: 10

Township: 09w

Range: 18n

Land Section: NESE

Latitude: N 36 13 59.00000

Longitude: W 91 55 40.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 210.6273

Elevation (Feet): 691.033

Description: Disk in center of headwall on East side.

Comments: ELEVATIONS VERIFIED. THREE WIRE DATA AVAILABLE ON EDM IN  
s050012\_rebenches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 340001

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #55

Date Established:

System: STATE

Job Number: R50013

Nearest City:

County: JACKSON

Route: 14

Section: 12

Log Mile: 1.35

Land Section Number: 3

Township: 11N

Range: 02W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 67.096

Elevation (Feet): 220.131

Description: DISC CULVERT SOUTHEAST HEADWALL NORTHEAST END 66' RIGHT  
STATION 13+58 HWY. 14.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 340002

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City: NEWPORT

County: JACKSON Route: 18 Section: 1 Log Mile: 2.19

Land Section Number: Township: Range:

Land Section:

Latitude: N 35 38 18.0 Longitude: W 91 13 32.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.022 Elevation (Feet): 229.731

Description: DISK WEST ABUTMENT SOUTH WING. BRIDGE # 5885 OVER VILLAGE CREEK CREW S5102 8-4-99

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 340003

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #55

Date Established: 5/31/1990

System: STATE

Job Number: 5900

Nearest City: TUCKERMAN

County: JACKSON

Route: 37

Section: 4

Log Mile: 5.33

Land Section Number: 34

Township: 12N

Range: 01W

Land Section: SESE

Latitude: N 35 43 27.0

Longitude: W 91 04 34.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 71.339

Elevation (Feet): 234.051

Description: DISC CULVERT NORTH HEADWALL WEST END 32' RIGHT STATION  
280+18. CREW S5102 8-4-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 340004

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #55

Date Established: 5/31/1990

System: STATE

Job Number: 5900

Nearest City: TUCKERMAN

County: JACKSON

Route: 37

Section: 4

Log Mile: 6.54

Land Section Number: 33

Township: 12N

Range: 01W

Land Section: SWSE

Latitude: N 35 43 28.0

Longitude: W 91 05 50.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.378

Elevation (Feet): 237.460

Description: DISC CULVERT NORTH HEADWALL WEST END 45' RIGHT STATION  
343+40. CREW S5102 8-4-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 340005

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City: TUCKERMAN

County: JACKSON Route: 37 Section: 5 Log Mile: 8.00

Land Section Number: Township: Range:

Land Section:

Latitude: N 35 45 57.0 Longitude: W 91 18 00.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.874 Elevation (Feet): 252.211

Description: DISK TOP OF WINGWALL SOUTHEAST CORNER BRIDGE NO. 5668 ELGIN  
BRIDGE BLACK RIVER. CREW S5102 8-4-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 340006

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #53

Date Established:

System: STATE

Job Number: 5647

Nearest City: NEWPORT

County: JACKSON

Route: 67

Section: 14

Log Mile: 4.64

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 28 00.0

Longitude: W 91 21 11.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.725

Elevation (Feet): 245.160

Description: STANDARD AHTD DISC IN TOP OF LEFT WINGWALL SOUTHWEST  
BRIDGE END BRIDGE #5912. CREW S5102 8-5-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 340007

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #53

Date Established:

System: STATE

Job Number: 5647

Nearest City: NEWPORT

County: JACKSON

Route: 67

Section: 14

Log Mile: 4.95

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 28 10.0

Longitude: W 91 20 56.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.819

Elevation (Feet): 248.750

Description: STANDARD AHTD DISC IN TOP OF LEFT WINGWALL NORTHEAST  
BRIDGE END BRIDGE NO. 5912. BR. OVER WHITE CREW S5102 8-5-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 340008

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #55

Date Established:

System: STATE

Job Number: 5815

Nearest City: POSSUM GRAPE

County: JACKSON

Route: 67

Section: 14

Log Mile: 1.47

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 27 13.0

Longitude: W 91 24 25.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.123

Elevation (Feet): 223.500

Description: DISC SOUTHWEST ABUTMENT SOUTHEAST END 47' RIGHT STATION  
682+10. CREW S5102 8-5-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 340009

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #55

Date Established:

System: STATE

Job Number: 5815

Nearest City: POSSUM GRAPE

County: JACKSON

Route: 67

Section: 14

Log Mile: 1.47

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 27 12.0

Longitude: W 91 24 13.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.077

Elevation (Feet): 223.349

Description: DISC NORTHEAST ABUTMENT NORTHWEST END 56' LEFT STATION  
690+15. CREW S5102 8-5-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 340010

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #55

Date Established:

System: STATE

Job Number: 5815

Nearest City: POSSUM GRAPE

County: JACKSON

Route: 67

Section: 14

Log Mile: 1.97

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 27 16.0

Longitude: W 91 23 53.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 73.305

Elevation (Feet): 240.501

Description: DISC SOUTH ABUTMENT WEST END 112' RIGHT STATION 707+14.  
GRAND GLAISE UNDEPASS CREW S5102 8-5-99

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 340011

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #55

Date Established:

System: STATE

Job Number: 5816

Nearest City: NEWPORT

County: JACKSON

Route: 67

Section: 14

Log Mile: 5.24

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 28 32.0

Longitude: W 91 20 21.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 63.727

Elevation (Feet): 209.078

Description: DISC CULVERT SOUTHEAST HEADWALL SOUTHEAST END 97' RIGHT  
STATION 903+05. CREW S5102 8-5-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 340012

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #55

Date Established:

System: STATE

Job Number: 5816

Nearest City: NEWPORT

County: JACKSON

Route: 67

Section: 14

Log Mile: 5.77

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 28 53.0

Longitude: W 91 20 03.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.127

Elevation (Feet): 213.671

Description: DISC CULVERT SOUTHEAST HEADWALL SOUTHEAST END 85' RIGHT  
STATION 929+84. DISC "DESTROYED" CREW S5102 8-5-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 340013

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #55

Date Established:

System: STATE

Job Number: 5816

Nearest City: NEWPORT

County: JACKSON

Route: 67

Section: 14

Log Mile: 6.47

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 29 20.0

Longitude: W 91 19 32.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.457

Elevation (Feet): 237.719

Description: DISC EAST ABUTMENT NORTH END 150' RIGHT STATION 967+36.  
BRIDGE # 6094 HWY-224 OVERPASS CREW S5102 8-5-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 340014

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #55

Date Established:

System: STATE

Job Number: R50012

Nearest City: NEWPORT

County: JACKSON

Route: 67

Section: 14

Log Mile: 8.72

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 30 41.0

Longitude: W 91 18 25.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 71.902

Elevation (Feet): 235.898

Description: DISC SOUTH ABUTMENT WEST END 79' RIGHT STATION 1064+86.  
BRIDGE ON COUNTY RD.16 CREW S5102 8-5-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 340015

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #55

Date Established:

System: STATE

Job Number: R50012

Nearest City: NEWPORT

County: JACKSON

Route: 67

Section: 14

Log Mile: 10.71

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 31 50.0

Longitude: W 91 17 03.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.25

Elevation (Feet): 237.040

Description: DISC WEST ABUTMENT NORTH END 83' LEFT STATION 1169+89. BRIDGE  
ON COUNTY RD. 18 CREW S5102 8-5-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 340016

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #55

Date Established:

System: STATE

Job Number: R50012

Nearest City: NEWPORT

County: JACKSON

Route: 67

Section: 14

Log Mile: 13.42

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 33 50.0

Longitude: W 91 15 41.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.471

Elevation (Feet): 247.608

Description: DISC EAST ABUTMENT NORTH END 66' RIGHT STATION 1312+97. BR. #  
6177 HWY-224-SPUR ALSO ON HWY 14 SECTION 12 LOG 4.08 CREW  
S5102 8-5-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 340017

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #55

Date Established: 5/12/1987

System: STATE

Job Number: R50012

Nearest City: NEWPORT

County: JACKSON

Route: 67

Section: 14

Log Mile: 9.02

Land Section Number: 10

Township: 11N

Range: 03W

Land Section: SWNW

Latitude: N 35 30 45.0

Longitude: W 91 18 09.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.09

Elevation (Feet): 213.549

Description: DISC CULVERT NORTHWEST HEADWALL SOUTHWEST END 86' LEFT  
STATION 1080+78. CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 340018

Class:

Vertical Datum: NGVD29

Established by: RE OFFICE #55

Date Established: 5/12/1987

System: STATE

Job Number: R50012

Nearest City: NEWPORT

County: JACKSON

Route: 67

Section: 14

Log Mile: 10.23

Land Section Number: 2

Township: 10N

Range: 03W

Land Section: NWSW

Latitude: N 35 31 28.0

Longitude: W 91 17 15.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.267

Elevation (Feet): 214.130

Description: DISC CULVERT WEST HEADWALL SOUTH END 91' LEFT STATION  
1144+74. CREW S5102 8-5-99

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 340019

Class:

Vertical Datum: NGVD29

Established by: RE OFFICE #55

Date Established:

System: STATE

Job Number: R50013

Nearest City: NEWPORT

County: JACKSON

Route: 67

Section: 14

Log Mile: 13.78

Land Section Number: 24

Township: 11N

Range: 03W

Land Section: NESW

Latitude: N 35 34 09.0

Longitude: W 91 15 38.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.065

Elevation (Feet): 223.310

Description: DISC CULVERT EAST HEADWALL SOUTH END 142' RIGHT STATION  
1332+01. CREW S5102 8-5-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 340020

Class:

Vertical Datum: NGVD29

Established by: RE OFFICE #55

Date Established:

System: STATE

Job Number: R50013

Nearest City: NEWPORT

County: JACKSON

Route: 67

Section: 14

Log Mile: 14.72

Land Section Number: 13

Township: 11N

Range: 03W

Land Section: SWSE

Latitude: N 35 34 54.0

Longitude: W 91 15 23.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.792

Elevation (Feet): 238.818

Description: DISC PARAPET WALL NORTH BRIDGE SOUTHWEST CORNER 23' RIGHT  
STATION 1381+90. BR. 6222 A BRIDGE OVER VILLAGE CREEK CREW  
S5102 8-5-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 340021

Class:

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 1/6/1999

System: STATE

Job Number: N/A

Nearest City: Jacksonport

County: JACKSON

Route: 69

Section: 5

Log Mile: 0.28

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 38 35.0

Longitude: W 91 19 31.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 71.983

Elevation (Feet): 236.164

Description: DISK ON TOP NORTHEAST WING BRIDGE NO. 5899 BLACK RIVER  
BRIDGE. CREW S5102 8-4-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 340022

Class:

Vertical Datum: NGVD29

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City:

County: JACKSON

Route: 224

Section: 1

Log Mile: 2.39

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.921

Elevation (Feet): 229.399

Description: DISK SOUTHEAST ABUTMENT SOUTHEAST WING.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 340023

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #55

Date Established: 3/31/1993

System: STATE

Job Number: R50032

Nearest City: DENMARK

County: JACKSON

Route: 167

Section: 15

Log Mile: 1.23

Land Section Number: 30

Township: 10N

Range: 05W

Land Section: SE

Latitude: N 35 27 33.0

Longitude: W 91 34 56.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 184.636

Elevation (Feet): 605.760

Description: DISC S END E HDWL CULVERT 85 FT. STA. 545+35 RT. CREW S5102 8-5-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 340024

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #55

Date Established: 7/20/1993

System: STATE

Job Number: R50014

Nearest City: NEWPORT

County: JACKSON

Route: 384

Section: 3

Log Mile: .70

Land Section Number: 7

Township: 11N

Range: 02W

Land Section: NE

Latitude: N 35 36 29.0

Longitude: W 91 14 22.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.693

Elevation (Feet): 261.459

Description: DISC PARAPET WALL SW COR. 21' RT. STA. 108+21.09. BR# 6432 HWY-384  
INTERCHANGE CREW S5102 8-4-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 340025

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #55

Date Established: 7/20/1993

System: STATE

Job Number: R50014

Nearest City: NEWPORT

County: JACKSON

Route: 67

Section: 15

Log Mile: .01

Land Section Number: 7

Township: 11N

Range: 02W

Land Section: SW

Latitude: N 35 35 38.0

Longitude: W 91 14 54.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.299

Elevation (Feet): 253.605

Description: DISC PARAPET WALL E BR. SE COR. 21' RT. STA. 1431+88.45. @ HWY-14  
INTERCHANGE CREW S5102 8-5-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 340026

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #55

Date Established: 7/20/1993

System: STATE

Job Number: R50014

Nearest City: NEWPORT

County: JACKSON

Route: 67

Section: 15

Log Mile: .68

Land Section Number: 7

Township: 11N

Range: 02W

Land Section: NE

Latitude: N 35 36 07.0

Longitude: W 91 14 31.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 71.377

Elevation (Feet): 234.176

Description: DISC CENTERLINE D. I. SOUTH END STA. 1467+00. CREW S5102 8-5-99

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 340027

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #55

Date Established: 7/20/1993

System: STATE

Job Number: R50014

Nearest City: NEWPORT

County: JACKSON

Route: 67

Section: 15

Log Mile: 3.00

Land Section Number: 31

Township: 12N

Range: 02W

Land Section: NW

Latitude: N 35 38 08.0

Longitude: W 91 14 19.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 71.427

Elevation (Feet): 234.340

Description: DISC D. I. SW COR. STA. 1590+00. CREW S5102 8-5-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 340028

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #55

Date Established: 5/4/1993

System: STATE

Job Number: 5919

Nearest City: GRUBBS

County: JACKSON

Route: 18

Section: 1

Log Mile: 8.43

Land Section Number: 30

Township: 12N

Range: 01W

Land Section: NW

Latitude: N 35 39 03.0

Longitude: W 91 08 06.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.674

Elevation (Feet): 228.589

Description: DISC NE AND N HDWL CULVERT 41.5 FT. LT. STA. 445+03. CREW S5102 8-4-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 340029

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #55

Date Established: 12/22/1995

System: COUNTY

Job Number: BR3405

Nearest City:

County: JACKSON

Route: CR 77

Section: C

Log Mile: .19

Land Section Number: 27

Township: 14N

Range: 01W

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.347

Elevation (Feet): 247.201

Description: DISC SE CORNER WING SOUTH ABUTMENT EAST SIDE, 17 RT. STA.  
76+80.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 340030

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #55

Date Established: 9/22/1995

System: STATE

Job Number: 005982

Nearest City: GRUBBS

County: JACKSON

Route: 18

Section: 1

Log Mile: 9.74

Land Section Number: 30

Township: 12N

Range: 01W

Land Section: SW

Latitude: N 35 39 08.0

Longitude: W 91 06 47.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.952

Elevation (Feet): 229.501

Description: DISC S HDWL 40' RT. STA. 592+85. CREW S5102 8-4-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 340031

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #55

Date Established: 4/9/1996

System: STATE

Job Number: 005982

Nearest City:

County: JACKSON

Route: 18

Section: 1

Log Mile: 8.23

Land Section Number: 29

Township: 12N

Range: 01W

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.342

Elevation (Feet): 227.500

Description: DISC S HDWL JOB 005982 41' RT. STA. 514+27.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 340032

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #55

Date Established: 11/10/1994

System: STATE

Job Number: 005915

Nearest City: GRUBBS

County: JACKSON

Route: 18

Section: 1

Log Mile: 7.74

Land Section Number: 25

Township: 12N

Range: 02W

Land Section: NE

Latitude: N 35 39 09.0

Longitude: W 91 08 48.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.293

Elevation (Feet): 230.620

Description: DISC S HDWL JOB 005915 42' RT. STA. 409+24. CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 340033

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #55

Date Established: 5/22/1990

System: COUNTY

Job Number: BR-34-3

Nearest City: TUCKERMAN

County: JACKSON

Route: 43

Section: B

Log Mile: 2.90

Land Section Number: 8

Township: 12N

Range: 02W

Land Section: NESE

Latitude: N 35 41 21.0

Longitude: W 91 12 33.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.216

Elevation (Feet): 236.929

Description: DISC SOUTH ABUTMENT EAST END 18' RT. STA. 12+04. CREW S5102 8-4-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 340034

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #55

Date Established: 9/20/1990

System: COUNTY

Job Number: BR-34-3

Nearest City: TUCKERMAN

County: JACKSON

Route: 43

Section: B

Log Mile: 3.34

Land Section Number: 8

Township: 12N

Range: 02W

Land Section: NESE

Latitude: N 35 41 45.0

Longitude: W 91 12 31.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.308

Elevation (Feet): 230.669

Description: DISC CULVERT WEST HEADWALL SOUTH END, 21' LEFT STATION  
36+80. CREW S5102 8-4-99

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 340035

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: COUNTY Job Number: BR-34-2 Nearest City:

County: JACKSON Route: CO. RD. 69 Section: Log Mile: 10.24

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.368 Elevation (Feet): 247.270

Description: DISK TOP HEADWALL NORTHWEST CORNER TRIPLE 8 X 4 X 36.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 340036

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #55

Date Established: 9/11/1991

System: CITY

Job Number: 5932

Nearest City:

County: JACKSON

Route: MCLAIN ST

Section: EWPOR

Log Mile:

Land Section Number: 2

Township: 11N

Range: 03W

Land Section: SWSE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 66.383

Elevation (Feet): 217.792

Description: DISC. CULVERT SOUTH HEADWALL WEST END JOB 5932 24 RIGHT  
STATION 16.5.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 340037

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #55

Date Established: 1/14/2000

System: COUNTY

Job Number: BR3406

Nearest City: ALGOA

County: JACKSON

Route: CR30

Section: 0

Log Mile: 3.09

Land Section Number: 8

Township: 10N

Range: 01W

Land Section: SW

Latitude: N 35 30 14.0

Longitude: W 91 07 22.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 67.255

Elevation (Feet): 220.652

Description: DISC S WINGWALL OF W ABUTMENT JOB STATION 104+17 BRIDGE  
04804

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 340039

Class: UNKNOWN

Vertical Datum: NGVD29

Established by: UNKNOWN

Date Established: 6/11/2003

System: COUNTY

Job Number: 050007

Nearest City: SWIFTON

County: JACKSON

Route: 226

Section: 1

Log Mile: 0.43

Land Section Number: 6

Township: 13N

Range: 01W

Land Section: NW

Latitude: N 35 47 58.0

Longitude: W 91 08 30.0

Type: UNKNOWN

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.475

Elevation (Feet): 244.340

Description: AHTD STANDARD DISK IN SOUTHEAST CORNER OF HEADWALL OF A  
R.C. BOX CULVERT.

Comments: ESTABLISHED BY BRAD LANGSTON & PAUL ANDERSON

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 340040

Class: UNKNOWN

Vertical Datum: NGVD29

Established by: UNKNOWN

Date Established: 6/11/2003

System: COUNTY

Job Number: 050007

Nearest City: SWIFTON

County: JACKSON

Route: 226

Section: 1

Log Mile: 3.46

Land Section Number: 4

Township: 13N

Range: 01W

Land Section: NE

Latitude: N 35 47 54.0

Longitude: W 91 05 23.0

Type: UNKNOWN

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.837

Elevation (Feet): 252.089

Description: AHTD STD DISK IN SOUTHWEST CORNER BRIDGE

Comments: ESTABLISHED BY BRAD LANGSTON & PAUL ANDERSON

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 340041

Class: UNKNOWN

Vertical Datum: NGVD29

Established by: UNKNOWN

Date Established: 6/11/2003

System: COUNTY

Job Number: 050007

Nearest City: SWIFTON

County: JACKSON

Route: 226

Section: 1

Log Mile: 3.35

Land Section Number: 4

Township: 13N

Range: 01W

Land Section: NE

Latitude: N 35 47 54.0

Longitude: W 91 05 29.0

Type: UNKNOWN

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.49

Elevation (Feet): 244.389

Description: AHTD STD DISK IN SOUTHWEST CORNER OF HEADWALL OF A R.C. BOX CULVERT.

Comments: ESTABLISHED BY BRAD LANGSTON & PAUL ANDERSON

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 340042

Class: UNKNOWN

Vertical Datum: NGVD29

Established by: UNKNOWN

Date Established: 6/11/2003

System: COUNTY

Job Number: 050007

Nearest City: SWIFTON

County: JACKSON

Route: 226

Section: 1

Log Mile: 5.69

Land Section Number: 2

Township: 13N

Range: 01W

Land Section: NE

Latitude: N 35 47 50.0

Longitude: W 91 03 13.0

Type: UNKNOWN

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.143

Elevation (Feet): 243.251

Description: AHTD STD DISK IN SOUTHWEST CORNER OF HEADWALL OF A R.C.  
BOX CULVERT

Comments: ESTABLISHED BY BRAD LANGSTON & PAUL ANDERSON

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 340043

Class:

Vertical Datum: NGVD29

Established by: RE OFFICE #52

Date Established: 3/15/2002

System: COUNTY

Job Number: BR3407

Nearest City: TUCKERMAN

County: JACKSON

Route: CR82

Section: 18/19

Log Mile:

Land Section Number:

Township: 13N

Range: 01W

Land Section:

Latitude: N 35 45 17.0

Longitude: W 91 08 08.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.289

Elevation (Feet): 243.730

Description: AHTD DISK IN SW WINGWALL OF VILLAGE CREEK BRIDGE (BR 04844)

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 340044

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #53

Date Established: 10/19/2023

System: STATE Job Number: 050416 Nearest City: Tuckerman

County: JACKSON Route: 224 Section: 0 Log Mile: 4.649

Land Section Number: 13 Township: 13N Range: 02W

Land Section:

Latitude: N 35 45 53.91 Longitude: W 91 08 35.26 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 73.302 Elevation (Feet): 240.492

Description: Disk set in concrete of east headwall of RC Box on Cattail Creek.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350001

Class:

Vertical Datum: NGVD29

Established by: RE OFFICE #24

Date Established: 6/22/1993

System: STATE

Job Number: R20013

Nearest City:

County: JEFFERSON

Route: 13

Section: 12

Log Mile: 2.02

Land Section Number: 12

Township: 03S

Range: 07W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 59.973

Elevation (Feet): 196.761

Description: AHTD DISK SET FLUSH IN HW OF RC DOUBLE BOX CULVERT 25' LEFT OF C/L AT STA 275+12 DESTROYED S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350002

Class:

Vertical Datum: NGVD29

Established by: RE OFFICE #23

Date Established:

System:

Job Number: 2972

Nearest City: PINE BLUFF

County: JEFFERSON

Route: 63

Section: 13B

Log Mile: 10.26

Land Section Number: 22

Township: 06S

Range: 09W

Land Section:

Latitude: N 34 10 57.0

Longitude: W 92 00 23.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 62.301

Elevation (Feet): 204.399

Description: METAL DISK IN SE CORNER OF DROP INLET AT NE CORNER OF THE  
INTERSECTION OF HWY. 15 AND FRIENDSWOOD DRIVE RECOVERED  
BY S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350003

Class:

Vertical Datum: NGVD29

Established by: RE OFFICE #23

Date Established:

System: STATE

Job Number: 2972

Nearest City:

County: JEFFERSON

Route: 15

Section: 7

Log Mile: 9.65

Land Section Number: 27

Township: 06S

Range: 09W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 64.907

Elevation (Feet): 212.949

Description: DISK SET IN TOP OF WING LEFT SIDE BRIDGE NO. 6225 BAYOU  
BARTHOLOMEW DESTROYED S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350004

Class:

Vertical Datum: NGVD29

Established by: RE OFFICE #23

Date Established:

System: STATE

Job Number: 2972

Nearest City: PINE BLUFF

County: JEFFERSON

Route: 63

Section: 14

Log Mile: 8.64

Land Section Number: 32

Township: 07S

Range: 09W

Land Section:

Latitude: N 34 04 15.0

Longitude: W 92 02 02.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.415

Elevation (Feet): 267.109

Description: METAL DISK IN SOUTHEAST WINGWALL OF BRIDGE #6224 HWY. 15  
(HUDGIN CREEK) RECOVERED BY S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350005

Class:

Vertical Datum: NGVD29

Established by: RE OFFICE #23

Date Established:

System: STATE

Job Number: R20025

Nearest City: REDFIELD

County: JEFFERSON

Route: 46

Section: 4

Log Mile: 1.40

Land Section Number:

Township: 03S

Range: 11W

Land Section:

Latitude: N 34 26 26.0

Longitude: W 92 11 38.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 100.319

Elevation (Feet): 329.130

Description: BENCH MARK CAP IN NORTHWEST CORNER OF TOP OF DROP INLET  
LEFT OF STATION 106+00 RECOVERED BY S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350006

Class:

Vertical Datum: NGVD29

Established by: RE OFFICE #23

Date Established:

System: STATE

Job Number: R20025

Nearest City:

County: JEFFERSON

Route: 46

Section: 4

Log Mile: 1.68

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 96.232

Elevation (Feet): 315.721

Description: BENCH MARK CAP IN TOP OF SE CORNER OF DROP INLET RIGHT STA  
121+00 UNABLE TO RECOVER BY S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350007

Class:

Vertical Datum: NGVD29

Established by: RE OFFICE #23

Date Established:

System: STATE

Job Number: R20025

Nearest City: REDFIELD

County: JEFFERSON

Route: 46

Section: 4

Log Mile: 1.96

Land Section Number: 22

Township: 03S

Range: 11W

Land Section:

Latitude: N 34 26 40.0

Longitude: W 92 11 07.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 94.193

Elevation (Feet): 309.032

Description: BENCH MARK CAP IN NW CORNER OF TOP OF DROP INLET LEFT OF  
STA 135+50 RECOVERED B Y S5102 3/18/04

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350008

Class:

Vertical Datum: NGVD29

Established by: RE OFFICE #23

Date Established: 4/1/1991

System: STATE

Job Number: R20063

Nearest City: PINE BLUFF

County: JEFFERSON

Route: 65

Section: 14

Log Mile: 0.29

Land Section Number: 28

Township: 05S

Range: 10W

Land Section: SE

Latitude: N 34 14 40.0

Longitude: W 92 05 36.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 89.569

Elevation (Feet): 293.861

Description: DISC IN TOP OF NORTH BRIDGE "A" WINGWALL BRIDGE END STA 14+97.42 AND 1500FT FROM INTERSECTION OF EXISTING HWY. 65 OF THE WEST TERMINAL INTERCHANGE RECOVERED BY S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350009

Class:

Vertical Datum: NGVD29

Established by: RE OFFICE #23

Date Established: 4/1/1991

System: STATE

Job Number: R20063

Nearest City: PINE BLUFF

County: JEFFERSON

Route: 65

Section: 14

Log Mile: 0.50

Land Section Number: 28

Township: 05S

Range: 10W

Land Section: SE

Latitude: N 34 14 39.0

Longitude: W 92 05 20.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 91.684

Elevation (Feet): 300.800

Description: DISC IN TOP OF NORTH BRIDGE "C" WINGWALL BRIDGE END STATION  
118+13.86 AND 2000FT FROM INTERSECTION OF EXISTING HWY. 65 OF  
THE WEST TERMINAL INTERCHANGE RECOVERED BY S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350010

Class:

Vertical Datum: NGVD29

Established by: RE OFFICE #23

Date Established: 4/3/1991

System: STATE

Job Number: 20040

Nearest City: PINE BLUFF

County: JEFFERSON

Route: 65B

Section: 14B

Log Mile:

Land Section Number: 9

Township: 06S

Range: 09W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.535

Elevation (Feet): 251.099

Description: RIGHT WINGWALL WEST APPROACH TO RAILROAD OVERPASS. 6TH STREET UNABLE TO RECOVER BY S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350011

Class:

Vertical Datum: NGVD29

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: PINE BLUFF

County: JEFFERSON

Route: 79

Section: 9B

Log Mile: 0.23

Land Section Number:

Township: 06S

Range: 09W

Land Section:

Latitude: N 34 11 43.0

Longitude: W 92 03 25.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 67.943

Elevation (Feet): 222.910

Description: METAL CAP SET IN SOUTHEAST CORNER OF BAYOU BARTHOLOMEW  
BRIDGE IN SIDEWALK 26' EAST OF CENTERLINE BRIDGE 2093R  
RECOVERED BY S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350012

Class:

Vertical Datum: NGVD29

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: PINE BLUFF

County: JEFFERSON

Route: 79

Section: 9B

Log Mile: 1.23

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 12 19.0

Longitude: W 92 02 41.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.506

Elevation (Feet): 237.880

Description: METAL CAP SET IN TOP DROP INLET 31 FEET WEST OF CENTERLINE OF HWY. 79 AND 100 FEET SOUTH OF FAUCETT ROAD. RECOVERED BY S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350013

Class:

Vertical Datum: NGVD29

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: PINE BLUFF

County: JEFFERSON

Route: 79

Section: 9

Log Mile: 15.19

Land Section Number:

Township: 05S

Range: 09W

Land Section:

Latitude: N 34 13 51.0

Longitude: W 92 02 38.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 71.278

Elevation (Feet): 233.851

Description: METAL CAP SET IN TOP DROP INLET 46 FEET WEST OF CENTERLINE OF HWY. 79 AND 200 FEET NORTH OF BARRAQUE STREET RECOVERED BY S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350014

Class:

Vertical Datum: NGVD29

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City:

County: JEFFERSON

Route: 79

Section: 9

Log Mile: 9.76

Land Section Number: 26

Township: 06S

Range: 10W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.166

Elevation (Feet): 253.169

Description: BENCH MARK RIGHT WINGWALL STATION 13+62.50 UNABLE TO  
LOCATE BY S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350015

Class:

Vertical Datum: NGVD29

Established by:

Date Established:

System: STATE

Job Number: 2997

Nearest City:

County: JEFFERSON

Route: 79

Section: 9

Log Mile: 7.36

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.169

Elevation (Feet): 253.179

Description: PERMANENT BENCH MARK METAL CAP SET IN SOUTHEAST  
WINGWALL OF BRIDGE NO. 6101 JOB NO. 2997 STATION 13+62.5 26'  
RIGHT DESTROYED S5102 3/18/04

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350016

Class:

Vertical Datum: NGVD29

Established by: RE OFFICE #23

Date Established: 12/1/1992

System: STATE

Job Number: R20062

Nearest City: WHITEHALL

County: JEFFERSON

Route: 365

Section: 14

Log Mile: 16.95

Land Section Number: 21

Township: 05S

Range: 10W

Land Section: NE

Latitude: N 34 16 10.0

Longitude: W 92 05 18.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 80.793

Elevation (Feet): 265.068

Description: AHTD DISK IN NORTHEAST CORNER OF HEADWALL R.C. BOX  
CULVERT STATION 119+85 52' RIGHT RECOVERED BY S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350017

Class:

Vertical Datum: NGVD29

Established by: RE OFFICE #23

Date Established: 12/1/1992

System: STATE

Job Number: R20062

Nearest City:

County: JEFFERSON

Route: 365

Section: 14

Log Mile: 17.78

Land Section Number: 22

Township: 05S

Range: 10W

Land Section: SW

Latitude:

Longitude:

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.38

Elevation (Feet): 250.590

Description: AHTD DISC IN SOUTHWEST CORNER OF HEADWALL R.C. BOX  
CULVERT STATION 76+95 43' LEFT UNABLE TO RECOVER BY S5102  
3/18/04 UNABLE TO RECOVER BY S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350018

Class:

Vertical Datum: NGVD29

Established by: RE OFFICE #23

Date Established: 12/1/1992

System: STATE

Job Number: R20062

Nearest City: PINE BLUFF

County: JEFFERSON

Route: 365

Section: 14

Log Mile: 18.23

Land Section Number: 27

Township: 05S

Range: 10W

Land Section: NE

Latitude: N 34 15 17.0

Longitude: W 92 04 32.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.609

Elevation (Feet): 244.780

Description: AHTD DISK IN NORTHEAST CORNER OF HEADWALL R.C. BOX  
CULVERT STATION 53+79 47' RIGHT RECOVERED B Y S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350019

Class:

Vertical Datum: NGVD29

Established by: RE OFFICE #23

Date Established: 12/1/1992

System: STATE

Job Number: r20062

Nearest City: PINE BLUFF

County: JEFFERSON

Route: 365

Section: 14

Log Mile: 18.55

Land Section Number: 27

Township: 05S

Range: 10W

Land Section: NE

Latitude: N 34 15 04.0

Longitude: W 92 04 18.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.325

Elevation (Feet): 247.129

Description: AHTD DISK IN NORTHEAST CORNER OF HEADWALL R.C. BOX  
CULVERT STATION 36+00 46' RIGHT RCOVERED BY S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350020

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #23

Date Established:

System: CITY

Job Number: 020107

Nearest City: PINE BLUFF

County: JEFFERSON

Route: 41960

Section:

Log Mile: 2.12

Land Section Number:

Township: 06S

Range: 10W

Land Section:

Latitude: N 34 12 02.0

Longitude: W 92 03 55.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.565

Elevation (Feet): 228.231

Description: AHTD DISK TOP BACKWALL BR. 4751. RECOVERED BY S5102 3/1804

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350021

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #23

Date Established:

System: STATE

Job Number: 20081

Nearest City:

County: JEFFERSON

Route: 15

Section: 7

Log Mile: 13.43

Land Section Number: 4

Township: 06S

Range: 09W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 67.599

Elevation (Feet): 221.781

Description: DISK IN TOP DROP INLET. UNABLE TO RECOVER BY S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350022

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #23

Date Established:

System: STATE

Job Number: 20081

Nearest City:

County: JEFFERSON

Route: 15

Section: 7

Log Mile: 13.48

Land Section Number: 4

Township: 06S

Range: 09W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.204

Elevation (Feet): 236.889

Description: DISK IN TOP BRIDGE END RAIL. UNABLE TO RECOVER BY S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350023

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #23

Date Established:

System: STATE

Job Number: 20081

Nearest City:

County: JEFFERSON

Route: 15

Section: 7

Log Mile: 13.63

Land Section Number: 4

Township: 06S

Range: 09W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.118

Elevation (Feet): 213.641

Description: DISK IN TOP DROP INLET. UNABLE TO RECOVER BY S5102 3/18/04

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350024

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #24

Date Established: 8/6/1996

System: STATE

Job Number: 020128

Nearest City: ALTHEMER

County: JEFFERSON

Route: 63

Section: 13

Log Mile: 2.0

Land Section Number: 9

Township: 05S

Range: 08W

Land Section: NE

Latitude: N 34 17 22.0

Longitude: W 91 52 17.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 62.24

Elevation (Feet): 204.199

Description: AHTD DISK HDWL. R. C. BOX CULVERT 44' RT. STA. 525+15- SALLY BAYOU. RECOVERED BY S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350025

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #24

Date Established: 8/6/1996

System: STATE

Job Number: 020128

Nearest City: ALTHEMER

County: JEFFERSON

Route: 63

Section: 13

Log Mile: 0.64

Land Section Number: 4

Township: 05S

Range: 08W

Land Section: NE

Latitude: N 34 18 31.0

Longitude: W 91 52 15.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 73.408

Elevation (Feet): 240.839

Description: AHTD DISK TOP WINGWALL 21' RT. STA. 595+93 BR. 6567 R/R  
OVERPASS. RECOVERED BY S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350026

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #24

Date Established: 8/6/1996

System: STATE

Job Number: 020128

Nearest City: ALTHEMER

County: JEFFERSON

Route: 63

Section: 13

Log Mile: 3.44

Land Section Number: 16

Township: 05S

Range: 08W

Land Section: SE

Latitude: N 34 16 11.0

Longitude: W 91 52 39.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 67.501

Elevation (Feet): 221.460

Description: AHTD DISK TOP WINGWALL 21' RT. STA. 449+02 BR. 6566 PLUM BAYOU  
RECIVERED B Y S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350028

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: 020161 Nearest City: PINE BLUFF

County: JEFFERSON Route: 365 Section: Log Mile:

Land Section Number: Township: 05S Range: 10W

Land Section:

Latitude: N 34 15 35.0 Longitude: W 92 04 51.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.039 Elevation (Feet): 249.471

Description: AHTD BRASS DISC TOP R. C. BOX CULVERT HEADWALL,-STA. 38+50, 32'  
LEFT. JEFFERSON PARKWAY EXTENSION AND HWY. 365. RECOVERED  
B Y S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350029

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City: PINE BLUFF

County: JEFFERSON Route: CR 48 Section: Log Mile:

Land Section Number: Township: 06S Range: 08W

Land Section:

Latitude: N 34 09 56.0 Longitude: W 91 57 39.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 63.545 Elevation (Feet): 208.481

Description: 1.5 MILES EAST OF INTERSECTION OF COUNTY ROAD 48 (OHIO ST.)  
AND 52ND STREET ON COUNTY RD. IN TOP OF WINGWALL OVER  
BRIDGE NAME PLATE, BR. NO. 04770 RECOVERED BY S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350030

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #23

Date Established:

System: COUNTY

Job Number: BR-35-2

Nearest City: SHERRILL

County: JEFFERSON

Route: CR 72

Section:

Log Mile:

Land Section Number: 10

Township: 04S

Range: 09W

Land Section:

Latitude: N 34 23 06.0

Longitude: W 91 57 29.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 67.102

Elevation (Feet): 220.150

Description: AHTD ALUMINUM DISC IN TOP OF SE WINGWALL PLUM BAYOU  
BRIDGE #4588 15' RT OF CENTERLINE STA. 12+20 (0.21 MILE WEST OF  
RT. 15, SEC. 8, LOG MILE 7.10) RECOVERED BY S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350031

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: COUNTY Job Number: BR-35-3 Nearest City: PINE BLUFF

County: JEFFERSON Route: CR 194 Section: Log Mile:

Land Section Number: 19 Township: 06S Range: 10W

Land Section:

Latitude: N 34 10 59.0 Longitude: W 92 03 10.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.895 Elevation (Feet): 216.191

Description: PERMANENT METAL BENCH MARK CAP IN NW WINGWALL OF BRIDGE  
NO. 4535, STA. 13+43, 18' RT. NEVINS CREEK RECOVERED BY S5102  
3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350032

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #21

Date Established: 6/17/1993

System: COUNTY

Job Number: F-35-2

Nearest City: PINEBERGEN

County: JEFFERSON

Route: CR 35

Section:

Log Mile: 2.06

Land Section Number: 24

Township: 07S

Range: 09W

Land Section: NW

Latitude: N 34 06 19.0

Longitude: W 91 57 52.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 64.889

Elevation (Feet): 212.890

Description: AHTD DISK IN TOP OF WING SE CORNER BR #4687 15 FT. RT. STA.  
19+07. 1.9 MILES EAST OF HWY. 15. RECOVERED BY S5102 3/18/04

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350033

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #23

Date Established:

System: COUNTY

Job Number: N/A

Nearest City: PINE BLUFF

County: JEFFERSON

Route: 530

Section: 5

Log Mile: 36.65

Land Section Number: 34

Township: 05S

Range: 10W

Land Section:

Latitude: N 34 13 40.0

Longitude: W 92 04 40.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 83.784

Elevation (Feet): 274.881

Description: METAL DISC IN WINGWALL NW CORNER OF BR. 6257B OVER  
PRINCETON PIKE RECOVERED BY S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350034

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #23

Date Established:

System: COUNTY

Job Number: N/A

Nearest City: PINE BLUFF

County: JEFFERSON

Route: 530

Section: 5

Log Mile: 37.01

Land Section Number: 1

Township: 06S

Range: 10W

Land Section:

Latitude: N 34 13 24.0

Longitude: W 92 04 34.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 82.071

Elevation (Feet): 269.261

Description: METAL DISC IN TOP OF WINGWALL NW CORNER OF BR. 6258B OVER  
7TH ST. RECOVERED BY S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350035

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City: PINE BLUFF

County: JEFFERSON Route: AKWOOD S Section: Log Mile:

Land Section Number: 13 Township: 06S Range: 10W

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 66.76 Elevation (Feet): 219.028

Description: NIR 36" OAK 42' FT. W. OF AND 04 MI. SOUTH OF INTERSECTION OF  
OAKWOOD AND SHANNON RD. NEAR BRIDGE OVER BAYOU  
BARTHOLOMEW. DESTROYED S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350036

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #23

Date Established:

System:

Job Number: 20039

Nearest City:

County: JEFFERSON

Route: 65B

Section: 14B

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.959

Elevation (Feet): 255.770

Description: AHTD DISC IN TOP OF WINGWALL 30.5 RT. ON ST. LOIS S.W. & MOPAC RAILROAD OVERPASS; .05 MILES NORTH OF HWY. 65B (5TH ST.) & PLUM ST. UNABLE TO RECOVER BY S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350037

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #23

Date Established:

System: CITY

Job Number: 20110

Nearest City: PINE BLUFF

County: JEFFERSON

Route: SHANNON RD

Section:

Log Mile:

Land Section Number: 13

Township: 06S

Range: 10W

Land Section: NE

Latitude: N 34 17 31.0

Longitude: W 91 23 38.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.342

Elevation (Feet): 227.500

Description: METAL DISC IN TOP OF RIGHT WINGWALL BRIDGE #4671 ON SHANNON RD. OVER BAYOU BARTHOLOMEW RECOVERED BY S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350040

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #23

Date Established: 9/18/1991

System: CITY

Job Number: 20059

Nearest City: PINE BLUFF

County: JEFFERSON

Route: WARREN

Section:

Log Mile:

Land Section Number: 20

Township: 06S

Range: 09W

Land Section: SW

Latitude: N 34 10 58.0

Longitude: W 92 02 22.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.916

Elevation (Feet): 216.259

Description: AHTD BENCHMARK DISC IN LT. PARAPET RAIL, STA. 415+74 (BR. NO. 4620) RECOVERED BY S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350041

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: CITY Job Number: 20010 Nearest City: PINE BLUFF

County: JEFFERSON Route: KENTUCKY ST Section: Log Mile:

Land Section Number: Township: Range:

Land Section:

Latitude: N 34 13 14.0 Longitude: W 91 59 33.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.151 Elevation (Feet): 213.750

Description: METAL BENCHMARK CAP IN THE NE WINGWALL OF BRIDGE NO. 4550  
ON KENTUCKY ST. BETWEEN E. 10TH AVE. & E. 8TH AVE., 18' RT. STA.  
11+42. RECOVERED BY S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350042

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #23

Date Established:

System: CITY

Job Number: 20024

Nearest City: PINE BLUFF

County: JEFFERSON

Route: 39TH AVE.

Section:

Log Mile: 0.24

Land Section Number: 22

Township: 06S

Range: 09W

Land Section:

Latitude: N 34 11 25.0

Longitude: W 92 00 10.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.336

Elevation (Feet): 224.199

Description: ALUMINUM DISC IN NORTH CORNER OF 5' DROP INLET 26' LT. OF  
CENTERLINE ON 39TH AVENUE 1260' EAST OF HWY. 15. RECOVERED  
BY S5102 3/18/04

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350043

Class:

Vertical Datum:

Established by:

RE OFFICE #23

Date Established:

System:

Job Number:

R20050

Nearest City:

PINE BLUFF

County:

JEFFERSON

Route:

530

Section:

5

Log Mile:

37.61

Land Section Number:

12

Township:

06S

Range:

10W

Land Section:

NW

Latitude:

N 34 12 58.0

Longitude:

W 92 04 17.0

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

81.93

Elevation (Feet):

268.799

Description:

METAL DISC IN TOP OF WINGWALL N.W. CORNER OF BRIDGE NO.  
6259B. SOUTH BOUND OVERPASS OF S. H. 104 RECOVERED BY S5102  
3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350044

Class:

Vertical Datum:

Established by: RE OFFICE #23

Date Established:

System: Job Number: R20050 Nearest City: PINE BLUFF

County: JEFFERSON Route: 530 Section: 5 Log Mile: 37.61

Land Section Number: 12 Township: 06S Range: 10W

Land Section: NW

Latitude: N 34 12 56.0 Longitude: W 92 04 16.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.86 Elevation (Feet): 268.569

Description: METAL DISC IN TOP OF WINGWALL SE CORNER OF BR. NO. 6259A.  
NORTH BOUND OVERPASS OF S.H. 104 RECOVERED BY S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350045

Class:

Vertical Datum:

Established by: RE OFFICE #23

Date Established:

System:

Job Number: R20050

Nearest City: PINE BLUFF

County: JEFFERSON

Route: 530

Section: 5

Log Mile: 38.30

Land Section Number: 13

Township: 06S

Range: 10W

Land Section: NW

Latitude: N 34 12 23.0

Longitude: W 92 04 20.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 73.767

Elevation (Feet): 242.017

Description: METAL DISC IN TOP OF WINGWALL N.W. CORNER OF BRIDGE NO. 6260B. SOUTH BOUND OVER PASS OF SHANNON RD. RECOVERED BY S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350046

Class:

Vertical Datum:

Established by:

RE OFFICE #23

Date Established:

System:

Job Number:

R20050

Nearest City:

PINE BLUFF

County:

JEFFERSON

Route:

530

Section:

5

Log Mile:

38.29

Land Section Number:

13

Township:

06S

Range:

10W

Land Section:

NW

Latitude:

N 35 47 25.0

Longitude:

W 91 38 12.0

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

75.499

Elevation (Feet):

247.700

Description:

METAL DISC IN TOP OF WINGWALL S. E. CORNER OF BRIDGE NO.  
6260A. NORTH BOUND OVERPASS OF SHANNON RD. RECOVERED BY  
S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350047

Class:

Vertical Datum:

Established by: RE OFFICE #23

Date Established:

System:

Job Number: R20050

Nearest City: PINE BLUFF

County: JEFFERSON

Route: 530

Section: 5

Log Mile: 39.23

Land Section Number: 13

Township: 06S

Range: 10W

Land Section: SE

Latitude: N 34 11 43.0

Longitude: W 92 03 54.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 78.504

Elevation (Feet): 257.559

Description: METAL DISC IN TOP OF WINGWALL SW CORNER OF BRIDGE NO. 6261B.  
NORTH BOUND OVERPASS OF OAKWOOD RD. RECOVERED BY S5102  
3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350048

Class:

Vertical Datum:

Established by:

RE OFFICE #23

Date Established:

System:

Job Number:

R20050

Nearest City:

PINE BLUFF

County:

JEFFERSON

Route:

530

Section:

5

Log Mile:

39.24

Land Section Number:

13

Township:

06S

Range:

10W

Land Section:

SE

Latitude:

N 34 11 42.0

Longitude:

W 92 03 56.0

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

77.827

Elevation (Feet):

255.337

Description:

METAL DISC IN TOP OF WINGWALL NE CORNER OF BRIDGE NO. 6261A.  
SOUTH BOUND OVERPASS OF OAKWOOD RD. RECOVERED BY S5102  
3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350049

Class:

Vertical Datum:

Established by: RE OFFICE #23

Date Established: 7/14/1998

System: STATE

Job Number: R20075

Nearest City: WHITEHALL

County: JEFFERSON

Route: 365

Section: 14

Log Mile: 15.54

Land Section Number: 9

Township: 05S

Range: 10W

Land Section: SW

Latitude: N 34 17 19.0

Longitude: W 92 05 54.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 73.691

Elevation (Feet): 241.768

Description: AHTD BM DISK IN RIGHT HEADWALL OF REINFORCED CONCRETE BOX  
CULVERT @ STA. 196+23. RECOVERED BY S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350050

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #23

Date Established:

System: STATE Job Number: R20085 Nearest City: PINE BLUFF

County: JEFFERSON Route: 79 Section: 9 Log Mile: 10.83

Land Section Number: Township: 06S Range: 10W

Land Section:

Latitude: N 34 10 50.0 Longitude: W 92 04 38.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.033 Elevation (Feet): 236.328

Description: BM DISK ON RT. ENDPOST @ SOUTH ABUTMENT BRIDGE NO. 6571  
(NEVINS CREEK BRIDGE) RECOVERED BY S5102 3/18/04

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350051

Class:

Vertical Datum:

Established by: RE OFFICE #24

Date Established: 5/18/1998

System: STATE

Job Number: 020129

Nearest City:

County: JEFFERSON

Route: 15

Section: 8

Log Mile: .99

Land Section Number: 7

Township: 06S

Range: 08W

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 63.358

Elevation (Feet): 207.867

Description: HEADWALL TRI 6' x 4' x 84' R.C. BOX CULVERT 4' RT. STA. 116+93.  
UNABLE TO RELOCATE S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350052

Class:

Vertical Datum:

Established by: RE OFFICE #24

Date Established: 5/18/1998

System: STATE Job Number: 020129 Nearest City:

County: JEFFERSON Route: 15 Section: 8 Log Mile: .12

Land Section Number: 12 Township: 06S Range: 09W

Land Section: SE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 63.825 Elevation (Feet): 209.399

Description: HEADWALL QUAD 4' x 4' x 96' R.C. BOX CULVERT 43' RT. STA. 71+00.  
UNABLE TO RECOVER S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350053

Class:

Vertical Datum:

Established by: RE OFFICE #24

Date Established: 5/18/1998

System: STATE

Job Number: 020129

Nearest City: PINEBRGEN

County: JEFFERSON

Route: 63

Section: 14

Log Mile:

Land Section Number: 25

Township: 05S

Range: 09W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 63.889

Elevation (Feet): 209.609

Description: HEADWALL DBL. 7' x 4' x 84' R.C. BOX CULVERT 41' RT. STA. 240+00.  
DESTROYED S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350054

Class:

Vertical Datum:

Established by: RE OFFICE #24

Date Established: 4/21/1998

System: STATE

Job Number: 020129

Nearest City:

County: JEFFERSON

Route: 15

Section: 0

Log Mile:

Land Section Number: 8

Township: 06S

Range: 08W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.944

Elevation (Feet): 239.317

Description: AHTD DISC 28 FT. RIGHT STATION 183+30.84, TOP OF BRIDGE PARAPET WALL, SOUTHEAST CORNER, BRIDGE #6582. UNABLE TO RECOVER S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350055

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 002903

Nearest City: HUMPHRY

County: JEFFERSON

Route: 79

Section: 10

Log Mile: 11.51

Land Section Number: 26

Township: 35

Range: 07W

Land Section:

Latitude: N 34 25 19.0

Longitude: W 91 43 17.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 58.185

Elevation (Feet): 190.895

Description: ALUM. AHTD BENCH MARK DISC IN SINGLE R. C. BOX CULVERT  
HEADWALL ON RIGHT. RECOVERED BY S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350056

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 002903

Nearest City: HUMPHRY

County: JEFFERSON

Route: 79

Section: 10

Log Mile: 11.09

Land Section Number: 26

Township: 03S

Range: 07W

Land Section:

Latitude: N 34 25 12.0

Longitude: W 91 43 43.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 59.364

Elevation (Feet): 194.763

Description: ALUM. AHTD BENCH MARK DISC IN BRIDGE ABUTMENT ON RIGHT  
RECOVERED BY S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350057

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 002903

Nearest City: HUMPHREY

County: JEFFERSON

Route: 79

Section: 10

Log Mile: 10.53

Land Section Number: 26

Township: 35

Range: 07W

Land Section:

Latitude: N 34 24 52.0

Longitude: W 91 44 08.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 59.384

Elevation (Feet): 194.829

Description: ALUM. AHTD BENCH MARK DISC IN BRIDGE ABUTMENT ON LEFT  
BRIDGE#6663 RECOVERED BY S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350058

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 002903

Nearest City: HUMPHREY

County: JEFFERSON

Route: 79

Section: 10

Log Mile: 21.94

Land Section Number: 34

Township: 03S

Range: 07W

Land Section:

Latitude: N 34 24 17.0

Longitude: W 91 44 48.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 58.38

Elevation (Feet): 191.535

Description: ALUM. AHTD BENCH MARK DISC IN TRIPLE R. C. BOX CULVERT  
HEADWALL ON RIGHT RECOVEREDE BY S5102 3/18/04

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350059

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 002903

Nearest City:

County: JEFFERSON

Route: 79

Section: 10

Log Mile: 19.44

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 58.945

Elevation (Feet): 193.389

Description: ALUMINUM AHTD BENCH MARK DISC IN R.C. BOX CULVERT  
HEADWALL ON RIGHT NO WAY TO RECOVER WITH THIS INFO S5102  
3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350060

Class:

Vertical Datum:

Established by:

Date Established: 10/27/1997

System: STATE

Job Number: R20090

Nearest City: PINBE BLUF

County: JEFFERSON

Route: 65

Section: 15

Log Mile: 10.35

Land Section Number: 33

Township: 06S

Range: 07W

Land Section: SW

Latitude: N 34 09 17.0

Longitude: W 91 48 13.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 60.5608

Elevation (Feet): 198.690

Description: STA. 105+61 JACKS BAYOU BRIDGE NO. 6524A AHTD DISK SOUTH WEST  
HEADWALL OF SOUTH BRIDGE RECOVERED BY S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350062

Class:

Vertical Datum:

Established by:

Date Established: 10/27/1997

System: STATE

Job Number: R20090

Nearest City:

County: JEFFERSON

Route: 65

Section: 15

Log Mile: 6.22

Land Section Number: 21

Township: 06S

Range: 08W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 62.8285

Elevation (Feet): 206.130

Description: STA. 512+24 COUSART BAYOU BRIDGE 6526 AHTD DISK TOP OF  
HEADWALL NORTH EAST SIDE OF BRIDGE UNABLE TO LOCATE  
BYS5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350063

Class:

Vertical Datum:

Established by:

Date Established: 6/7/2000

System: STATE

Job Number: 020064

Nearest City:

County: JEFFERSON

Route: 144

Section: 0

Log Mile: 0.06

Land Section Number: 9

Township: 07S

Range: 04W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 58.643

Elevation (Feet): 192.398

Description: AHTD DISK IN END WALL 4.5 METERS RIGHT OF STA. 2+12.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350064

Class:

Vertical Datum:

Established by:

Date Established: 6/7/2000

System: STATE

Job Number: 020064

Nearest City: GILLETT

County: JEFFERSON

Route: 144

Section: 0

Log Mile: 0.06

Land Section Number: 9

Township: 07S

Range: 04W

Land Section: SE

Latitude: N 34 04 59.0

Longitude: W 91 26 20.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 58.643

Elevation (Feet): 192.398

Description: AHTD DISK IN END WALL 4.5 METERS RIGHT OF STA. 2+12.  
BRIDGE#06685 RECOVERED BY S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350065

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: 002903 Nearest City:

County: JEFFERSON Route: 79 Section: 10 Log Mile: 8.73

Land Section Number: 34 Township: 03S Range: 07W

Land Section:

Latitude: N 34 23 44.0 Longitude: W 91 45 26.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 59.38 Elevation (Feet): 194.816

Description: AHTD DISK BRIDGES ABUTMENT ON LEFT STA 1113+05 RECOVERED  
BY S5102 3/18/04 BRIDGE#6662

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350066

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: 002903 Nearest City: HUMPHREY

County: JEFFERSON Route: 79 Section: 10 Log Mile: 21.45

Land Section Number: 34 Township: 03S Range: 07W

Land Section:

Latitude: N 34 23 59.0 Longitude: W 91 45 10.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 58.063 Elevation (Feet): 190.495

Description: AHTD DISK DBL RC BOX CULVERT HEADWALL ON RIGHT  
RECOVERED BY S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350067

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: 002903 Nearest City: HUMPHERY

County: JEFFERSON Route: 79 Section: 10 Log Mile: 20.85

Land Section Number: 34 Township: 03S Range: 07W

Land Section:

Latitude: N 34 23 36.0 Longitude: W 91 45 36.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 58.003 Elevation (Feet): 190.298

Description: AHTD DISK DBL RC BOX CULVERT HEADWALL ON RIGHT  
RECOVERED BY S5102 3/18/04

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350068

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #23

Date Established: 2/5/2001

System: STATE

Job Number: R20075

Nearest City: WHITEHALL

County: JEFFERSON

Route: 365

Section: 14

Log Mile: 16.84

Land Section Number: 16

Township: 05S

Range: 10W

Land Section: SW

Latitude: N 34 16 18.0

Longitude: W 92 05 22.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 84.608

Elevation (Feet): 277.585

Description: AHTD DISK IN TOP OF DROP INLET 34' RIGHT OF STA 129+10 AND C/L  
HWY 365 RECOVERED BY S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350069

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #23

Date Established: 9/24/2001

System: STATE

Job Number: R20155

Nearest City: TUCKER

County: JEFFERSON

Route: 15

Section: 8

Log Mile: 24.97

Land Section Number: 11

Township: 03S

Range: 09W

Land Section:

Latitude: N 34 28 24.0

Longitude: W 91 56 54.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.508

Elevation (Feet): 224.763

Description: ALUMINUM DISK IN RT RAIL OF BR # 06796 OVER BLACK BAYOU, STA 15+40 RECOVERED BY S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350070

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #24

Date Established: 10/18/2001

System: STATE

Job Number: r20091

Nearest City: PINEBLUFF

County: JEFFERSON

Route: 65

Section: 15

Log Mile: 14.54

Land Section Number: 13

Township: 07s

Range: 07w

Land Section: SW

Latitude: N 34 06 46.0

Longitude: W 91 45 35.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 57.45

Elevation (Feet): 188.484

Description: AHTD DISK IN RC BOX HW, 25 METERS LT OF CL STA 101+91  
RECOVERED BY S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350071

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #24

Date Established: 10/17/2001

System: STATE

Job Number: R20091

Nearest City: PINE BLUFF

County: JEFFERSON

Route: 65

Section: 15

Log Mile: 15.65

Land Section Number: 19

Township: 07S

Range: 06W

Land Section: NW

Latitude: N 34 06 12.0

Longitude: W 91 44 41.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 56.097

Elevation (Feet): 184.045

Description: AHTD DISK IN RC BOX HW, 25 METERS RT STA 84+74 RECOVERED BY S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350072

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #24

Date Established: 10/17/2001

System: STATE

Job Number: R20091

Nearest City: PINE BLUFF

County: JEFFERSON

Route: 65

Section: 15

Log Mile: 16.25

Land Section Number: 27

Township: 07S

Range: 06W

Land Section: SE

Latitude: N 34 05 56.0

Longitude: W 91 44 08.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 56.39

Elevation (Feet): 185.006

Description: AHTD DISK IN RC BOX HW, 28 METERS RT STA 74+90 RECOVERED BY  
S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350073

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #24

Date Established: 10/17/2001

System: STATE

Job Number: R20091

Nearest City:

County: JEFFERSON

Route: 65

Section: 16

Log Mile: 0.27

Land Section Number: 29

Township: 07S

Range: 06W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 55.936

Elevation (Feet): 183.517

Description: AHTD DISK IN RC BOX HW, 15 METERS RT STA 60+53 IN ANOTHER  
COUNTY S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350074

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #24

Date Established: 10/20/2001

System: STATE

Job Number: R20091

Nearest City: PINE BLUFF

County: JEFFERSON

Route: 65

Section: 15

Log Mile: 12.18

Land Section Number: 3

Township: 07S

Range: 07W

Land Section: SE

Latitude: N 34 08 24.0

Longitude: W 91 47 03.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 57.37

Elevation (Feet): 188.221

Description: AHTD DISK IN RC BOX HW, 25 METERS LEFT STA 139+95 RECOVERED BY S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350075

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #24

Date Established: 10/19/2001

System: STATE

Job Number: R20091

Nearest City: PINE BLUFF

County: JEFFERSON

Route: 65

Section: 15

Log Mile: 12.83

Land Section Number: 11

Township: 07S

Range: 07W

Land Section: NW

Latitude: N 34 07 58.0

Longitude: W 91 46 38.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 57.346

Elevation (Feet): 188.143

Description: AHTD DISK IN RC BOX HW, 25 METERS RT STA 129+52 RECOVERED BY S5102 3/18/04

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350076

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #23

Date Established: 7/2/2003

System: STATE

Job Number: 020257

Nearest City:

County: JEFFERSON

Route: 63

Section: 7

Log Mile: 6

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 62.909

Elevation (Feet): 206.394

Description: AHTD CAP IN SOUTHEAST CORNER OF BR. # 06747 UNABLE TO LOCATE S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350077

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #23

Date Established: 7/2/2003

System: STATE

Job Number: 020257

Nearest City:

County: JEFFERSON

Route: 63

Section: 7

Log Mile: 4.68

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 63.734

Elevation (Feet): 209.101

Description: AHTD CAP IN SOUTH EAST CORNER OF BR. NO. 06746 UNABLE TO RELOCATE BY S5102 3/18/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350079

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #23

Date Established: 10/16/2006

System: STATE Job Number: 020048 Nearest City:

County: JEFFERSON Route: 256 Section: 2 Log Mile: 5.24

Land Section Number: Township: 03S Range: 10W

Land Section:

Latitude: N 34 28 15.0 Longitude: W 92 03 18.0 Type: UNKNOWN

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 71.409 Elevation (Feet): 234.281

Description: 4" AHTD ALUMINUM DISK IN RIGHT SIDE PARAPET RAIL

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350080

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #23

Date Established: 1/11/2006

System: STATE Job Number: 020384 Nearest City:

County: JEFFERSON Route: 15 Section: 8 Log Mile: 0.24

Land Section Number: 8 Township: 04S Range: 09W

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 66.785 Elevation (Feet): 219.110

Description: ALUMINUM DISK IN NORTHEAST CORNER OF PARAPET RAIL STA.  
110+11.89, 16.41' RT BRIDGE#07024.

Comments: SET BY RE 23 BRYAN SWINNEY

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350082

Class: THIRD-ORDER

Vertical Datum: UNKNOWN

Established by: RE OFFICE #23

Date Established: 4/14/2006

System: STATE

Job Number: 001942

Nearest City: PINE BLUFF

County: JEFFERSON

Route: 79

Section: 9

Log Mile: 7.07

Land Section Number: 4

Township: 07S

Range: 10W

Land Section: SE

Latitude: N 34 08 13.4

Longitude: W 92 06 49.5

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 82.7076

Elevation (Feet): 271.350

Description: AHTD BM IN NE HEADWALL OF R.C. BOX CULVERT, 30 FEET LEFT @  
STA. 556+30, 30

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350083

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #23

Date Established: 4/14/2006

System: STATE

Job Number: 001942

Nearest City: PINE BLUFF

County: JEFFERSON

Route: 79

Section: 9

Log Mile: 7.36

Land Section Number: 3

Township: 07S

Range: 10W

Land Section: SW

Latitude: N 34 08 24.1

Longitude: W 92 06 37.1

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.7018

Elevation (Feet): 268.050

Description: AHTD BM IN NE HEADWALL OF R.C. BOX CULVERT, 30 FEET LT @ STA.  
571+78

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350084

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #23

Date Established: 12/8/2005

System: STATE

Job Number: 020197

Nearest City: Pine Bluff

County: JEFFERSON

Route: Y 81 to HW

Section:

Log Mile: 0.26

Land Section Number: 8

Township: 06S

Range: 08W

Land Section: NESW

Latitude: N 34 13 00.42

Longitude: W 91 55 54.1

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 61.55741

Elevation (Feet): 201.960

Description: AHTD Benchmark Disk RT. Side of R.C. Box Culvert Sta. 413 + 88

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350085

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 1/11/2006

System: STATE Job Number: 020047 Nearest City: Sherrill

County: JEFFERSON Route: 31 Section: Log Mile: 9.96

Land Section Number: 32 Township: 03S Range: 08W

Land Section: NENW

Latitude: N 34 24 38.1000 Longitude: W 91 53 51.2 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.5259 Elevation (Feet): 214.980

Description: Aluminum Disk on southeast corner corner wingwall Sta. 13 + 81.96 , 17.41' RT.  
Bridge # 06991

Comments: Elevations were entered but cannot be verified due to no information on the control  
used during the 3 wire level run.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350086

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by:

Date Established: 1/11/2006

System: STATE

Job Number: 020384

Nearest City: Altheimer

County: JEFFERSON

Route: 15

Section:

Log Mile: 0.24

Land Section Number: 32

Township: 04S

Range: 08W

Land Section: SENW

Latitude: N 34 19 10.05

Longitude: W 91 53 41.52

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 66.78473

Elevation (Feet): 219.110

Description: Aluminum Disk in northeast corner of parapet rail Sta. 110+11.89, 16.41 RT.  
Bridge # 07024

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350087

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #23

Date Established: 3/8/2012

System: STATE Job Number: 020353 Nearest City: Pine Bluff

County: JEFFERSON Route: 530 Section: 6 Log Mile: NA

Land Section Number: 23 Township: 07S Range: 09W

Land Section:

Latitude: N 34 06 25.0000 Longitude: W 91 58 12.0000 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 59.7226 Elevation (Feet): 195.940

Description: BM 993 RCBC @ STA. 2041+00 Aluminum disc in headwall on Rt.

Comments: Elevation established from point No. 9685, cannot be verified due to no data on No. 9685. Data can be found on EDM under file s020353\_Rebenches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350088

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #23

Date Established: 3/8/2012

System: STATE

Job Number: 020353

Nearest City: Pine Bluff

County: JEFFERSON

Route: 530

Section: 6

Log Mile: NA

Land Section Number: 24

Township: 07S

Range: 09W

Land Section:

Latitude: N 34 05 49.3000

Longitude: W 91 58 10.0300

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 60.7529

Elevation (Feet): 199.320

Description: Bm 991 R\$CBC @ STA. 2005+74. Aluminum disc in headwall on Right

Comments: Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350089

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #23

Date Established: 3/8/2012

System: STATE Job Number: 020353 Nearest City: Pine Bluff

County: JEFFERSON Route: 530 Section: 6 Log Mile: NA

Land Section Number: 24 Township: 07S Range: 09W

Land Section:

Latitude: N 34 06 02.41 Longitude: W 91 58 13.41 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.2659 Elevation (Feet): 227.250

Description: BM 992 Pinebergen Rd. @ STA 2019+15. Aluminum disc in parapet wall on NW corner of overpass bridge.

Comments: Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350090

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #23

Date Established: 3/8/2012

System: STATE Job Number: 020353 Nearest City: Pine Bluff

County: JEFFERSON Route: 530 Section: 6 Log Mile: NA

Land Section Number: 13 Township: 07S Range: 09W

Land Section:

Latitude: N 34 07 12.34 Longitude: W 91 58 14.30 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 64.0338 Elevation (Feet): 210.084

Description: BM 994 @ Sandy Bayou bridge @ STA 2090+00. Aluminum disc in parapet wall on SE corner of bridge.

Comments: Elevation established from point No. 78 from 020353 control file. Data can be found on EDM under file s020353\_Rebenches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350091

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #23

Date Established: 3/8/2012

System: STATE Job Number: 020353 Nearest City: Pine Bluff

County: JEFFERSON Route: 530 Section: 6 Log Mile: NA

Land Section Number: 11 Township: 07S Range: 09W

Land Section:

Latitude: N 34 07 44.5800 Longitude: W 91 58 16.6700 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.3332 Elevation (Feet): 224.190

Description: BM 995 St. Raphael Rd. overpass @ STA 2122+90. Aluminum disc in parapet wall on SE corner of overpass bridge.

Comments: Elevation established from point No. 9725, cannot be verified due to no data on No. 9725. Data can be found on EDM under file s020353\_Rebenches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350092

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #23

Date Established: 3/8/2012

System: STATE

Job Number: 020353

Nearest City: Pine Bluff

County: JEFFERSON

Route: 530

Section: 6

Log Mile: NA

Land Section Number: 2

Township: 07S

Range: 09W

Land Section:

Latitude: N 34 08 22.83

Longitude: W 91 58 27.74

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.4166

Elevation (Feet): 214.621

Description: BM 996 Bayou Bartholomew Bridge @ STA 2162+45. Aluminum disc in parapet wall on SE corner of bridger.

Comments: Elevation established from point No. 29 ffrom control file for Job 020353.. Data can be found on EDM under file s020353\_Rebenches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350093

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #23

Date Established: 3/8/2012

System: STATE

Job Number: 020353

Nearest City: Pine Bluff

County: JEFFERSON

Route: 530

Section: 6

Log Mile: NA

Land Section Number: 2

Township: 07S

Range: 09W

Land Section:

Latitude: N 34 08 34.69

Longitude: W 91 58 33.06

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 67.6673

Elevation (Feet): 222.005

Description: BM 997 Bayou Bartholomew Bridge @ STA 2175+50. Aluminum disc in parapet wall on NW corner of bridge.

Comments: Elevation established from point No. 91, from control file of job 020353. . Data can be found on EDM under file s020353\_Rebenches.zip



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350094

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #21

Date Established: 10/29/2012

System: Job Number: 020508 Nearest City: PINE BLUFF

County: JEFFERSON Route: 54 Section: 8 Log Mile: 1.05

Land Section Number: 34 Township: 07S Range: 09W

Land Section:

Latitude: N 34 04 42.00000 Longitude: W 91 59 36.00000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 71.76561 Elevation (Feet): 235.451

Description: STATION 122+0LT. SW HEADWALL RC BOX CULVERT.

Comments: Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350095

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #84

Date Established: 1/14/2014

System: STATE

Job Number: 080381

Nearest City: BEE BRANCH

County: VAN BUREN

Route: 92

Section: 3

Log Mile: 8.56

Land Section Number: 04

Township: 09N

Range: 13W

Land Section: NW

Latitude: N 35 27 13.84000

Longitude: W 92 23 03.82000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 226.140107

Elevation (Feet): 741.928

Description: STANDARD AHTD DISC SET IN TOP OF NORTH WEST PARAPET WING WALL OF A 502 LINEAR FOOT CONTINUOUS COMPOSITE W-BEAM UNIT BRIDGE, 21' LEFT OF CENTERLINE STATION 111+51.50.

Comments: Elevation established from point No. 1510, from control file of job 080381. . Data can be found on EDM under file s080381\_Rebenches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 350095

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by:

Date Established: 2/14/2019

System: STATE

Job Number: 020584

Nearest City: Pinebergen

County: JEFFERSON

Route: 54

Section: 9

Log Mile: 0.52

Land Section Number: 22

Township: 07s

Range: 09w

Land Section: NW

Latitude: N 34 06 01.00000

Longitude: W 92 00 05.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 63.9523

Elevation (Feet): 209.817

Description: From Hwy 63 and Hwy 54, go wespy, 0.5 mile station on left. 14' south of edge of pavement, 23' east of southwest corner of culvert, 64' southeast of the northwest corner of box culvert.

Comments: three wire data on EDM under job 020584 in s020584re\_bench.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 360001

Class:

Vertical Datum: NGVD29

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: CENTER POINT

County: JOHNSON

Route: I-40

Section: 21

Log Mile: 46.51

Land Section Number: 28

Township: 10N

Range: 25W

Land Section:

Latitude: N 35 29 52.5

Longitude: W 93 39 37.9

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 148.237

Elevation (Feet): 486.341

Description: [] CUT IN NORTHWEST ABUTMENT 21' LEFT OF CENTERLINE BRIDGE 3  
DEC 99 VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 360002

Class:

Vertical Datum: NGVD29

Established by: RE OFFICE #82

Date Established: 5/26/1994

System: STATE

Job Number: 80033

Nearest City: CLARKSVILLE

County: JOHNSON

Route: 64

Section: 5A

Log Mile: .42

Land Section Number: 5

Township: 09N

Range: 23W

Land Section: NE

Latitude: N 35 28 16.5

Longitude: W 93 27 33.4

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 126.971

Elevation (Feet): 416.571

Description: AHTD STANDARD DISC TOP DROP INLET; SOUTH GUTTER HWY. 64  
APPROX. 70' WEST OF JCT. HWY. 64 AND HWY. 103, CLARKSVILLE. 3  
DEC 99 VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 360003

Class:

Vertical Datum: NGVD29

Established by:

Date Established:

System: STATE

Job Number: S-36-6

Nearest City: CLARKSVILLE

County: JOHNSON

Route: 74

Section:

Log Mile: 3.0

Land Section Number: 9

Township: 10N

Range: 23W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 235.056

Elevation (Feet): 771.180

Description: EAST HEADWALL BOX CULVERT. 1/2 MILE WEST OF HWY. 21, 5  
MILES NORTH OF CLARKSVILLE.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

**Identification:** 360004

**Class:** THIRD-ORDER

**Vertical Datum:** NAVD88

**Established by:** RE OFFICE #82

**Date Established:** 1/30/2007

**System:** STATE

**Job Number:** 8945

**Nearest City:** CLARKSVILLE

**County:** JOHNSON

**Route:** 103

**Section:** 0

**Log Mile:** 1.70

**Land Section Number:** 08

**Township:** 09N

**Range:** 23W

**Land Section:** NE

**Latitude:** N 35 27 08.9

**Longitude:** W 93 27 55.2

**Type:** GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

**Elevation (Meters):** 115.612

**Elevation (Feet):** 379.304

**Description:** "[ ]" CUT IN NORTHWEST WHEELGUARD OF NORTH BRIDGE END OF  
BRIDGE #3812 RIGHT EXIT 58 I-40 AT CLARKSVILLE ON HWY. 103 3 DEC  
99 VJB III

**Comments:** Elevation was established from NGS mark X294. The data that established this  
bench can be found in job 8945 under s8945\_bench.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 360005

Class:

Vertical Datum: NGVD29

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City:

County: JOHNSON

Route: 103

Section: 1

Log Mile: 18.4

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 328.075

Elevation (Feet): 1076.359

Description: APPROX. 573 FT NORTH OF DOUBLE 36" R.C. CULVERT AND 344 FT. RIGHT (EAST) OF CENTERLINE OF HWY. C AND GD MKR K95 1935.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 360006

Class:

Vertical Datum: NGVD29

Established by: RE OFFICE #82

Date Established:

System: STATE

Job Number: 8840

Nearest City: OARK

County: JOHNSON

Route: 103

Section: 1

Log Mile: 20.3

Land Section Number: 24

Township: 12N

Range: 25W

Land Section:

Latitude: N 35 41 08.3

Longitude: W 93 35 56.8

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 295.48

Elevation (Feet): 969.421

Description: TOP NORTHEAST WINGWALL BRIDGE #6066 @MULBERRY RIVER. 3  
DEC 99 VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 360007

Class:

Vertical Datum: NGVD29

Established by: RE OFFICE #82

Date Established: 6/15/1993

System: STATE

Job Number: 8856

Nearest City: HARMONY

County: JOHNSON

Route: 103

Section: 1A

Log Mile: 8.1

Land Section Number: 4

Township: 10N

Range: 24W

Land Section: SW

Latitude: N 35 32 55.4

Longitude: W 93 33 23.4

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 191.083

Elevation (Feet): 626.911

Description: AHTD DISC TOP NORTHEAST WINGWALL EAST FORK HORSEHEAD  
CREEK BRIDGE. 3 DEC 99 VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 360008

Class:

Vertical Datum: NGVD29

Established by: RE OFFICE #82

Date Established: 6/15/1993

System: STATE

Job Number: 8856

Nearest City: HARMONY

County: JOHNSON

Route: 103

Section: 1A

Log Mile: 8.3

Land Section Number: 5

Township: 10N

Range: 24W

Land Section: SE

Latitude: N 35 32 59.2

Longitude: W 93 33 41.6

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 188.55

Elevation (Feet): 618.601

Description: AHTD DISC NORTHEAST WINGWALL MIDDLE FORK HORSEHEAD  
CREEK BRIDGE. 3 DEC 99 VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 360009

Class:

Vertical Datum: NGVD29

Established by: RE OFFICE #82

Date Established: 6/14/1993

System: STATE

Job Number: 8856

Nearest City: CLARKSVILLE

County: JOHNSON

Route: 103

Section: 1A

Log Mile: 2.5

Land Section Number: 30

Township: 10N

Range: 23W

Land Section: NW

Latitude: N 35 29 50.7

Longitude: W 93 29 22.6

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 137.8

Elevation (Feet): 452.099

Description: AHTD DISC TOP NORTHEAST WINGWALL BURT CREEK BRIDGE. 3 DEC 99 VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 360010

Class:

Vertical Datum:

Established by: RE OFFICE #82

Date Established: 6/14/1993

System: STATE

Job Number: 8856

Nearest City: CLARKSVILLE

County: JOHNSON

Route: 103

Section: 1A

Log Mile: 1.6

Land Section Number: 30

Township: 10N

Range: 23W

Land Section: SE

Latitude: N 35 29 20.7

Longitude: W 93 28 39.6

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 125.313

Elevation (Feet): 411.131

Description: AHTD DISC TOP OF NORTHEAST WINGWALL LITTLE WILLETT CREEK  
BRIDGE. 3 DEC 99 VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 360011

Class:

Vertical Datum: NGVD29

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: CLARKSVILLE

County: JOHNSON

Route: 109

Section: 3A & 4A

Log Mile: 7.8

Land Section Number: 35

Township: 09N

Range: 24W

Land Section:

Latitude: N 35 23 25.0

Longitude: W 93 31 47.9

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 111.77

Elevation (Feet): 366.699

Description: SOUTHEAST BRIDGE END POST ARKANSAS RIVER BRIDGE #5600. 3 DEC 99 VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 360012

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: CLARKSVILLE

County: JOHNSON

Route: 109

Section: 3A & 4A

Log Mile: 0.9

Land Section Number:

Township: 09N

Range: 24W

Land Section:

Latitude: N 35 24 51.4

Longitude: W 93 31 56.5

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 130.833

Elevation (Feet): 429.241

Description: NORTHWEST BRIDGE END POST ARKANSAS RIVER BRIDGE #5600. 3  
DEC 99 VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 360013

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City:

County: JOHNSON

Route: 109

Section: 3A & 4A

Log Mile: 8.0

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 125.877

Elevation (Feet): 412.981

Description: NORTHWEST WINGWALL BRIDGE OVER I-40. NR 3 DEC 99 VJB III

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 360014

Class:

Vertical Datum:

Established by: RE OFFICE #82

Date Established: 10/18/1989

System: STATE

Job Number: 8946

Nearest City:

County: JOHNSON

Route: 109

Section: 4

Log Mile: 5.3

Land Section Number: 3

Township: 09N

Range: 23W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 121.914

Elevation (Feet): 399.980

Description: AHTD DISK: DROP INLET TOP 20' LEFT OF CENTERLINE OF STATION 28+95; (20' WEST OF CENTERLINE). 3 DEC 99 VJB III ROUTE 109 IS NOT IN THIS RANGE

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 360015

Class:

Vertical Datum:

Established by: RE OFFICE #82

Date Established: 10/18/1989

System: STATE

Job Number: 8946

Nearest City:

County: JOHNSON

Route: 109

Section: 4

Log Mile: 6.05

Land Section Number: 6

Township: 09N

Range: 23W

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 134.707

Elevation (Feet): 441.951

Description: AHTD DISK; TOP OF DROP INLET 20' LEFT (WEST) OF CENTERLINE OF  
STATION 69+30. ROUTE 109 IS NOT IN THIS RANGE 3 DEC 99 VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 360016

Class:

Vertical Datum:

Established by: RE OFFICE #82

Date Established:

System: STATE

Job Number: R80009

Nearest City:

County: JOHNSON

Route: 123

Section: 3

Log Mile: 20.1

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 318.017

Elevation (Feet): 1043.361

Description: TOP OF WEST HEADWALL OF BOX CULVERT (DBL. 6 x 6). \*\*NOTE:  
L. M. BACKWARD FROM RT. & SEC.\*\*

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 360017

Class:

Vertical Datum:

Established by: RE OFFICE #82

Date Established:

System: STATE

Job Number: R80009

Nearest City:

County: JOHNSON

Route: 123

Section: 3

Log Mile: 21.1

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 286.339

Elevation (Feet): 939.431

Description: TOP OF WEST HEADWALL OF BOX CULVERT (TRIPLE 9 X 6).  
\*\*NOTE: L. M. BACKWARD FROM RT. & SEC.\*\*

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 360018

Class:

Vertical Datum:

Established by: RE OFFICE #82

Date Established:

System: STATE

Job Number: R80009

Nearest City:

County: JOHNSON

Route: 123

Section: 3

Log Mile: 23.3

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 237.424

Elevation (Feet): 778.949

Description: SOUTHWEST CORNER HEADWALL OF BOX CULVERT (DOUBLE 5 X 5). \*\*NOTE: L. M.BACKWARD FROM RT. & SEC.\*\*

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 360019

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: CENTER POINT

County: JOHNSON

Route: 164

Section: 0

Log Mile: 5.5

Land Section Number: 21

Township: 10N

Range: 25W

Land Section: SE

Latitude: N 35 30 43.5

Longitude: W 93 39 32.5

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 154.223

Elevation (Feet): 505.980

Description: DISK SOUTHEAST BRIDGE END POST DIRTY CREEK BRIDGE #5840. 3  
DEC 99 VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 360020

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: HUNT

County: JOHNSON

Route: 164

Section: 0

Log Mile: 8.1

Land Section Number: 10

Township: 10N

Range: 25W

Land Section: NW

Latitude: N 35 32 38.2

Longitude: W 93 38 59.9

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 203.61

Elevation (Feet): 668.010

Description: DISK SOUTHEAST CORNER HEADWALL BOX CULVERT. 3 DEC 99 VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 360021

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: HUNT

County: JOHNSON

Route: 164

Section: 0

Log Mile: 8.8

Land Section Number: 3

Township: 10N

Range: 25W

Land Section:

Latitude: N 35 33 05.6

Longitude: W 93 38 26.5

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 195.834

Elevation (Feet): 642.499

Description: DISK NORTHWEST CORNER OF HEADWALL BOX CULVERT. 3 DEC 99  
VJB III

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 360022

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City:

County: JOHNSON Route: 164 Section: 2 Log Mile: 0.3

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 147.929 Elevation (Feet): 485.330

Description: DISK SOUTH HEADWALL BOX CULVERT.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 360023

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City:

County: JOHNSON Route: 164 Section: 2 Log Mile: 0.5

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 149.352 Elevation (Feet): 489.999

Description: SOUTHWEST WINGWALL LITTLE PINEY RELIEF #5547.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 360024

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City:

County: JOHNSON Route: 164 Section: 2 Log Mile: 1.2

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 154.534 Elevation (Feet): 507.000

Description: DISK SOUTHWEST WINGWALL GRANNY CREEK BRIDGE #5549.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 360025

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City:

County: JOHNSON Route: 164 Section: 2 Log Mile: 2.57

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 167.509 Elevation (Feet): 549.569

Description: DISK SOUTHWEST WINGWALL GRANNY CREEK BRIDGE #5550.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 360026

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #82

Date Established: 11/5/1990

System: STATE

Job Number: R80015

Nearest City: CENTER POINT

County: JOHNSON

Route: 352

Section: 3

Log Mile: 10.3

Land Section Number: 21

Township: 10N

Range: 25W

Land Section: NW

Latitude: N 35 31 00.0

Longitude: W 93 40 06.4

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 163.678

Elevation (Feet): 537.000

Description: AHTD STANDARD DISC: TOP OF SOUTHWEST WINGWALL, WEST  
ABUTMENT BRIDGE # 6320 (EAST FORK DIRTY CREEK); 0.4 MILES WEST  
OF JUNCTION HWYS. 164 & 352. 3 DEC 99 VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 360027

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #82

Date Established: 11/5/1990

System: STATE

Job Number: R80015

Nearest City: CENTER POINT

County: JOHNSON

Route: 352

Section: 3

Log Mile: 10.6

Land Section Number: 21

Township: 10N

Range: 25W

Land Section: NW

Latitude: N 35 31 10.3

Longitude: W 93 40 14.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 167.918

Elevation (Feet): 550.911

Description: AHTD STANDARD DISC: TOP OF SOUTHWEST WINGWALL WEST  
ABUTMENT BRIDGE #6319 OVER DIRTY CREEK (0.6 MILES WEST OF  
JUNCTION HWYS 164 AND 357). 3 DEC 99 VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 360028

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #82

Date Established: 11/7/1990

System: STATE

Job Number: R80050

Nearest City: CENTER POINT

County: JOHNSON

Route: 352

Section: 3

Log Mile: 8.1

Land Section Number: 26

Township: 10N

Range: 25W

Land Section: NW

Latitude: N 35 30 15.5

Longitude: W 93 38 01.9

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 140.187

Elevation (Feet): 459.930

Description: AHTD STANDARD DISC; TOP OF SOUTHWEST WINGWALL WEST  
ABUTMENT BRIDGE OVER HORSEHEAD CREEK (1.6 MILE EAST OF  
HWY 164 AND 352 JUNCTION). BR # 6321 3 DEC 99 VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 360029

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #82

Date Established: 11/7/1990

System: STATE

Job Number: R80050

Nearest City: CLARKSVILLE

County: JOHNSON

Route: 352

Section: 3

Log Mile: 7.0

Land Section Number: 26

Township: 10N

Range: 25W

Land Section: SE

Latitude: N 35 29 46.1

Longitude: W 93 37 10.5

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 132.613

Elevation (Feet): 435.081

Description: AHTD STANDARD DISC TOP OF SOUTHWEST WINGWALL BRIDGE  
OVER EAST FORK HORSEHEAD CREEK (2.6 MILE EAST OF HWY. 164  
AND 352 JUNCTION). BR # 6322 3 DEC 99 VJB III

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 360030

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City:

County: JOHNSON Route: 359 Section: 1A Log Mile: 4.4

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 103.465 Elevation (Feet): 339.451

Description: NORTHWEST CORNER HEADWALL BOX CULVERT.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 360031

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City:

County: JOHNSON Route: 359 Section: 1A Log Mile: 9.0

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 152.315 Elevation (Feet): 499.720

Description: NORTHWEST CORNER HEADWALL BOX CULVERT.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 360032

Class:

Vertical Datum:

Established by: RE OFFICE #82

Date Established: 5/25/1995

System: COUNTY Job Number: FA3605 Nearest City:

County: JOHNSON Route: 47 Section: Log Mile: 0.9

Land Section Number: 30 Township: 10N Range: 21W

Land Section: SE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 236.144 Elevation (Feet): 774.749

Description: AHTD STD. DISK IN TOP OF SOUTH HDWL. QUAD 10' x 5' R. C. BOX  
CLVT. (LOGGED FROM END OF S. H. 315.).

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 360033

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: COUNTY Job Number: BR-36-2 Nearest City:

County: JOHNSON Route: 14 Section: COUNTY ROAD Log Mile: 4.5

Land Section Number: 30 Township: 10N Range: 24W

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 140.248 Elevation (Feet): 460.130

Description: SOUTHEAST BRIDGE END POST HORSE HEAD CREEK BRIDGE #4100.  
NR 3 DEC 99 VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 360034

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #82

Date Established:

System: COUNTY

Job Number: BR-36-1

Nearest City: OARK

County: JOHNSON

Route: CO. RD. 33

Section:

Log Mile: 1.0

Land Section Number: 21

Township: 12N

Range: 25W

Land Section:

Latitude: N 35 41 12.4

Longitude: W 93 39 36.7

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 277.305

Elevation (Feet): 909.791

Description: TOP NORTHWEST WINGWALL BRIDGE # 4500 @ LITTLE MULBERRY RIVER. 3 DEC 99 VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 360035

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #82

Date Established:

System: COUNTY

Job Number: F-36-2

Nearest City: OARK

County: JOHNSON

Route: see below

Section:

Log Mile:

Land Section Number: 21

Township: 12N

Range: 24W

Land Section:

Latitude: N 35 41 24.7

Longitude: W 93 33 03.7

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 319.873

Elevation (Feet): 1049.450

Description: APPROX. 1.2 MILES EAST OF OARK AHTD DISK IN SOUTHWEST CORNER OF SOUTH HEADWALL OF RCBC @ STATION 72+86; 21' RT. OR SOUTH OF CENTERLINE ROAD. FAS RT. 2435 USFS #1003 (OARK - CATALPA ROAD) 3 DEC 99 VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 360036

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #82

Date Established: 3/18/1998

System: COUNTY

Job Number: FA3607

Nearest City:

County: JOHNSON

Route: 47

Section:

Log Mile: 4.3

Land Section Number: 17

Township: 10N

Range: 21W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 218.167

Elevation (Feet): 715.770

Description: AHTD DISK IN CENTER OF WEST HEADWALL OF A 7' BY 6' RC BOX  
CULVERT 22' LEFT STA 237+16

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 360037

Class:

Vertical Datum:

Established by:

Date Established: 9/1/1999

System: STATE

Job Number: 080036

Nearest City: CLARKSVILLE

County: JOHNSON

Route: 123

Section: 04

Log Mile: 1.8

Land Section Number: 04

Township: 09N

Range: 23W

Land Section:

Latitude: N 35 27 52.3

Longitude: W 93 26 55.1

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 39.0391

Elevation (Feet): 128.081

Description: AHTD STD DISC IN TOP OF HEADWALL OF TRIPLE 1800MM X 1200MM  
BOX CULVERT 8.78M RT. STA. 19+55 3 DEC 99 VJB III

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 360038

Class:

Vertical Datum:

Established by:

RE OFFICE #82

Date Established: 8/31/1999

System: CITY

Job Number:

080085

Nearest City:

County: JOHNSON

Route:

RAWFORD

Section:

Log Mile:

Land Section Number:

13

Township:

09N

Range:

24W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

110.765

Elevation (Feet):

363.402

Description:

AHTD STD. DISC IN TOP OF BR. END POST OVER LITTLE SPADRA  
CREEK BA. # 06738

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 360039

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #82

Date Established: 12/14/2001

System: STATE Job Number: 008937 Nearest City:

County: JOHNSON Route: 359 Section: 1 Log Mile: 4.888

Land Section Number: 26 Township: 09 Range: 22

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 107.286 Elevation (Feet): 351.987

Description: AHTD DISK IN TOP OF BR POST BR#06758

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 360040

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #82

Date Established: 12/13/2001

System: STATE Job Number: 008937 Nearest City:

County: JOHNSON Route: 359 Section: 1 Log Mile: 7.304

Land Section Number: 14 Township: 09 Range: 22

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 114.335 Elevation (Feet): 375.114

Description: AHTD DISK IN TOP OF BR POST BR#06757

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 360041

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #82

Date Established: 12/13/2001

System: STATE Job Number: 008937 Nearest City:

County: JOHNSON Route: 359 Section: 1 Log Mile: 10.047

Land Section Number: 9 Township: 09 Range: 22

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 112.204 Elevation (Feet): 368.123

Description: AHTD DISK IN TOP OF SW BRIDGE END POST, BR#06756

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 360042

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #82

Date Established: 2/6/2007

System: STATE

Job Number: B80108

Nearest City: LAMAR

County: JOHNSON

Route: I-40

Section: 21

Log Mile: 63.83

Land Section Number: 19

Township: 09N

Range: 22W

Land Section:

Latitude: N 35 24 51.50

Longitude: W 93 23 03.22

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 124.639

Elevation (Feet): 408.920

Description: AHTD STD. DISK IN TOP OF NE WING WALL ABOVE NAME PLATE ON  
BRIDGE # A6868 WEST BOUND LANES.

Comments: Elevations were entered but cannot be verified due to no information on the control  
used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 360043

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #82

Date Established: 2/6/2007

System: STATE

Job Number: B80108

Nearest City: PINEY

County: JOHNSON

Route: I-40

Section: 21

Log Mile: 69.58

Land Section Number: 15

Township: 08N

Range: 22W

Land Section:

Latitude: N 35 20 49.8

Longitude: W 93 19 49.8

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 111.179

Elevation (Feet): 364.760

Description: AHTD STD. DISK TOP OF SW WING WALL ABOVE NAME PLATE ON  
BRIDGE#83313 EAST BOUND.

Comments: Elevations were entered but cannot be verified due to no information on the control  
used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 360044

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #82

Date Established: 6/19/2006

System: STATE

Job Number: B80103

Nearest City: CLARKSVILLE

County: JOHNSON

Route: 1-40

Section: 21

Log Mile: 56.35

Land Section Number: 1

Township: 09N

Range: 24W

Land Section: SE

Latitude: N 35 27 34.05

Longitude: W 93 29 46.15

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 112.3129

Elevation (Feet): 368.480

Description: AHTD STD. DISK IN TOP OF RIGHT WING WALL, ABOVE NAME PLATE  
BEGINNING OF BRIDGE #A6823 WEST BOUND LANE.

Comments: Elevations were entered but cannot be verified due to no information on the control  
used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 360045

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #82

Date Established: 3/15/2004

System: STATE

Job Number: B80103

Nearest City: CLARKSVILLE

County: JOHNSON

Route: I-40

Section: 21

Log Mile: 57.95

Land Section Number: 8

Township: 09N

Range: 23W

Land Section: NW

Latitude: N 35 27 13.54

Longitude: W 93 28 06.40

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 110.3774

Elevation (Feet): 362.130

Description: AHTD STD. DISK TOP OF RIGHT WALL, ABOVE NAME PLATE,  
BEGINNING OF BRIDGE #A6824 WEST BOUND LANES.

Comments: Elevations were entered but cannot be verified due to no information on the control  
used during the 3 wire level run.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 360046

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #82

Date Established: 9/16/2010

System: CITY

Job Number: 080320

Nearest City: Lamar

County: JOHNSON

Route: Elberta Street

Section:

Log Mile:

Land Section Number:

Township: 09N

Range: 22W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 123.39874

Elevation (Feet): 404.851

Description: AHTD Standard Disc set in NW headwall of R.C. Box Culvert on Elberta Street 30' Lt. of Sta. 102+80. Located 323' south of the intersection of Elberta St. & Cabin Creek Ave.

Comments: No survey data was submitted to Surveys to support the elevation derived by the R.E. Office.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 360047

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #82

Date Established: 8/30/2018

System: STATE

Job Number: 080444

Nearest City: Ft Douglas

County: JOHNSON

Route: 123

Section: 3

Log Mile: 6.33

Land Section Number: 20

Township: 12n

Range: 21w

Land Section: NW

Latitude: N 35 40 53.83000

Longitude: W 93 14 45.57000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 230.03

Elevation (Feet): 754.690

Description: ARDOT Std. Disk Top of Headwall at S.W. Corner of Bridge #07396  
Sta.114+75 27' RT

Comments: Elevation verified. Three wire data available on EDM under job 0804444 in  
s080444\_re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 370001

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #32

Date Established:

System: STATE

Job Number: 7902

Nearest City: STATE LINE

County: LAFAYETTE

Route: 53 & 160

Section: 6 & 2

Log Mile: 25.75

Land Section Number: 4

Township: 20S

Range: 23W

Land Section: SE

Latitude: N 33 02 04.0

Longitude: W 93 30 03.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.428

Elevation (Feet): 214.658

Description: AHTD BENCH MARK SECTION NO. 4 CENTERLINE OF LEFT HEADWALL  
ON NEW BOX CULVERT STATION 63+00. RECOVERED BY CREW #S5102  
4/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 370002

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #32

Date Established:

System: STATE

Job Number: 7902

Nearest City: STATE LINE

County: LAFAYETTE

Route: 53 & 160

Section: 6 & 2

Log Mile: 26.26

Land Section Number: 9

Township: 20S

Range: 23W

Land Section: NE

Latitude: N 33 01 42.0

Longitude: W 93 29 46.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 67.114

Elevation (Feet): 220.190

Description: AHTD BENCH MARK SECTION NO. 5 TOP OF RIGHT WING ABUTMENT  
NO. 1 BRIDGE NO. 6017. RECOVERED BY CREW #S5102 4/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 370003

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #32

Date Established:

System: STATE

Job Number: 7902

Nearest City: WALKER CREEK

County: LAFAYETTE

Route: 53 & 160

Section: 6 & 2

Log Mile: 14.45

Land Section Number: 8

Township: 18S

Range: 23W

Land Section: NE

Latitude: N 33 21 28.0

Longitude: W 93 29 46.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.772

Elevation (Feet): 232.191

Description: AHTD BENCH MARK SECTION NO 2 TOP LEFT WING ABUTMENT NO 4  
BRIDGE NO. 6019. RECOVERED BY CREW #S5102 4/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 370004

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: 7902 Nearest City: WALKER CREEK

County: LAFAYETTE Route: 53 & 160 Section: 6 & 2 Log Mile: 15.09

Land Section Number: Township: 18S Range: 23W

Land Section:

Latitude: N 33 21 28.0 Longitude: W 93 29 29.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.781 Elevation (Feet): 232.221

Description: AHTD BENCH MARK SECTION NO. 3 TOP LEFT WING ABUTMENT NO. 1  
BRIDGE NO. 6020 SECTION NO. 3. RECOVERED BY CREW #S5102 4/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 370005

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 1/8/1990

System: STATE Job Number: 1566 Nearest City: SPIRIT LAKE

County: LAFAYETTE Route: 82 Section: 1 Log Mile: 21.35

Land Section Number: 17 Township: 16S Range: 25W

Land Section: NE

Latitude: N 33 21 49.0 Longitude: W 93 42 17.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.154 Elevation (Feet): 253.129

Description: DISC IN TOP OF PARAPET WALL 22' RIGHT WEST BRIDGE END BRIDGE  
NO. 6174 MILLER COUNTY. RECOVERED BY CREW #S5102 4/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 370006

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 1/8/1990

System: STATE Job Number: 1566 Nearest City: SPIRIT LAKE

County: LAFAYETTE Route: 82 Section: 1 Log Mile: 21.65

Land Section Number: 16 Township: 16S Range: 25W

Land Section: NW

Latitude: N 33 21 44.0 Longitude: W 93 41 58.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.85 Elevation (Feet): 245.570

Description: DISC IN TOP OF PARAPET WALL 22' LEFT EAST END BRIDGE END  
BRIDGE NO. 6174 LAFAYETTE COUNTY. RECOVERED BY CREW #S5102  
4/04

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 370007

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City:

County: LAFAYETTE Route: 360 Section: 0 Log Mile: 5.42

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 67.199 Elevation (Feet): 220.469

Description: "[ ]" CUT ON SOUTHWEST CORNER OF WHEEL GUARD OF BRIDGE.  
DESTROYED , VERIFIED BY CREW #S5102 4/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 370008

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: R70072 Nearest City: GIN CITY

County: LAFAYETTE Route: 360 Section: 0 Log Mile: 3.05

Land Section Number: 22 Township: 18S Range: 25W

Land Section: NE

Latitude: N 33 09 51.0 Longitude: W 93 43 50.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 62.816 Elevation (Feet): 206.089

Description: AHTD BENCHMARK TOP RIGHT HEADWALL STATION 193+90.  
RECOVERED BY CREW #S5103 4/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 370009

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 9/19/1991

System: STATE Job Number: R70025 Nearest City: GIN CITY

County: LAFAYETTE Route: 360 Section: 0 Log Mile: 3.05

Land Section Number: 17 Township: 18S Range: 25W

Land Section: SW

Latitude: N 33 09 51.0 Longitude: W 93 43 50.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 63.658 Elevation (Feet): 208.851

Description: AHTD BENCHMARK TOP LEFT HEADWALL BOX CULVERT 303+00.  
RECOVERED BY #S5102 4/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 370010

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: R70013 Nearest City: GIN CITY

County: LAFAYETTE Route: 360 Section: 1 Log Mile: 5.06

Land Section Number: 17 Township: 18S Range: 25W

Land Section: SW

Latitude: N 33 11 02.0 Longitude: W 93 42 31.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 73.682 Elevation (Feet): 241.738

Description: AHTD DISK LEFT HEADWALL STATION 17+47. RECOVERED BY CREW  
#S5102 4/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 370011

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: R70013 Nearest City:

County: LAFAYETTE Route: 360 Section: 1 Log Mile:

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 71.137 Elevation (Feet): 233.389

Description: AHTD DISC LEFT HEADWALL STATION 65+30. DESTROYED, VERIFIED  
BY CREW #S5102 4/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 370012

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: R70013 Nearest City:

County: LAFAYETTE Route: 360 Section: Log Mile:

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 73.216 Elevation (Feet): 240.209

Description: AHTD DISK LEFT HEADWALL STATION 263+75. DESTROYED, VERIFIED  
BY CREW #S5102 4/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 370013

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: 7930 Nearest City: CANFIELD

County: LAFAYETTE Route: 360 Section: 1 Log Mile: 3.00

Land Section Number: 9 Township: 18S Range: 24W

Land Section: NE

Latitude: N 33 12 05.0 Longitude: W 93 35 31.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 71.253 Elevation (Feet): 233.769

Description: AHTD MARKER TOP LEFT WINGWALL BENT NO. 1 BRIDGE 6067.  
RECOVERED BY CREW #S5102 4/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 370014

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #32

Date Established: 11/8/1994

System: COUNTY

Job Number: FA3702

Nearest City: STAMPS

County: LAFAYETTE

Route: 27

Section:

Log Mile:

Land Section Number: 4

Township: 15S

Range: 23W

Land Section: SW

Latitude: N 33 27 57.0

Longitude: W 93 29 41.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 82.198

Elevation (Feet): 269.678

Description: ROUND METAL DISC SET IN THE SOUTHEAST CORNER OF THE HEADWALL OF A RCBC 21' RIGHT OF CENTERLINE STATION 88+10; ON COUNTY ROAD NO. 27, 7.8 MILES NORTH OF THE US HIGHWAY 82 AND COUNTY ROAD 27 INTERSECTION. RECOVERED BY CREW #5102 4/04

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 370015

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 11/10/1993

System: COUNTY Job Number: F-37-1 Nearest City: CANFIELD

County: LAFAYETTE Route: 1747 Section: Log Mile:

Land Section Number: 10 Township: 18S Range: 25W

Land Section: SW

Latitude: N 33 11 41.0 Longitude: W 93 41 07.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.056 Elevation (Feet): 226.561

Description: AHTD DISK TOP RT. PARAPET WALL STA. 53+90 BRIDGE NO. 4697.  
RECOVERED BY CREW #S5102 4/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 370016

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: COUNTY Job Number: BR37-1 Nearest City: LEWISVILLE

County: LAFAYETTE Route: CR13 Section: Log Mile: 3.85\*

Land Section Number: 32 Township: 15S Range: 24W

Land Section:

Latitude: N 33 24 27.0 Longitude: W 93 37 44.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.42 Elevation (Feet): 244.160

Description: SOUTHEAST CORNER-HEADWALL QUAD 8 X 8 X 38' BOX CULVERT  
DISK. \*3.85 WEST OF HWY. 29 NORTH OLD LEWISVILLE.  
RECOVERED BY CREW #S5102 4/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 370017

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 8/1/1989

System: COUNTY Job Number: BR-37-7 Nearest City: LEWISVILLE

County: LAFAYETTE Route: CR22 Section: 18 Log Mile:

Land Section Number: 18 Township: 16S Range: 23W

Land Section:

Latitude: N 33 20 59.0 Longitude: W 93 31 43.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.285 Elevation (Feet): 250.278

Description: BRIDGE # 4615 OVER BODCAW RELIEF TOP RIGHT WINGWALL  
STATION 26+50. RECOVERED BY CREW #S5102 4/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 370018

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 8/1/1989

System: COUNTY Job Number: BR-37-7 Nearest City: LEWISVILLE

County: LAFAYETTE Route: CR22 Section: 18 Log Mile:

Land Section Number: 18 Township: 16S Range: 23W

Land Section:

Latitude: N 33 21 07.0 Longitude: W 93 31 34.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.264 Elevation (Feet): 250.209

Description: BRIDGE # 4616 TOP RIGHT WINGWALL STATION 37+53. RECOVERED BY  
CREW #S5102 4/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 370019

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: COUNTY Job Number: N/A Nearest City: LEWISVILLE

County: LAFAYETTE Route: CR28 Section: Log Mile:

Land Section Number: 6 Township: 16S Range: 23W

Land Section:

Latitude: N 33 22 31.0 Longitude: W 93 31 17.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.509 Elevation (Feet): 254.294

Description: BODCAW CREEK BRIDGE # 4566 BENT # 1 RIGHT SIDE. RECOVERED BY  
CREWW #S5102 4/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 370020

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: COUNTY Job Number: N/A Nearest City: LEWISVILLE

County: LAFAYETTE Route: CR28 Section: Log Mile:

Land Section Number: 6 Township: 16S Range: 23W

Land Section:

Latitude: N 33 22 34.0 Longitude: W 93 31 03.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.844 Elevation (Feet): 248.832

Description: HEADWALL BOX CULVERT 1/4 MILE FROM BODCAW BRIDGE.  
RECOVERED BY CREW #S5102 4/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 370021

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #32

Date Established: 11/25/1997

System: STATE

Job Number: 030153

Nearest City: GIN CITY

County: LAFAYETTE

Route: 160

Section: 1

Log Mile: 11.02

Land Section Number: 8

Township: 19N

Range: 25W

Land Section:

Latitude: N 33 06 24.0

Longitude: W 93 42 57.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.583

Elevation (Feet): 215.167

Description: AHTD DISK ON TOP OF WINGWALL ON THE RIGHT SIDE OF THE WEST  
END OF BRIDGE NEXT TO THE NAME PLATE. BRIDGE #06661 OVER  
POSTEN BAYOU. RECOVERED BY CREW #S5102 4/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 370022

Class:

Vertical Datum:

Established by: RE OFFICE #32

Date Established:

System: COUNTY

Job Number: SA3717

Nearest City: STAMPS

County: LAFAYETTE

Route: CR27

Section:

Log Mile: 6.25

Land Section Number: 9

Township: 15S

Range: 23W

Land Section: SE

Latitude: N 33 26 53.0

Longitude: W 93 29 18.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 82.884

Elevation (Feet): 271.929

Description: DISK LOCATED IN SW WING WALL OF RC BOX CULVERT 41+20 LT.; 6.25 MILES FROM INTERSECTION OF HWY. 82 ON COUNTY RD. 27.  
RECOVERED BY CREW #S5102 4/04

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 370023

Class:

Vertical Datum:

Established by:

Date Established:

System: COUNTY Job Number: BR3710 Nearest City: WALKER CREEK

County: LAFAYETTE Route: 68 Section: Log Mile:

Land Section Number: 8 Township: 19S Range: 23W

Land Section:

Latitude: N 33 06 44.0 Longitude: W 93 31 02.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.78 Elevation (Feet): 232.217

Description: AHTD BENCH MARK DISC IN TOP OF SW WINGWALL OF BR #04773  
OVER LAKE ERLING. RECOVERED BY CREW #S5102 4/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 370024

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #32

Date Established:

System: STATE

Job Number: R30096

Nearest City: LEWISVILLE

County: LAFAYETTE

Route: 82

Section: 2

Log Mile: 2.82

Land Section Number: 14

Township: 16S

Range: 25W

Land Section: SE

Latitude: N 33 21 44.0

Longitude: W 93 39 26.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.977

Elevation (Feet): 229.583

Description: CHISLD SQ CUT IN TOP OF SE END OF HEADWALL OF BAX CULVERT  
AT STA 71+87 RT SIDE. RECOVERED BY CREW #S5102 4/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 370025

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #32

Date Established:

System: STATE

Job Number: R30096

Nearest City: LEWISVILLE

County: LAFAYETTE

Route: 82

Section: 2

Log Mile: 5.42

Land Section Number: 17

Township: 16S

Range: 24W

Land Section: NW

Latitude: N 33 21 33.0

Longitude: W 93 36 46.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.7279

Elevation (Feet): 268.136

Description: DISK IN SW END OF HEADWALL ON BAX CULVERT AT STA 113+43 RT SIDE. RECOVERED BY CREW #S5102 4/04

Comments: Digital levels were ran form NGS BM A 119 during Job BR3713 in Aug. 2010 and a Elev. of 268.0244 was determined. The headwall the BM disk was located in had significant structrual failure.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 370026

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #32

Date Established:

System: STATE

Job Number: R30096

Nearest City: LEWISVILLE

County: LAFAYETTE

Route: 82

Section: 2

Log Mile: 6.93

Land Section Number: 16

Township: 16S

Range: 24W

Land Section: SE

Latitude: N 33 21 22.0

Longitude: W 93 35 12.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 82.6779

Elevation (Feet): 271.252

Description: DISK IN SW END OF WINGWALL OF BOX CULVERT AT STA 138+12 RT SIDE. RECOVERED BY CREW #S5102 4/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 370027

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #32

Date Established:

System: STATE

Job Number: R30096

Nearest City:

County: LAFAYETTE

Route: 82

Section: 2

Log Mile:

Land Section Number: 15

Township: 16S

Range: 24W

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.4438

Elevation (Feet): 267.204

Description: CHSLD SQ ON TOP OF NE END OF HEADWALL OF BOX CULVERT AT  
STA 143+65 LT SIDE. DESTROYED, VERIFIED BY CREW #S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 370028

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #32

Date Established:

System: STATE

Job Number: R30096

Nearest City: LEWISVILLE

County: LAFAYETTE

Route: 82

Section: 2

Log Mile: 7.68

Land Section Number: 15

Township: 16S

Range: 24W

Land Section: SW

Latitude: N 33 21 18.0

Longitude: W 93 34 36.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 80.3029

Elevation (Feet): 263.460

Description: DISK IN SW END OF WING WALL ON BOX CULVERT AT STA 150+13 RT  
SIDE. RECOVERED BY CREW #S5102 4/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 370029

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #32

Date Established: 1/25/2001

System: STATE

Job Number: 030125

Nearest City: STAMPS

County: LAFAYETTE

Route: 82T

Section: 2T

Log Mile:

Land Section Number: 8

Township: 16S

Range: 23W

Land Section: SE

Latitude: N 33 21 51.0

Longitude: W 93 30 11.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 78.393

Elevation (Feet): 257.194

Description: AHTD DISK IN SE CORNER OF LT SIDE OF HW ON BOX CULVERT.  
APPROX 0.30 MILES EAST OF INTERSECTION OF 82 AND 82T.  
RECOVERED BY CREW#S5102 4/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 370030

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #32

Date Established: 1/25/2001

System: STATE

Job Number: 030125

Nearest City: STAMPS

County: LAFAYETTE

Route: 53

Section:

Log Mile:

Land Section Number: 16

Township: 16S

Range: 23W

Land Section: NE

Latitude: N 33 21 27.0

Longitude: W 93 29 29.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.576

Elevation (Feet): 267.637

Description: AHTD DISK IN TOP OF WINGWALL OF THE NE CORNER OF RT SIDE OF  
BR # 06753 APPROX 0.21 MILES EAST OF THE INTERSECTION OF HWY 53  
AND 82T. RECOVERED BY CREW #S5102 4/04

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 370031

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #32

Date Established: 10/22/2002

System: COUNTY

Job Number: BR3711

Nearest City: MARS HILL

County: LAFAYETTE

Route: CR18

Section:

Log Mile: 2.1

Land Section Number: 1

Township: 17S

Range: 25W

Land Section: SE

Latitude: N 33 17 34.0

Longitude: W 93 38 10.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.3055

Elevation (Feet): 227.380

Description: AHTD DISK 2.1 MILES W OF HWY.29 ON CR 18 IN SW CORNER OF  
BR#04852 FIELD BAYOU CREEK RECOVERED BY CREW #S5102 4/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 370032

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 5/28/2003

System: COUNTY Job Number: sa3719 Nearest City:

County: LAFAYETTE Route: CR47 Section: Log Mile:

Land Section Number: 25 Township: 19S Range: 26W

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 61.153 Elevation (Feet): 200.633

Description: AHTD DISK ON CENTER OF NORTH HW.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 370033

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #32

Date Established: 5/18/2005

System: STATE

Job Number: 030212

Nearest City:

County: LAFAYETTE

Route: 82

Section: 2

Log Mile: 12.07

Land Section Number: 8

Township: 16S

Range: 23W

Land Section: NW

Latitude: N 33 21 57.0

Longitude: W 93 30 05.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.151

Elevation (Feet): 259.681

Description: BENCHMARK DISK IN HEADWALL SW CORNER OF TRIPLE RCBC 134'  
RT. STA. 16+58

Comments: Elevations were entered but cannot be verified due to no information on the control  
used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 370034

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #32

Date Established: 8/30/2008

System: STATE

Job Number: 030182

Nearest City: BRADLEY

County: LAFAYETTE

Route: 160

Section: 1

Log Mile: N/A

Land Section Number: 11

Township: 19S

Range: 26W

Land Section:

Latitude: N 33 06 48.9

Longitude: W 93 46 23.8

Type: GPS (Observed)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 61.8336805

Elevation (Feet): 202.866

Description: ALUM. DISK IN HEADWALL RCBC RT. @ STA. 235+75

Comments: VERIFIED DECEMBER 2008 BY 3-WIRE LEVELS RAN FROM 1ST ORDER  
NGS MARKS K 199 AND L 199. DATA CAN BE FOUND ON EDM UNDER  
030182\_RE\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 370035

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #32

Date Established: 8/28/2006

System: STATE

Job Number: 030182

Nearest City: BRADLEY

County: LAFAYETTE

Route: 160

Section: 1

Log Mile: N/A

Land Section Number: 12

Township: 19S

Range: 26W

Land Section:

Latitude: N 33 06 46.0

Longitude: W 93 45 22.4

Type: GPS (Observed)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 62.0793498

Elevation (Feet): 203.672

Description: ALUM. DISK IN HEADWALL RCBC RT. @ STA. 288+46

Comments: VERIFIED DECEMBER 2008 BY 3-WIRE LEVELS RAN FROM 1ST ORDER  
NGS MARKS K 199 AND L 199. DATA CAN BE FOUND ON EDM UNDER  
030182\_RE\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 370036

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #32

Date Established: 8/18/2006

System: STATE

Job Number: 030182

Nearest City: BRADLEY

County: LAFAYETTE

Route: 160

Section: 1

Log Mile: N/A

Land Section Number: 10

Township: 19S

Range: 25W

Land Section:

Latitude: N 33 06 44.5

Longitude: W 93 41 36.8

Type: GPS (Observed)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 73.2627889

Elevation (Feet): 240.363

Description: ALUM. DISK IN HEADWALL RCBC LT. @ STA. 601+95

Comments: VERIFIED DECEMBER 2008 BY 3-WIRE LEVELS RAN FROM 1ST ORDER  
NGS MARKS K 199 AND L 199. DATA CAN BE FOUND ON EDM UNDER  
030182\_RE\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 370037

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #32

Date Established: 8/18/2006

System: STATE Job Number: 030182 Nearest City: BRADLEY

County: LAFAYETTE Route: 160 Section: 1 Log Mile: N/A

Land Section Number: 10 Township: 19S Range: 25W

Land Section:

Latitude: N 33 06 59.3 Longitude: W 93 41 22.6 Type: GPS (Observed)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.7486919 Elevation (Feet): 225.553

Description: ALUM DISK IN HEADWALL RCBC RT. @ STA. 613+47

Comments: VERIFIED DECEMBER 2008 BY 3-WIRE LEVELS RAN FROM 1ST ORDER  
NGS MARKS K 199 AND L 199. DATA CAN BE FOUND ON EDM UNDER  
030182\_RE\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 370038

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #32

Date Established: 1/25/2011

System: STATE

Job Number: 030348

Nearest City: LEWISVILLE

County: LAFAYETTE

Route: 29

Section: 2

Log Mile: 3.37

Land Section Number: 34

Township: 15S

Range: 24W

Land Section:

Latitude: N 33 24 25.64000

Longitude: W 93 35 02.34000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 109.99

Elevation (Feet): 360.859

Description: ALUMINUM CAP IN HEADWALL OF RCBC.

Comments: ELEVATION NOT VERIFIED DUE TO NO THREE WIRE DATA



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 370039

Class: THIRD-ORDER

Vertical Datum:

Established by: RE OFFICE #32

Date Established: 1/25/2011

System: STATE Job Number: 030348 Nearest City: LEWISVILLE

County: LAFAYETTE Route: 29 Section: 2 Log Mile: 4.73

Land Section Number: 17 Township: 15S Range: 24W

Land Section:

Latitude: N 33 25 28.49000 Longitude: W 93 35 40.79000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 98.847 Elevation (Feet): 324.301

Description: ALUMINUM CAP IN HEADWALL OF RCBC.

Comments: ELEVATION NOT VERIFIED DUE TO NO THREE WIRE DATA.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 370040

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #32

Date Established: 1/25/2011

System: STATE

Job Number: 030348

Nearest City: LEWISVILLE

County: LAFAYETTE

Route: 29

Section: 2

Log Mile: 5.02

Land Section Number: 6

Township: 15S

Range: 24W

Land Section:

Latitude: N 33 25 40.50000

Longitude: W 93 35 51.58000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 94.104

Elevation (Feet): 308.740

Description: ALUMINJUM CAP IN HEADWALL OF RCBC STATION 219+16, 49' LT OF CL HWY 29S

Comments: ELEVATION NOT VERIFIED DUE TO NO THREE WIRE DATA

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 370041

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #32

Date Established: 2/18/2011

System: STATE Job Number: 030348 Nearest City: LEWISVILLE

County: LAFAYETTE Route: 29 Section: 2 Log Mile: 9.07

Land Section Number: 6 Township: 15S Range: 24W

Land Section:

Latitude: N 33 28 37.66000 Longitude: W 93 38 06.85000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 93.648 Elevation (Feet): 307.243

Description: ALUMINUM CAP IN HEADWALL OF RCBC, STATION 316+80, 48' RT OF CL.

Comments: ELEVATION NOT VERIFIED DUE TO NO THREE WIRE DATA

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 370041

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #32

Date Established: 12/18/2013

System: STATE

Job Number: BR3713

Nearest City: Lewisville

County: LAFAYETTE

Route: CR 20

Section:

Log Mile:

Land Section Number: 30

Township: 16s

Range: 25w

Land Section:

Latitude: N 33 30 07.73000

Longitude: W 93 38 02.26000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 71.095

Elevation (Feet): 233.251

Description: Aluminum Disk in Parapet Wall (SW corner) of Bridge #04918

Comments: Elevation is verified. Three wire data available on EDM under job BR3713 in sBR3713re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380001

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: BR-38-1 Nearest City: RAVENDEN

County: LAWRENCE Route: 22 Section: Log Mile:

Land Section Number: 12 Township: 18N Range: 03W

Land Section: NW

Latitude: N 36 13 28.1 Longitude: W 91 15 02.6 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 96.149 Elevation (Feet): 315.449

Description: [] CUT SOUTHEAST CORNER TURNOUT POST 13.42' RIGHT OF  
CENTERLINE SOUTH END BRIDGE ACROSS SPRING RIVER ON COUNTY  
ROAD #22. ROAD IS NOW COUNTY ROAD #107

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380002

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #04

Date Established: 6/4/1990

System: STATE

Job Number: R00036

Nearest City: BLACK ROCK

County: LAWRENCE

Route: 63

Section: 3

Log Mile: 13.49

Land Section Number: 24

Township: 17N

Range: 02W

Land Section: NE

Latitude: N 36 06 34.7

Longitude: W 91 08 13.6

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 115.513

Elevation (Feet): 378.979

Description: AHTD MARKER IN HEADWALL OF BOX CULVERT 42' LEFT STATION  
106+02.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380003

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #04

Date Established: 6/4/1990

System: STATE

Job Number: R00036

Nearest City: BLACK ROCK

County: LAWRENCE

Route: 63

Section: 3

Log Mile: 14.05

Land Section Number: 18

Township: 17N

Range: 01W

Land Section: SE

Latitude: N 36 06 28.7

Longitude: W 91 07 40.1

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 111.21

Elevation (Feet): 364.861

Description: AHTD MARKER IN HEADWALL OF BOX CULVERT 54' RIGHT STATION  
135+74.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380004

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #04

Date Established: 6/4/1990

System: STATE

Job Number: R00036

Nearest City: PORTIA

County: LAWRENCE

Route: 63

Section: 3

Log Mile: 19.12

Land Section Number: 26

Township: 17N

Range: 01W

Land Section: SE

Latitude: N 36 04 43.4

Longitude: W 91 02 49.7

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.959

Elevation (Feet): 255.770

Description: AHTD MARKER IN HEADWALL OF BOX CULVERT 41' RIGHT STATION  
36+14.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380005

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City: HOXIE

County: LAWRENCE Route: 63 Section: 3 Log Mile: 20.29

Land Section Number: 13 Township: 17N Range: 01E

Land Section:

Latitude: N 36 04 21.4 Longitude: W 91 01 42.1 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 80.199 Elevation (Feet): 263.120

Description: TOP OF WINGWALL NORTHWEST CORNER.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380006

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #04

Date Established: 5/15/1992

System: STATE

Job Number: 100154

Nearest City: HOXIE

County: LAWRENCE

Route: 67

Section: 18

Log Mile: 12.54

Land Section Number: 4

Township: 16N

Range: 01E

Land Section: SE

Latitude: N 36 02 47.2

Longitude: W 90 58 42.5

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.961

Elevation (Feet): 262.339

Description: DISC SOUTHWEST CORNER R.C. BOX 32' RIGHT STATION 141+68.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380007

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #04

Date Established:

System: STATE

Job Number: 100095

Nearest City:

County: LAWRENCE

Route: 361

Section: 1

Log Mile: 1.88

Land Section Number: 4

Township: 17N

Range: 01W

Land Section:

Latitude:

Longitude:

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.557

Elevation (Feet): 251.171

Description: DISK 16' RIGHT TOP OF WING STATION 99+41. N/R

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380008

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #04

Date Established:

System: STATE

Job Number: 100095

Nearest City:

County: LAWRENCE

Route: 361

Section: 1

Log Mile: 2.45

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.499

Elevation (Feet): 250.980

Description: DISK 16' RIGHT TOP OF WING STATION 130+86. N/R

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380009

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #04

Date Established:

System: STATE

Job Number: R00063

Nearest City: BLACK ROCK

County: LAWRENCE

Route: 361

Section: 3

Log Mile: 2.89

Land Section Number: 4

Township: 17N

Range: 01W

Land Section: SE

Latitude: N 36 08 26.3

Longitude: W 91 05 12.7

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 83.39

Elevation (Feet): 273.589

Description: DISC SOUTHEAST WINGWALL 15' RIGHT BRIDGE END STATION 152+85  
BRIDGE #6393.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380010

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #04

Date Established:

System: STATE

Job Number: 100205

Nearest City: WALNUT RIDGE

County: LAWRENCE

Route: 412

Section: 7

Log Mile: 7.45

Land Section Number: 36

Township: 17N

Range: 03E

Land Section:

Latitude: N 36 04 10.5

Longitude: W 90 49 40.8

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 78.672

Elevation (Feet): 258.110

Description: AHTD DISC NORTHEAST CORNER OF R. C. BOX CULVERT, HEADWALL  
53' OF LT. STATION 393+36.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380011

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #04

Date Established: 9/5/1995

System: STATE

Job Number: 100205

Nearest City: WALNUT RIDGE

County: LAWRENCE

Route: 412

Section: 36

Log Mile: 7.67

Land Section Number: 36

Township: 17N

Range: 03E

Land Section:

Latitude: N 36 04 11.0

Longitude: W 90 49 23.5

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 82.01

Elevation (Feet): 269.061

Description: AHTD DISC TOP SW CORNER WINGWALL 35' RT.S TA. 404+91.83.  
STATION IS IN BRIDGE #6565 OVER CACHE RIVER

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380012

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #04

Date Established: 2/6/1995

System: STATE

Job Number: 100205

Nearest City: WALNUT RIDGE

County: LAWRENCE

Route: 412

Section: 7

Log Mile: 0.5

Land Section Number: 36

Township: 17N

Range: 03E

Land Section:

Latitude: N 36 04 10.5

Longitude: W 90 49 40.8

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 78.672

Elevation (Feet): 258.110

Description: AHTD DISC NE COR. R. C. BOX CULVERT HDWL. 53' LT. STA. 393+36.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380013

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #04

Date Established:

System: COUNTY

Job Number: F385

Nearest City:

County: LAWRENCE

Route: CR 17

Section: 32

Log Mile:

Land Section Number: 32

Township: 17N

Range: 03W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 96.335

Elevation (Feet): 316.059

Description: DISC SO. W. WINGWALL BR. # 4710. N/R

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380014

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #04

Date Established: 9/11/1990

System: COUNTY

Job Number: BR-38-5

Nearest City: WALNUT RIDGE

County: LAWRENCE

Route: CR 61

Section: B

Log Mile: 0.71

Land Section Number: 24

Township: 17N

Range: 01E

Land Section: SW

Latitude: N 36 05 25.8

Longitude: W 90 56 22.7

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.141

Elevation (Feet): 266.210

Description: RIGHT SIDE WING WALL, S.E. CORNER OF BRIDGE STA. 18+80 RT. BR #4643. ROAD IS NOW COUNTY #429

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380015

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #04

Date Established:

System: COUNTY

Job Number: F-38-5

Nearest City: SMITHVILLE

County: LAWRENCE

Route: CR 17

Section:

Log Mile:

Land Section Number: 32

Township: 17N

Range: 03W

Land Section: NW

Latitude: N 36 04 53.0

Longitude: W 91 19 42.8

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 96.335

Elevation (Feet): 316.059

Description: DISC SOUTHWEST WINGWALL, BRIDGE # 4710. ROAD NOW KNOWN AS #160

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380016

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: COUNTY Job Number: N/A Nearest City:

County: LAWRENCE Route: CR 37 Section: Log Mile: 2.98

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.405 Elevation (Feet): 244.110

Description: BR. NO. 4486, BENCH MARK IN TOP OF SE LEFT HAND WINGWALL OF  
BENT NO. 1. N/R

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380017

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: COUNTY Job Number: N/A Nearest City:

County: LAWRENCE Route: CR 34 Section: Log Mile: 5.76

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 78.117

Elevation (Feet): 256.289

Description: BR. NO. 4485, BENCH MARK IN TOP OF LEFT (NW) HAND WING WALL  
OF BENT NO. 1 N/R

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380018

Class:

Vertical Datum:

Established by:

Date Established:

System: COUNTY

Job Number: N/A

Nearest City:

County: LAWRENCE

Route: CR 36

Section:

Log Mile: 3.94

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.7

Elevation (Feet): 254.921

Description: BR. NO. 4481, BENCH MARK IN TOP OF LEFT HAND WING WALL OF  
BENT NO. 1(NW). N/R

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380019

Class:

Vertical Datum:

Established by:

Date Established:

System: COUNTY

Job Number: N/A

Nearest City:

County: LAWRENCE

Route: CR 136

Section:

Log Mile: 0.29

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.496

Elevation (Feet): 247.690

Description: BR. NO. 4488, BENCH MARK IN TOP OF LEFT HAND WING WALL OF  
BENT NO. 1 (NW). N/R

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380020

Class:

Vertical Datum:

Established by:

Date Established:

System: COUNTY Job Number: BR-38-2 Nearest City:

County: LAWRENCE Route: CR 38 Section: Log Mile: .6

Land Section Number: 15 Township: 17N Range: 01E

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.179 Elevation (Feet): 253.211

Description: EAST OF INTERSECTION CO. RD. 41 & 38, TOP S. W. WING WALL BR. #  
4569. N/R

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380021

Class:

Vertical Datum:

Established by: RE OFFICE #04

Date Established: 8/6/1993

System: COUNTY

Job Number: S-38-22

Nearest City: BLACK ROCK

County: LAWRENCE

Route: 22

Section: 11

Log Mile: 0.04

Land Section Number: 11

Township: 17N

Range: 02W

Land Section:

Latitude: N 36 08 04.1

Longitude: W 91 09 31.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 91.471

Elevation (Feet): 300.101

Description: DISC NE COR. HEADWALL R. C.BOX 26; RT. ROAD IS NOW COUNTY ROAD #219

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380022

Class:

Vertical Datum:

Established by:

Date Established:

System: COUNTY

Job Number: N/A

Nearest City:

County: LAWRENCE

Route: 230

Section: 6

Log Mile: 4.50

Land Section Number:

Township:

Range:

Land Section: NW

Latitude: N 35 54 37.2

Longitude: W 90 51 45.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 23.393

Elevation (Feet): 76.749

Description: "[ ]" TOP SE ABUT. BR. STATION IS ON THE CRAIGHEAD AND  
LAWRENCE COUNTY LINE.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380023

Class:

Vertical Datum:

Established by:

Date Established:

System: COUNTY

Job Number: N/A

Nearest City: BONO

County: LAWRENCE

Route: 230

Section: 6

Log Mile: 3.70

Land Section Number: 21

Township: 15N

Range: 02E

Land Section: SE

Latitude: N 35 54 37.8

Longitude: W 90 52 37.4

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 23.128

Elevation (Feet): 75.879

Description: "[ ]" TOP SE ABUT. BR.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380024

Class:

Vertical Datum:

Established by:

Date Established:

System: COUNTY Job Number: N/A Nearest City:

County: LAWRENCE Route: 230 Section: 6 Log Mile: 2.90

Land Section Number: 20 Township: 15N Range: 02E

Land Section: SE

Latitude: N 35 54 39.2 Longitude: W 90 53 27.9 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 23.422 Elevation (Feet): 76.844

Description: "[ ]" TOP SE ABUT. BR.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380025

Class:

Vertical Datum:

Established by: RE OFFICE #04

Date Established:

System: STATE

Job Number: R00102

Nearest City: HOXIE

County: LAWRENCE

Route: 63

Section: 03

Log Mile:

Land Section Number: 5

Township: 16N

Range: 01E

Land Section: NE

Latitude: N 36 03 33.0

Longitude: W 91 00 08.4

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.701

Elevation (Feet): 268.047

Description: DISK IN TOP PARAPET WALL, NORTHWEST CORNER OF BRIDGE #6539  
BRIDGE OVER VILLAGE CREEK

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380026

Class:

Vertical Datum:

Established by: RE OFFICE #04

Date Established:

System: STATE

Job Number: R00102

Nearest City: HOXIE

County: LAWRENCE

Route: 63

Section: 03

Log Mile:

Land Section Number: 9

Township: 16N

Range: 01E

Land Section: SE

Latitude: N 36 02 11.8

Longitude: W 90 59 07.7

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 89.961

Elevation (Feet): 295.147

Description: DISC IN TOP PARAPET WALL, SOUTHWEST CORNER OF BRIDGE #6540  
BRIDGE OVER HWY-67

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380027

Class:

Vertical Datum:

Established by: RE OFFICE #04

Date Established:

System: STATE

Job Number: R00102

Nearest City: WALNUT RIDGE

County: LAWRENCE

Route: 63

Section: 03

Log Mile:

Land Section Number: 11

Township: 16N

Range: 01E

Land Section: SW

Latitude: N 36 02 05.5

Longitude: W 90 56 58.9

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 78.839

Elevation (Feet): 258.658

Description: DISC IN TOP HEADWALL SOUTHWEST CORNER OF R. C. BOX CULVERT  
STATION 262+10

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380028

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #04

Date Established: 9/12/2013

System: STATE

Job Number: 100403

Nearest City: MINTURN

County: LAWRENCE

Route: 67

Section: 16

Log Mile:

Land Section Number: 4

Township: 15n

Range: 01e

Land Section: SESE

Latitude: N 35 57 35.00000

Longitude: W 90 58 46.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 87.748

Elevation (Feet): 287.887

Description: ahtd disc in sw wingwall of bridge #06776. 100403 PN 849. STA 2+43 CR 46.

Comments: Elevations are rtk derived and should not be used for control. Three wire data is available on EDMm in s100403\_re\_benches.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380029

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established: 4/12/1996

System: STATE

Job Number: R00024

Nearest City: BONO

County: LAWRENCE

Route: 349

Section: 2

Log Mile: 0.42

Land Section Number: 20

Township: 15N

Range: 02E

Land Section: SE

Latitude: N 35 54 57.2

Longitude: W 90 53 56.3

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.221

Elevation (Feet): 246.788

Description: AHTD BM DISK IN THE SE CORNER OF THE EAST HDWL. ON A QUAD. 6  
X 3 X 44.6 R.C. BOX CULVERT

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380030

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #04

Date Established: 8/7/1997

System: STATE

Job Number: R00114

Nearest City: BLACK ROCK

County: LAWRENCE

Route: 63

Section: 3

Log Mile: 12.18

Land Section Number: 13

Township: 17N

Range: 02W

Land Section: NW

Latitude: N 36 08 37.3

Longitude: W 91 09 30.3

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 96.649

Elevation (Feet): 317.089

Description: DISC IN NW CORNER OF WEST HEADWALL 41' RT. STA. 418+45.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380031

Class:

Vertical Datum:

Established by: RE OFFICE #04

Date Established: 4/24/1997

System: STATE Job Number: R00114 Nearest City:

County: LAWRENCE Route: 63 Section: 3 Log Mile: 10.70

Land Section Number: 1 Township: 17N Range: 02W

Land Section: SE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 100.562 Elevation (Feet): 329.927

Description: DISC IN SW CORNER OF WEST HEADWALL 38' RIGHT STA. 340+06.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380032

Class:

Vertical Datum:

Established by: RE OFFICE #04

Date Established: 5/8/1998

System: STATE

Job Number: R00114

Nearest City: BLACK ROCK

County: LAWRENCE

Route: 63

Section: 3

Log Mile: 11.47

Land Section Number: 11

Township: 17N

Range: 02W

Land Section: NE

Latitude: N 36 07 54.5

Longitude: W 91 09 30.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 99.099

Elevation (Feet): 325.127

Description: DISC IN SW CORNER OF WEST HEDWALL 50' RIGHT STA. 381+03.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380033

Class:

Vertical Datum:

Established by: RE OFFICE #04

Date Established: 4/24/1997

System: STATE

Job Number: R00114

Nearest City: IMBODEN

County: LAWRENCE

Route: 63

Section: 3

Log Mile: 9.72

Land Section Number: 35

Township: 18N

Range: 02W

Land Section: SW

Latitude: N 36 09 25.8

Longitude: W 91 09 42.4

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 97.395

Elevation (Feet): 319.537

Description: DISC IN SW CORNER OF WEST HEADWALL 43' RIGHT STA. 288+60.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380034

Class:

Vertical Datum:

Established by: RE OFFICE #84

Date Established: 2/8/1999

System: STATE Job Number: 100298 Nearest City:

County: LAWRENCE Route: 67 Section: 17 Log Mile:

Land Section Number: Township: 17N Range: 01E

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 80.695 Elevation (Feet): 264.747

Description: DISC IN SE HEADWALL 290+56. N/R

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380035

Class:

Vertical Datum:

Established by: RE OFFICE #84

Date Established: 2/26/1999

System: STATE Job Number: 100298 Nearest City:

County: LAWRENCE Route: 67 Section: 17 Log Mile:

Land Section Number: Township: 17N Range: 01E

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 82.622 Elevation (Feet): 271.069

Description: DISC IN SE HEADWALL 353+09, N/R

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380036

Class:

Vertical Datum:

Established by: RE OFFICE #84

Date Established: 1/13/1998

System: STATE

Job Number: 100298

Nearest City: COLLEGE CITY

County: LAWRENCE

Route: 67

Section: 17

Log Mile:

Land Section Number: 2

Township: 17N

Range: 01E

Land Section: NW

Latitude: N 36 08 32.5

Longitude: W 90 57 25.3

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 82.533

Elevation (Feet): 270.777

Description: DISC IN SE PARAPET WAL BR # 6603. BRIDGE OVER "BIG RUNNING WATER DITCH"

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380037

Class:

Vertical Datum:

Established by: RE OFFICE #84

Date Established: 9/15/1997

System: STATE Job Number: 100298 Nearest City:

County: LAWRENCE Route: 67 Section: 17 Log Mile:

Land Section Number: Township: 18N Range:

Land Section:

Latitude: N 36 10 01.0 Longitude: W 90 57 32.5 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.046 Elevation (Feet): 265.898

Description: DISC IN SE PARPAET WALL BR# 6604. STATION IS IN RANDOLPH COUNTY. BRIDGE OVER " LITTLE RUNNING WATER DITCH"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380038

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #04

Date Established: 4/27/2000

System: STATE

Job Number: R00145

Nearest City:

County: LAWRENCE

Route: 34

Section: 1

Log Mile: 0.528

Land Section Number: 35

Township: 17N

Range: 01E

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.085

Elevation (Feet): 266.026

Description: TOP, SW CORNER HEADWALL RC BOX CULVERT STATION 26+88.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380039

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #04

Date Established: 7/31/2000

System: STATE

Job Number: R00107

Nearest City: WALNUT RIDGE

County: LAWRENCE

Route: US67

Section: 17

Log Mile:

Land Section Number: 23

Township: 17N

Range: 01E

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 82.698

Elevation (Feet): 271.318

Description: AHTD DISK IN SE WING WALL OF BR. 6549 (VILLAGE CREEK BRIDGE)  
AT JOB STA 162+31 RT

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380040

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #04

Date Established: 6/30/2000

System: STATE

Job Number: R00107

Nearest City: WALNUT RIDGE

County: LAWRENCE

Route: US67

Section: 17

Log Mile:

Land Section Number: 23

Township: 17N

Range: 01E

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 83.103

Elevation (Feet): 272.647

Description: AHTD DISK IN SE WW OF BR 6550 (COON CREEK BR) AT JOB STA 223+28 RIGHT

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380041

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #05

Date Established: 1/5/2001

System: STATE

Job Number: 100378

Nearest City:

County: LAWRENCE

Route: 91

Section: 1

Log Mile: 8.692

Land Section Number: 11

Township: 15n

Range: 01e

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.769

Elevation (Feet): 255.147

Description: DISC RC BOX SE HW

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380042

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #04

Date Established: 1/28/2002

System: STATE

Job Number: R00105

Nearest City:

County: LAWRENCE

Route: 67

Section: 16

Log Mile:

Land Section Number: 16

Township: 16N

Range: 01E

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 80.471

Elevation (Feet): 264.012

Description: AHTD DISK IN SE HW RC BOX CULVERT HWY 67 STA 157+00

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380043

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #04

Date Established: 1/28/2002

System: STATE

Job Number: R00105

Nearest City:

County: LAWRENCE

Route: 67

Section: 16

Log Mile:

Land Section Number: 2

Township: 16N

Range: 01E

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 88.973

Elevation (Feet): 291.906

Description: AHTD DISK IN SE WINGWALL BR 6543A HWY 67 OVER HWY 91

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380044

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #04

Date Established: 1/28/2002

System: STATE

Job Number: R00105

Nearest City:

County: LAWRENCE

Route: 67

Section: 16

Log Mile:

Land Section Number: 11

Township: 16N

Range: 01E

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 91.622

Elevation (Feet): 300.597

Description: AHTD DISK IN SE WINGWALL BR6542A HWY 67 OVER HWY 63B

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380045

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #04

Date Established: 7/20/2001

System: STATE

Job Number: R00106

Nearest City: WALNUT RIDGE

County: LAWRENCE

Route: 67

Section: 16

Log Mile:

Land Section Number: 36

Township: 17N

Range: 01E

Land Section: NENW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 89.951

Elevation (Feet): 295.114

Description: AHTD DISK IN SE WINGWALL BENT #1 BRIDGE #6547 11.5' RT OF C/L

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380046

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #04

Date Established: 7/20/2001

System: STATE

Job Number: R00106

Nearest City: WALNUT RIDGE

County: LAWRENCE

Route: 67

Section: 16

Log Mile:

Land Section Number: 36

Township: 17N

Range:

Land Section: NENW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 88.997

Elevation (Feet): 291.984

Description: AHTD DISK IN SE WINGWALL BENT #1 BR 6545 13.5' RT OF C/L

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380047

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #04

Date Established: 7/20/2001

System: STATE

Job Number: R00106

Nearest City: WALNUT RIDGE

County: LAWRENCE

Route: 67

Section: 16

Log Mile:

Land Section Number: 25

Township: 17N

Range: 01E

Land Section: SESW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 89.518

Elevation (Feet): 293.694

Description: AHTD DISK IN NW WINGWALL BENT #6 BR 6546 12.5' LT OF C/L

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380048

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #04

Date Established: 7/20/2001

System: STATE

Job Number: R00106

Nearest City: WALNUT RIDGE

County: LAWRENCE

Route: 412

Section: 7

Log Mile:

Land Section Number: 36

Township: 17N

Range: 01E

Land Section: SENW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 88.422

Elevation (Feet): 290.098

Description: AHTD DISK IN SW WINGWALL BENT #1 BR 6544 36'RT OF C/L

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380049

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #04

Date Established: 7/20/2001

System: STATE

Job Number: R00106

Nearest City: WALNUT RIDGE

County: LAWRENCE

Route: 67

Section: 16

Log Mile:

Land Section Number: 25

Township: 17N

Range: 01E

Land Section: SWNW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 91.691

Elevation (Feet): 300.823

Description: AHTD DISK IN SE WINGWALL BENT #1 BR 6548 45'RT OF C/L

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380050

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #04

Date Established: 7/20/2001

System: STATE

Job Number: R00106

Nearest City: WALNUT RIDGE

County: LAWRENCE

Route: 412

Section: 7

Log Mile:

Land Section Number: 36

Township: 17N

Range: 01E

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.007

Elevation (Feet): 265.770

Description: AHTD DISK IN SW CORNER OF S HW OR RC BOX CULVERT 57' RT OF C/L

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380051

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #04

Date Established: 2/14/2012

System: STATE

Job Number: 100403

Nearest City: ALICIA

County: LAWRENCE

Route: 67

Section: 16

Log Mile:

Land Section Number: 21

Township: 15N

Range: 01E

Land Section: NESW

Latitude: N 35 55 12.00000

Longitude: W 90 59 37.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 83.2523

Elevation (Feet): 273.137

Description: AHTD DISC IN SE WINGWALL OF BRIDGE #A6775. 100403 PN 850. STA 139+04.

Comments: \*\*\*\*\*Elevations are RTK derived and should not be used for control.\*\*\*\*\* Three wire data is on EDM under s100403\_rebenches.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380052

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #04

Date Established: 2/14/2012

System: STATE

Job Number: 100403

Nearest City: ALICIA

County: LAWRENCE

Route: 67

Section: 16

Log Mile:

Land Section Number: 21

Township: 15n

Range: 01e

Land Section: SENW

Latitude: N 35 55 18.00000

Longitude: W 90 59 36.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 83.681

Elevation (Feet): 274.543

Description: AHTD DISC IN nw WINGWALL OF BRIDGE # B6775. 100403 PN 851. STA 140+92.

Comments: \*\*\*\*\*Elevations are RTK derived and should not be used for control.\*\*\*\*\* Three wire data is on EDM under s100403\_rebenches.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380053

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #04

Date Established: 8/27/2012

System: STATE

Job Number: 100403

Nearest City: ALICIA

County: LAWRENCE

Route: 67

Section: 5

Log Mile: 5.19

Land Section Number: 32

Township: 15N

Range: 01E

Land Section: NWNW

Latitude: N 33 53 56.00000

Longitude: W 91 00 01.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 87.695

Elevation (Feet): 287.713

Description: 3AHTD DISC IN SW WINGWALL OF BRIDGE #06774.. 100403 PN 853. STA 2+10.6.

Comments: \*\*\*\*\*Elevations are RTK derived and should not be used for control.\*\*\*\*\* Three wire data is on EDM under s100403\_rebenches.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380054

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #04

Date Established: 5/23/2012

System: STATE

Job Number: 100403

Nearest City: HOXIE

County: LAWRENCE

Route: 67

Section: 16

Log Mile:

Land Section Number: 15

Township: 16N

Range: 01E

Land Section: NWSE

Latitude: N 36 01 11.00000

Longitude: W 90 58 02.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.524

Elevation (Feet): 247.782

Description: AHTD DISC IN SE CORNER OF RC BOX HEADWALL. 100403 PN 856.STA 255+00.

Comments: \*\*\*\*\*Elevations are RTK derived and should not be used for control.\*\*\*\*\* Three wire data is on EDM under s100403\_rebenches.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380055

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #04

Date Established: 5/23/2012

System: STATE

Job Number: 100403

Nearest City: HOXIE

County: LAWRENCE

Route: 67

Section: 16

Log Mile:

Land Section Number: 16

Township: 16N

Range: 01E

Land Section: SWSE

Latitude: N 36 01 06.00000

Longitude: W 90 58 02.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.707

Elevation (Feet): 261.505

Description: AHTD DISC IN SE CORNER OF RC BOX HEADWALL. 100403 PN 857. STA 3+00 CR 63.

Comments: \*\*\*\*\*Elevations are RTK derived and should not be used for control.\*\*\*\*\* Three wire data is on EDM under s100403\_rebenches.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380056

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #04

Date Established: 9/12/2014

System: STATE

Job Number: 100403

Nearest City: HOXIE

County: LAWRENCE

Route: 67

Section: 16

Log Mile:

Land Section Number: 15

Township: 15N

Range: 01E

Land Section: SWSE

Latitude: N 36 01 07.00000

Longitude: W 90 58 03.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 88.516

Elevation (Feet): 290.406

Description: AHTD DISC IN SE WINGWALL OF BRIDGE #06777. 100403 PN 858. STA 3+54 CR 63.

Comments: \*\*\*\*\*Elevations are RTK derived and should not be used for control.\*\*\*\*\* Three wire data is on EDM under s100403\_rebenches.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380057

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #04

Date Established: 6/24/2014

System: STATE

Job Number: 100403

Nearest City: ALICIA

County: LAWRENCE

Route: 67

Section: 16

Log Mile:

Land Section Number: 29

Township: 15N

Range: 01E

Land Section: SESE

Latitude: N 35 54 23.00000

Longitude: W 90 59 55.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.099

Elevation (Feet): 259.511

Description: AHTD DISC IN SE CORNER OF RC BOX HEADWALL. 100403 PN 870. STA 123+20.

Comments: \*\*\*\*\*Elevations are RTK derived and should not be used for control.\*\*\*\*\* Three wire data is on EDM under s100403\_rebenches.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380058

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #04

Date Established: 6/24/2014

System: STATE

Job Number: 100403

Nearest City: ALICIA

County: LAWRENCE

Route: 67

Section: 16

Log Mile:

Land Section Number: 28

Township: 15N

Range: 01E

Land Section: NWSW

Latitude: N 35 54 34.00000

Longitude: W 90 59 51.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.499

Elevation (Feet): 260.823

Description: AHTD DISC IN SE CORNER OF RC BOX HEADWALL. 100403 PN 871. STA 126+80.

Comments: \*\*\*\*\*Elevations are RTK derived and should not be used for control.\*\*\*\*\* Three wire data is on EDM under s100403\_rebenches.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380059

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #04

Date Established: 6/24/2014

System: STATE

Job Number: 100403

Nearest City: MINTURN

County: LAWRENCE

Route: 67

Section: 16

Log Mile:

Land Section Number: 28

Township: 16N

Range: 01E

Land Section: SENE

Latitude: N 35 59 23.00000

Longitude: W 90 58 41.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 729.234

Elevation (Feet): 2392.495

Description: AHTD DISC IN SE CORNER OF RC BOX HEADWALL. 100403 PN 872. STA 218+90.

Comments: \*\*\*\*\*Elevations are RTK derived and should not be used for control.\*\*\*\*\* Three wire data is on EDM under s100403\_rebenches.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380060

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #04

Date Established: 6/24/2014

System: STATE

Job Number: 100403

Nearest City: MINTURN

County: LAWRENCE

Route: 67

Section: 16

Log Mile:

Land Section Number: 22

Township: 16N

Range: 01E

Land Section: NWSW

Latitude: N 36 00 15.0000

Longitude: W 90 58 38.0000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 78.562

Elevation (Feet): 257.749

Description: AHTD DISC IN SE CORNER OF RC BOX HEADWALL. 100403 PN 873. STA 234+80.

Comments: \*\*\*\*\*Elevations are RTK derived and should not be used for control.\*\*\*\*\* Three wire data is on EDM under s100403\_rebenches.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380061

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #04

Date Established: 4/17/2020

System: STATE Job Number: 100687 Nearest City: Black Rock

County: LAWRENCE Route: 63 Section: 3 Log Mile: 16.27

Land Section Number: 21 Township: 17n Range: 01w

Land Section:

Latitude: N 36 05 52.00000 Longitude: W 91 05 37.00000 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 82.91111 Elevation (Feet): 272.018

Description: AHTD disc in NE corner of wingwall 160+31

Comments: Elevation verified on EDM under job 100687 in s100687re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380062

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #04

Date Established: 4/17/2020

System: STATE

Job Number: 100687

Nearest City: Black Rock

County: LAWRENCE

Route: 63

Section: 3

Log Mile: 45.78

Land Section Number: 21

Township: 17n

Range: 01w

Land Section:

Latitude: N 36 06 10.00000

Longitude: W 91 05 54.00000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 97.4537

Elevation (Feet): 319.729

Description: SW corner of wingwall 134+38

Comments: Elevation verified on EDM under job 100687 in s100687re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380063

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #04

Date Established: 4/17/2020

System: STATE

Job Number: 100687

Nearest City: Black Rock

County: LAWRENCE

Route: 63

Section: 3

Log Mile: 15.78

Land Section Number: 21

Township: 17n

Range: 01w

Land Section:

Latitude: N 36 06 10.00000

Longitude: W 91 05 54.00000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 97.4539

Elevation (Feet): 319.730

Description: AHTD Disk in SW wingwall @ STA 134+38

Comments: Not verified

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380064

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #04

Date Established: 4/17/2020

System: STATE

Job Number: 100687

Nearest City: Black Rock

County: LAWRENCE

Route: 63

Section: 3

Log Mile: 16.27

Land Section Number: 21

Township: 17n

Range: 01w

Land Section:

Latitude: N 36 05 52.00000

Longitude: W 91 05 37.00000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 82.9111

Elevation (Feet): 272.018

Description: AHTD Disc in NE corner of wingwall @ STA 160+31

Comments: Not verified

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380065

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: B&F

Date Established: 12/2/2020

System: STATE

Job Number: CA1003

Nearest City:

County: LAWRENCE

Route: 412

Section: 7

Log Mile: 1.74

Land Section Number: 36

Township: 17n

Range: 01e

Land Section: NE

Latitude: N 36 04 13.00000

Longitude: W 90 55 41.00000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.1044

Elevation (Feet): 266.090

Description: ARDOT aluminum disk SW corner of RC box HW @ STA 94+22.40 59.73' Rt of CL

Comments: Elevation not verified

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380066

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: B&F

Date Established: 12/2/2020

System: STATE

Job Number: CA1003

Nearest City:

County: LAWRENCE

Route: 412

Section: 7

Log Mile: 3.03

Land Section Number: 31

Township: 17n

Range: 02e

Land Section: NE

Latitude: N 36 43 30.00000

Longitude: W 90 54 21.00000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.9609

Elevation (Feet): 268.900

Description: ARDOT ALUMINUM DISK SW CORNER OF RC BOX HW @ STA 162+00.87  
60.18' Rt of CL

Comments: Elevation not verified.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380067

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: B&F

Date Established: 12/2/2020

System: STATE Job Number: CA1003 Nearest City:

County: LAWRENCE Route: 412 Section: 7 Log Mile: 3.69

Land Section Number: 32 Township: 17n Range: 02e

Land Section: NE

Latitude: N 36 04 20.00000 Longitude: W 90 53 38.00000 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.1349 Elevation (Feet): 266.190

Description: ARDOT aluminum disk in SW corner of RC box HW at STA 196+88.10 59.89' Rt of CL

Comments: Elevation not verified.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380068

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: B&F

Date Established: 12/2/2020

System: STATE

Job Number: CA1003

Nearest City:

County: LAWRENCE

Route: 412

Section: 7

Log Mile: 4.56

Land Section Number: 33

Township: 17n

Range: 02e

Land Section: NW

Latitude: N 36 04 17.70000

Longitude: W 90 52 42.00000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.5951

Elevation (Feet): 267.700

Description: ARDOT aluminum disk in SW corner of RC box HW at STA 243+15.72, 61.10' Rt of CL

Comments: Elevation not verified.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380069

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: B&F

Date Established: 12/2/2020

System: STATE Job Number: 412 Nearest City:

County: LAWRENCE Route: 412 Section: 7 Log Mile: 6.37

Land Section Number: 35 Township: 17n Range: 02e

Land Section: NW

Latitude: N 36 04 11.00000 Longitude: W 90 50 46.00000 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.4249 Elevation (Feet): 260.580

Description: ARDOT aluminum disk SW corner of RC box HW STA 338+72.65, 61.09' Rt of CL

Comments: Elevation not verified.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 380070

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: B&F

Date Established: 12/2/2020

System: STATE Job Number: CA1003 Nearest City:

County: LAWRENCE Route: 412 Section: 7 Log Mile: 7.41

Land Section Number: 36 Township: 17n Range: 02e

Land Section: NW

Latitude: N 36 04 08.00000 Longitude: W 90 49 39.00000 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 78.7117 Elevation (Feet): 258.240

Description: ARDOT aluminum disk SW corner of RC box HW STA 393+23.72, 60.55' Rt of CL

Comments: Elevation not verified.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 390001

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #11

Date Established:

System: STATE

Job Number: 110045

Nearest City: LA GRANGE

County: LEE

Route: 1

Section: 9

Log Mile: 0.08

Land Section Number: 35

Township: 01N

Range: 03E

Land Section: SW

Latitude: N 34 34 38.6

Longitude: W 90 46 04.7

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 62.655

Elevation (Feet): 205.561

Description: AHTD DISK SET IN TOP SOUTHEAST WINGWALL SOUTH END OF  
BRIDGE NO. 6069 OVER CYPRESS CREEK. RECOVERED 6 OCT 1998

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 390002

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #11

Date Established:

System: STATE

Job Number: 110045

Nearest City: SCOTT VALLEY

County: LEE

Route: SH 1

Section: 9

Log Mile: 2.89

Land Section Number: 23

Township: 01N

Range: 03E

Land Section: NW

Latitude: N 34 41 03.5

Longitude: W 90 46 03.2

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.456

Elevation (Feet): 214.750

Description: AHTD DISK SET TOP OF EAST HEADWALL DOUBLE 10' X 8' R.C. BOX  
CULVERT RIGHT STATION 152+65. RECOVERED 6 OCT 98

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 390003

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #11

Date Established: 10/16/1991

System: STATE

Job Number: 110175

Nearest City: MARIANNA

County: LEE

Route: 44

Section: 5

Log Mile:

Land Section Number: 23

Township: 02N

Range: 03E

Land Section: SW

Latitude: N 34 46 02.0

Longitude: W 90 46 02.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.723

Elevation (Feet): 228.750

Description: METAL DISC IN TOP OF DROP INLET 104' FEET EAST OF CENTERLINE OF  
HIGHWAY 1-B AND 17 FEET SOUTH OF CENTERLINE HIGHWAY 44.  
RECOVERED 6 OCT. 98

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 390004

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #11

Date Established: 10/16/1991

System: STATE

Job Number: 110175

Nearest City: MARIANNA

County: LEE

Route: 44

Section: 5

Log Mile:

Land Section Number: 23

Township: 02N

Range: 03E

Land Section: NE

Latitude: N 34 46 03.0

Longitude: W 90 44 55.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.207

Elevation (Feet): 243.461

Description: METAL DISC IN TOP OF DROP INLET 5333 FEET EAST OF CENTERLINE  
OF HWY. 1-B AND 20 FEET SOUTH OF CENTERLINE OF HIGHWAY 44.  
RECOVERED 6 OCT. 98

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 390005

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City: MARIANNA

County: LEE Route: 79 Section: 16 Log Mile: 9.32

Land Section Number: 24 Township: 03N Range: 04E

Land Section:

Latitude: N 34 50 36.0 Longitude: W 90 38 21.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 63.167 Elevation (Feet): 207.240

Description: 24 FEET LEFT OF CENTERLINE OF WINGWALL NORTHWEST END BR.  
#5951 OVER COW BAYOU. RECOVERED 6 OCT 98

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 390006

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #11

Date Established:

System: STATE

Job Number: 110075

Nearest City: MARIANNA

County: LEE

Route: 79

Section: 16

Log Mile: 11.52

Land Section Number: 19

Township: 03N

Range: 05E

Land Section:

Latitude: N 34 51 28.0

Longitude: W 90 36 23.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 61.381

Elevation (Feet): 201.381

Description: AHTD DISK SET IN TOP OF SOUTH WINGWALL WEST END OF BRIDGE  
NO. 2534 WEST OVER ALLIGATOR BAYOU RIGHT STATION 608+25.47.  
RECOVERED 6 OCT 98

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 390007

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #11

Date Established:

System: STATE

Job Number: 110050

Nearest City: AUBREY

County: LEE

Route: 121

Section: 3

Log Mile: 4.77

Land Section Number: 9

Township: 01N

Range: 02E

Land Section:

Latitude: N 34 42 23.0

Longitude: W 90 54 00.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 57.208

Elevation (Feet): 187.690

Description: DISK SET IN TOP OF WEST HEADWALL OF DOUBLE 9' X 9' X 58' R.C. BOX  
CULVERT 45 DEGREES LEFT FORWARD SKEW. RECOVERED 6 OCT 98

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 390008

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #11

Date Established: 1/1/1986

System: STATE

Job Number: 110040

Nearest City: MORO

County: LEE

Route: SH 259

Section: 1

Log Mile: 0.70\*\*

Land Section Number: 27

Township: 03N

Range: 01E

Land Section:

Latitude: N 34 50 49.0

Longitude: W 90 59 48.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 58.159

Elevation (Feet): 190.810

Description: AHTD DISK SET IN TOP OF EAST HEADWALL TRIPLE 10' X 7' R. C. BOX  
CULVERT RIGHT STATION 18+65. \*\*NOTE: LOG MILE ON MAP IS 0.66.  
R. C. BOX CULVERT CONSTRUCTED 200' NORTH (1986).\*\*  
RECOVERED 6 OCT 98

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 390009

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #11

Date Established: 7/25/1995

System: COUNTY

Job Number: FA3909

Nearest City: MONROE

County: LEE

Route: CR 907

Section:

Log Mile:

Land Section Number: 24

Township: 02N

Range: 01W

Land Section: SW

Latitude: N 34 46 10.5

Longitude: W 91 03 58.5

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 55.358

Elevation (Feet): 181.620

Description: DISK PLACED IN THE TOP SOUTHEAST CORNER EAST HEADWALL  
RIGHT RECOVERED 6 OCT 98 STATION IS 0.45 MILES NORTH ON LEE  
COUNTY ROAD #907 FROM THE JUNCTION WITH HIGHWAY 79.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 390010

Class:

Vertical Datum:

Established by:

Date Established:

System: COUNTY

Job Number: N/A

Nearest City:

County: LEE

Route: CR 17

Section: ZONE F

Log Mile: 5.00

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 59.948

Elevation (Feet): 196.679

Description: TOP LEFT WINGWALL BRIDGE. NOT RECOVERED 6 OCT 98

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 390011

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #11

Date Established:

System: COUNTY

Job Number: BR-39-2

Nearest City: AUBREY

County: LEE

Route: CR 119

Section: ZONE I

Log Mile: 1.81

Land Section Number: 36

Township: 02N

Range: 01E

Land Section:

Latitude: N 34 43 54.0

Longitude: W 90 57 34.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 56.08

Elevation (Feet): 183.989

Description: AHTD DISK SET IN TOP OF SOUTHEAST WNGWALL OF BRIDGE NO. 4549  
ON FAS 2532. RECOVERED 6 OCT 98 STATION IS LOCATED ON LEE  
COUNTY ROAD #119

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 390012

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established: 11/14/1990

System: COUNTY

Job Number: F-39-6

Nearest City: GILL

County: LEE

Route: CR 803

Section:

Log Mile:

Land Section Number: 11

Township: 03N

Range: 02E

Land Section:

Latitude: N 34 53 06.0

Longitude: W 90 51 48.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 58.339

Elevation (Feet): 191.401

Description: AHTD METAL DISC-SOUTHEAST CORNER OF EAST HEADWALL BOX  
CULVERT STATION 171+92 ON FAS 1351. RECOVERED 6 OCT 98  
STATION LOCATED ON LEE COUNTY ROAD #803

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 390013

Class:

Vertical Datum:

Established by: RE OFFICE #13

Date Established: 11/19/1992

System: COUNTY Job Number: S-39-14 Nearest City:

County: LEE Route: CR 36 Section: Log Mile: 5.0

Land Section Number: 5 Township: 03N Range: 02E

Land Section: SE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 62.17 Elevation (Feet): 203.969

Description: AHTD DISC SET IN CONCRETE 32' RT. STATION 143+80. NOT  
RECOVERED 6 OCT 98

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 390014

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established: 2/14/2004

System: STATE

Job Number: R10070

Nearest City:

County: LEE

Route: 1

Section: 9

Log Mile: 8.85

Land Section Number: 22

Township: 02n

Range: 03e

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 66.2118

Elevation (Feet): 217.230

Description: AHTD DISK SET IN SE CORNER RC BOX HW

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 390015

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established: 2/14/2004

System: STATE

Job Number: R10070

Nearest City:

County: LEE

Route: 1

Section: 10

Log Mile: 0.35

Land Section Number: 15

Township: 02N

Range: 03E

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 62.0025

Elevation (Feet): 203.420

Description: AHTD DISK SET IN NW HW CORNER

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 390016

Class:

Vertical Datum: NAVD88

Established by: RE OFFICE #11

Date Established: 4/4/2005

System: STATE

Job Number: 110387

Nearest City:

County: LEE

Route: 79

Section: 15

Log Mile: 4.03

Land Section Number: 18

Township: 02N

Range: 01E

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 58.314

Elevation (Feet): 191.319

Description: AHTD DISK SET IN THR SOUTHWEST WINGWALL BRIDGE NO. 06978

Comments: R.E. JOHN MCMICKLE

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 390017

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #13

Date Established: 2/5/2009

System: STATE

Job Number: S10105

Nearest City: MARIANNA

County: LEE

Route: 1

Section: 9

Log Mile: 2.12

Land Section Number: 22

Township: 01N

Range: 03E

Land Section: SE

Latitude: N 34 40 23.8

Longitude: W 90 46 04.2

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 64.53848

Elevation (Feet): 211.740

Description: AHTD DISK IN HEADWALL OF BOX CULVERT 61' LT. STA. 27+91

Comments: BENCHMARK WAS ENTERED BUT COULD NOT BE VERIFIED DUE TO NO INFORMATION ON THE CONTROL PN 920 THAT WAS USED DURING THE 3WR LEVEL RUN. THE 3WR LEVEL FILE CAN BE FOUND ON THE EDM UNDER ss10105\_RE\_BENCHES.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 390018

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #13

Date Established: 2/22/2011

System: STATE

Job Number: 110229

Nearest City: MARIANNA

County: LEE

Route: 1

Section: 10

Log Mile: 6.09

Land Section Number: 21

Township: 03N

Range: 03E

Land Section: SW

Latitude: N 34 51 24.40000

Longitude: W 90 47 40.20000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 73.6734

Elevation (Feet): 241.710

Description: AHTD DISK ATOP NE WINGWALL @ STA. 238+47, 20.5' RT.

Comments: Elevation not verified due to no three wire level data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 390019

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #13

Date Established: 10/22/2008

System: STATE

Job Number: 110229

Nearest City: MARIANNA

County: LEE

Route: 1

Section: 10

Log Mile: 4.69

Land Section Number: 28

Township: 03N

Range: 03E

Land Section: SW

Latitude: N 34 50 14.07000

Longitude: W 90 47 47.30000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 66.0564

Elevation (Feet): 216.720

Description: AHTD DISC ATOP OF WINGWALL @ STA. 162+72, 39' RT.

Comments: Elevation not verified due to no three wire level data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 390020

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #13

Date Established: 10/22/2008

System: STATE

Job Number: 110229

Nearest City: MARIANNA

County: LEE

Route: 1

Section: 10

Log Mile: 4.79

Land Section Number: 29

Township: 03N

Range: 03E

Land Section: SW

Latitude: N 34 50 20.12000

Longitude: W 90 47 45.99000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.9893

Elevation (Feet): 216.500

Description: AHTD DISK ATOP NE WINGWALL @ STA. 168+24, 39' RT.

Comments: Elevation not verified due to no three wire level data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 390021

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #13

Date Established: 5/20/2008

System: STATE Job Number: 110229 Nearest City: MARIANNA

County: LEE Route: 1 Section: 10 Log Mile: 6.07

Land Section Number: 21 Township: 03N Range: 03E

Land Section: SW

Latitude: N 34 51 46.0000 Longitude: W 90 47 39.81000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.2769 Elevation (Feet): 243.690

Description: AHTD DISK ATOP SE WINGWALL @ STA. 235+57, 20.5' RT.

Comments: Elevation not verified due to no three wire level data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 390022

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #13

Date Established: 2/22/2011

System: STATE

Job Number: 110229

Nearest City: MARIANNA

County: LEE

Route: 1

Section: 10

Log Mile: 6.02

Land Section Number: 21

Township: 03N

Range: 03E

Land Section: SW

Latitude: N 34 51 21.71000

Longitude: W 90 47 42.72000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 73.46

Elevation (Feet): 241.010

Description: AHTD DISC ATOP SE WINGWALL @ STA. 232+89, 20.5' RT.

Comments: Elevation not verified due to no three wire level data.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 390023

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #13

Date Established: 6/24/2009

System: STATE Job Number: 110489 Nearest City: Marianna

County: LEE Route: 1 Section: 10 Log Mile: 3.86

Land Section Number: 33 Township: 03n Range: 03e

Land Section: SW

Latitude: N 34 50 07.00000 Longitude: W 90 47 47.00000 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 58.3998 Elevation (Feet): 191.600

Description: BM 961 - AHTD aluminum disc in R.C. Box Headwall, 83' Rt. @ STA. 120+73.

Comments: Elevation not verified due to lack of three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 390024

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #13

Date Established: 4/18/2011

System: STATE

Job Number: 110228

Nearest City: Marianna

County: LEE

Route: 1

Section: 9

Log Mile: 6.86

Land Section Number: 34

Township: 02n

Range: 03w

Land Section: NE

Latitude: N 34 44 31.41000

Longitude: W 90 46 03.35000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 67.1902

Elevation (Feet): 220.440

Description: AHTD disk in South West corner of headwall at Sta 138+05, 61' LT.

Comments: Bench mark elevation was established by three wire levels from PN:919 in job 110228 which was established by three wire from NGS mon Z 171 Reset. Elevation verified. Three wire data available on EDM under job 110228 in s110228re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 390025

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #11

Date Established: 10/5/2015

System: STATE

Job Number: BR3904

Nearest City: Moro

County: LEE

Route: County Road 4

Section:

Log Mile:

Land Section Number: 6

Township: 02n

Range: 01e

Land Section: NE

Latitude: N 34 49 00.31000

Longitude: W 91 02 30.44000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 58.2352

Elevation (Feet): 191.060

Description: Disk in Southwestside of Bridge 04921 Parapet wall

Comments: Elevation verified. Three wire data available on EDM under job BR3904 in sbr3904re\_bench.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 390026

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #13

Date Established: 9/13/2017

System: STATE

Job Number: 110502

Nearest City: Marianna

County: LEE

Route: 1

Section: 9

Log Mile: 1.02

Land Section Number: 26

Township: 01n

Range: 03e

Land Section: SW

Latitude: N 34 39 26.40000

Longitude: W 90 46 03.00000

Type: GPS (Observed)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 61.50876302

Elevation (Feet): 201.800

Description: AHTD ALUM. DISK IN SE CORN. OF RCBC HW, 68' RT. @ STA. 129+55 (HWY. 1).

Comments: Three wire data available on EDM under job 110502 in s110502\_re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 390027

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #11

Date Established: 5/4/2017

System: STATE Job Number: 110570 Nearest City: Brickeys

County: LEE Route: 131 Section: 1 Log Mile: 1.92

Land Section Number: 32 Township: 03n Range: 05e

Land Section: SW

Latitude: N 34 49 56.52000 Longitude: W 90 36 10.08000 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 61.3106 Elevation (Feet): 201.150

Description: Disk in Northeast Side of Bridge

Comments: Three wire data available on EDM under job 110570 in s110570\_re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 390028

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #13

Date Established: 9/13/2017

System: STATE

Job Number: 110502

Nearest City: Marianna

County: LEE

Route: 1

Section: 9

Log Mile: 2.73

Land Section Number: 22

Township: 01n

Range: 03e

Land Section: NE

Latitude: N 34 50 55.80000

Longitude: W 90 46 03.10000

Type: GPS (Observed)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.92532385

Elevation (Feet): 216.290

Description: AHTD ALUM. DISK IN NW CORN. OF RCBC HW, 63' RT. @ STA. 219+91 (HWY. 1).

Comments: Three wire data available on EDM under job 110502 in s110502\_re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 390029

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #13

Date Established: 8/16/2017

System: STATE

Job Number: 110502

Nearest City: Marianna

County: LEE

Route: 1

Section: 9

Log Mile: 2.89

Land Section Number: 23

Township: 01n

Range: 03e

Land Section: NW

Latitude: N 34 41 04.20000

Longitude: W 90 46 03.10000

Type: GPS (Observed)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.22123444

Elevation (Feet): 213.980

Description: AHTD ALUM. DISK IN SE CORN. OF RCBC HW, 61' RT. @ STA. 228+47 (HWY.1).

Comments: Three wire data available on EDM under job 110502 in s110502\_re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 390030

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #13

Date Established: 2/25/2016

System: STATE Job Number: 110502 Nearest City: Marianna

County: LEE Route: 1 Section: 9 Log Mile: 4.02

Land Section Number: 11 Township: 01n Range: 03e

Land Section: SW

Latitude: N 34 42 03.30000 Longitude: W 90 46 03.10000 Type: GPS (Observed)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.3848 Elevation (Feet): 227.640

Description: AHTD ALUM. DISK IN SE CORN. OF RCBC HW, 57' RT. @ STA. 228+25 (HWY.1).

Comments: Three wire data available on EDM under job 110502 in s110502\_re\_benches.zip



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 390031

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #13

Date Established: 2/25/2016

System: STATE

Job Number: 110502

Nearest City: Marianna

County: LEE

Route: 1

Section: 9

Log Mile: 5.09

Land Section Number: 2

Township: 01n

Range: 03e

Land Section: SW

Latitude: N 34 43 04.4000

Longitude: W 90 46 00.3400

Type: GPS (Observed)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.17729235

Elevation (Feet): 230.240

Description: AHTD ALUM. DISK IN SE CORN. OF RCBC HW, 61' RT. @ STA. 349+91 (HWY.1).

Comments: Three wire data available on EDM under job 110502 in s110502\_re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 390032

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #13

Date Established: 8/25/2017

System: STATE

Job Number: 110502

Nearest City: Marianna

County: LEE

Route: 1

Section: 9

Log Mile: 1.72

Land Section Number: 26

Township: 01N

Range: 03E

Land Section: NW

Latitude: N 34 40 02.80000

Longitude: W 90 46 04.40000

Type: GPS (Observed)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 62.23418847

Elevation (Feet): 204.180

Description: AHTD ALUM. DISK IN SE CORN. OF RCBC HW, 60' RT. @ STA. 166+53  
(HWY. 1).

Comments: Three wire data available on EDM under job 110502 in s110502\_re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 390033

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #11

Date Established: 12/6/2018

System: STATE

Job Number: 110621

Nearest City: Moro

County: LEE

Route: 238

Section: 2

Log Mile: 8.68

Land Section Number: 15

Township: 12n

Range: 01e

Land Section: NE

Latitude: N 34 46 58.85000

Longitude: W 90 59 17.84000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 56.6318

Elevation (Feet): 185.799

Description: Disk in Eat headwall of RCBC

Comments: Elevation not verified

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 390034

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #11

Date Established: 12/6/2018

System: STATE

Job Number: 110621

Nearest City: Moro

County: LEE

Route: 238

Section: 2

Log Mile: 8.68

Land Section Number: 15

Township: 02n

Range: 01e

Land Section: NE

Latitude: N 34 46 58.85000

Longitude: W 90 59 17.84000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 56.6318

Elevation (Feet): 185.799

Description: Disk in E headwal of RCBC

Comments: Elevation not verified.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 390035

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #11

Date Established: 12/6/2018

System: STATE

Job Number: 110621

Nearest City: Moro

County: LEE

Route: 218

Section: 2

Log Mile: 8.68

Land Section Number: 15

Township: 02n

Range: 01e

Land Section: NE

Latitude: N 34 46 59.00000

Longitude: W 90 59 18.00000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 56.632

Elevation (Feet): 185.800

Description: Disk in East HW of RCBC

Comments: Elevation not verified

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400001

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City: TYRO

County: LINCOLN Route: 54 Section: 3 Log Mile: 13.86

Land Section Number: 20 Township: 10S Range: 06W

Land Section:

Latitude: N 33 49 28.5 Longitude: W 91 44 08.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 61.167 Elevation (Feet): 200.679

Description: METAL BENCH MARK CAP SET IN SOUTHEAST WINGWALL OF BRIDGE  
NO. 6027. 10-20-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400002

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #24

Date Established: 7/10/1990

System: STATE

Job Number: 20049

Nearest City: GOULD

County: LINCOLN

Route: 83

Section: 4

Log Mile: 3.47

Land Section Number: 10

Township: 09S

Range: 05W

Land Section: NE

Latitude: N 33 56 27.9

Longitude: W 91 35 10.7

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 53.398

Elevation (Feet): 175.190

Description: AHTD DISK TOP OF WING SOUTHEAST CORNER 16' RIGHT (STATION 183+10). BRIDGE OVER "KERCH CANAL" 10-20-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400003

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #21

Date Established: 7/20/1990

System: STATE

Job Number: 20101

Nearest City: STAR CITY

County: LINCOLN

Route: 293

Section:

Log Mile: 0.8\*\*

Land Section Number: 16

Township: 09S

Range: 07W

Land Section: SE

Latitude: N 33 55 30.0

Longitude: W 91 49 43.6

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.11

Elevation (Feet): 266.108

Description: AHTD DISK IN TOP OF HEADWALL SOUTHWEST CORNER OF R. C. BOX  
CULVERT AT STA. 65+70. \*\*0.8 MILES EAST OF INTERSECTION U. S.  
425.\*\* 10-20-99 CREW S5102

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400004

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #21

Date Established: 7/20/1990

System: STATE

Job Number: 20101

Nearest City: STAR CITY

County: LINCOLN

Route: 293

Section: 0

Log Mile: 2.3\*\*

Land Section Number: 23

Township: 09S

Range: 07W

Land Section: NW

Latitude: N 33 55 10.8

Longitude: W 91 48 07.6

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 62.81

Elevation (Feet): 206.069

Description: AHTD DISK IN TOP OF HEADWALL SOUTHWEST CORNER R. C. BOX  
CULVERT AT STATION 147+40. \*\*2.3 MILES EAST OF INTERSECTION U.  
S. 425.\*\*

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400005

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #21

Date Established: 3/11/1992

System: STATE

Job Number: 20098

Nearest City: STAR CITY

County: LINCOLN

Route: 293

Section: 0

Log Mile: 3.2

Land Section Number: 23

Township: 09S

Range: 07W

Land Section: NW

Latitude: N 33 55 10.2

Longitude: W 91 47 48.8

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.822

Elevation (Feet): 215.951

Description: AHTD DISK IN TOP OF HEADWALL SOUTHEAST CORNER OF R. C. BOX  
CULVERT 26' RIGHT OF STATION 167+30. 10-20-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400006

Class:

Vertical Datum:

Established by: RE OFFICE #21

Date Established: 3/7/1995

System: COUNTY

Job Number: BR4006

Nearest City: CORNERVILLE

County: LINCOLN

Route: 26

Section: 1

Log Mile: 2.2

Land Section Number: 23

Township: 10S

Range: 08W

Land Section: SW

Latitude: N 33 49 28.2

Longitude: W 91 54 06.1

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 59.93

Elevation (Feet): 196.620

Description: A STANDARD AHTD DISK 16' RIGHT OF CENTERLINE STATION 64+22  
LOCATED IN SOUTHWEST BRIDGE ABUTMENT BRIDGE NO. 4737.  
"BRIDGE OVER TEN MILE CREEK" 10-20-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400007

Class:

Vertical Datum:

Established by: RE OFFICE #21

Date Established: 11/6/1990

System: COUNTY

Job Number: BR-40-2

Nearest City: TARRY

County: LINCOLN

Route: CR 70

Section:

Log Mile:

Land Section Number: 35

Township: 07S

Range: 08W

Land Section: SW

Latitude: N 34 04 15.1

Longitude: W 91 52 51.9

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 60.235

Elevation (Feet): 197.621

Description: AHTD DISK IN TOP OF WING SOUTHWEST CORNER OF BR. # 4638 15 FEET RIGHT OF STATION 10+30. 2. 5 MILES WEST OF 425 INTERSECTION ON COUNTY ROAD. 70. 10-20-99 BRIDGE OVER "BAYOU BARTHOLOMEW."

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400008

Class:

Vertical Datum:

Established by: RE OFFICE #21

Date Established:

System: COUNTY Job Number: BR-40-3 Nearest City:

County: LINCOLN Route: FAS 2415 Section: Log Mile: 9.66

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 55.279 Elevation (Feet): 181.361

Description: AHTD DISK I TOP OF HEADWALL NORTHEAST CORNER OF DOUBLE 8' X 5' X 51 R. C. BOX CULVERT AT STATION 31+65. N/R

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400009

Class:

Vertical Datum:

Established by: RE OFFICE #23

Date Established: 9/25/1990

System: COUNTY

Job Number: S-40-22

Nearest City: GRADY

County: LINCOLN

Route: 35

Section: 00/E

Log Mile: 0.76

Land Section Number: 15

Township: 08S

Range: 06W

Land Section: NE

Latitude: N 34 01 57.6

Longitude: W 91 41 01.1

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 53.471

Elevation (Feet): 175.429

Description: DISC IN TOP OF SOUTHEAST WINGWALL QUIN. R. C. BOX CULVERT. 10-20-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400010

Class:

Vertical Datum:

Established by:

Date Established:

System: COUNTY

Job Number: N/A

Nearest City:

County: LINCOLN

Route: FAS 2415

Section:

Log Mile: 0.72

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 60.049

Elevation (Feet): 197.011

Description: DISK SET TOP CONCRETE EAST WING SOUTH BRIDGE END MILLCREEK  
# 4346 (1978). N/R

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400011

Class:

Vertical Datum:

Established by:

Date Established:

System: COUNTY

Job Number: N/A

Nearest City: CORNERVILLE

County: LINCOLN

Route: FAS 2415

Section:

Log Mile: 1.62

Land Section Number:

Township: 10S

Range: 08W

Land Section:

Latitude: N 33 52 00.7

Longitude: W 91 56 23.8

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 61.737

Elevation (Feet): 202.549

Description: DISK SET TOP CONCRETE EAST WING SOUTH BRIDGE END, CLEAR CREEK # 4347. 1.6 MILES NORTH CORNERVILLE AT JCT. HWY. 11. 10-20-99

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400012

Class:

Vertical Datum:

Established by:

Date Established:

System: COUNTY

Job Number: N/A

Nearest City: GRIFFITH SPRING

County: LINCOLN

Route: FAS 1628

Section:

Log Mile:

Land Section Number: 29

Township: 08S

Range: 08W

Land Section:

Latitude: N 33 59 59.0

Longitude: W 91 55 25.2

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.52

Elevation (Feet): 214.960

Description: TOP OF SOUTHWEST WINGWALL OF BRIDGE OVER TURTLE CREEK  
(METAL DISC) CR. # 12 6 MILES NORTHWEST OF STAR CITY. 10-20-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400013

Class:

Vertical Datum:

Established by: RE OFFICE #21

Date Established: 9/19/1989

System: COUNTY

Job Number: F-40-12

Nearest City:

County: LINCOLN

Route: AS RT. 257

Section:

Log Mile:

Land Section Number: 19

Township: 09S

Range: 07W

Land Section: SE

Latitude: N 33 54 51.9

Longitude: W 91 51 43.5

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 96.866

Elevation (Feet): 317.801

Description: STANDARD DISK IN TOP OF RIGHT HEADWALL OF QUINN. 6' x 3' x 43' R.  
C. BOX CULVERT AT STATION 50+06. 10-20-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400014

Class:

Vertical Datum:

Established by:

Date Established:

System: COUNTY

Job Number: N/A

Nearest City:

County: LINCOLN

Route: CR 3

Section:

Log Mile: 0.8\*

Land Section Number: 21

Township: 10S

Range: 08W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 58.863

Elevation (Feet): 193.120

Description: NAIL IN END OF 10" X 10" X 19'-TIMBER CAP AT NORTHEAST CORNER OF TIMBER BRIDGE OVER FORK OF HUDGIN CREEK APPROX. 0.8 MILES SOUTH OF JCT. OF CR 3 & S. H. 11 AT CORNERVILLE . \*0.8 MILES FROM JCT. 11\* N/R

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400015

Class:

Vertical Datum:

Established by:

Date Established:

System: COUNTY

Job Number: N/A

Nearest City:

County: LINCOLN

Route: CR 3

Section:

Log Mile: 2.3\*

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 59.466

Elevation (Feet): 195.098

Description: NAIL IN END OF TIMBER CAP AT NORTHEAST CORNER OF BRIDGE  
OCER MELTON BRANCH FORK OF TEN MILE CREEK. APPR. 2.3 MILES  
SOUTH OF JCT. C. R. 3 & S. H. 11 AT CORNERVILLE . \*2.3 MILE FROM  
JCT. 11.\* N/R

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400016

Class:

Vertical Datum:

Established by: RE OFFICE #21

Date Established: 7/19/1990

System: CITY

Job Number: IAR-202

Nearest City: STAR CITY

County: LINCOLN

Route: ALLAS AV

Section:

Log Mile:

Land Section Number: 8

Township: 09S

Range: 07W

Land Section: NW

Latitude: N 33 56 43.4

Longitude: W 91 50 50.6

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 57.76

Elevation (Feet): 189.501

Description: AHTD DISK IN TOP OF HEADWALL SOUTHEAST CORNER OF R. C. BOX  
CULVERT AT STATION 11+57 LOCATED 0.23 MILES WEST OF  
INTERSECTION U. S. 425 AND DALLAS. 10-20-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400017

Class:

Vertical Datum:

Established by: RE OFFICE #21

Date Established: 10/2/1990

System: CITY

Job Number: 20074

Nearest City: STAR CITY

County: LINCOLN

Route: ROOSEVELT

Section:

Log Mile:

Land Section Number: 16

Township: 06S

Range: 07W

Land Section: NW

Latitude: N 33 56 05.9

Longitude: W 91 50 04.2

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.011

Elevation (Feet): 246.099

Description: AHTD DISK IN TOP OF HEADWALL SOUTHEAST CORNER OF R. C. BOX  
CULVERT 30' RT. STATION 14+02. 0.50 MI EAST OF HWY 425 10-20-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400018

Class:

Vertical Datum:

Established by:

RE OFFICE #21

Date Established: 9/16/1997

System: COUNTY

Job Number:

FA4014

Nearest City:

GRIFFITH SPRING

County:

LINCOLN

Route:

CR 12

Section:

Log Mile:

Land Section Number:

8

Township:

08S

Range:

08W

Land Section:

NW

Latitude: N 34 02 56.6

Longitude: W 91 55 53.3

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

61.014

Elevation (Feet):

200.177

Description:

S.E. CORNER OF HDWL. ON R.C . BOX CULVERT AT STA. 555+78.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400019

Class:

Vertical Datum:

Established by: RE OFFICE #21

Date Established: 9/16/1997

System: COUNTY

Job Number: FA4014

Nearest City: TARRY

County: LINCOLN

Route: CR 12

Section:

Log Mile:

Land Section Number: 31

Township: 07S

Range: 08W

Land Section: SE

Latitude: N 34 04 08.1

Longitude: W 91 56 15.6

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 58.82

Elevation (Feet): 192.979

Description: S. E. CORNER OF HEADWALL OF R. C. BOX CULVERT AT STA. 632+95. 10-20-99

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400020

Class:

Vertical Datum:

Established by: RE OFFICE #21

Date Established: 9/16/1997

System: COUNTY

Job Number: FA4014

Nearest City: GRIFFITH SPRING

County: LINCOLN

Route: CR 12

Section:

Log Mile:

Land Section Number: 8

Township: 08S

Range: 08W

Land Section: SW

Latitude: N 34 02 05.8

Longitude: W 91 55 35.7

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 59.579

Elevation (Feet): 195.469

Description: S.E. CORNER OF HEADWALL ON R.C. BOX CULVERT AT STA. 501+21.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400021

Class:

Vertical Datum:

Established by: RE OFFICE #21

Date Established: 10/28/1998

System: STATE Job Number: 020112 Nearest City: YORK TOWN

County: LINCOLN Route: 425 Section: 6 Log Mile: 5.84

Land Section Number: 21 Township: 08s Range: 07w

Land Section: NW

Latitude: N 34 01 12.1 Longitude: W 91 48 53.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 59.086 Elevation (Feet): 193.851

Description: AHTD DISK IN TOP OF END POST ABOVE THE NAMEPLATE AT BENT 1  
RIGHT BRIDGE NUMBER B6681 10-20-99 BRIDGE OVER "BAYOU  
BARTHOLOMEW"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400022

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #21

Date Established: 10/28/1998

System: STATE

Job Number: 020112

Nearest City: STAR CITY

County: LINCOLN

Route: 425

Section: 6

Log Mile: 0.86

Land Section Number: 5

Township: 09S

Range: 07W

Land Section:

Latitude: N 33 57 17.6

Longitude: W 91 50 35.8

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.433

Elevation (Feet): 237.641

Description: AHTD DISK IN THE TOP OF THE TRANSITIONAL RAIL ABOVE THE  
NAMEPLATE OF BENT 1 RIGHT OF BRIDGE # 00832

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400023

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #21

Date Established: 11/3/2000

System: STATE

Job Number: 020273

Nearest City: STAR CITY

County: LINCOLN

Route: 11

Section: 2

Log Mile: 5.42

Land Section Number: 11

Township: 10S

Range: 08W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.79

Elevation (Feet): 228.969

Description: AHTD DISK IN RT END POST AT BR 6781

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400024

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #21

Date Established: 11/3/2000

System: STATE

Job Number: 020273

Nearest City: GRADY

County: LINCOLN

Route: 11

Section: 3

Log Mile: 14.86

Land Section Number: 4

Township: 08s

Range: 06w

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 56.758

Elevation (Feet): 186.214

Description: AHTD DISK IN RT END POST OF BR 6783

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400025

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #21

Date Established: 9/6/2002

System: STATE

Job Number: R20125

Nearest City:

County: LINCOLN

Route: 425

Section: 5

Log Mile: 7.4

Land Section Number: 26

Township: 10S

Range: 07W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 102.334

Elevation (Feet): 335.741

Description: AHTD DISC IN HW OF RC BOX NW CORNER 42' LT OF C/L 537+87

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400026

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #21

Date Established: 9/6/2002

System: STATE Job Number: R20125 Nearest City:

County: LINCOLN Route: 425 Section: 5 Log Mile: 2.15

Land Section Number: 14 Township: 10S Range: 07W

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.015

Elevation (Feet): 242.831

Description: AHTD DISC IN HW OF RC BOX CULVERT SW CORNER 56' LT OF C/L STA 353+13

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400027

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #21

Date Established: 9/6/2002

System: STATE

Job Number: R20125

Nearest City:

County: LINCOLN

Route: 425

Section: 5

Log Mile: 5

Land Section Number: 5

Township: 10S

Range: 07W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 100.151

Elevation (Feet): 328.579

Description: AHTD DISC IN HW OF RC BOX CULVERT NW CORNER 56' RT OF C/L STA 409+16

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400028

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #21

Date Established: 2/12/2003

System: COUNTY Job Number: BR4009 Nearest City:

County: LINCOLN Route: CR87 Section: Log Mile:

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 57.897 Elevation (Feet): 189.950

Description: BR 04828 ABUTMENT BENT 1 SE CORNER OF BRIDGE

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400029

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #21

Date Established: 6/2/2003

System: STATE Job Number: 020274 Nearest City:

County: LINCOLN Route: 114 Section: 1 Log Mile: 5.03

Land Section Number: 4 Township: 19s Range: 08w

Land Section: SE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 82.043 Elevation (Feet): 269.169

Description: AHTD DISK IN THE CENTER OF THE SOUTH HW 37' RT OF STA 110+60

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400030

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #23

Date Established: 3/11/2004

System: COUNTY

Job Number: BR4011

Nearest City:

County: LINCOLN

Route: CR87

Section:

Log Mile:

Land Section Number:

Township: 07S

Range: 08W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 57.873

Elevation (Feet): 189.872

Description: AHTD DISK IN CENTER OF SE WINGWALL 19' RT OF STA 122+20 BR 04829

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400031

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #24

Date Established: 2/2/2006

System: COUNTY

Job Number: FA4016

Nearest City: GOULD

County: LINCOLN

Route: CR 39

Section: N/A

Log Mile: N/A

Land Section Number: 25

Township: 08S

Range: 06W

Land Section:

Latitude: N 33 59 58.9

Longitude: W 91 39 11.5

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 52.14224029

Elevation (Feet): 171.070

Description: MIDDLE OF THE EAST HEADWALL ON R.C. BOX CULVERT AT WAGON BAYOU ON CHESAPEAKE RD

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

**Identification:** 400032

**Class:** THIRD-ORDER

**Vertical Datum:** NAVD88

**Established by:** RE OFFICE #21

**Date Established:** 11/23/2010

**System:** COUNTY

**Job Number:** BR4012

**Nearest City:** Gould

**County:** LINCOLN

**Route:** Co. Rd. 89

**Section:** N/A

**Log Mile:** N/A

**Land Section Number:** 30

**Township:** 10S

**Range:** 32W

**Land Section:** SW

**Latitude:** N 34 00 20.52

**Longitude:** W 91 30 11.14

**Type:** GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

**Elevation (Meters):** 49.496571

**Elevation (Feet):** 162.390

**Description:** AHTD Standard Disc set in headwall of R.C. Box Culvert Sta. 100+87.

**Comments:** Bench Mark Information Report was not submitted to Surveys, only the electronic project file. Latitude and Longitude are given assuming the AHTD Disc is set in the Rt. Headwall and over the division wall of The R.C. Box Culvert.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400033

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #23

Date Established: 1/27/2011

System: STATE Job Number: 001934 Nearest City: PINE BLUFF

County: LINCOLN Route: 530 Section: 6 Log Mile:

Land Section Number: 18 Township: 08S Range: 08W

Land Section: NW

Latitude: N 34 01 20.23000 Longitude: W 91 56 35.09000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.8613 Elevation (Feet): 216.080

Description: AHTD DISK IN THE SOUTHEAST CORNER OF RC BOX CULVERT STA 1721+95

Comments: Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400043

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #24

Date Established: 12/17/2012

System: STATE

Job Number: 020448

Nearest City: desha

County: LINCOLN

Route: 65

Section: 16

Log Mile: 13.16

Land Section Number: 1

Township: 09s

Range: 05w

Land Section: NE

Latitude: N 33 58 33.20000

Longitude: W 91 33 15.65000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 49.398517

Elevation (Feet): 162.068

Description: ahtd disk in headwall 47' rt of sta 517+33.

Comments: Elevations were entered and verified. The benchmark was established by coming off of PN 72 The 3 WR Level information can be found on the EDM under s020448\_RE\_Benches.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400044

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #24

Date Established: 12/21/2012

System: STATE Job Number: 020448 Nearest City: gould

County: LINCOLN Route: 65 Section: 16 Log Mile: 13.16

Land Section Number: 1 Township: 09s Range: 05w

Land Section: NE

Latitude: N 33 58 36.83000 Longitude: W 91 33 18.74000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 50.057922 Elevation (Feet): 164.232

Description: ahtd disk in headWALL 42' RT STA 522+23

Comments: Elevations were entered and verified. The benchmark was established by coming off of PN 72 The 3 WR Level information can be found on the EDM under s020448\_RE\_Benches.zip.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400045

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #24

Date Established: 12/13/2012

System: STATE Job Number: 020448 Nearest City: Gould

County: LINCOLN Route: 65 Section: 16 Log Mile: 11.39

Land Section Number: 22 Township: 08s Range: 05w

Land Section: SW

Latitude: N 33 59 48.6000 Longitude: W 91 34 17.12000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 50.590287 Elevation (Feet): 165.978

Description: ahtd disk in headwall 65' rt sta 610+49

Comments: Elevations were entered and verified. The benchmark was established by coming off of PN 72 The 3 WR Level information can be found on the EDM under s020448\_RE\_Benches.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400046

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #24

Date Established: 12/4/2012

System: STATE

Job Number: 020448

Nearest City: Gould

County: LINCOLN

Route: 65

Section: 16

Log Mile: 10.19

Land Section Number: 22

Township: 08s

Range: 05w

Land Section: SW

Latitude: N 34 00 40.65000

Longitude: W 91 34 59.04000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 51.475733

Elevation (Feet): 168.883

Description: ahtd disk in headwall 90' rt sta 673+86

Comments: Elevations were entered and verified. The benchmark was established by coming off of PN 72 The 3 WR Level information can be found on the EDM under s020448\_RE\_Benches.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400047

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #24

Date Established: 12/3/2012

System: STATE

Job Number: 020448

Nearest City: Gould

County: LINCOLN

Route: 65

Section: 16

Log Mile: 9.31

Land Section Number: 16

Township: 08s

Range: 05w

Land Section: SE

Latitude: N 34 01 18.62000

Longitude: W 91 35 29.90000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 52.93015

Elevation (Feet): 173.655

Description: ahtd disk in headwall 90' rt sta 720+19

Comments: Elevations were entered and verified. The benchmark was established by coming off of PN 72 The 3 WR Level information can be found on the EDM under s020448\_RE\_Benches.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400048

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #24

Date Established: 11/23/2010

System: COUNTY

Job Number: BR4012

Nearest City: Gould

County: LINCOLN

Route: County Rd #8

Section:

Log Mile:

Land Section Number: 29

Township: 10s

Range: 32w

Land Section:

Latitude: N 34 00 19.05000

Longitude: W 91 30 12.89000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 49.496571

Elevation (Feet): 162.390

Description: south west corner of rc box headwall.

Comments: Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400049

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #23

Date Established: 1/28/2011

System: STATE Job Number: 001934 Nearest City: PINE BLUFF

County: LINCOLN Route: 530 Section: 6 Log Mile:

Land Section Number: 29 Township: 08S Range: 08W

Land Section: SW

Latitude: N 33 59 55.18000 Longitude: W 91 55 53.70000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 66.6873 Elevation (Feet): 218.790

Description: AHTD DISK SOUTH EAST CORNER HEADWALL RC BOX CULVERT STA 1629+36 RT.

Comments: Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400050

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #23

Date Established: 2/14/2011

System: STATE

Job Number: 001934

Nearest City: PINE BLUFF

County: LINCOLN

Route: 530

Section: 6

Log Mile:

Land Section Number: 29

Township: 08S

Range: 08W

Land Section: SW

Latitude: N 34 00 11.50000

Longitude: W 91 36 03.98000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.7874

Elevation (Feet): 225.680

Description: AHTD DISK SOUTH EAST CORNER HEADWALL RC BOX CULVERT STA 1647+11.

Comments: Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400051

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #23

Date Established: 2/14/2011

System: STATE Job Number: 001934 Nearest City: PINE BLUFF

County: LINCOLN Route: 530 Section: 8 Log Mile:

Land Section Number: 36 Township: 07S Range: 09W

Land Section: SE

Latitude: N 34 04 03.04000 Longitude: W 91 57 38.16000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.5931 Elevation (Feet): 215.200

Description: AHTD DISK IN SOUTH EAST CORNER OF HEADWALL OF R C BOX  
CULVERT STA. 1895+15.

Comments: Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400052

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #23

Date Established: 2/14/2011

System: STATE

Job Number: 001934

Nearest City: PINE BLUFF

County: LINCOLN

Route: 530

Section: 8

Log Mile:

Land Section Number: 25

Township:

Range: 09W

Land Section: SE

Latitude: N 34 04 52.76000

Longitude: W 91 57 55.57000

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 62.4933

Elevation (Feet): 205.030

Description: AHTD DISK IN SOUTH EAST CORNER OF HEADWALL OF RC BOX  
CULVERT STA 1948+41.

Comments: Elevation not verified due to no three wire data



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400053

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #23

Date Established: 1/28/2011

System: STATE

Job Number: 001934

Nearest City: PINE BLUFF

County: LINCOLN

Route: 530

Section: 6

Log Mile:

Land Section Number: 29

Township: 08S

Range: 08W

Land Section: SW

Latitude: N 33 59 42.69000

Longitude: W 91 55 47.13000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 67.0775

Elevation (Feet): 220.070

Description: AHTD DISK IN THE CENTER OF BOX CULVERT HEADWALL STA 1615+20.

Comments: ELEVATION NOT VERIFIED DUE TO NO THREE WIRE DATA.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400054

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #23

Date Established: 2/14/2011

System: STATE

Job Number: 001934

Nearest City: PINE BLUFF

County: LINCOLN

Route: 530

Section: 6

Log Mile:

Land Section Number: 18

Township: 08S

Range: 08W

Land Section: SW

Latitude: N 34 01 52.80000

Longitude: W 91 36 49.71000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.776

Elevation (Feet): 215.800

Description: AHTD DISK SOUTH EAST CORNER HEADWALL RC BOX CULVERT STA 1757+36.

Comments: ELEVATION NOT VERIFIED DUE TO NO THREE WIRE DATA.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400055

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #24

Date Established: 12/12/2012

System: STATE

Job Number: 020506

Nearest City: STAR CITY

County: LINCOLN

Route: 11

Section: 3

Log Mile: 1.59

Land Section Number: 4

Township: 09S

Range: 07W

Land Section: SE

Latitude: N 33 57 18.98000

Longitude: W 91 49 17.23000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 62.4433

Elevation (Feet): 204.866

Description: AHTD DISK IN HEADWALL ON LEFT 35' OC AT STA 104+47

Comments: Elevations were entered and verified. The benchmark was established by coming off of PN 2 The 3 WR Level information can be found on the EDM under 020506\_RE\_Benches.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400056

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #21

Date Established: 9/10/2015

System: STATE

Job Number: 020356

Nearest City: Star City

County: LINCOLN

Route: 11

Section: 2

Log Mile:

Land Section Number: 17

Township: 10s

Range: 07w

Land Section: NW

Latitude: N 33 50 58.04176

Longitude: W 91 50 53.78684

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 82.6833

Elevation (Feet): 271.270

Description: AHTD Disk in West Headwall of RC Box Culvert (Hwy 11/425 Connector).

Comments: Elevation verified. Three wire data available on EDM under job 020356 in s02356re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400057

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #21

Date Established: 9/11/2015

System: STATE Job Number: 020356 Nearest City: Star City

County: LINCOLN Route: 11 Section: 2 Log Mile:

Land Section Number: 17 Township: 10s Range: 07w

Land Section: NW

Latitude: N 33 50 58.2994s Longitude: W 91 51 08.17017 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 80.318 Elevation (Feet): 263.510

Description: AHTD disk in center headwall of RC Box Culvert (Hwy 11/425 Connector).

Comments: Elevation verified. Three wire data available on EDM under job 020356 in s02356re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

**Identification:** 400058

**Class:** THIRD-ORDER

**Vertical Datum:** NAVD88

**Established by:** RE OFFICE #21

**Date Established:** 9/15/2015

**System:** STATE

**Job Number:** 020356

**Nearest City:** Star City

**County:** LINCOLN

**Route:** 11

**Section:** 2

**Log Mile:**

**Land Section Number:** 12

**Township:** 10s

**Range:** 08w

**Land Section:** NE

**Latitude:** N 33 51 10.63270

**Longitude:** W 91 53 17.60412

**Type:** SCALED

Scaled, GPS (Handheld), or GPS (Observed)

**Elevation (Meters):** 74.8743

**Elevation (Feet):** 245.650

**Description:** AHTD disk in south headwall of RC Box Culvert (Hwy 11/425 Connector).

**Comments:** Elevation verified. Three wire data available on EDM under job 020356 in s02356re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400059

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #21

Date Established: 9/14/2015

System: STATE Job Number: 020356 Nearest City: Star City

County: LINCOLN Route: 11 Section: 2 Log Mile:

Land Section Number: 17 Township: 10s Range: 07w

Land Section: NW

Latitude: N 33 50 58.36009 Longitude: W 91 51 25.60529 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.8364 Elevation (Feet): 261.930

Description: AHTD disk in south headwall of RC Box Culvert (Hwy 11/425 Connector).

Comments: Elevation verified. Three wire data available on EDM under job 020356 in s02356re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400060

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #21

Date Established: 9/14/2015

System: STATE

Job Number: 020356

Nearest City: Star City

County: LINCOLN

Route: 11

Section: 2

Log Mile:

Land Section Number: 18

Township: 10s

Range: 07w

Land Section: NW

Latitude: N 33 50 58.33712

Longitude: W 91 51 48.82710

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 82.1224

Elevation (Feet): 269.430

Description: AHTD disk in south headwall of RC Box Culvert (Hwy 11/425 Connector).

Comments: Elevation verified. Three wire data available on EDM under job 020356 in s02356re\_benches.zip



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400061

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #21

Date Established: 10/23/2015

System: STATE Job Number: 020356 Nearest City: Star City

County: LINCOLN Route: 11 Section: 2 Log Mile:

Land Section Number: 18 Township: 10s Range: 07w

Land Section: NW

Latitude: N 33 50 57.79810 Longitude: W 91 51 13.27500 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.492

Elevation (Feet): 260.800

Description: AHTD disk in southeast headwall of RC Box Culvert (Hwy 11/425 Connector).

Comments: Elevation verified. Three wire data available on EDM under job 020356 in s02356re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400062

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #21

Date Established: 10/23/2015

System: STATE Job Number: 020356 Nearest City: Star City

County: LINCOLN Route: 11 Section: 2 Log Mile:

Land Section Number: 18 Township: 10s Range: 07w

Land Section: NW

Latitude: N 33 50 59.1187 Longitude: W 91 51 13.18467 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.7907 Elevation (Feet): 261.780

Description: AHTD disk in north headwall of RC Box Culvert (Hwy 11/425 Connector).

Comments: Elevation verified. Three wire data available on EDM under job 020356 in s02356re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400063

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #21

Date Established: 10/23/2015

System: STATE

Job Number: 020356

Nearest City: Star City

County: LINCOLN

Route: 11

Section: 2

Log Mile:

Land Section Number: 12

Township: 10s

Range: 08w

Land Section: NE

Latitude: N 33 51 06.25754

Longitude: W 91 52 49.03012

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 84.1463

Elevation (Feet): 276.070

Description: AHTD disk in Bridge No. 07117 (Hwy 11/425 Connector).

Comments: Elevation verified. Three wire data available on EDM under job 020356 in s02356re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400064

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #21

Date Established: 11/7/2013

System: STATE

Job Number: 020356

Nearest City: Star City

County: LINCOLN

Route: 11

Section: 2

Log Mile:

Land Section Number: 12

Township: 10s

Range: 08w

Land Section: NE

Latitude: N 33 51 02.91800

Longitude: W 91 52 29.26994

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.9352

Elevation (Feet): 245.850

Description: AHTD disk in south headwall of RC Box Culvert (Hwy 11/425 Connector).

Comments: Elevation verified. Three wire data available on EDM under job 020356 in s02356re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400065

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #21

Date Established: 11/6/2019

System: STATE

Job Number: 020581

Nearest City: Grady

County: LINCOLN

Route: 11

Section: 3

Log Mile: 21.03

Land Section Number: 10

Township: 07S

Range: 06w

Land Section: NW

Latitude: N 34 08 00.00000

Longitude: W 91 41 14.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 56.2698

Elevation (Feet): 184.612

**Description:** The station is located about 3.8 miles (6.1 km) north of Grade, 19.3 miles (3.1 km) southeast of Pine Bluff, 6.2 miles (9.9 km) east of Moscow. To reach from intersection of US Highway 65 and AR Highway 11, go north 3.5 miles (5.6 km) to station on right. 47.6 feet (14.5 m) south of south end of 24" corrugated metal pipe, 44.8 feet (13.6 m) south of northeast corner of headwall, 67.2 feet (20.5 m) east of southwest corner of headwall.

**Comments:** Elevation verified. Three wire data available on EDM under job 020581 in s020581re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400066

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #23

Date Established: 11/6/2019

System: STATE

Job Number: 020583

Nearest City: Star City

County: LINCOLN

Route: 11

Section: 2S

Log Mile: 3.08

Land Section Number: 35

Township: 09s

Range: 08w

Land Section: NE

Latitude: N 33 53 35.63000

Longitude: W 91 53 29.86000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.7282

Elevation (Feet): 281.260

Description: Hwy 11S, approx. 4 miles SW of Star City. BM located in the southern headwall on the southeast side approx. 3.42' from end of headwall

Comments: Elevation verified. Three wire data available on EDM under job 020583 in s020583re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 400067

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #21

Date Established: 11/15/2019

System: STATE Job Number: 020614 Nearest City: Dumas

County: LINCOLN Route: 54 Section: 3 Log Mile: 4.59

Land Section Number: 34 Township: 09s Range: 05w

Land Section: SE

Latitude: N 33 52 44.00000 Longitude: W 91 36 13.00000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 50.62

Elevation (Feet): 166.076

Description: To reach from intersection of AR 54 and AR 293, go south 96.3' to station on right. 112' south of light pole, 134.5' south of utility marker, 34.8' west of CL of AR 54

Comments: Elevation not verified.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 410001

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 6/18/1991

System: COUNTY Job Number: 30019 Nearest City: ASHDOWN

County: LITTLE RIVER Route: HICKS RD. Section: 32 Log Mile:

Land Section Number: 32 Township: 12S Range: 29W

Land Section: NW

Latitude: N 33 43 21.0 Longitude: W 94 07 33.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 94.214 Elevation (Feet): 309.100

Description: AHTD DISK IN CENTER OF DOUBLE 12 X 6 X 60 R. C. BOX CULVERT IN THE HEADWALL 30' FT. RIGHT OF STATION 99+80, 0.15 MILES NORTH OF EAST JOYNER ST. AND 0.01 MILES NORTH OF FAS MARKER #1183 ON HICKS RD. LOCATED BY S5102 ON 3/2004.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 410002

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City: OGDEN

County: LITTLE RIVER Route: 71 Section: 4 Log Mile:

Land Section Number: 23 Township: 13S Range: 29W

Land Section:

Latitude: N 33 27 56.0 Longitude: W 94 02 29.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 93.12 Elevation (Feet): 305.511

Description: AHTD DISC 3.25 MILES NORTH OF RED RIVER BRIDGE TOP DROP INLET  
CENTERLINE MEDIAN. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 410003

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City:

County: LITTLE RIVER Route: 71 Section: 7 Log Mile: 0.4

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 83.5 Elevation (Feet): 273.950

Description: "X" STAMPED ON CENTERLINE ROAD IRON SOUTH END SOUTH BOUND  
SCALE AT INDEX WEIGH STATION. NOT LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 410004

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: R30049 Nearest City: OGDEN

County: LITTLE RIVER Route: 380 Section: 1 Log Mile: 0.09

Land Section Number: Township: Range:

Land Section:

Latitude: N 33 34 52.0 Longitude: W 94 02 11.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.228 Elevation (Feet): 279.619

Description: AHTD DISC IN THE CENTER OF THE NORTH HEADWALL APPROX. 400'  
EAST OF HWY. 71 NORTH ON HWY. 380. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 410005

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: 3932 Nearest City:

County: LITTLE RIVER Route: 399 Section: 2 Log Mile: 2.2

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 93.01 Elevation (Feet): 305.150

Description: 2.2 MILES SOUTH OF JUNCTION OF STATE HIGHWAY 399+32 AHTD  
DISC ON SOUTHEAST WING OF BRIDGE #6196 OVER WALNUT BAYOU.  
NOT LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 410006

Class:

Vertical Datum: UNKNOWN

Established by:

Date Established:

System: STATE

Job Number: 3932

Nearest City:

County: LITTLE RIVER

Route: 399

Section: 2

Log Mile: 4.0

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 90.80314962

Elevation (Feet): 297.910

Description: 4.0 MILES SOUTH OF JUNCTION OF STATE HIGHWAY 399 AND 32 AHTD DISC ON EAST HEADWALL OF R.C. BOX CULVERT. NOT LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 410007

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #34

Date Established: 2/4/1997

System: STATE

Job Number: 30034

Nearest City: FORMAN

County: LITTLE RIVER

Route: 41

Section: 3

Log Mile: 9.01

Land Section Number: 10

Township: 14s

Range: 32w

Land Section: NENE

Latitude: N 33 34 24.0

Longitude: W 94 24 30.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 96.972

Elevation (Feet): 318.149

Description: DISC, STAMPED ARK. HWY. DEPT. BENCH MARK, LOCATED IN TOP OF PARAPET WALL, NORTHWEST END BR. #6459. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 410008

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #34

Date Established: 2/4/1997

System: STATE

Job Number: 30034

Nearest City: FOREMAN

County: LITTLE RIVER

Route: 41

Section: 3

Log Mile: 8.58

Land Section Number: 3

Township: 14S

Range: 32W

Land Section: NENE

Latitude: N 34 35 16.0

Longitude: W 94 23 46.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 96.238

Elevation (Feet): 315.741

Description: DISC, STAMPED ARK. HWY. DEPT. BENCH MARK, LOCATED IN TOP OF PARAPET WALL, NORTHWEST END BR. #3408R. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 410009

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #34

Date Established: 2/4/1997

System: STATE

Job Number: 30034

Nearest City: FOREMAN

County: LITTLE RIVER

Route: 41

Section: 3

Log Mile: 10.04

Land Section Number: 10

Township: 14S

Range: 32W

Land Section: SENW

Latitude: N 33 34 19.0

Longitude: W 94 24 25.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 98.112

Elevation (Feet): 321.889

Description: DISC, STAMPED ARK. HWY. DEPT. BENCH MARK, LOCATED IN TOP OF PARAPET WALL, NORTHWEST END BR. #6460. LOCATED BY S5102 ON 3/2004.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 410010

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 11/17/1995

System: COUNTY

Job Number: BR4106

Nearest City: WILTON

County: LITTLE RIVER

Route: CO. RD. 29

Section:

Log Mile: 1.8

Land Section Number: 17

Township: 11S

Range: 29W

Land Section: NW

Latitude: N 33 43 17.0

Longitude: W 94 07 32.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 89.139

Elevation (Feet): 292.450

Description: NORTH OF ASHDOWN, HICKS COMMUNITY. FROM U. S. 71N., GO EAST 1.1 MILES ON CO. RD. NO. 66 TO CO. RD. NO. 29, THEN GO NORTH 1.8 MILES ON CO. RD. NO. 29 TO BEAVER CREEK, BRIDGE #4757. BM DISC LOCATED IN TOP OF WINGWALL, SE CORNER OF BRIDGE. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 410011

Class:

Vertical Datum:

Established by:

Date Established: 10/3/1990

System: COUNTY

Job Number: S-41-7

Nearest City: JACK ISLE

County: LITTLE RIVER

Route: CO. RD. 37

Section: 25

Log Mile: 0.75

Land Section Number: 25

Township: 12S

Range: 29W

Land Section: NW

Latitude: N 33 41 39.0

Longitude: W 94 03 26.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 97.423

Elevation (Feet): 319.629

Description: AHTD DISK IN CONCRETE 0.75 MILES NORTH OF HWY. 32 EAST ALONG CO. RD. 37 100' SOUTH OF CO. RD. 27 INTERSECTION AND 30' WEST OF THE CENTERLINE OF CO. RD. 37 BY A METAL BRACE POST IN A FENCE ROW. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 410012

Class:

Vertical Datum:

Established by:

Date Established: 10/3/1990

System: COUNTY

Job Number: BR-41-2

Nearest City: FOREMAN

County: LITTLE RIVER

Route: CO. RD. 26

Section:

Log Mile:

Land Section Number:

Township: 13S

Range: 31W

Land Section:

Latitude: N 33 36 58.0

Longitude: W 94 19 15.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 92.028

Elevation (Feet): 301.929

Description: AHTD MARKER ON SOUTHWEST CORNER WING BRIDGE NO. 4551,  
WALNUT BAYOU, APPROX. 1/4 MILES EAST JUNCTION ST. HWY. 399  
AND CO. RD. 26. (CR 180) LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 410013

Class:

Vertical Datum:

Established by: RE OFFICE #34

Date Established: 3/11/1992

System: COUNTY

Job Number: BR-41-4

Nearest City: RICHMOND

County: LITTLE RIVER

Route: CO. RD. 32

Section:

Log Mile:

Land Section Number: 33

Township: 13S

Range: 30W

Land Section: NW

Latitude: N 33 35 42.0

Longitude: W 94 12 43.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 90.526

Elevation (Feet): 297.001

Description: AHTD STD. DISK INTOP OF SW CORNER PARAPET WALL BR. # 4663.  
LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 410014

Class:

Vertical Datum:

Established by: RE OFFICE #34

Date Established:

System: COUNTY

Job Number: BR-41-5

Nearest City: WIN

County: LITTLE RIVER

Route: CO. RD. 48

Section:

Log Mile:

Land Section Number: 6

Township: 11S

Range: 31W

Land Section: SENE

Latitude: N 33 50 02.0

Longitude: W 94 20 17.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 92.827

Elevation (Feet): 304.550

Description: AHTD STANDARD DISK IN TOP OF WINGWALL SOUTHWEST CORNER  
BR. #4661. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 410015

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 12/6/1999

System: STATE

Job Number: BR4108

Nearest City: WILTON

County: LITTLE RIVER

Route: CR 64

Section:

Log Mile: 1.25

Land Section Number: 11

Township: 12S

Range: 30W

Land Section: SE

Latitude: N 33 43 39.0

Longitude: W 94 10 13.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 89.4102

Elevation (Feet): 293.340

Description: TOP OF THE SOUTHWEST WINGWALL OF BRIDGE # 4816 1.25 MILES  
WEST OF HWY 71 (LICK CREEK). LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 410016

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #34

Date Established: 5/18/2000

System: COUNTY

Job Number: BR4107

Nearest City: Ashdown

County: LITTLE RIVER

Route: CR 21

Section: NA

Log Mile: NA

Land Section Number: 20

Township: 13s

Range: 30w

Land Section:

Latitude: N 33 39 13.0

Longitude: W 94 13 22.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 90.273

Elevation (Feet): 296.171

Description: AHTD DISC IN SW BR WINGWALL OF BR04823. 15.5' RT OF STA 15+18.  
LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 410017

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #32

Date Established: 11/7/2000

System: STATE

Job Number: 003983

Nearest City: ASHDOWN

County: LITTLE RIVER

Route: 32

Section: 2

Log Mile: 12.92

Land Section Number: 2

Township: 13N

Range: 30W

Land Section:

Latitude: N 33 39 43.0

Longitude: W 94 10 38.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 95.351

Elevation (Feet): 312.831

Description: DISC IN SW CORNER HEADWALL OF RCBC 32' RT OF CL STA 208+02.  
LOCATED BY S5102 ON 3/2004.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 410018

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #32

Date Established: 11/7/2000

System: STATE

Job Number: 003983

Nearest City: ASHDOWN

County: LITTLE RIVER

Route: 32

Section: 2

Log Mile: 11.85

Land Section Number: 3

Township: 13N

Range: 30W

Land Section:

Latitude: N 33 39 46.0

Longitude: W 94 11 45.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 96.908

Elevation (Feet): 317.939

Description: DISC IN SW CORNER OF HEADWALL ON RCBC 34' RT OF CL STA 190+32.  
LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 410019

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #32

Date Established: 11/7/2000

System: STATE

Job Number: 003983

Nearest City: ASHDOWN

County: LITTLE RIVER

Route: 32

Section: 2

Log Mile: 9.20

Land Section Number: 6

Township: 13N

Range: 30W

Land Section:

Latitude: N 33 39 51.0

Longitude: W 94 14 33.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 97.055

Elevation (Feet): 318.421

Description: DISC IN SW CORNER HEADWALL OF RCBC 38' RT OF CL STA 148+65.  
LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 410020

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #32

Date Established: 11/7/2000

System: STATE

Job Number: 003983

Nearest City: FOREMAN

County: LITTLE RIVER

Route: 32

Section: 2

Log Mile: 6.61

Land Section Number: 2

Township: 13N

Range: 31W

Land Section:

Latitude: N 33 39 58.0

Longitude: W 94 17 15.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 96.326

Elevation (Feet): 316.030

Description: DISK IN SW CORNER OF HW OF RCBC 33' RT OF CL STA 108+83.  
LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 410021

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 12/18/2003

System: STATE

Job Number: 030205

Nearest City: ASHDOWN

County: LITTLE RIVER

Route: 32

Section: 2

Log Mile: 14.5

Land Section Number: 12

Township: 13S

Range: 30W

Land Section:

Latitude: N 33 39 21.0

Longitude: W 94 09 09.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 95.521

Elevation (Feet): 313.388

Description: AHTD BM SET IN CONCRETE LOCATED IN S HW OF DOUBLE RC BOX CULVERT. LOCATED BY S5102 ON 3/2004.

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 410022

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 12/18/2003

System: STATE

Job Number: 030205

Nearest City: ASHDOWN

County: LITTLE RIVER

Route: 32

Section: 2

Log Mile: 16.10

Land Section Number: 7

Township: 13

Range: 29

Land Section:

Latitude: N 33 39 21.0

Longitude: W 94 07 47.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 100.715

Elevation (Feet): 330.429

Description: AHTD DISK IN CENTER OF S HW OF DOUBLE RC BOX CULVERT. NOT  
LOCATED BY S5102 ON 3/2004 AT THIS LOCATION.

Comments: Elevations were entered but cannot be verified due to no information on the control  
used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 410023

Class:

Vertical Datum: UNKNOWN Established by: RE OFFICE #31

Date Established: 12/18/2003

System: STATE Job Number: 030205 Nearest City: ASHDOWN

County: LITTLE RIVER Route: 32 Section: 2 Log Mile:

Land Section Number: 7 Township: 13 Range: 29

Land Section:

Latitude: N 33 39 21.0 Longitude: W 94 08 29.0 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 95.302 Elevation (Feet): 312.670

Description: AHTD DISK IN E HW OF RC BOX XULVERT 0.1 MILES SOUTH OF HWY 32 AND RICHMOND ROAD. NOT LOCATED BY S5102 ON 3/2004 AT THIS LOCATION.

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 410024

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #34

Date Established: 2/15/2007

System: COUNTY

Job Number: BR4110

Nearest City: Ashdown

County: LITTLE RIVER

Route: CR32

Section: N/A

Log Mile: N/A

Land Section Number: 26

Township: 13S

Range: 30W

Land Section:

Latitude: N 33 36 36.00

Longitude: W 94 10 51.000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 87.96850395

Elevation (Feet): 288.610

Description: AHTD Disk set in Concrete Headwall of Quinn. 10x10' RCBC at Job Station 107+62.

Comments: Established from 3-wire leveling by RE34 on 2/15/2007. RE came off of COE steel pipe BM (PN:919 in sbr4110 control files with an elevation of 291.75 @ 44.12' Lt. of Centerline, Sta. 110+29.67) The steel pipe BM was established by 3-wire in 2004 from NGS mark U 307 (elev. 329.87 and PN:919 in sbr4110 control files)

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 410025

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #31

Date Established: 3/5/2008

System: FEDERAL

Job Number: FA4105

Nearest City: ASHDOWN

County: LITTLE RIVER

Route: 23

Section:

Log Mile:

Land Section Number: 20

Township: 13S

Range: 29W

Land Section:

Latitude: N 33 36 42.7

Longitude: W 94 08 04.4

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.45999493

Elevation (Feet): 280.380

Description: AHTD ALUMINUM DISK IN EAST HEADWALL OF QUAD 12' X 10' RC BOX CULVERT.

Comments: Benchmark verified by ESS 4/18/08. Mark was ran from PN 907 which was a point in the original Control file. The original control file elevations were based on a NGS Mark : METAL ROD STAMPED V 307 1985. This file can be found on EDM under job fa4105 as fa4105\_RE\_benches.zip.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 410026

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: N/A Nearest City:

County: HOWARD Route: 71 Section: 4 Log Mile:

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 93.119634 Elevation (Feet): 305.510

Description: 3.25 NORTH RED RIVER BR / DISK IN TOP DI, CL MEDIAN

Comments: Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 410026

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by:

Date Established: 9/21/2018

System: STATE Job Number: 030487 Nearest City: Winthrop

County: LITTLE RIVER Route: 234 Section: 1 Log Mile: 1.41

Land Section Number: 12 Township: 11s Range: 32w

Land Section:

Latitude: N 33 50 03.00000 Longitude: W 94 21 55.00000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 97.297 Elevation (Feet): 319.215

Description: Aluminum Cap in Right headwall of precast RCBC

Comments: Elevation not verified

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 410027

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: N/A Nearest City:

County: HOWARD Route: 71 Section: 7 Log Mile: 0.40

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 83.500127 Elevation (Feet): 273.950

Description: SOUTH END SOUTH-BOUND SCALE @ INDEX WEIGH STATION / X  
STAMPED ON CL ROAD IRON

Comments: Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 410028

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 3/22/2006

System: COUNTY Job Number: FA3106 Nearest City: Nashville

County: HOWARD Route: CO RD. 8 Section: Log Mile:

Land Section Number: 5 Township: 10s Range: 27w

Land Section: NE

Latitude: N 33 55 20.0 Longitude: W 93 53 57.4 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 108.2619 Elevation (Feet): 355.189

Description: ahtd aluminum cap located in the nw corner of the headwall of triple 9'x6'x80' rc box culvert. Bm is approximately 2.5 miles east of hwy. 355 on county rd 8 (mission rd)

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 420001

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 1/1/1983

System: STATE Job Number: 4610 Nearest City: MAGAZINE

County: LOGAN Route: 10 Section: 2 Log Mile: 14.34

Land Section Number: 32 Township: 06n Range: 26w

Land Section:

Latitude: N 35 08 58.0 Longitude: W 93 47 38.2 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 131.454 Elevation (Feet): 431.279

Description: DISC SET IN TOP OF WONG OF WEST ABUTMENT 17.5 FEET SOUTH OF  
CENTERLINE BRIDGE NO. 1272 W, REVILLEE CREEK. RECOVERED  
08092000 BY S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 420002

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 1/1/1983

System: STATE Job Number: 4610 Nearest City: MAGAZINE

County: LOGAN Route: 10 Section: 2 Log Mile: 14.27

Land Section Number: Township: Range:

Land Section:

Latitude: N 35 08 59.0 Longitude: W 93 47 42.2 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 131.899 Elevation (Feet): 432.739

Description: DISC SET IN TOP OF PARAPET WALL 17 FEET SOUTH OF CENTERLINE  
ON SPAN NO. 1 OF BRIDGE NO. 1599 IN PRAIRIE BRANCH. RECOVERED  
08092000 BY S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 420003

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 1/1/1980

System: STATE Job Number: 4691 Nearest City: BOONEVILLE

County: LOGAN Route: 10 Section: 2 Log Mile: 7.32

Land Section Number: Township: Range:

Land Section:

Latitude: N 35 08 24.0 Longitude: W 93 54 54.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 142.763 Elevation (Feet): 468.382

Description: 25.75' LEFT CENTERLINE STATION 9+22, BRIDGE NO. 1274W.  
RECOVERED 08092000 BY S5102, NW CORNER OF BR IN SIDEWALK.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 420004

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: 4691 Nearest City: BOONEVILLE

County: LOGAN Route: 10 Section: 2 Log Mile: 8.49

Land Section Number: 32 Township: 06n Range: 27w

Land Section:

Latitude: N 35 08 38.1 Longitude: W 93 53 41.7 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 145.17 Elevation (Feet): 476.279

Description: 35' LEFT STATION STATION 71+24 DISC TOP HEADWALL. RECOVERED  
08092000 BY S5102. NE CORNER

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 420005

Class:

Vertical Datum: UNKNOWN

Established by: NGS

Date Established:

System: STATE

Job Number: N/A

Nearest City: BOONEVILLE

County: LOGAN

Route: 23

Section: 3

Log Mile: 2.0+

Land Section Number: 31

Township: 06n

Range: 27w

Land Section:

Latitude: N 35 08 27.3

Longitude: W 93 55 18.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 156.393

Elevation (Feet): 513.099

Description: AT BOONEVILLE, LOGAN COUNTY COURTHOUSE, APPROX. 10 ' SW OF W DOOR, IN THE TOP OF THE HAND RAIL PILLAR AT W END OF THE PIPE HAND RAIL, APPROX. 2' ABOVE GROUND. A USGS DISK STAMPED "TT20B 511." OLD ELEVATION = 155.923 METERS (511.557 FEET)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 420006

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City: ABBOTT / MANSFIELD

County: LOGAN Route: 71 Section: 11 Log Mile: 0.65

Land Section Number: 31 Township: 05n Range: 29w

Land Section:

Latitude: N 35 03 47.0 Longitude: W 94 08 05.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 162.696 Elevation (Feet): 533.778

Description: DISK TOP WINGWALL 25' RIGHT BRIDGE 5864. RECOVERED 08092000 BY S5102 (NGS R 20 ???)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 420007

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 6/8/1988

System: STATE Job Number: R40058 Nearest City: MAGAZINE

County: LOGAN Route: 109 Section: 1 Log Mile: 4.43

Land Section Number: 6 Township: 05n Range: 26w

Land Section:

Latitude: N 35 07 41.0 Longitude: W 93 48 35.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 133.996 Elevation (Feet): 439.619

Description: A1- DISC IN TOP WINGWALL RIGHT SIDE BEG. BRIDGE #6220 STATION  
38+05. RECOVERED 08092000 BY S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 420008

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: R40058 Nearest City: MAGAZINE

County: LOGAN Route: 109 Section: 1 Log Mile: 3.52

Land Section Number: 31 Township: 06n Range: 16w

Land Section:

Latitude: N 35 08 13.8 Longitude: W 93 48 18.5 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 131.631 Elevation (Feet): 431.859

Description: A1-DISC IN TOP WINGWALL RIGHT SIDE BEG. BRIDGE #6221 STATION  
86+76. RECOVERED 08092000 BY S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 420009

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #41

Date Established: 9/8/1992

System: STATE

Job Number: R40020

Nearest City: BOONEVILLE

County: LOGAN

Route: 116

Section: 0

Log Mile: 3.39

Land Section Number: 33

Township: 06

Range: 27W

Land Section: NE

Latitude: N 35 08 54.0

Longitude: W 93 52 38.4

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 140.486

Elevation (Feet): 460.911

Description: BENCHMARK #29B DISK IN TOE WALL FLARE END SECTION RIGHT  
STATION 222+78. RECOVERED 08092000 BY S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 420010

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #41

Date Established: 6/30/1992

System: STATE

Job Number: R40020

Nearest City: BOONEVILLE

County: LOGAN

Route: 116

Section: 0

Log Mile: 2.47

Land Section Number: 29

Township: 06N

Range: 27W

Land Section: SE

Latitude: N 35 09 41.0

Longitude: W 93 52 39.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 163.605

Elevation (Feet): 536.761

Description: BENCHMARK #7B DISK IN HEADWALL R.C. BOX CULVERT SOUTHWEST  
RIGHT CORNER STATION 150+69. RECOVERED 08092000 BY S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 420011

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #41

Date Established: 6/30/1992

System: STATE

Job Number: R40020

Nearest City: BOONEVILLE

County: LOGAN

Route: 116

Section: 0

Log Mile: 0.21

Land Section Number: 30

Township: 06n

Range: 27W

Land Section: NW

Latitude: N 35 09 34.0

Longitude: W 93 54 54.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 225.379

Elevation (Feet): 739.431

Description: BENCHMARK #4B DISK IN HEADWALL R.C. BOX CULVERT SOUTHWEST  
RIGHT CORNER STATION 31+34. RECOVERED 08092000 BY S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 420012

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #44

Date Established: 1/20/1982

System: STATE

Job Number: 4857

Nearest City: BOONEVILLE

County: LOGAN

Route: 197

Section: 3

Log Mile: 0.00

Land Section Number: 33

Township: 06N

Range: 27W

Land Section: NW

Latitude: N 35 08 52.0

Longitude: W 93 52 53.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 142.607

Elevation (Feet): 467.870

Description: DISC SET IN TOP OF DROP INLET LEFT STATION 0+40 (40' SOUTH OF CENTERLINE OF HIGHWAY 10.). NOTE: ELEVATION CORRECTED 9-21-90. RECOVERED 08092000 BY S5102

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 420013

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: 4737 Nearest City: ROSEVILLE / PARIS

County: LOGAN Route: 288 Section: 3 Log Mile: 1.72

Land Section Number: 7 Township: 08n Range: 26w

Land Section:

Latitude: N 35 22 38.0 Longitude: W 93 47 08.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 126.879 Elevation (Feet): 416.269

Description: STATE CONSTRUCTION LOG MILE EAST HWY. 23 ON 288 EAST RIGHT  
HEADWALL ON BOX CULVERT. RECOVERED 08092000 BY S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 420014

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #44

Date Established: 6/16/1989

System: STATE

Job Number: R40018

Nearest City: WILKINS / PRAIRIE VIEW

County: LOGAN

Route: 288

Section: 4

Log Mile: 1.28

Land Section Number: 19

Township: 08N

Range: 24W

Land Section:

Latitude: N 35 20 11.0

Longitude: W 93 34 53.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 122.905

Elevation (Feet): 403.231

Description: DISC SET IN TOP OF R.C. BOX CULVERT HEADWALL 29 FEET NORTH OF  
CENTERLINE OF ROADWAY. RECOVERED 08092000 BY S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 420015

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #44

Date Established: 10/18/1989

System: STATE

Job Number: R40018

Nearest City: PRAIRIE VIEW

County: LOGAN

Route: 288

Section: 4

Log Mile: 3.07

Land Section Number: 28

Township: 08N

Range: 24W

Land Section:

Latitude: N 35 20 07.7

Longitude: W 93 33 08.2

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 117.053

Elevation (Feet): 384.031

Description: DISC SET IN TOP OF R.C. BOX CULVERT HEADWALL 21 FEET SOUTH OF  
CENTERLINE OF ROADWAY. POINT RECOVERED 03212002 BY S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 420016

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #44

Date Established: 2/27/1990

System: STATE

Job Number: R40018

Nearest City: WILKINS

County: LOGAN

Route: 288

Section: 4

Log Mile: .33

Land Section Number: 25

Township: 08N

Range: 25W

Land Section:

Latitude: N 35 20 13.0

Longitude: W 93 35 54.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 119.317

Elevation (Feet): 391.459

Description: DISC SET IN TOP OF WEST ABUTMENT WING 15 FEET SOUTH OF  
CENTERLINE OF ROADWAY ON BRIDGE NO. 6294. CANE CREEK  
RECOVERED 08092000 BY S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 420017

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #44

Date Established: 11/8/1990

System: STATE

Job Number: R40018

Nearest City: WILKINS

County: LOGAN

Route: 288

Section: 4

Log Mile: .59

Land Section Number: 30

Township: 08B

Range: 24W

Land Section:

Latitude: N 35 20 12.0

Longitude: W 93 35 37.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 119.326

Elevation (Feet): 391.489

Description: DISC SET IN TOP OF WEST ABUTMENT WING 15 FEET SOUTH OF  
CENTERLINE OF ROADWAY ON BRIDGE 6295. CANE CREEK RELIEF  
RECOVERED 08092000 BY S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 420018

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #44

Date Established: 9/27/1989

System: STATE

Job Number: R40018

Nearest City: PRARIE VIEW

County: LOGAN

Route: 288

Section: 4

Log Mile: 3.23

Land Section Number: 28

Township: 08N

Range: 24W

Land Section:

Latitude: N 35 20 07.0

Longitude: W 93 32 49.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 118.799

Elevation (Feet): 389.760

Description: DISC SET IN TOP OF WEST ABUTMENT WING 15 FEET SOUTH OF  
CENTERLINE OF ROADWAY ON BRIDGE NO. 6296. RECOVERED  
08092000 BY S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 420019

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: 4711 Nearest City: PARIS

County: LOGAN Route: 309 Section: 2 Log Mile: 15.58

Land Section Number: 35 Township: 07N Range: 25W

Land Section:

Latitude: N 35 13 58.0 Longitude: W 93 37 45.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 307.391 Elevation (Feet): 1008.499

Description: TOP OF PARAPET RIGHT SIDE STATION 470+23. 1. BRIDGE OVER  
SPILLWAY AT COVE LAKE. NO. ROUTE AND SECTION ESTABLISHED.  
RECOVERED 08092000 BY S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 420020

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #44

Date Established: 6/26/1989

System: STATE

Job Number: R40018

Nearest City: SUBIACO

County: LOGAN

Route: 393

Section: 0

Log Mile: .25

Land Section Number: 23

Township: 08N

Range: 25W

Land Section:

Latitude: N 35 20 27.0

Longitude: W 93 37 54.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 133.594

Elevation (Feet): 438.300

Description: DISC SET IN TOP OF R.C. BOX CULVERT HEADWALL 26 FEET EAST OF  
CENTERLINE OF ROADWAY. RECOVERED 08092000 BY S5102

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 420021

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: R40031 Nearest City: MORRISON BLUFF

County: LOGAN Route: 393 Section: 0 Log Mile: 9.845

Land Section Number: Township: Range:

Land Section:

Latitude: N 35 22 43.0 Longitude: W 93 32 28.0 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 121.42 Elevation (Feet): 398.359

Description: 40 FEET SOUTH OF CENTERLINE HIGHWAY (70 FEET WEST OF DRIVEWAY TO SOUTH) NGS STANDARD DISK "M-254 RESET 1987" IN 4" DIAMETER CONCRETE POST. NOT RECOVERED 08092000 BY S5102 NGVD29 = 121.381 METERS

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 420022

Class:

Vertical Datum: UNKNOWN

Established by:

Date Established:

System: STATE

Job Number: 4710

Nearest City: RATCLIFF

County: LOGAN

Route: 398

Section: 1

Log Mile: 1.078

Land Section Number: 5

Township: 07N

Range: 27W

Land Section:

Latitude: N 35 18 14.0

Longitude: W 93 52 58.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 151.477

Elevation (Feet): 496.971

Description: DISK TOP PARAPET WALL RIGHT SIDE STATION 56+94 SPAN #2  
SEPTEMBER 1978 BRIDGE 5563. RECOVERED 08092000 BY S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 420023

Class:

Vertical Datum:

Established by: RE OFFICE #41

Date Established: 11/1/1993

System: COUNTY

Job Number: BR-42-3

Nearest City: ABBOTT

County: LOGAN

Route: CR 2

Section:

Log Mile: 0.01

Land Section Number: 31

Township: 05N

Range: 29W

Land Section: SE

Latitude: N 35 03 34.0

Longitude: W 94 07 45.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 163.724

Elevation (Feet): 537.151

Description: STANDARD DISK IN TOP OF PARAPET WALL RIGHT OF STATION 2+00.  
RECOVERED 08092000 BY S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 420024

Class:

Vertical Datum:

Established by:

Date Established:

System: COUNTY

Job Number: N/A

Nearest City:

County: LOGAN

Route: CR 11

Section: 12

Log Mile:

Land Section Number:

Township: 05N

Range: 28W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 137.687

Elevation (Feet): 451.728

Description: METAL DISC IN TOP OF CONCRETE WING OF WEST END BENT OF  
BRIDGE NO. 4443, LOCATED 16 FT. SOUTH OF CENTER LINE OF BRIDGE.  
POINT NOT FOUND NOT RECOVERED 08092000 BY S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 420025

Class:

Vertical Datum:

Established by: RE OFFICE #41

Date Established:

System: COUNTY Job Number: BR-42-2 Nearest City:

County: LOGAN Route: CR 30 Section: Log Mile: 1.61

Land Section Number: 26 Township: 06N Range: 27W

Land Section: NE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 141.997 Elevation (Feet): 465.868

Description: TOP WING WALL RIGHT SIDE OF BEGINNING OF BRIDGE BRIDGE  
#4630.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 420026

Class:

Vertical Datum:

Established by:

Date Established:

System: COUNTY

Job Number: N/A

Nearest City:

County: LOGAN

Route: CR 65

Section:

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 112.657

Elevation (Feet): 369.609

Description: TOP PARAPET WALL RIGHT SIDE OF SPAN #2, BR. #4344, RIGHT  
STATION 24+67. POINT NOT FOUND NOT RECOVERED 08092000 BY  
S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 420027

Class:

Vertical Datum:

Established by: RE OFFICE #44

Date Established: 5/3/1999

System: COUNTY

Job Number: BR4205

Nearest City: SUBIACO

County: LOGAN

Route: CR 68

Section:

Log Mile:

Land Section Number: 2

Township: 07N

Range: 25W

Land Section: NE

Latitude: N 35 18 17.0

Longitude: W 93 37 23.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 130.736

Elevation (Feet): 428.923

Description: ALUMINUM CAP SET IN WINGWALL ON RIGHT OF BRIDGE 04811 AT STA. 111+71. BRIDGE OVER CANE CREEK. RECOVERED 08092000 BY S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 420028

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #41

Date Established: 4/8/2002

System: STATE

Job Number: 040025

Nearest City:

County: LOGAN

Route: 22

Section: 3

Log Mile: 7.73

Land Section Number: 8

Township: 07N

Range: 26W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 121.604

Elevation (Feet): 398.962

Description: CENTER OF NORTH HW RC BOX CULVERT

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 420029

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #42

Date Established: 7/17/2003

System: STATE

Job Number: 040123

Nearest City: PARIS

County: LOGAN

Route: 309

Section: 2

Log Mile: 20.46

Land Section Number: 17

Township: 07n

Range: 25w

Land Section: NW

Latitude: N 35 16 29.0

Longitude: W 93 41 07.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 163.276

Elevation (Feet): 535.681

Description: AHTD CAP SET IN TOP OF PARAPET WALL 22'RT OF JOB STATION 152+70

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 420030

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 9/27/2004

System: STATE Job Number: 040347 Nearest City: ROSEVILLE

County: LOGAN Route: 309 Section: Log Mile: 6.13

Land Section Number: 7 Township: 08N Range: 26W

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 112.252 Elevation (Feet): 368.280

Description: Alum cap set in top Hwdl 20' rt. Station 115+25

Comments: SET BY ERNEST SCHLAEFLI

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 420031

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #41

Date Established: 5/22/2012

System: STATE

Job Number: 040472

Nearest City: Paris

County: LOGAN

Route: 22

Section: 3

Log Mile: 4.82

Land Section Number: 2

Township: 07n

Range: 27w

Land Section: SW

Latitude: N 35 17 58.56000

Longitude: W 93 50 03.83000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 122.124155

Elevation (Feet): 400.669

Description: standard disk in rt headwall of rc box culvert sta 199+63 hwy 22.

Comments: Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 420032

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #41

Date Established: 5/22/2012

System: STATE

Job Number: 040472

Nearest City: paris

County: LOGAN

Route: 22

Section: 3

Log Mile: 5.61

Land Section Number: 1

Township: 07n

Range: 27w

Land Section: SW

Latitude: N 35 17 55.69000

Longitude: W 93 49 14.35000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 125.527559

Elevation (Feet): 411.835

Description: standard disk in lt headwall of rc box culvert sta 180+91 hwy 22.

Comments: Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430001

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: 60281 Nearest City: CARLISLE

County: LONOKE Route: 13 Section: 10 Log Mile: 6.98

Land Section Number: Township: Range:

Land Section:

Latitude: N 34 42 29.0 Longitude: W 91 45 23.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 67.977 Elevation (Feet): 223.021

Description: AHTD DISC IN TOP OF PARAPET WALL AT NW CORNER OF BRIDGE  
OVER WATTENSAW BAYOU 16' LEFT OF C/L. RECOVERED BY  
SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430002

Class:

Vertical Datum: UNKNOWN

Established by:

Date Established:

System: STATE

Job Number: 60281

Nearest City: CARLISLE

County: LONOKE

Route: 13

Section: 10

Log Mile: 3.21

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 49 35.0

Longitude: W 91 44 56.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.531

Elevation (Feet): 228.120

Description: AHTD DISC IN NO. END OF HW OF R.C. BOX CULVERT AT BUCK CREEK;  
40' LEFT OF C/L. RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430003

Class:

Vertical Datum: UNKNOWN

Established by: CARLISLE

Date Established:

System: STATE

Job Number: 60281

Nearest City:

County: LONOKE

Route: 13

Section: 10

Log Mile: 4.82

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 50 47.0

Longitude: W 91 44 57.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.297

Elevation (Feet): 224.071

Description: AHTD DISC IN NO. END OF HW OF R.C. BOX CULVERT AT FARAS RUN  
CREEK 40' LEFT OF C/L. RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430004

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City: LONOKE

County: LONOKE Route: 31 Section: 2 Log Mile: 19.57

Land Section Number: Township: Range:

Land Section:

Latitude: N 34 44 20.0 Longitude: W 91 54 55.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.201 Elevation (Feet): 227.037

Description: BRASS CAP MARKER "GAGE STATION" USGS STD DISC BRIDGE 2763  
(BAYOU METO). RECOVERED BY SURVEYS 2001

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430005

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City: LONOKE

County: LONOKE Route: 31 Section: 2 Log Mile: 18.85

Land Section Number: Township: Range:

Land Section:

Latitude: N 34 43 43.0 Longitude: W 91 54 57.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.05 Elevation (Feet): 226.542

Description: CHISELED SQUARE IN THE NORTHEAST CURB BRIDGE 2762 .  
RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430006

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 8/8/1988

System: STATE Job Number: 60266 Nearest City: LONOKE

County: LONOKE Route: 31 Section: 3 Log Mile: 2.58

Land Section Number: Township: Range:

Land Section:

Latitude: N 34 48 46.56 Longitude: W 91 52 46.56 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 71.461 Elevation (Feet): 234.452

Description: BENCHMARK DISK 28' RIGHT STATION 24+0 HW . RECOVERED BY  
SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430007

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 8/8/1988

System: STATE Job Number: 60266 Nearest City: LONOKE

County: LONOKE Route: 31 Section: 3 Log Mile: 7.59

Land Section Number: Township: Range:

Land Section:

Latitude: N 34 53 06.66 Longitude: W 91 52 28.50 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.451 Elevation (Feet): 237.700

Description: BENCHMARK DISK 28' LEFT STA 290+03 WINGWALL WATTENSAW  
CREEK SW CORNER. RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430008

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 8/8/1988

System: STATE Job Number: 60266 Nearest City: LONOKE

County: LONOKE Route: 31 Section: 3 Log Mile: 9.68

Land Section Number: Township: Range:

Land Section:

Latitude: N 35 54 56.58 Longitude: W 91 52 27.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.347 Elevation (Feet): 247.201

Description: BENCHMARK DISK 28' LEFT STATION 400+35 WINGWALL. RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430009

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 8/8/1988

System: STATE Job Number: 60266 Nearest City: LONOKE

County: LONOKE Route: 31 Section: 3 Log Mile: 11.12

Land Section Number: Township: Range:

Land Section:

Latitude: N 34 56 09.90 Longitude: W 91 52 27.78 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.174 Elevation (Feet): 236.791

Description: BENCHMARK DISK 28' LEFT STATION 475+38 WINGWALL. RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430010

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 8/8/1988

System: STATE Job Number: 60266 Nearest City: LONOKE

County: LONOKE Route: 31 Section: 3 Log Mile: 11.77

Land Section Number: Township: Range:

Land Section:

Latitude: N 34 56 43.80 Longitude: W 91 52 27.36 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.36 Elevation (Feet): 237.401

Description: BENCHMARK DISK 28'LEFT STATION 509+52 WINGWALL. RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430011

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 8/8/1988

System: STATE Job Number: 60266 Nearest City: BEEBE

County: LONOKE Route: 31 Section: 3 Log Mile: 15.36

Land Section Number: Township: Range:

Land Section:

Latitude: N 34 59 52.20 Longitude: W 91 52 24.96 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.504 Elevation (Feet): 224.750

Description: BENCKMARK DISK 28' LEFT STATION 699+29 WINGWALL. RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430012

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: 60407 Nearest City: LONOKE

County: LONOKE Route: 31 Section: 3 Log Mile: 1.19

Land Section Number: Township: Range:

Land Section:

Latitude: N 34 47 52.62 Longitude: W 91 53 27.06 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.235 Elevation (Feet): 230.429

Description: "[ ]" CUT NW CORNER OF NW WINGWALL OF NW BRIDGE END.  
RECOVERED BY SURVEYS 2001

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430013

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 9/1/1988

System: STATE Job Number: 60386 Nearest City: CABOT

County: LONOKE Route: 38 Section: Log Mile:

Land Section Number: Township: Range:

Land Section:

Latitude: N 34 58 27.0 Longitude: W 92 00 39.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 93.821 Elevation (Feet): 307.811

Description: AHTD DISK IN DROP INLET TOP NE CORNER OF 89 AND 38  
INTERSECTION. RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430014

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 9/1/1988

System: STATE Job Number: 60386 Nearest City: CABOT

County: LONOKE Route: 38 Section: Log Mile: 0.4

Land Section Number: Township: Range:

Land Section:

Latitude: N 34 58 39.0 Longitude: W 92 00 21.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 89.355 Elevation (Feet): 293.159

Description: AHTD DISK IN DROP INLET TOP NORTH SIDE OF HWY. 38. RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430015

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City: CABOT

County: LONOKE Route: 86 Section: Log Mile: .5\*

Land Section Number: 26 Township: 05N Range: 10W

Land Section:

Latitude: N 35 00 48.0 Longitude: W 92 04 05.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 89.276 Elevation (Feet): 292.900

Description: FOURMILE CREEK BRIDGE AHTD BENCH MARK CAP SET IN "NW" CORNER OF BR. # 14950. \*.5 MILES EAST OF ST. HWY. #5 ON CO. RD. # 86.\*. RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430016

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City: AUSTIN

County: LONoke Route: 89 Section: Log Mile: 1.8\*

Land Section Number: 32 Township: 05N Range: 09W

Land Section:

Latitude: N 35 01 46.0 Longitude: W 91 59 52.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 73.807 Elevation (Feet): 242.148

Description: MAGNESS CREEK BRIDGE AHTD BENCHMARK CAP SET IN  
"SOUTHEAST" CORNER OF BRIDGE #14951. \*1.8 MILES N ALONG CO.  
RD. #89 FROM ST. HWY. # 167.\*. RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430017

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #61

Date Established: 11/6/1992

System: STATE

Job Number: 60534

Nearest City: LONOKE

County: LONOKE

Route: 89

Section: 1

Log Mile: 8.92

Land Section Number: 28

Township: 03N

Range: 09W

Land Section:

Latitude: N 34 51 40.0

Longitude: W 91 58 47.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 78.568

Elevation (Feet): 257.769

Description: SOUTHEAST PARAPET RAIL STATION 471+43 17.5' RIGHT. RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430018

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #62

Date Established: 6/4/1992

System: STATE

Job Number: 60317

Nearest City: ENGLAND

County: LONOKE

Route: 161

Section: 6

Log Mile: 2.58

Land Section Number: 9

Township: 02S

Range: 09W

Land Section: NW

Latitude: N 34 32 59.0

Longitude: W 91 59 09.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.821

Elevation (Feet): 225.790

Description: SE CORNER OF HW ON RC BOX CULVERT 1 MILE W OF THE  
INTERSECTION OF STATE HIGHWAYS 165 AND 161. RECOVERED BY  
SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430019

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: 60347 Nearest City: ENGLAND

County: LONOKE Route: 165 Section: 8 Log Mile:

Land Section Number: Township: Range:

Land Section:

Latitude: N 34 33 12.0 Longitude: W 91 58 20.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.199 Elevation (Feet): 227.030

Description: ALUMINUM DISK CAP TOP OF HEADWALL @ STATION 36+19 RIGHT SIDE. RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430020

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: 60347 Nearest City:

County: LONOKE Route: 165 Section: 8 Log Mile: 19.55

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.117 Elevation (Feet): 226.761

Description: ALUMINUM DISK CAP RIGHT SIDE TOP OF HEADWALL @ STATION  
54+80. DESTROYED DISK DESTROYED 2001

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430021

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: 60347 Nearest City: ENGLAND

County: LONOKE Route: 165 Section: 8 Log Mile: 19.95

Land Section Number: Township: Range:

Land Section:

Latitude: N 34 33 52.0 Longitude: W 91 58 40.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.08 Elevation (Feet): 226.640

Description: ALUMINUM DISK CAP RIGHT SIDE TOP OF HEADWALL @STATION  
79+82. RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430022

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: 60347 Nearest City:

County: LONOKE Route: 165 Section: 8 Log Mile: 20.05

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.022 Elevation (Feet): 226.450

Description: ALUMINUM DISK CAP RIGHT SIDE TOP OF HEADWALL @ STATION  
86+36 DESTROYED 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430023

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: 60347 Nearest City: ENGLAND

County: LONOKE Route: 165 Section: 8 Log Mile: 20.45

Land Section Number: Township: Range:

Land Section:

Latitude: N 34 34 18.0 Longitude: W 91 58 53.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.022 Elevation (Feet): 226.450

Description: ALUMINUM DISK CAP RIGHT SIDE TOP OF HEADWALL @ STATION  
109+23. RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430024

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: 60347 Nearest City: KEO

County: LONOKE Route: 165 Section: 8 Log Mile: 22.57

Land Section Number: Township: Range:

Land Section:

Latitude: N 34 35 59.0 Longitude: W 92 00 14.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.327 Elevation (Feet): 230.731

Description: ALUMINUM DISK CAP RIGHT SIDE TOP OF HEADWALL STATION  
232+72. RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430025

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: 60347 Nearest City: KEO

County: LONOKE Route: 165 Section: 8 Log Mile: 24.55

Land Section Number: Township: Range:

Land Section:

Latitude: N 34 37 22.0 Longitude: W 92 01 31.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.33 Elevation (Feet): 230.741

Description: ALUMINUM DISK CAP RIGHT SIDE TOP OF HEADWALL @ STATION  
340+31. RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430026

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: 60347 Nearest City: SCOTT

County: LONOKE Route: 165 Section: 8 Log Mile: 27.2

Land Section Number: Township: Range:

Land Section:

Latitude: N 34 39 12.0 Longitude: W 92 03 12.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.768 Elevation (Feet): 238.740

Description: ALUMINUM CAP RIGHT SIDE TOP OF HEADWALL @STATION 481+30.  
RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430027

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #65

Date Established: 3/20/1991

System: STATE

Job Number: R60035

Nearest City: ENGLAND

County: LONOKE

Route: 165

Section: 8

Log Mile: 0.69

Land Section Number: 15

Township: 02S

Range: 09W

Land Section: NE

Latitude: N 34 32 56.0

Longitude: W 91 57 25.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.342

Elevation (Feet): 227.500

Description: SINGLE BARRELL BOX CULVERT-HEADWALL SOUTHEAST CORNER OF  
HIGHWAY 15 SOUTH AND HIGHWAY 165. RECOVERED BY SURVEYS  
2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430028

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: R60031 Nearest City: SCOTT

County: LONOKE Route: 165 Section: 8 Log Mile: 27.51

Land Section Number: 11 Township: 01S Range: 10W

Land Section:

Latitude: N 34 39 12.0 Longitude: W 92 03 12.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.287 Elevation (Feet): 237.162

Description: ALUMINUM DISC IN HEADWALL 28' RIGHT STATION 481+56.  
RECOVERED BY SURVEYS 2001

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430029

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: R60031 Nearest City: SCOTT

County: LONOKE Route: 165 Section: 8 Log Mile: 28.92

Land Section Number: 2 Township: 01S Range: 10W

Land Section:

Latitude: N 34 40 08.0 Longitude: W 92 04 13.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.975 Elevation (Feet): 239.419

Description: ALUMINUM DISC IN HEADWALL 28' RIGHT STATION 555+74.  
RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430030

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: R60031 Nearest City: SCOTT

County: LONOKE Route: 165 Section: 8 Log Mile: 29.71

Land Section Number: 34 Township: 01N Range: 10W

Land Section:

Latitude: N 34 40 44.0 Longitude: W 92 04 52.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.722 Elevation (Feet): 238.589

Description: ALUMINUM DISC IN HEADWALL 30' RIGHT STATION 597+68.  
RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430031

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: R60031 Nearest City: SCOTT

County: LONOKE Route: 165 Section: 8 Log Mile: 29.98

Land Section Number: 34 Township: 01N Range: 10W

Land Section:

Latitude: N 34 40 42.0 Longitude: W 92 04 55.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 73.073 Elevation (Feet): 239.740

Description: ALUMINUM DISC IN HEADWALL 30' RIGHT STATION 611+56.  
RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430032

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: R60031 Nearest City: SCOTT

County: LONOKE Route: 165 Section: 8 Log Mile: 1.62

Land Section Number: 17 Township: 01N Range: 10W

Land Section:

Latitude: N 34 43 04.0 Longitude: W 92 06 49.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.56 Elevation (Feet): 247.900

Description: ALUMINUM DISC IN HEADWALL 30' RIGHT STATION 775+76.  
RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430033

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: R60061 Nearest City: CARLISLE

County: LONOKE Route: 980 Section: 5 Log Mile: 0.0\*\*

Land Section Number: Township: Range:

Land Section:

Latitude: N 34 48 24.0 Longitude: W 91 44 58.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 73.865 Elevation (Feet): 242.339

Description: B. M. OS (AR GEOD. SURVEY) MARKER W. B. A. LOCATED 40' EAST OF C/L STATE HWY. 13 AND 47' SOUTH OF C/L CARLISLE AIRPORT ACCESS RD. 980. \*\*0.0 LOG MILE BEGINS AT C/L OF STATE HWY. 13 AND CONTINUES EAST ON CARLISLE AIRPORT RD. 980.\*\*. RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430034

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: R60061 Nearest City: CARLISLE

County: LONOKE Route: 980 Section: 5 Log Mile: 1.2\*

Land Section Number: Township: Range:

Land Section:

Latitude: N 34 48 19.0 Longitude: W 91 43 56.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.348 Elevation (Feet): 266.889

Description: BENCHMARK IS CHISELED "[]" IN NORTHEAST CORNER WINGWALL OF I-40 OVERPASS ON PAUCHER ROAD. PAUCHER ROAD IS LOCATED ONE MILE EAST OF HIGHWAY 13. \*\*0.0 LOG MILE BEGINS AT CENTERLINE OF HWY. 70 AND PAUCHER RD. AND CONTINUES NORTH ON PAUCHER RD.\*\*. RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430035

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: R60061 Nearest City:

County: LONOKE Route: 980 Section: 5 Log Mile: 2.0

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 73.012 Elevation (Feet): 239.540

Description: BENCHMARK IS (AR. GEOD. SURVEY) MARKER "L108" 1954 SPUR LINE 66' LEFT OF C/L AIRPORT ACCESS 980 AT LOG MILE 2.0. \*0.0 LOG MILE BEGINS AT C/L OF STATE HWY. 13 AND CONTINUES EAST ON CARLISLE AIRPORT ACCESS RD. 980.\* DESTROYED 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430036

Class:

Vertical Datum:

Established by: RE OFFICE #61

Date Established: 9/15/1994

System: STATE

Job Number: 60559

Nearest City: CABOT

County: LONOKE

Route: 321

Section: 1

Log Mile: 2.16

Land Section Number: 25

Township: 04N

Range: 07W

Land Section: SE

Latitude: N 34 56 32.0

Longitude: W 92 01 35.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 82.11

Elevation (Feet): 269.389

Description: 315+0 AHTD DISK TOP HDWL ON LT. BOX NEW LOCATION..  
RECOVERED BY SURVEYS 2001

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430037

Class:

Vertical Datum:

Established by: RE OFFICE #61

Date Established: 9/15/1994

System: STATE

Job Number: 60559

Nearest City: CABOT

County: LONOKE

Route: 321

Section: 1

Log Mile: .0

Land Section Number: 27

Township: 04N

Range: 07W

Land Section: SE

Latitude: N 34 56 59.0

Longitude: W 92 03 42.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.732

Elevation (Feet): 268.149

Description: 200+75 AHTD DISK TOP HDWL ON RT BO LOCATED NEW LOCATION..  
RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430038

Class:

Vertical Datum:

Established by:

RE OFFICE #61

Date Established: 9/15/1994

System: STATE

Job Number: 60559

Nearest City: CABOT

County: LONOKE

Route: 321

Section: 1

Log Mile: 1.31

Land Section Number: 26

Township: 04N

Range: 07W

Land Section: SE

Latitude: N 34 56 36.0

Longitude: W 92 02 25.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 89.517

Elevation (Feet): 293.690

Description: 270+00 TOP PARAPET WALL MIDDLE OF BR. ON RT. AHTD DISK NEW  
LOCATION.. RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430039

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #65

Date Established:

System: COUNTY

Job Number: BR-43-4

Nearest City: JACKSONVILLE

County: LONOKE

Route: CR 71

Section: N/A

Log Mile: \*\*\*

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 52 07.0

Longitude: W 92 02 09.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 78.148

Elevation (Feet): 256.391

Description: AHTD DISC IN SW WINGWALL OF TWO PRARIE BAYOU BR. BR.  
4586. \*\*\*1.8 MILES EAST OF PULASKI COUNTY LINE.\*\*\*.  
RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430040

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: COUNTY Job Number: F-43-6 Nearest City:

County: LONOKE Route: CR 1491 Section: Log Mile:

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.763 Elevation (Feet): 228.881

Description: BENCH MARK CAP IN SW CORNER HW SOUTH SIDE OF RC BOX  
CULVT. STA 6796. NOT RECOVERED BY SURVEYS 2001. APPEARS TO  
BE KEITH ROAD CR1491 GRAVEL ROAD APPROX 1/4 MILE WITH NO  
HEADWALLS.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430041

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 8/20/1990

System: COUNTY Job Number: BR-43-5 Nearest City: WARD

County: LONOKE Route: CR83 Section: Log Mile:

Land Section Number: 31 Township: 05N Range: 08W

Land Section: NW

Latitude: N 35 01 30.0 Longitude: W 91 55 00.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.074 Elevation (Feet): 223.339

Description: SOUTHEAST CORNER OF BRIDGE NAME PLATE MILL CREEK STA. 30+66  
RT. IN TOP OF WINGWALL 2.36 MILES NORTH OF HWY. 38 ON COUNTY  
ROAD 83 (COCKLEBUR RD.). RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430042

Class:

Vertical Datum:

Established by: RE OFFICE #61

Date Established:

System: STATE

Job Number: 060392

Nearest City: LONOKE

County: LONOKE

Route: 89

Section: 1

Log Mile: 0.7

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 47 18.0

Longitude: W 91 54 42.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 71.14

Elevation (Feet): 233.398

Description: DISK IN SW CORNER OF HEADWALL ON RC BOX CULVERT.  
RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430043

Class:

Vertical Datum:

Established by: RE OFFICE #65

Date Established: 8/19/1997

System: STATE

Job Number: R60119

Nearest City: HUMNOKE

County: LONOKE

Route: 165

Section: 8

Log Mile: 2.44

Land Section Number: 7

Township: 02S

Range: 06W

Land Section:

Latitude: N 34 32 31.0

Longitude: W 91 41 12.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 61.987

Elevation (Feet): 203.369

Description: AHTD BENCH MARK MEDALLION ON NE END OF PARPAET OF BRIDGE  
NO. 2312 R OVER BIG DITCH APPROX. 21' RT. OF CENTERLINE STA.  
630+44. RECOVERED 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430044

Class:

Vertical Datum:

Established by: RE OFFICE #65

Date Established: 8/19/1997

System: STATE Job Number: R60119 Nearest City: HUMNOKE

County: LONOKE Route: 165 Section: 8 Log Mile: 1.18

Land Section Number: 8 Township: 02S Range: 06W

Land Section:

Latitude: N 34 32 30.0 Longitude: W 91 39 53.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 62.264 Elevation (Feet): 204.278

Description: AHTD BENCH MARK MEDALLION ON NE END OF PARAPET OF BRIDGE  
NO. 2314 R OVER DENNIS SLOUGH APPROX. 21' RT. OF CENTERLINE  
STA. 564+15. RECOVERED 2001

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430045

Class:

Vertical Datum:

Established by: RE OFFICE #65

Date Established: 8/19/1997

System: STATE

Job Number: R60119

Nearest City: HUMNOKE

County: LONOKE

Route: 165

Section: 8

Log Mile: 2.10

Land Section Number: 8

Township: 02S

Range: 06W

Land Section:

Latitude: N 34 32 31.0

Longitude: W 91 40 49.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 61.844

Elevation (Feet): 202.900

Description: AHTD BENCH MARK MEDALLION ON SE END OF PARAPET OF BRIDGE  
NO. 2313 R OVER BUFFALO SLOUGH APPROX. 21' LT. OF CENTERLINE  
STA. 611+26. RECOVERED 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430046

Class:

Vertical Datum:

Established by: RE OFFICE #65

Date Established: 8/19/1997

System: STATE

Job Number: R60119

Nearest City: HUMNOKE

County: LONOKE

Route: 165

Section: 8

Log Mile: 0.03

Land Section Number: 10

Township: 02S

Range: 06W

Land Section:

Latitude: N 34 32 26.0

Longitude: W 91 38 38.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 62.249

Elevation (Feet): 204.229

Description: AHTD BENCH MARK MEDALLION ON NE END OF PARAPET OF BRIDGE  
NO. 2315 R OVER BAYOU APPROX. 21' RT. OF CENTERLINE STA. 501+57.  
RECOVERED 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430047

Class:

Vertical Datum:

Established by: RE OFFICE #65

Date Established: 8/14/1998

System:

Job Number: 060594

Nearest City: COY

County: LONOKE

Route: 165

Section: 8

Log Mile: 13.30

Land Section Number: 9

Township: 02S

Range: 08W

Land Section: SW

Latitude: N 34 32 55.0

Longitude: W 91 52 36.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 66.977

Elevation (Feet): 219.740

Description: AHTD MEDALLION ON TOP OF WINGWALL @ NE CORNER OF BRIOSE  
NO. 06616 OVER SALT BAYOU 24' RT OF CENTERLINE STA. 702+22..  
RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430048

Class:

Vertical Datum:

Established by:

RE OFFICE #65

Date Established: 8/20/1998

System:

Job Number:

060594

Nearest City:

ENGLAND

County:

LONOKE

Route:

165

Section:

8

Log Mile:

15.43

Land Section Number:

7

Township:

02S

Range:

08W

Land Section:

SW

Latitude:

N 34 32 57.0

Longitude:

W 91 54 50.0

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

68.579

Elevation (Feet):

224.996

Description:

AHTD MEDALLION ON TOP OF WINGWALL @ NE CORNER OF BRIDGE  
NO. 06617 OVER INDIAN BAYOU 24' RT OF CENTERLINE STA. 813+16..  
RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430049

Class:

Vertical Datum:

Established by: RE OFFICE #65

Date Established: 8/20/1998

System:

Job Number: 060594

Nearest City: ENGLAND

County: LONOKE

Route: 165

Section: 8

Log Mile: 15.79

Land Section Number: 7

Township: 02S

Range: 08W

Land Section: SW

Latitude: N 34 32 59.0

Longitude: W 91 55 14.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.61

Elevation (Feet): 225.098

Description: AHTD MEDALLION ON TOP OF WINGWALL @ NE CORNER OF BRIDGE  
NO. 06618 OVER INDIAN BAYOU, DITCH 24' RT OF CENTERLINE STA.  
833+42.. RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430050

Class:

Vertical Datum:

Established by:

Date Established: 8/14/1998

System:

Job Number: R60120

Nearest City: ALLPORT

County: LONOKE

Route: 165

Section: 8

Log Mile: 8.08

Land Section Number: 8

Township: 02S

Range: 07W

Land Section: SW

Latitude: N 34 32 40.0

Longitude: W 91 47 07.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 63.755

Elevation (Feet): 209.170

Description: AHTD MEDALLION ON TOP OF PARAPET @ SE CORNER OF BRIDGE NO. 6655 OVER CROOKED CREEK 6.43 M LT OF CENTERLINE STA. 130+04..  
RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430051

Class:

Vertical Datum:

Established by:

Date Established: 8/17/1998

System:

Job Number: R60120

Nearest City: ALLPORT

County: LONOKE

Route: 165

Section: 8

Log Mile: 9.57

Land Section Number: 13

Township: 02S

Range: 08W

Land Section: NE

Latitude: N 34 32 43.0

Longitude: W 91 48 43.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 62.365

Elevation (Feet): 204.609

Description: AHTD MEDALLION ON SW CORNER OF HEADWALL OF R. C. BOX @ M  
GREGOR BRAKE DITCH 11.6 M LT. OF CENTERLINE STA. 154+08..  
RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430052

Class:

Vertical Datum:

Established by:

Date Established: 8/17/1998

System:

Job Number: R60120

Nearest City: COY

County: LONOKE

Route: 165

Section: 8

Log Mile: 10.88

Land Section Number: 14

Township: 02S

Range: 08W

Land Section: NE

Latitude: N 34 32 51.0

Longitude: W 91 50 03.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 64.736

Elevation (Feet): 212.388

Description: AHTD MEDALLION ON TOP OF PARAPET @ SE CORNER OF BRIDGE NO. 6606 OVER CANEY CREEK 6.4 M LT. OF CENTERLINE STA. 175+13..  
RECOVERED BY SURVEYS 2001

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430053

Class:

Vertical Datum: UNKNOWN

Established by: LARRY WILKINS

Date Established: 4/28/2000

System:

Job Number: R60134

Nearest City: HUMNOKE

County: LONOKE

Route: 165

Section:

Log Mile: 3.99

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 32 33.0

Longitude: W 91 42 51.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 60.8564

Elevation (Feet): 199.660

Description: METAL BENCHMARK DISK ON THE RT. WINGWALL AT EAST BRIDGE  
END. (N.E. CORNER OF BRIDGE). RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430054

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #64

Date Established: 11/14/2001

System: STATE Job Number: 060397 Nearest City:

County: LONOKE Route: 15 Section: 9 Log Mile: 0.09

Land Section Number: 35 Township: 02s Range: 09w

Land Section: SW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 66.102 Elevation (Feet): 216.870

Description: AHTD DISK IN EAST HW OF TRIPLE 9X6 RC BOX CULVERT

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430055

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #61

Date Established: 5/19/2008

System: STATE

Job Number: 060905

Nearest City: CABOT

County: LONOKE

Route: 5

Section: 12

Log Mile: 2.16

Land Section Number: 16

Township: 04N

Range: 10W

Land Section: SE

Latitude: N 34 58 38.51

Longitude: W 92 04 18.61

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 84.739538

Elevation (Feet): 278.016

Description: AHTD BM DISK IN NW CORNER OF RC BOX CULVERT HEADWALL AT STATION 232+18

Comments: 3-WIRE ELEVATIONS RAN BY RE#61. CANNOT VERIFY ELEVATIONS BECAUSE THE POINTS USED WERE NOT AS CONTROL WERE NOT IN CONTROL FILE NO INFORMATION WAS GIVEN WHERE THEY CAME FROM. DATA CAN BE LOCATED ON EDM UNDER s060905\_RE\_benchmarks.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430056

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #61

Date Established: 5/20/2008

System: STATE

Job Number: 060905

Nearest City: CABOT

County: LONOKE

Route: 5

Section: 12

Log Mile: 0.98

Land Section Number: 16

Township: 04N

Range: 10W

Land Section: SE

Latitude: N 34 57 37.51

Longitude: W 92 04 21.08

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 87.232929

Elevation (Feet): 286.197

Description: AHTD BM DISK IN NW CORNER OF RC BOX CULVERT HEADWALL AT STATION 170+18

Comments: 3-WIRE ELEVATIONS RAN BY RE#61. CANNOT VERIFY ELEVATIONS BECAUSE THE POINTS USED WERE NOT AS CONTROL WERE NOT IN CONTROL FILE NO INFORMATION WAS GIVEN WHERE THEY CAME FROM. DATA CAN BE LOCATED ON EDM UNDER s060905\_RE\_benchmarks.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430057

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #61

Date Established: 5/21/2008

System: STATE

Job Number: 060905

Nearest City: CABOT

County: LONOKE

Route: 5

Section: 12

Log Mile: 1.92

Land Section Number: 16

Township: 04N

Range: 10W

Land Section: SE

Latitude: N 34 58 25.74

Longitude: W 92 04 18.70

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 86.508418

Elevation (Feet): 283.820

Description: AHTD BM DISK IN NW CORNER OF PARAPET WALL ON BR# A7017 AT STATION 219+38

Comments: 3-WIRE ELEVATIONS RAN BY RE#61. CANNOT VERIFY ELEVATIONS BECAUSE THE POINTS USED WERE NOT AS CONTROL WERE NOT IN CONTROL FILE NO INFORMATION WAS GIVEN WHERE THEY CAME FROM. DATA CAN BE LOCATED ON EDM UNDER s060905\_RE\_benchmarks.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 430058

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #21

Date Established: 5/21/2008

System: STATE

Job Number: 060905

Nearest City: CABOT

County: LONOKE

Route: 5

Section: 12

Log Mile: 1.89

Land Section Number: 16

Township: 04N

Range: 10W

Land Section: SE

Latitude: N 34 58 24.51

Longitude: W 92 04 17.55

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 86.481991

Elevation (Feet): 283.733

Description: AHTD BM DISK IN SE CORNER OF PARAPET WALL ON BR# B7017 AT STATION 218+17

Comments: 3-WIRE ELEVATIONS RAN BY RE#61. CANNOT VERIFY ELEVATIONS BECAUSE THE POINTS USED WERE NOT AS CONTROL WERE NOT IN CONTROL FILE NO INFORMATION WAS GIVEN WHERE THEY CAME FROM. DATA CAN BE LOCATED ON EDM UNDER s060905\_RE\_benchmarks.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 440001

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: 9689 Nearest City: CROSSES

County: MADISON Route: 16 Section: 4 Log Mile: 3.69

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 400.965 Elevation (Feet): 1315.499

Description: "[ ]" CUT ON SOUTH END OF WEST HEADWALL. ROAD HAS BEEN  
OVERLAYED AND WIDENED. HEADWALL COVERED WITH ASPHALT.  
NOT RECOVERED BY S5102 ON 12/28/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 440002

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: 9689 Nearest City: CROSSES

County: MADISON Route: 16 Section: 4 Log Mile: 5.35

Land Section Number: Township: Range:

Land Section:

Latitude: N 35 52 19.0 Longitude: W 93 54 41.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 406.211 Elevation (Feet): 1332.711

Description: AHTD DISC IN NORTHWEST WING OF BRIDGE NO. 878W. RECOVERED  
S5102 ON 12/29/99.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 440003

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: 9689 Nearest City: DELANEY

County: MADISON Route: 16 Section: 4 Log Mile: 5.96

Land Section Number: Township: Range:

Land Section:

Latitude: N 33 51 08.0 Longitude: W 93 54 06.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 411.941 Elevation (Feet): 1351.510

Description: AHTD DISC IN SOUTHWEST WING OF BRIDGE NO. 5931 OVER DELANEY CREEK RECOVERED 12/29/99 BY S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 440004

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: 9689 Nearest City: DELANEY

County: MADISON Route: 16 Section: 4 Log Mile: 7.35

Land Section Number: Township: Range:

Land Section:

Latitude: N 35 50 29.0 Longitude: W 93 52 56.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 417.29 Elevation (Feet): 1369.059

Description: AHTD DISC IN SOUTHWEST WING OF BRIDGE NO. 5932. RECOVERED BY S5102 ON 12/29/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 440005

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: 9689 Nearest City: COMBS

County: MADISON Route: 16 Section: 4 Log Mile: 8.78

Land Section Number: Township: Range:

Land Section:

Latitude: N 35 05 03.0 Longitude: W 93 51 34.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 422.045 Elevation (Feet): 1384.659

Description: AHTD DISC IN WEST END OF NORTH HEADWALL. RECOVERED BY  
S5102 ON 12/29/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 440006

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: 9689 Nearest City: COMBS

County: MADISON Route: 16 Section: 4 Log Mile: 11.66

Land Section Number: Township: Range:

Land Section:

Latitude: N 35 49 25.0 Longitude: W 93 49 57.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 432.966 Elevation (Feet): 1420.489

Description: AHTD DISC IN SOUTHWEST WING OF BRIDGE NO. 5933 OVER MILL CREEK. RECOVERED ON 12/29/99 BY S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 440007

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #92

Date Established:

System: STATE

Job Number: 9787

Nearest City: CROSSES

County: MADISON

Route: 16

Section: 4

Log Mile: 1.91

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 54 25.0

Longitude: W 93 56 07.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 398.655

Elevation (Feet): 1307.921

Description: AHTD DISC IN NORTH END EAST HEADWALL. RECOVERED BY S5102  
ON 12/29/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 440008

Class:

Vertical Datum: NAVD88

Established by: RE OFFICE #94

Date Established: 11/3/1992

System: STATE

Job Number: 9816

Nearest City: BRASHEARS

County: MADISON

Route: 23

Section: 8

Log Mile: 4.26

Land Section Number: 5

Township: 13N

Range: 26W

Land Section: SW

Latitude: N 35 49 08.0

Longitude: W 93 46 48.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 453.651

Elevation (Feet): 1488.353

Description: AHTD DISC SET IN THE SE WINGWALL OF BR NO. 6370, 19.2 FT E OF THE CENTER OF THE BRIDGE AND 1.03 LOG MILES NORTH OF THE HWY. 23/HWY. 16 INTERSECTION. RECOVERED BY S5102 ON 12/28/99. ELEVATION 3-wire FROM NGS PT S 52 RESET. (OLD ELEV=1487.93 FT)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 440009

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #94

Date Established: 3/29/1993

System: STATE

Job Number: 9690

Nearest City: AURORA

County: MADISON

Route: 23

Section: 8

Log Mile: 17.71

Land Section Number: 13

Township: 15N

Range: 26W

Land Section: SW

Latitude: N 35 57 28.0

Longitude: W 93 41 45.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 430.196

Elevation (Feet): 1411.401

Description: AHTD STANDARD DISC SET IN THE TOP OF THE SOUTHEAST WINGWALL OF BRIDGE NO. 6408 (SEALS CREEK), 19 FEET EAST OF THE CENTER OF HWY. 23 AND 2.81 LOG MILES SOUTH OF THE STATE HIGHWAY 23/ STATE HIGHWAY 127 INTERSECTION. RECOVERED BY S5102 ON 12/28/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 440010

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #94

Date Established: 4/6/1993

System: STATE

Job Number: 9690

Nearest City: AURORA

County: MADISON

Route: 23

Section: 8

Log Mile: 20.36

Land Section Number: 2

Township: 15N

Range: 26W

Land Section: NE

Latitude: N 35 59 43.0

Longitude: W 93 42 09.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 417.498

Elevation (Feet): 1369.741

Description: AHTD STANDARD DISC SET IN THE TOP OF THE SOUTHEAST WINGWALL OF BRIDGE NO. 6409 (HENDERSON CREEK), 19 FEET EAST OF THE CENTER OF HIGHWAY 23 AND 0.16 LOG MILES SOUTH OF THE STATE HIGHWAY 23/ STATE HIGHWAY 127 INTERSECTION. RECOVERED BY S5102 ON 12/28/99.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 440011

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: 9689 Nearest City: BRASHEARS

County: MADISON Route: 23 Section: 8 Log Mile: 1.07

Land Section Number: Township: Range:

Land Section:

Latitude: N 35 47 08.0 Longitude: W 93 47 22.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 481.21 Elevation (Feet): 1578.770

Description: AHTD DISC IN NORTHWEST WING OF BRIDGE NO. 5934. RECOVERED BY S5102 ON 12/28/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 440012

Class:

Vertical Datum: NGVD29

Established by: RE OFFICE #92

Date Established:

System: STATE

Job Number: 9582

Nearest City: HUNTSVILLE

County: MADISON

Route: 23

Section: 9

Log Mile: 2.16

Land Section Number: 22

Township: 17N

Range: 26W

Land Section: NE

Latitude: N 36 07 27.0

Longitude: W 93 44 00.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 384.034

Elevation (Feet): 1259.952

Description: AHTD DISC IN SOUTHEAST CORNER OF BRIDGE 6340 (HOLMAN CREEK). RECOVERED BY S5102 ON 12/28/00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 440013

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #92

Date Established:

System: STATE

Job Number: 9582

Nearest City: HUNTSVILLE

County: MADISON

Route: 23

Section: 9

Log Mile: 2.72

Land Section Number: 15

Township: 17N

Range: 26W

Land Section: SE

Latitude: N 36 07 51.0

Longitude: W 93 43 59.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 384.704

Elevation (Feet): 1262.150

Description: AHTD DISC IN SOUTHEAST WING OF BRIDGE 6341 (SMYRNA CREEK).  
RECOVERED BY S5102 ON 12/28/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 440014

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: 9821 Nearest City: HINDSVILLE

County: MADISON Route: 295 Section: 3 Log Mile: 10.07

Land Section Number: Township: Range:

Land Section:

Latitude: N 36 08 57.0 Longitude: W 93 53 20.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 400.142 Elevation (Feet): 1312.799

Description: AHTD DISC IN NORTH END WEST HEADWALL. RECOVERED BY S5102  
ON 12/29/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 440015

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: 9821 Nearest City: HINDSVILLE

County: MADISON Route: 295S Section: 3S Log Mile: 0.44

Land Section Number: Township: Range:

Land Section:

Latitude: N 36 08 53.0 Longitude: W 93 52 53.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 404.205 Elevation (Feet): 1326.129

Description: AHTD DISC IN WEST END OF SOUTH HEADWALL. RECOVERED BY  
S5102 ON 12/29/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 440016

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: 9821 Nearest City: HINDSVILLE

County: MADISON Route: 295S Section: 3S Log Mile: 1.14

Land Section Number: Township: Range:

Land Section:

Latitude: N 36 08 44.0 Longitude: W 93 52 17.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 409.481 Elevation (Feet): 1343.439

Description: AHTD DISC IN NORTH END WEST HEADWALL. RECOVERED BY S5102  
ON 12/29/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 440017

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #92

Date Established: 2/19/1987

System: STATE

Job Number: R90023

Nearest City: HINDSVILLE

County: MADISON

Route: 295 & 295S

Section: 3 & 3S

Log Mile: 8.99

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 08 28.0

Longitude: W 93 53 57.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 391.529

Elevation (Feet): 1284.541

Description: AHTD DISK IN WEST END OF SOUTH HEADWALL. RECOVERED BY S5102 ON 12/29/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 440018

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #92

Date Established: 2/19/1987

System: STATE

Job Number: R90023

Nearest City: HINDSVILLE

County: MADISON

Route: 295 & 295S

Section: 3 & 3S

Log Mile: 9.72

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 08 39.0

Longitude: W 93 53 22.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 398.755

Elevation (Feet): 1308.249

Description: AHTD DISK IN SOUTH END OF EAST HEADWALL. RECOVERED BY S5102 ON 12/29/99.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 440019

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #92

Date Established: 7/1/1987

System: STATE

Job Number: R90023

Nearest City: HINDSVILLE

County: MADISON

Route: 295 & 295S

Section: 3 & 3S

Log Mile: 1.62

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 08 39.0

Longitude: W 93 51 49.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 413.709

Elevation (Feet): 1357.310

Description: AHTD DISK IN WEST END OF SOUTH HEADWALL. RECOVERED BY S5102 ON 12/29/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 440020

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #92

Date Established:

System: STATE

Job Number: 9836

Nearest City: WESLEY

County: MADISON

Route: 303

Section: 0

Log Mile: 2.00

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 00 35.0

Longitude: W 93 53 17.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 382.527

Elevation (Feet): 1255.007

Description: AHTD DISC SOUTHEAST BRIDGE WINGWALL. RECOVERED BY S5102  
ON 12/28/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 440021

Class:

Vertical Datum: NAVD88

Established by: RE OFFICE #94

Date Established: 4/24/1996

System: STATE

Job Number: 009902

Nearest City: BRASHEARS

County: MADISON

Route: 23

Section: 8

Log Mile: 3.40

Land Section Number: 7

Township: 13N

Range: 26W

Land Section: NW

Latitude: N 35 48 49.0

Longitude: W 93 47 31.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 448.009

Elevation (Feet): 1469.843

Description: AHTD DISC IN TOP OF SW WINGWALL OF BR.NO. 6512 (OVER FLEMING CREEK), 19 FT S OF C/L OF HWY. 23 AND .373 LOG MILES E OF HWY. 23/HWY.16 INTERSECTION. RECOVERED BY S5102 ON 12/28/99. ELEVATION BY 3-WIRE FROM NGS PT S 52 RESET (OLD ELEV=1469.41 FT)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 440022

Class:

Vertical Datum:

Established by: RE OFFICE #94

Date Established: 4/24/1996

System: STATE

Job Number: 009902

Nearest City: BRASHEARS

County: MADISON

Route: 23

Section: 8

Log Mile: 2.32

Land Section Number: 7

Township: 13N

Range: 26W

Land Section: SW

Latitude: N 35 48 02.0

Longitude: W 93 47 25.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 457.393

Elevation (Feet): 1500.630

Description: AHTD STANDARD DISC IN SOUTH END OF HEADWALL OF R. C. BOX CULVERT, 28 FEET WEST OF CENTERLINE OF HWY. 23 AND .807 LOG MILES SOUTH OF THE HWY. 23/HWY. 16 INTERSECTION. RECOVERED BY S5102 ON 12/28/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 440023

Class:

Vertical Datum:

Established by: RE OFFICE #94

Date Established: 4/24/1996

System: STATE

Job Number: 009902

Nearest City: BRASHEARS

County: MADISON

Route: 23

Section: 8

Log Mile: 2.65

Land Section Number: 7

Township: 13N

Range: 26W

Land Section: SW

Latitude: N 35 48 19.0

Longitude: W 93 47 34.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 456.527

Elevation (Feet): 1497.789

Description: AHTD STANDARD DISC IN CENTER OF HEADWALL OF R. C. BOX CULVERT, 28 FEET WEST OF CENTERLINE OF HWY. 23, AND .494 LOG MILES SOUTH OF THE HWY. 23/ HWY. 16 INTERSECTION. RECOVERED BY S5102 ON 12/28/99.

Comments: Longitude was updated from 93 97 34 non 06/09/2017

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 440024

Class:

Vertical Datum:

Established by: RE OFFICE #94

Date Established: 11/14/1996

System: STATE

Job Number: R90008

Nearest City: CLIFTY

County: MADISON

Route: 127

Section: 2

Log Mile: 3.59

Land Section Number: 34

Township: 19N

Range: 27W

Land Section: SE

Latitude: N 36 15 50.0

Longitude: W 93 50 15.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 408.655

Elevation (Feet): 1340.729

Description: BENCHMARK DISC IN TOP OF HEADWALL OF R. C. BOX CULVERT, 44' NORTH OF CENTERLINE OF HWY. 127 AND 2.483 LOG MILES EAST OF THE BENTON/MADISON COUNTY LINE. RECOVERED BY S5102 ON 12/28/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 440025

Class:

Vertical Datum:

Established by: RE OFFICE #94

Date Established: 1/15/1999

System: STATE

Job Number: 009993

Nearest City: HUNTSVILLE

County: MADISON

Route: 412

Section:

Log Mile:

Land Section Number: 26

Township: 17N

Range: 26W

Land Section: NE

Latitude: N 36 06 53.0

Longitude: W 93 43 04.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 414.918

Elevation (Feet): 1361.277

Description: AHTD STANDARD BENCHMARK DISC IN EAST END OF R. C.BOX  
CULVERT HEADWALL 85' SSW OF CENTERLINE OF HWY. 412 AND 1.082  
LOG MILES EAST OF THE HWY. 412 AND HWY. 23 INTERSECTION.  
RECOVERED BY S5102 ON 12/28/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 440026

Class:

Vertical Datum:

Established by:

Date Established: 3/4/1999

System: STATE

Job Number: 009997

Nearest City: HUNTSVILLE

County: MADISON

Route: 412

Section: 22

Log Mile:

Land Section Number:

Township: 17N

Range: 26W

Land Section: SE

Latitude: N 36 07 17.0

Longitude: W 93 44 06.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

Elevation (Feet):

Description: AHTD STANDARD DISC SET IN TOP OF PARPET WALL IN SOUTHWEST CORNER OF BRIDGE NO.6639 ( HOLMAN CREEK BRIDGE ) AT THE INTERSECTION OF HWY.412 AND HWY.23. RECOVERED S5102 ON 12/28/99.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 440027

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 11/10/1999

System: STATE Job Number: 009948 Nearest City:

County: MADISON Route: 412 Section: 04 Log Mile: 12.77

Land Section Number: 25 Township: 17N Range: 26W

Land Section: NW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 419.6616 Elevation (Feet): 1376.840

Description: AHTD STANDARD DISC SET IN SOUTHWEST CORNER OF HEADWALL OF R.C. BOX CULVERT, 230 FEET SOUTH OF CENTERLINE OF HWY. 412 AND 1.667 LOG MILES EAST OF THE INTERSECTION OF HWY.412 AND HWY,23.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 440028

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #94

Date Established: 10/25/2002

System: STATE Job Number: 009863 Nearest City:

County: MADISON Route: 412 Section: 4 Log Mile: 10.35

Land Section Number: 13 Township: 17N Range: 25W

Land Section: NE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 395.599 Elevation (Feet): 1297.894

Description: AHTD DISC ON ONION CREEK BR. SE CORNER PARAPHET WALL

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 440029

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #94

Date Established: 10/25/2002

System: STATE

Job Number: 009863

Nearest City:

County: MADISON

Route: 412

Section: 4

Log Mile: 11.17

Land Section Number: 18

Township: 17N

Range: 24W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 393.311

Elevation (Feet): 1290.388

Description: AHTD DISC ON SW CORNER OF KINGS RIVER BRIDGE.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 440030

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #94

Date Established: 10/28/2002

System: STATE

Job Number: 009917

Nearest City:

County: MADISON

Route: 23

Section: 8

Log Mile: 12.96

Land Section Number: 02

Township: 14S

Range: 26W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 464.214

Elevation (Feet): 1523.009

Description: AHTD DISC ON SE CORNER OF PARAPHET WALL BRIDGE OVER WAR EAGLE CREEK

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 440031

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #43

Date Established: 7/6/2007

System: STATE Job Number: 090116 Nearest City: Hindsville

County: MADISON Route: 412 Section: 3 Log Mile: 0.83

Land Section Number: 07 Township: 17N Range: 27W

Land Section: SW

Latitude: N 36 09 46.37 Longitude: W 93 54 06.31 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 409.8532 Elevation (Feet): 1344.660

Description: RC Box culvert Headwall. North end of box.

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 440032

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #92

Date Established: 4/12/2011

System: STATE

Job Number: 009951

Nearest City: Hindsville

County: MADISON

Route: 412

Section: 3

Log Mile: 6.24

Land Section Number: 23

Township: 17n

Range: 27w

Land Section:

Latitude: N 36 07 39.90000

Longitude: W 93 50 07.60000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 422.7606

Elevation (Feet): 1387.007

Description: AHTD DISC IN NE CORNER OF HEADWALL 142' LT OF STA. 649+90.

Comments: Elevation established with three wire levels from AHTD GPS 440009. Cross Reference Job: 9948 Elevations on AHTD GPS 440009 were established with levels on 9/04 by S5103 in Job 009951/090116 Thee wre data available on EDM under s009951re\_benches.zip. PN:901;AE1

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 440033

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #92

Date Established: 4/12/2011

System: STATE

Job Number: 009951

Nearest City: Hindsville

County: MADISON

Route: 22

Section: 3

Log Mile: 5.7

Land Section Number: 22

Township: 17

Range: 27w

Land Section:

Latitude: N 36 07 44.80000

Longitude: W 93 50 41.30000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 419.5846

Elevation (Feet): 1376.587

Description: AHTD DISK ON NORTH EAST CORNER OF HEADWALL 130' LT OF STA. 621+50

Comments: Elevation established with three wire levels from AHTD GPS 440009. Cross Reference Job: 9948 Elevations on AHTD GPS 440009A were established with levels on 9/04 by S5103 in Job 009951/090116 Thee wre data available on EDM under s009915re\_benches.zip. PN:902;BE1

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

**Identification:** 440034

**Class:** THIRD-ORDER

**Vertical Datum:** NAVD88

**Established by:** RE OFFICE #92

**Date Established:** 10/7/2014

**System:** STATE

**Job Number:** 009951

**Nearest City:** Hindsville

**County:** MADISON

**Route:** 412

**Section:** 3

**Log Mile:** 6.687

**Land Section Number:** 23

**Township:** 17N

**Range:** 27W

**Land Section:**

**Latitude:** N 36 07 32.60000

**Longitude:** W 93 49 40.10000

**Type:** GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

**Elevation (Meters):** 402.2362

**Elevation (Feet):** 1319.670

**Description:** AHTD DISK IN TOP OF SOUTHWEST PARAPET WALL OF BRIDGE  
NUMBER B7143 PN:903

**Comments:** Elevation established with three wire levels from JOB # 1702 Thee wre data  
available on EDM under s009951re\_benches.zip. PN:903;CE1



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

**Identification:** 440035

**Class:** THIRD-ORDER

**Vertical Datum:** NAVD88

**Established by:** RE OFFICE #92

**Date Established:** 10/7/2014

**System:** STATE

**Job Number:** 009951

**Nearest City:** Hindsville

**County:** MADISON

**Route:** 412

**Section:** 3

**Log Mile:** 6.728

**Land Section Number:** 23

**Township:** 17n

**Range:** 27w

**Land Section:**

**Latitude:** N 36 07 33.20000

**Longitude:** W 93 49 37.20000

**Type:** GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

**Elevation (Meters):** 401.9619

**Elevation (Feet):** 1318.770

**Description:** AHTD disk in top of southeast parapet wall of bridge number A7143

**Comments:** Elevation established with three wire levels from JOB # 1702. Thee wre data available on EDM under s009951re\_benches.zip. PN:904;CE!.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 450001

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #95

Date Established:

System: STATE

Job Number: 9783

Nearest City: COTTER

County: MARION

Route: 62

Section: 9

Log Mile: 11.30

Land Section Number: 14

Township: 19N

Range: 15W

Land Section: SE

Latitude: N 36 17 01.0

Longitude: W 92 32 14.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 147.03

Elevation (Feet): 482.381

Description: ALUMINUM CAP IN TOP OF WINGWALL PARAPET SOUTHWEST  
CORNER OF BRIDGE 6058, 23' RT. OF CENTERLINE STATION 112+42, ON  
FALLEN ASH CREEK, SET DEC., 1987, RIGHT BANK OF WHITE RIVER.  
CREW S5102 11-17-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 450002

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #95

Date Established:

System: STATE

Job Number: 9783

Nearest City: COTTER

County: MARION

Route: 62

Section: 9

Log Mile: 11.30

Land Section Number: 14

Township: 19N

Range: 15W

Land Section: SE

Latitude: N 36 17 02.0

Longitude: W 92 32 11.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 147.036

Elevation (Feet): 482.401

Description: ALUMINUM CAP IN TOP OF WINGWALL PARAPET SE CORNER OF  
BRIDGE 6058, 23' RT. OF CENTERLINE STATION 115+16, ON FALLEN ASH  
CREEK, SET DECEMBER, 1987, ON RIGHT BANK OF WHITE RIVER.  
RECOVERED BY 5102 11-17-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 450003

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #95

Date Established:

System: STATE

Job Number: 9783

Nearest City: COTTER

County: MARION

Route: 62

Section: 9

Log Mile: 11.64

Land Section Number: 14

Township: 19N

Range: 15W

Land Section: SE

Latitude: N 36 17 03.0

Longitude: W 92 31 36.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 145.689

Elevation (Feet): 477.981

Description: ALUMINUM CAP IN TOP OF ABUTMENT BACKWALL BETWEEN THE ROAD IRONS SOUTHWEST CORNER OF BRIDGE 6059, 22' RT. OF CENTERLINE STATION 133+04, ON WHITE RIVER, SET APRIL, 1987, ON TIGHT BANK OF WHITE RIVER. CREW S5102 11-17-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 450004

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #95

Date Established: 6/6/1991

System: STATE

Job Number: 9725

Nearest City: COTTER

County: MARION

Route: 101

Section: 02

Log Mile: 2.06

Land Section Number: 35

Township: 19N

Range: 15W

Land Section: SW

Latitude: N 36 14 34.0

Longitude: W 92 32 47.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 150.309

Elevation (Feet): 493.139

Description: ALUMINUM CAP IN TOP OF WINGWALL PARAPET SOUTHWEST  
CORNER OF BRIDGE 6333 16' RIGHT OF CENTERLINE STATION 103+86  
ON CROOKED CREEK. CREW S5102 11-17-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 450005

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #92

Date Established:

System: STATE

Job Number: R90051

Nearest City:

County: MARION

Route: 202

Section: 0

Log Mile: 2.05

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 219.231

Elevation (Feet): 719.260

Description: STANDARD AHTD DISC NORTHWEST CORNER HEADWALL 46' LEFT  
STATION 108+34. NO HEADWALL AT L.M.2.05 ONLY A CMP UNDER  
HIGHWAY NR 11-18-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 450006

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #92

Date Established:

System: STATE

Job Number: R90051

Nearest City: SUMMIT

County: MARION

Route: 202

Section: 0

Log Mile: 4.05

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 16 04.0

Longitude: W 92 39 16.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 229.551

Elevation (Feet): 753.119

Description: AHTD DISC SOUTHWEST CORNER HEADWALL 32' LEFT STATION  
228+90. 11-18-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 450007

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #92

Date Established:

System: STATE

Job Number: R90051

Nearest City: FLIPPIN

County: MARION

Route: 202

Section: 0

Log Mile: 6.53

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 16 50.0

Longitude: W 92 37 19.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 223.12

Elevation (Feet): 732.020

Description: AHTD DISC SOUTHEAST CORNER HEADWALL 32' RIGHT STATION  
344+50.RECOVERD S5102 11-18-99.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 450008

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #92

Date Established:

System: STATE

Job Number: R90051

Nearest City:

County: MARION

Route: 202

Section: 0

Log Mile: 0.62

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 218.871

Elevation (Feet): 718.079

Description: STANDARD AHTD DISC NORTHWEST CORNER HEADWALL (BOX CULVERT). NO HEADWALL AT L.M.0.62 ONLY A CMP UNDER HIGHWAY. NR 11-18-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 450009

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #92

Date Established:

System: STATE

Job Number: R90051

Nearest City:

County: MARION

Route: 202

Section: 0

Log Mile: 2.88

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 15 16.0

Longitude: W 92 39 50.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 228.808

Elevation (Feet): 750.681

Description: STANDARD AHTD DISC SOUTHWEST CORNER HEADWALL (BOX CULVERT). 11-18-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 450010

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #92

Date Established:

System: STATE

Job Number: R90051

Nearest City:

County: MARION

Route: 202

Section: 0

Log Mile: 5.06

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 221.185

Elevation (Feet): 725.671

Description: STANDARD AHTD DISC SOUTHEAST CORNER HEADWALL (BOX CULVERT). NOT RECOVERED 11-18-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 450011

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #95

Date Established: 6/15/1994

System: STATE

Job Number: R90032

Nearest City: RALPH

County: MARION

Route: 206

Section: 5

Log Mile: 0.78

Land Section Number: 34

Township: 18N

Range: 16W

Land Section: NE

Latitude: N 36 09 52.0

Longitude: W 92 39 42.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 260.355

Elevation (Feet): 854.181

Description: ALUMINUM CAP IN TOP OF HEADWALL IN SOUTHWEST CORNER OF DOUBLE 7' X 7' X 127' R. C. BOX CULVERT (45 DEGREES RIGHT FWD. SKEW) (BRIDGE # ), 40' RIGHT CENTERLINE STATION 91+61 (CENTERLINE OF BOX CULVERT STATION 91+30), ON SOUTH SIDE OF S. H. 206, ON S.RECOVERED S5102 11-18-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 450012

Class:

Vertical Datum:

Established by:

Date Established: 7/1/1993

System: STATE

Job Number: 9812

Nearest City: YELLVILLE

County: MARION

Route: 62

Section: 8

Log Mile: 8.49

Land Section Number: 35

Township: 19N

Range: 17W

Land Section: NE

Latitude: N 36 15 13.0

Longitude: W 92 44 56.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 200.812

Elevation (Feet): 658.831

Description: ALUMINUM CAP IN TOP OF PARAPET WALL IN SOUTHEAST CORNER OF BRIDGE 6406, 26' RT. OF CENTERLINE STA. 63+51 ON JOB 9812 (CENTERLINE OF BRIDGE END STA. 63+68.75), ON SOUTH SIDE OF U. S. HWYS. 62 AND 412, ON GEORGES CREEK, 2.97 MILES NORTHWEST OF JCT. OF U.S, RECOVERED S5102 11-17-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 450013

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 8/31/1993

System: STATE Job Number: 9783 Nearest City: COTTER

County: MARION Route: 62B Section: 9B Log Mile: 0.04

Land Section Number: 27 Township: 19N Range: 15W

Land Section: NW

Latitude: N 36 15 55.0 Longitude: W 92 33 29.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 185.587 Elevation (Feet): 608.880

Description: ALUMINUM CAP IN TOP OF HEADWALL IN SW CORNER OF 4' x 3' R. C. BOX CULVERT EXTENSION 135' RT. OF MAIN LANES CENTERLINE STA. 18+20 ON JOB 9783, AND 62' RT. OF CENTERLINE STA. 18+48 ON RAMP A (U. S. 62B) ON JOB 9783, ON SOUTH SIDE OF U. S. HWYS. 62, 412, AND RECOVERED S5102 11-17-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 450014

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 7/6/1993

System: STATE Job Number: 9812 Nearest City: YELLVILLE

County: MARION Route: 62 Section: 8 Log Mile: 10.25

Land Section Number: 31 Township: 19N Range: 16W

Land Section: NW

Latitude: N 36 15 19.0 Longitude: W 92 43 06.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 235.687 Elevation (Feet): 773.250

Description: ALUMINUM CAP IN TOP OF HEADWALL 15' SOUTHEAST OF  
NORTHEAST CORNER OF CONCRETE CONTRA COSTA ENERGY  
DISSIPATOR ON END OF 8' x 8' x 169' R. C. BOX CULVERT (9 DEGREES 30'  
LT. FWD. SKEW), 75' RT. OF CENTERLINE STA. 156+40 ON JOB 9812  
(CENTERLINE OF BOX CULVERT RECOVERED S5102 11-17-99)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 450015

Class:

Vertical Datum: UNKNOWN

Established by:

Date Established: 7/2/1993

System: STATE

Job Number: 9812

Nearest City:

County: MARION

Route: 62

Section: 8

Log Mile: 9.21

Land Section Number: 36

Township: 19N

Range: 17W

Land Section: NW

Latitude: N 36 15 16.0

Longitude: W 92 44 08.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 218.697

Elevation (Feet): 717.508

Description: ALUMINUM CAP IN TOP OF HEADWALL IN NORTHEAST CORNER OF CONCRETE CONTRA COSTA ENERGY DISSIPATOR ON END OF 48" x 336' R. C. PIPE CULVERT (45 DEGREES LT. FWD. SKEW), 140' RT. OF CENTERLINE STA. 101+57 ON JOB 9812 (CENTERLINE OF PIPE CULVERT STA. 102+76), ON SOUTH SIDE OF U.S. HWYS. 62 AND 412, ON BRANCH OF CROOKED CREEK, 2.25 MILES NORTHWEST OF JCT. OF U.S.HWYS.62 AND 412,AND S.H.202.RECOVERED S5102 11-17-99

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 450016

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: BR-45-1

Nearest City: BRUNO

County: MARION

Route: CR 9

Section: ZONE E

Log Mile: 5.5

Land Section Number: 20

Township: 18N

Range: 17W

Land Section:

Latitude: N 36 11 55.0

Longitude: W 92 48 00.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 230.981

Elevation (Feet): 757.810

Description: ALUMINUM CAP IN TOP OF WINGWALL SOUTHWEST CORNER OF  
BRIDGE 4527 16' RIGHT OF CENTERLINE STATION 15+14, ON HAMPTON  
CREEK, 5.5 MILES WEST OF JUNCTION S. H. 235 AND CO. RD. 9, SET 1985.  
CREW S5102 11-18-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 450017

Class:

Vertical Datum:

Established by: RE OFFICE #95

Date Established: 3/17/1999

System:

Job Number: 009983

Nearest City:

County: MARION

Route: SH14

Section: 3

Log Mile: 0.16

Land Section Number: 9

Township: 18N

Range: 16W

Land Section: NWNE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 179.482

Elevation (Feet): 588.851

Description: AHTD ALUMINUM CAP IN TOP OF CONCRETE PARPAET RAIL ON NW CORNER OF PEDESTRIAN BRIDGE NO. 04768 ON CROOKED CREEK 1.3 M LT OF CONSTRUCTION CENTERLINE 2 +84.4.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460001

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 2/14/1992

System: STATE Job Number: 30025 Nearest City:

County: MILLER Route: 67 Section: 1 Log Mile: 1.4

Land Section Number: 20 Township: 15 Range: 28

Land Section: SW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 93.751 Elevation (Feet): 307.581

Description: AHTD DISK ON TOP OF DROP INLET 26' RIGHT OF CENTERLINE  
APPROX. 0.25 MILES NORTH OF HIGHWAY 67 AND 82 ON HIGHWAY 67.  
UNABLE TO RECOVER 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460002

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City: TEXARKANA

County: MILLER Route: 67 Section: 1 Log Mile: 0.87

Land Section Number: Township: Range:

Land Section:

Latitude: N 33 25 51.0 Longitude: W 94 01 46.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 90.672 Elevation (Feet): 297.480

Description: "[ ]" CUT ON SOUTHWEST WINGWALL WEST BRIDGE END (OVER NIX CREEK). RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460003

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: 30023 Nearest City:

County: MILLER Route: 71 Section: WY. 237 Log Mile:

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 94.833 Elevation (Feet): 311.131

Description: ABOUT 10' NORTH OF CENTER OF U.S. HIGHWAY 71 AT EAST END OF  
BRIDGE OVER ROCKY CREEK; A CHISELED SQUARE ON THE  
ABUTMENT APPROX 150' NORHTWEST OF INTERSECTION OF  
HIGHWAY 71 AND HIGHWAY 237 SOUTH. \*HWY. 237 NORTHWEST  
APPROX. 3.5. DESTROYED

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460004

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: 1566 Nearest City:

County: MILLER Route: 82 Section: 2 Log Mile: 21.35

Land Section Number: 17 Township: 16S Range: 25W

Land Section:

Latitude: N 33 21 50.0 Longitude: W 93 42 17.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.154 Elevation (Feet): 253.129

Description: BENCHMARK ESTABLISHED IN TOP OF PARAPET WALL 22' RIGHT OF  
STATION 64+88.92 WEST END OF BRIDGE #6174. RECOVERED BY S5102  
4/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460005

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: 1566 Nearest City: GARLAND

County: MILLER Route: 82 Section: 1 Log Mile: 21.65

Land Section Number: 17 Township: 16S Range: 25W

Land Section:

Latitude: N 33 21 44.0 Longitude: W 93 41 50.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.85 Elevation (Feet): 245.570

Description: BENCHMARK ESTABLISHED IN TOP OF PARAPET WALL 22' LEFT OF STATION 81+79.08 EAST END OF BRIDGE #6174. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460006

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City: BRIGHTSTAR

County: MILLER Route: 160 Section: 1 Log Mile: 4.85

Land Section Number: 11 Township: 19S Range: 28W

Land Section:

Latitude: N 33 06 36.0 Longitude: W 93 58 35.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 87.804 Elevation (Feet): 288.070

Description: RED PAINTED CHISELED SQUARE ON THE SOUTHWEST CORNER OF SOUTH HEADWALL STATION 14+90 (RIGHT). RECOVERED BY S5102 4/04.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460007

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City: DODDRIDGE

County: MILLER Route: 160 Section: 1 Log Mile: 9.64

Land Section Number: Township: Range:

Land Section:

Latitude: N 33 05 29.0 Longitude: W 93 54 18.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.059 Elevation (Feet): 226.571

Description: AHTD BENCHMARK ON WING SOUTHWEST CORNER OF BRIDGE  
APPROX 1300' WEST OF JUNCTION HIGHWAY 71. BRIDGE#6068  
RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460008

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 10/20/1989

System: STATE Job Number: R30021 Nearest City: TEXARKANA

County: MILLER Route: 237 Section: 0 Log Mile:

Land Section Number: 22 Township: 15S Range: 28W

Land Section:

Latitude: N 33 26 22.0 Longitude: W 93 58 40.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 111.24 Elevation (Feet): 364.960

Description: AHTD DISK IN CONCRETE 0.60 MILES NORTH OF HIGHWAY 82 ON  
HIGHWAY 237- 38' FEET LEFT OF CENTERLINE OF ROAD AT A CROSS  
FENCE. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460009

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 10/20/1989

System: STATE Job Number: R30021 Nearest City: TEXARKANA

County: MILLER Route: 237 Section: 0 Log Mile:

Land Section Number: 14 Township: 15S Range: 28W

Land Section:

Latitude: N 33 26 57.0 Longitude: W 93 58 38.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 107.028 Elevation (Feet): 351.141

Description: AHTD DISK IN CONCRETE 1.30 MILES NORTH OF HIGHWAY 82 ON  
HIGHWAY 237- 39' FEET RIGHT OF CENTERLINE OF ROAD AT FENCE  
CORNER. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460010

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 10/5/1989

System: STATE Job Number: 30022 Nearest City: TEXARKANA

County: MILLER Route: 245 Section: 1 Log Mile: 6.6

Land Section Number: 4 Township: 15 Range: 28

Land Section: NW

Latitude: N 33 29 12.0 Longitude: W 94 00 24.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 90.288 Elevation (Feet): 296.220

Description: AHTD DISC IN TOP OF EAST HEADWALL OF R.C. BOX CULVERT  
APPROX. 3800 FEET NORTH OF INTERSECTION OF I-30 AND STATE  
HIGHWAY 245. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460011

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City: TEXARKANA

County: MILLER Route: 296 Section: 0 Log Mile: 0.01

Land Section Number: 31 Township: 14S Range: 28W

Land Section:

Latitude: N 33 29 22.0 Longitude: W 94 02 33.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 91.416 Elevation (Feet): 299.921

Description: AHTD DISC IN TOP OF DROP INLET 18' LEFT OF CENTERLINE.  
RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460012

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City: TEXARKANA

County: MILLER Route: 296 Section: 0 Log Mile: 0.65

Land Section Number: 31 Township: 14S Range: 28W

Land Section:

Latitude: N 33 29 22.0 Longitude: W 94 01 54.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 86.042 Elevation (Feet): 282.289

Description: AHTD DISC IN NORTH HEADWALL OF BOX CULVERT. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460013

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City: TEXARKANA

County: MILLER Route: 296 Section: 0 Log Mile: 2.30

Land Section Number: 33 Township: 14S Range: 28W

Land Section:

Latitude: N 33 29 20.0 Longitude: W 94 00 13.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 86.661 Elevation (Feet): 284.320

Description: AHTD DISC IN NORTH HEADWALL OF BOX CULVERT. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460014

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City: TEXARKANA

County: MILLER Route: 296 Section: 0 Log Mile: 2.61

Land Section Number: 33 Township: 14S Range: 28W

Land Section:

Latitude: N 33 29 19.0 Longitude: W 93 59 52.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.911 Elevation (Feet): 281.860

Description: AHTD DISC IN SOUTH HEADWALL OF BOX CULVERT. RECOVERED BY S5102 4/04.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460015

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #34

Date Established: 2/10/1997

System: STATE

Job Number: R30006

Nearest City: TEXARKANA

County: MILLER

Route: 196

Section: 33

Log Mile: 1.75

Land Section Number: 33

Township: 15S

Range: 28W

Land Section: NW

Latitude: N 33 24 45.0

Longitude: W 94 00 19.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 123.53

Elevation (Feet): 405.281

Description: AHTD STD. DISK IN TOP OF S. W. CORNER PARAPET WALL BR. #6509.  
RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460016

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #34

Date Established: 2/10/1997

System: STATE

Job Number: R30006

Nearest City: TEXARKANA

County: MILLER

Route: 196

Section: 33

Log Mile: 1.80

Land Section Number: 33

Township: 15S

Range: 28N

Land Section: NW

Latitude: N 33 24 45.0

Longitude: W 94 00 15.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 122.963

Elevation (Feet): 403.421

Description: AHTD STD. DISK IN TOP OF N.E. CORNER PARAPET WALL BR# 6509.  
RECOVERED BY S5102 404.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460017

Class:

Vertical Datum:

Established by: RE OFFICE #34

Date Established: 9/1/1995

System: STATE

Job Number: 030050

Nearest City: FULTON

County: MILLER

Route: 30

Section: 11

Log Mile: 11.52

Land Section Number: 10

Township: 14S

Range: 27W

Land Section: NW

Latitude: N 33 32 58.0

Longitude: W 93 52 30.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 89.145

Elevation (Feet): 292.470

Description: AHTD DISK, TOP OF WINGWALL, SOUTH WEST CORNER BRIDGE  
3796BR. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460018

Class:

Vertical Datum:

Established by: RE OFFICE #34

Date Established: 9/1/1995

System: STATE

Job Number: 030050

Nearest City: FULTON

County: MILLER

Route: 30

Section: 11

Log Mile: 13.81

Land Section Number: 1

Township: 14S

Range: 27W

Land Section: NW

Latitude: N 33 34 23.0

Longitude: W 93 50 54.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 80.105

Elevation (Feet): 262.811

Description: AHTD DISK, TOP OF WINGWALL, SE CORNER OF BRIDGE 3797BR.  
RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460019

Class:

Vertical Datum:

Established by: RE OFFICE #34

Date Established: 9/1/1995

System: STATE

Job Number: 030050

Nearest City:

County: MILLER`

Route: 30

Section: 11

Log Mile: 15.09

Land Section Number: 36

Township: 13S

Range: 27W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 83.253

Elevation (Feet): 273.139

Description: AHTD DISK, TOP OF WING WALL, SE CORNER OF BRIDGE 3971BR.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460020

Class:

Vertical Datum:

Established by: RE OFFICE #32

Date Established: 3/7/1997

System: NHS

Job Number: R30104

Nearest City: TEXARKANA

County: MILLER

Route: 82

Section: 1

Log Mile: 4.82

Land Section Number: 25

Township: 15S

Range: 27W

Land Section: NE

Latitude: N 33 25 54.0

Longitude: W 93 55 23.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 103.149

Elevation (Feet): 338.415

Description: DISK LOCATED IN SOUTHWEST HEADWALL OF RCBC. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460021

Class:

Vertical Datum:

Established by: RE OFFICE #32

Date Established: 3/6/1997

System: NHS

Job Number: R30104

Nearest City: TEXARKANA

County: MILLER

Route: 82

Section: 1

Log Mile: 6.15

Land Section Number: 20

Township: 15S

Range: 27W

Land Section: SW

Latitude: N 33 25 46.0

Longitude: W 93 55 23.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 95.346

Elevation (Feet): 312.814

Description: DISK LOCATED IN NORTHWEST HEADWALL OF RCBC. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460022

Class:

Vertical Datum:

Established by: RE OFFICE #32

Date Established: 3/6/1997

System: NHS

Job Number: R30105

Nearest City: TEXARKANA

County: MILLER

Route: 82

Section: 1

Log Mile: 10.03

Land Section Number: 25

Township: 15S

Range: 27W

Land Section: SW

Latitude: N 33 25 14.0

Longitude: W 93 51 23.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 73.588

Elevation (Feet): 241.430

Description: DISK LOCATED IN NORTHEAST HEADWALL OF RCBC. RECOVERED BY S5102 4/04.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460023

Class:

Vertical Datum:

Established by: RE OFFICE #32

Date Established: 3/6/1997

System: NHS

Job Number: R30105

Nearest City: TEXARKANA

County: MILLER

Route: 82

Section: 1

Log Mile: 14.42

Land Section Number: 34

Township: 15S

Range: 26W

Land Section: NW

Latitude: N 33 24 44.0

Longitude: W 93 47 06.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.388

Elevation (Feet): 230.931

Description: DISK LOCATED IN SOUTHEAST HEADWALL OF RCBC. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460024

Class:

Vertical Datum:

Established by: RE OFFICE #32

Date Established: 3/6/1997

System: NHS

Job Number: R30105

Nearest City: GARLAND

County: MILLER

Route: 82

Section: 1

Log Mile: 17.67

Land Section Number: 36

Township: 15S

Range: 26W

Land Section: SE

Latitude: N 33 23 49.0

Longitude: W 93 44 38.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.395

Elevation (Feet): 230.954

Description: DISK LOCATED IN SOUTHEAST HEADWALL OF RCBC. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460025

Class:

Vertical Datum:

Established by:

Date Established:

System: COUNTY

Job Number: N/A

Nearest City: TEXARKANA

County: MILLER

Route: CO. RD. 10

Section:

Log Mile:

Land Section Number: 2

Township: 17S

Range: 27W

Land Section:

Latitude: N 33 18 41.0

Longitude: W 93 51 55.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 82.485

Elevation (Feet): 270.620

Description: AHTD DISC IN TOP OF NORTHWEST CORNER OF HEADWALL OF TRIPLE R. C. BOX CULVERT, BRANCH OF BEECH CREEK APPROX. 3.0 MILES SOUTH OF INTERSECTION OF CO. RD. 13 & S. H. 196. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460028

Class:

Vertical Datum:

Established by:

Date Established:

System: COUNTY

Job Number: N/A

Nearest City: TEXARKANA

County: MILLER

Route: CR 13

Section:

Log Mile: 2.60

Land Section Number: 36

Township: 16S

Range: 27W

Land Section:

Latitude: N 33 19 28.0

Longitude: W 93 51 32.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 78.943

Elevation (Feet): 258.999

Description: AHTD BM TOP OF WINGWALL SOUTHEAST CORNER OF BRIDGE NO. 4499 OVER BEECH CREEK. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460029

Class:

Vertical Datum:

Established by:

Date Established: 10/20/1989

System: COUNTY

Job Number: S-46-14

Nearest City: TEXARKANA

County: MILLER

Route: 25

Section:

Log Mile: 1.00

Land Section Number: 14

Township: 15S

Range: 28W

Land Section: NE

Latitude: N 33 27 09.0

Longitude: W 93 57 42.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 99.575

Elevation (Feet): 326.689

Description: AHTD DISK IN CONCRETE 30' LEFT OF CENTERLINE OF COUNTY ROAD 25, STATION 63+45, 1.00 MILES EAST OF HWY. 237, NEAR FENCE CORNER. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460030

Class:

Vertical Datum:

Established by:

Date Established: 10/20/1989

System: COUNTY

Job Number: S-46-14

Nearest City: TEXARKANA

County: MILLER

Route: 25

Section:

Log Mile: 2.62

Land Section Number: 7

Township: 15S

Range: 27W

Land Section: SW

Latitude: N 33 27 40.0

Longitude: W 93 56 18.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 91.663

Elevation (Feet): 300.731

Description: AHTD DISK IN CONCRETE 30' LEFT OF CENTERLINE OF COUNTY ROAD 25, STATION 148+40, 2.67 MILES WEST OF HIGHWAY 237, NEAR FENCE CORNER. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460031

Class:

Vertical Datum:

Established by:

Date Established:

System: COUNTY

Job Number: N/A

Nearest City: TEXARKANA

County: MILLER

Route: CR 47

Section:

Log Mile:

Land Section Number: 10

Township: 16S

Range: 28W

Land Section:

Latitude: N 33 23 03.0

Longitude: W 94 00 33.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 91.626

Elevation (Feet): 300.610

Description: 0.5 MILES SOUTH OF JCT. OF U. S. HIGHWAY 71 AND CO. RD. 47 (01D BLACKMAN FERRY RD.), METAL DISC ON SOUTHEAST WING OF BRIDGE # 4579. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460032

Class:

Vertical Datum:

Established by:

Date Established:

System:

COUNTY

Job Number:

N/A

Nearest City:

ROCKY MOUND

County:

MILLER

Route:

FAS 1740

Section:

Log Mile:

Land Section Number:

9

Township:

17S

Range:

26W

Land Section:

Latitude:

N 33 16 55.0

Longitude:

W 93 47 57.0

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

68.568

Elevation (Feet):

224.960

Description:

4.5 MILES WEST OF JUNCTION OF CO. RD. 1740 & ST. HIGHWAY 134,  
AHTD DISC IN NORTHWEST GUTTER. \*\*\*\*SECTION LINE BETWEEN  
SECTION 9 & 16.\*\*\*\* BRIDGE ACROSS MCKINNEY BAYOU.  
RECOVERED BY S5102 4/04.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460033

Class:

Vertical Datum:

Established by:

Date Established:

System: COUNTY

Job Number: N/A

Nearest City: TEXARKANA

County: MILLER

Route: CR 28

Section:

Log Mile: 6.08

Land Section Number: 19

Township: 16S

Range: 28W

Land Section:

Latitude: N 33 21 10.0

Longitude: W 94 02 35.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.396

Elevation (Feet): 244.081

Description: AHTD BM TOP GUARD RAIL POST SOUTHEAST CORNER 3.5 MILES  
SOUTH OF MILLER ST. AND SOUTH STATE LINE, TEXARKANA BR. NO.  
4465 OVER DAYS CREEK. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460034

Class:

Vertical Datum:

Established by: RE OFFICE #31

Date Established: 12/10/1997

System: STATE

Job Number: R30086

Nearest City: TEXARKANA

County: MILLER

Route: 108

Section:

Log Mile: 2.63

Land Section Number: 17

Township: 14S

Range: 28W

Land Section:

Latitude: N 33 32 00.0

Longitude: W 94 00 01.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.748

Elevation (Feet): 268.202

Description: AHTD BM DISK LOCATED IN THE SOUTH HEADWALL OF RC BOX  
CULVERT 2.63 MILES EAST OF JUNCTION US 71 AND AR 108.  
RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460035

Class:

Vertical Datum:

Established by: RE OFFICE #34

Date Established: 11/21/1997

System: CITY

Job Number: 030102

Nearest City: TEXARKANA

County: MILLER

Route: 245

Section: 4

Log Mile: NA

Land Section Number: 4

Township: 15S

Range: 28W

Land Section: SW

Latitude: N 33 28 40.0

Longitude: W 94 00 39.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 98.173

Elevation (Feet): 322.089

Description: AHTD DISK LOCATED IN CENTER OF SOUTH HEADWALL OF RC BOX CULVERT APPROX. 1100' WEST OF INTERSECTION OF HWY 245 AND NORTH FRONTAGE ROAD. 33' RT OF STA 71+80. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460036

Class:

Vertical Datum:

Established by:

RE OFFICE #34

Date Established: 8/4/1998

System: STATE

Job Number: R30092

Nearest City: TEXARKANA

County: MILLER

Route: 245

Section: 1

Log Mile: 0.5

Land Section Number: 4

Township: 16S

Range: 28W

Land Section: NW

Latitude: N 33 23 59.0

Longitude: W 94 00 33.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 99.712

Elevation (Feet): 327.138

Description: AHTD DISC IN NW CORNER HEADWALL OF 4 BARREL 7' X 5' X 277' R. C. BOX CULVERT, 124' LT. CENTERLINE STA. 246+35. DISC LOCATED 0.5 MI. BIRTH JCT. US 71S & HWY. 245, WEST SIDE OF THE SOUTHBOUND LANE. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460037

Class:

Vertical Datum:

Established by: RE OFFICE #34

Date Established: 8/4/1998

System: STATE

Job Number: R30092

Nearest City: TEXARKANA

County: MILLER

Route: 245

Section: 1

Log Mile: 1.8

Land Section Number: 28

Township: 15S

Range: 28W

Land Section: NE

Latitude: N 33 24 57.0

Longitude: W 94 00 16.0

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 120.009

Elevation (Feet): 393.730

Description: AHTD DISC IN SE CORNER OF PARAPET WALL BR #6510 B, 59' RT. OF CENTERLINE AT STA. 307+15.90. DISC LOCATED ON EAST SIDE OF ST. LOUIS & SOUTHWESTERN RAILWAY OVERPASS, NORTH BOUND LANE, 1.8 MILES NORTH OF JCT. US 71S & HWY. 245. RECOVERED B Y 5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460038

Class:

Vertical Datum:

Established by:

RE OFFICE #34

Date Established: 8/4/1998

System: STATE

Job Number: R30092

Nearest City:

County: MILLER

Route: 245

Section: 1

Log Mile: 1.9

Land Section Number: 28

Township: 15S

Range: 28W

Land Section: NE

Latitude: N 33 25 10.0

Longitude: W 94 00 17.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 111.742

Elevation (Feet): 366.607

Description: AHTD DISC IN NW CORNER PARPAET WALL BR #6510A, 59' LT. OF CENTERLINE AR STA. 320+87.10. DISC LOCATED ON WEST SIDE OF ST. LOUIS & SOUTHWESTERN RAILWAY OVERPASS, SOUTH BOUND LANE, 1.9 MI. NORTH OF JCT. US 71 & HWY. 245. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460039

Class:

Vertical Datum:

Established by: RE OFFICE #34

Date Established: 8/4/1998

System: STATE

Job Number: R30092

Nearest City: TEXARKANA

County: MILLER

Route: 245

Section: 1

Log Mile: 2.65

Land Section Number: 28

Township: 15S

Range: 28W

Land Section: NE

Latitude: N 33 25 49.0

Longitude: W 94 00 14.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 108.192

Elevation (Feet): 354.960

Description: AHTD DISC IN SE CORNER, PARPAET WALL BR # 6511B, 59' RT. OF CENTERLINE AT STA. 360+28.92. DISC LOCATED ON EAST SIDE OF HWY. 82 OVERPASS, NORTH BOUND LANE, 2.65 MILES NORTH OF JCT. US 71S & HWY. 245. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460040

Class:

Vertical Datum:

Established by: RE OFFICE #34

Date Established: 8/4/1998

System: STATE

Job Number: R30092

Nearest City: TEXARKANA

County: MILLER

Route: 245

Section: 1

Log Mile: 2.7

Land Section Number: 21

Township: 15S

Range: 28W

Land Section: SW

Latitude: N 33 25 52.0

Longitude: W 94 00 15.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 108.448

Elevation (Feet): 355.800

Description: AHTD DISC IN NW CORNER PARAPET WALL BR. # 6511A, 59' LT. OF CENTERLINE AT STA. 362+67.08. DISC LOCATED ON WEST SIDE OF HWY. 82 OVERPASS SOUTHBOUND LANE, 2.7 MI. NORTH OF JCT. US 71S & HWY. 245. RECOVERED BY S5102 4/04.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460041

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #34

Date Established: 4/26/2000

System:

Job Number: FA4607

Nearest City: TEXARKANA

County: MILLER

Route: 10

Section:

Log Mile: 0.97

Land Section Number: 27

Township: 16S

Range: 28W

Land Section:

Latitude: N 33 19 50.0

Longitude: W 93 58 50.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.51511

Elevation (Feet): 237.910

Description: PERMANENT BENCH MARK (ALUMINUM DISK) IN TOP OF S.W. BRIDGE WINGWALL - 18' RT. OF STA. 18+50 BR 4805. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460042

Class:

Vertical Datum:

Established by:

Date Established: 2/3/1999

System:

Job Number: R30107

Nearest City: TEXARKANA

County: MILLER

Route: 71

Section: 1

Log Mile:

Land Section Number: 8

Township: 16S

Range: 28W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 86.6118

Elevation (Feet): 284.159

Description: DISK IN NE CORNER OF HEADWALL OF 6 BARRELL RCBC AT STA.  
494+00 NEW US 71.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460043

Class:

Vertical Datum:

Established by:

Date Established: 2/3/1999

System: STATE

Job Number: R30107

Nearest City: TEXARKANA

County: MILLER

Route: 245

Section: 1

Log Mile:

Land Section Number: 5

Township: 16S

Range: 28W

Land Section:

Latitude: N 33 23 20.0

Longitude: W 94 00 57.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 101.791

Elevation (Feet): 333.959

Description: DISK IN TOP OF BR6680 SW WINGWALL. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460044

Class:

Vertical Datum:

Established by:

Date Established: 2/3/1999

System: STATE

Job Number: R30107

Nearest City: TEXARKANA

County: MILLER

Route: 245

Section: 1

Log Mile:

Land Section Number: 5

Township: 16S

Range: 28W

Land Section:

Latitude: N 33 23 17.0

Longitude: W 94 01 09.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 9.4571

Elevation (Feet): 31.027

Description: DISK IN TOP OF BR6679A NW WINGWALL. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460045

Class:

Vertical Datum:

Established by:

Date Established: 2/3/1999

System: STATE

Job Number: R30107

Nearest City: TEXARKANA

County: MILLER

Route: 245

Section: 1

Log Mile:

Land Section Number: 5

Township: 16S

Range: 28W

Land Section:

Latitude: N 33 23 12.0

Longitude: W 94 01 20.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 93.533

Elevation (Feet): 306.866

Description: DISK IN TOP BR6679B SW WINGWALL.. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460046

Class:

Vertical Datum:

Established by:

Date Established: 2/3/1999

System: STATE

Job Number: R30107

Nearest City: TEXARKANA

County: MILLER

Route: 245

Section: 1

Log Mile:

Land Section Number: 5

Township: 16S

Range: 28W

Land Section:

Latitude: N 33 23 15.0

Longitude: W 94 01 18.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 86.2996

Elevation (Feet): 283.135

Description: DISK IN S.E. CORNER OF HEADWALL OF RCBC AT STA. 120+ 26 OF RAMP 4W. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460047

Class:

Vertical Datum:

Established by:

Date Established: 2/22/1996

System: STATE

Job Number: 060661

Nearest City:

County: MILLER

Route: 298

Section: 0A

Log Mile: 3.06

Land Section Number: 21

Township: 01S

Range: 25W

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

Elevation (Feet):

Description: METAL DISK LOCATED IN THE TOP SOUTHWEST WINGWALL IN  
BRIDGE #6591.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460048

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #34

Date Established: 9/14/2000

System: CITY

Job Number: 030209

Nearest City: TEXARKANA

County: MILLER

Route: E. 12TH ST

Section:

Log Mile:

Land Section Number:

Township: 15S

Range: 28W

Land Section:

Latitude: N 33 26 04.0

Longitude: W 94 01 34.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 87.402

Elevation (Feet): 286.751

Description: AHTD DISK IN SW CORNER OF RCBC 28.5' RT OF C/L. APPROX 500 FEET  
WEST OF US 67 AND EAST 12TH STREET. RECOVERED BY S5102 4/04.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460049

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #34

Date Established: 11/15/2000

System: STATE Job Number: 030199 Nearest City: TEXARKANA

County: MILLER Route: 245 Section: 1 Log Mile:

Land Section Number: 7 Township: 16S Range: 28W

Land Section: NE

Latitude: N 33 23 05.9 Longitude: W 94 02 00.8 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 83.729 Elevation (Feet): 274.701

Description: DISK CAST IN HW AT SW CORNER OF RCBC STA 109+65 RT OF CL

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460050

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 12/27/2001

System: STATE

Job Number: 030104

Nearest City: FULTON

County: MILLER

Route: 67

Section: 1

Log Mile:

Land Section Number: 21

Township: 13S

Range: 26W

Land Section:

Latitude: N 33 36 30.0

Longitude: W 93 48 46.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 84.728

Elevation (Feet): 277.978

Description: AHTD BM APPROX .25 MILES S OF 67/355 LOCATED IN NW WW OF RED RIVER BRIDGE. RECOVERED BY S5102 4/04. BRIDGE#5823

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460051

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #34

Date Established: 7/25/2002

System: COUNTY

Job Number: FA4609

Nearest City: FOUKE

County: MILLER

Route: 134

Section:

Log Mile: 0.65

Land Section Number:

Township: 17S

Range: 26W

Land Section:

Latitude: N 33 15 07.0

Longitude: W 93 46 04.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.298

Elevation (Feet): 214.232

Description: AHTD DISK IN SW CORNER OF CONC HW STATION 102+72 -- 21' RIGHT OF C/L CR14. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460052

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 11/30/2001

System: STATE

Job Number: 030104

Nearest City: FULTON

County: MILLER

Route: 67

Section: 1

Log Mile:

Land Section Number: 25

Township: 13S

Range: 27W

Land Section:

Latitude: N 33 35 27.0

Longitude: W 93 50 08.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.229

Elevation (Feet): 279.622

Description: AHTD DISC 1.85 MILES SOUTH OF 67/355. LOCATED IN WEST WW ON  
NORTH END OF BR6751, RED RIVER RELIEF BR. RECOVERED BY S5102.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460053

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 11/30/2001

System: STATE

Job Number: 030104

Nearest City: FULTON

County: MILLER

Route: 67

Section: 1

Log Mile:

Land Section Number: 25

Township: 13S

Range: 27W

Land Section:

Latitude: N 33 35 22.0

Longitude: W 93 50 26.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.353

Elevation (Feet): 280.029

Description: AHTD DISC 2.2 MILES SOUTH OF 67/355 IN EAST WW OF SOUTH END BR 6751, RED RIVER RELIEF BR. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460054

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 12/3/2001

System: STATE

Job Number: 030104

Nearest City: FULTON

County: MILLER

Route: 67

Section: 1

Log Mile:

Land Section Number: 25

Township: 13S

Range: 27W

Land Section:

Latitude: N 33 35 22.0

Longitude: W 93 50 31.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.108

Elevation (Feet): 252.978

Description: AHTD DISC 2.3 MILES SOUTH OF 67/355 IN EAST HW OF RC BOX  
CULVERT. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460055

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 12/27/2001

System: STATE

Job Number: 030104

Nearest City: FULTON

County: MILLER

Route: 67

Section: 1

Log Mile:

Land Section Number: 30

Township: 13S

Range: 26W

Land Section:

Latitude: N 33 36 14.0

Longitude: W 93 49 13.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.441

Elevation (Feet): 260.633

Description: AHTD DISC 0.6 MILES SOUTH OF 67/355 IN EAST HW OF TRIPLE RC BOX  
CULVERT. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460057

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #34

Date Established: 2/11/2002

System: STATE

Job Number: R30095

Nearest City: FOUKE

County: MILLER

Route: 71

Section: 1

Log Mile:

Land Section Number:

Township: 17S

Range: 27W

Land Section:

Latitude: N 33 18 42.0

Longitude: W 93 56 26.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 87.698

Elevation (Feet): 287.723

Description: AHTD DISK IN RT HW OF RCBC STA 384+05. RECOVERED BY S5102 4/04.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460058

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #34

Date Established: 2/11/2002

System: STATE

Job Number: R30095

Nearest City: FOUKE

County: MILLER

Route: 71

Section: 1

Log Mile:

Land Section Number:

Township: 17S

Range: 27W

Land Section:

Latitude: N 33 18 26.0

Longitude: W 93 56 11.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 87.098

Elevation (Feet): 285.754

Description: AHTD DISK IN RT HW OF RCBC STA 377+86. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460059

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #34

Date Established: 2/11/2002

System: STATE

Job Number: R30095

Nearest City: FOUKE

County: MILLER

Route: 71

Section: 1

Log Mile:

Land Section Number:

Township: 17S

Range: 27W

Land Section:

Latitude: N 33 17 58.0

Longitude: W 93 55 40.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 78.38

Elevation (Feet): 257.152

Description: AHTD DISK IN RT HW OFRCBC STA 365+51. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460060

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #34

Date Established: 2/11/2002

System: STATE

Job Number: R30095

Nearest City: FOUKE

County: MILLER

Route: 71

Section: 1

Log Mile:

Land Section Number: 8

Township: 17S

Range: 27W

Land Section:

Latitude: N 33 17 51.0

Longitude: W 93 55 34.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.31

Elevation (Feet): 253.641

Description: AHTD DISK IN RT HW OF RCBC STA 362+88. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460061

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #34

Date Established: 2/11/2002

System: STATE

Job Number: R30095

Nearest City: FOUKE

County: MILLER

Route: 71

Section: 1

Log Mile:

Land Section Number: 8

Township: 17S

Range: 27W

Land Section:

Latitude: N 33 17 34.0

Longitude: W 93 55 16.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.067

Elevation (Feet): 249.563

Description: AHTD DIS IN RT HW OF RCBC STA 356+19. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460062

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #34

Date Established: 2/11/2002

System: STATE

Job Number: R30095

Nearest City: FOUKE

County: MILLER

Route: 71

Section:

Log Mile:

Land Section Number: 27

Township: 17S

Range: 27W

Land Section:

Latitude: N 33 15 05.0

Longitude: W 93 53 19.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.633

Elevation (Feet): 267.824

Description: AHTD DIS IN RT HW OF RCBC STA 299+40. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460063

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #34

Date Established: 2/11/2002

System: STATE

Job Number: R30095

Nearest City: FOUKE

County: MILLER

Route: 71

Section:

Log Mile:

Land Section Number: 27

Township: 17S

Range: 27W

Land Section:

Latitude: N 33 15 13.0

Longitude: W 93 53 33.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 80.301

Elevation (Feet): 263.454

Description: AHTD DIS IN RT HW OF RCBC STA 303+70. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460064

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #34

Date Established: 2/11/2002

System: STATE

Job Number: R30095

Nearest City: FOUKE

County: MILLER

Route: 71

Section:

Log Mile:

Land Section Number: 21

Township: 17S

Range: 27W

Land Section:

Latitude: N 33 15 37.0

Longitude: W 93 53 48.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 83.894

Elevation (Feet): 275.242

Description: AHTD DIS IN RT HW OF RCBC STA 312+36. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460065

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #34

Date Established: 2/11/2002

System: STATE

Job Number: R30095

Nearest City: FOUKE

County: MILLER

Route: 71

Section:

Log Mile:

Land Section Number: 16

Township: 17S

Range: 27W

Land Section:

Latitude: N 33 16 25.0

Longitude: W 93 54 04.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.469

Elevation (Feet): 247.601

Description: AHTD DIS IN RT HW OF RCBC STA 328+06. RECOVERD BY S5102 4/04.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460066

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #34

Date Established: 2/11/2002

System: STATE

Job Number: R30095

Nearest City: FOUKE

County: MILLER

Route: 71

Section:

Log Mile:

Land Section Number: 16

Township: 17S

Range: 27W

Land Section:

Latitude: N 33 16 27.0

Longitude: W 93 54 06.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.305

Elevation (Feet): 247.063

Description: AHTD DIS IN RT HW OF RCBC STA 329+04. RECOVERD BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460067

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #34

Date Established: 2/11/2002

System: STATE

Job Number: R30095

Nearest City: FOUKE

County: MILLER

Route: 71

Section:

Log Mile:

Land Section Number: 8

Township: 17S

Range: 27W

Land Section:

Latitude: N 33 17 06.0

Longitude: W 93 54 47.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 78.99

Elevation (Feet): 259.153

Description: AHTD DIS IN RT HW OF RCBC STA 344+97. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460068

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #35

Date Established: 10/3/2003

System: STATE

Job Number: R30118

Nearest City: FOUKE

County: MILLER

Route: 71

Section: 1

Log Mile:

Land Section Number: 34

Township: 18s

Range: 27w

Land Section: NW

Latitude: N 33 09 00.0

Longitude: W 93 53 28.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 64.6727

Elevation (Feet): 212.180

Description: AHTD DISK ON BR A6722 WEST (I-49) OVER SULPHUR RIVER SE  
CORNER OF EAST PARAPET WALL. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460069

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #35

Date Established: 10/3/2003

System: STATE

Job Number: R30118

Nearest City: FOUKE

County: MILLER

Route: 71

Section: 1

Log Mile:

Land Section Number: 34

Township: 18S

Range: 27W

Land Section: NW

Latitude: N 33 08 53.0

Longitude: W 93 53 28.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.2753

Elevation (Feet): 214.157

Description: AHTD DISK ON PARAPET WALL (NW CORNER) OF BR B6722 EAST (I-49)  
OVER SULPHUR RIVER. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460070

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #34

Date Established: 6/7/2007

System: STATE Job Number: 030174 Nearest City: Texarkana

County: MILLER Route: 71 Section: 2 Log Mile: 12.42

Land Section Number: 5 Township: 16S Range: 28W

Land Section:

Latitude: N 33 23 48.00 Longitude: W 94 01 05.00 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 92.627 Elevation (Feet): 303.894

Description: AHTD ALUMINUM DISK IN RCBC HEADWALL AT JOB STATION 16+00

Comments: BM VERIFIED 6-8-07. MARK WAS RAN BY 3-WIRE LEVELS FROM PN:50 IN 030174 BY RE#34. LEVEL FILES CAN BE FOUND IN s030174\_RE\_benches.zip on EDM.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460071

Class: THIRD-ORDER

Vertical Datum: NGVD29

Established by:

Date Established: 1/1/1949

System:

Job Number: 030321

Nearest City: TEXARKANA

County: MILLER

Route: 196

Section:

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 33 21 50.0

Longitude: W 93 51 33.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 112.77623

Elevation (Feet): 370.000

Description: USGS MARK TT (NUMBER SCRATCHED OFF). APPROXIMATELY 8 MILES EAST ALONG HWY 196 FROM JUNCTION 196 & 237, GREENWICH VILLAGE. MONUMENT WAS FOUND DISTURBED.

Comments: MONUMENT WAS FOUND AND RECOVERED BY DON BRYKALA (CREW S5105) IN 3-15-06. ELEVATION IS AT THE NEAREST FOOT IN NGVD DATUM.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460071

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: N/A Nearest City:

County: MILLER Route: 296 Section: 0 Log Mile: 0.01

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 91.415799 Elevation (Feet): 299.920

Description: 18' LT / DISK IN TOP DI

Comments: Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460072

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: N/A Nearest City:

County: MILLER Route: 296 Section: 0 Log Mile: 0.65

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 86.042164 Elevation (Feet): 282.290

Description: DISK IN NORTH HEADWALL RCBC

Comments: Benches were set in 1994 by District 3



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460072

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #34

Date Established: 10/31/2007

System: STATE

Job Number: 030338

Nearest City: TEXARKANA

County: MILLER

Route: 30

Section: 11

Log Mile: 0.86

Land Section Number: 7

Township: 15S

Range: 28W

Land Section:

Latitude: N 33 28 18.0

Longitude: W 94 01 45.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 114.058

Elevation (Feet): 374.205

Description: ALUMINUM CAP IN NW CORNER OF BRIDGE PARAPET WALL.

Comments: Verified by ESS in June 2008 by 3-wire levels ran by RE#34 from existing BM of job 030338. Original NGS mark C 1497 established the elevations on Job. Data for AHTD BM can be found on EDM under s030338\_RE\_benches.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460073

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: N/A Nearest City:

County: MILLER Route: 296 Section: 0 Log Mile: 2.30

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 86.660909 Elevation (Feet): 284.320

Description: DISK IN NORTH HEADWALL RCBC

Comments: Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460073

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #34

Date Established: 10/31/2007

System: STATE

Job Number: 030338

Nearest City: TEXARKANA

County: MILLER

Route: 30

Section: 11

Log Mile: 0.86

Land Section Number: 7

Township: 15s

Range: 28w

Land Section:

Latitude: N 33 28 23.0

Longitude: W 94 01 15.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 113.767

Elevation (Feet): 373.251

Description: ALUMINUM CAP IN SE CORNER OF BRIDGE PARAPET WALL

Comments: Verified by ESS in June 2008 by 3-wire levels ran by RE#34 from existing BM of job 030338. Original NGS mark C 1497 established the elevations on Job. Data for AHTD BM can be found on EDM under s030338\_RE\_benches.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460074

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: N/A Nearest City:

County: MILLER Route: 296 Section: 0 Log Mile: 2.61

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.911099 Elevation (Feet): 281.860

Description: DISK IN S HEADWALL RCBC

Comments: Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460075

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: N/A Nearest City:

County: MILLER Route: CO RD 13 Section: Log Mile:

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 78.943358 Elevation (Feet): 259.000

Description: BM IN TOP WINGWALL SE CORNER BR 4499, BEECH CR

Comments: Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460076

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: N/A Nearest City:

County: MILLER Route: CO RD 14 Section: Log Mile:

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.567945 Elevation (Feet): 224.960

Description: 4.5 MILES WEST OF JUNCTION CO RD 1740 & SH 134 / DISK IN NW  
GUTTER MCKINNEY BAYOU BR

Comments: Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460077

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: N/A Nearest City:

County: MILLER Route: CO RD 28 Section: Log Mile:

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.395733 Elevation (Feet): 244.080

Description: 3.5 MILES SOUTH OF JUNCTION MILLER ST & SOUTH STATE LINE / BM  
ON TOP OF GUARD RAIL POST, SE CORNER BR 4465, DAYS CR

Comments: Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460078

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: N/A Nearest City:

County: MILLER Route: CO RD 47 Section: Log Mile:

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 91.626111 Elevation (Feet): 300.610

Description: 0.5 MILES SOUTH JUNCTION SH 71 & CO RD 47 (OLD BLACKMAN FERRY RD) / METAL DISK ON SE WING BR 4579

Comments: Benches were set in 1994 by District 3



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460079

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #31

Date Established: 10/20/2008

System: CITY Job Number: 030342 Nearest City: TEXARKANA

County: MILLER Route: N/A Section: N/A Log Mile: N/A

Land Section Number: 29 Township: 15S Range: 28W

Land Section:

Latitude: N 33 25 38.0 Longitude: W 94 01 44.8 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 88.26720854 Elevation (Feet): 289.590

Description: AHTD ALUMINUM DISK LOCATED IN THE NORTH HEADWALL OF PRECAST RC BOX CULVERT IN NIX CREEK ON PRESTON STREET IN TEXARKANA.

Comments: VERIFIED BY ESS 3 WIRE LEVELS ON 10/27/08. MARK IS ESTABLISHED FROM CONTROL SET ON JOB 030342. CONTROL WAS ORIGINALLY ESTABLISHED BY FIRST ORDER NGS MARKS F 307 AND G 307.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460080

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 1/6/2004

System: Job Number: r30110 Nearest City:

County: MILLER Route: 71 Section: 1 Log Mile:

Land Section Number: 22 Township: 19s Range: 27w

Land Section: SW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.3663 Elevation (Feet): 237.422

Description: ahtd aluminum disk in the SE corner of east parapet wall. Bridge 06718 - East (I-49)/Ramp 2 Structure over East Kelley Bayou.

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run. Log miles were not established when benchmark was set, therefore the location of the pt is unknown.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460081

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 1/6/2004

System: STATE Job Number: r30110 Nearest City:

County: MILLER Route: 71 Section: 1 Log Mile:

Land Section Number: 22 Township: 19s Range: 27w

Land Section: SW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 71.7317 Elevation (Feet): 235.340

Description: Bridge 06719 -- West (I-49)/ Ramp 3 structure over east kelley bayou -- northwest corner of west parapet wall is an aluminum ahtd benchmark disk.

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run. Log miles were not established when benchmark was set, therefore the location of the pt is unknown.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460082

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 1/6/2004

System: STATE Job Number: r30110 Nearest City:

County: MILLER Route: 71 Section: 1 Log Mile:

Land Section Number: 22 Township: 19s Range: 27w

Land Section: NW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 80.1797 Elevation (Feet): 263.056

Description: Bridge A6720 -- west (I-49)/ structure over sh 160 -- Northwest corner of west parapet wall is an aluminum ahtd benchmark disk.

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run. Log miles were not established when benchmark was set, therefore the location of the pt is unknown.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460083

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 1/6/2004

System: STATE Job Number: r30110 Nearest City:

County: MILLER Route: 71 Section: 1 Log Mile:

Land Section Number: 22 Township: 19s Range: 27w

Land Section: SW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.592 Elevation (Feet): 261.128

Description: bridge b6720 -- east (I- 49) / structure over sh 160 -- southeast corner of east parapet wall is an aluminum ahtd benchmark disk.

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run. Log miles were not established when benchmark was set, therefore the location of the pt is unknown.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460084

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 1/6/2004

System: STATE Job Number: r30110 Nearest City:

County: MILLER Route: 71 Section: 1 Log Mile:

Land Section Number: 10 Township: 19s Range: 27w

Land Section: NW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 101.6697 Elevation (Feet): 333.561

Description: bridge 06721 -- cr 197 structure over I-49 -- southwest corner of west parapet wall is an aluminum ahtd benchmark disk.

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run. Log miles were not established when benchmark was set, therefore the location of the pt is unknown.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

**Identification:** 460085

**Class:** UNKNOWN

**Vertical Datum:** NAVD88

**Established by:** RE OFFICE #34

**Date Established:** 12/8/2008

**System:** COUNTY

**Job Number:** BR4606

**Nearest City:** Texarkana

**County:** MILLER

**Route:** CO RD 21

**Section:**

**Log Mile:**

**Land Section Number:** 1

**Township:** 15S

**Range:** 27W

**Land Section:**

**Latitude:** N 33 25 37.0

**Longitude:** W 93 51 23.0

**Type:** SCALED

Scaled, GPS (Handheld), or GPS (Observed)

**Elevation (Meters):** 72.108

**Elevation (Feet):** 236.574

**Description:** Aluminum Cap in SE corner of RC Box Culvert Headwall.

**Comments:** Benchmark was entered and verified. 3 WR levels were ran from the control PN 3.  
Data can be found on EDM under sbr4606\_RE\_benches.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460086

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #34

Date Established: 10/20/2008

System: STATE

Job Number: 030315

Nearest City: Texarkana

County: MILLER

Route: 71

Section: 3

Log Mile: 38.2

Land Section Number: 27

Township: 14S

Range: 28W

Land Section:

Latitude: N 33 30 14.00000

Longitude: W 93 59 25.00000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 87.866

Elevation (Feet): 288.274

Description: Aluminum cap in NW wingwall of BR 7091A

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460087

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #34

Date Established: 10/20/2008

System: STATE

Job Number: 030315

Nearest City: Texarkana

County: MILLER

Route: 71

Section: 3

Log Mile: 38.1

Land Section Number: 34

Township: 14S

Range: 28W

Land Section:

Latitude: N 33 30 11.0000

Longitude: W 93 59 21.00000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 87.812

Elevation (Feet): 288.097

Description: Aluminum cap in SE wingwall of BR 7091B

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460088

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #34

Date Established: 1/10/2009

System: STATE

Job Number: 030315

Nearest City: Texarkana

County: MILLER

Route: 71

Section: 3

Log Mile: 39.8

Land Section Number: 29

Township: 14S

Range: 28W

Land Section:

Latitude: N 33 31 00.0000

Longitude: W 94 00 38.00000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 90.238

Elevation (Feet): 296.056

Description: Aluminum cap in SW wingwall of BR7092A

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460089

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #34

Date Established: 1/20/2009

System: STATE

Job Number: 030315

Nearest City: Texarkana

County: MILLER

Route: 71

Section: 3

Log Mile: 39.8

Land Section Number: 28

Township: 14S

Range: 28W

Land Section:

Latitude: N 33 31 02.0000

Longitude: W 94 00 36.0000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 90.12

Elevation (Feet): 295.669

Description: Aluminum cap in NE wingwall of BR 7092B

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460090

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #34

Date Established: 10/23/2008

System: STATE

Job Number: 030315

Nearest City: Texarkana

County: MILLER

Route: 71

Section: 3

Log Mile: 37.5

Land Section Number: 34

Township: 14S

Range: 28W

Land Section:

Latitude: N 33 29 38.00000

Longitude: W 93 59 12.00000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 82.209

Elevation (Feet): 269.714

Description: Aluminum cap in E headwall os RCBC

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460091

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #34

Date Established: 10/23/2008

System: STATE

Job Number: 030315

Nearest City: Texarkana

County: MILLER

Route: 71

Section: 3

Log Mile: 37.9

Land Section Number: 34

Township: 14S

Range: 28W

Land Section:

Latitude: N 33 29 59.00000

Longitude: W 93 59 16.00000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.993

Elevation (Feet): 269.005

Description: Aluminium cap in W headwall of RCBC @ STA 1891+50 RT of Claypit Rd.

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460092

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #34

Date Established: 10/23/2008

System: STATE Job Number: 030315 Nearest City: Texarkana

County: MILLER Route: 71 Section: 3 Log Mile: 41.5

Land Section Number: 19 Township: 14S Range: 28W

Land Section:

Latitude: N 33 31 04.00000 Longitude: W 94 02 13.00000 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 82.903 Elevation (Feet): 271.991

Description: Aluminum cap in N headwall of RCBC @ STA 218+50 RT of US 71.

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460093

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: RE OFFICE #34

Date Established: 1/14/2009

System:

Job Number:

030314

Nearest City:

Texarkana

County:

MILLER

Route:

71

Section:

3

Log Mile:

NA

Land Section Number:

10

Township:

15S

Range:

28W

Land Section:

Latitude: N 33 28 23.00000

Longitude: W 93 59 13.00000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

93.876

Elevation (Feet):

307.992

Description:

Aluminum cap in South headwall of RCBC.@ 220+50 RT of US 71

Comments:

Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460094

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #34

Date Established: 1/14/2009

System: STATE

Job Number: 030314

Nearest City: Texarkana

County: MILLER

Route: 71

Section: 3

Log Mile: NA

Land Section Number: 3

Township: 15S

Range: 28W

Land Section:

Latitude: N 33 28 42.00000

Longitude: W 93 59 15.00000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 96.166

Elevation (Feet): 315.505

Description: Aluminum cap in NE HW of RCBC @ STA. 238+00 RT of Ramp ES

Comments: Elevation not verified due to no three wire data



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460095

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #34

Date Established: 2/24/2009

System: STATE

Job Number: 030314

Nearest City: Texarkana

County: MILLER

Route: 71

Section: 3

Log Mile: NA

Land Section Number: 3

Township: 15S

Range: 28W

Land Section:

Latitude: N 33 28 32.00000

Longitude: W 93 59 07.00000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 92.357

Elevation (Feet): 303.008

Description: Aluminum cap in S HW of RCBC @ STA 230+50 RT of Ramp NE

Comments: Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460096

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #34

Date Established: 7/27/2010

System: STATE

Job Number: 030314

Nearest City: Texarkana

County: MILLER

Route: 71

Section: 3

Log Mile: NA

Land Section Number: 3

Township: 15S

Range: 28W

Land Section:

Latitude: N 33 28 50.00000

Longitude: W 93 59 12.00000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 106.259

Elevation (Feet): 348.618

Description: Aluminum cap in NW transition wall of BR 7103A @ STA 247+68 Left of CL

Comments: Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460097

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #34

Date Established: 7/27/2010

System: STATE

Job Number: 030314

Nearest City: Texarkana

County: MILLER

Route: 71

Section: 3

Log Mile: NA

Land Section Number: 3

Township: 15S

Range: 28W

Land Section:

Latitude: N 33 28 47.00000

Longitude: W 93 59 10.00000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 106.068

Elevation (Feet): 347.991

Description: Aluminum cap in SE transition wall of BR 7103B @ STA 245+12 RT of CL

Comments: Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460098

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #34

Date Established: 5/28/2013

System: STATE

Job Number: 030314

Nearest City: Texarkana

County: MILLER

Route: 71

Section: 3

Log Mile: NA

Land Section Number: 3

Township: 15S

Range: 28W

Land Section:

Latitude: N 33 28 55.00000

Longitude: W 93 59 03.00000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 106.198

Elevation (Feet): 348.418

Description: Aluminum cap in NE transition wall of BR 7104 @ STA 255+82 Lt of Ramp WS

Comments: Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460099

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #34

Date Established: 5/28/2013

System: STATE

Job Number: 030314

Nearest City: Texarkana

County: MILLER

Route: 71

Section: 3

Log Mile: NA

Land Section Number: 3

Township: 15S

Range: 28W

Land Section:

Latitude: N 33 29 18.00000

Longitude: W 93 59 11.00000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 96.811

Elevation (Feet): 317.621

Description: Aluminum cap in SE transition wall of BR 7105B 2 STA 176+63 Rt of CL

Comments: Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460100

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #34

Date Established: 1/8/2013

System: STATE Job Number: 030353 Nearest City: Doddridge

County: MILLER Route: 71 Section: 1 Log Mile: N/A10

Land Section Number: 10 Township: 20S Range: 27W

Land Section:

Latitude: N 33 01 20.00000 Longitude: W 93 53 59.00000 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 64.651 Elevation (Feet): 212.109

Description: Aluminum cap in East headwall of rcbc.

Comments: Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460101

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #34

Date Established: 1/7/2013

System: STATE Job Number: 030353 Nearest City: Doddridge

County: MILLER Route: 71 Section: 1 Log Mile: N/A

Land Section Number: 33 Township: 19S Range: 27W

Land Section:

Latitude: N 33 03 05.00000 Longitude: W 93 54 04.00000 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 82.614 Elevation (Feet): 271.043

Description: Aluminum cap in SouthWest Wingwall of BR 07122

Comments: Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460102

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #34

Date Established: 7/5/2012

System: STATE Job Number: 030353 Nearest City: Doddridge

County: MILLER Route: 71 Section: 1 Log Mile: N/A

Land Section Number: 33 Township: 19S Range: 27W

Land Section:

Latitude: N 33 03 20.00000 Longitude: W 93 54 04.00000 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 67.153 Elevation (Feet): 220.318

Description: Aluminum cap in East headwall of RCBC.

Comments: Elevation not verified due to no three wire data



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460103

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #31

Date Established: 9/27/2009

System: STATE Job Number: 030341 Nearest City: texarkana

County: MILLER Route: 245 Section: 1 Log Mile: 4.42

Land Section Number: 21 Township: 15s Range: 28w

Land Section:

Latitude: N 33 25 51.1000 Longitude: W 94 00 19.30000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 99.20955 Elevation (Feet): 325.490

Description: ahtd standard metal disc in center of headwall of rc box culvert west of frontage road 2.

Comments: Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460104

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #31

Date Established: 1/4/2010

System: STATE

Job Number: 030341

Nearest City: texarkana

County: MILLER

Route: 245

Section: 1

Log Mile: 5.32

Land Section Number: 21

Township: 15s

Range: 28w

Land Section:

Latitude: N 33 28 25.50000

Longitude: W 94 00 21.30000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 109.716027

Elevation (Feet): 359.960

Description: ahtd disc located in parapet wall on sw corner of 19th street overpass bridge br # 07094

Comments: Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460105

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #31

Date Established: 6/12/2009

System: STATE

Job Number: 030341

Nearest City: Texarkana

County: MILLER

Route: 245

Section: 1

Log Mile: 5.87

Land Section Number: 16

Township: 15s

Range: 28w

Land Section:

Latitude: N 33 26 54.40000

Longitude: W 94 00 34.40000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 109.197866

Elevation (Feet): 358.260

Description: ahtd bm disc located in nw wingwall of the highway 67 overpass bridge br # 5631 a.

Comments: Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

**Identification:** 460106

**Class:** SECOND-ORDER, CLASS II

**Vertical Datum:** NAVD88

**Established by:** RE OFFICE #34

**Date Established:** 8/7/2009

**System:** COUNTY

**Job Number:** 030321

**Nearest City:** Texarkana

**County:** MILLER

**Route:** 196

**Section:** 1

**Log Mile:** 2.7

**Land Section Number:** 34

**Township:** 15s

**Range:** 28w

**Land Section:**

**Latitude:** N 33 24 37.00000

**Longitude:** W 93 59 12.00000

**Type:** SCALED

Scaled, GPS (Handheld), or GPS (Observed)

**Elevation (Meters):** 110.2759546

**Elevation (Feet):** 361.797

**Description:** ahtd disc in rcbc concrete headwall.

**Comments:** Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460107

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #34

Date Established: 3/30/2009

System: COUNTY Job Number: 030321 Nearest City: Texarkana

County: MILLER Route: 196 Section: 1 Log Mile: 3.4

Land Section Number: 35 Township: 15s Range: 28w

Land Section:

Latitude: N 33 24 33.00000 Longitude: W 93 58 38.00000 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 113.3742 Elevation (Feet): 371.962

Description: alum. Ahtd disc in rcbc concrete headwall.

Comments: Elevation not verified due to no three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460108

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #34

Date Established: 2/25/2009

System: COUNTY

Job Number: 030321

Nearest City: Texarkana

County: MILLER

Route: 196

Section: 1

Log Mile: 4.1

Land Section Number: 35

Township: 15s

Range: 28w

Land Section:

Latitude: N 33 24 18.00000

Longitude: W 93 57 55.00000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 117.786

Elevation (Feet): 386.436

Description: ALUM. AHTD DISC IN RCBC CONCRETE HEADWALL.

Comments: Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460109

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #34

Date Established: 3/27/2009

System: Job Number: 030321 Nearest City: TEXARKANA

County: MILLER Route: 196 Section: 1 Log Mile: 4.2

Land Section Number: 35 Township: 15S Range: 28W

Land Section:

Latitude: N 35 24 14.00000 Longitude: W 93 57 50.00000 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 118.231 Elevation (Feet): 387.896

Description: ALUM. AHTD DISC IN RCBC CONCRETE HEADWALL.

Comments: Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460110

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #34

Date Established: 10/14/2009

System: COUNTY Job Number: 030321 Nearest City: TEXARKANA

County: MILLER Route: 196 Section: 1 Log Mile: 5.5

Land Section Number: 1 Township: 16S Range: 28W

Land Section:

Latitude: N 33 23 31.00000 Longitude: W 93 56 44.00000 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 108.2459 Elevation (Feet): 355.137

Description: ALUM. AHTD DISC IN RCBC CONCRETE HEADWALL.

Comments: Elevation not verified due to no three wire data



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460111

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #34

Date Established: 10/10/2011

System: STATE

Job Number: 030354

Nearest City: Doddridge

County: MILLER

Route: 71

Section: 1

Log Mile:

Land Section Number: 33

Township: 20s

Range: 27W

Land Section:

Latitude: N 33 03 07.00000

Longitude: W 93 54 08.00000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.5896

Elevation (Feet): 225.031

Description: ALUMINUM CAP IN EAST HEADWALL OF RCBC.

Comments: Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460112

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #34

Date Established: 10/10/2011

System: STATE

Job Number: 030354

Nearest City: DODDRIDGE

County: MILLER

Route: 71

Section: 1

Log Mile:

Land Section Number: 28

Township: 19S

Range: 27W

Land Section:

Latitude: N 33 04 07.00000

Longitude: W 93 54 18.00000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 78.0341

Elevation (Feet): 256.017

Description: ALUMINUM CAP IN SOUTHWEST WINGWALL OF BR 07123.

Comments: ELEVATION NOT VERIFIED DUE TO NO THREE WIRE DATA.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460113

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #34

Date Established: 1/7/2013

System: STATE Job Number: 030354 Nearest City: DODDRIDGE

County: MILLER Route: 71 Section: 1 Log Mile:

Land Section Number: 28 Township: 19S Range: 27W

Land Section:

Latitude: N 33 04 16.00000 Longitude: W 93 54 17.00000 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 67.5054 Elevation (Feet): 221.474

Description: ALUMINUM CAP IN EAST HEADWALLN OF RCBC.

Comments: ELEVATION NOT VERIFIED DUE TO NO THREE WIRE DATA.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460114

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #34

Date Established: 1/9/2013

System: STATE

Job Number: 030354

Nearest City: DODDRIDGE

County: MILLER

Route: 71

Section: 1

Log Mile:

Land Section Number: 33

Township: 20S

Range: 27W

Land Section:

Latitude: N 33 03 37.00000

Longitude: W 93 54 08.00000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.589

Elevation (Feet): 225.029

Description: ALUMINUM CAP IN EAST HEADWALL OF RCBC. STATION 251+40, RT OF US 71 RELOC.

Comments: ELEVATION NOT VERIFIED DUE TO NO THREE WIRE DATA.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460115

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #34

Date Established: 1/9/2013

System: STATE Job Number: 030354 Nearest City: DODDRIDGE

County: MILLER Route: 71 Section: 1 Log Mile:

Land Section Number: 28 Township: 19S Range: 27W

Land Section:

Latitude: N 33 04 07.00000 Longitude: W 93 54 19.00000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 78.034 Elevation (Feet): 256.017

Description: ALUMINUM CAP IN SW WINGWALL OF BRIDGE 07123. STATION 283+40,  
LT OF US 71 RELOC.

Comments: ELEVATION NOT VERIFIED DUE TO NO THREE WIRE DATA.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460116

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #34

Date Established: 1/9/2013

System: STATE Job Number: 030354 Nearest City: DODDRIDGE

County: MILLER Route: 71 Section: 1 Log Mile:

Land Section Number: 28 Township: 19S Range: 27W

Land Section:

Latitude: N 33 04 16.00000 Longitude: W 93 54 17.00000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 67.505

Elevation (Feet): 221.473

Description: ALUMINUM CAP IN EAST HEADWALL OF RCBC. STATION 291+85 RT OF US 71 RELOC.

Comments: ELEVATION NOT VERIFIED DUE TO NO THREE WIRE DATA.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460117

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #34

Date Established: 1/11/2016

System: STATE Job Number: 030388 Nearest City: Texarkana

County: MILLER Route: 71 Section: 2 Log Mile: 14053

Land Section Number: 30 Township: 15s Range: 28w

Land Section:

Latitude: N 33 25 30.00000 Longitude: W 94 01 56.00000 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 98.758 Elevation (Feet): 324.009

Description: Aluminum cap in parapet wall of bridge.

Comments: Elevation verified. Three wire data available on EDM under job 030388 in s030388re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460118

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #34

Date Established: 2/18/2016

System: STATE

Job Number: 030355

Nearest City: Doddridge

County: MILLER

Route: 49

Section: 1

Log Mile: 4.23

Land Section Number: 21

Township: 19s

Range: 27w

Land Section:

Latitude: N 33 04 46.00000

Longitude: W 93 54 02.00000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 78.766

Elevation (Feet): 258.418

Description: Aluminum cap in right approach wing wall of bridge

Comments: Elevation verified. Three wire data available on EDM under Job 030355 in s030355re\_benches.zip



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460119

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #34

Date Established: 2/18/2016

System: STATE

Job Number: 030355

Nearest City: Doddridge

County: MILLER

Route: 49

Section: 1

Log Mile: 4.30

Land Section Number: 21

Township: 19s

Range: 27w

Land Section:

Latitude: N 33 05 50.00000

Longitude: W 93 54 01.00000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.776

Elevation (Feet): 255.170

Description: Aluminum cap in right approach wing wall of bridge.

Comments: Elevation verified. Three wire data available on EDM under Job 030355 in s030355re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460120

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #34

Date Established: 2/18/2016

System: STATE Job Number: 030355 Nearest City: Doddridge

County: MILLER Route: 49 Section: 1 Log Mile: 4.34

Land Section Number: 22 Township: 19s Range: 27w

Land Section:

Latitude: N 33 04 50.00000 Longitude: W 93 53 58.00000 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.208 Elevation (Feet): 253.307

Description: ALUMINUM CAP IN RIGHT APPROACH WING WALL OF BRIDGE.

Comments: Elevation verified. Three wire data available on EDM under Job 030355 in s030355re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460121

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #34

Date Established: 2/19/2016

System: STATE Job Number: 030355 Nearest City: Doddridge

County: MILLER Route: 49 Section: 1 Log Mile: 4.43

Land Section Number: 22 Township: 19s Range: 27w

Land Section:

Latitude: N 33 04 55.00000 Longitude: W 93 53 56.00000 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.852 Elevation (Feet): 248.858

Description: ALUMINUM CAP IN RIGHT APPROACH WING WALL OF BRIDGE.

Comments: Elevation verified. Three wire data available on EDM under Job 030355 in s030355re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460122

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #34

Date Established: 2/18/2016

System: STATE Job Number: 030355 Nearest City: Doddridge

County: MILLER Route: 49 Section: 1 Log Mile: 0.56

Land Section Number: 10 Township: 20s Range: 27w

Land Section:

Latitude: N 33 01 40.00000 Longitude: W 93 54 02.00000 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 66.047 Elevation (Feet): 216.689

Description: ALUMINUM CAP IN RIGHT APPROACH WING WALL OF BRIDGE.

Comments: Elevation verified. Three wire data available on EDM under Job 030355 in s030355re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460123

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #34

Date Established: 2/19/2016

System: STATE Job Number: 030355 Nearest City: Doddridge

County: MILLER Route: 49 Section: 1 Log Mile: 0.66

Land Section Number: 10 Township: 20s Range: 27w

Land Section:

Latitude: N 33 01 45.00000 Longitude: W 93 54 04.00000 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 66.983 Elevation (Feet): 219.760

Description: ALUMINUM CAP IN RIGHT APPROACH WING WALL OF BRIDGE.

Comments: Elevation verified. Three wire data available on EDM under Job 030355 in s030355re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460124

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #32

Date Established: 11/11/2016

System: STATE

Job Number: bb0303

Nearest City: Fulton

County: MILLER

Route: 67

Section: 1

Log Mile: 18.10

Land Section Number: 19

Township: 13s

Range: 26w

Land Section:

Latitude: N 33 36 07.10000

Longitude: W 93 49 22.30000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 78.948

Elevation (Feet): 259.015

Description: BM 960 Aluminum Disk in Retaining Wall (W end) between HWY 67 and I 30 (west bound)

Comments: Three wire data available on EDM under job bb0303 in sbb0303\_re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460125

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #32

Date Established: 1/5/2016

System: STATE

Job Number: bb0303

Nearest City: Fulton

County: MILLER

Route: 30

Section: 11

Log Mile: 16.78

Land Section Number: 20

Township: 13s

Range: 26w

Land Section:

Latitude: N 33 36 18.52000

Longitude: W 93 48 55.83000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 84.078

Elevation (Feet): 275.846

Description: BM 967, Aluminum Disk in Parapet Wall (Northwest Corner) of BR 07335.

Comments: Three wire data available on EDM under job bb0303 in sbb0303\_re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460126

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #32

Date Established: 7/25/2017

System: STATE Job Number: bb0303 Nearest City: Fulton

County: MILLER Route: 30 Section: 11 Log Mile: 16.78

Land Section Number: 20 Township: 13s Range: 26w

Land Section:

Latitude: N 33 36 17.73000 Longitude: W 93 48 55.42000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 84.084 Elevation (Feet): 275.866

Description: BM 968, Aluminum Disk in Parapet Wall (Southwest Corner) of BR 07335.

Comments: Three wire data available on EDM under job bb0303 in sbb0303\_re\_benches.zip



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460127

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #32

Date Established: 1/11/2016

System: STATE Job Number: BB0303 Nearest City: Fulton

County: MILLER Route: 67 Section: 1 Log Mile: 18.1

Land Section Number: 19 Township: 13s Range: 26w

Land Section:

Latitude: N 33 36 07.10000 Longitude: W 93 49 22.30000 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 78.948 Elevation (Feet): 259.015

Description: Aluminum Disk in retaining wall (W end) between Hwy 67 and Hwy 1

Comments: Elevation not verified

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 460128

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #32

Date Established: 7/13/2017

System: STATE Job Number: BB0303 Nearest City: Fulton

County: MILLER Route: 30 Section: 11 Log Mile: 16.78

Land Section Number: 20 Township: 13s Range: 26w

Land Section:

Latitude: N 33 36 18.52000 Longitude: W 93 48 55.83000 Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 84.078 Elevation (Feet): 275.846

Description: Aluminum disk in parapet wall (NW corner).

Comments: Elevation not verified

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 46129

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #32

Date Established: 7/13/2017

System: STATE Job Number: BB0303 Nearest City: Fulton

County: MILLER Route: 30 Section: 11 Log Mile: 16.78

Land Section Number: 20 Township: 13s Range: 26w

Land Section:

Latitude: N 33 36 17.73000 Longitude: W 93 48 55.42000 Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 84.084

Elevation (Feet): 275.866

Description: Aluminum disk in parapet wall (SE corner) of BR 07335

Comments: Elevation not verified

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 46130

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #32

Date Established: 7/13/2017

System: STATE

Job Number: BB0303

Nearest City: Fulton

County: MILLER

Route: 30

Section: 11

Log Mile: 165.78

Land Section Number: 20

Township: 13s

Range: 26w

Land Section:

Latitude: N 33 36 17.73000

Longitude: W 93 48 55.42000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 84.084

Elevation (Feet): 275.866

Description: Aluminum Disk in SE corner of parapet wall.

Comments: Three wire data not available.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 46131

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #32

Date Established: 7/13/2017

System: STATE

Job Number: BB0303

Nearest City: Fulton

County: MILLER

Route: 30

Section: 11

Log Mile: 16.78

Land Section Number: 20

Township: 13s

Range: 26w

Land Section:

Latitude: N 33 36 18.52000

Longitude: W 93 48 55.83000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 84.078

Elevation (Feet): 275.846

Description: Aluminum Disk in NW corner of parapet wall

Comments: Elevation not verified.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 46132

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #32

Date Established: 3/4/2020

System: STATE

Job Number: BB0303

Nearest City: Fulton

County: MILLER

Route: 67

Section: 1

Log Mile: 18.1

Land Section Number: 19

Township: 13s

Range: 26w

Land Section:

Latitude: N 33 36 07.10000

Longitude: W 93 49 22.30000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 78.948

Elevation (Feet): 259.015

Description: Aluminum Disk in retaining wall between 67 and I-30 West bound.

Comments: Elevation not verified.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470001

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #05

Date Established: 12/1/1987

System: STATE

Job Number: 100184

Nearest City: MARIE

County: MISSISSIPPI

Route: 14

Section: 16

Log Mile: 11.54

Land Section Number: 1

Township: 11N

Range: 09E

Land Section: NW

Latitude: N 35 36 41.5

Longitude: W 90 04 54.8

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 71.525

Elevation (Feet): 234.662

Description: STANDARD DISC IN NORTHWEST WINGWALL NORTH END OF BRIDGE  
AT MARIE. JOB 100184

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470002

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #05

Date Established:

System: STATE

Job Number: 100097

Nearest City: LEPANTO

County: MISSISSIPPI

Route: 14

Section: 16

Log Mile: 0.34

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 36 46.3

Longitude: W 90 16 49.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.339

Elevation (Feet): 227.490

Description: STANDARD DISC IN NORTHWEST WING, BRIDGE 6186.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470003

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #05

Date Established:

System: STATE

Job Number: 100097

Nearest City: LEPANTO

County: MISSISSIPPI

Route: 14

Section: 16

Log Mile: 1.58

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 36 44.2

Longitude: W 90 15 29.1

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.049

Elevation (Feet): 229.819

Description: STANDARD DISC IN SOUTHEAST WING, BRIDGE 6187.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470004

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #05

Date Established:

System: STATE

Job Number: 100097

Nearest City: LEPANTO

County: MISSISSIPPI

Route: 14

Section: 16

Log Mile: 1.63

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 36 44.7

Longitude: W 90 15 25.5

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.022

Elevation (Feet): 229.731

Description: STANDARD DISC IN NORTHEAST WING, BRIDGE 6188.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470005

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: 100216 Nearest City: DYESS

County: MISSISSIPPI Route: 14 Section: 16 Log Mile: 4.44

Land Section Number: 2 Township: 11N Range: 08E

Land Section:

Latitude: N 35 36 41.7 Longitude: W 90 12 29.8 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.36 Elevation (Feet): 227.559

Description: STANDARD DISC IN NORHTWEST GUARD RAIL END PARAPET WALL,  
BRIDGE 6189.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470006

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City: DYESS

County: MISSISSIPPI Route: 14 Section: 16 Log Mile: 6.18

Land Section Number: Township: Range:

Land Section:

Latitude: N 35 36 38.7 Longitude: W 90 10 35.9 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.15 Elevation (Feet): 230.150

Description: "[]" TOP WHEELGUARD SOUTHEAST CORNER BRIDGE DITCH 40.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470007

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City:

County: MISSISSIPPI Route: 14 Section: 16 Log Mile: 4.44

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.522 Elevation (Feet): 228.090

Description: "[ ]" TOP WHEELGUARD SOUTHEAST CORNER BRIDGE TYRONZA RIVER. NOTE 1/2001: NEW BRIDGE AT THIS LOCATION. THERE IS A NEW AHTD DISC WITH NO ELEVATION NOTED.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470008

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #05

Date Established:

System: STATE

Job Number: 100213

Nearest City: DYESS

County: MISSISSIPPI

Route: 14

Section: 16

Log Mile: 3.82

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 36 43.4

Longitude: W 90 13 07.6

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 67.974

Elevation (Feet): 223.011

Description: STANDARD DISC IN NORTH HEADWALL, 34' LEFT OF CENTERLINE  
HIGHWAY 14.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470009

Class:

Vertical Datum:

Established by: RE OFFICE #05

Date Established:

System: STATE

Job Number: 100184

Nearest City:

County: MISSISSIPPI

Route: 14

Section: 16

Log Mile: 11.54

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 71.247

Elevation (Feet): 233.750

Description: STANDARD DISC IN NORTHWEST WINGWALL, NORTH END OF BRIDGE.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470010

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: BLYTHEVILLE

County: MISSISSIPPI

Route: 18

Section: 6

Log Mile: 14.55

Land Section Number: 21

Township:

Range: 11E

Land Section:

Latitude: N 35 54 53.9

Longitude: W 89 56 59.7

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.816

Elevation (Feet): 252.020

Description: CHISELED [] IN NORTHEAST CORNER OF BRIDGE ON TOP OF  
WINGWALL. BRIDGE #2701 OVER DITCH #36.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470011

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City:

County: MISSISSIPPI

Route: 18

Section: 6

Log Mile: MS. AV.

Land Section Number: 20

Township: 15N

Range: 11E

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.8158

Elevation (Feet): 252.020

Description: STANDARD DISK CORPS ENGINEET IN TOP OF WHEEL GUARD AT SOUTHWEST CORNER BRIDGE #29274. APPROX. 5/8 MI SOUTH OF JUNCTION OF HIGHWAY 18 & MISSISSIPPI AVE, BRIDGE OVER DITCH NO. 37. NO ELEVATION GIVEN.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470012

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 100093

Nearest City: MANILA

County: MISSISSIPPI

Route: 18

Section: 6

Log Mile: 3.13

Land Section Number: 8

Township: 14N

Range: 09E

Land Section:

Latitude: N 35 50 48.5

Longitude: W 90 07 19.6

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.987

Elevation (Feet): 249.301

Description: STANDARD DISC IN SOUTHEAST WINGWALL BRIDGE 6060 (BIG LAKE).

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470013

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 10916

Nearest City:

County: MISSISSIPPI

Route: 18

Section: 7

Log Mile: 1.60

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 78.282

Elevation (Feet): 256.830

Description: TOP NORTHEAST CORNER DROP INLET, SOUTHEAST CORNER  
HIGHWAY 18 AND RUDDLE ROAD STATION 26+92 RIGHT.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470014

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 10916

Nearest City:

County: MISSISSIPPI

Route: 18

Section: 7

Log Mile: 2.00

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 78.346

Elevation (Feet): 257.040

Description: TOP SOUTHEAST CORNER DROP INLET, STATION 56+00 RIGHT  
HIGHWAY 18.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470015

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 100221

Nearest City:

County: MISSISSIPPI

Route: 18

Section: 7

Log Mile: 0.99

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 83.814

Elevation (Feet): 274.980

Description: "[ ]" CUT CENTER OF HEADWALL OF DRAIN NEAR SOUTHEAST BRIDGE  
END OVER I-55 ON HIGHWAY-18 20' RIGHT STATION 37+87.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470016

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 100221

Nearest City:

County: MISSISSIPPI

Route: 18

Section: 7

Log Mile: 3.58

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 78.221

Elevation (Feet): 256.630

Description: "[ ]" CUT IN TOP OF SOUTHEAST WINGWALL EAST END OF BRIDGE AT  
LOG MILE 3.58 HIGHWAY-18 EAST OF BLYTHEVILLE 19' RIGHT OF  
STATION 89+97. NOT RECOVERED JAN 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470017

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 100221

Nearest City:

County: MISSISSIPPI

Route: 18

Section: 7

Log Mile: 4.02

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 78.233

Elevation (Feet): 256.669

Description: BLYTHEVILLE HIGHWAY 18 BRIDGE 118 "[]" IN TOP SOUTHWEST  
WINGWALL WEST BRIDGE END 19' RIGHT STATION 112+59.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470018

Class:

Vertical Datum:

Established by: RE OFFICE #05

Date Established: 5/18/1992

System: STATE Job Number: 100254 Nearest City: BLYTHEVILLE

County: MISSISSIPPI Route: 18 Section: 7 Log Mile: 4.07

Land Section Number: 7 Township: 15 Range: 12

Land Section: SW

Latitude: N 35 55 42.5 Longitude: W 89 50 53.7 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.978 Elevation (Feet): 249.271

Description: STANDARD DISC IN NORTHEAST CORNER OF HEADWALL FOR R.C.  
BOX CULVERT 56' LEFT OF STATION 113+44 FOR HIGHWAY 18.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470019

Class:

Vertical Datum:

Established by: RE OFFICE #05

Date Established: 5/18/1992

System: STATE Job Number: 100254 Nearest City: BLYTHEVILLE

County: MISSISSIPPI Route: 18 Section: 7 Log Mile: 3.62

Land Section Number: 12 Township: 15 Range: 11

Land Section: SE

Latitude: N 35 55 43.0 Longitude: W 89 51 21.4 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.798 Elevation (Feet): 251.961

Description: STANDARD DISC IN NORTHEAST CORNER OF HEADWALL FOR R.C.  
BOX CULVERT 51' LEFT OF STATION 89+72 FOR HIGHWAY 18.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470020

Class:

Vertical Datum:

Established by: RE OFFICE #05

Date Established:

System: STATE

Job Number: 100237

Nearest City:

County: MISSISSIPPI

Route: 18

Section: 7

Log Mile: 2.88

Land Section Number: 12

Township: 15

Range: 11

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.587

Elevation (Feet): 254.550

Description: STANDARD DISC ON NORTHEAST CORNER OF HEADWALL FOR  
REINFORCED CONCRETE BOX CULVERT 42' LEFT OF CENTERLINE  
HIGHWAY 18 STATION 50+45.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470021

Class:

Vertical Datum:

Established by:

Date Established: 1/8/1990

System: STATE

Job Number: 100222

Nearest City:

County: MISSISSIPPI

Route: 18

Section: 7

Log Mile: 6.22

Land Section Number: 16

Township: 15

Range: 12

Land Section: SWNE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.718

Elevation (Feet): 254.980

Description: AHTD DISK SET IN NORTH AND EAST END OF HEADWALL LEFT OF STATION 228+85.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470022

Class:

Vertical Datum:

Established by: RE OFFICE #05

Date Established: 6/26/1992

System: STATE Job Number: 100254 Nearest City:

County: MISSISSIPPI Route: 18 Section: 7 Log Mile: 4.25

Land Section Number: 18 Township: 15 Range: 12

Land Section: NE

Latitude: N 35 55 40.5 Longitude: W 89 50 42.2 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.032 Elevation (Feet): 252.729

Description: STANDARD DISC ON NORTHEAST CORNER OF HEADWALL FOR  
REINFORCED CONCRETE BOX CULVERT 33' LEFT OF CENTERLINE OF  
HIGHWAY 18 STATION 122+94.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470023

Class:

Vertical Datum:

Established by:

RE OFFICE #05

Date Established: 10/5/1992

System: STATE

Job Number: R00070

Nearest City: KEISER

County: MISSISSIPPI

Route: I-55

Section: 12

Log Mile: 43.86

Land Section Number: 24

Township: 12N

Range: 09E

Land Section: SW

Latitude: N 35 38 45.0

Longitude: W 90 05 17.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.449

Elevation (Feet): 260.659

Description: STANDARD DISC IN TOP OF END POST NORTH END LEFT OF RIGHT  
MAIN LANES BRIDGE 3370 BR.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470024

Class:

Vertical Datum:

Established by: RE OFFICE #05

Date Established: 10/5/1992

System: STATE

Job Number: R00070

Nearest City: KEISER

County: MISSISSIPPI

Route: I-55

Section: 12

Log Mile: 43.94

Land Section Number: 23

Township: 12N

Range: 09E

Land Section: SE

Latitude: N 35 38 42.0

Longitude: W 90 05 20.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.358

Elevation (Feet): 260.360

Description: STANDARD DISC IN TOP OF PARAPET SOUTH END RIGHT OF LEFT  
MAIN LANES BRIDGE 3370 AR.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470025

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: BASSETT

County: MISSISSIPPI

Route: I-55

Section: 12

Log Mile: 35.55

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 32 30.0

Longitude: W 90 09 47.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 73.396

Elevation (Feet): 240.800

Description: DISC TOP PARAPET WALL 60' RIGHT.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470026

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: KEISER

County: MISSISSIPPI

Route: I-55

Section: 12

Log Mile: 43.94

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 39 13.0

Longitude: W 90 04 58.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 71.869

Elevation (Feet): 235.790

Description: DISC TOP PARAPET WALL 20' RIGHT OF STATION WESTWALL EAST  
BRIDGE 1/4 MILE NORTH OVERPASS BRIDGE BRIDGE #3288B.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470027

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City:

County: MISSISSIPPI

Route: I-55

Section: 12

Log Mile: 47.7

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 41 36.0

Longitude: W 90 03 15.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 71.994

Elevation (Feet): 236.200

Description: DISC TOP NORTH CORNER EAST HEADWALL BOX 80' RIGHT.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470028

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: OSCEOLA

County: MISSISSIPPI

Route: I-55

Section: 12

Log Mile: 50.16

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 43 28.0

Longitude: W 90 01 59.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.82

Elevation (Feet): 238.910

Description: DISC TOP PARAPET WALL 50' LEFT.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470029

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City:

County: MISSISSIPPI

Route: I-55

Section: 12

Log Mile: 51.06

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.283

Elevation (Feet): 237.148

Description: DISC TOP NORTH CORNER WEST HEADWALL BOX 80' LEFT. NOTE JAN 2001 DESTROYED

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470030

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: LUXORA

County: MISSISSIPPI

Route: I-55

Section: 12

Log Mile: 52.31

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 45 06.0

Longitude: W 90 00 52.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 71.494

Elevation (Feet): 234.560

Description: DISC TOP SOUTH CORNER EAST HEADWALL BOX 80' RIGHT.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470031

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: LUXORA

County: MISSISSIPPI

Route: I-55

Section: 12

Log Mile: 53.44

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 46 00.0

Longitude: W 90 00 20.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 73.274

Elevation (Feet): 240.400

Description: DISC TOP PARAPET WALL NORTH CORNER EAST WALL BRIDGE 60' RIGHT.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470032

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: LUXORA

County: MISSISSIPPI

Route: I-55

Section: 12

Log Mile: 54.58

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 46 52.0

Longitude: W 89 59 43.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 73.737

Elevation (Feet): 241.919

Description: DISC TOP PARAPET WALL SOUTH CORNER EAST WALL BRIDGE 60' RIGHT.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470033

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: HIGHTOWER

County: MISSISSIPPI

Route: I-55

Section: 12

Log Mile: 55.74

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 47 44.0

Longitude: W 89 59 06.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.158

Elevation (Feet): 236.738

Description: DISC TOP SOUTH CORNER EAST HEADWALL BOX 80' RIGHT.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470034

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: HIGHTOWER

County: MISSISSIPPI

Route: I-55

Section: 12

Log Mile: 58.00

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 49 28.0

Longitude: W 89 57 55.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.621

Elevation (Feet): 244.819

Description: DISC TOP PARAPET WALL 20' RIGHT SOUTH CORNER WINGWALL  
BRIDGE.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470035

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: HIGHTOWER

County: MISSISSIPPI

Route: I-55

Section: 12

Log Mile: 59.10

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 50 19.0

Longitude: W 89 57 19.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 73.073

Elevation (Feet): 239.740

Description: DISC TOP SOUTH CORNER HEADWALL BOX 80' RIGHT.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470036

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: LEMS福德

County: MISSISSIPPI

Route: I-55

Section: 12

Log Mile: 60.31

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 51 11.0

Longitude: W 89 56 44.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.023

Elevation (Feet): 249.419

Description: DISC TOP PARAPET WALL 60' RIGHT SOUTH CORNER EAST WALL  
BRIDGE.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470037

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: BLYTHEVILLE

County: MISSISSIPPI

Route: I-55

Section: 12

Log Mile: 65.24

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 54 26.0

Longitude: W 89 53 27.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 78.852

Elevation (Feet): 258.700

Description: DISC TOP PARAPET WALL 60' LEFT.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470038

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number:

N/A

Nearest City:

BLYTHEVILLE

County: MISSISSIPPI

Route:

I-55

Section:

12

Log Mile:

66.28

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 55 01.0

Longitude: W 89 52 36.0

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

78.197

Elevation (Feet):

256.551

Description: DISC TOP PARAPET WALL 60' LEFT.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470039

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: BLYTHEVILLE

County: MISSISSIPPI

Route: I-55

Section: 12

Log Mile: 71.65

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 59 41.0

Longitude: W 89 52 27.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.081

Elevation (Feet): 259.452

Description: DISC TOP PARAPET WALL 60' RIGHT SOUTH CORNER EAST WALL  
BRIDGE.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470040

Class:

Vertical Datum:

Established by: RE OFFICE #05

Date Established:

System: STATE Job Number: 100133 Nearest City: BLYTHEVILLE

County: MISSISSIPPI Route: I-55 Section: 12 Log Mile: 66.76

Land Section Number: Township: Range:

Land Section:

Latitude: N 35 55 23.0 Longitude: W 89 52 24.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 84.009 Elevation (Feet): 275.620

Description: SOUTHWEST WING AHTD DISK BRIDGE NO. 3166 BRIDGE ABUTMENT I.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470041

Class:

Vertical Datum:

Established by: RE OFFICE #05

Date Established:

System: STATE Job Number: 100133 Nearest City: BLYTHEVILLE

County: MISSISSIPPI Route: I-55 Section: 12 Log Mile: 63.29

Land Section Number: Township: Range:

Land Section:

Latitude: N 35 53 21.0 Longitude: W 89 55 05.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 83.211 Elevation (Feet): 273.001

Description: SOUTHEAST WING AHTD DISK BRIDGE NO. 3162AR ABUTMENT I.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470042

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 100133

Nearest City: BLYTHEVILLE

County: MISSISSIPPI

Route: I-55

Section: 12

Log Mile: 64.17

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 53 51.0

Longitude: W 89 54 20.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 84.302

Elevation (Feet): 276.581

Description: SOUTHEAST WING AHTD DISK BRIDGE NO. 3163AR ABUTMENT I.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470043

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: R00010

Nearest City: OSCEOLA

County: MISSISSIPPI

Route: I-55

Section: 12

Log Mile: 48.29

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 42 04.0

Longitude: W 90 02 58.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.959

Elevation (Feet): 252.490

Description: NORTH-WEST WINGWALL (AHTD DISK) BRIDGE #3289 AR.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470044

Class:

Vertical Datum:

Established by: RE OFFICE #05

Date Established: 3/10/1994

System: STATE Job Number: 100198 Nearest City: OSCEOLA

County: MISSISSIPPI Route: 61 Section: 2 Log Mile: 23.89

Land Section Number: 36 Township: 13N Range: 10E

Land Section: SW

Latitude: N 35 42 03.0 Longitude: W 89 58 38.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 73.917 Elevation (Feet): 242.509

Description: STATION 119+32 LEFT 39.0' FROM CENTERLINE OF ROAD WAY ON TOP  
TY. E. DROP INLET. SOUTH LAWN OF COMMONWEALTH BANK  
STANDARD DISC.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470045

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 100130

Nearest City: LEACHVILLE

County: MISSISSIPPI

Route: 77

Section: 1

Log Mile: 7.19

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 55 50.8

Longitude: W 90 12 31.5

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.317

Elevation (Feet): 237.260

Description: STANDARD DISC IN SOUTHWEST CORNER WINGWALL BRIDGE 6030.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470046

Class:

Vertical Datum:

Established by:

RE OFFICE #05

Date Established:

System: STATE

Job Number:

100210

Nearest City:

MANILA

County:

MISSISSIPPI

Route:

77

Section:

1

Log Mile:

9.91

Land Section Number:

13

Township:

15N

Range:

08E

Land Section:

SW

Latitude:

N 35 54 59.8

Longitude:

W 90 10 37.6

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

73.878

Elevation (Feet):

242.381

Description:

STANDARD AHTD DISK TOP NORTHWEST WINGWALL BRIDGE NO.  
6216.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470047

Class:

Vertical Datum:

Established by: RE OFFICE #05

Date Established: 8/18/1989

System: STATE Job Number: 100112 Nearest City:

County: MISSISSIPPI Route: 119 Section: 0 Log Mile: 0.24

Land Section Number: 27 Township: 11N Range: 09E

Land Section: SENE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.766 Elevation (Feet): 232.171

Description: EAST HEADWALL, SOUTH END 18' RT. STATION 12+47, SOUTHEAST  
CORNER OF NORTHEAST ONE QUARTER SECTION.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470048

Class:

Vertical Datum:

Established by: RE OFFICE #05

Date Established:

System: STATE

Job Number: 100112

Nearest City:

County: MISSISSIPPI

Route: 119

Section: 0

Log Mile: 0.24

Land Section Number: 27

Township: 11N

Range: 09E

Land Section: SENW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.92

Elevation (Feet): 245.800

Description: DISC IN NORTH HEADWALL EAST END 20' RIGHT STATION 12+71 IN  
SOUTHEAST CORNER OF NORTHWEST 1/4.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470049

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: LEACHVILLE

County: MISSISSIPPI

Route: 119

Section: 4

Log Mile: 0.85

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 54 15.0

Longitude: W 90 15 25.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.046

Elevation (Feet): 236.371

Description: SOUTHEAST CORNER EAST WING SOUTH END OF BRIDGE NO. 5676.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470050

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 100092

Nearest City: LEACHVILLE

County: MISSISSIPPI

Route: 119

Section: 5

Log Mile: 1.69

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 57 30.0

Longitude: W 90 10 34.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 73.097

Elevation (Feet): 239.819

Description: STANDARD DISC NORTHWEST CORNER OF BRIDGE TOP OF WING.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470051

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 100092

Nearest City: LEACHVILLE

County: MISSISSIPPI

Route: 119

Section: 5

Log Mile: 2.30

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 57 46.0

Longitude: W 90 10 16.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 73.378

Elevation (Feet): 240.741

Description: STANDARD DISC SOUTHWEST CORNER OF BRIDGE TOP OF WING.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470052

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: LEACHVILLE

County: MISSISSIPPI

Route: 119

Section: 5

Log Mile: 1.61

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 57 30.0

Longitude: W 90 10 34.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 73.097

Elevation (Feet): 239.819

Description: STANDARD DISC IN NORTHWEST WINGWALL.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470053

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 100032

Nearest City: OSCEOLA

County: MISSISSIPPI

Route: 140

Section: 2

Log Mile: 14.38

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 42 03.0

Longitude: W 90 03 08.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.506

Elevation (Feet): 231.318

Description: PLATE IN HEADWALL OF BOX 900 FEET WEST OF I-55 ON HIGHWAY 140 ON RIGHT.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470054

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 100032

Nearest City: OSCEOLA

County: MISSISSIPPI

Route: 140

Section: 2

Log Mile: 14.65

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 42 02.0

Longitude: W 90 02 51.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 71.019

Elevation (Feet): 233.002

Description: PLATE IN TOP OF DROP INLET 28 FEET RIGHT OF CENTERLINE 600 FEET EAST OF I-55 ON HIGHWAY 140.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470055

Class:

Vertical Datum:

Established by: RE OFFICE #05

Date Established: 4/18/1991

System: STATE Job Number: 100145 Nearest City: OSCEOLA

County: MISSISSIPPI Route: 140 Section: 2 Log Mile: 18.46

Land Section Number: 2 Township: 12 Range: 02

Land Section: NENE

Latitude: N 35 42 02.0 Longitude: W 89 58 54.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 73.213 Elevation (Feet): 240.200

Description: STANDARD DISC IN NORTHEAST CORNER OF JCT. BOX 1' LEFT OF CENTERLINE ON HWY. 140. THE DISC IS 2' TO THE NORTHEAST OF MANHOLE COVER ABOUT 3" DOWN IN ASPHALT.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470056

Class:

Vertical Datum:

Established by:

RE OFFICE #05

Date Established: 6/23/1993

System: STATE

Job Number: 100282

Nearest City: ATHELSTAN

County: MISSISSIPPI

Route: 140

Section: 2

Log Mile: 7.88

Land Section Number: 6

Township: 12N

Range: 09E

Land Section: NW

Latitude: N 35 42 05.0

Longitude: W 90 10 10.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.235

Elevation (Feet): 236.991

Description: STANDARD DISC IN TOP OF WING. SOUTHWEST WING OF BRIDGE # 6462.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470057

Class:

Vertical Datum:

Established by: RE OFFICE #05

Date Established: 6/22/1993

System: STATE Job Number: 100282 Nearest City: VICTORIA

County: MISSISSIPPI Route: 158 Section: 1 Log Mile: 11.56

Land Section Number: 15 Township: 13N Range: 29E

Land Section: NW

Latitude: N 35 45 32.8 Longitude: W 90 07 13.8 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 73.488 Elevation (Feet): 241.102

Description: STANDARD DISC IN TOP OF WING. SOUTHWEST WING OF BRIDGE # 6461.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470058

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number:

R00027

Nearest City:

DELL

County:

MISSISSIPPI

Route:

181

Section:

3

Log Mile:

0.02

Land Section Number:

Township:

Range:

Land Section:

Latitude:

N 35 51 15.1

Longitude:

W 90 02 29.2

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

73.753

Elevation (Feet):

241.971

Description:

STANDARD DISC IN SOUTHWEST CORNER DROP INLET TOP STATION  
1+20 LEFT.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470059

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 100111

Nearest City: DELL

County: MISSISSIPPI

Route: 181

Section: 3

Log Mile: .56

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 51 40.1

Longitude: W 90 02 39.1

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.265

Elevation (Feet): 243.651

Description: STANDARD DISC ON SOUTHEAST CORNER OF BRIDGE PEMISCOTT BAYOU.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470060

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 10899

Nearest City:

County: MISSISSIPPI

Route: 181

Section: 3

Log Mile: 6.97

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.304

Elevation (Feet): 243.779

Description: 15' RIGHT CENTER OF ROAD TOP TURN OUT POST. NOT RECOVERED  
ON JANUARY 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470061

Class:

Vertical Datum:

Established by: RE OFFICE #05

Date Established: 1/4/1990

System: STATE Job Number: 100192 Nearest City:

County: MISSISSIPPI Route: 181 Section: 4 Log Mile: 2.68

Land Section Number: 19 Township: 16 Range: 11

Land Section: NW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.352 Elevation (Feet): 253.779

Description: BENCHMARK IN TOP OF GUARDRAIL END WALL NORTHEAST  
CORNER. NOT RECOVERED ON JANUARY 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470062

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: R00055

Nearest City: BONDSVILLE

County: MISSISSIPPI

Route: 198

Section: 2

Log Mile: 0.61

Land Section Number: 19

Township: 12N

Range: 08E

Land Section:

Latitude: N 35 39 06.0

Longitude: W 90 16 31.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.449

Elevation (Feet): 227.851

Description: STANDARD DISK IN NORTHWEST WING WALL BRIDGE #6202 ROUTE 198 SECTION 2 LOG MILE 0.61 T12N R8E SECTION 19

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470063

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE Job Number: 10997 Nearest City: DENWOOD

County: MISSISSIPPI Route: 308 Section: 3 Log Mile: 0.55

Land Section Number: Township: Range:

Land Section:

Latitude: N 35 28 53.4 Longitude: W 90 14 29.9 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.583 Elevation (Feet): 228.290

Description: DISK NORTHWEST WINGWALL BRIDGE #5873.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470064

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: 10997 Nearest City: DENWOOD

County: MISSISSIPPI Route: 308 Section: 3 Log Mile: 2.02

Land Section Number: Township: Range:

Land Section:

Latitude: N 35 28 45.4 Longitude: W 90 12 50.8 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.809 Elevation (Feet): 225.751

Description: DISK HEADWALL R.C. BOX CULVERT.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470065

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: 10997 Nearest City:

County: MISSISSIPPI Route: 308 Section: 3 Log Mile: 4.87

Land Section Number: Township: Range:

Land Section:

Latitude: N 35 27 58.2 Longitude: W 90 11 49.1 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.641 Elevation (Feet): 228.481

Description: DISK NORTHEAST WINGWALL BRIDGE #5874.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470066

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 10/5/1992

System: STATE Job Number: R00070 Nearest City: KEISER

County: MISSISSIPPI Route: I-55 Section: 12 Log Mile: 43.86

Land Section Number: 24 Township: 12N Range: 03E

Land Section: SW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.449 Elevation (Feet): 260.659

Description: STANDARD DISK IN TOP OF END POST ON NORTH END AND LT. OF RT.  
MAIN LANES BRIDGE NO. 3370 BR.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470067

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 10/5/1992

System: STATE Job Number: R00070 Nearest City: KEISER

County: MISSISSIPPI Route: I-55 Section: 12 Log Mile: 43.94

Land Section Number: 23 Township: 12N Range: 09E

Land Section: SE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.358 Elevation (Feet): 260.360

Description: STANDARD DISK IN TOP OF PARAPET ON SOUTH END AND RT. OF LT.  
MAIN LANES OF BRIDGE NO. 3370 AR

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470068

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #05

Date Established: 7/14/1994

System: COUNTY

Job Number: R00095

Nearest City:

County: MISSISSIPPI

Route: 137

Section: 1

Log Mile: .056

Land Section Number: 3

Township: 15N

Range: 12E

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.636

Elevation (Feet): 248.149

Description: STANDARD DISK IN CENTER OF HEADWALL 52' RT. STA. 115+90,  
SOUTHSIDE.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470069

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #05

Date Established: 11/18/1996

System: COUNTY

Job Number: 100328

Nearest City: MANILA

County: MISSISSIPPI

Route: 77

Section: 1

Log Mile: 10.91

Land Section Number: 25

Township: 15N

Range: 08E

Land Section: NE

Latitude: N 35 54 07.1

Longitude: W 90 10 38.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.055

Elevation (Feet): 236.400

Description: STANDARD DISC IN SE CORNER OF HDWL 27' LT. OF STATION 62+92. AT  
INTERSECTION OF CR 246 AND HWY 77

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470070

Class:

Vertical Datum:

Established by:

Date Established:

System: COUNTY

Job Number: BR-47-2

Nearest City: KEISER

County: MISSISSIPPI

Route: CO. RD. 29

Section: 2

Log Mile: 9.39

Land Section Number: 9

Township: 12N

Range: 09E

Land Section:

Latitude: N 35 40 33.0

Longitude: W 90 08 31.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.397

Elevation (Feet): 230.961

Description: AHTD B. M. ON SOUTHWEST WINGWALL BR. # 4537-APPROX. 1.8 MILES  
SOUTH OF HWY. 140.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470071

Class:

Vertical Datum:

Established by:

Date Established:

System: COUNTY

Job Number: BR-47-4

Nearest City: LEMS FORD

County: MISSISSIPPI

Route: CO. RD. 85

Section:

Log Mile: 76.435

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 49 24.0

Longitude: W 89 52 22.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.435

Elevation (Feet): 250.770

Description: SOUTHEAST CORNER OF GUTTER ON TOP OF 6" CURB BRIDGE NO. 4609.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470072

Class:

Vertical Datum:

Established by:

Date Established: 12/20/1989

System: COUNTY

Job Number: S-47-23

Nearest City: ARMOREL

County: MISSISSIPPI

Route: 68 & 87

Section:

Log Mile:

Land Section Number: 34

Township: 15N

Range: 12E

Land Section: NE

Latitude: N 35 49 24.0

Longitude: W 89 52 22.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.731

Elevation (Feet): 251.742

Description: AHTD DISC IN DRIVEWAY 30' RT. OF CENTERLINE 2.42 MILES SOUTH OF HWY. 18 AND ON COUNTY RD. 68.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470073

Class:

Vertical Datum:

Established by: RE OFFICE #05

Date Established: 7/14/1997

System: STATE

Job Number: 100207

Nearest City:

County: MISSISSIPPI

Route: 150

Section: 1

Log Mile: 5.59

Land Section Number: 27

Township: 16N

Range: 12E

Land Section: NW

Latitude: N 35 59 13.0

Longitude: W 89 48 17.2

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 78.406

Elevation (Feet): 257.237

Description: STANDARD DISK IN THE NORTHWEST WING OF BRIDGE 6587.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470074

Class:

Vertical Datum:

Established by: RE OFFICE #05

Date Established: 9/6/1996

System: STATE

Job Number: 100207

Nearest City:

County: MISSISSIPPI

Route: 150

Section: 1

Log Mile: 8.12

Land Section Number: 26

Township: 16N

Range: 12E

Land Section: SE

Latitude: N 35 58 23.1

Longitude: W 89 46 34.3

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.129

Elevation (Feet): 253.047

Description: STANDARD DISK IN THE NORTHWEST WING BRIDGE 6589.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470075

Class:

Vertical Datum:

Established by: RE OFFICE #05

Date Established: 7/14/1997

System: STATE

Job Number: 100207

Nearest City:

County: MISSISSIPPI

Route: 150

Section: 1

Log Mile: 7.03

Land Section Number: 27

Township: 16N

Range: 12E

Land Section: SE

Latitude: N 35 58 46.7

Longitude: W 89 47 13.9

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 78.406

Elevation (Feet): 257.237

Description: STANDARD DISK IN THE NORTHWEST WING BRIDGE 6588 OVER DITCH  
# 42

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470076

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #05

Date Established: 6/30/1999

System:

Job Number: BR4705

Nearest City: KEISER

County: MISSISSIPPI

Route: CR29

Section:

Log Mile: 3.5

Land Section Number: 20

Township: 12N

Range: 09N

Land Section:

Latitude: N 35 38 53.03098

Longitude: W 90 08 31.33641

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 71.39

Elevation (Feet): 234.219

Description: STANDARD DISK IN TOP OF SE WALL 14' EAST OF C/L 3.5 MILES SOUTH OF HWY 140 AND 2.5 MILES WEST OF KEISER ON BRIDGE NUMBER 04808. Job station 112+73.31

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470077

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #05

Date Established: 8/6/1998

System: STATE

Job Number: 100409

Nearest City: BLYTHEVILLE

County: MISSISSIPPI

Route: 18

Section: 6

Log Mile: 16.64

Land Section Number: 16

Township: 15N

Range: 11E

Land Section:

Latitude: N 35 55 37.5

Longitude: W 89 55 08.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.763

Elevation (Feet): 255.127

Description: AHTD DISK IN TOP OF DI SW CORNER INTERSECTION HWY 18 & 61

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470078

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: RE OFFICE #05

Date Established: 3/4/2002

System: STATE

Job Number: 100527

Nearest City: VICTORIA

County: MISSISSIPPI

Route: 158

Section: 1

Log Mile: 13.09

Land Section Number: 9

Township: 13N

Range: 09E

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 71.338

Elevation (Feet): 234.048

Description: STANDARD DISC IN SW WING OF BRIDGE NO 006833 STA 16+16.47 20' RT OF C/L. BASED ON 3 WIRE FROM 902 BASED ON NGS PT G 185

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470079

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 4/2/2002

System: STATE

Job Number: 100543

Nearest City: GOSNELL

County: MISSISSIPPI

Route: 151

Section: 2

Log Mile: 6.34

Land Section Number: 36

Township: 16N

Range: 10E

Land Section:

Latitude: N 35 57 48.0

Longitude: W 89 58 27.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

Elevation (Feet):

Description:

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470080

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 4/2/2002

System: STATE Job Number: 100543 Nearest City: GOSNELL

County: MISSISSIPPI Route: 151 Section: 2 Log Mile: 6.3

Land Section Number: 1 Township: 16N Range: 10E

Land Section:

Latitude: N 35 57 34.0 Longitude: W 89 58 15.0 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): Elevation (Feet):

Description:

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470081

Class:

Vertical Datum: NAVD88

Established by: RE OFFICE #05

Date Established: 2/28/2007

System: STATE Job Number: 100105 Nearest City: DYESS

County: MISSISSIPPI Route: 297 Section: 1 Log Mile: 1.33

Land Section Number: 10 Township: 11N Range: 08E

Land Section: NE

Latitude: N 35 35 48.0 Longitude: W 90 12 51.0 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.43357887 Elevation (Feet): 227.800

Description: AHTD HUB 0.5 FEET OFF EAST EDGE OF SE WINGWALL OF BRIDGE 7003 OVER DITCH NO.49, 16 FEET EAST OF CENTERLINE OF STATE HIGHWAY 297.

Comments: BM HAS BEEN VALIDATED WITH A THREE WIRE LEVEL RUN FROM BENCHMARK 929 IN CONTROL FILES OF JOB 100105. THE DATA FOR THIS BENCHMARK CAN BE FOUND UNDER JOB 100501 ON EDM BEING s100501\_RE\_benchmark.zip. THE CONTROL FILE WAS ORIGINALLY DONE IN NGVD 29, BASED ON USGS MARK "8 CDL".

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470082

Class:

Vertical Datum: NAVD88

Established by: RE OFFICE #05

Date Established: 2/28/2007

System: STATE

Job Number: 100105

Nearest City: DYESS

County: MISSISSIPPI

Route: 297

Section: 1

Log Mile: 1.41

Land Section Number: 10

Township: 11N

Range: 08E

Land Section: NE

Latitude: N 35 35 52.0

Longitude: W 90 12 51.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.43662688

Elevation (Feet): 227.810

Description: AHTD HUB 0.5 FEET OFF EAST EDGE OF SE WINGWALL OF BRIDGE 7004 OVER TYRONZA RIVER. 16 FEET EAST OF CENTERLINE OF STATE HIGHWAY 297.

Comments: BM HAS BEEN VALIDATED WITH A THREE WIRE LEVEL RUN FROM BENCHMARK 929 IN CONTROL FILES OF JOB 100105. THE DATA FOR THIS BENCHMARK CAN BE FOUND UNDER JOB 100501 ON EDM BEING s100501\_RE\_benchmark.zip. THE CONTROL FILE WAS ORIGINALLY DONE IN NGVD 29, BASED ON USGS MARK "8 CDL".



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470082

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #05

Date Established: 3/21/2018

System: STATE

Job Number: 100653

Nearest City: Leachville

County: MISSISSIPPI

Route: 18

Section: 4-5

Log Mile: 2.20

Land Section Number: 32

Township: 15n

Range: 08e

Land Section: NWSE

Latitude: N 35 53 17.00000

Longitude: W 90 14 56.00000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.416

Elevation (Feet): 237.585

Description: SET BM - NEW AHTD DISC PLACED IN SOUTHWEST PARAPET WALL OF  
NEW BRIDGE #07252 STA 835+92

Comments: three wire data on EDM under job 100653 in s100653\_re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

**Identification:** 470083

**Class:** THIRD-ORDER

**Vertical Datum:** NAVD88

**Established by:** RE OFFICE #05

**Date Established:** 3/21/2018

**System:** STATE

**Job Number:** 100653

**Nearest City:** Monette

**County:** MISSISSIPPI

**Route:** 18

**Section:** 4-5

**Log Mile:** 28.1

**Land Section Number:** 36

**Township:** 15n

**Range:** 07e

**Land Section:** NWSE

**Latitude:** N 35 53 22.00000

**Longitude:** W 90 18 03.00000

**Type:** SCALED

Scaled, GPS (Handheld), or GPS (Observed)

**Elevation (Meters):** 71.618

**Elevation (Feet):** 234.967

**Description:** NEW AHTD DISC PLACED IN CENTER OF HEADWALL ON SOUTHSIDE  
OF HWY 18 AT RC BOX 682+09

**Comments:** three wire data on EDM under job 100653 in s100653\_re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

**Identification:** 470084

**Class:** THIRD-ORDER

**Vertical Datum:** NAVD88

**Established by:** RE OFFICE #05

**Date Established:** 3/21/2018

**System:** STATE

**Job Number:** 100653

**Nearest City:** Leachville

**County:** MISSISSIPPI

**Route:** 18

**Section:** 4-5

**Log Mile:** 0.16

**Land Section Number:** 31

**Township:** 15n

**Range:** 08e

**Land Section:** NWSE

**Latitude:** N 35 53 19.00000

**Longitude:** W 90 17 04.00000

**Type:** SCALED

Scaled, GPS (Handheld), or GPS (Observed)

**Elevation (Meters):** 72.118

**Elevation (Feet):** 236.607

**Description:** NEW AHTD DISC PLACED IN CENTER OF HEADWALL ON SOUTHSIDE OF HWY 18 AT RC BOX 730+43.

**Comments:** three wire data on EDM under job 100653 in s100653\_re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470085

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #05

Date Established: 3/21/2018

System: STATE

Job Number: 100653

Nearest City: Manila

County: MISSISSIPPI

Route: 18

Section: 4-5

Log Mile: 5.2

Land Section Number: 35

Township: 15n

Range: 08e

Land Section: NWSE

Latitude: N 35 53 15.00000

Longitude: W 90 11 43.00000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 71.626

Elevation (Feet): 234.993

Description: AHTD DISC PLACED IN CENTER OF HEADWALL ON SOUTHSIDE OF  
HWY 18 AT RC BOX 994+92

Comments: three wire data on EDM under job 100653 in s100653\_re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

**Identification:** 470086

**Class:** THIRD-ORDER

**Vertical Datum:** NAVD88

**Established by:** RE OFFICE #05

**Date Established:** 3/21/2018

**System:** STATE

**Job Number:** 100653

**Nearest City:** leachville

**County:** MISSISSIPPI

**Route:** 18

**Section:** 4-5

**Log Mile:** 1.16

**Land Section Number:** 31

**Township:** 14n

**Range:** 08e

**Land Section:** NWSE

**Latitude:** N 35 53 18.00000

**Longitude:** W 90 16 00.00000

**Type:** SCALED

Scaled, GPS (Handheld), or GPS (Observed)

**Elevation (Meters):** 71.964

**Elevation (Feet):** 236.102

**Description:** AHTD DISC PLACED IN CENTER OF HEADWALL ON SOUTHSIDE OF  
HWY 18 AT RC BOX 783+61

**Comments:** three wire data on EDM under job 100653 in s100653\_re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470088

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #05

Date Established: 3/5/2019

System: STATE

Job Number: 100760

Nearest City: Bondsville

County: MISSISSIPPI

Route: 77

Section: 3

Log Mile: 5.07

Land Section Number: 9

Township: 12n

Range: 09e

Land Section: NW

Latitude: N 35 38 16.00000

Longitude: W 90 14 56.00000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.9545

Elevation (Feet): 232.790

Description: AHTD BM disk SE corner parapet wall bridge No. 07354

Comments: Elevation not verified

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470089

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #05

Date Established: 3/5/2019

System: STATE Job Number: A00031 Nearest City: Bassett

County: MISSISSIPPI Route: 181 Section: 0 Log Mile: 2.24

Land Section Number: 31 Township: 11n Range: 09e

Land Section: NE

Latitude: N 35 38 16.00000 Longitude: W 90 14 56.00000 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 256.71 Elevation (Feet): 842.223

Description: ARDOT BM Disc Center of NW Bridge WW

Comments: Elevation not verified NOTE: DATED ESTABLISHED 12/28/2023

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470090

Class: OTHER

Vertical Datum: NAVD88

Established by: RE OFFICE #05

Date Established: 3/5/2019

System: STATE

Job Number: A00031

Nearest City: Bassett

County: MISSISSIPPI

Route: 181

Section: 0

Log Mile: 2.216

Land Section Number: 31

Township: 11n

Range: 09e

Land Section: NE

Latitude: N 35 53 86.00000

Longitude: W 90 16 40.00000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 260.38

Elevation (Feet): 854.263

Description: ARDOT BM Disc Center of SE Bridge WW

Comments: Elevation not verified NOTE: DATED ESTABLISHED 12/28/2023



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 470091

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #05

Date Established: 4/23/2025

System: STATE

Job Number: BR4707

Nearest City: Blytheville

County: MISSISSIPPI

Route: 239

Section: 2

Log Mile: 4.909

Land Section Number: 21

Township: 15N

Range: 10E

Land Section: SE

Latitude: N 35 54 35.0000

Longitude: W 90 01 05.00000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.179

Elevation (Feet): 249.931

Description: ARDOT BM Disk Parapet NE Wall Bridge #04945

Comments: Job Station: 113+95 O/S: 15.00 Right

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 480001

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: 11974 Nearest City: ST. CHARLES

County: MONROE Route: 1 Section: 6 Log Mile: 1.65

Land Section Number: Township: Range:

Land Section:

Latitude: N 34 23 08.82 Longitude: W 91 05 57.5 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 51.021 Elevation (Feet): 167.391

Description: DISK TOP EAST WINGWALL SOUTH END BRIDGE #5854 22' RIGHT OF STATION 920.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 480002

Class:

Vertical Datum: UNKNOWN

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: ST. CHARLES

County: MONROE

Route: 1

Section: 6

Log Mile: 3.10

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 24 15.4

Longitude: W 91 05 21.8

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 51.475

Elevation (Feet): 168.881

Description: DISK TOP EAST WINGWALL SOUTH END BRIDGE 5855 22' RIGHT 996+76.  
WATERS BAYOU BRIDGE

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 480003

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: 110016 Nearest City: ST. CHARLES

County: MONROE Route: 1 Section: 6 Log Mile: 3.58

Land Section Number: Township: Range:

Land Section:

Latitude: N 34 25 31.5 Longitude: W 91 04 56.3 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 51.466 Elevation (Feet): 168.851

Description: DISK TOP WEST WINGWALL NORTH END BRIDGE 5856 22' LEFT OF  
STATION 1025+79. INDIAN BAYOU BRIDGE

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 480004

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #11

Date Established: 8/3/1995

System: INTERSTAT

Job Number: R10023

Nearest City: BRINKLEY

County: MONROE

Route: I-40

Section: 43

Log Mile: 208

Land Section Number: 21

Township: 03N

Range: 03W

Land Section: NE

Latitude: N 34 51 57.0

Longitude: W 91 18 51.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 59.415

Elevation (Feet): 194.931

Description: METAL DISK IN NE WINGWALL BRIDGE 3722 AR (RUBE BAYOU NORTH)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 480005

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #11

Date Established: 4/22/1995

System: INTERSTAT

Job Number: R10023

Nearest City: BRINKLEY

County: MONROE

Route: I-40

Section: 43

Log Mile: 208

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 52 12.0

Longitude: W 91 18 01.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 59.277

Elevation (Feet): 194.478

Description: METAL DISK IN NE WINGWALL BRIDGE NO. 3723 AR (DAGMAR ROAD NORTH).

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 480006

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #11

Date Established: 6/6/1995

System: INTERSTAT

Job Number: R10023

Nearest City: BRINKLEY

County: MONROE

Route: I-40

Section: 43

Log Mile: 207

Land Section Number: 21

Township: 03N

Range: 03W

Land Section: SW

Latitude: N 34 51 27.0

Longitude: W 91 19 51.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 59.393

Elevation (Feet): 194.859

Description: METAL DISK IN NE WINGWALL BRIDGE 3722 AR (CROSS POND BAYOU NORTH).

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 480007

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #11

Date Established: 8/8/1995

System: INTERSTAT

Job Number: R10023

Nearest City: BRINKLEY

County: MONROE

Route: I-40

Section: 43

Log Mile: 206

Land Section Number: 30

Township: 03N

Range: 03W

Land Section: NE

Latitude: N 34 51 07.0

Longitude: W 91 21 30.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 59.44

Elevation (Feet): 195.013

Description: METAL DISK IN NE WINGWALL BRIDGE 3717 AR ( CAOHE RIVER NORTH).

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 480009

Class:

Vertical Datum:

Established by:

Date Established: 11/28/1989

System: COUNTY

Job Number: BR-48-2

Nearest City: ROE

County: MONROE

Route: CR 7

Section: G

Log Mile: 0.25

Land Section Number: 0

Township:

Range:

Land Section:

Latitude: N 34 37 48.1

Longitude: W 91 23 36.6

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 60.43

Elevation (Feet): 198.261

Description: A. H. D. DISK SET IN TOP OF SOUTH WING WALL ON EAST END OF R. C. BOX CULVERT, PROPELLER ROAD APPROX 0.25 MILE WEST OF HWY 79.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 480010

Class:

Vertical Datum:

Established by:

Date Established:

System: COUNTY Job Number: BR-48-1 Nearest City:

County: MONROE Route: CR 36 Section: Log Mile:

Land Section Number: 31 Township: 01N Range: 01W

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 55.428 Elevation (Feet): 181.850

Description: A. H. D. DISK SET IN TOP OF SOUTHWEST CORNER OF SOUTH  
HEADWALL, QUAD 12' x 6' R. C. BOX CULVERT 22' RIGHT OF STATION  
24-95. NOT RECOVERED DECEMBER 2000

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 480011

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #11

Date Established: 7/7/1998

System: COUNTY

Job Number: BR4804

Nearest City:

County: MONROE

Route: CR 47

Section:

Log Mile:

Land Section Number: 6

Township: 02S

Range: 03W

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 53.645

Elevation (Feet): 176.000

Description: AHTD DISK IN TOP OF WINGWALL ON NORTH EAST CORNER OF BR NO 04777

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 480012

Class:

Vertical Datum:

Established by: RE OFFICE #11

Date Established: 12/7/1998

System: FEDERAL

Job Number: R10085

Nearest City: BRINKLEY

County: MONROE

Route: I-40

Section: 43

Log Mile: 209.37

Land Section Number: 23

Township: 03N

Range: 03W

Land Section: NW

Latitude: N 34 52 17.0

Longitude: W 91 17 34.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 59.442

Elevation (Feet): 195.019

Description: METAL DISK IN RT. WING @ STA. 2405+37 BRIDGE NO. 3724B. BAYOU  
DEVIEW SW WINGWALL

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 480013

Class:

Vertical Datum:

Established by: RE OFFICE #11

Date Established: 12/9/1998

System: FEDERAL

Job Number: R10085

Nearest City: BRINKLEY

County: MONROE

Route: I-40

Section: 43

Log Mile: 209.63

Land Section Number: 14

Township: 03N

Range: 03W

Land Section: SW

Latitude: N 34 52 22.0

Longitude: W 91 17 21.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 59.426

Elevation (Feet): 194.967

Description: METAL DISK IN LT. WING @ STA. 2418+62. BRIDGE # 3724A BAYOU  
DEVIEW NE WINGWALL

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 480014

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #11

Date Established: 9/28/2006

System: STATE

Job Number: 110391

Nearest City:

County: MONROE

Route: 146

Section: 4

Log Mile: 3.95

Land Section Number: 32

Township: 01

Range: 01

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 51.633

Elevation (Feet): 169.399

Description: AHTD DISK SET IN SOUTHWEST CORNER HEADWALL OF RC VBOX  
CULVERT (STA. 310+65 RT.)

Comments: R.E. JOHN MCMICKLE

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 480015

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #11

Date Established: 9/28/2006

System: STATE Job Number: 110391 Nearest City:

County: MONROE Route: 146 Section: 4 Log Mile: 5.50

Land Section Number: 4 Township: 02 Range: 01

Land Section: SW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 51.255 Elevation (Feet): 168.159

Description: AHTD DISK SET IN SOUTHWEST CORNER HEADWALL OF RC BOX  
CULVERT (STA. 410+56 RT.)

Comments: R.E. JOHN MCMICKLE

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 480016

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #11

Date Established: 9/28/2006

System: STATE Job Number: 110391 Nearest City:

County: MONROE Route: 146 Section: 4 Log Mile: 1.30

Land Section Number: 36 Township: 01 Range: 02

Land Section: NE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 52.097

Elevation (Feet): 170.922

Description: AHTD DISK SET IN TOP OF SOUTHWEST CORNER RC BOX HEADWALL  
(STA. 110+65 RT.)

Comments: R.E. JOHN MCMICKLE



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 480017

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #11

Date Established: 9/28/2006

System: STATE Job Number: 110391 Nearest City:

County: MONROE Route: 146 Section: 4 Log Mile: 2.33

Land Section Number: 31 Township: 01 Range: 01

Land Section: NE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 54.876

Elevation (Feet): 180.039

Description: AHRD DISK SET IN TOP OF SOUTHWEST WINGWALL BRIDGE NO. 06976  
(STA. 215+38.5)

Comments: R.E. JOHN MCMICKLE

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 480018

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #11

Date Established: 9/28/2006

System: STATE Job Number: 110391 Nearest City:

County: MONROE Route: 146 Section: 4 Log Mile: 7.49

Land Section Number: 11 Township: 02 Range: 01

Land Section: NW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 52.127 Elevation (Feet): 171.020

Description: AHTD DISK SET IN TOP SOUTHWEST CORNER RC BOX HEADWALL  
(STA. 512+15 RT.)

Comments: R.E. JOHN MCMICKLE

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 480019

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #11

Date Established: 9/28/2006

System: STATE Job Number: 110391 Nearest City:

County: MONROE Route: 146 Section: 4 Log Mile: 8.37

Land Section Number: 2 Township: 02 Range: 01

Land Section: SE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 177.12

Elevation (Feet): 581.101

Description: AHTD DISK SET IN TOP OF SOUTHWEST WINGWALL BRIDGE NO. 06977  
AT (STA. 610+73 RT.)

Comments: R.E JOHN MCMICKLE

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 480020

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #11

Date Established: 4/1/2005

System: STATE

Job Number: 110389

Nearest City: Biscoe

County: MONROE

Route: 70

Section: 17

Log Mile: 4.0

Land Section Number: 34

Township: 03n

Range: 03w

Land Section: NW

Latitude: N 34 50 18.8

Longitude: W 91 18 16.3

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 56.60136

Elevation (Feet): 185.700

Description: ahtd disk set in the sw wingwall top of bridge #06970

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 480021

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #11

Date Established: 1/26/2011

System: STATE

Job Number: 110131

Nearest City: Brinkley

County: MONROE

Route: 49

Section: 8

Log Mile: 6.95

Land Section Number: 34

Township: 04N

Range: 02W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.872238

Elevation (Feet): 232.520

Description: AHTD Standard disc set in Wingwall Rt. of Sta. 23+44.

Comments: Closure did not meet minimum standards for third order level work. Allowable closure of 0.035' for a total loop distance of 5,983' was exceeded by 0.008'. The reference BM was missed by -0.043' on the return.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 480022

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #13

Date Established: 4/9/2013

System: STATE

Job Number: 110478

Nearest City: Brinkley

County: MONROE

Route: 49

Section: 8

Log Mile: 6.57

Land Section Number: 34

Township: 04n

Range: 02w

Land Section: SE

Latitude: N 34 54 52.40000

Longitude: W 91 11 41.40000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 61.5758

Elevation (Feet): 202.020

Description: Standard AHTD aluminum Disk in RCBC Header

Comments: Elevation not verified to to lack of three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 480023

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #11

Date Established: 8/6/2015

System: STATE

Job Number: 110395

Nearest City: Clarendon

County: MONROE

Route: 79

Section: 13

Log Mile:

Land Section Number: 21

Township: 01n

Range: 03w

Land Section: SE

Latitude: N 34 40 25.00000

Longitude: W 91 20 15.00000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 56.5801

Elevation (Feet): 185.630

Description: DISK ON BRIDGE END ON RT.

Comments: elevation verified. Three wire data is on EDM, in s110395re\_bm.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 480024

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #13

Date Established: 12/28/2016

System: STATE

Job Number: 110544

Nearest City: Wheatley

County: MONROE

Route: 70

Section: 17

Log Mile: 16.99

Land Section Number: 5

Township: 03n

Range: 01w

Land Section: NW

Latitude: N 34 54 33.00000

Longitude: W 91 07 03.60000

Type: GPS (Observed)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 61.4752

Elevation (Feet): 201.690

Description: BM - AHTD ALUM. DISC IN SW CORN. OF BR., 19' RT. @ STA. 415+67  
(HWY. 70)

Comments: Elevation verified. Three wire data available on EDM under job 110544 in  
s110544re\_benches.zip



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 480025

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #13

Date Established: 12/28/2016

System: STATE

Job Number: 110544

Nearest City: Wheatley

County: MONROE

Route: 70

Section: 17

Log Mile: 15.91

Land Section Number: 6

Township: 03n

Range: 01w

Land Section: NW

Latitude: N 34 54 16.80000

Longitude: W 91 08 06.50000

Type: GPS (Observed)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 58.857

Elevation (Feet): 193.100

Description: BM - AHTD ALUM. DISC IN SW CORN. OF HW., 38' RT. @ STA. 307+24 (HWY. 70).

Comments: Elevation verified. Three wire data available on EDM under job 110544 in s110544re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 480026

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #13

Date Established: 12/28/2016

System: STATE

Job Number: 110544

Nearest City: Brinkley

County: MONROE

Route: 70

Section: 17

Log Mile: 13.32

Land Section Number: 11

Township: 03n

Range: 02w

Land Section: SE

Latitude: N 34 53 13.40000

Longitude: W 91 10 24.40000

Type: GPS (Observed)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 58.3084

Elevation (Feet): 191.300

Description: BM - AHTD ALUM. DISC IN SW CORN. OF HW., 37' RT. @ STA. 207+37 (HWY. 70).

Comments: Elevation verified. Three wire data available on EDM under job 110544 in s110544re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 480027

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #13

Date Established: 12/28/2016

System: STATE Job Number: 110544 Nearest City: Brinkley

County: MONROE Route: 70 Section: 17 Log Mile: 8.86

Land Section Number: 29 Township: 03n Range: 02w

Land Section: NE

Latitude: N 34 51 06.50000 Longitude: W 91 13 38.00000 Type: GPS (Observed)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 57.0892

Elevation (Feet): 187.300

Description: BM - AHTD ALUM. DISC IN SW CORN. OF HW., 37' RT. @ STA. 107+29 (HWY. 70). EST.

Comments: Elevation verified. Three wire data available on EDM under job 110544 in s110544re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 480027

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #11

Date Established: 8/6/2015

System: STATE Job Number: 110394 Nearest City: Clarendon

County: MONROE Route: 79 Section: 13 Log Mile:

Land Section Number: 21 Township: 01n Range: 03w

Land Section: SW

Latitude: N 34 41 07.00000 Longitude: W 91 18 36.00000 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 59.8202 Elevation (Feet): 196.260

Description: DISK ON BRIDGE END ON LT.

Comments: Elevation verified. Three wire data available on EDM under job 110394 in s110394re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 480029

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 110646

Nearest City: Clarendon

County: MONROE

Route: 241

Section: 1

Log Mile: 1.80

Land Section Number: 18

Township: 02N

Range: 02W

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 595.957

Elevation (Feet): 1955.236

Description:

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490001

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established:

System: STATE

Job Number: 3911

Nearest City:

County: MONTGOMERY

Route: 8

Section: 2

Log Mile: 22.65

Land Section Number: 18

Township: 04S

Range: 24W

Land Section:

Latitude: N 34 23 25.0

Longitude: W 93 36 33.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 188.038

Elevation (Feet): 616.921

Description: BENCHMARK DISC LEFT WING BENT #1 BRIDGE 6136 STATION  
46+49.RECOVERED BY S5104 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490002

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established:

System: STATE

Job Number: 3911

Nearest City:

County: MONTGOMERY

Route: 8

Section: 2

Log Mile: 22.63

Land Section Number: 18

Township: 04S

Range: 24W

Land Section:

Latitude: N 34 23 25.0

Longitude: W 93 36 33.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 188.038

Elevation (Feet): 616.921

Description: BENCHMARK DISC IN SOUTHWEST WING OF BRIDGE #6136 STATION  
46+49. RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490003

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 3/12/1991

System: STATE

Job Number: R30069

Nearest City: NORMAN

County: MONTGOMERY

Route: HWY. 27

Section: 4

Log Mile: 5.16

Land Section Number: 4

Township: 03S

Range: 25W

Land Section: SWNE

Latitude: N 34 31 23.0

Longitude: W 93 40 20.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 246.236

Elevation (Feet): 807.859

Description: AHTD DISC IN LEFT SIDE HEADWALL OF 3' X 3' R. C. BOX CULVERT 5.16 MILES NORTH OF JUNCTION HWY. 8 AND 27 IN NORMAN, AR ON HWY. 27. RECOVERED BY S5102 3/04.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490004

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 3/13/1991

System: STATE

Job Number: R30069

Nearest City: NORMAN

County: MONTGOMERY

Route: HWY. 27

Section: 9

Log Mile: 4.07

Land Section Number: 9

Township: 03S

Range: 25W

Land Section: NWSW

Latitude: N 34 30 33.0

Longitude: W 93 40 49.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 250.36

Elevation (Feet): 821.389

Description: AHTD DISC IN LEFT SIDE OF HEADWALL OF DOUBLE 8' X 4' R. C. BOX  
CULVERT 4.07 MILES NORTH OF JUNCTION HWY. 8 AND 27 IN  
NORMAN, AR ON HWY. 27. RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490005

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 3/15/1991

System: STATE

Job Number: R30069

Nearest City: NORMAN

County: MONTGOMERY

Route: HWY. 27

Section: 16

Log Mile: 2.55

Land Section Number: 16

Township: 03S

Range: 25W

Land Section: NWNW

Latitude: N 34 29 27.0

Longitude: W 93 41 09.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 254.31

Elevation (Feet): 834.349

Description: AHTD DISC IN LEFT SIDE HEADWALL OF DOUBLE 4' X 10' R. C. BOX  
CULVERT 2.55 MILES NORTH OF JUNCTION HWY. 8 AND 27 IN  
NORMAN, AR ON HWY. 27. RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490006

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 3/6/1991

System: STATE

Job Number: R30069

Nearest City: NORMAN

County: MONTGOMERY

Route: HWY. 27

Section: 26

Log Mile: 7.44

Land Section Number: 26

Township: 02S

Range: 25W

Land Section: NWNE

Latitude: N 34 32 46.0

Longitude: W 93 38 40.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 210.599

Elevation (Feet): 690.940

Description: AHTD DISC IN LEFT SIDE OF 6' X 5' R. C. BOX CULVERT 7.44 MILES  
NORTH OF JUNCTION HWY. 8 AND 27 IN NORMAN, AR ON HWY. 27.  
RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490007

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 3/11/1991

System: STATE

Job Number: R30069

Nearest City: NORMAN

County: MONTGOMERY

Route: HWY. 27

Section: 26

Log Mile: 6.34

Land Section Number: 26

Township: 02S

Range: 25W

Land Section: SWNW

Latitude: N 34 32 07.0

Longitude: W 93 39 30.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 224.726

Elevation (Feet): 737.289

Description: AHTD DISC IN LEFT SIDE HEADWALL OF 10' X 10' R. C. BOX CULVERT  
6.34 MILES NORTH OF JUNCTION HWY. 8 AND 27 IN NORMAN, AR ON  
HWY. 27. RECOVERED BY S5102 3/0.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490008

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: 3875 Nearest City: HOPPER

County: MONTGOMERY Route: 240 Section: 1 Log Mile: 10.24

Land Section Number: 27 Township: 04S Range: 26W

Land Section:

Latitude: N 34 22 23.0 Longitude: W 93 45 56.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 254.009 Elevation (Feet): 833.361

Description: DISC SET CENTER HEADWALL R.C. BOX. RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490009

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: 3875 Nearest City: HOPPER

County: MONTGOMERY Route: 240 Section: 1 Log Mile: 11.19

Land Section Number: 21 Township: 04S Range: 26W

Land Section:

Latitude: N 34 22 36.0 Longitude: W 93 48 52.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 255.975 Elevation (Feet): 839.811

Description: DISC SET CENTER NORTH HEADWALL R.C. BOX. RECOVERED BY  
S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490010

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: 3875 Nearest City: HOPPER

County: MONTGOMERY Route: 240 Section: 1 Log Mile: 8.06

Land Section Number: 25 Township: 04S Range: 26W

Land Section:

Latitude: N 34 21 53.0 Longitude: W 93 44 15.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 230.64 Elevation (Feet): 756.691

Description: DISK SOUTHWEST WINGWALL REVES CREEK BRIDGE 5902.  
RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490011

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 9/5/1991

System: STATE

Job Number: 3786

Nearest City: PENCIL BLUFF

County: MONTGOMERY

Route: 270

Section: 3

Log Mile: 1.30

Land Section Number: 2

Township: 01S

Range: 27W

Land Section: NW

Latitude: N 34 41 09.0

Longitude: W 93 51 25.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 331.818

Elevation (Feet): 1088.640

Description: AHTD DISK SET IN TOP SOUTHWEST WINGWALL SWEETWATER CREEK  
BRIDGE #6353. RECOVERED BY S5102 3/04.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490012

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 9/5/1991

System: STATE

Job Number: 3786

Nearest City: PENCIL BLUFF

County: MONTGOMERY

Route: 270

Section: 3

Log Mile: 2.43

Land Section Number: 1

Township: 01S

Range: 27W

Land Section: NW

Latitude: N 34 41 13.0

Longitude: W 93 50 15.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 309.275

Elevation (Feet): 1014.680

Description: AHTD DISK SET IN TOP SOUTHWEST WINGWALL BRUSHY CREEK  
BRIDGE #6354. RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490013

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 9/5/1991

System: STATE

Job Number: 3786

Nearest City: PENCIL BLUFF

County: MONTGOMERY

Route: 270

Section: 3

Log Mile: 4.28

Land Section Number: 5

Township: 01S

Range: 26W

Land Section: NW

Latitude: N 34 41 06.0

Longitude: W 93 48 20.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 283.501

Elevation (Feet): 930.120

Description: AHTD DISK SET IN TOP SOUTHWEST WINGWALL FIDDLERS CREEK  
BRIDGE,BRIDGE #6355. RECOVERED BY S5102.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490014

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 9/5/1991

System: STATE

Job Number: 3786

Nearest City: PENCIL BLUFF

County: MONTGOMERY

Route: 270

Section: 3

Log Mile: 7.77

Land Section Number: 15

Township: 01S

Range: 26W

Land Section: NE

Latitude: N 34 39 34.0

Longitude: W 93 45 50.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 261.181

Elevation (Feet): 856.891

Description: AHTD DISK SET IN TOP OF NORTHWEST WINGWALL POLK CREEK  
BRIDGE, BRIDGE #6356. RECOVERED BY S5102.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490015

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 3/7/1990

System: STATE

Job Number: 30031

Nearest City: PENCIL BLUFF

County: MONTGOMERY

Route: 270

Section: 3

Log Mile:

Land Section Number: 6

Township: 01S

Range: 26W

Land Section: NW

Latitude: N 34 41 13.0

Longitude: W 93 49 14.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 295.026

Elevation (Feet): 967.931

Description: AHTD DISK SET IN NORTH HEADWALL OF A QUINTUPLE R. C. BOX  
CULVERT 43' LEFT STATION 177+03. RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490016

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 12/17/1992

System: STATE

Job Number: 30011

Nearest City: MOUNT IDA

County: MONTGOMERY

Route: 270

Section: 3

Log Mile: 17.00

Land Section Number: 10

Township: 02S

Range: 25W

Land Section: SW

Latitude: N 34 34 49.0

Longitude: W 93 39 42.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 217.073

Elevation (Feet): 712.180

Description: STANDARD AHTD ALUMINUM CAP SET IN CENTER OF SOUTHWEST HEADWALL OF A DOUBLE 10' X 5' X 140' R. C. BOX CULVERT. 1.87 MILES WEST OF JUNCTION 27N AND 270 WEST OF MOUNT IDA, AR. RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490017

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 2/26/1993

System: STATE

Job Number: 30011

Nearest City: MOUNT IDA

County: MONTGOMERY

Route: 270

Section: 3

Log Mile: 17.50

Land Section Number: 15

Township: 02S

Range: 25W

Land Section: NE

Latitude: N 34 34 26.0

Longitude: W 93 39 28.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 208.974

Elevation (Feet): 685.609

Description: STANDARD ALUMINUM CAP SET IN TOP AND AT THE CENTER OF THE WEST HEADWALL OF A TRIPLE 10' X 7' X 114' R. C. BOX CULVERT. RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490018

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 9/5/1991

System: STATE

Job Number: 3786

Nearest City: PENCIL BLUFF

County: MONTGOMERY

Route: 370

Section: 3

Log Mile: 8.89

Land Section Number: 23

Township: 01S

Range: 26W

Land Section: NW

Latitude: N 34 38 52.0

Longitude: W 93 45 00.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 241.009

Elevation (Feet): 790.710

Description: AHTD DISK SET IN TOP WEST HEADWALL R. C. BOX CULVERT ON  
ALLEN CREEK. RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490019

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 1/29/1993

System: STATE

Job Number: 30011

Nearest City: MOUNT IDA

County: MONTGOMERY

Route: 270

Section: 3

Log Mile: 19.10

Land Section Number: 23

Township: 02S

Range: 25W

Land Section: NE

Latitude: N 34 33 39.0

Longitude: W 93 38 12.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 193.89

Elevation (Feet): 636.121

Description: AHTD STANDARD ALUMINUM CAP IN TOP OF NORTH WINGWALL OF WEST ABUTMENT OF THE NEW SOUTH FORK OF THE OUACHITA RIVER BRIDGE. RECOVERED BY S5102 3/04.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490020

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 6/27/1988

System: STATE

Job Number: 3910

Nearest City: MOUNT IDA

County: MONTGOMERY

Route: 270

Section: 4

Log Mile: 2.30

Land Section Number: 30

Township: 02S

Range: 24W

Land Section:

Latitude: N 34 32 12.0

Longitude: W 93 36 04.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 197.151

Elevation (Feet): 646.820

Description: DISK IN TOP OF SOUTHWEST WINGWALL WILLIAMS CREEK BRIDGE  
#6182. RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490021

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 6/27/1988

System: STATE

Job Number: 3910

Nearest City: MOUNT IDA

County: MONTGOMERY

Route: 270

Section: 4

Log Mile: 2.69

Land Section Number: 29

Township: 02S

Range: 24W

Land Section:

Latitude: N 34 32 23.2359

Longitude: W 93 35 42.0970

Type: GPS (Observed)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 197.623

Elevation (Feet): 648.368

Description: DISK IN TOP OF SOUTHWEST WINGWALL ROGERS CREEK BRIDGE  
#6183. ORIG ELEV BY RE31 (UNKNOWN DATUM) = 648.15 FT. NEW ELEV  
(080237) BY 3-WIRE FROM NGS POINT R 163 TO U 163

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490022

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 2/8/1989

System: STATE

Job Number: 3910

Nearest City: MOUNT IDA

County: MONTGOMERY

Route: 270

Section: 4

Log Mile: 5.95

Land Section Number: 26

Township: 02S

Range: 24W

Land Section:

Latitude: N 34 31 56.0

Longitude: W 93 32 22.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 189.205

Elevation (Feet): 620.750

Description: DISK IN TOP SOUTHWEST WINGWALL SHADY CREEK BRIDGE #6184.  
RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490023

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 2/8/1989

System: STATE

Job Number: 3910

Nearest City: SILVER

County: MONTGOMERY

Route: 270

Section: 4

Log Mile: 6.22

Land Section Number: 35

Township: 02S

Range: 24W

Land Section:

Latitude: N 34 31 53.0389

Longitude: W 93 32 04.6061

Type: GPS (Observed)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 186.943

Elevation (Feet): 613.329

Description: DISK IN TOP SOUTH HEADWALL OF R.C. BOX CULVERT. ORIG ELEV BY RE31 (UNKNOWN DATUM) = 613.16 FT. 5/2003 NEW ELEV (080237) BY 3-WIRE FROM NGS POINT R 163 TO U 163

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490024

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 2/8/1989

System: STATE

Job Number: 3910

Nearest City: SILVER

County: MONTGOMERY

Route: 270

Section: 4

Log Mile: 7.05

Land Section Number: 25

Township: 02S

Range: 24W

Land Section:

Latitude: N 34 31 55.6205

Longitude: W 93 31 14.9426

Type: GPS (Observed)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 184.118

Elevation (Feet): 604.060

Description: DISK IN TOP SOUTHWEST WINGWALL TWIN CREEK BRIDGE #6185.  
ORIG ELEV BY RE31 (UNKNOWN DATUM) = 603.49 FT. 5/2003 - NEW  
ELEV (080237) BY 3-WIRE FROM NGS POINT R 163 TO U 163

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490025

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 9/4/1990

System: STATE

Job Number: 30017

Nearest City: LANGLEY

County: MONTGOMERY

Route: 369

Section: 3

Log Mile: 2.35

Land Section Number: 27

Township: 04S

Range: 27W

Land Section:

Latitude: N 34 22 09.0

Longitude: W 93 52 02.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 311.625

Elevation (Feet): 1022.390

Description: DISK IN TOP DROP INLET RIGHT SIDE 24" X 54' C.M. PIPE CULVERT.  
RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490026

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 9/4/1990

System: STATE

Job Number: 30017

Nearest City: LANGLEY

County: MONTGOMERY

Route: 369

Section: 3

Log Mile: 2.59

Land Section Number: 27

Township: 04S

Range: 27W

Land Section:

Latitude: N 34 22 20.0

Longitude: W 93 52 06.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 292.822

Elevation (Feet): 960.700

Description: DISK IN TOP LEFT HEADWALL QUAD 6' X 6 X 24' R.C. BOX CULVERT.  
RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490027

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 9/4/1990

System: STATE

Job Number: 30017

Nearest City: LANGLEY

County: MONTGOMERY

Route: 369

Section: 3

Log Mile: 2.16

Land Section Number: 26

Township: 04S

Range: 27W

Land Section:

Latitude: N 34 22 01.0

Longitude: W 93 51 57.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 337.143

Elevation (Feet): 1106.110

Description: DISK IN TOP DROP INLET LEFT SIDE SOUTH 24" X 2' STUB OUT C.M. PIPE  
ON LEFT. RECOVERED BY S5102 3/04.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490028

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 9/4/1990

System: STATE

Job Number: 30017

Nearest City: LANGLEY

County: MONTGOMERY

Route: 369

Section: 3

Log Mile: 2.27

Land Section Number: 26

Township: 04S

Range: 27W

Land Section:

Latitude: N 34 22 05.0

Longitude: W 93 52 01.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 321.473

Elevation (Feet): 1054.699

Description: DISK IN TOP DROP INLET RIGHT SIDE 24" X 58' C.M. PIPE CULVERT.  
RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490029

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 9/4/1990

System: STATE

Job Number: 30017

Nearest City: LANGLEY

County: MONTGOMERY

Route: 369

Section: 3

Log Mile: 1.69

Land Section Number: 35

Township: 04S

Range: 27W

Land Section:

Latitude: N 34 21 51.0

Longitude: W 93 51 33.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 333.485

Elevation (Feet): 1094.109

Description: DISK IN TOP DROP INLET RIGHT SIDE 36" X 64' C.M. PIPE CULVERT.  
RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490030

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 9/4/1990

System: STATE

Job Number: 30017

Nearest City: LANGLEY

County: MONTGOMERY

Route: 369

Section: 3

Log Mile: 1.97

Land Section Number: 26

Township: 04S

Range: 27W

Land Section:

Latitude: N 34 21 54.0

Longitude: W 93 51 49.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 359.826

Elevation (Feet): 1180.529

Description: DISK IN TOP DROP INLET RIGHT SIDE 24" X 64' C.M. PIPE CULVERT.  
RECOVERED BY S5102.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490031

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 9/4/1990

System: STATE

Job Number: 30017

Nearest City: LANGLEY

County: MONTGOMERY

Route: 369

Section: 3

Log Mile: 1.47

Land Section Number: 35

Township: 04S

Range: 27W

Land Section:

Latitude: N 34 21 44.0

Longitude: W 93 51 23.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 303.709

Elevation (Feet): 996.419

Description: DISK IN TOP LEFT HEADWALL DOUBLE 6' X 4' X 64' R.C. BOX CULVERT.  
RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490032

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 9/4/1990

System: STATE

Job Number: 30017

Nearest City: LANGLEY

County: MONTGOMERY

Route: 369

Section:

Log Mile: 1.56

Land Section Number: 35

Township: 04S

Range: 27W

Land Section:

Latitude: N 34 21 47.0

Longitude: W 93 51 26.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 315.624

Elevation (Feet): 1035.510

Description: DISK IN TOP DROP INLET RIGHT SIDE DOUBLE 36" X 56' C.M. PIPE.  
RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490033

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 9/4/1990

System: STATE

Job Number: 30017

Nearest City: LANGLEY

County: MONTGOMERY

Route: 369

Section: 3

Log Mile: 0.08

Land Section Number: 36

Township: 04S

Range: 27W

Land Section:

Latitude: N 34 20 54.0

Longitude: W 93 50 22.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 256.269

Elevation (Feet): 840.776

Description: DISK IN TOP LEFT WINGWALL BENT #1 BRIDGE #6344. RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490034

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 9/4/1990

System: STATE

Job Number: 30017

Nearest City: LANGLEY

County: MONTGOMERY

Route: 369

Section: 3

Log Mile: 0.56

Land Section Number: 36

Township: 04S

Range: 27W

Land Section:

Latitude: N 34 21 13.0

Longitude: W 93 50 42.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 270.599

Elevation (Feet): 887.790

Description: DISK IN TOP LEFT HEADWALL DOUBLE 6 X 4 X 40 R.C. BOX CULVERT.  
RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490035

Class:

Vertical Datum: UNKNOWN

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City:

County: MONTGOMERY

Route: 379

Section: 0

Log Mile: 0.53

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 224.946

Elevation (Feet): 738.010

Description: TOP OF TERMINAL ANCHOR POST OF GUARD RAIL BRIDGE 5648 16'  
RIGHT OF CENTERLINE ROADWAY.DESTROYED S5102 3/31/04.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490036

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: 3953 Nearest City: MOUNT IDA

County: MONTGOMERY Route: 379 Section: 1 Log Mile: 1.52

Land Section Number: 20 Township: 02S Range: 25W

Land Section:

Latitude: N 34 33 28.0 Longitude: W 93 41 47.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 205.161 Elevation (Feet): 673.099

Description: DISK IN TOP SOUTHWEST WINGWALL BRIDGE #6112 SOUTH FORK  
OUACHITA RIVER. RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490037

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: 3953 Nearest City: MOUNT IDA

County: MONTGOMERY Route: 379 Section: 1 Log Mile: 0.28

Land Section Number: 19 Township: 02S Range: 25W

Land Section:

Latitude: N 34 33 39.0 Longitude: W 93 43 00.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 208.093 Elevation (Feet): 682.718

Description: DISK IN TOP SOUTHWEST WINGWALL BRIDGE #6111 SOUTH FORK  
OUACHITA RIVER. RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490038

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #11

Date Established: 11/20/2020

System: STATE

Job Number: 110646

Nearest City: Brinkley

County: MONROE

Route: 241

Section: 2

Log Mile: 4.8

Land Section Number: 24

Township: 02n

Range: 02w

Land Section: SE

Latitude: N 34 45 52.81000

Longitude: W 91 09 38.50000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 55.5469

Elevation (Feet): 182.240

Description: AHTD Disk on NE HW

Comments: Elevation verified and available on EDM under job 110646 in  
s110646\_re\_bench.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490038

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 7/1/1991

System: STATE

Job Number: R30015

Nearest City: MOUNT IDA

County: MONTGOMERY

Route: 379

Section: 1

Log Mile: 2.60

Land Section Number: 21

Township: 02S

Range: 25W

Land Section: SENW

Latitude: N 34 33 39.0

Longitude: W 93 40 46.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 202.546

Elevation (Feet): 664.520

Description: AHTD ALUMINUM CAP IN TOP CENTER OF SOUTH HEADWALL OF A  
QUINTUPLE 7 X 9 X 63 R.C. BOX CULVERT. RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490039

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #11

Date Established: 12/11/2020

System: STATE Job Number: 110646 Nearest City: Crittendon

County: MONROE Route: 241 Section: 1 Log Mile: 1.8

Land Section Number: 18 Township: 02n Range: 02w

Land Section: SW

Latitude: N 34 46 51.15000 Longitude: W 91 15 07.94000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 55.367

Elevation (Feet): 181.650

Description: AHTD Disk on NE HW

Comments: Elevation verified and available on EDM under job 110646 in  
s110646\_re\_bench.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490039

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 7/19/1991

System: STATE

Job Number: R30015

Nearest City: MOUNT IDA

County: MONTGOMERY

Route: 379

Section: 1

Log Mile: 3.77

Land Section Number: 22

Township: 02S

Range: 25W

Land Section: SENW

Latitude: N 34 33 35.0

Longitude: W 93 39 38.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 198.352

Elevation (Feet): 650.760

Description: AHTD ALUMINUM CAP SET IN TOP CENTER OF SOUTH HEADWALL OF  
A DOUBLE 8 X 5 X 77' R. C. BOX CULVERT (15 DEGREES RIGHT  
FORWARD SKEW. RECOVERED BYU S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490040

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 8/1/1991

System: STATE

Job Number: R30015

Nearest City: MOUNT IDA

County: MONTGOMERY

Route: 379

Section: 1

Log Mile: 4.29

Land Section Number: 22

Township: 02S

Range: 25W

Land Section: SENE

Latitude: N 34 33 31.0

Longitude: W 93 39 05.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 192.765

Elevation (Feet): 632.430

Description: AHTD ALUMINUM CAP SET IN TOP CENTER OF SOUTH HEADWALL OF TRIPLE 9 X 6; X 78' R. C. BOX ULVERT (SKEWED 15 DEGREES RIGHT FORWARD). (BOX OVER MARTIN CREEK). RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490040

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #11

Date Established: 12/11/2020

System: STATE

Job Number: 110646

Nearest City: Clarendon

County: MONROE

Route: 241

Section: 1

Log Mile: 1.8

Land Section Number: 18

Township: 02N

Range: 02W

Land Section: SW

Latitude: N 34 46 51.15

Longitude: W 91 15 07.94

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 55.368

Elevation (Feet): 181.653

Description: DISK ON NORTHEAST SECTION OF HEAD WALL

Comments: VERIFIED FROM PN:2 IN JOB 110646, DATA AVAILABLE ON EDM  
s110646\_re\_bench.zip



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490041

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #11

Date Established: 11/20/2020

System: STATE Job Number: 110646 Nearest City: Brinkley

County: MONROE Route: 241 Section: 2 Log Mile: 4.8

Land Section Number: 24 Township: 02N Range: 02W

Land Section: SE

Latitude: N 34 45 52.81 Longitude: W 91 09 38.50 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 55.547 Elevation (Feet): 182.240

Description: DISK ON NORTHEAST SECTION OF HEAD WALL

Comments: VERIFIED FROM PN:7 IN JOB 110646, DATA AVAILABLE ON EDM  
s110646\_re\_bench.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490041

Class:

Vertical Datum:

Established by: RE OFFICE #64

Date Established:

System: STATE Job Number: 060661 Nearest City: SIMS

County: MONTGOMERY Route: 298 Section: 0A Log Mile: 3.06

Land Section Number: 20 Township: 01S Range: 25W

Land Section: NE

Latitude: N 34 38 42.0 Longitude: W 93 41 29.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 209.218 Elevation (Feet): 686.409

Description: ALUMINUM CAP PLACED IN TOP OF SW CORNER OF ABUTMENT WALL OF BRIDGE. RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490042

Class:

Vertical Datum:

Established by:

Date Established: 2/22/1996

System: STATE

Job Number: 060661

Nearest City: SIMS

County: MONTGOMERY

Route: 298

Section: 0A

Log Mile: 3.06

Land Section Number: 21

Township: 01S

Range: 25W

Land Section: NE

Latitude: N 34 38 42.0

Longitude: W 93 41 29.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 209.218

Elevation (Feet): 686.409

Description: METAL DISK LOCATED IN THE TOP SOUTHWEST WINGWALL IN  
BRIDGE #6591. RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490043

Class:

Vertical Datum:

Established by:

RE OFFICE #31

Date Established: 7/5/1991

System: COUNTY

Job Number:

S-49-13

Nearest City:

ODEN

County:

MONTGOMERY

Route:

CO. RD. #81

Section:

28

Log Mile:

1.0

Land Section Number:

28

Township:

01S

Range:

26W

Land Section:

SWNW

Latitude:

N 34 37 47.0

Longitude:

W 93 47 13.0

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

234.319

Elevation (Feet):

768.762

Description:

AHTD STANDARD DISC ONE MILE NORTH FROM JUNCTION OF HWY. 88 AND CO. RD. 81 (BRUSHY DRIVE) AT ODEN, AR IN TOP OF ABUTMENT WING 13' RIGHT STANDARD 18+20 ABOVE BRIDGE NAME PLATE. (BRUSHY CREEK 1990). RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490044

Class:

Vertical Datum:

Established by:

Date Established:

System: COUNTY Job Number: F-49-1 Nearest City: NORMAN

County: MONTGOMERY Route: FAS 2426 Section: Log Mile:

Land Section Number: 28 Township: 03S Range: 25W

Land Section: SW

Latitude: N 34 27 12.0 Longitude: W 93 40 57.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 209.032 Elevation (Feet): 685.799

Description: AT NORMAN, MONTGOMERY COUNTY NORTHWEST CORNER OF  
BRIDGE, DISC ON TOP OF WING, CADDO RIVER BRIDGE #4354.  
RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490045

Class:

Vertical Datum:

Established by:

Date Established:

System: COUNTY Job Number: ES-49-1 Nearest City: BLACK SPRINGS

County: MONTGOMERY Route: CO. RD. 13 Section: Log Mile: 3.55

Land Section Number: 22 Township: 03S Range: 27W

Land Section:

Latitude: N 34 27 53.0 Longitude: W 93 52 25.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 322.659 Elevation (Feet): 1058.590

Description: BENCH MARK TOP RIGHT WING AT BEGINNING BR. NO. 4469 STATION  
23+50 CO. RD. #113 350.0' NORTH OF JCT. CO. RD. 113 AND STATE  
HIGHWAY 8 AT LOG MILE 3.55 IN MONTGOMERY COUNTY.  
RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490046

Class:

Vertical Datum:

Established by:

Date Established:

System: COUNTY Job Number: BR-49-2 Nearest City: PINE RIDGE

County: MONTGOMERY Route: CO. RD. 86 Section: Log Mile:

Land Section Number: 10 Township: 02S Range: 27W

Land Section:

Latitude: N 34 34 54.0 Longitude: W 93 53 04.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 241.814 Elevation (Feet): 793.351

Description: ALUMINUM CAP IN NORTHEAST WING WALL-OUACHITA RIVER BR. .  
20 OF A MILE EAST OF JCT. HWY. 88 & CO. RD. NO. 86 ON CO. RD. 86.  
RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490047

Class:

Vertical Datum:

Established by:

Date Established:

System: COUNTY Job Number: BR-49-1 Nearest City: NORMAN

County: MONTGOMERY Route: CO. RD. 26 Section: Log Mile:

Land Section Number: 27

Township: 03S

Range: 24W

Land Section:

Latitude: N 34 27 11.0

Longitude: W 93 33 16.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 241.841

Elevation (Feet): 793.440

Description: ALUMINUM DISK SET IN TOP SOUTHWEST WINGWALL BR. 4448  
COLLIER CREEK. RECOVERED BY S5102 3/04.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490048

Class:

Vertical Datum:

Established by:

Date Established:

System: COUNTY

Job Number:

N/A

Nearest City:

County:

MONTGOMERY

Route:

CO. RD.

Section:

10

Log Mile:

2.91\*

Land Section Number:

0

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

232.008

Elevation (Feet):

761.180

Description:

DISK IN NORTH HEADWALL 2.91 WEST OF HWY. 8 POLK CREEK RD.  
\*\*2.91 MILES WEST OF HWY. 8 AT NORMAN.\*\*

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490049

Class:

Vertical Datum:

Established by:

Date Established:

System: COUNTY

Job Number: N/A

Nearest City: CADD0 GAP

County: MONTGOMERY

Route: CO. RD. 8

Section:

Log Mile: 0.36

Land Section Number: 13

Township: 04S

Range: 25W

Land Section:

Latitude: N 34 23 47.0

Longitude: W 93 37 21.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 187.065

Elevation (Feet): 613.729

Description: AHTD DISK SET IN TOP OF NORTHWEST WINGWALL BR. 4505, CASO RIVER BRIDGE NEW CADD0 GAP. RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490050

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 4/2/2003

System: COUNTY

Job Number: BR4904

Nearest City: GLENWOOD

County: MONTGOMERY

Route: CR5

Section:

Log Mile:

Land Section Number: 35

Township: 35N

Range: 25W

Land Section:

Latitude: N 34 20 52.0

Longitude: W 93 38 21.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 191.43

Elevation (Feet): 628.050

Description: AHTD DISK IN TOP OF PARAPET WALL SE CORNER OF BR 04862 (SOUTH FORK CADDO RIVER) FROM HWY 8/240 GO WEST ON 240 APPROX 1 MILE THEN SOUTH ON CR 5 FOR 2.6 MILES. RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490051

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #82

Date Established: 7/2/2008

System: STATE Job Number: 080237 Nearest City: MOUNT IDA

County: MONTGOMERY Route: 270 Section: 4 Log Mile: 3.73

Land Section Number: 28 Township: 02S Range: 24W

Land Section: SW

Latitude: N 34 32 08.9 Longitude: W 93 34 39.7 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 212.452 Elevation (Feet): 697.020

Description: (BM# 991) AHTD STD. DISC IN SOUTH HEADWALL OF RC BOX  
CULVERT, STA. 154+53

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490052

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #82

Date Established: 7/2/2008

System: STATE

Job Number: 080237

Nearest City: MOUNT IDA

County: MONTGOMERY

Route: 270

Section: 4

Log Mile: 5.26

Land Section Number: 27

Township: 02S

Range: 24W

Land Section: SE

Latitude: N 34 32 06.4

Longitude: W 93 33 06.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 195.033

Elevation (Feet): 639.871

Description: (BM #992) AHTD STD. DISC IN SOUTH HEADWALL OF RC BOX  
CULVERT, STA. 233+45

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490053

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #86

Date Established: 7/8/2009

System: STATE

Job Number: 080255

Nearest City: MOUNT IDA

County: MONTGOMERY

Route: 270

Section: 4

Log Mile: 9.48

Land Section Number: 29

Township: 02S

Range: 23W

Land Section: NENW

Latitude: N 34 32 35.1

Longitude: W 93 29 01.5

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 184.444

Elevation (Feet): 605.130

Description: DISK NW CORNER OF BRIDGE # 07018

Comments: BENCHMARK WAS ENTERED AND VERIFIED. 3 WR LEVELS WERE RAN FROM TBM 919. DATA ASSOCIATED WITH THIS BM CAN BE FOUND ON THE EDM UNDER s080255\_RE\_Bench.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490054

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #82

Date Established: 7/3/2008

System: STATE

Job Number: 080237

Nearest City: Mount Ida

County: MONTGOMERY

Route: 270

Section: 4

Log Mile: 12.94

Land Section Number: 26

Township: 02S

Range: 23W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 246.531877

Elevation (Feet): 808.830

Description: AHTD STANDARD DISC SET IN HEADWALL OF R.C. BOX CULVERT

Comments: Elevation transferred from T-30.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490055

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #31

Date Established: 8/30/2013

System: COUNTY

Job Number: FA4902

Nearest City: Norman

County: MONTGOMERY

Route: 17

Section:

Log Mile:

Land Section Number: 24

Township: 03a

Range: 26w

Land Section:

Latitude: N 34 28 36.70000

Longitude: W 93 44 11.90000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 225.683515

Elevation (Feet): 740.430

Description: ahtd bm disk located in sw headwall of lick creek rc box culvert.

Comments: BENCHMARK WAS ENTERED AND VERIFIED. 3 WR LEVELS WERE RAN FROM TBM 920. DATA ASSOCIATED WITH THIS BM CAN BE FOUND ON THE EDM UNDER sfa4902\_RE\_Bench.zip.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490056

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #82

Date Established: 12/29/2011

System: STATE

Job Number: 080318

Nearest City: GLENWOOD

County: MONTGOMERY

Route: 70

Section: 6

Log Mile: 1.66

Land Section Number: 23

Township: 04S

Range: 23W

Land Section: NW

Latitude: N 34 21 13.29000

Longitude: W 93 38 39.26000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 196.2032

Elevation (Feet): 643.710

Description: ALUMINUM CAP IN RCBC HEADWALL 36' RT STA 209+72.

Comments: Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490057

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #82

Date Established: 12/29/2011

System: STATE

Job Number: 080318

Nearest City: GLENWOOD

County: MONTGOMERY

Route: 70

Section: 6

Log Mile: 4.59

Land Section Number: 23

Township: 04S

Range: 23W

Land Section: SW

Latitude: N 34 22 19.28000

Longitude: W 93 25 49.34000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 198.263653

Elevation (Feet): 650.470

Description: ALUMINUM CAP IN RCBC HEADWALL 36' RT STA 362+92.

Comments: Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490058

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #82

Date Established: 12/29/2011

System: STATE

Job Number: 080318

Nearest City: GLENWOOD

County: MONTGOMERY

Route: 70

Section: 6

Log Mile: 4.92

Land Section Number: 24

Township: 04S

Range: 23W

Land Section: SE

Latitude: N 34 22 20.82000

Longitude: W 93 25 33.31000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 198.1417

Elevation (Feet): 650.070

Description: ALUMINUM CAP IN RCBC HEADWALL 39' RT STA 381+42.

Comments: Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490059

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #82

Date Established: 12/29/2011

System: STATE

Job Number: 080318

Nearest City: GLENWOOD

County: MONTGOMERY

Route: 70

Section: 6

Log Mile: 5.49

Land Section Number: 24

Township: 04S

Range: 23W

Land Section: SE

Latitude: N 34 22 20.03000

Longitude: W 93 24 57.19000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 181.98425

Elevation (Feet): 597.060

Description: ALUMINUM CAP IN RCBC HEADWALL 37' RT STA 411+50.

Comments: Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490060

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #82

Date Established: 12/29/2011

System: STATE

Job Number: 080318

Nearest City: GLENWOOD

County: MONTGOMERY

Route: 70

Section: 6

Log Mile: 0.90

Land Section Number: 32

Township: 04S

Range: 23W

Land Section: SW

Latitude: N 34 20 51.62000

Longitude: W 93 29 12.53000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 183.8009

Elevation (Feet): 603.020

Description: ALUMINUM CAP IN RCBC HEADWALL 38' RT STA 169+57

Comments: Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490061

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #84

Date Established: 12/29/2011

System: STATE

Job Number: 080318

Nearest City: GLENWOOD

County: MONTGOMERY

Route: 70

Section: 6

Log Mile: 1.28

Land Section Number: 32

Township: 04S

Range: 23W

Land Section: NE

Latitude: N 34 21 01.05000

Longitude: W 93 28 58.24000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 195.7704

Elevation (Feet): 642.290

Description: ALUMINUM CAP IN RCBC HEADWALL 39' RT STA 189+72.

Comments: Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

**Identification:** 490062

**Class:** THIRD-ORDER

**Vertical Datum:** NAVD88

**Established by:** RE OFFICE #31

**Date Established:** 9/22/2014

**System:** STATE

**Job Number:** 080378

**Nearest City:** Norman

**County:** MONTGOMERY

**Route:** 8

**Section:** 2

**Log Mile:** 14.79

**Land Section Number:** 29

**Township:** 03s

**Range:** 25w

**Land Section:** NWNW

**Latitude:** N 34 27 34.00000

**Longitude:** W 93 41 36.00000

**Type:** GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

**Elevation (Meters):** 212.9093

**Elevation (Feet):** 698.520

**Description:** AHTD disk in top of parapet wall in SW corner of Bridge #07208

**Comments:** BENCHMARK WAS ENTERED AND VERIFIED. 3 WR LEVELS WERE RAN FROM PN:1, Job #080378. DATA ASSOCIATED WITH THIS BM CAN BE FOUND ON THE EDM UNDER s080378\_RE\_Bench.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 490063

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #31

Date Established: 12/4/2017

System: COUNTY

Job Number: BR4906

Nearest City: Glenwood

County: MONTGOMERY

Route: CR34

Section:

Log Mile:

Land Section Number: 35

Township: 03s

Range: 23w

Land Section: SE

Latitude: N 34 25 49.19000

Longitude: W 93 25 52.48000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 187.5286

Elevation (Feet): 615.250

Description: BM in Parapet Wall

Comments: Three wire data available on EDM under job br4906 in sbr4906re\_benches.zip



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 500001

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: R30008 Nearest City: LANEBURG

County: NEVADA Route: 19 Section: 4 Log Mile: 9.35

Land Section Number: Township: Range:

Land Section:

Latitude: N 33 41 59.0 Longitude: W 93 21 29.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.161 Elevation (Feet): 246.591

Description: ALUMINUM DISC IN NORTHEAST CORNER OF HEADWALL IN R.C. BOX  
CULVERT ON STATE HIGHWAY 19 0.5 MILES SOUTH OF JUNCTION OF  
STATE HIGHWAY 53 AND STATE HIGHWAY 19. RECON BY S5102 JAN  
2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 500002

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: 3941 Nearest City: LANEBURG

County: NEVADA Route: 19 Section: 4 Log Mile: 7.56

Land Section Number: Township: Range:

Land Section:

Latitude: N 33 41 04.0 Longitude: W 93 20 16.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.073 Elevation (Feet): 243.021

Description: METAL DISC IN NORTHEAST WINGWALL (STATION 85+77) NEW  
BRIDGE NO. 6061. RECON BY S5102 JAN 2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 500003

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: 3940 Nearest City: PRESCOTT

County: NEVADA Route: 19 Section: 5 Log Mile: 0.32

Land Section Number: Township: Range:

Land Section:

Latitude: N 33 48 42.0 Longitude: W 93 23 05.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 90.343 Elevation (Feet): 296.400

Description: METAL DISC SET IN CONCRETE IN THE SOUTHEAST WINGWALL OF  
BRIDGE NO. 5876. BR. NO. 5876 IS ONE-FOURTH MILE NORTH OF CURB  
AND GUTTER SECTION NORTH ON HWY. 19 OLD BRIDGE NO.= 170-503.  
RECON BY S5102 JAN 2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 500004

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 2/22/1988

System: STATE

Job Number: R30007

Nearest City: PLEASANT HILL

County: NEVADA

Route: 19

Section: 5

Log Mile: 8.42

Land Section Number: 3

Township: 10S

Range: 23W

Land Section:

Latitude: N 33 54 40.0

Longitude: W 93 26 42.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.599

Elevation (Feet): 261.151

Description: DISK IN TOP OF NORTHEAST WINGWALL RIGHT SIDE BRIDGE #5877  
STATE HIGHWAY #19 NORTH OF PRESCOTT.RECON BY S5102 JAN 2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 500005

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 9/15/1988

System: STATE

Job Number: R30007

Nearest City: PRESCOTT

County: NEVADA

Route: 19

Section: 5

Log Mile: 3.72

Land Section Number: 25

Township: 10S

Range: 25W

Land Section:

Latitude: N 33 51 06.0

Longitude: W 93 24 59.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 112.157

Elevation (Feet): 367.968

Description: DISK IN TOP OF LEFT HEADWALL NORTHWEST CORNER R.C. BOX  
CULVERT STATE HIGHWAY #19 NORTH OF PRESCOTT.RECON BY S5102  
JAN 2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 500006

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #32

Date Established: 1/24/1992

System: STATE

Job Number: 3979

Nearest City: PLEASANT HILL

County: NEVADA

Route: 19

Section: 5

Log Mile: 10.55

Land Section Number: 27

Township: 09

Range: 23

Land Section: NE

Latitude: N 33 56 07.0

Longitude: W 93 26 39.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.508

Elevation (Feet): 251.010

Description: BENCHMARK CAST IN BRIDGE PARAPET WALL SOUTHWEST CORNER  
BRIDGE #6346 LOCATED ON HIGHWAY 19 SECTION 5 1.5 MILES NORTH  
OF JUNCTION STATE HIGHWAY 29S. RECON BY S5102 JAN 2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 500007

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #32

Date Established: 1/24/1992

System: STATE

Job Number: 3979

Nearest City: PRESCOTT

County: NEVADA

Route: 19

Section: 5

Log Mile: 11.33

Land Section Number: 22

Township: 09

Range: 23

Land Section:

Latitude: N 33 56 47.0

Longitude: W 93 26 38.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.59

Elevation (Feet): 254.560

Description: BENCHMARK CAST IN BRIDGE PARAPET WALL SOUTHWEST CORNER  
BRIDGE #6347 LOCATED ON HIGHWAY 19 SECTION 5 2.3 MILES NORTH  
JUNCTION STATE HIGHWAY 29S. RECON BY S5102 JAN 2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 500008

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #32

Date Established: 1/24/1992

System: STATE

Job Number: 3979

Nearest City: PLEASANT HILL

County: NEVADA

Route: 19

Section: 5

Log Mile: 9.77

Land Section Number: 34

Township: 09S

Range: 23W

Land Section: SE

Latitude: N 33 55 26.0

Longitude: W 93 26 40.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.481

Elevation (Feet): 247.641

Description: BENCHMARK CAST IN WING SOUTHEAST CORNER BOX CULVERT  
STATION 514+50, LOG MILE 9.77. LOCATED ON HIGHWAY 19, SECTION  
5, 0.7 MILES NORTH JUNCTION SH 295. RECON BY S5102 JAN 2004.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 500009

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #32

Date Established: 1/24/1992

System: STATE

Job Number: 3979

Nearest City: PLEASANT HILL

County: NEVADA

Route: 19

Section: 5

Log Mile: 10.36

Land Section Number: 27

Township: 09S

Range: 23W

Land Section: SE

Latitude: N 33 55 57.0

Longitude: W 93 26 39.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.517

Elevation (Feet): 251.040

Description: BENCHMARK CAST IN BRIDGE PARAPET WALL SOUTHWEST CORNER  
BR. 6345. LOCATED ON HWY. 19, SEC. 5, 1.3 MILES NORTH OF JCT. S. H.  
295. RECON BY S5102 JAN 2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 500010

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #32

Date Established: 10/13/1988

System: STATE

Job Number: N/A

Nearest City: PLEASANT HILL

County: NEVADA

Route: 19

Section: 5

Log Mile: 8.52

Land Section Number: 34

Township: 09S

Range: 23W

Land Section:

Latitude: N 33 54 44.0

Longitude: W 93 26 41.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.599

Elevation (Feet): 261.151

Description: DISK IN TOP SOUTHWEST WINGWALL LEFT SIDE BRIDGE #5878 STATE  
HIGHWAY #19 NORTH OF PRESCOTT. RECON BY S5102 JAN 2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 500011

Class:

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 10/21/1993

System: STATE

Job Number: r30035

Nearest City: BLUFF CITY

County: NEVADA

Route: 24

Section: 5

Log Mile: 11.7

Land Section Number: 8

Township: 11S

Range: 20W

Land Section: SW

Latitude: N 33 47 29.0

Longitude: W 93 11 26.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 55.769

Elevation (Feet): 182.969

Description: ALUMINUM DISK IN SOUTH HEADWALL OF CONCRETE BOX CULVERT  
1.68 MILES WEST OF HIGHWAY 53 (STATION 626+48 RIGHT JOB R30035).  
RECON BY S5102 JAN 2004. SET AS TBM 903 JOB 030323

Comments: ORIGINALLY SET BY RE32 UNKNOWN DATUM ELEV=182.51

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 500012

Class:

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 10/21/1993

System: STATE

Job Number: R30035

Nearest City: BLUFF CITY

County: NEVADA

Route: 24

Section: 5

Log Mile: 12.5

Land Section Number: 8

Township: 11S

Range: 20W

Land Section: SE

Latitude: N 33 47 23.0

Longitude: W 93 10 35.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 54.562

Elevation (Feet): 179.009

Description: ALUMINUM DISK IN SOUTH HEADWALL OF CONCRETE BOX CULVERT  
0.85 MILES WEST OF HIGHWAY 53 (STATION 670+00 RIGHT JOB R30035).  
RECON BY S5102 JAN 2004. SET AS TBM901 JOB 030323

Comments: ORIGINALLY SET BY RE32 UNKNOWN DATUM ELEV=178.56

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 500013

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #32

Date Established: 10/21/1993

System: STATE

Job Number: R30035

Nearest City: BLUFF CITY

County: NEVADA

Route: 24

Section: 5

Log Mile: 9.9

Land Section Number: 13

Township: 11S

Range: 21W

Land Section: NE

Latitude: N 33 47 23.0

Longitude: W 93 12 09.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 61.216

Elevation (Feet): 200.839

Description: ALUMINUM DISK IN SOUTH HEADWALL OF CONCRETE BOX CULVERT  
3.44 MILES WEST OF HIGHWAY 53 (STATION 533+21 RIGHT). RECON BY  
S5102 JAN 2004.

Comments: SEE STATION 500034 FOR UPDATE

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 500014

Class:

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 10/21/1993

System: STATE

Job Number: R30035

Nearest City: PRESCOTT

County: NEVADA

Route: 24

Section: 5

Log Mile: 10.9

Land Section Number: 18

Township: 11S

Range: 20W

Land Section: NW

Latitude: N 33 47 24.0

Longitude: W 93 12 09.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 57.793

Elevation (Feet): 189.609

Description: ALUMINUM DISK IN SOUTH HEADWALL OF CONCRETE BOX CULVERT  
2.4 MILES WEST OF HIGHWAY 53 (STATION 588+45 RIGHT JOB R30035).  
RECON BY S5102 JAN 2004. SET AS TBM905 JOB 030323

Comments: ORIGINALLY SET BY RE32 UNKNOWN DATUM ELEV=189.22

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 500015

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #32

Date Established: 10/21/1993

System: STATE

Job Number: R30035

Nearest City: PRESCOTT

County: NEVADA

Route: 24

Section: 5

Log Mile: 7.3

Land Section Number: 15

Township: 11S

Range: 21W

Land Section: NW

Latitude: N 33 47 18.0

Longitude: W 93 15 36.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.966

Elevation (Feet): 239.389

Description: ALUMINUM DISK IN SOUTH HEADWALL CONCRETE BOX CULVERT 6.11 WEST OF HIGHWAY 53 (STATION 392+29 RIGHT). RECON BY S5102 JAN 2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 500016

Class:

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 10/21/1993

System: STATE

Job Number: R30035

Nearest City: PRESCOTT

County: NEVADA

Route: 24

Section: 5

Log Mile: 8.3

Land Section Number: 15

Township: 11S

Range: 21W

Land Section: SE

Latitude: N 33 46 55.0

Longitude: W 93 14 39.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 59.336

Elevation (Feet): 194.672

Description: ALUMINUM DISK IN SOUTH HEADWALL OF CONCRETE BOX CULVERT  
5.09 MILES WEST OF HIGHWAY 53 (STATION 446+43 RIGHT JOB R30035).  
RECON BY S5102 JAN 2004. TIED AS BM911 JOB 030323

Comments: ORIGINALLY SET BY RE32 UNKNOWN DATUM ELEV=194.29



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 500017

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City: READER

County: NEVADA Route: 53 Section: 2 Log Mile: 0.79

Land Section Number: Township: Range:

Land Section:

Latitude: N 33 48 12.0 Longitude: W 93 08 49.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 53.304 Elevation (Feet): 174.882

Description: DISK TOP SOUTHEAST WINGWALL BRIDGE 5940. RECON BY S5102 JAN 2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 500018

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City: READER

County: NEVADA Route: 53 Section: 2 Log Mile: 1.54

Land Section Number: 10 Township: 11S Range: 20W

Land Section:

Latitude: N 33 47 45.0 Longitude: W 93 09 11.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 53.24 Elevation (Feet): 174.672

Description: DISK TOP SOUTHEAST WINGWALL BRIDGE 5939. RECON BY S5102 JAN 2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 500019

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City: READER

County: NEVADA Route: 53 Section: 2 Log Mile: 1.95

Land Section Number: 10 Township: 11S Range: 20W

Land Section:

Latitude: N 33 47 29.0 Longitude: W 93 09 25.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 52.087 Elevation (Feet): 170.889

Description: DISK NORTHEAST WINGWALL CULVERT (VERTICAL) TOP OF CENTER CIRCLE. RECON BY S5102 JAN 2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 500020

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #32

Date Established: 10/21/1993

System: STATE

Job Number: 30037

Nearest City: PRESCOTT

County: NEVADA

Route: 200

Section: 2

Log Mile: 0.98

Land Section Number: 6

Township: 11S

Range: 22W

Land Section: NE

Latitude: N 33 49 18.0

Longitude: W 93 24 26.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 96.981

Elevation (Feet): 318.178

Description: ALUMINUM DISK IN SOUTH HEADWALL OF CONCRETE BOX CULVERT 1.0 MILE EAST OF HIGHWAY 24 (36' RIGHT STATION 101+82). RECON BY S5102 JAN 2004.

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run. The elevation on the original benchmark record was recorded as 319.26. The reason for the difference is unknown, so the elevation of 318.18 was left unchanged.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 500021

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #32

Date Established: 10/21/1993

System: STATE

Job Number: 30037

Nearest City:

County: NEVADA

Route: 200

Section: 2

Log Mile: 1.50

Land Section Number: 31

Township: 10S

Range: 22W

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 97.305

Elevation (Feet): 319.241

Description: ALUMINUM DISK IN SOUTH HEADWALL OF CONCRETE BOX CULVERT  
1.5 MILES EAST OF HIGHWAY 24 (35' RIGHT STATION 129+12). BASED  
ON DESCRIPTION NOT RECOVERED BY S5102 JAN 2004.

Comments: Elevations were entered but cannot be verified due to no information on the control  
used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 500022

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #32

Date Established: 12/27/1994

System: STATE

Job Number: R30078

Nearest City: PRESCOTT

County: NEVADA

Route: 371

Section:

Log Mile:

Land Section Number: 16

Township: 11S

Range: 22W

Land Section: NW

Latitude: N 33 47 33.0

Longitude: W 93 23 08.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 93.62

Elevation (Feet): 307.152

Description: ALUMINUM DISK IN HEADWALL ON RIGHT SIDE OF RCBC STATION  
83+68 26' RIGHT OF HIGHWAY 371 0.8 MILES SOUTH OF INTERSECTION  
24 & 371 PRESENT SOUTHEAST CORNER OF HEADWALL RCBC. RECON  
BY S5102 JAN 2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 500023

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #32

Date Established: 12/27/1994

System: STATE

Job Number: R30078

Nearest City: PRESCOTT

County: NEVADA

Route: 371

Section:

Log Mile:

Land Section Number: 16

Township: 11S

Range: 22W

Land Section: SW

Latitude: N 33 47 02.0

Longitude: W 93 23 08.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 90.63

Elevation (Feet): 297.342

Description: ALUMINUM DISK IN DROP INLET TOP STATION 52+04 LEFT 170' LEFT  
HIGHWAY 371 1.4 MILES SOUTH OF INTERSECTION 24+371 PRESCOTT.  
RECON BY S5102 JAN 2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 500024

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #32

Date Established: 5/30/1996

System:

Job Number: 003980

Nearest City: LANEBURG

County: NEVADA

Route: 53

Section: 3

Log Mile: 2.80

Land Section Number: 28

Township: 12

Range: 22W

Land Section: SE

Latitude: N 33 40 04.0

Longitude: W 93 22 28.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 87.24

Elevation (Feet): 286.220

Description: AHTD DISK SET IN SOUTH HEADWALL-SOUTHEAST CORNER. RECON  
BY S5102 JAN 2004.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 500025

Class:

Vertical Datum:

Established by: RE OFFICE #32

Date Established:

System: STATE

Job Number: R30078

Nearest City: PRESCOTT

County: NEVADA

Route: 19

Section: 4

Log Mile: 16.46

Land Section Number: 16

Township: 11

Range: 22W

Land Section: NW

Latitude: N 33 47 33.0

Longitude: W 93 23 08.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 93.62

Elevation (Feet): 307.152

Description: BM #9A ALUMINUM DISK IN HEADWALL ON RIGHT SIDE OF BOX  
CULVERT STATION 83+68, 26' RIGHT. RECON BY S5102 JAN 2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 500026

Class:

Vertical Datum:

Established by:

Date Established:

System: COUNTY

Job Number: N/A

Nearest City:

County: NEVADA

Route: CR 33

Section:

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.777

Elevation (Feet): 245.331

Description: 1.7 MILES SOUTH OF JUNCTION SH 67 & SH 299 NE WINGWALL BRIDGE.  
RE: NS50-2 TERRE ROUGE RELIEF BRIDGE. BASED ON DESCRIPTION  
NOT RECOVERED BY S5102 JAN 2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 500027

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City:

County: NEVADA

Route: 1685

Section:

Log Mile: 4.8

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 62.591

Elevation (Feet): 205.351

Description: DISK IN CONCRETE TERMINAL ANCHOR POST 75' SW BRIDGE TERRE  
ROUGE. 4.8 MILES FROM HWY. 19. BASED ON DESCRIPTION NOT  
RECOVERED BY S5102 JAN 2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 500028

Class:

Vertical Datum:

Established by: RE OFFICE #32

Date Established:

System: STATE

Job Number: BR 50-2

Nearest City:

County: NEVADA

Route: 1685

Section: 8

Log Mile: 8.2\*

Land Section Number: 8

Township: 11S

Range: 21W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.653

Elevation (Feet): 225.239

Description: ALUMINUM CAP IN TOP OF WINGWALL TAIL (BR 4604) 13' LEFT OF CENTERLINE, STATION 61+04. \*\*8.2 MILES SOUTHEAST OF INTERSECTION OF CALE ROAD AND HWY. 24(PRESCOTT).\*\* BASED ON DESCRIPTION NOT RECOVERED BY S5102 JAN 2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 500029

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #32

Date Established: 6/4/1998

System: STATE

Job Number: R30087

Nearest City: ROSSTON

County: NEVADA

Route: 4

Section: 7

Log Mile: 17.44

Land Section Number: 30

Township: 13N

Range: 20W

Land Section: SW

Latitude: N 33 34 32.0

Longitude: W 93 12 35.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.047

Elevation (Feet): 242.936

Description: DISK IN SW CORNER OF PARAPET WALL STA 280+62 BE # 6672. RECON BY S5102 JAN 2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 500030

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #32

Date Established: 6/4/1998

System: STATE

Job Number: R30087

Nearest City: ROSSTON

County: NEVADA

Route: 4

Section: 7

Log Mile: 17.28

Land Section Number: 30

Township: 13N

Range: 20W

Land Section: SW

Latitude: N 33 34 33.0

Longitude: W 93 12 45.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 73.9

Elevation (Feet): 242.454

Description: DISK IN SW CORNER PARAPET WALL STA 278+12 BR 6671. RECON BY S5102 JAN 2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 500031

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #32

Date Established: 6/4/1998

System: STATE

Job Number: R30087

Nearest City: ROSSTON

County: NEVADA

Route: 4

Section: 7

Log Mile: 22.59

Land Section Number: 35

Township: 13N

Range: 20W

Land Section: SE

Latitude: N 33 33 20.0

Longitude: W 93 08 18.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.446

Elevation (Feet): 280.334

Description: DISK IN SW CORNER CORNER PARAPET WALL STA 363+64 BR #6673.  
RECON BY S5102 JAN 2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 500032

Class:

Vertical Datum:

Established by: RE OFFICE #32

Date Established: 10/28/2000

System: STATE

Job Number: FA5004

Nearest City: EMMET

County: NEVADA

Route: CR33

Section:

Log Mile: 2.01

Land Section Number: 15

Township: 12S

Range: 23W

Land Section: SE

Latitude: N 33 42 01.0

Longitude: W 93 27 30.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 73.283

Elevation (Feet): 240.429

Description: BM IS 2.01 MILES SOUTH OF POST OFFICE IN EMMET. METAL DISK IN SE CORNER END WALL QUAD BOX CULVERT. STA 29+00 RT. RECON BY S5102 JAN 2004.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 500033

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #32

Date Established: 11/28/2000

System: STATE

Job Number: FA5004

Nearest City: EMMET

County: NEVADA

Route: CR33

Section:

Log Mile: 2.07

Land Section Number: 15

Township: 12S

Range: 23W

Land Section: SE

Latitude: N 33 41 57.0

Longitude: W 93 27 28.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.642

Elevation (Feet): 254.730

Description: BM IS 2.2 MILES SOUTH OF POST OFFICE IN EMMET. METAL DISK IN SE CORNER END WALL SE CORNER OF BRIDGE 04767 OVER TERRE ROUGE CREEK. STA 25+08 RT. RECON BY S5102 JAN 2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 500034

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 4/19/2006

System: STATE

Job Number: 030323

Nearest City: BLUFF CITY

County: NEVADA

Route: 24

Section: 5

Log Mile: 9.9

Land Section Number: 13

Township: 11S

Range: 21W

Land Section: NE

Latitude: N 33 46 58.0

Longitude: W 93 13 05.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 61.32

Elevation (Feet): 201.181

Description: ALUMINUM DISK IN SOUTH HEADWALL OF CONCRETE BOX CULVERT  
3.44 MILES WEST OF HIGHWAY 53. SEE TBM 907 JOB 030323

Comments: SEE STATION 500013 FOR OLD DATA (LAT,LON,ELEV)

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 500035

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: N/A Nearest City:

County: NEVADA Route: 19 Section: 5 Log Mile: 8.52

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.59868 Elevation (Feet): 261.150

Description: DISK IN SW WINGWALL LT SIDE OF BR 5878

Comments: Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 500036

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: R30035 Nearest City:

County: NEVADA Route: 24 Section: 5 Log Mile: 8.29

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 60.313945 Elevation (Feet): 197.880

Description: APPROX 1.2 MILES SOUTH & 7.7 MILES EAST OF JUNCTION SH 24 & SH 67; 35' SE ALONG SH 24 FROM JCT WITH GRAVEL RD NORTH LEADING TO CHURCH; 45' NORMAL & ON NE SIDE SH 24 / DISK IN TOP OF 6" DIAMETER CONC POST

Comments: Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 500037

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: 3917 Nearest City:

County: NEVADA Route: 53 Section: 2 Log Mile: 0.79

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 53.30353 Elevation (Feet): 174.880

Description: TOP OF SE WINGWALL, BR 5940

Comments: Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 500038

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by:

Date Established: 4/26/1994

System:

Job Number:

5939

Nearest City:

County:

NEVADA

Route:

53

Section:

2

Log Mile:

1.54

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

53.239522

Elevation (Feet):

174.670

Description:

TOP OF SE WINGWALL, BR 5939

Comments:

Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 500039

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: N/A Nearest City:

County: NEVADA Route: 53 Section: 2 Log Mile: 1.95

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 52.087376 Elevation (Feet): 170.890

Description: DISK IN NE WINGWALL, RCBC

Comments: Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 500040

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: N/A Nearest City:

County: NEVADA Route: CO RD 33 Section: Log Mile:

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.776734 Elevation (Feet): 245.330

Description: 1.7 MILES SOUTH OF JUNCTION SH 67 & SH 229 / NE WINGWALL TERRE  
ROUGE RELIEF BR

Comments: Benches were set in 1994 by District 3



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 500041

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #74

Date Established: 11/28/2005

System: COUNTY Job Number: BR5005 Nearest City: Willisville

County: NEVADA Route: CO RD 4 Section: Log Mile: 1.75

Land Section Number: 35 Township: 14S Range: 22W

Land Section: SE

Latitude: N 33 28 41.8 Longitude: W 93 21 00.8 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 86.70341 Elevation (Feet): 284.459

Description: Disk SW corner Wing BR#4885

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 500042

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #31

Date Established: 1/18/2005

System: COUNTY Job Number: BR5004 Nearest City: Bodcaw

County: NEVADA Route: Co Rd 5 Section: Log Mile:

Land Section Number: 15 Township: 14S Range: 23W

Land Section:

Latitude: N 33 31 56.5 Longitude: W 93 28 06.8 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.55736 Elevation (Feet): 280.699

Description: AHTD aluminum disk in ne corneer of backwall of bridge 4879 over the little bobcaw creek. The bridge is located approximately 3 miles south of Hwy 32.

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 500043

Class: UNKNOWN

Vertical Datum: NAVD88

Established by:

Date Established: 11/27/2007

System: STATE

Job Number: R30011

Nearest City: Bluff City

County: NEVADA

Route: 53

Section: 2

Log Mile: 1.96

Land Section Number: 9

Township: 11S

Range: 20W

Land Section: SE

Latitude: N 33 47 29.4

Longitude: W 93 09 25.9

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 52.29057

Elevation (Feet): 171.557

Description: Aluminum Cap in RC Box Culvert Headwall

Comments: Elevations were entered and verified. The benchmark was established by coming off of PN 904. The 3 WR Level information can be found on the EDM under sr30011\_RE\_Benches.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 500044

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #31

Date Established: 8/26/2013

System: COUNTY

Job Number: BR5006

Nearest City: Falcon

County: NEVADA

Route: 7

Section:

Log Mile:

Land Section Number: 4

Township: 15S

Range: 22W

Land Section:

Latitude: N 33 28 03.00000

Longitude: W 93 22 57.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 87.037338

Elevation (Feet): 285.555

Description: AHTD Benchmark located in the Southeast corner of the RC box culvert headwall.

Comments: Elevations were entered and verified. The benchmark was established by coming off of PN 910. The 3 WR Level information can be found on the EDM under sBR5006\_RE\_Benches.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 500045

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #31

Date Established: 10/24/2011

System: Job Number: 030323 Nearest City: Prescott

County: NEVADA Route: 24 Section: 5 Log Mile: 8.70

Land Section Number: 14

Township: 11s

Range: 21w

Land Section:

Latitude: N 33 49 47.30000

Longitude: W 93 14 14.20000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 60.938664

Elevation (Feet): 199.930

Description: ahtd aluminum disk in top of southwest wingwall of bridge 07172.

Comments: Elevations were entered and verified. The benchmark was established by coming off of PN 920. The 3 WR Level information can be found on the EDM under s030323\_RE\_Benches.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 500046

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #32

Date Established: 6/16/2015

System: STATE

Job Number: 030386

Nearest City: Hope

County: NEVADA

Route: 32

Section: 8

Log Mile: 3.02

Land Section Number: 1

Township: 14s

Range: 23w

Land Section:

Latitude: N 33 33 28.30000

Longitude: W 93 26 06.30000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 89.6367

Elevation (Feet): 294.083

Description: Aluminum cap in parapet wall (SW corner) of Bridge #07198.

Comments: Elevation not verified due to lack of three-wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 500047

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #32

Date Established: 6/16/2015

System: STATE Job Number: 030386 Nearest City: Hope

County: NEVADA Route: 32 Section: 8 Log Mile: 3.13

Land Section Number: 1 Township: 14s Range: 23w

Land Section:

Latitude: N 33 33 26.0000 Longitude: W 93 25 59.90000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 89.6577 Elevation (Feet): 294.152

Description: Aluminum cap in parapet wall (SW corner) of Bridge #07199.

Comments: Elevation not verified due to lack of three-wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

**Identification:** 500048

**Class:** THIRD-ORDER

**Vertical Datum:** NAVD88

**Established by:** RE OFFICE #32

**Date Established:** 6/16/2015

**System:** STATE

**Job Number:** 030386

**Nearest City:** Hope

**County:** NEVADA

**Route:** 32

**Section:** 8

**Log Mile:** 3.02

**Land Section Number:** 1

**Township:** 14s

**Range:** 23w

**Land Section:**

**Latitude:** N 33 33 28.30000

**Longitude:** W 93 26 06.30000

**Type:** GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

**Elevation (Meters):** 89.6367

**Elevation (Feet):** 294.083

**Description:** Aluminum cap in parapet wall (SW corner) of Bridge #07198

**Comments:** Elevation verified. Three wire data available on EDM under job #030386 in s030386re\_benches.zip



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 500049

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #32

Date Established: 11/9/2015

System: STATE Job Number: 030386 Nearest City: Hope

County: NEVADA Route: 32 Section: 8 Log Mile: 3.13

Land Section Number: 1 Township: 14s Range: 23w

Land Section:

Latitude: N 33 33 26.00000 Longitude: W 93 25 59.90000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 89.6577 Elevation (Feet): 294.152

Description: Aluminum cap in parapet wall (SW corner) of Bridge #07199

Comments: Elevation verified. Three wire data available on EDM under job #030386 in s030386re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 510001

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #92

Date Established: 9/30/1986

System: STATE

Job Number: 9748

Nearest City: MT. JUDEA

County: NEWTON

Route: 74

Section: 6

Log Mile: 14.77

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 55 24.0

Longitude: W 93 03 04.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 272.967

Elevation (Feet): 895.559

Description: AHTD DISC IN TOP OF SOUTH END EAST HEADWALL. 12-1-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 510002

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 9/30/1986

System: STATE Job Number: 9748 Nearest City: MT. JUDEA

County: NEWTON Route: 74 Section: 6 Log Mile: 17.31

Land Section Number: Township: Range:

Land Section:

Latitude: N 35 55 51.0 Longitude: W 93 01 45.0 Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 476.519 Elevation (Feet): 1563.379

Description: AHTD DISC IN TOP OF SOUTH CORNER SOUTHWEST HEADWALL.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 510003

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City: PARTHEON

County: NEWTON Route: 327 Section: 1 Log Mile: 5.5

Land Section Number: 17 Township: 15N Range: 21W

Land Section:

Latitude: N 35 57 14.0 Longitude: W 93 14 24.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 287.128 Elevation (Feet): 942.019

Description: DISK IN TOP CONCRETE POST 4' ABOVE GROUND "PARTHEON" 500'  
NORTHEAST FROM POST OFFICE IN CONCRETE POST FOR DRIVE A  
HOUSE ON LEFT. 12-1-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 510004

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #92

Date Established:

System: STATE

Job Number: R90022

Nearest City: JASPER

County: NEWTON

Route: 374

Section: 1

Log Mile: 1.07

Land Section Number: 7

Township: 15N

Range: 20W

Land Section:

Latitude: N 35 58 02.0

Longitude: W 93 08 34.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 518.996

Elevation (Feet): 1702.739

Description: AHTD DISC NORTHEAST CORNER HEADWALL. 12-1-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 510005

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #92

Date Established:

System: STATE

Job Number: R90022

Nearest City: VENDOR

County: NEWTON

Route: 374

Section: 1

Log Mile: 6.71

Land Section Number: 14

Township: 15N

Range: 20W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 238.994

Elevation (Feet): 784.099

Description: AHTD DISC NORTHWEST CORNER HEADWALL. NOT RECOVERED 12-1-99 CREW S5102 HEADWALLS HAVE BEEN COVERED WITH RIP-RACK ROCKS COULDN'T SEE DISC.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 510006

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #92

Date Established:

System: STATE

Job Number: R90022

Nearest City: VENDOR

County: NEWTON

Route: 374

Section: 1

Log Mile: 7.08

Land Section Number: 14

Township: 15N

Range: 20W

Land Section:

Latitude: N 35 56 53.0

Longitude: W 93 04 16.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 236.574

Elevation (Feet): 776.160

Description: AHTD DISC IN NORTHWEST CORNER HEADWALL. 12-1-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 510007

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #92

Date Established:

System: STATE

Job Number: R90022

Nearest City: VENDOR

County: NEWTON

Route: 374

Section: 1

Log Mile: 4.76

Land Section Number: 21

Township: 15N

Range: 20W

Land Section:

Latitude: N 35 56 18.0

Longitude: W 93 06 29.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 253.152

Elevation (Feet): 830.550

Description: AHTD DISC NORTHWEST CORNER HEADWALL. 12-1-99 CREW S5102

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 510008

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #92

Date Established:

System: STATE

Job Number: R90022

Nearest City: VENDOR

County: NEWTON

Route: 374

Section: 1

Log Mile: 5.15

Land Section Number: 21

Township: 15N

Range: 20W

Land Section:

Latitude: N 35 56 24.0

Longitude: W 93 06 05.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 254.414

Elevation (Feet): 834.690

Description: AHTD DISC NORTHWEST CORNER HEADWALL. 12-1-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 510009

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City: PONCA

County: NEWTON Route: 74 Section: 5 Log Mile: 0.05

Land Section Number: Township: Range:

Land Section:

Latitude: N 36 01 14.0 Longitude: W 93 21 22.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 314.074 Elevation (Feet): 1030.424

Description: BUFFALO RIVER PONCA BRIDGE NO. 5927 AHTD DISK IN TOP  
WINGWALL SW CORNER OF BRIDGE 12-1-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 510010

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #92

Date Established: 7/23/1999

System: COUNTY

Job Number: BR5101

Nearest City:

County: NEWTON

Route: CR58

Section:

Log Mile:

Land Section Number: 21

Township: 15N

Range: 20W

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 258.748

Elevation (Feet): 848.909

Description: AHTD DISC IN NE CORNER OF BACKWALL OF BRIDGE #04819 DRY  
BRANCH CREEK

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 510011

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #94

Date Established: 8/17/2001

System: STATE

Job Number: 090015

Nearest City:

County: NEWTON

Route: 123

Section: 1

Log Mile: 15.50

Land Section Number: 23

Township: 15N

Range: 20W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 239.311

Elevation (Feet): 785.140

Description: AHTD DISC IN SE PARAPET WALL JOB STA 13+11.48 OF BRIDGE #6759

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 510012

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #94

Date Established: 8/17/2001

System: STATE Job Number: 090015 Nearest City:

County: NEWTON Route: 123 Section: 1 Log Mile: 15.70

Land Section Number: 14 Township: 15N Range: 20W

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 238.961 Elevation (Feet): 783.991

Description: AHTD DISK IN SE TOP OF PARAPET WALL 16+11.48 OF BR # 6760

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 510013

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #92

Date Established: 9/6/2001

System: STATE

Job Number: r90033

Nearest City:

County: NEWTON

Route: 123

Section: 1

Log Mile: 22.71

Land Section Number:

Township: 15n

Range: 19w

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 328.961

Elevation (Feet): 1079.266

Description: AHTD DISK TOP OF HW LT 202+15 SW CORNER

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 510014

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #92

Date Established: 12/1/2008

System: COUNTY

Job Number: FA5109

Nearest City: JASPER

County: NEWTON

Route: CO RD 84

Section: 27

Log Mile:

Land Section Number:

Township: 16N

Range: 20W

Land Section:

Latitude: N 36 00 19.8

Longitude: W 93 04 54.0

Type: GPS (Observed)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 239.789596

Elevation (Feet): 786.710

Description: AHTD Disk in NW top of parapet wall 14 feet Lt. Station 103+74

Comments: Verified on 12-29-08 by 3-wire levels ran by RE office #92. Original levels for job FA5109 was ran from 2nd order NGS mark E 130. Elevations for new Benchmark can be found on EDM under FA5109\_RE\_benches.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 510015

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #92

Date Established: 12/1/2008

System: COUNTY

Job Number: FA5109

Nearest City: JASPER

County: NEWTON

Route: CO RD 84

Section: 27

Log Mile:

Land Section Number:

Township: 16N

Range: 20W

Land Section:

Latitude: N 36 00 16.6

Longitude: W 93 04 45.7

Type: GPS (Observed)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 240.753254

Elevation (Feet): 789.871

Description: AHTD DISK IN NW TOP OF PARAPET WALL 14 FEET LT. STATION 111+58

Comments: Verified on 12-29-08 by 3-wire levels ran by RE office #92. Original levels for job FA5109 was ran from 2nd order NGS mark E 130. Elevations for new Benchmark can be found on EDM under FA5109\_RE\_benches.zip.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 520001

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: N/A Nearest City: CAMDEN

County: OUACHITA Route: 278 Section: 8 Log Mile: 12.71

Land Section Number: 12 Township: 13S Range: 17W

Land Section: NW

Latitude: N 33 33 55.0 Longitude: W 92 54 28.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 39.365 Elevation (Feet): 129.150

Description: DISK SOUTHEAST WING BRIDGE. #5682. RECOVERED 7/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 520002

Class:

Vertical Datum:

Established by: RE OFFICE #76

Date Established: 1/11/1989

System: STATE

Job Number: 7880

Nearest City: LOUANN

County: OUACHITA

Route: 7

Section: 3

Log Mile: 0.49

Land Section Number: 32

Township: 15S

Range: 16W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 37.045

Elevation (Feet): 121.538

Description: ALUMINUM DISC IN SOUTHEAST WINGWALL OF BRIDGE #5935. (RR OVERPASS). UNABLE TO RECOVER 7/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 520003

Class:

Vertical Datum:

Established by: RE OFFICE #76

Date Established: 1/11/1989

System: STATE

Job Number: 7880

Nearest City: SMACKOVER

County: OUACHITA

Route: 7

Section: 3

Log Mile: 1.18

Land Section Number: 29

Township: 15S

Range: 16W

Land Section:

Latitude: N 33 23 19.0

Longitude: W 92 47 16.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 49.554

Elevation (Feet): 162.578

Description: ALUMINUM DISC IN SOUTHEAST WING WALL BRIDGE 5936B (MOPAC OVERPASS). RECOVERED 7/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 520004

Class:

Vertical Datum:

Established by: RE OFFICE #76

Date Established: 1/11/1989

System: STATE

Job Number: 7880

Nearest City: SMACKOVER

County: OUACHITA

Route: 7

Section: 3

Log Mile: 9.60

Land Section Number: 23

Township: 14S

Range: 17W

Land Section:

Latitude: N 33 30 01.0

Longitude: W 92 49 53.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 60.259

Elevation (Feet): 197.700

Description: ALUMINUM DISC IN SOUTHWEST CORNER OF PARAPET RAIL BRIDGE  
5901B (MOPAC OVERPASS). RECOVERED 7/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 520005

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City:

County: OUACHITA

Route: 7

Section: 3

Log Mile: 10.30

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 45.531

Elevation (Feet): 149.380

Description: DISK SOUTHEAST CORNER EAST HEADWALL RCB. UNABLE TO RECOVER 7/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 520006

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City:

County: OUACHITA

Route: 7

Section: 3

Log Mile: 11.25

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 55.193

Elevation (Feet): 181.079

Description: DISK WEST HEADWALL RCB. UNABLE TO RECOVER 7/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 520007

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City:

County: OUACHITA

Route: 7

Section: 3

Log Mile: 12.25

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 44.979

Elevation (Feet): 147.569

Description: DISK EAST HEADWALL RCB. UNABLE TO RECOVER 7/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 520008

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City:

County: OUACHITA

Route: 7

Section: 3

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.845

Elevation (Feet): 229.150

Description: DISK EAST HEADWALL RCB 0.48 M SOUTH STATE HIGHWAY #7 AND  
CO RD 64. NOTHING FOUND AT THIS LOCATION 7/2003

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 520009

Class:

Vertical Datum:

Established by:

Date Established: 4/30/1992

System: STATE

Job Number: 7988

Nearest City: SMACKOVER

County: OUACHITA

Route: 7

Section: 3

Log Mile: 0.00

Land Section Number: 32

Township: 15

Range: 16

Land Section: SE

Latitude: N 33 22 32.0

Longitude: W 92 46 36.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 38.012

Elevation (Feet): 124.711

Description: BRIDGE 6312, DISC TOP PARAPET WALL, STATION 874+15. RECOVERED 7/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 520010

Class:

Vertical Datum:

Established by:

Date Established: 4/30/1992

System: STATE

Job Number: 7988

Nearest City: SMACKOVER

County: OUACHITA

Route: 7

Section: 3

Log Mile: 0.60

Land Section Number: 32

Township: 15

Range: 16

Land Section: SW

Latitude: N 33 22 46.0

Longitude: W 92 47 10.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 38.685

Elevation (Feet): 126.919

Description: BRIDGE 6314 DISC TOP PARAPET WALL 26+43. RECOVERED 7/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 520011

Class:

Vertical Datum:

Established by: RE OFFICE #74

Date Established: 10/15/1990

System: STATE

Job Number: 7910

Nearest City: CHIDESTER

County: OUACHITA

Route: 24

Section: 6

Log Mile: 0.91

Land Section Number: 7

Township: 12S

Range: 19W

Land Section: NW

Latitude: N 33 42 23.0

Longitude: W 93 05 32.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 56.702

Elevation (Feet): 186.030

Description: METAL DISC IN TOP WING SOUTHEAST CORNER OF BRIDGE #6291.  
RECOVERED 7/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 520012

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: CAMDEN

County: OUACHITA

Route: 79

Section: 4

Log Mile: 5.90

Land Section Number: 4

Township: 13S

Range: 16W

Land Section:

Latitude: N 33 37 23.0

Longitude: W 92 46 14.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 35.256

Elevation (Feet): 115.669

Description: DISK WEST HEADWALL RCB. RECOVERED 7/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 520013

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: CAMDEN

County: OUACHITA

Route: 79

Section: 4

Log Mile: 6.71

Land Section Number: 28

Township: 12S

Range: 16W

Land Section:

Latitude: N 33 39 36.0

Longitude: W 92 44 52.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 38.585

Elevation (Feet): 126.591

Description: DISK WEST HEADWALL RCB. RECOVERED 7/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 520014

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City:

County: OUACHITA

Route: 79

Section: 4

Log Mile: 9.78

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 162.67

Elevation (Feet): 533.693

Description: DISK WEST HEADWALL BRIDGE. UNABLE TO RECOVER 7/2003. THERE IS A BRIDGE AT LM 7.63 BUT NO CAP.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 520015

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: CAMDEN

County: OUACHITA

Route: 79

Section: 4

Log Mile: 10.06

Land Section Number: 22

Township: 12S

Range: 16W

Land Section:

Latitude: N 33 40 29.0

Longitude: W 92 44 13.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 39.7

Elevation (Feet): 130.249

Description: DISK WEST WING BRIDGE. RECOVERED 7/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 520016

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: CAMDEN

County: OUACHITA

Route: 79

Section: 4

Log Mile: 10.57

Land Section Number: 22

Township: 12S

Range: 16W

Land Section:

Latitude: N 33 40 45.0

Longitude: W 92 43 46.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 41.45

Elevation (Feet): 135.991

Description: DISK NORTHEAST WING BRIDGE. RECOVERED 7/2003

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 520017

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: CAMDEN

County: OUACHITA

Route: 79

Section: 4

Log Mile: 11.64

Land Section Number: 13

Township: 12S

Range: 16W

Land Section:

Latitude: N 33 41 10.0

Longitude: W 92 42 58.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 42.983

Elevation (Feet): 141.020

Description: DISK EAST HEADWALL RCB. RECOVERED 7/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 520018

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: CAMDEN

County: OUACHITA

Route: 79

Section: 4

Log Mile: 12.93

Land Section Number: 12

Township: 12S

Range: 16W

Land Section:

Latitude: N 33 41 47.0

Longitude: W 92 41 46.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 46.26

Elevation (Feet): 151.771

Description: DISK EAST HEADWALL RCB (RML). RECOVERED 7/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 520019

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: BEARDEN

County: OUACHITA

Route: 79

Section: 4

Log Mile: 14.20

Land Section Number: 7

Township: 12S

Range: 15W

Land Section:

Latitude: N 33 42 25.0

Longitude: W 92 40 26.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 64.901

Elevation (Feet): 212.929

Description: DISK EAST HEADWALL RCB (LML). RECOVERED 7/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 520020

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: BEARDEN

County: OUACHITA

Route: 79

Section: 4

Log Mile: 14.67

Land Section Number: 7

Township: 12S

Range: 15W

Land Section:

Latitude: N 33 42 32.0

Longitude: W 92 40 02.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.462

Elevation (Feet): 214.770

Description: DISK EAST HEADWALL RCB (LML). RECOVERED 7/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 520021

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: BEARDEN

County: OUACHITA

Route: 79

Section: 4

Log Mile: 16.66

Land Section Number: 4

Township: 12S

Range: 15W

Land Section:

Latitude: N 33 43 04.0

Longitude: W 92 38 12.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.455

Elevation (Feet): 224.589

Description: DISK SOUTHEAST WING RCB. RECOVERED 7/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 520022

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: BEARDEN

County: OUACHITA

Route: 79

Section: 4

Log Mile: 18.22

Land Section Number: 26

Township: 11S

Range: 15W

Land Section:

Latitude: N 33 44 12.0

Longitude: W 92 37 24.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.115

Elevation (Feet): 213.631

Description: DISK EAST HEADWALL RCB. RECOVERED 7/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 520023

Class:

Vertical Datum:

Established by: RE OFFICE #74

Date Established: 10/15/1990

System: STATE

Job Number: 7909

Nearest City: BEARDEN

County: OUACHITA

Route: 203

Section: 4

Log Mile: 2.71

Land Section Number: 21

Township: 11S

Range: 15W

Land Section:

Latitude: N 33 44 55.0

Longitude: W 92 38 28.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 54.084

Elevation (Feet): 177.441

Description: METAL DISC IN NORTHEAST WING OF BRIDGE 6168. RECOVERED 7/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 520024

Class:

Vertical Datum:

Established by: RE OFFICE #74

Date Established:

System: STATE

Job Number: 7909

Nearest City: BEARDEN

County: OUACHITA

Route: 203

Section: 4

Log Mile: 7.82

Land Section Number: 12

Township: 11S

Range: 16W

Land Section:

Latitude: N 33 47 28.0

Longitude: W 92 42 05.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 64.511

Elevation (Feet): 211.650

Description: METAL DISC IN SOUTHWEST END OF R.C. BOX.RECOVERED 7/2003

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 520025

Class:

Vertical Datum:

Established by: RE OFFICE #73

Date Established:

System: STATE

Job Number: R70026

Nearest City: STEPHENS

County: OUACHITA

Route: 332

Section: 11

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 33 30 35.0

Longitude: W 93 06 33.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.997

Elevation (Feet): 239.491

Description: DISK IN HEADWALL R.C. BOX CULVERT RIGHT STATION 35+00.  
RECOVERED 7/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 520026

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: CAMDEN

County: OUACHITA

Route: 376

Section: 1

Log Mile: 2.63

Land Section Number: 6

Township: 14S

Range: 17W

Land Section:

Latitude: N 33 32 14.0

Longitude: W 92 53 23.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 42.73

Elevation (Feet): 140.190

Description: DISK SOUTHEAST WING BRIDGE 5680. RECOVERED 7/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 520027

Class:

Vertical Datum:

Established by: RE OFFICE #74

Date Established: 1/29/1996

System: STATE Job Number: R70054 Nearest City:

County: OUACHITA Route: 79 Section: 4 Log Mile: 20.69

Land Section Number: 34 Township: 13S Range: 17W

Land Section: NE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 35.147 Elevation (Feet): 115.311

Description: METAL DISC IN DROP INLET TOP SOUTHEAST. UNABLE TO LOCATE  
7/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 520028

Class:

Vertical Datum:

Established by: RE OFFICE #74

Date Established: 1/29/1996

System: STATE Job Number: R70054 Nearest City:

County: OUACHITA Route: 79 Section: 4 Log Mile: 21.16

Land Section Number: 27 Township: 13S Range: 17W

Land Section: SW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 37.173 Elevation (Feet): 121.958

Description: METAL DISC IN SW WING OF RC BRIDGE. UNABLE TO LOCATE 7/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 520029

Class:

Vertical Datum:

Established by: RE OFFICE #74

Date Established: 1/29/1996

System: STATE

Job Number: R70054

Nearest City:

County: OUACHITA

Route: 4

Section: 8

Log Mile: 16.84

Land Section Number: 28

Township: 13S

Range: 17W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 39.597

Elevation (Feet): 129.911

Description: METAL DISC IN MED. DROP INLET. UNABLE TO LOCATE 7/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 520030

Class:

Vertical Datum:

Established by: RE OFFICE #74

Date Established: 1/29/1996

System: STATE

Job Number: R70054

Nearest City:

County: OUACHITA

Route: 4

Section: 8

Log Mile: 17.35

Land Section Number: 27

Township: 13S

Range: 17W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 35.817

Elevation (Feet): 117.510

Description: METAL DISC IN MED. DROP INLET. UNABLE TO LOCATE 7/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 520031

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #74

Date Established: 1/29/1996

System: STATE

Job Number: R70054

Nearest City: CAMDEN

County: OUACHITA

Route: 79

Section: 4B

Log Mile: 21.53

Land Section Number: 27

Township: 13S

Range: 17W

Land Section: NE

Latitude: N 33 34 16.0

Longitude: W 92 50 12.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 36.354

Elevation (Feet): 119.271

Description: METAL DISC IN TOP OF DROP INLET, SOUTH EAST SIDE. RECOVERED  
7/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 520032

Class:

Vertical Datum:

Established by: RE OFFICE #74

Date Established: 1/29/1996

System: STATE

Job Number: R70054

Nearest City: CAMDEN

County: OUACHITA

Route: 79

Section: 4B

Log Mile: 21.88

Land Section Number: 27

Township: 13S

Range: 17W

Land Section: NE

Latitude: N 33 34 33.0

Longitude: W 92 50 03.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 59.506

Elevation (Feet): 195.229

Description: METAL DISC IN TOP OF DROP INLET, NORTH WEST SIDE. RECOVERED  
7/2003

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 520033

Class:

Vertical Datum:

Established by: RE OFFICE #74

Date Established: 4/20/1994

System: STATE

Job Number: R70054

Nearest City: CAMDEN

County: OUACHITA

Route: 4

Section: 8

Log Mile: 17.98

Land Section Number: 27

Township: 13S

Range: 17W

Land Section: SE

Latitude: N 33 34 13.0

Longitude: W 92 50 17.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 38.932

Elevation (Feet): 127.729

Description: METAL DISC IN TOP OF WING NW CORNER BR # 6500A. RECOVERED  
7/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 520034

Class:

Vertical Datum:

Established by: RE OFFICE #74

Date Established: 1/29/1996

System: STATE Job Number: R70054 Nearest City:

County: OUACHITA Route: 4 Section: 8 Log Mile: 17.62

Land Section Number: 27 Township: 13S Range: 17W

Land Section: SE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 37.631 Elevation (Feet): 123.461

Description: METAL DISC IN TOP OF DROP INLET IN MED. UNABLE TO LOCATE  
7/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 520036

Class:

Vertical Datum:

Established by:

Date Established: 10/15/1990

System: STATE

Job Number: N/A

Nearest City: EAST CAMDEN

County: OUACHITA

Route: CR 88

Section:

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 33 39 09.0

Longitude: W 92 45 42.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

Elevation (Feet):

Description: DISK SW WING BRIDGE 0.35 MILES WEST INT. 79 & CR 88. RECOVERED  
7/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 520037

Class:

Vertical Datum:

Established by: RE OFFICE #74

Date Established: 10/21/1993

System: CITY

Job Number: 70006

Nearest City: CAMDEN

County: OUACHITA

Route: 09580

Section: H

Log Mile: 0.87

Land Section Number: 3

Township: 15S

Range: 17W

Land Section: NW

Latitude: N 33 33 00.0

Longitude: W 92 51 07.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 36.384

Elevation (Feet): 119.370

Description: METAL DISC IN SE CORNER OF BRIDGE # 4672. SCHOOL CASH ROAD.  
RECOVERED 7/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 520038

Class:

Vertical Datum:

Established by: RE OFFICE #74

Date Established: 10/21/1993

System: CITY

Job Number: 70006

Nearest City:

County: OUACHITA

Route: 09580

Section: H

Log Mile: 0.30

Land Section Number: 3

Township: 14S

Range: 17W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 38.259

Elevation (Feet): 125.521

Description: METAL DISC IN EAST HEADWALL DOUBLE PIPE. UNABLE TO LOCATE  
7/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 520039

Class:

Vertical Datum:

Established by: RE OFFICE #74

Date Established: 10/21/1993

System: CITY

Job Number: 70006

Nearest City:

County: OUACHITA

Route: 09580

Section: H

Log Mile: 1.11

Land Section Number: 34

Township: 13S

Range: 17W

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 35.119

Elevation (Feet): 115.220

Description: METAL DISC IN EAST HEADWALL OF R. C. BOX. UNABLE TO LOCATE  
7/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 520040

Class:

Vertical Datum:

Established by:

Date Established: 9/29/1998

System: COUNTY

Job Number: FA5209

Nearest City: CAMDEN

County: OUACHITA

Route: CR 67

Section: 12

Log Mile:

Land Section Number:

Township: 14S

Range: 17W

Land Section: NW

Latitude: N 33 32 02.0

Longitude: W 92 48 34.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 35.317

Elevation (Feet): 115.869

Description: AHTD MEDALLION ON SOUTH WEST WING WALL, AT JOB STA. LOT 75,  
RT. MILL CREEK 0476. RECOVERED 7/2003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 520041

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #74

Date Established: 12/19/2001

System: STATE

Job Number: 007968

Nearest City: EAST CAMDEN

County: OUACHITA

Route: 205

Section: 8

Log Mile: 2.32

Land Section Number: 22

Township: 12S

Range: 16W

Land Section: SE

Latitude: N 33 40 01.0

Longitude: W 92 43 45.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 39.357

Elevation (Feet): 129.124

Description: AHTD DISK IN SE HW OF RC BOX. RECOVERED 7/2003

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 520042

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #76

Date Established: 7/2/2003

System: STATE

Job Number: 070046

Nearest City: STEPHENS

County: OUACHITA

Route: 57

Section: 1

Log Mile: 10.8

Land Section Number: 22

Township: 15S

Range: 19W

Land Section:

Latitude: N 33 24 41.0

Longitude: W 93 04 14.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.625

Elevation (Feet): 267.798

Description: AHTD DISK IN PARAPET END PANEL BR 06765, STA 23+33, RT

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 520043

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #74

Date Established: 4/11/2006

System: STATE

Job Number: 070258

Nearest City: UNKNOWN

County: OUACHITA

Route: 79

Section: 4

Log Mile: 4.44

Land Section Number: 18

Township: 13S

Range: 16W

Land Section: NE

Latitude: N 33 36 35.6

Longitude: W 92 46 43.5

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 38.579

Elevation (Feet): 126.571

Description: METAL DISK IN TOP OF SE WING BR# 05350

Comments: Resident Engineer is JEFF VENABLE. Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530001

Class:

Vertical Datum:

Established by: RE OFFICE #86

Date Established:

System:

Job Number: R80014

Nearest City: CASA

County: PERRY

Route: 247

Section: 5

Log Mile: 0.100

Land Section Number: 21

Township: 05N

Range: 19W

Land Section: NE

Latitude: N 35 04 28.6

Longitude: W 93 00 58.00

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 97.091

Elevation (Feet): 318.539

Description: AHTD DISC IN TOP OF NORTHEAST CORNER OF EAST HEADWALL ON  
RIGHT STATION 110+45. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530002

Class:

Vertical Datum:

Established by: RE OFFICE #86

Date Established: 12/3/1997

System: STATE

Job Number: R80016

Nearest City: ADONA

County: PERRY

Route: 324

Section: 2

Log Mile: 1.723

Land Section Number: 30

Township: 05N

Range: 18W

Land Section: NW

Latitude: N 35 03 34.9

Longitude: W 92 57 19.1

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 131.043

Elevation (Feet): 429.930

Description: AHTD DISC IN TOP OF SOUTHEAST WING 16' RIGHT STATION 131+65  
BRIDGE NO. 6390 BRIDGE OVER "LITTLE ROSE CREEK" LOG MILE  
MARKED ON BRIDGE IS 1.77. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530003

Class:

Vertical Datum:

Established by:

RE OFFICE #86

Date Established: 12/3/1991

System: STATE

Job Number: R80016

Nearest City: ADONA

County: PERRY

Route: 324

Section: 2

Log Mile: 3.765

Land Section Number: 32

Township: 05N

Range: 18W

Land Section: SW

Latitude: N 35 02 20.7

Longitude: W 92 56 12.4

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 120.067

Elevation (Feet): 393.920

Description: AHTD DISC IN CENTER OF WEST HEADWALL OF R.C. BOX 25' LEFT OF  
STATION 22+48. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530004

Class:

Vertical Datum:

Established by:

RE OFFICE #86

Date Established: 12/3/1991

System: STATE

Job Number: R80016

Nearest City: ADONA

County: PERRY

Route: 324

Section: 2

Log Mile: 0.414

Land Section Number: 24

Township: 05N

Range: 19W

Land Section: NW

Latitude: N 35 04 16.5

Longitude: W 92 58 06.8

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 125.681

Elevation (Feet): 412.338

Description: AHTD DISC IN TOP OF NORTHEAST WING 16' RIGHT STATION 201+55  
BRIDGE NO. 6391 BRIDGE OVER "ROSE CREEK". RECOVERED BY S5102  
4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530005

Class:

Vertical Datum:

Established by: RE OFFICE #86

Date Established: 7/9/1991

System: STATE

Job Number: R80016

Nearest City: ADONA

County: PERRY

Route: 324

Section: 2

Log Mile: 3.765

Land Section Number: 32

Township: 05N

Range: 18W

Land Section: SE

Latitude: N 35 02 20.7

Longitude: W 92 56 12.4

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 120.067

Elevation (Feet): 393.920

Description: AHTD DISK IN CENTER OF HEADWALL (WEST) 25' LEFT OF  
CENTERLINE STATION 22+48 RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530006

Class:

Vertical Datum:

Established by: RE OFFICE #86

Date Established: 7/18/1990

System: STATE

Job Number: R80030

Nearest City: WILLIAMS JUNCTION

County: PERRY

Route: 324

Section: 3

Log Mile: 1.43

Land Section Number: 22

Township: 03N

Range: 17W

Land Section: SW

Latitude: N 34 53 15.2

Longitude: W 92 48 21.7

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 140.851

Elevation (Feet): 462.109

Description: AHTD DISC IN TOP OF PARAPET WALL 15' RIGHT OF CENTERLINE  
STATION 122+76 BRIDGE NO. 6305 BRIDGE OVER BROWN CREEK.  
RECOVER BY S5102 4/04.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530007

Class:

Vertical Datum:

Established by: RE OFFICE #86

Date Established:

System: Job Number: R80030 Nearest City: WILLIAMS JUNCTION

County: PERRY Route: 324 Section: 3 Log Mile: 3.533

Land Section Number: 28 Township: 03N Range: 17W

Land Section: SW

Latitude: N 34 52 03.8 Longitude: W 92 49 33.9 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 194.652 Elevation (Feet): 638.621

Description: DISC IN TOP OF SOUTHEAST HEADWALL 18' RIGHT OF CENTERLINE  
STATION 10+85 (TRIPLE 7'X 4'X 48' R.C. BOX CULVERT) BY RECOVERED  
S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530008

Class:

Vertical Datum:

Established by:

RE OFFICE #86

Date Established: 9/12/1995

System: COUNTY

Job Number:

FA5302

Nearest City:

PERRYVILLE

County: PERRY

Route:

CR14

Section:

Log Mile:

Land Section Number:

32

Township:

04N

Range:

17W

Land Section:

NW

Latitude: N 34 57 09.3

Longitude: W 92 50 01.1

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

118.546

Elevation (Feet):

388.930

Description:

AHTD DISC 22' LT. OF CENTERLINE, STA. 216+25 IN NW CORNER OF  
HEADWALL OF R. C. BOX CLVT. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530009

Class:

Vertical Datum:

Established by: RE OFFICE #86

Date Established: 10/4/1996

System: STATE

Job Number: 080047

Nearest City:

County: PERRY

Route: 9

Section: 6

Log Mile: 13.00

Land Section Number: 10

Township: 04N

Range: 17W

Land Section: SW

Latitude: N 35 00 00.2

Longitude: W 92 47 55.5

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 87.478

Elevation (Feet): 287.001

Description: AHTD DISC IN SW CORNER OF DROP INLET TOP, 25' LT. STA. 696+82.  
RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530010

Class:

Vertical Datum:

Established by: RE OFFICE #86

Date Established: 10/4/1996

System: STATE

Job Number: 080047

Nearest City: PERRYVILLE

County: PERRY

Route: 9

Section: 6

Log Mile: 13.54

Land Section Number: 10

Township: 04N

Range: 17W

Land Section: SW

Latitude: N 35 00 25.7

Longitude: W 92 48 02.6

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 89.209

Elevation (Feet): 292.680

Description: AHTD DISC IN SE CORNER OF R. C. BOX CLVT. HDWL., 32' RT.  
CENTERLINE STA. 725+05. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530011

Class:

Vertical Datum:

Established by: RE OFFICE #86

Date Established: 11/5/1996

System: STATE Job Number: 080047 Nearest City: IN PERRYVILLE

County: PERRY Route: 9 Section: 6 Log Mile: 13.75

Land Section Number: 10 Township: 04N Range: 17W

Land Section: NW

Latitude: N 35 00 37.8 Longitude: W 92 47 50.5 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 90.029 Elevation (Feet): 295.370

Description: AHTD DISC IN SE CORNER OF R. C. BOX CLVT. HDWL. 152' RT. STA.  
736+30. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530012

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: NIMROD

County: PERRY

Route: CR 14

Section:

Log Mile: 2.90

Land Section Number: 4

Township: 03N

Range: 19W

Land Section: NE

Latitude: N 34 56 27.0

Longitude: W 93 01 39.6

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 95.113

Elevation (Feet): 312.050

Description: DISK CENTER LINE PCCP SLAB 2' W END SOUTH FORK FOURCHE  
LAFAVE RIVER. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530013

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: CASA

County: PERRY

Route: CR 30

Section:

Log Mile: 3.31

Land Section Number: 28

Township: 05N

Range: 19W

Land Section: SE

Latitude: N 35 03 11.0

Longitude: W 93 01 11.3

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 113.3178

Elevation (Feet): 371.777

Description: DISK SE WING LITTLE ROSE CREEK #4391. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530014

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: ADONA

County: PERRY

Route: CR 32

Section:

Log Mile: 0.24

Land Section Number: 22

Township: 05N

Range: 19W

Land Section:

Latitude: N 35 03 42.2

Longitude: W 92 59 21.8

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 116.827

Elevation (Feet): 383.290

Description: DISK SE WING BRIDGE #4482 LITTLE ROSE CREEK ALSO KNOWN AS "WELCOME HOME ROAD" RECOVERED BY S5102 4/04.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530015

Class:

Vertical Datum:

Established by: RE OFFICE #84

Date Established: 7/19/1993

System: COUNTY

Job Number: BR-53-5

Nearest City: PERRY

County: PERRY

Route: CR 64

Section: 27

Log Mile: \*\*

Land Section Number: 27

Township: 05N

Range: 17W

Land Section: NW

Latitude: N 35 03 13.7

Longitude: W 92 47 52.8

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 91.23

Elevation (Feet): 299.310

Description: AHTD DISC IN TOP OF PARAPET WALL 13' RT. OF CENTERLINE STA. 31+12. \*\*0.34 MILES NW OF LOGMILE 18.31(INTERSECTION HWY. 10 & 9 @ PERRY) BRIDGE OVER "ROCKY CYPRESS CREEK" BRIDGE # 4680. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530016

Class:

Vertical Datum:

Established by: RE OFFICE #84

Date Established:

System:

Job Number: S-53-11

Nearest City: PERRYVILLE

County: PERRY

Route: CR 45

Section:

Log Mile: \*\*

Land Section Number: 20

Township: 04N

Range: 17W

Land Section:

Latitude: N 34 58 51.8

Longitude: W 92 50 24.8

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 82.244

Elevation (Feet): 269.829

Description: AHTD DISC IN TOP OF EAST HDWL., 2' NORTH OF SE CORNER, 36' RT. OF CENTERLINE, STA. 25+90. (R.C . BOX CULV. @ BULL LAKE SLOUGH)  
\*\*APPROX. 0.85 MILE SOUTH OF HWY. 60 (APPROX. L.M. 2.50, SEC 2).  
RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530017

Class:

Vertical Datum:

Established by: RE OFFICE #84

Date Established: 10/11/1997

System: STATE

Job Number: 080018

Nearest City: WILLIAMS JUNCTION

County: PERRY

Route: 10

Section: 6

Log Mile: 0.54

Land Section Number: 30

Township: 03N

Range: 17W

Land Section: NW

Latitude: N 34 52 48.0

Longitude: W 92 45 51.5

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 121.935

Elevation (Feet): 400.048

Description: STD. AHTD DISK SET TOP SW PARAPET WALL 19.5 RT. CENTERLINE  
STA. 26+67. BIG BRANCH BRIDGE #6592. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530018

Class:

Vertical Datum:

Established by: RE OFFICE #84

Date Established: 11/19/1997

System: STATE

Job Number: 080018

Nearest City: WILLIAMS JUNCTION

County: PERRY

Route: 9

Section: 6

Log Mile: 4.14

Land Section Number: 23

Township: 03N

Range: 17W

Land Section: NW

Latitude: N 34 53 33.3

Longitude: W 92 46 58.4

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 140.936

Elevation (Feet): 462.388

Description: STD. AHTD DISK SET TOP SE PARAPET WALL 19.5 RT. CENTERLINE  
STA. 217+75 MAUMELLE RIVER BRIDGE #6593. RECOVERED BY S5102  
4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530019

Class:

Vertical Datum:

Established by: RE OFFICE #84

Date Established: 11/6/1997

System:

Job Number: 080089

Nearest City: THORNBURG

County: PERRY

Route: 9

Section: 6

Log Mile: 6.02

Land Section Number: 10

Township: 03N

Range: 17W

Land Section: NE

Latitude: N 34 54 49.7

Longitude: W 92 48 00.2

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 189.119

Elevation (Feet): 620.468

Description: STANDARD AHTD DISC SE CORNER BRIDGE 28' RIGHT CENTERLINE  
STATION 317+26. BRIDGE OVER MAUMELLE RIVER. RECOVERED BY  
S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530020

Class:

Vertical Datum:

Established by: RE OFFICE #84

Date Established: 2/24/1999

System: STATE

Job Number: 080051

Nearest City: WILLIAMS JUNCTION

County: PERRY

Route: 10

Section: 6

Log Mile: 0.69

Land Section Number: 25

Township: 03N

Range: 17W

Land Section: NE

Latitude: N 34 52 44.9

Longitude: W 92 45 43.1

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 120.801

Elevation (Feet): 396.328

Description: STANDARD AHTD DISC IN SOUTHWEST CORNER HEADWALL OF A 10' x 6' x 72' R. C. BOX CULVERT 35' RIGHT OF CENTERLINE STATION 24+13.  
RECOVERED BY S5102 4/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530021

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #84

Date Established: 2/28/2000

System: STATE

Job Number: R80026

Nearest City:

County: PERRY

Route: 10

Section: 5

Log Mile: 18.29

Land Section Number: 27

Township: 05N

Range: 17W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 90.4262

Elevation (Feet): 296.673

Description: STANDARD AHTD DISC IN NW CORNER HEADWALL 14.7m LEFT  
CENTERLINE STATION 232+69.9 OF A 3000mm X 1800mm X 23m RC BOX  
CULVERT. (TRIPLE BOX)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530022

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #84

Date Established: 7/12/2000

System: STATE

Job Number: R80025

Nearest City: BIRTA

County: PERRY

Route: 10

Section: 5

Log Mile: 0.35

Land Section Number: 2

Township: 04N

Range: 20W

Land Section: SW

Latitude: N 35 01 25.0

Longitude: W 93 05 59.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 107.281

Elevation (Feet): 351.971

Description: HEADWALL ON LEFT (RC BOX CULVERT) STA 118+63. RECOVERED BY S5102 4/04.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530023

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #84

Date Established: 7/12/2000

System: STATE

Job Number: R80025

Nearest City: BIRTA

County: PERRY

Route: 10

Section: 5

Log Mile: 1.39

Land Section Number: 1

Township: 04N

Range: 20W

Land Section: NE

Latitude: N 35 01 36.0

Longitude: W 93 04 54.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 100.953

Elevation (Feet): 331.210

Description: HEADWALL ON LEFT (RC BOX CULVERT) STA 173+65. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530024

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #84

Date Established: 7/12/2000

System: STATE

Job Number: R80025

Nearest City: CASA

County: PERRY

Route: 10

Section: 5

Log Mile: 1.60

Land Section Number: 1

Township: 04N

Range: 20W

Land Section: NW

Latitude: N 35 01 38.0

Longitude: W 93 04 41.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 98.865

Elevation (Feet): 324.360

Description: HEADWALL ON LEFT (RC BOX CULVERT) STA 184+61. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530025

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #84

Date Established: 7/12/2000

System: STATE

Job Number: R80025

Nearest City: CASA

County: PERRY

Route: 10

Section: 5

Log Mile: 2.03

Land Section Number: 1

Township: 04N

Range: 20W

Land Section: NE

Latitude: N 35 01 36.0

Longitude: W 93 04 14.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 98.191

Elevation (Feet): 322.148

Description: HEADWALL ON LEFT (RC BOX CULVERT) STA 208+00. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530026

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #84

Date Established: 7/12/2000

System: STATE

Job Number: R80025

Nearest City: CASA

County: PERRY

Route: 10

Section: 5

Log Mile: 2.14

Land Section Number: 6

Township: 04N

Range: 19W

Land Section: NW

Latitude: N 35 01 33.0

Longitude: W 93 04 09.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 100.319

Elevation (Feet): 329.130

Description: HEADWALL ON LEFT (RC BOX CULVERT) STA 212+88. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530027

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #84

Date Established: 7/12/2000

System: STATE

Job Number: R80025

Nearest City: CASA

County: PERRY

Route: 10

Section: 5

Log Mile: 2.51

Land Section Number: 6

Township: 04N

Range: 19W

Land Section: SW

Latitude: N 35 01 27.0

Longitude: W 93 03 46.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 102.425

Elevation (Feet): 336.039

Description: NW TURNBACK WING ON LT BRIDGE 6692 STA 232+96. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530028

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #84

Date Established: 7/12/2000

System: STATE

Job Number: R80025

Nearest City: CASA

County: PERRY

Route: 10

Section: 5

Log Mile: 3.03

Land Section Number: 6

Township: 04N

Range: 19W

Land Section: SE

Latitude: N 35 01 23.0

Longitude: W 93 03 14.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 110.539

Elevation (Feet): 362.660

Description: HEADWALL ON LEFT (RC BOX CULVERT) STA 260+50. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530029

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #84

Date Established: 7/12/2000

System: STATE

Job Number: R80025

Nearest City: CASA

County: PERRY

Route: 10

Section: 5

Log Mile: 3.29

Land Section Number: 5

Township: 04N

Range: 19W

Land Section: SW

Latitude: N 35 01 22.0

Longitude: W 93 02 58.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 111.502

Elevation (Feet): 365.819

Description: HEADWALL ON RIGHT (RC BOX CULVERT) STA 273+92. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530030

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #84

Date Established: 7/12/2000

System: STATE

Job Number: R80025

Nearest City: CASA

County: PERRY

Route: 10

Section: 5

Log Mile: 3.57

Land Section Number: 5

Township: 04N

Range: 19W

Land Section: SW

Latitude: N 35 01 22.0

Longitude: W 93 02 40.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 110.213

Elevation (Feet): 361.590

Description: HEADWALL ON LEFT (RC BOX CULVERT) STA 288+53. RECOVERED BY S5102 4/04.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530031

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #84

Date Established: 7/12/2000

System: STATE

Job Number: R80025

Nearest City: CASA

County: PERRY

Route: 10

Section: 5

Log Mile: 3.67

Land Section Number: 5

Township: 04N

Range: 19W

Land Section: SE

Latitude: N 35 01 23.0

Longitude: W 93 02 33.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 108.991

Elevation (Feet): 357.581

Description: HEADWALL ON LEFT (RC BOX CULVERT) STA 293+92. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530032

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #84

Date Established: 7/12/2000

System: STATE

Job Number: R80025

Nearest City: CASA

County: PERRY

Route: 10

Section: 5

Log Mile: 3.72

Land Section Number: 5

Township: 04N

Range: 19W

Land Section: SE

Latitude: N 35 01 22.0

Longitude: W 93 02 30.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 109.152

Elevation (Feet): 358.110

Description: HEADWALL ON RIGHT (RC BOX CULVERT) STA 296+60. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530033

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #84

Date Established: 7/12/2000

System: STATE

Job Number: R80025

Nearest City: CASA

County: PERRY

Route: 10

Section: 5

Log Mile: 3.84

Land Section Number: 5

Township: 04N

Range: 19W

Land Section: SE

Latitude: N 35 01 20.0

Longitude: W 93 02 23.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 111.786

Elevation (Feet): 366.751

Description: HEADWALL ON LEFT (RC BOX CULVERT) STA 302+63. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530034

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established: 11/13/2000

System: STATE

Job Number: R80094

Nearest City: ADONA

County: PERRY

Route: 10

Section: 5

Log Mile: 11.94

Land Section Number: 34

Township: 05N

Range: 18W

Land Section: NW

Latitude: N 35 02 17.0

Longitude: W 92 54 13.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 115.026

Elevation (Feet): 377.381

Description: ALUMINUM DISK IN SOUTH WINGWALL @ THE BEGINNING OF BR 6702. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530035

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established: 8/7/2000

System: STATE

Job Number: R80094

Nearest City: ADONA

County: PERRY

Route: 10

Section: 5

Log Mile: 12.69

Land Section Number: 35

Township: 05N

Range: 18W

Land Section: NW

Latitude: N 35 02 18.0

Longitude: W 92 53 25.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 110.981

Elevation (Feet): 364.110

Description: DISK IN CENTER OF LEFT HEADWALL OF RC BOX @ STA 143+01.  
RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530036

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established: 8/8/2000

System: STATE

Job Number: r80094

Nearest City: PERRY

County: PERRY

Route: 10

Section: 5

Log Mile: 14.32

Land Section Number: 36

Township: 05N

Range: 18W

Land Section: NE

Latitude: N 35 02 31.0

Longitude: W 92 51 43.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 95.153

Elevation (Feet): 312.181

Description: DISK IN LT HEADWALL OF RC BOX @ STA 169+24. RECOVERED BY  
S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530037

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established: 8/7/2000

System: STATE

Job Number: R80094

Nearest City: ADONA

County: PERRY

Route: 10

Section: 5

Log Mile: 10.58

Land Section Number: 33

Township: 05N

Range: 18W

Land Section: SW

Latitude: N 35 02 05.0

Longitude: W 92 55 35.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 124.496

Elevation (Feet): 408.451

Description: DISK IN CENTER OF RT HEADWALL OF RC BOX @ STA 108+96.  
RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530038

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established: 8/7/2000

System: STATE

Job Number: R80094

Nearest City: ADONA

County: PERRY

Route: 10

Section: 5

Log Mile: 10.97

Land Section Number: 33

Township: 05N

Range: 18W

Land Section: SW

Latitude: N 35 02 05.0

Longitude: W 92 55 10.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 119.923

Elevation (Feet): 393.447

Description: DISK WEST END OF RT HEADWALL OF RC BOX @ STA 115+25.  
RECOVERD BY S5102 4/04.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530039

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established: 8/8/2000

System: STATE

Job Number: R80094

Nearest City: ADONA

County: PERRY

Route: 10

Section: 5

Log Mile: 13.73

Land Section Number: 36

Township: 05N

Range: 18W

Land Section: NW

Latitude: N 35 02 29.0

Longitude: W 92 52 20.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 100.246

Elevation (Feet): 328.890

Description: DISK IN CENTER OF RT HEADWALL OF RC BOX @ STA 159+69.  
RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530040

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established: 8/8/2000

System: STATE

Job Number: R80094

Nearest City: ADONA

County: PERRY

Route: 10

Section: 5

Log Mile: 11.58

Land Section Number: 33

Township: 05N

Range: 18W

Land Section: SE

Latitude: N 35 02 18.0

Longitude: W 92 54 35.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 113.934

Elevation (Feet): 373.798

Description: DISK IN CENTER O LEFT HEADWALL OF RC BOX @ STA 125+10.  
RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530041

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established: 8/8/2000

System: STATE

Job Number: R80094

Nearest City: ADONA

County: PERRY

Route: 10

Section: 5

Log Mile: 10.78

Land Section Number: 33

Township: 05N

Range: 18W

Land Section: SW

Latitude: N 35 02 05.0

Longitude: W 92 55 22.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 121.579

Elevation (Feet): 398.880

Description: DISK IN CENTER OF RT HEADWALL OF RC BOX @ STA 112+25.  
RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530042

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established: 7/28/1999

System: STATE

Job Number: R80026

Nearest City: PERRY

County: PERRY

Route: 10

Section: 5

Log Mile: 16.75

Land Section Number: 28

Township: 05N

Range: 17W

Land Section: SW

Latitude: N 35 02 53.0

Longitude: W 92 49 10.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 93.9307

Elevation (Feet): 308.171

Description: AHTD DISK IN CENTER OF N HW 11.0 METERS LT C/L STA 208+77 OF A  
3000X2100X22200 RC BOX CULVERT. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530043

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established: 7/28/1999

System: STATE

Job Number: R80026

Nearest City: PERRY

County: PERRY

Route: 10

Section: 5

Log Mile: 17.07

Land Section Number: 28

Township: 05N

Range: 17W

Land Section: SW

Latitude: N 35 02 55.0

Longitude: W 92 48 49.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 93.6358

Elevation (Feet): 307.203

Description: AHTD DISK IN CENTER OF S HW 10.8 M RT OF C/L STA 214+03 OF A  
2400X1200X22200 RC BOX CULVERT. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530044

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established: 7/28/1999

System: STATE

Job Number: R80026

Nearest City:

County: PERRY

Route: 10

Section: 5

Log Mile: 18.29

Land Section Number: 27

Township: 05N

Range: 17W

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 90.4629

Elevation (Feet): 296.794

Description: AHTD DISC IN CENTER OF S HW 10.4 M RT OF C/L STA 232+67 OF A  
3000X1800X19000 RC BOX CULVERT

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530045

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established: 7/28/1999

System: STATE

Job Number: R80026

Nearest City: PERRY

County: PERRY

Route: 10

Section: 5

Log Mile: 14.77

Land Section Number: 31

Township: 05N

Range: 17W

Land Section: NW

Latitude: N 35 02 36.0

Longitude: W 92 51 15.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 94.9268

Elevation (Feet): 311.439

Description: AHTD DISK IN CENTER OF N HW 10.7 M LT OF C/L STA 176+53 OF A  
2400X1200X22200 RC BOX CULVERT. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530046

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established: 7/28/1999

System: STATE

Job Number: R80026

Nearest City: PERRY

County: PERRY

Route: 10

Section: 5

Log Mile: 14.94

Land Section Number: 31

Township: 05N

Range: 17W

Land Section: NW

Latitude: N 35 02 38.0

Longitude: W 92 51 04.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 95.3556

Elevation (Feet): 312.846

Description: AHTD DISC IN CENTER OF N HW 10.7 M LT OF C/L STA 179+34 OF A  
2400X1200X22200 RC BOX CULVERT. RECOVERED BY S5102 4/04.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530047

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established: 7/28/1999

System: STATE

Job Number: R80026

Nearest City: PERRY

County: PERRY

Route: 10

Section: 5

Log Mile: 15.13

Land Section Number: 31

Township: 05N

Range: 17W

Land Section: NE

Latitude: N 35 02 40.0

Longitude: W 92 50 53.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 98.2817

Elevation (Feet): 322.446

Description: AHTD DISC IN CENTER OF N HW 9.1 M LT OF C/L STA 182+32 OF A  
900X600X19700 RC BOX CULVERT. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530048

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established: 7/28/1999

System: STATE

Job Number: R80026

Nearest City: PERRY

County: PERRY

Route: 10

Section: 5

Log Mile: 15.81

Land Section Number: 29

Township: 05n

Range: 17w

Land Section: SW

Latitude: N 35 02 46.0

Longitude: W 92 50 10.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 99.3818

Elevation (Feet): 326.055

Description: AHTD DISK IN CENTER OF N HW 7.4 M LT C/L STA 193+23 OF A  
3000X2400X21800 RC BOX CULVERT. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530049

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established: 8/30/2001

System: STATE

Job Number: R80071

Nearest City: CASA

County: PERRY

Route: 10

Section: 5

Log Mile: 4.51

Land Section Number: 4

Township: 04N

Range: 19W

Land Section: SW

Latitude: N 35 01 28.0

Longitude: W 93 01 44.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 114.165

Elevation (Feet): 374.556

Description: AHTD DISK IN W END OF HW OF RC BOX AT STA 38+76. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530050

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established: 8/30/2001

System: STATE

Job Number: R80071

Nearest City: CASA

County: PERRY

Route: 10

Section: 5

Log Mile: 4.9

Land Section Number: 4

Township: 04N

Range: 19W

Land Section: NE

Latitude: N 35 01 34.0

Longitude: W 93 01 22.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 107.766

Elevation (Feet): 353.562

Description: AHTD DISK IN W END OF HW OF RC BOX AT STA 359+50. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530051

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established: 8/30/2001

System:

Job Number: R80071

Nearest City:

County: PERRY

Route: 10

Section: 5

Log Mile: 5.07

Land Section Number: 4

Township: 04N

Range: 19W

Land Section: NE

Latitude: N 35 01 32.0

Longitude: W 93 01 12.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 109.524

Elevation (Feet): 359.330

Description: AHTD DISK IN W END ON RT. HW OF RC BOX AT STA 368+40.  
RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530052

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established: 8/30/2001

System: STATE

Job Number: R80071

Nearest City: CASA

County: PERRY

Route: 10

Section: 5

Log Mile: 5.21

Land Section Number: 3

Township: 04N

Range: 19W

Land Section: NW

Latitude: N 35 01 31.0

Longitude: W 93 01 03.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 110.6548

Elevation (Feet): 363.040

Description: AHTD DISK IN W END ON RT. HW OF RC BOX AT STA 375+73.  
RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530053

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established: 8/30/2001

System: STATE

Job Number: R80071

Nearest City: CASA

County: PERRY

Route: 10

Section: 5

Log Mile: 5.38

Land Section Number: 3

Township: 04N

Range: 19W

Land Section: SW

Latitude: N 35 01 29.0

Longitude: W 93 00 53.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 112.6513

Elevation (Feet): 369.590

Description: AHTD DISK IN W END ON RT. HW OF RC BOX AT STA 384+50.  
RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530054

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established: 8/30/2001

System: STATE

Job Number: R80071

Nearest City: ADONA

County: PERRY

Route: 10

Section: 5

Log Mile: 5.93

Land Section Number: 3

Township: 04N

Range: 19W

Land Section: SE

Latitude: N 35 01 22.0

Longitude: W 93 00 19.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 114.2088

Elevation (Feet): 374.700

Description: AHTD DISK IN W END ON RT. HW OF RC BOX AT STA 413+30.  
RECOVERED BY S5102 4/04.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530055

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established: 8/30/2001

System: STATE

Job Number: R80071

Nearest City:

County: PERRY

Route: 10

Section: 5

Log Mile: 6.13

Land Section Number: 3

Township: 04N

Range: 19W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 115.1628

Elevation (Feet): 377.830

Description: AHTD DISK IN W END ON RT. HW OF RC BOX AT STA 424+03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530056

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established: 8/30/2001

System: STATE

Job Number: R80071

Nearest City: ADONA

County: PERRY

Route: 10

Section: 5

Log Mile: 6.53

Land Section Number: 2

Township: 04N

Range: 19W

Land Section: SW

Latitude: N 35 01 27.0

Longitude: W 92 59 41.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 119.1679

Elevation (Feet): 390.970

Description: AHTD DISK IN W END ON RT. HW OF RC BOX AT STA 445+50.  
RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530057

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established: 8/30/2001

System: STATE

Job Number: R80071

Nearest City: ADONA

County: PERRY

Route: 10

Section: 5

Log Mile: 6.93

Land Section Number: 2

Township: 04N

Range: 19W

Land Section: NE

Latitude: N 35 01 30.0

Longitude: W 92 59 23.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 120.46

Elevation (Feet): 395.209

Description: AHTD DISK IN W END ON RT. HW OF RC BOX AT STA 460+77.  
RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530058

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established: 8/30/2001

System: STATE

Job Number: R80071

Nearest City: ADONA

County: PERRY

Route: 10

Section: 5

Log Mile: 7.40

Land Section Number: 1

Township: 04N

Range: 19W

Land Section: NW

Latitude: N 35 01 36.0

Longitude: W 92 58 48.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 125.6052

Elevation (Feet): 412.090

Description: AHTD DISK IN W END ON RT. HW OF RC BOX AT STA 490+70.  
RECOVERED BY 5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530059

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established: 8/30/2001

System: STATE

Job Number: R80071

Nearest City: ADONA

County: PERRY

Route: 10

Section: 5

Log Mile: 8.38

Land Section Number: 1

Township: 04N

Range: 19W

Land Section: NE

Latitude: N 35 01 39.0

Longitude: W 92 57 40.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 144.5334

Elevation (Feet): 474.190

Description: AHTD DISK IN W END ON RT. HW OF RC BOX AT STA 541.87.  
RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530060

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established: 8/30/2001

System: STATE

Job Number: R80071

Nearest City:

County: PERRY

Route: 10

Section: 5

Log Mile: 8.48

Land Section Number: 6

Township: 04N

Range: 18W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 144.8351

Elevation (Feet): 475.180

Description: AHTD DISK IN W END ON RT. HW OF RC BOX AT STA 547+93

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530061

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established: 8/30/2001

System: STATE

Job Number: R80071

Nearest City: ADONA

County: PERRY

Route: 10

Section: 5

Log Mile: 9.25

Land Section Number: 31

Township: 05N

Range: 18W

Land Section: SE

Latitude: N 35 01 58.0

Longitude: W 92 56 57.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 132.2438

Elevation (Feet): 433.870

Description: AHTD DISK IN W END ON RT. HW OF RC BOX AT STA 588+94.  
RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530062

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established: 8/30/2001

System: STATE

Job Number: R80071

Nearest City: ADONA

County: PERRY

Route: 10

Section: 5

Log Mile: 9.84

Land Section Number: 32

Township: 05N

Range: 18W

Land Section: SW

Latitude: N 35 02 06.0

Longitude: W 92 56 22.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 124.3526

Elevation (Feet): 407.980

Description: AHTD DISK IN W END ON RT. HW OF RC BOX AT STA 620+00.  
RECOVERED BY S5102 4/04.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530063

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #84

Date Established: 6/24/2003

System: COUNTY

Job Number: SA5324

Nearest City: HOUSTON

County: PERRY

Route: CR70

Section:

Log Mile:

Land Section Number: 20

Township: 05N

Range: 16W

Land Section: SE

Latitude: N 35 03 46.0

Longitude: W 92 43 12.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 89.291

Elevation (Feet): 292.949

Description: AHTD CAP IN SE CORNER OF HW OF DBL 10X5X44 BOX CULVERT  
APPROX 1100 FT FROM HWY 113 AND CR 70 (STONE POINT ROAD).  
RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530064

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #84

Date Established: 6/24/2003

System: COUNTY

Job Number: SA5324

Nearest City: HOUSTON

County: PERRY

Route: CR70

Section:

Log Mile:

Land Section Number: 20

Township: 05N

Range: 16W

Land Section: SE

Latitude: N 35 04 03.0

Longitude: W 92 43 03.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 88.154

Elevation (Feet): 289.219

Description: AHTD CAP SET IN SE CORNER OF HW OF DBL 9X11X65 BOX CULVERT  
APPROX 3000 FT FROM HWY 113 AND CR70 (STONE POINT ROAD).  
RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530065

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #84

Date Established: 11/1/2006

System: COUNTY

Job Number: BR5307

Nearest City:

County: PERRY

Route: CR70

Section: ?

Log Mile: 4.5

Land Section Number: 24

Township: 05N

Range: 16W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 88.13

Elevation (Feet): 289.140

Description: STANDARD AHTD DISK IN CENTER TOP OF SOUTH HEADWALL OF A QUAD 11'X8'X78' R.C. BOX CULVERT ON A 45° LEFT FORWARD SKEW 29 FEET RIGHT OF CENTERLINE STATION I 104+77.

Comments: R.E. C.W. MCMILLIAN

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

**Identification:** 530066

**Class:** THIRD-ORDER

**Vertical Datum:** NAVD88

**Established by:** RE OFFICE #86

**Date Established:** 8/11/2016

**System:** STATE

**Job Number:** 080446

**Nearest City:** Perryville

**County:** PERRY

**Route:** 216

**Section:** 1

**Log Mile:** 0.70

**Land Section Number:** 26

**Township:** 04n

**Range:** 17w

**Land Section:** NW

**Latitude:** N 34 57 43.92000

**Longitude:** W 92 46 52.88000

**Type:** SCALED

Scaled, GPS (Handheld), or GPS (Observed)

**Elevation (Meters):** 90.4221

**Elevation (Feet):** 296.660

**Description:** AHTD Disk Set in west side of Headwall (South of Hwy 216) of Triple 9' x 5' x 88' RC Box Culver

**Comments:** Elevation verified. Three wire data available on EDM under job 080446 in s080446\_sp.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 530067

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #82

Date Established: 1/16/2020

System: STATE Job Number: 080507 Nearest City: Casa

County: PERRY Route: 155 Section: 4 Log Mile: 4.31

Land Section Number: 29 Township: 05n Range: 19w

Land Section: NE

Latitude: N 35 03 18.00000 Longitude: W 93 02 15.00000 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 107.41 Elevation (Feet): 352.394

Description: ARDOT disk set in Northeast corner of headwall of box culvert

Comments: Elevation verified. Three wire data available on EDM under job 080507 in s080507\_re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

**Identification:** 530068

**Class:** THIRD-ORDER

**Vertical Datum:** NAVD88

**Established by:** RE OFFICE #82

**Date Established:** 1/16/2020

**System:** STATE

**Job Number:** 080507

**Nearest City:** Casa

**County:** PERRY

**Route:** 155

**Section:** 4

**Log Mile:** 4.31

**Land Section Number:** 29

**Township:** 05n

**Range:** 19w

**Land Section:** NE

**Latitude:** N 35 03 18.13000

**Longitude:** W 93 02 15.49000

**Type:** SCALED

Scaled, GPS (Handheld), or GPS (Observed)

**Elevation (Meters):** 107.41

**Elevation (Feet):** 352.394

**Description:** ARDOT disk set in NE corner of headwall of box culvert

**Comments:** Elevation verified. Three wire data on EDM, under job 080507 in  
s080507\_re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 540002

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #11

Date Established: 11/30/1992

System: STATE

Job Number: 110137

Nearest City: ELAINE

County: PHILLIPS

Route: 20

Section: 0

Log Mile: 7.38

Land Section Number: 26

Township: 04s

Range: 02E

Land Section: SE

Latitude: N 34 18 49.0

Longitude: W 90 51 45.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 48.475

Elevation (Feet): 159.038

Description: AHTD DISK SET IN SOUTHEAST CORNER OF CONCRETE HEADWALL  
RECOVERED OCT. 5, 1998

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 540003

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #11

Date Established: 1/30/1990

System: STATE

Job Number: 110148

Nearest City: ELAINE

County: PHILLIPS

Route: 20

Section: 1

Log Mile: 0.21

Land Section Number: 25

Township: 04S

Range: 02E

Land Section: SE

Latitude: N 34 18 26.0

Longitude: W 90 50 53.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 50.865

Elevation (Feet): 166.880

Description: AHTD BENCHMARK DISC IN TOP SOUTHWEST WINGWALL @ BRIDGE  
END ROADWAY STATION 10+99 RECOVERED OCT. 5, 1998

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 540004

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #11

Date Established: 9/9/1991

System: STATE

Job Number: 110104

Nearest City: HELENA

County: PHILLIPS

Route: 49

Section: 2

Log Mile: 0.56

Land Section Number: 20

Township: 02S

Range: 05E

Land Section: SW

Latitude: N 34 29 56.0

Longitude: W 90 35 48.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 64.267

Elevation (Feet): 210.849

Description: AHTD DISK PLACED ON TOP OF NORTHWEST WINGWALL OF WEST  
BRIDGE END (HELENA BRIDGE OVER MISSISSIPPI RIVER)  
RECOVERED OCTOBER 5, 1998

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 540005

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #11

Date Established: 10/19/1990

System: State Job Number: 110195 Nearest City: WALNUT CORNER

County: PHILLIPS Route: 49 Section: 10 Log Mile: 15.8

Land Section Number: 33 Township: 01s Range: 03e

Land Section: SE

Latitude: N 34 33 19.0 Longitude: W 90 47 49.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 58.491 Elevation (Feet): 191.899

Description: AHTD BENCHMARK DISK IN TOP OF SOUTHWEST CORNER OF  
CONCRETE HEADWALL 35' RIGHT STATION 834+24 WEST OF  
WALNUT CORNER RECOVERED OCT. 5, 1998

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 540006

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #11

Date Established: 1/1/1984

System: STATE

Job Number: 11860

Nearest City: BARTON

County: PHILLIPS

Route: 49

Section: 10

Log Mile: 17.97

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 33 19.0

Longitude: W 90 45 28.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.001

Elevation (Feet): 226.381

Description: DISK TOP SOUTHWEST TURNOUT WINGWALL WEST END BRIDGE  
1979A RECOVERED OCT. 5, 1998

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 540007

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #11

Date Established: 1/1/1984

System: STATE

Job Number: 11860

Nearest City: WEST HELENA

County: PHILLIPS

Route: 49

Section: 10

Log Mile: 19.38

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 33 19.0

Longitude: W 90 44 00.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 59.479

Elevation (Feet): 195.141

Description: DISK TOP SOUTHWEST TURNOUT WINGWALL WEST END BRIDGE  
5652 RECOVERED OCT. 5, 1998

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 540008

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #11

Date Established: 8/21/1991

System: STATE

Job Number: 110201

Nearest City: BARTON

County: PHILLIPS

Route: 85

Section: 1

Log Mile: 2.77

Land Section Number: 15

Township: 02s

Range: 03e

Land Section: SE

Latitude: N 34 30 58.0

Longitude: W 90 46 22.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 51.676

Elevation (Feet): 169.540

Description: AHTD BENCHMARK IN SOUTHEAST CORNER OF HEADWALL OF RCB  
CULVERT STATION 145+30 RECOVERED OCT. 5, 1998

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 540009

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #11

Date Established: 12/11/1990

System: STATE

Job Number: 110068

Nearest City: MARVELL

County: PHILLIPS

Route: 243

Section: 1

Log Mile: 2.31

Land Section Number: 21

Township: 01s

Range: 02e

Land Section: SW

Latitude: N 34 35 14.0

Longitude: W 90 54 04.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 55.672

Elevation (Feet): 182.651

Description: AHTD DISK SET IN TOP OF SOUTHEAST WINGWALL OF BRIDGE NO. 6298. RECOVERED OCT. 5, 1998

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 540010

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #11

Date Established: 10/21/1994

System: COUNTY

Job Number: FA5413

Nearest City:

County: PHILLIPS

Route: CR 1

Section:

Log Mile:

Land Section Number: 14

Township: 05S

Range: 01E

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 48.128

Elevation (Feet): 157.900

Description: STA. 57+31 IN SOUTHEAST WINGWALL BRIDGE # 4719. NOT  
RECOVERED OCT. 5, 1998

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 540012

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #11

Date Established: 12/2/1994

System: STATE

Job Number: 110196

Nearest City:

County: PHILLIPS

Route: 49B

Section: 10B

Log Mile: 2.30

Land Section Number: 1

Township: 02S

Range: 04E

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.563

Elevation (Feet): 247.910

Description: AHTD DISK SET IN SW COR. CONC. HDWL. NOT RECOVERED OCT. 5, 1998

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 540013

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #11

Date Established: 5/23/1996

System: STATE

Job Number: 110127

Nearest City: POPLAR GROVE

County: PHILLIPS

Route: 49

Section: 10

Log Mile: 12.59

Land Section Number: 1

Township: 02S

Range: 02E

Land Section: NW

Latitude: N 34 33 20.0

Longitude: W 90 51 07.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 55.937

Elevation (Feet): 183.520

Description: AHTD DISK SET IN TOP OF SOUTHWEST WING BR #6554 (CROOKED CREEK). RECOVERED OCT. 5, 1998

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 540014

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #11

Date Established: 5/23/1996

System: STATE

Job Number: 110127

Nearest City: POPLAR GROVE

County: PHILLIPS

Route: 49

Section: 10

Log Mile: 12.90

Land Section Number: 1

Township: 02S

Range: 02E

Land Section: NE

Latitude: N 34 33 21.0

Longitude: W 90 50 45.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 56.196

Elevation (Feet): 184.370

Description: AHTD DISK SET IN TOP OF SOUTHWEST WING BR# 6555 (BIG CREEK).  
RECOVERED OCT. 5, 1998

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 540015

Class:

Vertical Datum:

Established by: RE OFFICE #11

Date Established: 7/1/1993

System: COUNTY Job Number: f-54-12 Nearest City:

County: PHILLIPS Route: CR 1 Section: Log Mile:

Land Section Number: 11 Township: 04s Range: 01e

Land Section: NW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 47.064 Elevation (Feet): 154.409

Description: AHTD DISK ON TOP SOUTHEAST CONCRETE WINGWALL BR. NO.  
4712 NOT RECOVERED OCT. 5, 1998

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 540016

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #11

Date Established:

System: COUNTY

Job Number: F-54-8

Nearest City: WEST HELENA

County: PHILLIPS

Route: FAS 1544

Section:

Log Mile:

Land Section Number: 32

Township: 01S

Range: 04E

Land Section:

Latitude: N 34 34 15.0

Longitude: W 90 41 51.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.139

Elevation (Feet): 213.710

Description: AHTD DISK IN SW CORNER OF BR 4365. COUNTY ROAD OVER CROOKED CREEK. 1.1 MILE NORTH OF HWY. 49 AND 1.1 MILE WEST OF THOMPSON-ROBBINS AIRPORT RECOVERED OCT. 5, 1998

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 540018

Class:

Vertical Datum:

Established by: RE OFFICE #11

Date Established: 12/2/1986

System: COUNTY Job Number: BR-54-2 Nearest City: WEST HELENA

County: PHILLIPS Route: CR 68 Section: Log Mile:

Land Section Number: 28 Township: 04E Range: 01S

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.178 Elevation (Feet): 223.681

Description: AHTD DISK SET IN TOP OF SOUTH WINGWALL EAST END OF BRIDGE  
4560 NOT RECOVERED OCT. 5, 1998

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 540019

Class:

Vertical Datum: NAVD88

Established by: RE OFFICE #11

Date Established: 9/22/2006

System: FEDERAL

Job Number: 110384

Nearest City:

County: PHILLIPS

Route: 49

Section: 10

Log Mile: 15.70

Land Section Number: 4

Township: 01

Range: 03

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 58.598

Elevation (Feet): 192.250

Description: AHTD DISK SET IN TOP RC BOX HEADWALL NORTHEAST CORNER,  
STATION 210+81 LT

Comments: R.E. JOHN MCMICKLE

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 540020

Class:

Vertical Datum: NAVD88

Established by: RE OFFICE #11

Date Established: 9/22/2006

System: FEDERAL

Job Number: 110384

Nearest City:

County: PHILLIPS

Route: 49

Section: 10

Log Mile: 12.59

Land Section Number: 1

Township: 02

Range: 02

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 55.867

Elevation (Feet): 183.290

Description: AHTD DISK SET IN TOP OF SOUTHWEST WINGWALL BRIDGE NO. 06554  
ST STS. 46+86 RT.

Comments: R.E. JOHN MCMICKLE

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 540021

Class:

Vertical Datum: NAVD88

Established by: RE OFFICE #11

Date Established: 9/22/2006

System: FEDERAL Job Number: 110384 Nearest City:

County: PHILLIPS Route: 49 Section: 10 Log Mile: 12.59

Land Section Number: 1 Township: 02 Range: 02

Land Section: NW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 56.138 Elevation (Feet): 184.179

Description: AHTD DISK SET IN TOP OF SOUTHWEST WINGWALL BRIDGE NO. 0655  
AT STATION 62+86 RT.

Comments: R.E. JOHN MCMICKLE



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 540022

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #11

Date Established: 9/22/2006

System: FEDERAL Job Number: 110383 Nearest City:

County: PHILLIPS Route: 49 Section: 10 Log Mile: 10.97

Land Section Number: 34 Township: 01 Range: 02

Land Section: SE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 56.787 Elevation (Feet): 186.309

Description: AHTD DISK SET IN SOUTHWEST CORNER HEADWALL RC BOX  
CULVERT AT STA. 161+23 RT

Comments: R.E. JOHN MCMICKLE

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 540023

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #11

Date Established: 9/22/2006

System: FEDERAL Job Number: 110383 Nearest City:

County: PHILLIPS Route: 49 Section: 10 Log Mile: 8.17

Land Section Number: 35 Township: 01 Range: 02

Land Section: SE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 58.138 Elevation (Feet): 190.741

Description: AHTD DISK SET IN TYPE-MO DROP INLET TOP RT. STA. 212+50

Comments: R.E. JOHN MCMICKLE

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 540024

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #11

Date Established: 9/20/2006

System: FEDERAL Job Number: 110383 Nearest City:

County: PHILLIPS Route: 49 Section: 10 Log Mile: 8.47

Land Section Number: 32 Township: 01 Range: 02

Land Section: SW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.118 Elevation (Feet): 213.641

Description: AHTD DISK SET IN TYPE-MO DROP INLET LEFT STA. 29+00 LT.

Comments: R.E. JOHN MCMICKLE

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 540025

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #11

Date Established: 9/28/2006

System: FEDERAL

Job Number: 110383

Nearest City:

County: PHILLIPS

Route: 49

Section: 10

Log Mile: 9.63

Land Section Number: 33

Township: 01

Range: 02

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 60.357

Elevation (Feet): 198.021

Description: AHTD DISK SET IN TYPE-MO DROP INLET LEFT STA. 90+00

Comments: R.E. JOHN MCMICKLE

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 540026

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #11

Date Established: 10/10/2006

System: COUNTY Job Number: FA5415 Nearest City:

County: PHILLIPS Route: CR53 Section: N/A Log Mile: N/A

Land Section Number: 24 Township: 02S Range: 03E

Land Section: NW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 50.048

Elevation (Feet): 164.199

Description: AHTD DISK SET IN TOP OF RC BOX CULVERT HEADWALL RT. STA 105+08,SOUTHWEST CORNER HEADWALL

Comments: R.E. JOHN MCMICKLE

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 540027

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #11

Date Established: 12/12/2014

System: STATE Job Number: BR5405 Nearest City: Lexa

County: PHILLIPS Route: ips County R Section: Log Mile:

Land Section Number: 2 Township: 01s Range: 03e

Land Section: NE

Latitude: N 34 38 08.35000 Longitude: W 90 45 38.15000 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 62.4079 Elevation (Feet): 204.750

Description: Disk in Southwest side of bridge 04921 Parapet wall.

Comments: Elevation not verified due to lack of three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 540028

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #11

Date Established: 11/4/2014

System: STATE

Job Number: BR5405

Nearest City: Lexa

County: PHILLIPS

Route: ips County R

Section:

Log Mile:

Land Section Number: 2

Township: 01s

Range: 03e

Land Section: NE

Latitude: N 34 38 09.09000

Longitude: W 90 45 17.51000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 63.2248

Elevation (Feet): 207.430

Description: Disk in Southwest side of Bridge 04922 Parapet wall.

Comments: Elevation not verified due to lack of three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 540029

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #11

Date Established: 4/21/2017

System: STATE

Job Number: 110572

Nearest City: Lexa

County: PHILLIPS

Route: 242

Section: 1

Log Mile: 8.14

Land Section Number: 18

Township: 01s

Range: 04e

Land Section: NW

Latitude: N 34 35 54.00000

Longitude: W 90 43 51.00000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 59.9482

Elevation (Feet): 196.680

Description: Disk in Southwest side of R.C. Box culvert at STA 107+52 Right

Comments: Three wire data available on EDM under job 110572 in s110572re\_benches.zip



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 540030

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #11

Date Established: 10/4/2017

System: STATE

Job Number: 110575

Nearest City: Lundell

County: PHILLIPS

Route: 44

Section: 3

Log Mile:

Land Section Number: 12

Township: 06s

Range: 01e

Land Section: NE

Latitude: N 34 11 11.10000

Longitude: W 90 57 53.80000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 48.56083312

Elevation (Feet): 159.320

Description: DISK IN EAST HEADWALL OF RC BOX CULVERT

Comments: Three wire data available on EDM under job 110575 in s110575re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 540031

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #11

Date Established: 5/15/2018

System: STATE Job Number: 110217 Nearest City: Barton

County: PHILLIPS Route: 1 Section: 8&9 Log Mile:

Land Section Number: 34 Township: 01s Range: 03e

Land Section: SE

Latitude: N 34 33 25.05000 Longitude: W 90 46 05.87000 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 60.0823 Elevation (Feet): 197.120

Description: disk in West side of RCBC

Comments: Elevation not verified

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 540032

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #11

Date Established: 1/6/2019

System: STATE

Job Number: 110217

Nearest City: Barton

County: PHILLIPS

Route: 1

Section: 8&9

Log Mile:

Land Section Number: 35

Township: 01s

Range: 03e

Land Section: SE

Latitude: N 34 33 35.74000

Longitude: W 90 46 05.20000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 61.0942

Elevation (Feet): 200.440

Description: Disk in East side of RCBC

Comments: Elevation not verified

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 540033

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #11

Date Established: 10/30/2018

System: STATE

Job Number: 110217

Nearest City: Lexa

County: PHILLIPS

Route: 1

Section: 8&9

Log Mile:

Land Section Number: 25

Township: 01s

Range: 03e

Land Section: SE

Latitude: N 34 34 17.03000

Longitude: W 90 46 04.99000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 64.383

Elevation (Feet): 211.230

Description: Disk in West side of RCBC

Comments: Elevation not verified

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 540034

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #11

Date Established: 1/6/2019

System: STATE

Job Number: 110217

Nearest City: Barton

County: PHILLIPS

Route: 1

Section: 8&9

Log Mile:

Land Section Number: 15

Township: 01s

Range: 03e

Land Section: NE

Latitude: N 34 36 19.46000

Longitude: W 90 46 05.80000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 64.9835

Elevation (Feet): 213.200

Description: Disk in West side of RCBC

Comments: Elevation not verified

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 540035

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #11

Date Established: 5/15/2018

System: STATE

Job Number: 110217

Nearest City: Lexa

County: PHILLIPS

Route: 1

Section: 8&9

Log Mile:

Land Section Number: 11

Township: 01s

Range: 03e

Land Section: NE

Latitude: N 34 37 02.16000

Longitude: W 90 46 05.02000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 60.4145

Elevation (Feet): 198.210

Description: Disk in East side of RCBC

Comments: Elevation not verified

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 540036

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #11

Date Established: 1/6/2019

System: STATE

Job Number: 110217

Nearest City: Barton

County: PHILLIPS

Route: 1

Section: 8&9

Log Mile:

Land Section Number: 35

Township: 01n

Range: 03e

Land Section: SE

Latitude: N 34 38 38.03000

Longitude: W 90 46 04.15000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 63.8649

Elevation (Feet): 209.530

Description: Disk in East side of parapet wall

Comments: Elevation not verified.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 540037

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #11

Date Established: 12/11/2020

System: STATE Job Number: 110643 Nearest City: Marvell

County: PHILLIPS Route: 316 Section: 1 Log Mile: 4.75

Land Section Number: 32 Township: 02s Range: 02e

Land Section: SW

Latitude: N 34 28 03.97000 Longitude: W 90 55 32.88000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 52.5781 Elevation (Feet): 172.500

Description: AHTD Disk on NE HW

Comments: not verified



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 540038

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #11

Date Established: 12/9/2020

System: STATE

Job Number: 110643

Nearest City: Marvell

County: PHILLIPS

Route: 316

Section: 1

Log Mile: 4.25

Land Section Number: 31

Township: 02s

Range: 02e

Land Section: SW

Latitude: N 34 28 02.00000

Longitude: W 90 55 48.50000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 52.0935

Elevation (Feet): 170.910

Description: AHTD Disk on NE HW

Comments: Not verified

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 540039

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #11

Date Established: 4/21/2015

System: STATE Job Number: 110619 Nearest City: Turner

County: PHILLIPS Route: 39 Section: 1 Log Mile: 4.50

Land Section Number: 8 Township: 02s Range: 01e

Land Section: NW

Latitude: N 34 31 43.00000 Longitude: W 91 01 00.00000 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 53.0902 Elevation (Feet): 174.180

Description: Disk on Western section of headwall.

Comments: Elevation not verified,

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 540040

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #11

Date Established: 12/9/2020

System: STATE

Job Number: 110643

Nearest City: Marvell

County: PHILLIPS

Route: 316

Section: 1

Log Mile: 4.25

Land Section Number: 31

Township: 02S

Range: 02e

Land Section: SW

Latitude: N 34 28 02.00

Longitude: W 90 55 48.50

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 52.094

Elevation (Feet): 170.912

Description: DISK ON NORTHEAST SECTION OF HEADWALL

Comments: VERIFIED FROM TBM 901 IN JOB 110643, DATA AVAILABLE ON EDM  
s110643\_re\_bench.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 540041

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #11

Date Established: 12/11/2020

System: STATE Job Number: 110643 Nearest City: Marvell

County: PHILLIPS Route: 316 Section: 1 Log Mile: 4.75

Land Section Number: 32 Township: 02S Range: 02E

Land Section: SW

Latitude: N 34 28 03.97 Longitude: W 90 55 32.88 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 52.579 Elevation (Feet): 172.503

Description: DISK ON NORTHEAST SECTION OF HEAD WALL

Comments: VERIFIED FROM TBM 903 IN JOB 110643, DATA AVAILABLE ON EDM  
s110643\_re\_bench.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 540042

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #11

Date Established: 4/15/2021

System: STATE Job Number: 110619 Nearest City: Turner

County: PHILLIPS Route: 39 Section: 1 Log Mile: 4.50

Land Section Number: 8 Township: 02s Range: 01e

Land Section: NW

Latitude: N 34 31 43.00000 Longitude: W 91 01 00.00000 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 53.09 Elevation (Feet): 174.179

Description: Disk on Western section of headwall

Comments: Three wire data on EDM under job 110619 in s110619\_re\_bm.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 540043

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #11

Date Established: 11/10/2021

System: STATE

Job Number: 110642

Nearest City: Oneida

County: PHILLIPS

Route: 85

Section: 1

Log Mile: 1.8

Land Section Number: 3

Township: 03s

Range: 03e

Land Section: NE

Latitude: N 34 27 04.36000

Longitude: W 90 47 08.39000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 50.472

Elevation (Feet): 165.590

Description: Disk on SE corner of headwall

Comments: Elevation verified. Three wire data on EDM under job 110642 in  
s110642\_re\_bm.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 550001

Class:

Vertical Datum:

Established by: RE OFFICE #31

Date Established: 11/20/1989

System: STATE

Job Number: 3981

Nearest City: GLENWOOD

County: PIKE

Route: 8

Section: 4

Log Mile: 5.26

Land Section Number: 29

Township: 05S

Range: 23W

Land Section: SW

Latitude: N 34 16 17.0

Longitude: W 93 29 39.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 151.961

Elevation (Feet): 498.559

Description: METAL DISC IN THE CENTER OF HEADWALL NORTH SIDE OF  
ROADWAY R.C. BOX CULVERT 38' RIGHT OF STATION 18+08

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 550002

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: MURFRESBORO

County: PIKE

Route: 27

Section: 4

Log Mile: 4.09

Land Section Number: 19

Township: 08S

Range: 26W

Land Section:

Latitude: N 34 02 50.0

Longitude: W 93 43 91.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 107.07

Elevation (Feet): 351.279

Description: DISC IN TOP OF WING BENT NO. 1 BRIDGE NO. 1623W (SOUTHEAST WING). LOCATED BY S5102 ON 3/2004.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 550003

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: MURFREESBORO

County: PIKE

Route: 27

Section: 4

Log Mile: 4.40

Land Section Number: 19

Township: 08S

Range: 26W

Land Section:

Latitude: N 34 02 55.0

Longitude: W 93 43 16.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 107.25

Elevation (Feet): 351.869

Description: DISC IN TOP OF WING BENT NO. 1 BRIDGE NO. 1029W (SOUTHWEST WING). LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 550004

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: MURFREESBORO

County: PIKE

Route: 27

Section: 4

Log Mile: 5.41

Land Section Number: 18

Township: 08S

Range: 25W

Land Section:

Latitude: N 34 03 18.0

Longitude: W 93 42 19.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 107.08

Elevation (Feet): 351.312

Description: DISC IN TOP OF WING BENT NO. 1 BRIDGE NO. 1622W (SOUTHEAST WING). LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 550005

Class:

Vertical Datum:

Established by: RE OFFICE #31

Date Established: 6/23/1986

System: STATE Job Number: R30018 Nearest City: PINEY GROVE

County: PIKE Route: 301 Section: 1 Log Mile: 17.75

Land Section Number: 5 Township: 09S Range: 23W

Land Section: SE

Latitude: N 33 59 13.0 Longitude: W 93 28 28.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 100.033 Elevation (Feet): 328.192

Description: STANDARD AHTD BENCHMARK DISC IN WEST WINGWALL OF BRIDGE NO. 6010 AT BUFFALO CREEK. 18' LEFT OF STATION 406+68. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 550006

Class:

Vertical Datum:

Established by: RE OFFICE #31

Date Established: 4/14/1986

System: STATE Job Number: R30018 Nearest City: BILLSTOWN

County: PIKE Route: 301 Section: 1 Log Mile: 11.29

Land Section Number: 10 Township: 09S Range: 24W

Land Section:

Latitude: N 33 58 23.0 Longitude: W 93 33 14.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 87.091 Elevation (Feet): 285.731

Description: STANDARD AHTD BENCHMARK DISC IN NORTHEAST WINGWALL OF  
BRIDGE NO. 6005 AT SALINE CREEK. 17' LEFT OF STATION 65+72.  
LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 550007

Class:

Vertical Datum:

Established by: RE OFFICE #31

Date Established: 5/6/1986

System: STATE

Job Number: R30018

Nearest City: BILLSTOWN

County: PIKE

Route: 301

Section: 1

Log Mile: 12.36

Land Section Number: 10

Township: 09S

Range: 24W

Land Section:

Latitude: N 33 58 31.0

Longitude: W 93 32 40.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 91.693

Elevation (Feet): 300.829

Description: STANDARD AHTD BENCHMARK DISC IN SOUTH HEADWALL OF R.C. BOX CULVERT AT BLACKLAND BRANCH. 36' RIGHT OF STATION 121+79. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 550008

Class:

Vertical Datum:

Established by: RE OFFICE #31

Date Established: 5/13/1986

System: STATE

Job Number: R30018

Nearest City: PISGAH

County: PIKE

Route: 301

Section: 1

Log Mile: 13.47

Land Section Number: 14

Township: 09S

Range: 24W

Land Section:

Latitude: N 33 58 07.0

Longitude: W 93 31 46.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.865

Elevation (Feet): 281.709

Description: STANDARD AHTD BENCHMARK DISC IN NORTHWEST WINGWALL OF  
BRIDGE NO. 6006 AT SIMPKIN CREEK. 30' LEFT OF STATION 180+49.  
LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 550009

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 5/15/1986

System: STATE

Job Number: R30018

Nearest City: PISGAH

County: PIKE

Route: 301

Section: 1

Log Mile: 15.17

Land Section Number: 18

Township: 09S

Range: 23W

Land Section:

Latitude: N 33 57 40.0

Longitude: W 93 30 10.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.583

Elevation (Feet): 267.660

Description: STANDARD AHTD BENCHMARK DISC IN WEST WINGWALL OF BRIDGE NO. 6009 AT GUM CREEK. 18' LEFT OF STATION 270+00. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 550010

Class:

Vertical Datum:

Established by:

RE OFFICE #31

Date Established: 11/6/1991

System: STATE

Job Number: R30024

Nearest City: ANTOINE

County: PIKE

Route: 301

Section: 2

Log Mile: 2.36

Land Section Number: 25

Township: 08S

Range: 23W

Land Section: SW

Latitude: N 34 01 18.0

Longitude: W 93 25 10.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.599

Elevation (Feet): 251.309

Description: METAL DISC IN LEFT HEADWALL QUAD 6'X 4'X 66' R.C.B.C. STATION  
223+95. LOCATED BY S5102 ON 3/2004.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 550011

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 11/6/1991

System: STATE

Job Number: R30024

Nearest City: ANTOINE

County: PIKE

Route: 301

Section: 2

Log Mile: 3.22

Land Section Number: 22

Township: 08S

Range: 23W

Land Section: SE

Latitude: N 34 02 03.0

Longitude: W 93 25 11.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 83.765

Elevation (Feet): 274.819

Description: METAL DISC IN LEFT HEADWALL QUAD 4'X 4'X 91' 15'RIGHT FWD  
SKEW R.C.B.C. STATION 269+21. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 550012

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 11/6/1991

System: STATE

Job Number: R30024

Nearest City: ANTOINE

County: PIKE

Route: 301

Section: 2

Log Mile: 19.27

Land Section Number: 33

Township: 08S

Range: 23W

Land Section: SE

Latitude: N 33 59 56.0

Longitude: W 93 27 34.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 99.036

Elevation (Feet): 324.921

Description: METAL DISC IN LEFT HEADWALL QUAD 4'X 4'X 42' R.C.B.C. STATION 41+65 J. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 550013

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 11/6/1991

System: STATE

Job Number: R30024

Nearest City: ANTOINE

County: PIKE

Route: 301

Section: 2

Log Mile: 19.71

Land Section Number: 34

Township: 08S

Range: 23W

Land Section: SW

Latitude: N 34 00 11.0

Longitude: W 93 27 13.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 93.565

Elevation (Feet): 306.971

Description: METAL DISC IN RIGHT HEADWALL QUAD 5'X 5'X 83 R.C.B.C. STATION 65+10. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 550014

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City: ANTOINE

County: PIKE Route: 301 Section: 3 Log Mile: 2.06

Land Section Number: Township: 08S Range: 23W

Land Section:

Latitude: N 34 00 59.0 Longitude: W 93 25 11.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.37 Elevation (Feet): 260.400

Description: DISK TOP WINGWALL NORTHEAST CORNER BRIDGE #5991 0.8 MILES  
SOUTH ANTOINE. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 550015

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City: LANGLEY

County: PIKE Route: 369 Section: 3A Log Mile: 6.57

Land Section Number: Township: 05S Range: 26W

Land Section:

Latitude: N 34 19 24.0 Longitude: W 93 50 41.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 231.325 Elevation (Feet): 758.939

Description: DISK TOP OF SOUTHEAST CORNER PARAPET BRIDGE 5772. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 550016

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City: LANGLEY

County: PIKE Route: 369 Section: 3A Log Mile: 6.90

Land Section Number: Township: 05S Range: 26W

Land Section:

Latitude: N 34 19 47.0 Longitude: W 93 50 36.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 235.519 Elevation (Feet): 772.699

Description: DISK TOP OF NORTHEAST HEADWALL DOUBLE 5 X 3 R.C. BOX.  
LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 550017

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City: LANGLEY

County: PIKE Route: 369 Section: 3A Log Mile: 7.81

Land Section Number: Township: 05S Range: 27W

Land Section:

Latitude: N 34 20 27.0 Longitude: W 93 50 27.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 249.568 Elevation (Feet): 818.791

Description: DISK TOP NORTHWEST CORNER PARAPET RAIL BRIDGE 5773.  
LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 550018

Class:

Vertical Datum:

Established by: RE OFFICE #31

Date Established: 6/6/1995

System: STATE

Job Number: 003972

Nearest City: MURFREESBORO

County: PIKE

Route: 27

Section: 4

Log Mile: 6.17

Land Section Number: 17

Township: 09S

Range: 25W

Land Section:

Latitude: N 34 03 43.0

Longitude: W 93 41 36.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 105.677

Elevation (Feet): 346.709

Description: DISC IN TOP OF HDWL. TRIPLE 6' x 4' R. C. B. C. 25' RT. CENTERLINE 6.17 LOG MILE EAST OF HEMPSTEAD CO. LINE AND 3.67 LOG MILE EAST OF INTERSECTION HWY. 26 & 27 ALSO .18 LOG MILE WEST OF PIKE COUNTY COURT HOUSE. LOCATED BY S5102 ON 3/2004.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 550019

Class:

Vertical Datum:

Established by: RE OFFICE #31

Date Established: 6/6/1995

System:

Job Number: 003972

Nearest City: MURFREESBORO

County: PIKE

Route: 27

Section: 4

Log Mile: 3.44

Land Section Number: 24

Township: 09S

Range: 26W

Land Section:

Latitude: N 34 02 37.0

Longitude: W 93 44 05.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 130.671

Elevation (Feet): 428.710

Description: DISC IN TOP OF HDWL. 3' x 2' R. C. B. C. 31' RT. CENTERLINE 3.44 LOG MILE EAST OF HEMPSTEAD CO. LINE AND 0.93 LOG MILE EAST OF INTERSECTION OF HWY. 26 & 27. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 550020

Class:

Vertical Datum:

Established by: RE OFFICE #31

Date Established: 6/6/1995

System:

Job Number: 003972

Nearest City: MURFREESBORO

County: PIKE

Route: 27

Section: 4

Log Mile: 5.83

Land Section Number: 18

Township: 09S

Range: 25W

Land Section:

Latitude: N 34 03 33.0

Longitude: W 93 41 54.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 105.22

Elevation (Feet): 345.209

Description: DISC IN TOP OF HDWL. 4' x 4' R. C. B. C. 28' RT. CENTERLINE 5.83 LOG MILE EAST OF HEMPSTEAD CO. LINE AND 3.32 LOG MILE EAST OF HWY. 26 & 27 ALSO .52 LOG MILE WEST OF PIKE COUNTY COURT HOUSE. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 550021

Class:

Vertical Datum:

Established by: RE OFFICE #31

Date Established: 6/6/1995

System: STATE Job Number: 003972 Nearest City: MURFREESBORO

County: PIKE Route: 27 Section: 4 Log Mile: 1.10

Land Section Number: 27 Township: 09S Range: 26W

Land Section:

Latitude: N 34 01 02.0 Longitude: W 93 45 52.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 168.972 Elevation (Feet): 554.369

Description: DISC IN TOP OF RT. HDWL. 5' x 4' R. C. B. C. 35' RT. CENTERLINE 1.10 LOG MILE EAST OF HEMPSTEAD CO. LINE AND 1.41 LOG MILE WEST OF INTERSECTION OF HWY. 26 & 27. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 550022

Class:

Vertical Datum:

Established by: RE OFFICE #31

Date Established: 6/6/1995

System: STATE

Job Number: 003972

Nearest City: MURFREESBORO

County: PIKE

Route: 27

Section: 4

Log Mile: 1.25

Land Section Number: 27

Township: 09S

Range: 26W

Land Section:

Latitude: N 34 01 22.0

Longitude: W 93 45 43.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 167.622

Elevation (Feet): 549.940

Description: DISC IN TOP OF HDWL. 10' x 7' R. C. B. C. 44' RT. CENTERLINE 1.25 LOG MILE EAST OF HEMPSTEAD CO, LINE AND 1.26 LOG MILE EAST OF INTERSECTION HWY. 26 & 27. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 550023

Class:

Vertical Datum:

Established by: RE OFFICE #31

Date Established: 6/6/1995

System: STATE

Job Number: 003972

Nearest City: MURFREESBORO

County: PIKE

Route: 27

Section: 4

Log Mile: 1.58

Land Section Number: 27

Township: 09S

Range: 26W

Land Section:

Latitude: N 34 01 32.0

Longitude: W 93 45 25.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 173.011

Elevation (Feet): 567.620

Description: DISC IN TOP RT. HDWL. DBL. 4' x 4' R. C. B. C. 35' RT. CENTERLINE 1.58 LOG MILE EAST OF HEMPSTEAD CO. LINE AND 0.93 LOG MILE WEST OF INTERSECTION HWY. 26 & 27. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 550024

Class:

Vertical Datum:

Established by: RE OFFICE #31

Date Established: 6/6/1995

System: STATE

Job Number: 003972

Nearest City: MURFREESBORO

County: PIKE

Route: 27

Section: 4

Log Mile: 2.11

Land Section Number: 26

Township: 09S

Range: 26W

Land Section:

Latitude: N 34 01 50.0

Longitude: W 93 45 01.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 171.03

Elevation (Feet): 561.121

Description: DISC IN TOP OF HDWL. 8' x 5' R. C. B. C. 36' RT. CENTERLINE 2.11 LOG MILE EAST OF HEMPSTEAD CO. LINE AND 0.40 LOG MILE WEST OF INTERSECTION 26 & 27. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 550026

Class:

Vertical Datum:

Established by: RE OFFICE #31

Date Established: 11/3/1993

System: COUNTY

Job Number: F-55-7

Nearest City: MURFREESBORO

County: PIKE

Route: AS RT. 156

Section:

Log Mile:

Land Section Number: 11

Township: 08S

Range: 26W

Land Section: NW

Latitude: N 34 04 40.0

Longitude: W 93 45 00.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 113.55

Elevation (Feet): 372.539

Description: AHTD ALUM. CAP IN TOP OF SW GWL. OF MUDDY FORK CRK. BR.  
#4652 APPROX. 4.5 WEST OF MURFREESBORO. LOCATED BY S5102 ON  
3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 550027

Class:

Vertical Datum:

Established by: RE OFFICE #31

Date Established: 11/2/1993

System: COUNTY Job Number: BR-55-6 Nearest City: NATHAN

County: PIKE Route: CR 3 Section: Log Mile:

Land Section Number: 30 Township: 07S Range: 26W

Land Section: SE

Latitude: N 34 06 46.0 Longitude: W 93 48 44.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 124.727 Elevation (Feet): 409.208

Description: AHTD SLUMINUM CAP SET IN TOP OF SOUTH EAST WINGWALL OF MUDDY FORK CRK. BR. #4688. 1/2 MILES NORTH OF NATHAN, AR ON COUNTY ROAD #3. LOCATED BY S5102 ON 3/2004.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 550028

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: DELIGHT

County: PIKE

Route: CR 15

Section:

Log Mile:

Land Section Number: 19

Township: 08S

Range: 23W

Land Section:

Latitude: N 34 02 17.0

Longitude: W 93 20 24.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 110.326

Elevation (Feet): 361.961

Description: 0.65 N OF SH 26. NW WINGWALL BRIDGE RE. NE 55-1. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 550029

Class:

Vertical Datum:

Established by: RE OFFICE #31

Date Established:

System:

Job Number: CR-55-3

Nearest City: MURFREESBORO

County: PIKE

Route: CR 5

Section:

Log Mile: 1.8\*

Land Section Number:

Township: 08S

Range: 26W

Land Section:

Latitude: N 34 05 10.0

Longitude: W 93 42 32.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 111.886

Elevation (Feet): 367.079

Description: BM DISC IN SOUTH WEST WINGWALL BRIDGE NO. 4540. \*\*1.8 MI.  
NORTHWEST JCT. S.H. 27 &19 IN MURFREESBORO. LOCATED BY S5102  
ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 550030

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established:

System:

Job Number: N/A

Nearest City: MURFREESBORO

County: PIKE

Route: CR 5

Section:

Log Mile: 1.0\*

Land Section Number: 1

Township: 08S

Range: 26W

Land Section:

Latitude: N 34 04 51.0

Longitude: W 93 43 24.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 115.739

Elevation (Feet): 379.720

Description: DISC IN TOP OF WEST END OF SOUTH HEADWALL OF TRIPLE 10' x 6' x 85' R. C. BOX CULVERT ON ELAM CREEK. LOGGED FROM WEST END OF LOW WATER BRIDGE ON LITTLE MISSOURI RIVER. \*\*1 MILE WEST OF LITTLE MISSOURI. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 550031

Class:

Vertical Datum:

Established by: RE OFFICE #31

Date Established: 8/20/1997

System: STATE

Job Number: 003982

Nearest City: MURFREESBORO

County: PIKE

Route: 26

Section: 03

Log Mile: 0.27

Land Section Number: 03

Township: 08S

Range: 25W

Land Section:

Latitude: N 34 04 13.0

Longitude: W 93 40 37.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 112.4714

Elevation (Feet): 369.000

Description: AHTD DISK IN CENTER OF SOUTH HDWL. TRI 10 X 8 X 79 30 DEGREES  
LFS RCBOX CULVERT 0.27 MILES EAST OF HWY26/HWY 27 JUNCTION  
ON HIGHWAY 26. 1-10 MILES NORTH OF PIKE COUNTY COURTHOUSE.  
LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 550032

Class:

Vertical Datum:

Established by: RE OFFICE #31

Date Established: 7/22/1999

System: STATE Job Number: 003982 Nearest City: MURFREESBORO

County: PIKE Route: 27 Section: 05 Log Mile: 0.91

Land Section Number: 9 Township: 07S Range: 25W

Land Section:

Latitude: N 34 04 12.0 Longitude: W 93 41 01.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 112.4324 Elevation (Feet): 368.872

Description: AHTD BENCHMARK IN SW WINGWALL OF BR 6652. 0.2 MILES WEST OF HWY 27/HWY26 JUNCTION ON HWY 27 & 0.9 MILES NORTH OF PIKE CO COURTHOUSE. LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 550033

Class:

Vertical Datum:

Established by:

RE OFFICE #31

Date Established: 8/20/1999

System: STATE

Job Number: 003982

Nearest City:

County: PIKE

Route: 26

Section: 03

Log Mile: 6.39

Land Section Number: 08

Township: 08S

Range: 24W

Land Section:

Latitude: N 34 03 45.0

Longitude: W 93 34 51.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 126.0137

Elevation (Feet): 413.430

Description: AHTD DISK IN SW WINGWALL OF BR 6651 6.3 MILES EAST OF HWY 26/  
HWY 27 JUNCTION ON HWY 26. LOCATED IN SALINE CREEK BRIDGE.  
LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 550034

Class:

Vertical Datum:

Established by: RE OFFICE #31

Date Established: 7/22/1999

System: STATE

Job Number: 003982

Nearest City: MURFREESBORO

County: PIKE

Route: 05

Section: 05

Log Mile:

Land Section Number: 34

Township: 07S

Range: 25W

Land Section:

Latitude: N 34 05 54.0

Longitude: W 93 39 31.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 151.2115

Elevation (Feet): 496.100

Description: AHTD BM DISK IN EAST HEADWALL OF RCBOX CULVERT 2.35 MI  
NORTH OF HEY 27/HWY 26 JUNCTION ON HWY 27. LOCATED BY S5102  
ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 550035

Class:

Vertical Datum:

Established by: RE OFFICE #31

Date Established: 7/22/1999

System: STATE

Job Number: 003982

Nearest City: MURFREESBORO

County: PIKE

Route: 27

Section: 05

Log Mile:

Land Section Number: 14

Township: 07S

Range: 25W

Land Section:

Latitude: N 34 08 47.0

Longitude: W 93 37 59.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 161.6577

Elevation (Feet): 530.372

Description: AHTD BM DISK IN SE WINGWALL OF BR 6653 6-18 MILES NORTH OF  
HWY 27/HWY 26 JUNCTION ON HWY 27. LOCATED BY S5102 ON 3/2004.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 550036

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 12/26/2002

System: COUNTY

Job Number: FA5512

Nearest City: NATHAN

County: PIKE

Route: CR6

Section:

Log Mile:

Land Section Number: 32

Township: 07S

Range: 26W

Land Section:

Latitude: N 34 06 09.8

Longitude: W 93 47 48.7

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 129.7231

Elevation (Feet): 425.600

Description: AHTD DISC IN SOUTH HW DBL RC BOX 1 MILE EAST OF CR219/CR3.  
LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 550037

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 12/26/2002

System: COUNTY

Job Number: FA5512

Nearest City: NATHAN

County: PIKE

Route: CR6

Section:

Log Mile:

Land Section Number: 33

Township: 07S

Range: 26W

Land Section:

Latitude: N 34 05 47.6

Longitude: W 93 46 39.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 114.544

Elevation (Feet): 375.800

Description: AHTD DISC IN SOUTH HW QUAD RC BOX 2.2 MILES EAST OF CR219/CR3.  
LOCATED BY S5102 ON 3/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 550038

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by:

Date Established: 4/26/1994

System:

Job Number:

N/A

Nearest City:

County:

PIKE

Route:

27

Section:

4

Log Mile:

4.09

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

107.0703582

Elevation (Feet):

351.280

Description:

DISK IN TOP OF SE WING, BENT 1, BR 1623W

Comments:

Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 550039

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: N/A Nearest City:

County: PIKE Route: 27 Section: 4 Log Mile: 4.40

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 107.2501905 Elevation (Feet): 351.870

Description: DISK IN TOP SW WING, BENT 1, BR 1029W

Comments: Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 550040

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: N/A Nearest City:

County: PIKE Route: 27 Section: 4 Log Mile: 5.41

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 107.0795 Elevation (Feet): 351.310

Description: DISK IN TOP SE WING, BENT 1, BR 1622W

Comments: Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 550041

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: N/A Nearest City:

County: PIKE Route: 369 Section: 3A Log Mile: 6.45

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 231.32537 Elevation (Feet): 758.940

Description: DISK IN TOP SE CORNER PARAPET, BR 5772

Comments: Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 550042

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: N/A Nearest City:

County: PIKE Route: 369 Section: 3A Log Mile: 6.90

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 235.5194311 Elevation (Feet): 772.700

Description: DISK IN TOP NE HEADWALL, DBL 5X3 RCBC

Comments: Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 550043

Class: UNKNOWN

Vertical Datum: NGVD29

Established by:

Date Established: 4/26/1994

System:

Job Number: N/A

Nearest City:

County: PIKE

Route: 369

Section: 3A

Log Mile: 7.81

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 249.56769

Elevation (Feet): 818.790

Description: DISK IN TOP NW CORNER PARAPET RAIL, BR 5773

Comments: Benches were set in 1994 by District 3



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 550044

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: N/A Nearest City:

County: PIKE Route: CO RD 5 Section: Log Mile:

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 115.73889 Elevation (Feet): 379.720

Description: 1 MILE WEST OF LOW WATER BR ON LITTLE MISSOURI RIVER / DISK IN  
TOP WEST END SOUTH HEADWALL. TRIPLE 10X6X85 RCBC ON ELAM  
CR

Comments: Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 550045

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City:

County: PIKE Route: CO RD 15 Section: Log Mile:

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 110.32563 Elevation (Feet): 361.960

Description: 0.65 MILES NORTH SH 26 / NW WINGWALL BR 55-1

Comments: Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 550058

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #41

Date Established: 9/15/2014

System: STATE

Job Number: 040478

Nearest City: BARLING

County: SEBASTIAN

Route: 71

Section: 14

Log Mile:

Land Section Number: 30

Township: 07N

Range: 31W

Land Section: NW

Latitude: N 35 15 47.00000

Longitude: W 94 21 13.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 190.4184

Elevation (Feet): 624.731

Description: LOCATED IN SW WING OF BRIDGE 07079b, STA 55+80, COUNTY ROAD 8

Comments: ELEVATION VERIFIED. THREE WIRE DATA AVAILABLE ON EDM IN  
s040478\_rebenches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 560001

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #06

Date Established:

System:

Job Number: 100107

Nearest City: HARRISBURG

County: POINSETT

Route: 14

Section: 13

Log Mile: 13.85

Land Section Number: 29

Township: 11N

Range: 03E

Land Section: NE

Latitude: N 35 33 52.1

Longitude: W 90 47 34.6

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.902

Elevation (Feet): 245.741

Description: AHTD BENCHMARK CAP IN CENTER OF SOUTHEAST WING 23' RIGHT STATION 732+88 BRIDGE NO. 6150 BRIDGE JOB NO. 100107 OVER THE "L'ANGUILLE RIVER".

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 560002

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #06

Date Established:

System:

Job Number: 100139

Nearest City: PAYNEWAY

County: POINSETT

Route: 63

Section: 8

Log Mile: 12.65

Land Section Number: 31

Township: 11N

Range: 06E

Land Section:

Latitude: N 35 32 24.5

Longitude: W 90 29 30.5

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 67.419

Elevation (Feet): 221.191

Description: AHTD BENCHMARK CAP IN TOP OF SOUTHWEST END POST BRIDGE  
NO. 6039B STATION 67+53

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 560003

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #06

Date Established:

System:

Job Number: 100047

Nearest City: PAYNEWAY

County: POINSETT

Route: 63

Section: 8

Log Mile: 10.90

Land Section Number: 19

Township: 11N

Range: 06E

Land Section:

Latitude: N 35 33 53.0

Longitude: W 90 29 46.7

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 71.72

Elevation (Feet): 235.301

Description: AHTD BENCHMARK CAP IN TOP OF RIGHT PARAPET WALL  
SOUTHEAST END BRIDGE 6024B STATION 159+81 DISK IS IN TILE SE  
POST OF BRIDGE ON NORTH BOUND SIDE OF HWY-63

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 560004

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #06

Date Established:

System:

Job Number: R00016

Nearest City: TRUMANN

County: POINSETT

Route: 63

Section: 8

Log Mile: 7.03

Land Section Number: 6

Township: 11N

Range: 06E

Land Section:

Latitude: N 35 37 15.7

Longitude: W 90 29 47.5

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.326

Elevation (Feet): 243.851

Description: SQUARE CUT IN NORTHEAST END POST BRIDGE NO. 6034B STATION 363+99 IF THE STATIONING IS RIGHT THE SQUARE CUT IS ON BRIDGE 6043B

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 560005

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #06

Date Established: 3/1/1992

System: STATE

Job Number: R00013

Nearest City: TRUMANN

County: POINSETT

Route: 63

Section: 8

Log Mile: 10.52

Land Section Number: 23

Township: 12N

Range: 05E

Land Section: SW

Latitude: N 35 39 15.8

Longitude: W 90 32 08.5

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.978

Elevation (Feet): 245.990

Description: STATE BENCHMARK IN SOUTHEAST PARAPET WING STATION 8+56  
ALONG COUNTY ROAD #230 15' RIGHT BRIDGE #6339; APPROX.  
STATION 555+56 LEFT OF MAIN LANES. INFORMATION IN LEVEL LINE  
AND X-SECTION BOOK PG 13. IN SE WINGWALL OF COUNTY ROAD #  
230 BRIDGE OVER HWY-63

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 560006

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #06

Date Established: 11/17/1992

System: STATE

Job Number: R00013

Nearest City: TRUMANN

County: POINSETT

Route: 63

Section: 8

Log Mile: 7.66

Land Section Number: 31

Township: 12N

Range: 06E

Land Section: NW

Latitude: N 35 37 51.1

Longitude: W 90 30 04.2

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.844

Elevation (Feet): 245.551

Description: STATE BENCHMARK IN TOP OF SOUTHWEST PARAPET WING STATION  
404+57 65' LEFT OF CENTERLINE MEDIAN ON BRIDGE 6337A.  
INFORMATION IN LEVEL LINE AND X-SECTION BOOK PG 16 STATION  
IS IN NW PARAPET WING OF BRIDGE #6337B

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 560007

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #06

Date Established: 2/1/1992

System: STATE

Job Number: R00013

Nearest City: TRUMANN

County: POINSETT

Route: 63

Section: 8

Log Mile: 9.38

Land Section Number: 25

Township: 12N

Range: 05E

Land Section: NW

Latitude: N 35 38 49.2

Longitude: W 90 31 04.2

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.094

Elevation (Feet): 246.371

Description: STATE BENCHMARK IN SOUTHEAST PARAPET WING STATION 8+48 15' RIGHT ALONG COUNTY ROAD #231 APPROX. STATION 495+50 LEFT OF MAIN LANES. INFORMATION IN LEVEL LINE AND X-SECTION BOOK PAGE 15 BRIDGE #6338 STATION IS IN SE PARAPET WALL OF CO.RD.231 BRIDGE OVER HWY-63

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 560008

Class:

Vertical Datum:

Established by:

Date Established: 2/1/1992

System: STATE

Job Number: R00013

Nearest City: TRUMANN

County: POINSETT

Route: 63

Section: 8

Log Mile: 9.76

Land Section Number: 23

Township: 12N

Range: 05E

Land Section: SW

Latitude: N 35 38 58.1

Longitude: W 90 31 26.7

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 66.684

Elevation (Feet): 218.779

Description: STATE BENCHMARK IN NORTHEAST HEADWALL BOX CULVERT 125'  
RIGHT 515+50 MAIN LANES INFORMATION IN LEVEL LINE AND X-  
SECTION BOOK PAGE 13

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 560009

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established:

System: Job Number: 100191 Nearest City:

County: POINSETT Route: 75 Section: 5 Log Mile: 10.95

Land Section Number: 2 Township: 10N Range: 06E

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.085 Elevation (Feet): 243.061

Description: AHTD BENCHMARK CAP IN TOP OF PARAPET WALL SOUTHEAST  
CORNER OF BRIDGE NO. 6230 21' RIGHT OF STATION 15+78 THERE IS NO  
BRIDGE HERE. ALSO LOG MILE DOES NOT MATCH. N/R

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 560010

Class:

Vertical Datum:

Established by: RE OFFICE #05

Date Established:

System:

Job Number: 100236

Nearest City:

County: POINSETT

Route: 308

Section: 1

Log Mile:

Land Section Number: 1

Township: 10N

Range: 06E

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 64.346

Elevation (Feet): 211.109

Description: BENCHMARK DISC TOP HEADWALL SOUTHEAST CORNER OF DOUBLE  
2'X 4' BOX CULVERT STATION 30+73 N/R

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 560011

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 100052

Nearest City: STEWART

County: POINSETT

Route: 373

Section: 2

Log Mile: 3.64

Land Section Number: 26

Township: 10N

Range: 04E

Land Section: NE

Latitude: N 35 28 40.7

Longitude: W 90 37 45.8

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.38

Elevation (Feet): 214.501

Description: STATION 228+40 AHTD BENCHMARK DISK IN TOP WING 15.25'  
RIGHT (BRIDGE NO. 5879)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 560012

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #06

Date Established: 6/7/1993

System: STATE

Job Number: R00014

Nearest City:

County: POINSETT

Route: 63

Section: 7

Log Mile: 14.5

Land Section Number: 10

Township: 13N

Range: 05E

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.475

Elevation (Feet): 244.340

Description: AHTD DISC IN TOP OF THE NW WING PARAPET WALL OF BRIDGE #6399A 65' LT CENTERLINE MED. STA. 666+50.04 HWY. 63. REFER TO ORIG. "x"SECT. AND LEVEL LINE BOOK, PAGE 5, R00014 FIELD BOOKS. N/R TOWNSHIP 13N IS IN CRAIGHEAD COUNTY N/R

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 560013

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #06

Date Established: 3/22/1993

System: STATE

Job Number: R00014

Nearest City:

County: POINSETT

Route: 63

Section: 7

Log Mile: 11.7

Land Section Number: 32

Township: 13N

Range: 05E

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.778

Elevation (Feet): 232.211

Description: AHTD BM DISK IN TOP SE WING OF BRIDGE NO. 6401-B 66' RT. OF CENTER LINE MEDIAN STATION 813+03.91 (BIG BAY DITCH). REFER TO ORIG. "x" SECT. AND LEVEL LINE BOOK, PAGE 2, R00014 FIELD BOOKS. DISK IS IN THE SE CORNER OF NORTH BOUND BRIDGE ON 63. STATION IS IN CRAIG HEAD COUNTY

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 560014

Class:

Vertical Datum:

Established by: RE OFFICE #06

Date Established: 1/4/1994

System: COUNTY

Job Number: BR-56-5

Nearest City: WEINER

County: POINSETT

Route: CR 22

Section:

Log Mile:

Land Section Number: 2

Township: 12N

Range: 02E

Land Section: SE

Latitude: N 35 36 28.9

Longitude: W 90 50 35.9

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.374

Elevation (Feet): 250.570

Description: AHTD DISC IN TOP OF SOUTHWEST PARAPET WING 15' RT.  
CENTERLINE STA. 56+84.50. APPROX. 3 MILES EAST OF WEINER ON  
CTY. RD. NO. 22 IN POINSETT CTY. BRIDGE OVER "SWAN POND DITCH."

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 560015

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: F-56-2

Nearest City: GREENFIELD

County: POINSETT

Route: 2526

Section:

Log Mile:

Land Section Number: 35

Township: 13N

Range: 03E

Land Section: NE

Latitude: N 35 38 08.5

Longitude: W 90 43 59.4

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.423

Elevation (Feet): 250.731

Description: DISK TOP WWLL 4412 L'ANGUILLE 1 MI. WEST OF GREENFIELD. STA. 64+00. DISK IS IN SOUTHWEST WINGWALL.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 560016

Class:

Vertical Datum:

Established by:

Date Established:

System: COUNTY Job Number: BR-56-1 Nearest City:

County: POINSETT Route: 2526 Section: Log Mile:

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.767 Elevation (Feet): 245.298

Description: DISC IN S.E. WING BRIDGE NO. 4404. N/R WHERE IS BRIDGE NO.4404?  
HAYFIELD DITCH

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 560017

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #06

Date Established: 3/23/2007

System: STATE Job Number: 100522 Nearest City: Marked Tree

County: POINSETT Route: 63 Section: 9 Log Mile: 1.14

Land Section Number: 2 Township: 10N Range: 06E

Land Section: NW

Latitude: N 35 31 11.1 Longitude: W 90 24 44.1 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.39 Elevation (Feet): 237.500

Description: AHTD BM disk in SE wing of bridge no. 06936, 22.14 ft lt. of Sta. 10+22.2 Hwy 149

Comments: Benchmark was entered and verified. 3 WR Levels were ran from Control PN 921. Data can be found on EDM under s100522\_RE\_Benches.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

**Identification:** 560018

**Class:** UNKNOWN

**Vertical Datum:** NAVD88

**Established by:** RE OFFICE #06

**Date Established:** 3/23/2007

**System:** STATE

**Job Number:** 100522

**Nearest City:** Marked Tree

**County:** POINSETT

**Route:** 63

**Section:** 8

**Log Mile:** 15.70

**Land Section Number:** 4

**Township:** 10N

**Range:** 06E

**Land Section:** NE

**Latitude:** N 35 31 41.3

**Longitude:** W 90 27 08.0

**Type:** SCALED

Scaled, GPS (Handheld), or GPS (Observed)

**Elevation (Meters):** 64.61053

**Elevation (Feet):** 211.976

**Description:** AHTd BM Disk in SW corner of Headwall of 4' RC Box Culvert 160.5 ft. left of Sta. 184.56.77 Hwy. 63

**Comments:** Benchmark was entered and verified. 3 WR levels were ran from control PN 15. Data can be found on EDM under s100522\_RE\_Benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

**Identification:** 560019

**Class:** THIRD-ORDER

**Vertical Datum:** NAVD88

**Established by:** RE OFFICE #06

**Date Established:** 8/9/2016

**System:** STATE

**Job Number:** 100764

**Nearest City:** Weiner

**County:** POINSETT

**Route:** 214

**Section:** 0

**Log Mile:** 7.74

**Land Section Number:** 30

**Township:** 12n

**Range:** 02e

**Land Section:** NENW

**Latitude:** N 35 39 09.00000

**Longitude:** W 90 55 20.00000

**Type:** GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

**Elevation (Meters):** 73.9492

**Elevation (Feet):** 242.615

**Description:** AHTD Disc in SW Wing Wall RC Box Culvert 114+21

**Comments:** Three wire data available on EDM under job 100764 in s100764re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 560020

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #06

Date Established: 1/27/2017

System: STATE

Job Number: BR5611

Nearest City: Marked Tree

County: POINSETT

Route: CR105

Section:

Log Mile:

Land Section Number: 24

Township: 11n

Range: 06e

Land Section: NESW

Latitude: N 35 33 48.80000

Longitude: W 90 24 20.80000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 67.5085

Elevation (Feet): 221.484

Description: AHTD Disc in NE CORNER OF PARAPET WALL AT STA 105+58

Comments: three wire data available on EDM under job BR5611 in sBR5611RE\_Benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 570001

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: MENA

County: POLK

Route: 8

Section: 1

Log Mile: 2.50

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 33 02.0

Longitude: W 94 12 29.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 322.659

Elevation (Feet): 1058.590

Description: AHTD CAP SET 3100' +/- SOUTH OF HIGHWAY 8 @ THE NORTHEAST  
CORNER OF THE SOUTH BUILDING OF THE MENA AVIATION CENTER.  
RECOVERED BY SURVEYS 2001

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 570002

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City:

County: POLK

Route: 8

Section: 1

Log Mile: 2.76

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 315.749

Elevation (Feet): 1035.920

Description: DEPARTMENT OF INTERIOR CADASTRAL SURVEY B.L.M. BRASS CAP SET IN CONCRETE APPROX. 200' SOUTH HIGHWAY 8. NEAR FUEL PUMP ISLAND @ OLD HAMP EDWARDS HANGER. NOT RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 570003

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City:

County: POLK

Route: 8

Section: 1

Log Mile: 5.80

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 335.549

Elevation (Feet): 1100.880

Description: NOTE THESE BENCHMARKS SET FROM BENCHMARK #O-133 LOCATED IN SOUTH WALL OF OLD BRICK DALLAS SCHOOL BUILDING. NOT RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 570004

Class:

Vertical Datum: NGVD29

Established by: RE OFFICE #41

Date Established: 7/2/1990

System: STATE

Job Number: R40027

Nearest City:

County: POLK

Route: 71

Section: 8

Log Mile: 33.46

Land Section Number: 18

Township: 02S

Range: 30W

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 342.081

Elevation (Feet): 1122.311

Description: STANDARD DISK TOP DROP INLET RIGHT STATION 74+84. NOT  
RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 570005

Class:

Vertical Datum:

Established by: RE OFFICE #41

Date Established: 7/2/1990

System: STATE

Job Number: R40027

Nearest City:

County: POLK

Route: 71

Section: 8

Log Mile: 33.96

Land Section Number: 18

Township: 02S

Range: 30W

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 349.494

Elevation (Feet): 1146.632

Description: STANDARD DISK TOP DROP INLET RIGHT STATION 100+87. NOT  
RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 570006

Class:

Vertical Datum:

Established by: RE OFFICE #41

Date Established: 7/2/1990

System: STATE Job Number: R40027 Nearest City:

County: POLK Route: 71 Section: 8 Log Mile: 33.37

Land Section Number: 24 Township: 02S Range: 31W

Land Section: NW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 330.867 Elevation (Feet): 1085.519

Description: STANDARD DISK TOP DROP INLET RIGHT STATION 20+50. NOT  
RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 570007

Class:

Vertical Datum:

Established by: RE OFFICE #41

Date Established: 7/2/1990

System: STATE Job Number: R40027 Nearest City:

County: POLK Route: 71 Section: 8 Log Mile: 33.37

Land Section Number: 24 Township: 02S Range: 31W

Land Section: NW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 340.194 Elevation (Feet): 1116.120

Description: STANDARD DISK TOP DROP INLET RIGHT STATION 42+50. NOT  
RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 570008

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: MENA

County: POLK

Route: 71

Section: 8

Log Mile: 34.37

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 35 30.0

Longitude: W 94 14 16.08

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 341.118

Elevation (Feet): 1119.151

Description: PRAIRIE CREEK SOUTHWEST CORNER WEST HEADWALL 3-5 X 3 X 112  
BOX. RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 570009

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: MENA

County: POLK

Route: 71

Section: 9

Log Mile: 0.90

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 35 20.0

Longitude: W 94 13 13.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 328.365

Elevation (Feet): 1077.311

Description: WARD CREEK SOUTHWEST CORNER SOUTH HEADWALL 2- 10 X 8 X 89  
BOX. RECOVERED BY SURVEYS 2001

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 570010

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: BOGG SPRINGS

County: POLK

Route: 84

Section: 0

Log Mile: 0.33

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 19 40.0

Longitude: W 94 25 38.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 349.457

Elevation (Feet): 1146.510

Description: STANDARD ALUMINUM CAP IN NORTH HEADWALL 31' LEFT STATION  
131+73.05. RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 570011

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: HATTON

County: POLK

Route: 84

Section: 0

Log Mile: 3.10

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 19 45.0

Longitude: W 94 22 51.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 319

Elevation (Feet): 1046.586

Description: STANDARD ALUMINUM CAP IN TOP SOUTHWEST WING 18' RIGHT  
79+08 #6053 2-25-94. RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 570012

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: HATTON

County: POLK

Route: 84

Section: 0

Log Mile: 3.40

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 15 55.0

Longitude: W 94 22 25.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 318.26

Elevation (Feet): 1044.158

Description: STANDARD ALUMINUM CAP IN TOP SOUTHWEST WING 19' RIGHT  
109+05 #6054. RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 570013

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City:

County: POLK

Route: 84

Section: 0

Log Mile: 0.33

Land Section Number:

Township: 05S

Range: 32W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 288.115

Elevation (Feet): 945.257

Description: ALUM. CAP IN N. HDWL. 31' LT. NOT RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 570014

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City:

County: POLK

Route: 84

Section: 0

Log Mile: 3.10

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 257.657

Elevation (Feet): 845.330

Description: ALUM. CAP IN N. HDWL 18' RT. NOT RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 570015

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City:

County: POLK

Route: 84

Section: 0

Log Mile: 3.70

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 256.919

Elevation (Feet): 842.908

Description: ALUM CAP IN SW WING 19' RT. NOT RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 570016

Class:

Vertical Datum:

Established by: RE OFFICE #41

Date Established:

System:

Job Number: R40017

Nearest City: BOY SPRINGS

County: POLK

Route: 84

Section: 0

Log Mile: 2.00

Land Section Number: 15

Township: 05S

Range: 32W

Land Section:

Latitude: N 34 19 39.0

Longitude: W 94 24 03.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 340.331

Elevation (Feet): 1116.569

Description: ALUM CAP INNORTH HEADWALL OF R.C. BOX CULVERT LEFT OF  
STATION 21+35. RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 570017

Class:

Vertical Datum:

Established by: RE OFFICE #41

Date Established:

System:

Job Number: 4969

Nearest City: VANDERVOORT

County: POLK

Route: 246

Section: 1

Log Mile: 9.37

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 22 54.0

Longitude: W 94 14 10.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 248.025

Elevation (Feet): 813.729

Description: AL. DISC IN TOP RT. WINGWALL 15' RT. STA. 493+00 BR# 6288.  
COSSATOT RIVER RECOVERED BY SURVEYS 2001

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 570018

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 4911

Nearest City: POTTER

County: POLK

Route: 375

Section: 0

Log Mile: 4.91

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 34 39.0

Longitude: W 94 18 28.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 306.65

Elevation (Feet): 1006.068

Description: STD. DISC IN TOP LT. PARAPET WALL STA. 122+85 BR. #6092 ROCK CREEK. RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 570019

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 4911

Nearest City: POTTER

County: POLK

Route: 375

Section: 0

Log Mile: 5.57

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 34 36.0

Longitude: W 94 17 55.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 309.918

Elevation (Feet): 1016.789

Description: STD. DISC IN TOP RT. WING RT. STA. 155+74 BR. #6093 MERREN CREEK.  
RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 570020

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: 4911 Nearest City: POTTER

County: POLK Route: 375 Section: 0 Log Mile: 3.20

Land Section Number: Township: Range:

Land Section:

Latitude: N 34 33 52.0 Longitude: W 94 19 45.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 288.07 Elevation (Feet): 945.110

Description: STD. DISC IN TOP LT. PARAPET WALL LT. STA. 34+00 BR #6089 ROCK CREEK RELIEF. RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 570021

Class:

Vertical Datum:

Established by: RE OFFICE #41

Date Established: 10/14/1994

System: COUNTY

Job Number: ES5704

Nearest City: POTTER

County: POLK

Route: CR 38

Section:

Log Mile:

Land Section Number: 2

Township: 35

Range: 32W

Land Section: NE

Latitude: N 34 32 01.0

Longitude: W 94 22 58.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 267.463

Elevation (Feet): 877.502

Description: TOP SOUTHWEST WING WALL, ALUMINUM CAP 0.08 MILE EAST OF  
INTERSECTION OF COUNTY ROAD # 38 AND COUNTY ROAD #29.  
BRIDGE NO. 4742. RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 570022

Class:

Vertical Datum:

Established by: RE OFFICE #41

Date Established: 4/7/1997

System: STATE

Job Number: 040034

Nearest City:

County: POLK

Route: 8

Section: 0

Log Mile: 15.44

Land Section Number: 13

Township: 02S

Range: 31W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 342.724

Elevation (Feet): 1124.420

Description: STANDARD DISK IN TOP WEST HEADWALL STATION 77+62. NOT  
RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 570023

Class:

Vertical Datum:

Established by:

Date Established: 4/7/1997

System: STATE

Job Number: 040034

Nearest City:

County: POLK

Route: 8

Section: 0

Log Mile: 14.95

Land Section Number: 18

Township: 02S

Range: 30W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 365.465

Elevation (Feet): 1199.030

Description: STANDARD DISK IN TOP DROP INLET ON RIGHT STATION 51+95. NOT RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 570024

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #41

Date Established: 8/6/1991

System: COUNTY

Job Number: BR 57-5

Nearest City: NEW POTTER

County: POLK

Route: CR 48

Section:

Log Mile:

Land Section Number: 30

Township: 02S

Range: 31W

Land Section: NE

Latitude: N 34 33 30.0

Longitude: W 94 20 44.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 280.959

Elevation (Feet): 921.780

Description: STANDARD DISK IN TOP SOUTHWEST END PANEL BRIDGE #4656. ROCK CREEK . RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 570025

Class:

Vertical Datum:

Established by: RE OFFICE #41

Date Established: 8/31/1992

System: COUNTY

Job Number: EF-57-4

Nearest City: MENA

County: POLK

Route: CR 74

Section:

Log Mile:

Land Section Number: 2

Township: 02S

Range: 30W

Land Section: NE

Latitude: N 34 36 40.0

Longitude: W 94 09 57.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 313.32

Elevation (Feet): 1027.951

Description: STANDARD DISK TOP RIGHT WING BENT 1, BRIDGE 4673 (SW CORNER)  
CHANCES CREEK RECOVERED BY SURVEYS 2001

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 570026

Class:

Vertical Datum:

Established by: RE OFFICE #41

Date Established: 8/17/1992

System: COUNTY

Job Number: ES-57-5

Nearest City: MENA

County: POLK

Route: CR 178

Section:

Log Mile:

Land Section Number: 3

Township: 02S

Range: 30W

Land Section: NW

Latitude: N 34 36 53.0

Longitude: W 94 11 25.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 324.445

Elevation (Feet): 1064.450

Description: ALUM CAP RIGHT WING WALL BRIDGE 4678. RECOVERED BY  
SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 570027

Class:

Vertical Datum:

Established by: RE OFFICE #41

Date Established: 9/9/1992

System:

Job Number: ES-57-7

Nearest City: HATFIELD

County: POLK

Route: CR 38

Section:

Log Mile:

Land Section Number: 4

Township: 03S

Range: 32W

Land Section: NW

Latitude: N 34 31 48.36

Longitude: W 94 25 11.88

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 258.739

Elevation (Feet): 848.880

Description: ALUM. CAP 16' RIGHT STATION 15+54. SLATE CREEK 1992 SW COR BR  
4675 RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 570028

Class:

Vertical Datum:

Established by: RE OFFICE #41

Date Established: 4/26/1991

System: COUNTY Job Number: F-57-2 Nearest City: BIG FORK

County: POLK Route: CR 67 Section: Log Mile: \*

Land Section Number: 10 Township: 03S Range: 28W

Land Section: SE

Latitude: N 34 29 55.0 Longitude: W 93 58 24.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 306.974 Elevation (Feet): 1007.131

Description: ALUMINUM CAP IN TOP RIGHT WINGWALL BRIDGE NO. 4592 \*.17  
MILES FROM JCT. HWY. 8 & COUNTY ROAD 67. BIG FORK CREEK  
RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 570029

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: CHERRY HILL

County: POLK

Route: CR 67

Section:

Log Mile: .75

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 34 27.0

Longitude: W 94 00 08.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 258.861

Elevation (Feet): 849.280

Description: DISK TOP SE WINGWALL MILL CREEK BRIDGE #4474 LM. S OF HWY. 88  
JCT. RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 570030

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: CHERRY HILL

County: POLK

Route: CR 67

Section:

Log Mile: 0.55

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 34 39.0

Longitude: W 93 59 52.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 259.532

Elevation (Feet): 851.481

Description: DISK TOP SE WINGWALL OUACHITAL RIVER BRIDGE # 4475.  
RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 570031

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: NEW POTTER

County: POLK

Route: CR48

Section:

Log Mile: 2

Land Section Number:

Township: 02S

Range: 32W

Land Section:

Latitude: N 34 33 50.0

Longitude: W 94 22 28.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 269.974

Elevation (Feet): 885.740

Description: AHTD DISK SET SW WWLL WEST END BRIDGE NEAR SEC COR. 23, 24, 25, 26 \*\*2 MILES WEST POTTER NEAR KCS RR. MOUNTAIN FORK LITTLE RIVER. RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 570032

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: BIG FORK

County: POLK

Route: CR 2439

Section:

Log Mile: 1.5

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 30 41.0

Longitude: W 93 58 55.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 291.593

Elevation (Feet): 956.668

Description: DISK SE WINGWALL NIG FORK CREEK BRIDGE 16' LT. CENTERLINE. BR 4492 RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 570033

Class:

Vertical Datum:

Established by: RE OFFICE #41

Date Established:

System:

Job Number: N/A

Nearest City: ALCORN

County: POLK

Route: CR 70

Section: 9

Log Mile: 1.10

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 39 33.0

Longitude: W 94 07 59.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 339.682

Elevation (Feet): 1114.440

Description: ALUM CAP SET IN N. WINGWL. GAP CREEK BR. 1.1 MILES EAST OF  
HWY. 71 ON POSEY HOLLOW RD. BR 4602. RECOVERED BY SURVEYS  
2001

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 570034

Class:

Vertical Datum:

Established by:

Date Established: 1/1/1988

System:

Job Number: ES-57-4

Nearest City: POTTER

County: POLK

Route: CR 38

Section:

Log Mile:

Land Section Number: 3

Township: 03S

Range: 32W

Land Section: SWNE

Latitude: N 34 31 56.0

Longitude: W 94 23 50.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 263.44

Elevation (Feet): 864.303

Description: "[ ]" IN SE SIDE OF ROUND BRIDGE PEIR ON BRIDGE OVER MOUNTAIN  
FORK RIVER ON CO. RD. 38 PAINTED 1990 ON SPAN ABOUT 3/4 MILE  
WEST OF CAMP. PIONEER. RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 570035

Class:

Vertical Datum:

Established by: RE OFFICE #41

Date Established: 9/11/1998

System: COUNTY

Job Number: BR5706

Nearest City:

County: POLK

Route: CR 95

Section:

Log Mile: 0.5

Land Section Number: 3

Township: 02S

Range: 32W

Land Section: NW

Latitude: N 34 37 03.48

Longitude: W 94 24 07.92

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 288.771

Elevation (Feet): 947.410

Description: ALUM CAP TOP SOUTH PARAPET WALL ON WEST END BR #4783 0.5  
MILES SOUTH & WEST JCT. CO. RD. 95 & HWY. 8. OLD MOUNTAIN FORK  
RIVER. RECOVERED BY SURVEYS 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 570036

Class:

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 4/16/2001

System: STATE Job Number: 040352 Nearest City: MENA

County: POLK Route: 71 Section: Log Mile:

Land Section Number: Township: Range:

Land Section:

Latitude: N 34 35 13.147 Longitude: W 94 13 21.425 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 329.8756 Elevation (Feet): 1082.267

Description: SQ CUT HW NW CORNER APPROX 125' N OF 71/8 INTERSECTION "BM900"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 570037

Class:

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 4/16/2001

System: STATE

Job Number: 040352

Nearest City: MENA

County: POLK

Route: 71

Section:

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 35 23.089

Longitude: W 94 13 20.639

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 336.4526

Elevation (Feet): 1103.845

Description: CH SQ MED PLAZA SIGN "TBM901"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 570038

Class:

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 4/16/2001

System: STATE

Job Number: 040352

Nearest City: MENA

County: POLK

Route: 71

Section:

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 35 00.394

Longitude: W 94 12 20.415

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 329.8098

Elevation (Feet): 1082.051

Description: CH SQ CTR CURB "TBM 902"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 570039

Class:

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 4/16/2001

System: STATE

Job Number: 040352

Nearest City: MENA

County: POLK

Route: 71

Section:

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 34 46.109

Longitude: W 94 13 21.237

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 327.5503

Elevation (Feet): 1074.638

Description: CH SQ CTR HW "TBM903"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 570040

Class:

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 4/16/2001

System: STATE Job Number: 040352 Nearest City: MENA

County: POLK Route: 71 Section: Log Mile:

Land Section Number: Township: Range:

Land Section:

Latitude: N 34 35 11.430 Longitude: W 94 13 29.519 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 333.34 Elevation (Feet): 1093.633

Description: CH SQ CTR HW "TBM 904"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 570041

Class:

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 4/16/2001

System: STATE

Job Number: 040352

Nearest City: MENA

County: POLK

Route: 71

Section:

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 34 58.141

Longitude: W 94 14 12.053

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 350.6213

Elevation (Feet): 1150.330

Description: NGS POINT K 21

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 570042

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #41

Date Established: 4/8/2002

System: STATE

Job Number: 040029

Nearest City:

County: POLK

Route: 71

Section: 8

Log Mile: 9.85

Land Section Number: 18

Township: 05S

Range: 32W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 101.155

Elevation (Feet): 331.873

Description: STD DISK IN RIGHT PARAPET WALL BR # 06766

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 570042

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #41

Date Established: 2/8/2001

System: COUNTY

Job Number: FA5704

Nearest City:

County: POLK

Route: CR74

Section:

Log Mile: 2.2

Land Section Number: 2

Township: 02S

Range: 30W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 315.159

Elevation (Feet): 1033.984

Description: CAP ON SW WINGWALL BR 04827

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 570044

Class:

Vertical Datum:

Established by: RE OFFICE #41

Date Established: 10/3/2003

System: STATE Job Number: 040352 Nearest City: Mena

County: POLK Route: 71 Section: 9 Log Mile: 0.8

Land Section Number: 17 Township: 15n Range: 30w

Land Section: NW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 329.34 Elevation (Feet): 1080.510

Description: AHTD DISK IN RT HW OF RC BOX CULVERT STA 1+50 ON MORROW STREET

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580001

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: RUSSELLVILLE

County: POPE

Route: 7

Section: 15

Log Mile: 3.53

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 19 28.0

Longitude: W 93 08 09.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 107.305

Elevation (Feet): 352.050

Description: DISK HEADWALL SOUTHEAST CORNER RIGHT RECOVERED 8-5-99  
CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580002

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City: RUSSELLVILLE

County: POPE Route: 7 Section: 15 Log Mile: 4.99

Land Section Number: Township: Range:

Land Section:

Latitude: N 35 20 44.0 Longitude: W 93 07 46.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 120.756 Elevation (Feet): 396.180

Description: DISK HEADWALL SOUTHEAST CORNER RIGHT RECOVERED 8-5-99  
CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580003

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City: RUSSELLVILLE

County: POPE Route: 7 Section: 15 Log Mile: 6.24

Land Section Number: Township: Range:

Land Section:

Latitude: N 35 21 46.0 Longitude: W 93 07 14.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 126.925 Elevation (Feet): 416.420

Description: DISK HEADWALL NORTHEAST CORNER RIGHT RECOVERED 8-5-99  
CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580004

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City: DOVER

County: POPE Route: 7 Section: 15 Log Mile: 8.03

Land Section Number: Township: Range:

Land Section:

Latitude: N 35 23 07.0 Longitude: W 93 06 41.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 128.821 Elevation (Feet): 422.640

Description: DISK SOUTHEAST WING BRIDGE #5557 LINKER CREEK RECOVERED 8-5-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580005

Class:

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 11/19/1999

System:

Job Number: 080164

Nearest City: DOVER

County: POPE

Route: 7

Section: 15

Log Mile: 9.89

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 24 16.0

Longitude: W 93 07 28.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 127.711

Elevation (Feet): 418.999

Description: DISK NORTHEAST WING MCCOY CREEK BRIDGE #5924 RECOVERED 8-5-99 CREW S5102. 3 WIRE LEVELS FROM NGS POINT.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580006

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established:

System:

Job Number: 8817

Nearest City: HECTOR

County: POPE

Route: 27

Section: 12A

Log Mile: 0.330

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 30 20.0

Longitude: W 92 58 14.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 174.282

Elevation (Feet): 571.790

Description: AHTD DISC IN SOUTHEAST CORNER OF SOUTHEAST WING STATION  
17+10 BRIDGE NO. 6250 RECOVERED 8-5-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580007

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established:

System:

Job Number: 8817

Nearest City: HECTOR

County: POPE

Route: 27

Section: 12

Log Mile: 3.939

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 31 56.0

Longitude: W 92 56 26.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 195.118

Elevation (Feet): 640.150

Description: AHTD DISC IN TOP OF SOUTHEAST WING 17' RIGHT OF STATION  
209+15 BRIDGE NO. 6251 RECOVERED 8-5-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580008

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: R80008 Nearest City: RUSSELLVILLE

County: POPE Route: 64 Section: 6 Log Mile: 13.133

Land Section Number: Township: Range:

Land Section:

Latitude: N 35 16 39.0 Longitude: W 93 05 41.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 123.118 Elevation (Feet): 403.930

Description: AHTD DISC IN TOP OF DROP INLET 30' RIGHT OF STATION 91+00  
RECOVERED 8-4-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580009

Class:

Vertical Datum:

Established by: RE OFFICE #86

Date Established:

System: Job Number: R80008 Nearest City:

County: POPE Route: 64 Section: 6 Log Mile: 13.266

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 124.316 Elevation (Feet): 407.860

Description: AHTD DISC IN TOP OF DROP INLET 30' RIGHT OF STATION 98+00  
"DESTROYED" SEE WHERE IT WAS BROKEN OUT OF CONCRETE 8-7-99  
CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580010

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established:

System:

Job Number: R80008

Nearest City: RUSSELLVILLE

County: POPE

Route: 64

Section: 6

Log Mile: 12.925

Land Section Number: 11

Township: 07N

Range: 20W

Land Section:

Latitude: N 35 16 39.0

Longitude: W 93 05 55.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 121.811

Elevation (Feet): 399.642

Description: AHTD DISC IN TOP OF SOUTH HEADWALL OF R.C. BOX CULVERT 39'  
RIGHT OF CENTERLINE STATION 80+02 RECOVERED 8-4-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580011

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established:

System:

Job Number: R80028

Nearest City: RUSSELLVILLE

County: POPE

Route: 64 & 324

Section: 6

Log Mile: 13.527

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 16 32.0

Longitude: W 93 05 17.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 125.809

Elevation (Feet): 412.758

Description: AHTD DISC IN NORTHWEST CORNER OF HEADWALL ON LEFT  
STATION 111+80 RECOVERED 8-4-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580012

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established:

System:

Job Number: R80028

Nearest City: RUSSELLVILLE

County: POPE

Route: 64 & 324

Section: 6

Log Mile: 13.312\*

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 16 13.0

Longitude: W 93 05 29.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 120.978

Elevation (Feet): 396.909

Description: AHTD DISC IN TOP OF HEADWALL 13.1' FROM SOUTH EDGE AND 13.33' FROM NORTH EDGE 30' RIGHT OF CENTERLINE STATION 507+36 ON CONNECTING ROAD (HIGHWAY 324) \*\*2100' SOUTH OF L. G. 13.312 RECOVERED 8-4-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580013

Class:

Vertical Datum: NGVD29

Established by: RE OFFICE #86

Date Established: 7/8/1993

System: STATE

Job Number: 8938

Nearest City: ATKINS

County: POPE

Route: 105

Section: 1

Log Mile: 11.26

Land Section Number: 32

Township: 08N

Range: 18W

Land Section: NW

Latitude: N 35 18 18.0

Longitude: W 92 56 30.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 102.882

Elevation (Feet): 337.539

Description: AHTD DISC ON PARAPET WALL 16' RIGHT OF CENTERLINE STATION  
595+54 RECOVERED 8-4-99 CREW S5102

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580014

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City: ATKINS

County: POPE Route: 105 Section: 1 Log Mile: 11.11

Land Section Number: Township: Range:

Land Section:

Latitude: N 35 18 28.0 Longitude: W 92 56 30.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 101.764 Elevation (Feet): 333.871

Description: DISK TOP NORTHEAST WING BRIDGE BRIDGE #6011 GUM LOG CREEK  
RECOVERED 8-4-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580015

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City: ATKINS

County: POPE Route: 247 Section: 1 Log Mile: 5.06

Land Section Number: Township: Range:

Land Section:

Latitude: N 35 19 07.0 Longitude: W 92 52 51.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 96.594 Elevation (Feet): 316.909

Description: DISK SOUTHWEST WING BRIDGE #5841 POINT REMOVE CREEK  
RECOVERED 8-4-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580016

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City: ATKINS

County: POPE Route: 247 Section: 1 Log Mile: 5.65

Land Section Number: Township: Range:

Land Section:

Latitude: N 35 19 28.0 Longitude: W 92 52 22.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 97.061 Elevation (Feet): 318.441

Description: DISK NORTHWEST BRIDGE #5842 WEST FORK POINT REMOVE  
RECOVERED 8-4-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580017

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established: 1/9/1995

System: STATE

Job Number: 8971

Nearest City: RUSSELLVILLE

County: POPE

Route: 64

Section: 6

Log Mile: 8.51

Land Section Number: 31

Township: 08N

Range: 20W

Land Section: SW

Latitude: N 35 17 39.0

Longitude: W 93 10 05.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 112.935

Elevation (Feet): 370.521

Description: AHTD DISC IN NW CORNER OF HEADWALL ON R. C. BOX CULVERT, 40'  
RT. OF CENTER LINE, STA. 139+18. RECOVERED 8-4-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580018

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established: 1/9/1995

System: STATE

Job Number: 8971

Nearest City: RUSSELLVILLE

County: POPE

Route: 64

Section: 6

Log Mile: 9.10

Land Section Number: 6

Township: 07N

Range: 20W

Land Section: NE

Latitude: N 35 17 14.0

Longitude: W 93 09 48.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 109.423

Elevation (Feet): 358.999

Description: AHTD DISC IN SW CORNER OF HEADWALL OF R. C. BOX CLVT. 62' RT.  
OF CENTERLINE, STA. 170+00. RECOVERED 8-4-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580019

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established: 1/9/1995

System: STATE

Job Number: 8971

Nearest City: RUSSELLVILLE

County: POPE

Route: 64

Section: 6

Log Mile: 9.22

Land Section Number: 6

Township: 07N

Range: 20W

Land Section: NE

Latitude: N 35 17 12.0

Longitude: W 93 09 41.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 109.518

Elevation (Feet): 359.310

Description: AHTD DISC IN SW CORNER OF HEADWALL ON R. C. BOX CLVT. 45' RT. OF CENTERLINE, STA. 176+65. RECOVERED 8-4-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580020

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established: 1/9/1995

System: STATE

Job Number: 8971

Nearest City: RUSSELLVILLE

County: POPE

Route: 64

Section: 6

Log Mile: 10.22

Land Section Number: 5

Township: 07N

Range: 20W

Land Section: SE

Latitude: N 35 16 54.0

Longitude: W 93 08 43.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 104.766

Elevation (Feet): 343.720

Description: AHTD DISC IN NW CORNER OF HEADWALL ON R. C. BOX CLVT. 48' LT.  
OF CENTERLINE, STA. 229+38. RECOVERED 8-4-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580021

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: RUSSELLVILLE

County: POPE

Route: CR 7

Section:

Log Mile: 0.58

Land Section Number: 29

Township: 08N

Range: 20W

Land Section:

Latitude: N 35 19 15.0

Longitude: W 93 08 48.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 107.317

Elevation (Feet): 352.089

Description: DISK SEWING BR 4429 ILLINOIS BAYOU RECOVERED 8-5-99 CREW S5102

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580022

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: RUSSELLVILLE

County: POPE

Route: CR 7

Section:

Log Mile:

Land Section Number: 29

Township: 08N

Range: 20W

Land Section:

Latitude: N 35 19 14.0

Longitude: W 93 08 39.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 106.467

Elevation (Feet): 349.300

Description: DISK SEWING BR 4467 ILLINOIS BAYOU RECOVERED 8-5-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580023

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established:

System: STATE

Job Number: 008932

Nearest City: RUSSELLVILLE

County: POPE

Route: 7

Section: 15

Log Mile: 4.39

Land Section Number: 16

Township: 08

Range: 20

Land Section: SW

Latitude: N 35 20 12.0

Longitude: W 93 07 58.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 108.698

Elevation (Feet): 356.620

Description: ALUMINUM DISC IN TOP OF BRIDGE PARAPET WALL RT. SIDE,  
BEGINNING OF BR. 6596 RECOVERED 8-5-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580024

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established:

System:

Job Number: 8864

Nearest City: ATKINS

County: POPE

Route: CHURCH ST

Section:

Log Mile: 0.034\*

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 14 22.0

Longitude: W 92 56 02.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 107.106

Elevation (Feet): 351.397

Description: AHTD DISC IN TOP OF WEST HEADWALL 27' RT. OF CENTERLINE, STA. 21+80. \*\*0.034 MILES NORTH OF JCT. S.H. 324, SEC. 1, MILE MARKER 0.0. RECOVERED 8-5-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580025

Class:

Vertical Datum:

Established by: RE OFFICE #86

Date Established: 11/17/1997

System: CITY

Job Number: 080049

Nearest City: POTTSVILLE

County: POPE

Route: ASH ST.

Section:

Log Mile:

Land Section Number: 17

Township: 07N

Range: 19W

Land Section: SW

Latitude: N 35 14 53.0

Longitude: W 93 02 27.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 106.57

Elevation (Feet): 349.638

Description: AHTD DISK IN HEADWALL OF RC BOX CULVERT RT OF STA 4+95  
RECOVERED 8-5-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580026

Class:

Vertical Datum:

Established by: RE OFFICE #86

Date Established: 5/26/1998

System: STATE

Job Number: 080023

Nearest City:

County: POPE

Route: 331

Section: 1

Log Mile: 0.34

Land Section Number: 2

Township: 07N

Range: 20W

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 136.465

Elevation (Feet): 447.719

Description: AHTD DISC IN BACKWALL OF SW BRIDGE END, LT. OF STA. 27+47 N/R 8-5-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580027

Class:

Vertical Datum:

Established by: RE OFFICE #86

Date Established: 12/2/1997

System: STATE Job Number: 008900 Nearest City: RUSSELLVILLE

County: POPE Route: 124 Section: 1 Log Mile: 2.77

Land Section Number: 26 Township: 08N Range: 20W

Land Section: SW

Latitude: N 35 18 48.0 Longitude: W 93 06 06.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 129.017 Elevation (Feet): 423.283

Description: AHTD DISK IN HEADWALL OF R. C. BOX CULVERT ON RT. OF STA.  
44+63 RECOVERED 8-4-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580028

Class:

Vertical Datum:

Established by:

RE OFFICE #86

Date Established: 12/2/1997

System: STATE

Job Number: 008900

Nearest City: MORELAND

County: POPE

Route: 124

Section: 1

Log Mile: 5.77

Land Section Number: 19

Township: 08N

Range: 19W

Land Section: NW

Latitude: N 35 19 57.0

Longitude: W 93 03 39.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 132.195

Elevation (Feet): 433.710

Description: AHTD DISK IN HEADWALL OF R. C. BOX CULVERT ON RT. OF STA.  
92+90.8 RECOVERED 8-4-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580029

Class:

Vertical Datum:

Established by: RE OFFICE #86

Date Established: 12/2/1997

System: STATE

Job Number: 008900

Nearest City: MORELAND

County: POPE

Route: 124

Section: 1

Log Mile: 6.56

Land Section Number: 18

Township: 08N

Range: 19W

Land Section: SE

Latitude: N 35 20 17.0

Longitude: W 93 02 57.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 135.624

Elevation (Feet): 444.960

Description: AHTD DISK IN HEADWALL OF R. C. BOX CLVT. RT. OF STA. 105+15.  
RECOVERED 8-4-99 CREW S5102

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580030

Class:

Vertical Datum:

Established by:

RE OFFICE #86

Date Established: 12/2/1997

System: STATE

Job Number: 008900

Nearest City: MORELAND

County: POPE

Route: 124

Section: 1

Log Mile: 7.62

Land Section Number: 17

Township: 08N

Range: 19W

Land Section: NE

Latitude: N 35 20 51.0

Longitude: W 93 02 07.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 199.339

Elevation (Feet): 653.998

Description: AHTD DISK IN HEADWALL OF R. C. BOX CLVT. ON RT. OF STA.  
122+61.77 RECOVERED 8-4-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580031

Class:

Vertical Datum:

Established by: RE OFFICE #86

Date Established: 12/2/1997

System: STATE

Job Number: 008900

Nearest City: MORELAND

County: POPE

Route: 124

Section: 1

Log Mile: 8.99

Land Section Number: 10

Township: 08N

Range: 19W

Land Section: SW

Latitude: N 35 21 09.0

Longitude: W 93 00 47.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 218.391

Elevation (Feet): 716.504

Description: AHTD DISK IN HEADWALL OF R. C. BOX CLVT. RT OF STA. 144+67.37  
RECOVERED 8-4-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580032

Class:

Vertical Datum:

Established by:

Date Established: 6/17/1999

System: STATE

Job Number: 008939

Nearest City:

County: POPE

Route: 105

Section: 02

Log Mile: 0.19

Land Section Number: 20

Township: 07N

Range: 18

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 106.484

Elevation (Feet): 349.356

Description: AHTD DISC IN NW CORNER OF HEADWALL ON R.C. BOX CLUT., STA. 22+00

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580033

Class:

Vertical Datum:

Established by:

Date Established: 6/17/1999

System: STATE

Job Number: 008939

Nearest City:

County: POPE

Route: 105

Section: 02

Log Mile: 2.02

Land Section Number: 32

Township: 07N

Range: 18

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 93.263

Elevation (Feet): 305.980

Description: AHTD DISC IN NE CORNER OF HOWL. OF R.C. BOX CLUT., STA.12+42

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580035

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #84

Date Established: 7/7/2003

System: STATE

Job Number: R80103

Nearest City:

County: POPE

Route: 7

Section: 15

Log Mile: 10.53

Land Section Number: 21

Township: 09n

Range: 20w

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 125.653

Elevation (Feet): 412.247

Description: AHTD DISK IN RT WINGWALL AT THE BEGINNING OF BRIDGE 06835

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580036

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #86

Date Established: 9/12/2005

System: CITY

Job Number: 080267

Nearest City: FRANKFORT

County: POPE

Route: CITY

Section: \*

Log Mile: \*

Land Section Number: 21

Township: 07N

Range: 20W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 98.923

Elevation (Feet): 324.550

Description: SE CORNER OF HEADWALL 10 X 12 6 BARREL BOX CULVERT

Comments: ESTABLISHED BY RE86 DAVID TOLLESON

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580037

Class:

Vertical Datum: NAVD88

Established by: RE OFFICE #86

Date Established: 3/16/2007

System: STATE

Job Number: 080197

Nearest City: RUSSELVILLE

County: POPE

Route: 326

Section: 2

Log Mile: .894

Land Section Number: 34

Township: 08N

Range: 20W

Land Section: SE

Latitude: N 35 17 27.4

Longitude: W 93 06 23.4

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 129.5329439

Elevation (Feet): 424.976

Description: AHTD CAP IN N.E. CORNER OF PARAPET WALL OF BRIDGE #07014

Comments: BM IS VERIFIED BY ESS ON 4/4/07 WITH 3-WIRE LEVELS RAN FROM PN:910 (CONTROL FILE FROM JOB 080197) BY RE OFFICE #86. THE ELEVATIONS OF THE CONTROL FILE ORIGINATED FROM NGS POINT K 25. THE RAW ELEVATION FILES CAN BE FOUND ON EDM UNDER s080197\_RE\_benches.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580038

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #86

Date Established: 3/16/2007

System: STATE

Job Number: 080197

Nearest City: RUSSELVILLE

County: POPE

Route: I-40

Section: 22

Log Mile: 82.85

Land Section Number: 34

Township: 08N

Range: 20W

Land Section: SW

Latitude: N 35 17 32.000

Longitude: W 93 06 39.000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 119.41143

Elevation (Feet): 391.769

Description: AHTD CAP IN N.E. CORNER OF DBL. 5'X5' RC BOX CULVERT ON WEST BOUND LANE. 63' LT OF CENTERLINE OF WEST BOUND LANE

Comments: BM IS VERIFIED BY ESS ON 4/4/07 WITH 3-WIRE LEVELS RAN FROM PN:910 (CONTROL FILE FROM JOB 080197) BY RE OFFICE #86. THE ELEVATIONS OF THE CONTROL FILE ORIGINATED FROM NGS POINT K 25. THE RAW ELEVATION FILES CAN BE FOUND ON EDM UNDER s080197\_RE\_benches.zip.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580039

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #86

Date Established: 11/24/2004

System: STATE Job Number: 080252 Nearest City: UNKNOWN

County: POPE Route: 164 Section: 3 Log Mile: 5.46

Land Section Number: 31 Township: 10N Range: 20W

Land Section: NW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 173.099 Elevation (Feet): 567.909

Description: NE CORNER OF HEADWALL OF 8X5 TRIPLE BOX CULVERT

Comments: Resident Engineer is DAVID TOLLESON

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580040

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #86

Date Established: 5/18/2006

System: STATE

Job Number: 080133

Nearest City: UNKNOWN

County: POPE

Route: 7

Section: 15

Log Mile: 2.22

Land Section Number: 32

Township: 08N

Range: 20W

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 116.717

Elevation (Feet): 382.929

Description: BEGIN BRIDGE 06803 (I-40 - Hwy 7) on Rt., on wing parapet

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580041

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #86

Date Established: 5/18/2006

System: STATE Job Number: 080133 Nearest City: UNKNOWN

County: POPE Route: 7 Section: 15 Log Mile: 2.88

Land Section Number: 28 Township: 08N Range: 20W

Land Section: SW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 106.705 Elevation (Feet): 350.081

Description: BEGIN BRIDGE 03645 (SHILOH CREEK) ON LT, ON WINGWALL

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580042

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #86

Date Established: 5/17/2006

System: STATE

Job Number: 080133

Nearest City: UNKNOWN

County: POPE

Route: 7

Section: 15

Log Mile: 3.94

Land Section Number: 21

Township: 08N

Range: 20W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 108.226

Elevation (Feet): 355.071

Description: HEADWALL OF BOX CULVERT @ STATION 111+22 ON LT.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580043

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #86

Date Established: 5/17/2006

System: STATE

Job Number: 080133

Nearest City: UNKNOWN

County: POPE

Route: 7

Section: 15

Log Mile: 4.39

Land Section Number: 21

Township: 08N

Range: 20W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 108.698

Elevation (Feet): 356.620

Description: BEGIN BAKERS CREEK BRIDGE ON RT. ON WING PARAPET.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580044

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #86

Date Established: 5/19/2006

System: STATE

Job Number: 080133

Nearest City: UNKNOWN

County: POPE

Route: 7

Section: 15

Log Mile: 6.29

Land Section Number: 3

Township: 08n

Range: 20w

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 126.937

Elevation (Feet): 416.459

Description: BEGIN HEADWALL OF BOX CULVERT @STA. 235+69 ON LT.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580045

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #86

Date Established: 5/19/2006

System: STATE

Job Number: 080133

Nearest City: UNKNOWN

County: POPE

Route: 7

Section: 15

Log Mile: 7.37

Land Section Number: 3

Township: 08N

Range: 20W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 142.217

Elevation (Feet): 466.590

Description: HEADWALL OF BOX CULVERT @ STATION 292+83 RT

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580046

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #86

Date Established: 5/19/2006

System: STATE

Job Number: 080133

Nearest City: UNKNOWN

County: POPE

Route: 7

Section: 15

Log Mile: 8.03

Land Section Number: 34

Township: 09n

Range: 20W

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 128.708

Elevation (Feet): 422.269

Description: BEGIN BRIDGE 05557 (LINKER CREEK) ON LT, ON WINGWALL.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580047

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #86

Date Established: 7/7/2009

System: STATE Job Number: 080284 Nearest City: RUSSELLVILLE

County: POPE Route: 326 Section: 2 Log Mile: 0.47

Land Section Number: 4 Township: 07N Range: 20W

Land Section: SE

Latitude: N 35 17 05.06 Longitude: W 93 06 23.91 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 115.961 Elevation (Feet): 380.449

Description: DISK SE CORNER OF RC BOX CULVERT @ JOB STATION 124+90 LT.

Comments: BENCHMARK WAS ENTERED AND VERIFIED. THE ELEVATION WAS ESTABLISHED FROM CONTROL PT 960. THE DATA CAN BE FOUND ON THE EDM UNDER s080284\_RE\_benches.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580048

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #82

Date Established: 2/6/2007

System: STATE

Job Number: R80072

Nearest City: RUSSELLVILLE

County: POPE

Route: I-40

Section: 22

Log Mile: 77.71

Land Section Number: 22

Township: 08N

Range: 21W

Land Section:

Latitude: N 35 19 28.0

Longitude: W 93 12 22.7

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 131.835

Elevation (Feet): 432.529

Description: AHTD STD. DISK IN TOP OF NW WING WALL ABOVE NAME PLATE ON  
BRIDGE #07007 I-40 OVERPASS.

Comments: Elevations were entered but cannot be verified due to no information on the control  
used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580049

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #86

Date Established: 7/7/2009

System: STATE Job Number: 080284 Nearest City: Russellville

County: POPE Route: 326 Section: 2 Log Mile: 0.47

Land Section Number: 4 Township: 07N Range: 20W

Land Section: SE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 115.961392 Elevation (Feet): 380.450

Description: AHTD STANDARD DISC SET IN THE RT. HEADWALL / SE CORNER OF AN  
R.C. BOX CULVERT @ STA. 124+90

Comments: There was no survey data submitted to support the elevation derived by the R.E.  
Office.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580050

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #86

Date Established: 6/23/2011

System: STATE

Job Number: 008818

Nearest City: HECTOR

County: POPE

Route: 164

Section: 4

Log Mile: 0.42

Land Section Number: 5

Township: 09N

Range: 19W

Land Section: NW

Latitude: N 35 27 07.83000

Longitude: W 93 02 44.70000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 144.33528

Elevation (Feet): 473.540

Description: AHTD DISC 16' RT STA 109+01 IN THE SE PARAPET ON WING WALL ON  
LITTLE CREEK BRIDGE #07155.

Comments: Elevations were entered but not verified due to no data on the control used during  
the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580051

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #86

Date Established: 6/23/2011

System: STATE Job Number: 008818 Nearest City: HECTOR

County: POPE Route: 164 Section: 4 Log Mile: 1.5

Land Section Number: 32 Township: 10N Range: 19W

Land Section: SW

Latitude: N 35 27 58.77000 Longitude: W 93 02 24.31000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 147.68199 Elevation (Feet): 484.520

Description: AHTD DISC 16' RT STA 206+98 IN SE PARAPET ON WING WALL ON ILLINOIS BAYOU BRIDGE #07156.

Comments: Elevations were entered but not verified due to no data on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580052

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #86

Date Established: 7/25/2012

System: STATE

Job Number: 080236

Nearest City: POTTSVILLE

County: POPE

Route: 247

Section:

Log Mile:

Land Section Number:

Township: 07N

Range: 20W

Land Section:

Latitude: N 35 13 23.13000

Longitude: W 93 04 46.40000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 108.0396

Elevation (Feet): 354.460

Description: ALUMINUM CAP IN HEADWALL OF BOX CULVERT STATION 325+04 RT.

Comments: BENCHMARK WAS ENTERED AND VERIFIED. THE ELEVATION WAS ESTABLISHED FROM PT 65 IN JOB 08024.. THE DATA CAN BE FOUND ON THE EDM UNDER s080236\_RE\_benches.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580053

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #86

Date Established: 7/25/2012

System: STATE

Job Number: 080236

Nearest City: POTTSVILLE

County: POPE

Route: 247

Section:

Log Mile:

Land Section Number:

Township: 07N

Range: 20W

Land Section:

Latitude: N 35 13 24.18000

Longitude: W 93 05 32.17000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 113.2243

Elevation (Feet): 371.470

Description: ALUMINUM CAP IN HEADWALL OF BOX CULVERT STATION 286+36 RT.

Comments: BENCHMARK WAS ENTERED AND VERIFIED. THE ELEVATION WAS ESTABLISHED FROM PT 65 IN JOB 08024.. THE DATA CAN BE FOUND ON THE EDM UNDER s080236\_RE\_benches.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580054

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #86

Date Established: 4/9/2014

System: STATE

Job Number: 080236

Nearest City: POTTSVILLE

County: POPE

Route: 247

Section:

Log Mile:

Land Section Number:

Township: 07N

Range: 20W

Land Section:

Latitude: N 35 13 26.13000

Longitude: W 93 06 32.65000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 113.9009

Elevation (Feet): 373.690

Description: SET ALUMINUM CAP IN HEADWALL OF BOX CULVERT STATION 248+73 LT.

Comments: BENCHMARK WAS ENTERED AND VERIFIED. THE ELEVATION WAS ESTABLISHED FROM PT 65 IN JOB 08024.. THE DATA CAN BE FOUND ON THE EDM UNDER s080236\_RE\_benches.zip.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580055

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #86

Date Established: 5/2/2014

System: Job Number: 080236 Nearest City: POTTSVILLE

County: POPE Route: 247 Section: Log Mile:

Land Section Number: Township: 07N Range: 20W

Land Section:

Latitude: N 35 13 26.94000 Longitude: W 93 07 04.89000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 105.8176 Elevation (Feet): 347.170

Description: ALUMINUM CAP IN HEADWALL OF BOX CULVERT STATION 209+39 LT.

Comments: BENCHMARK WAS ENTERED AND VERIFIED. THE ELEVATION WAS ESTABLISHED FROM PT 65 IN JOB 08024.. THE DATA CAN BE FOUND ON THE EDM UNDER s080236\_RE\_benches.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580056

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #86

Date Established: 5/2/2014

System: STATE

Job Number: 080236

Nearest City: POTTSVILLE

County: POPE

Route: 247

Section:

Log Mile:

Land Section Number:

Township: 07N

Range: 20W

Land Section:

Latitude: N 35 13 39.51000

Longitude: W 93 08 15.93000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 97.3777

Elevation (Feet): 319.480

Description: ALUMINUM CAP IN HEADWALL OF BOX CULVERT STATION 209+39 LT.

Comments: BENCHMARK WAS ENTERED AND VERIFIED. THE ELEVATION WAS ESTABLISHED FROM PT 65 IN JOB 08024.. THE DATA CAN BE FOUND ON THE EDM UNDER s080236\_RE\_benches.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580057

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #86

Date Established: 6/3/2011

System: STATE

Job Number: 08024

Nearest City: POTTSVILLE

County: POPE

Route: 247

Section: 0

Log Mile: 7.544

Land Section Number: 22

Township: 07N

Range: 20W

Land Section:

Latitude: N 35 13 27.70000

Longitude: W 93 02 28.20000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 105.0459

Elevation (Feet): 344.638

Description: DISK SE CORNER OF GALLA CREEK BRIDGE STATION 441+18.92 RT.

Comments: BENCHMARK WAS ENTERED AND VERIFIED. THE ELEVATION WAS ESTABLISHED FROM PT 65 IN JOB 08024.. THE DATA CAN BE FOUND ON THE EDM UNDER s080236\_RE\_benches.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580058

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #86

Date Established: 2/27/2013

System: CITY

Job Number: 080295

Nearest City: Russelville

County: POPE

Route: Inglewood A

Section:

Log Mile:

Land Section Number:

Township: 07n

Range: 20w

Land Section:

Latitude: N 35 16 15.00000

Longitude: W 93 09 54.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 122.3963

Elevation (Feet): 401.562

Description: .Standard AHTD aluminum cap in top of drop inlet. STA 163+38 Lt.

Comments: Elevation verified. Elevation based on PN:900 in job 080295, which was based on BGS Q 292. RE reported elevation as 401.57, it processed to 401.562 on 03/10/2015. Three wire data available on EDM in s080295re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580059

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #86

Date Established: 8/11/2015

System: STATE

Job Number: BB0804

Nearest City: RUSSELVILLE

County: POPE

Route: 40

Section: 22

Log Mile: 80.68

Land Section Number:

Township: 08n

Range: 20W

Land Section:

Latitude: N 35 18 32.27000

Longitude: W 93 08 56.86000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 108.536

Elevation (Feet): 356.089

Description: aluminum cap in northeast parapet wall Bridge No. A6917. Approximate station 4259+98.08 Left of Left Main Lanes

Comments: Elevation verified. THREE WIRE DATA AVAILABLE ON EDM UNDER JOB BB0804 IN sbb0804RE\_BENCHES.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580060

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #86

Date Established: 7/27/2015

System: STATE

Job Number: BB0804

Nearest City: RUSSELVILLE

County: POPE

Route: 40

Section: 22

Log Mile: 80.68

Land Section Number:

Township: 08N

Range: 20W

Land Section:

Latitude: N 35 18 32.93000

Longitude: W 93 09 04.23000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 110.39

Elevation (Feet): 362.171

Description: Aluminum cap in southwest parapet wall Bridge No. B6917. Approximate station 4253+62.92 Right of Right Main Lanes

Comments: Elevation verified. THREE WIRE DATA AVAILABLE ON EDM UNDER JOB BB0804 IN sbb0804RE\_BENCHES.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580061

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #86

Date Established: 8/17/2015

System: STATE

Job Number: BB0804

Nearest City: RUSSELVILLE

County: POPE

Route: 40

Section: 22

Log Mile: 77.11

Land Section Number:

Township: 08N

Range: 21W

Land Section:

Latitude: N 35 19 27.33000

Longitude: W 93 12 20.71000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 114.859

Elevation (Feet): 376.833

Description: aluminum cap in southwest parapet wall Bridge No. B6916. Approximate station 4071+39.06 Right of Right Main Lanes.

Comments: Elevation verified. THREE WIRE DATA AVAILABLE ON EDM UNDER JOB BB0804 IN sbb0804RE\_BENCHES.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580062

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #86

Date Established: 8/17/2015

System: STATE

Job Number: BB0804

Nearest City: RUSSELVILLE

County: POPE

Route: 40

Section: 22

Log Mile: 77.18

Land Section Number:

Township: 08N

Range: 21W

Land Section:

Latitude: N 35 19 27.75000

Longitude: W 93 12 20.71000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 114.864

Elevation (Feet): 376.850

Description: Aluminum cap in northeast parapet wall Bridge No. A6916. Approximate station 4075+15.18 Left of Left Main Lanes.

Comments: Elevation verified. THREE WIRE DATA AVAILABLE ON EDM UNDER JOB BB0804 IN sbb0804RE\_BENCHES.zip.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 580063

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #82

Date Established: 3/20/2019

System: STATE

Job Number: 080500

Nearest City: Pottsville

County: POPE

Route: 331

Section: 0

Log Mile: 0.16

Land Section Number: 17

Township: 07n

Range: 19w

Land Section: SW

Latitude: N 35 15 04.00000

Longitude: W 93 02 54.00000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 110.541

Elevation (Feet): 362.667

Description: ARDOT disk top of headwall at SE corner of RCBC

Comments: levation verified. Three wire data available on EDM under job 080500 in  
s080500re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 590001

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City: HICKORY PLAINS

County: PRAIRIE Route: 13 Section: 11 Log Mile: 7.37

Land Section Number: Township: Range:

Land Section:

Latitude: N 35 00 52.0 Longitude: W 91 45 10.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.13 Elevation (Feet): 213.681

Description: DISK NORTHEAST WINGWALL EAST ABUTMENT BRIDGE 6001 18' RT  
BR. OVER HICKORY PLAINS CREEK CREW S5102 8-30-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 590002

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City: HICKORY PLAINS

County: PRAIRIE Route: 13 Section: 11 Log Mile: 8.67

Land Section Number: Township: Range:

Land Section:

Latitude: N 35 01 24.0 Longitude: W 91 46 11.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 63.164 Elevation (Feet): 207.231

Description: DISK SOUTHWEST CORNER HEADWALL R.C. B LT. 19' CREW S5102 8-30-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 590003

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City: HICKORY PLAINS

County: PRAIRIE Route: 13 Section: 11 Log Mile: 8.84

Land Section Number: Township: Range:

Land Section:

Latitude: N 35 01 22.0 Longitude: W 91 46 23.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 63.831 Elevation (Feet): 209.419

Description: DISK NORTHWEST CORNER HEADWALL R.C. B RT. 19' CREW S5102 8-30-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 590004

Class:

Vertical Datum: UNKNOWN

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: HICKORY PLAINS

County: PRAIRIE

Route: 13

Section: 11

Log Mile: 10.33

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 01 25.0

Longitude: W 91 47 57.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 66.855

Elevation (Feet): 219.340

Description: DISK TOP WINGWALL R.C.B. RT. 19' CREW S5102 8-30-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 590005

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City:

County: PRAIRIE Route: 40 Section: 42 Log Mile: 196.83

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 64.423 Elevation (Feet): 211.361

Description: "COTTON SPINDLE" IN ROOT OF 24" WEST OAK 4' RIGHT STA 1744+89  
N/R

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 590006

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City:

County: PRAIRIE Route: 40 Section: 42 Log Mile: 196.95

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 63.993 Elevation (Feet): 209.950

Description: "COTTON SPINDLE" IN ROOT OF 24" OAK 222' RIGHT OF STA 1751+51 N/R

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 590007

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City:

County: PRAIRIE Route: 40 Section: 42 Log Mile: 197.35

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 57.717 Elevation (Feet): 189.360

Description: "CPS IN ROOT" OF 24" OAK 325' LEFT OF STATION 1772+70 N/R

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 590008

Class:

Vertical Datum: UNKNOWN

Established by:

Date Established:

System:

Job Number:

N/A

Nearest City:

HAZEN

County:

PRAIRIE

Route:

86

Section:

0

Log Mile:

7.12

Land Section Number:

Township:

Range:

Land Section:

Latitude:

N 34 53 32.0

Longitude:

W 91 39 21.0

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

61.308

Elevation (Feet):

201.141

Description:

DISK TOP WINGWALL SOUTHEAST CORNER BRIDGE #5839 FARRAS  
RUN CREEK CREW S5102 8-30-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 590009

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City: HAZEN

County: PRAIRIE Route: 86 Section: 0 Log Mile: 7.99

Land Section Number: Township: Range:

Land Section:

Latitude: N 34 52 48.0 Longitude: W 91 39 23.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 61.636 Elevation (Feet): 202.217

Description: DISK TOP WINGWALL SOUTHEAST CORNER BRIDGE #5838 BUCK  
CREEK CREW S5102 8-30-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 590010

Class:

Vertical Datum: UNKNOWN

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: HAZEN

County: PRAIRIE

Route: 86

Section: 0

Log Mile: 8.56

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 52 18.0

Longitude: W 91 39 22.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.023

Elevation (Feet): 213.330

Description: DISK TOP WINGWALL SOUTHEAST CORNER BRIDGE #5837 SHORT  
CREEK CREW S5102 8-30-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 590011

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: 60354 Nearest City: DES ARC

County: PRAIRIE Route: 323 Section: 1 Log Mile: 4.26

Land Section Number: Township: Range:

Land Section:

Latitude: N 34 56 11.0 Longitude: W 91 29 35.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 57.281 Elevation (Feet): 187.929

Description: BENCHMARK LOCATED IN NE WINGWALL OF BIG CREEK BRIDGE  
#6214. \*\*BIG CREEK BRIDGE IS LOCATED IN STATE HIGHWAY 323  
1.65 MILES NORTH OF COUNTY RD. 36. CREW S5102 8-30-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 590013

Class:

Vertical Datum:

Established by:

Date Established: 8/7/1992

System:

Job Number: BR-59-2

Nearest City: LITTLE DIXIE

County: PRAIRIE

Route: CR 27

Section: N/A

Log Mile:

Land Section Number: 12

Township: 04N

Range: 04W

Land Section:

Latitude: N 34 58 42.0

Longitude: W 91 22 42.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 53.538

Elevation (Feet): 175.649

Description: AT THE WEST END OF THE CULOTCHER'S BAY BRIDGE (BR. #4626), 18' SOUTH OF CENTERLINE, A CAST ALUMINUM DISK SET FLUSH WITH THE TOP OF THE SW WINGWALL CREW S5102 8-30-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 590014

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: BR-59-3

Nearest City: DES ARC

County: PRAIRIE

Route: CR 15

Section:

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 58 17.0

Longitude: W 91 30 41.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 59.195

Elevation (Feet): 194.209

Description: BENCHMARK IS IN SOUTHEAST CORNER OF HEADWALL OF BOX  
CULVERT LOCATED ON BIENE CREEK 0.42 MILES SOUTH OF MAIN ST.  
ON WHIPOORWILL RD. IN CITY LIMITS OF DES ARC. CREW S5102 8-30-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 590015

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #61

Date Established: 1/10/1996

System: COUNTY

Job Number: BR5904

Nearest City: EAST OF ULM

County: PRAIRIE

Route: CR 7

Section:

Log Mile:

Land Section Number: 26

Township: 01S

Range: 04W

Land Section: SE

Latitude: N 34 34 44.0

Longitude: W 91 24 42.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 60.152

Elevation (Feet): 197.349

Description: ALUM. DISK 16' RT. TOP OF SW WINGWALL. BR. OVER BIG LAGRUE  
BAYOU "1995" BR # 4753 CREW S5102 8-30-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600001

Class:

Vertical Datum: NGVD29

Established by: RE OFFICE #65

Date Established: 1/16/1991

System: STATE

Job Number: R60029

Nearest City: LITTLE ROCK

County: PULASKI

Route: 10

Section: 8

Log Mile: 6.69

Land Section Number:

Township: 02N

Range: 13W

Land Section:

Latitude: N 34 47 53.0

Longitude: W 92 24 41.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 97.67

Elevation (Feet): 320.439

Description: AHTD BENCHMARK MEDALLION ON HEADWALL OF 10'X 3' R.C. BOX  
CULVERT APPROXIMATELY 42' NORTH OF CENTERLINE HIGHWAY 10  
STATION 230+81 CREW S5102 8-30-99 RECOVERED

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600002

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #65

Date Established: 1/18/1991

System: STATE

Job Number: R60029

Nearest City:

County: PULASKI

Route: 10

Section: 8

Log Mile: 7.71

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 121.283

Elevation (Feet): 397.909

Description: AHTD BENCHMARK MEDALLION ON HEADWALL OF DOUBLE 8'X 4' R.C. BOX CULVERT APPROX. 50' NORTH OF CENTERLINE HIGHWAY 10 AT STATION 284+94 CREW S5102 NOT FOUND 8-30-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600003

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: 60161 Nearest City: LITTLE ROCK

County: PULASKI Route: 10 Section: 8 Log Mile: 5.28

Land Section Number: Township: Range:

Land Section:

Latitude: N 34 48 10.0 Longitude: W 92 26 01.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 92.964 Elevation (Feet): 304.999

Description: ALUMINUM CAP IN SOUTHWEST CORNER OF WINGWALL RIGHT  
STATION 278+67 BRIDGE NO. 5997 CREW S5102 RECOVERED 8-30-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600004

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: 60161 Nearest City: LITTLE ROCK

County: PULASKI Route: 10 Section: 8 Log Mile: 4.64

Land Section Number: Township: Range:

Land Section:

Latitude: N 34 48 08.0 Longitude: W 92 26 39.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 87.935 Elevation (Feet): 288.500

Description: ALUMINUM CAP IN SOUTHWEST WINGWALL OF BRIDGE NO. 5996  
RIGHT STATION 244+77 CREW S5102 RECOVERED 8-30-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600005

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #65

Date Established:

System:

Job Number: R60030

Nearest City: LITTLE ROCK

County: PULASKI

Route: 10

Section: 8

Log Mile: 3.60

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 48 19.0

Longitude: W 92 27 43.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 86.707

Elevation (Feet): 284.471

Description: AHTD MONUMENT ON SOUTH HEADWALL OF TRIPLE 4'X 2' R.C.B.C.  
APPROX. 400' WEST OF INTERSECTION RANCH DRIVE (NORTH SIDE  
HIGHWAY 10) DREW ROAD (SOUTH SIDE HIGHWAY 10) CREW S5102  
RECOVERED 8-30-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600006

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #65

Date Established:

System:

Job Number: R60030

Nearest City: LITTLE ROCK

County: PULASKI

Route: 10

Section: 8

Log Mile: 2.98

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 48 30.0

Longitude: W 92 28 17.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 88.606

Elevation (Feet): 290.702

Description: AHTD MONUMENT ON NORTH HEADWALL OF 4'X 3' R.C.B.C. IN  
NORTHWEST QUADRANT OF INTERSECTION OF PATRICK COUNTY  
ROAD CREW S5102 RECOVERED 8-30-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600007

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #65

Date Established: 1/22/1991

System: STATE

Job Number: R60029

Nearest City:

County: PULASKI

Route: 10

Section: 8

Log Mile: 8.21

Land Section Number:

Township: 02N

Range: 13W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 140.772

Elevation (Feet): 461.849

Description: AHTD BENCHMARK MEDALLION ON HEADWALL OF 4'X 4' R.C. BOX  
CULVERT APPROXIMATELY 40' NORTH OF CENTERLINE HIGHWAY 10  
AT STATION 311+44 CREW S5102 NOT FOUND 8-30-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600008

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #65

Date Established:

System:

Job Number: R60030

Nearest City: LITTLE ROCK

County: PULASKI

Route: 10

Section: 8

Log Mile: 1.85

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 48 43.0

Longitude: W 92 29 26.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 113.02

Elevation (Feet): 370.800

Description: AHTD MONUMENT ON NORTHEAST CORNER OF 4'X 4' R.C.B.C. (ON HEADWALL). APPROX. 400' WEST OF INTERSECTION OF CHENAL PARKWAY CREW S5102 RECOVERED 8-30-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600009

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #65

Date Established:

System:

Job Number: N/A

Nearest City: LITTLE ROCK

County: PULASKI

Route: 10

Section: 8

Log Mile: 0.82

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 48 58.0

Longitude: W 92 30 29.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 98.259

Elevation (Feet): 322.371

Description: AHTD MONUMENT ON NORTHWEST CORNER OF 5'X 4' R.C.B.C. (ON HEADWALL). APPROX. 250' WEST OF JOE T. ROBINSON ELEMENTARY SCHOOL CREW S5102 RECOVERED 8-30-99

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600010

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #65

Date Established:

System:

Job Number: R60030

Nearest City: LITTLE ROCK

County: PULASKI

Route: 10

Section: 8

Log Mile: 4.21

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 48 12.0

Longitude: W 92 27 05.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 84.177

Elevation (Feet): 276.171

Description: AHTD MONUMENT ON NORTH SIDEWALK NEAR EAST END OF BRIDGE NO. 6360 (OVER SOUTH CHANNEL OF TAYLOR LOOP CIRCLE) APPROX. 600' WEST OF INTERSECTION BELLA ROSA DRIVE. CREW S5102 RECOVERED 8-30-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600011

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #65

Date Established:

System:

Job Number: R60030

Nearest City: LITTLE ROCK

County: PULASKI

Route: 10

Section: 8

Log Mile: 1.33

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 48 37.0

Longitude: W 92 29 32.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 103.017

Elevation (Feet): 337.982

Description: AHTD MONUMENT ON NORTHWEST CORNER 10'X 3' R.C.B.C. (ON HEADWALL). APPROX. 750' WEST OF INTERSECTION OF HIGHWAY 300  
CREW S5102 RECOVERED 8-30-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600012

Class:

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established:

System: FEDERAL

Job Number: N/A

Nearest City:

County: PULASKI

Route: I-30

Section: BASEL

Log Mile: 130.00

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 40 10.2

Longitude: W 92 23 02.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 99.023

Elevation (Feet): 324.878

Description: USGS DISK STAMPED "ET 11" NORTHWEST CORNER BRIDGE 3119 (HUBRAIL) NGVD29=324.96ft CONVERTED FROM FIELD RUN FROM BENTON 3/4/1994 BY DKC.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600013

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City: LITTLE ROCK

County: PULASKI Route: I-30 Section: 2 Log Mile:

Land Section Number: 11 Township: 01N Range: 12W

Land Section: NW

Latitude: N 34 44 22.2 Longitude: W 92 15 44.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 94.866 Elevation (Feet): 311.240

Description: TOP OF SOUTHWEST PARAPET WALL AT EXPANSION JOINT 9TH STREET BRIDGE. APPROX. 26' SOUTH CENTERLINE. RECOVERED BY S5102 ON 12/21/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600015

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City:

County: PULASKI Route: 30B & 70B Section: ERSITY Log Mile:

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.474 Elevation (Feet): 260.741

Description: [] CUT SOUTHEAST CORNER OVER ROCK CREEK NORTH LANE TBM  
BW 17 1965. NOT RECOVERED BY S5102 ON 12/21/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600016

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City:

County: PULASKI Route: 30B & 70B Section: ERSITY Log Mile:

Land Section Number: Township: 01N Range: 13W

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 80.172 Elevation (Feet): 263.031

Description: [] BRASS CAP SOUTHWEST CORNER FOURCHE CREEK SOUTH LANE AZ  
MARK UNIVERSITY. NOT RECOVERED BY S5102 ON 12/21/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600017

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City: LITTLE ROCK

County: PULASKI Route: I-30 Section: 23 Log Mile: 139.7

Land Section Number: Township: 01N Range: 12W

Land Section:

Latitude: N 34 43 41.7 Longitude: W 92 15 53.6 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 100.048 Elevation (Feet): 328.241

Description: AHTD DISC ON WEST ABUTMENT WINGWALL OF BRIDGE OVER I-30  
APPROX. 150' WEST OF CENTERLINE I-30. 21ST STREET UNDERPASS  
BR#5750

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600018

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: 60255 Nearest City: LITTLE ROCK

County: PULASKI Route: 30 Section: 23 Log Mile: 141.32

Land Section Number: 35 Township: 02N Range: 12W

Land Section:

Latitude: N 34 45 23.5 Longitude: W 92 15 45.3 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.756 Elevation (Feet): 281.351

Description: AHTD DISC SOUTHEAST WINGWALL 2768 CW-57' RIGHT

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600019

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: 60255 Nearest City: LITTLE ROCK

County: PULASKI Route: 30 Section: 23 Log Mile: 141.51

Land Section Number: 35 Township: 02N Range: 12W

Land Section:

Latitude: N 34 45 34.7 Longitude: W 92 15 43.7 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.768 Elevation (Feet): 281.391

Description: AHTD DISC "BROADWAY" CANTILEVER BASE-60' RIGHT 21 DEC 99 VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600020

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: 60255 Nearest City: N.L.ROCK

County: PULASKI Route: 30 Section: 23 Log Mile: 141.58

Land Section Number: Township: Range:

Land Section:

Latitude: N 34 45 49.0 Longitude: W 92 15 43.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 88.837 Elevation (Feet): 291.459

Description: AHTD DISC SOUTHEAST WINGWALL 2768 EW-57'RIGHT 11-12-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600021

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: 60255 Nearest City: LITTLE ROCK

County: PULASKI Route: 30 Section: 23 Log Mile: 141.74

Land Section Number: 35 Township: 02N Range: 12W

Land Section:

Latitude: N 34 45 49.0 Longitude: W 92 15 42.3 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 84.713 Elevation (Feet): 277.929

Description: AHTD DISC SOUTHEAST WINGWALL 2768 EW-66' RIGHT 21 DEC 99 VJB  
III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600022

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: 60255 Nearest City: NORTH LITTLE ROCK

County: PULASKI Route: 30 Section: 23 Log Mile: 141.89

Land Section Number: 35 Township: 02N Range: 12W

Land Section:

Latitude: N 34 46 06.8 Longitude: W 92 15 39.3 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 83.238 Elevation (Feet): 273.090

Description: AHTD DISC SOUTHEAST WINGWALL 276' GW-57' RIGHT 21 DEC 99 VJB  
III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600023

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: 60255 Nearest City: N.L. ROCK

County: PULASKI Route: 30 Section: 23 Log Mile: 142.15

Land Section Number: Township: Range:

Land Section:

Latitude: N 34 46 04.0 Longitude: W 92 15 42.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.219 Elevation (Feet): 279.589

Description: AHTD DISC "15TH EXIT" OVERHEAD-OUTSIDE BASE-75' LEFT BRIDGE #  
2768GW 11-12-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600024

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City: LITTLE ROCK

County: PULASKI Route: I-30 Section: 23 Log Mile: 135.27

Land Section Number: Township: Range:

Land Section:

Latitude: N 34 41 20.0 Longitude: W 92 18 21.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 86.53 Elevation (Feet): 283.891

Description: ALUMINUM DISC IN SOUTH WING OF BACKWALL AT EAST END OF  
BRIDGE NO. 3176W I-30 OVER 65TH STREET. 11-12-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600025

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City: LITTLE ROCK

County: PULASKI Route: I-30 Section: 23 Log Mile: 135.53

Land Section Number: Township: Range:

Land Section:

Latitude: N 34 41 31.0 Longitude: W 92 18 14.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 88.346 Elevation (Feet): 289.849

Description: ALUMINUM DISC SET IN SOUTH WING OF BACKWALL AT WEST END  
OF BRIDGE NO. 3177W I-30 OVER CRI&P R.R. SPUR EAST BOUND 11-12-  
99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600026

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City: LITTLE ROCK

County: PULASKI Route: I-30 Section: 23 Log Mile: 136.17

Land Section Number: Township: Range:

Land Section:

Latitude: N 34 42 01.0 Longitude: W 92 17 56.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 78.907 Elevation (Feet): 258.881

Description: ALUMINUM DISC SET IN SOUTH WING OF BACKWALL AT EAST END OF  
BRIDGE NO. 3178W I-30 OVER LITTLE FOURCHE CREEK EAST BOUND 11-  
12-99 CREW S5102

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600027

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City: LITTLE ROCK

County: PULASKI Route: I-30 Section: 23 Log Mile: 137.36

Land Section Number: Township: Range:

Land Section:

Latitude: N 34 42 30.0 Longitude: W 92 16 50.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.223 Elevation (Feet): 266.479

Description: ALUMINUM DISC SET IN NORTH BACKWALL WING ON EAST END OF  
WEST BOUND I-30 BRIDGE OVER ARCH STREET BRIDGE NO. 3179AW.  
11-12-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600028

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City: LITTLE ROCK

County: PULASKI Route: I-30 Section: 23 Log Mile: 138.50

Land Section Number: 14 Township: 01N Range: 12W

Land Section:

Latitude: N 34 43 06.1 Longitude: W 92 16 08.8 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 86.149 Elevation (Feet): 282.641

Description: ALUMINUM DISC SET IN TOP OF MEDIAN BARRIER WALL  
APPROXIMATELY 5' NORTH OF OVERHEAD SIGN & 100' NORTH OF  
BRIDGE NO. 3335 I-30 OVER BIDDLE YARD BRIDGE END. RECOVERED  
BY S5102 ON 12/21/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600029

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 3/13/1990

System: Job Number: 6905 Nearest City: LITTLE ROCK

County: PULASKI Route: I-30 Section: 23 Log Mile: 133.46

Land Section Number: 31 Township: 01N Range: 13W

Land Section: NE

Latitude: N 33 40 42.0 Longitude: W 92 19 57.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 111.453 Elevation (Feet): 365.659

Description: SOUTHEAST CORNER BRIDGE ABUTMENT OVERPASS STANTON ROAD  
ON I-30 IN LITTLE ROCK APPROX 1200 FT WEST OF DOYLE SPRINGS  
ROAD [] CUT AND PAINTED ELEVATION ESTABLISHED FROM TBM AT  
SONIC ON BASELINE ROAD. 11-12-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600031

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 4/2/2001

System: STATE

Job Number: 060994

Nearest City: GALLOWAY

County: PULASKI

Route: 70

Section:

Log Mile:

Land Section Number: 30

Township: 02N

Range: 10W

Land Section: NWNW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.671

Elevation (Feet): 251.545

Description: NGS POINT GALLOWAY 2 RM 1

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600032

Class:

Vertical Datum: UNKNOWN

Established by: SURVEYS DIVISION

Date Established: 10/20/1992

System:

Job Number:

60209

Nearest City:

LITTLE ROCK

County:

PULASKI

Route:

I-30

Section:

23

Log Mile:

132.18

Land Section Number:

36

Township:

01N

Range:

13W

Land Section:

SENW

Latitude:

N 34 40 44.1

Longitude:

W 92 21 18.8

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

95.774

Elevation (Feet):

314.219

Description:

[ ] CUT IN NW COR. WHEELGUARD, BRIDGE ON I-30 AR UNIVERSITY AVE; WEST BOUND LANES. LEV'S RUN FROM GOV'T BM AT MABELVALE INT. RECOVERED BY S5102 ON 12/21/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600033

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #65

Date Established: 6/29/2001

System:

Job Number:

060536

Nearest City:

MAUMELLE

County:

PULASKI

Route:

365

Section:

11

Log Mile:

Land Section Number:

Township:

03N

Range:

13W

Land Section:

Latitude: N 34 52 59.8

Longitude: W 92 23 22.4

Type:

SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

84.4724

Elevation (Feet):

277.140

Description:

AHTD CAP IN NW WW OF RC BOX 40' LT OF STA 23+00 (200' E OF  
TANNING RD & HWY 365)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600034

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City:

County: PULASKI

Route: I-40

Section: 33

Log Mile: 158.02

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 0

Elevation (Feet): 0.000

Description: STATION TEXAS EASTERN ROAD CENTER OF BRIDGE TP305  
COORDINATES TP305 768868.065 1946704.082 N/R 9-1-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600035

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City:

County: PULASKI

Route: I-40

Section: 33

Log Mile: 158.94

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 0

Elevation (Feet): 0.000

Description: EB 517+33.87 I40 344+58.32 CENTERLINE 40 & EB 769497.348  
1951545.282 P303B CENTERLINE RREB 767477.950 1951475.224  
WATERTOWER 1MI NORTH-NORTHWEST AZ MARK #1 NAZ 322-45-24  
WATERTOWER 10MI AZ MARK 2 NAZ 309-28-56 N/R 9-1-99 CREW S5102

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600036

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City:

County: PULASKI

Route: I-40

Section: 33

Log Mile: 162.39

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 0

Elevation (Feet): 0.000

Description: GALLOWAY IN T CENTERLINE OF EANES ROAD 9893.08 BEARING  
EASTBELT N1'59'13" E BEARING I-40 N82' 35' 38" E N/R 9-1-99 S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600037

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #64

Date Established: 8/9/1988

System: FEDERAL

Job Number: R60010

Nearest City: NORTH LITTLE ROCK

County: PULASKI

Route: I-40

Section: 33

Log Mile: 153.8

Land Section Number: 25

Township: 02N

Range: 12W

Land Section: NW

Latitude: N 34 46 41.5

Longitude: W 92 15 09.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.764

Elevation (Feet): 255.131

Description: DISK SET IN CENTERLINE OF CONCRETE FOOTING OF R.C. MEDIAN  
BARRIER 24' RIGHT OF STATION 41+56 RAMP B. (I-40 OW BD)  
RECOVERED BY S5102 ON 12/22/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600038

Class:

Vertical Datum: UNKNOWN

Established by:

Date Established: 8/9/1988

System: FEDERAL

Job Number: R60010

Nearest City: NORTH LITTLE ROCK

County: PULASKI

Route: I-40

Section: 33

Log Mile: 154.4

Land Section Number: 25

Township: 02N

Range: 12W

Land Section:

Latitude: N 34 46 36.5

Longitude: W 92 14 34.2

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 84.75

Elevation (Feet): 278.051

Description: DISK SET IN TOP OF END POST SOUTHEAST CORNER OF BRIDGE 3157  
27' RIGHT OF STATION 23+33 NO. HILS BLDY. 21 DEC 99 VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600039

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 8/9/1988

System: FEDERAL Job Number: R60010 Nearest City: NORTH LITTLE ROCK

County: PULASKI Route: I-40 Section: 33 Log Mile: 154.6

Land Section Number: 25 Township: 02N Range: 12W

Land Section: NE

Latitude: N 34 46 37.7 Longitude: W 92 14 15.6 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 78.05 Elevation (Feet): 256.069

Description: DISK SET IN FOOTING OF R.C. MEDIAN BARRIER 38' LEFT OF STATION  
112+00 I-40 EAST BD. 21 DEC 99 STATION IS AT THE EAST END OF  
BARRIER. VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600040

Class:

Vertical Datum:

Established by: SURVEYS DIVISION

Date Established: 11/1/1990

System: NTERSTAT

Job Number: R60009

Nearest City:

County: PULASKI

Route: I-40

Section: \*\*

Log Mile: 149.05

Land Section Number: 33

Township: 02N

Range: 12W

Land Section:

Latitude: N 34 48 36.5

Longitude: W 92 19 06.4

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.02

Elevation (Feet): 259.251

Description: [] CUT CENTER DBL. RC BOX .9 MI. E CRYSTAL HILL RD. OVERPASS RC BOX UNDER I-40 & ON NORTH SIDE HWY. \*\*CRYSTAL HILL OVERPASS 33 TO NORTH TERMINAL. RECOVERED BY S5102 ON 12/21/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600041

Class:

Vertical Datum:

Established by: RE OFFICE #62

Date Established: 8/20/1999

System: STATE

Job Number: 060688

Nearest City:

County: SALINE

Route: I-30

Section: 22

Log Mile: 124.36

Land Section Number: 14

Township: 01S

Range: 14W

Land Section: SW

Latitude: N 34 47 51.5

Longitude: W 92 18 10.7

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 119.325

Elevation (Feet): 391.485

Description: AHTD ALUMINUM DISC ON TOP S.E. WING BR#06711 raymar rd overpass

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600042

Class:

Vertical Datum:

Established by: SURVEYS DIVISION

Date Established: 11/1/1990

System: NTERSTAT

Job Number: R60009

Nearest City: N.L. ROCK

County: PULASKI

Route: I-40

Section: \*\*

Log Mile: 148.75

Land Section Number: 33

Township:

Range:

Land Section:

Latitude: N 34 48 50.0

Longitude: W 92 19 19.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.593

Elevation (Feet): 261.131

Description: FIRST OVERPASS E CRYSTAL HILL RD. EXIT;[] CUT HDWL NE COR RC  
BOX UNDER OVERPASS ON I-40 N. SIDE APPX. 150 LT. C/L MED. & APPX.  
100' E C/L OVERPASS RD. & .5 MI E CRYSTAL HILL OVERPASS RD.  
\*\*CRYSTAL HILL OVERPASS 33 TO N TERMINAL 10-14-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600043

Class:

Vertical Datum:

Established by: SURVEYS DIVISION

Date Established: 11/1/1990

System: NTERSTAT

Job Number: R60009

Nearest City:

County: PULASKI

Route: I-40

Section: \*\*

Log Mile: 148.50

Land Section Number: 33

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 90.053

Elevation (Feet): 295.449

Description: COTTON PICKER SPINDLE I SIDE 20" WHITE OAK 112' RT. CENTERLINE  
STA. 1038+80 C/L SURVEY I-40; .3 MI E CRYSTAL HILL OVERPASS  
\*\*CRYSTAL HILL OVERPASS 33 TO N TERMINAL. NOT RECOVERED BY  
S5102 .

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600044

Class:

Vertical Datum:

Established by:

Date Established:

System: NTERSTAT

Job Number: R60009

Nearest City: N.L. ROCK

County: PULASKI

Route: I-40

Section: \*\*

Log Mile: 151.02

Land Section Number: 33

Township:

Range:

Land Section:

Latitude: N 34 47 24.0

Longitude: W 92 17 43.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.171

Elevation (Feet): 266.309

Description: [] CUT IN NW COR. OF N WHEELGUARD FIRST BRIDGE ON I-40 E OF  
BURNS PARK CAMP ROBINSON OVERPASS \*\*CRYSTAL HILL  
OVERPASS 33 TO NORTH TERMINAL 10-14-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600045

Class:

Vertical Datum:

Established by:

SURVEYS DIVISION

Date Established: 11/1/1990

System: NTERSTAT

Job Number:

R60009

Nearest City:

N.L. ROCK

County:

PULASKI

Route:

I-40

Section:

\*\*

Log Mile:

151.54

Land Section Number:

33

Township:

Range:

Land Section:

Latitude:

N 34 47 15.0

Longitude:

W 92 17 17.0

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

90.535

Elevation (Feet):

297.030

Description:

[ ] CUT ON NW BR. END ON WHEEL GUARD BR. ON I-40 OVER VALLEY  
VIEW RD. W BOUND LANE SECOND BRIDGE E OF BURNS PARK  
OVERPASS \*\*CRYSTAL HILL OVERPASS 33 TO N TERMINAL 10-14-99  
CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600046

Class:

Vertical Datum:

Established by:

SURVEYS DIVISION

Date Established: 11/1/1990

System: NTERSTAT

Job Number:

R60009

Nearest City:

N.L. ROCK

County:

PULASKI

Route:

I-40

Section:

\*\*

Log Mile:

152.02

Land Section Number:

33

Township:

Range:

Land Section:

Latitude:

N 34 47 07.0

Longitude:

W 92 16 36.0

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

104.01

Elevation (Feet):

341.239

Description:

[ ] CUT ON BRIDGE ABUTMENT SE COR. W BOUND LANE R.R. BR.  
OVERPASS AT LEVY \*\*CRYSTAL HILL OVERPASS 33 TO N TERMINAL  
10-14-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600047

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: LITTLE ROCK

County: PULASKI

Route: 65

Section: 12

Log Mile: 0.55

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 42 10.0

Longitude: W 92 16 11.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 87.502

Elevation (Feet): 287.079

Description: ALUMINUM DISC SET IN TOP OF WEST PARAPET WALL AT SOUTH END OF BRIDGE NO. 2623BW HIGHWAY 65 NORTH BOUND OVER FOURCHE CREEK CREW S5102 RECOVERED 8-31-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600048

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number:

N/A

Nearest City:

LITTLE ROCK

County:

PULASKI

Route:

65

Section:

12

Log Mile:

0.16

Land Section Number:

Township:

Range:

Land Section:

Latitude:

N 34 42 41.0

Longitude:

W 92 16 14.0

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

87.578

Elevation (Feet):

287.329

Description:

ALUMINUM DISC SET IN TOP OF NORTHWEST CORNER PARAPET WALL  
OF BRIDGE NO. 5699 NS/SE BRIDGE-HIGHWAY 65 OVER I-30 EAST  
BOUND IN SOUTH TERMINAL AREA. CREW S5102 RECOVERED 8-31-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600049

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: HENSLEY

County: PULASKI

Route: 65

Section: 12 B

Log Mile: 2.64

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 30 29.0

Longitude: W 92 13 16.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 82.125

Elevation (Feet): 269.438

Description: AT THE WEST END OF THE HENSLEY ROAD OVERPASS (BRIDGE 5655)  
18' SOUTH OF THE CENTERLINE A CAST ALUMINUM DISK SET FLUSH  
WITH THE TOP OF THE WINGWALL. CREW S5102 RECOVERED 8-31-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600050

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: WRIGHTSVILLE

County: PULASKI

Route: 65

Section: 12

Log Mile: 9.03

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 35 10.0

Longitude: W 91 16 05.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 83.406

Elevation (Feet): 273.641

Description: AT THE WEST END OF THE BINGHAM ROAD OVERPASS (BRIDGE 5657)  
16' SOUTH OF THE CENTERLINE A CAST ALUMINUM DISK SET FLUSH  
WITH THE TOP OF THE BRIDGE END CORNER POST. CREW S5102  
RECOVERED 8-31-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600051

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 60260

Nearest City: NORTH LITTLE ROCK

County: PULASKI

Route: 67

Section: 10

Log Mile:

Land Section Number: 19

Township: 02N

Range: 11W

Land Section:

Latitude: N 34 47 04.4

Longitude: W 92 13 45.8

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 103.711

Elevation (Feet): 340.259

Description: + CUT IN 2" BOLT SOUTHWEST CORNER ELECTRIC TRANSMISSION  
TOWER 81' RIGHT STATION 149+81 I-40-HIGHWAY 67 INTERCHANGE  
SOUTH TO NORTH RAMP. RECOVERED BY S5102 ON 12/21/99.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600052

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 60275

Nearest City: JACKSONVILLE

County: PULASKI

Route: 67

Section: 10

Log Mile: 10.8

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 84.997

Elevation (Feet): 278.861

Description: AHTD DISC IN SOUTHEAST CORNER DROP INLET LEFT OF NO. 1ST STREET AND 170'+/- RIGHT OF HIGHWAY 67-167. NOT RECOVERED BY S5102 ON 12/21/99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600053

Class:

Vertical Datum:

Established by:

RE OFFICE #61

Date Established: 12/16/1993

System: STATE

Job Number:

60579

Nearest City:

NORTH LITTLE ROCK

County:

PULASKI

Route:

67

Section:

10

Log Mile:

1.25

Land Section Number:

19

Township:

02N

Range:

11W

Land Section:

Latitude:

N 34 47 32.4

Longitude:

W 92 13 22.0

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

93.726

Elevation (Feet):

307.499

Description:

SOUTH END OF 5'X 4' R.C. BOX CULVERT HEADWALL EAST OF  
HIGHWAY 67/167 & EAST OF LANDERS ROAD (RIGHT OF STATION  
180+28 LANDERS ROAD). RECOVERED BY S5102 ON 12/21/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600054

Class:

Vertical Datum:

Established by: RE OFFICE #61

Date Established: 12/16/1993

System: STATE

Job Number: 60579

Nearest City:

County: PULASKI

Route: 67

Section: 10

Log Mile: 1.32

Land Section Number: 19

Township: 02N

Range: 11W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 92.422

Elevation (Feet): 303.221

Description: SOUTH END OF 4'X 6' R.C. BOX CULVERT HEADWALL EAST OF  
HIGHWAY 67/167 & EAST OF LANDERS ROAD (RIGHT OF STATION  
515+53 LANDERS ROAD) NOT RECOVERED BY S5102.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600055

Class:

Vertical Datum:

Established by:

Date Established: 7/1/1988

System:

Job Number: R60033

Nearest City: NORTH LITTLE ROCK

County: PULASKI

Route: 67

Section: 10 Y

Log Mile: 0.22

Land Section Number: 30

Township: 02N

Range: 11W

Land Section: NW

Latitude: N 34 46 41.7

Longitude: W 92 13 56.7

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.332

Elevation (Feet): 279.960

Description: DISK IN SOUTHEAST WINGWALL BRIDGE 3158 37' RIGHT STATION  
123+38 LINE B (67N). RECOVERED BY S5102 ON 12/21/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600056

Class:

Vertical Datum:

Established by:

Date Established: 7/1/1988

System:

Job Number: R60033

Nearest City: NORTH LITTLE ROCK

County: PULASKI

Route: 67

Section: 10 Y

Log Mile: 0.28

Land Section Number: 30

Township: 02N

Range: 11W

Land Section: NW

Latitude: N 34 46 43.78

Longitude: W 92 13 54.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 88.535

Elevation (Feet): 290.469

Description: DISK IN NORTHEAST WINGWALL 37' RIGHT STATION 126+42 LINE B  
(67N) BRIDGE 3158. RECOVERED BY S5102 ON 12/21/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600057

Class:

Vertical Datum:

Established by:

Date Established: 7/1/1988

System:

Job Number: R60033

Nearest City: NORTH LITTLE ROCK

County: PULASKI

Route: 67

Section: 10Y

Log Mile: 0.38

Land Section Number: 30

Township: 02N

Range: 11W

Land Section: NW

Latitude: N 34 46 45.8

Longitude: W 92 13 51.7

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 92.714

Elevation (Feet): 304.179

Description: DISK IN SOUTHEAST WINGWALL BR3160 38' RIGHT STATION 131+06  
LINE B (67N) RECOVERED BY S5102 BY 12/21/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600058

Class:

Vertical Datum: NGVD29

Established by:

Date Established:

System:

Job Number:

60022

Nearest City:

LITTLE ROCK

County:

PULASKI

Route:

70B

Section:

12

Log Mile:

3.36

Land Section Number:

Township:

Range:

Land Section:

Latitude:

N 34 43 07.0

Longitude:

W 92 20 12.0

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

78.611

Elevation (Feet):

257.910

Description:

THE THE BM IS A CAST ALUM. DISK LOCATED IN THE SW COR. OF THE HDWL OF A QUAD 12x7 RCBC (STA. 16+83). IT IS 216.5' W OF THE CENTERLINE OF TAYLOR ST & IN THE 5600 BLOCK OF ASHER AVE. RECOVERED 9-1-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600059

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 12/17/1990

System: STATE Job Number: 60289 Nearest City: LITTLE ROCK

County: PULASKI Route: 70 Section: 12 Log Mile: 6.15

Land Section Number: 16 Township: 01N Range: 12W

Land Section: NE

Latitude: N 34 43 30.4 Longitude: W 92 17 23.5 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 88.99 Elevation (Feet): 291.961

Description: IN DROP INLET TOP AT STATION 16+28 LEFT (AHTD DISK) AT JCT. ROOSEVELT AND MARTIN LUTHER KING DRIVE. NOTE: IN NORTHWEST QUADRANT OF JCT. RECOVERED BY S5102 ON 12/21/99.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600060

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #65

Date Established: 2/21/1992

System: STATE

Job Number: 60485

Nearest City: MAUMELLE

County: PULASKI

Route: 100

Section: 0

Log Mile: 2.74

Land Section Number: 21

Township: 03N

Range: 13W

Land Section:

Latitude: N 34 50 49.0

Longitude: W 92 24 18.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.613

Elevation (Feet): 267.759

Description: AHTD ALUMINUM DISC CAST IN TOP OF HEADWALL AT NORTHEAST CORNER OF QUAD BARREL REINFORCED CONCRETE BOX CULVERT APPROXIMATELY 50 FT LEFT OF CENTERLINE OF MEDIAN. STATION 141+38: RECOVERED 9-2-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600061

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #65

Date Established: 2/21/1992

System: STATE

Job Number: 60485

Nearest City: MAUMELLE

County: PULASKI

Route: 100

Section: 0

Log Mile: 3.41

Land Section Number: 21

Township: 03N

Range: 13W

Land Section:

Latitude: N 34 50 19.0

Longitude: W 92 24 11.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.239

Elevation (Feet): 266.532

Description: AHTD ALUMINUM DISC CAST IN TOP OF HEADWALL AT NORTHEAST  
CORNER OF REINFORCED CONCRETE BOX CULVERT  
APPROXIMATELY 50 FEET LEFT OF CENTERLINE OF MEDIAN. STATION  
176+66: RECOVERED 9-2-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600062

Class:

Vertical Datum: NGVD29

Established by: RE OFFICE #65

Date Established: 2/21/1992

System: STATE

Job Number: 60485

Nearest City: MAUMELLE

County: PULASKI

Route: 100

Section: 0

Log Mile: 4.39

Land Section Number: 29

Township: 03N

Range: 13W

Land Section:

Latitude: N 34 49 42.0

Longitude: W 92 23 34.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 88.075

Elevation (Feet): 288.959

Description: AHTD ALUMINUM DISC IN TOP OF JUNCTION BOX AT WEST END  
APPROXIMATELY 2 FEET LEFT OF CENTERLINE OF MEDIAN. STATION  
228+50: RECOVERED 9-2-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600063

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #65

Date Established: 2/21/1992

System: STATE

Job Number: 60485

Nearest City:

County: PULASKI

Route: 100

Section: 0

Log Mile: 5.40

Land Section Number: 29

Township: 03N

Range: 13W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.144

Elevation (Feet): 266.220

Description: AHTD ALUMINUM DISC IN TOP OF JUNCTION BOX AT NORTHSIDE  
APPROXIMATELY 4 FEET LEFT OF CENTERLINE OF MEDIAN. STATION  
281+95: N/R "NOT FOUND" CREW S5102 9-2-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600064

Class:

Vertical Datum: NGVD29

Established by: RE OFFICE #65

Date Established: 3/23/1988

System:

Job Number:

6976

Nearest City:

SHERWOOD

County:

PULASKI

Route:

107

Section:

1

Log Mile:

3.96

Land Section Number:

7

Township:

02N

Range:

11W

Land Section:

Latitude: N 34 49 26.0

Longitude: W 92 13 53.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

103.145

Elevation (Feet):

338.402

Description:

AHTD DISC IN SOUTH END OF HEADWALL OF TRIPLE BARREL R.C. BOX  
CULVERT EAST SIDE OF HIGHWAY 107 (APPROX. JOB 6976 STATION  
219+14) RECOVERED 9-3-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600065

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #61

Date Established:

System:

Job Number: 60567

Nearest City: JACKSONVILLE

County: PULASKI

Route: 161

Section: 1

Log Mile:

Land Section Number: 19

Township: 03N

Range: 10W

Land Section:

Latitude: N 34 52 27.0

Longitude: W 92 06 34.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 89.41

Elevation (Feet): 293.339

Description: NORTHWEST CORNER OF HIGHWAY 161 AND MARTIN STREET  
NORTHWEST CORNER OF MO TYPE DROP INLET TOP: RECOVERED 9-3-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600066

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #61

Date Established: 9/20/1991

System: STATE

Job Number: 60567

Nearest City: JACKSONVILLE

County: PULASKI

Route: 161

Section: 3

Log Mile:

Land Section Number: 19

Township: 03N

Range: 10W

Land Section:

Latitude: N 34 52 27.0

Longitude: W 92 06 34.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 89.41

Elevation (Feet): 293.339

Description: ALUMINUM DISK IN NORTHWEST CORNER OF TYPE MO DROP INLET  
LOCATED ON THE NORTHWEST CORNER OF HIGHWAY 161/ MARTIN  
ST. INTERSECTION: RECOVERED 9-3-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600067

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 7/16/1992

System: STATE Job Number: 60317 Nearest City: ENGLAND

County: PULASKI Route: 161 Section: 5 Log Mile: 15.06

Land Section Number: 14 Township: 02S Range: 10W

Land Section: SENE

Latitude: N 34 32 03.0 Longitude: W 92 02 56.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.11 Elevation (Feet): 230.019

Description: SOUTHEAST CORNER OF WING (TOP) OF BRIDGE NO. 6334 5.1MILES  
WEST OF INTERSECTION OF STATE HIGHWAY 165 & 161 IN ENGLAND  
AR: RECOVERED 9-1-99 CREW S5102

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600068

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: R60059 Nearest City:

County: PULASKI Route: 165 Section: 9 Log Mile: 5.11

Land Section Number: 11 Township: 01N Range: 11W

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.2 Elevation (Feet): 246.719

Description: ALUMINUM DISC SOUTHEAST CORNER OF BOX 69' LEFT STATION  
960+25. NOT RECOVERED BY S5102 ON 12/27/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600069

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: R60031 Nearest City: SCOTT

County: PULASKI Route: 165 Section: 9 Log Mile: 1.62

Land Section Number: 17 Township: 01N Range: 10W

Land Section:

Latitude: N 34 42 54.6 Longitude: W 92 06 53.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.56 Elevation (Feet): 247.900

Description: ALUMINUM DISC IN HEADWALL 30' RIGHT STATION 775+76.  
RECOVERED BY S5102 ON 12/27/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600070

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City:

County: PULASKI Route: 176 Section: 1 Log Mile: 0.15

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.76 Elevation (Feet): 261.679

Description: AHTD STANDARD DISC 327 FT. EAST OF INTERSECTION OF PERCY  
MACHIN AND PERSHING BLVD. 32 FT. SOUTH OF CENTERLINE OF  
PERSHING BLVD. SET IN TOP OF JUNCTION BOX NR 21 DEC 99 VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600071

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: 60227 Nearest City:

County: PULASKI Route: 176 Y Section: 2 Y Log Mile: 0.22

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.057 Elevation (Feet): 249.530

Description: STANDARD DISK SET IN JUNCTION BOX TOP 24' RIGHT STATION 18+16-HIGHWAY 176Y. NOT RECOVERED BY S5102 ON 12/21/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600072

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City: ROLAND

County: PULASKI Route: 300 Section: 2 Log Mile: 13.07

Land Section Number: Township: Range:

Land Section:

Latitude: N 34 53 45.0 Longitude: W 92 30 10.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 80.708 Elevation (Feet): 264.789

Description: DISK SOUTHEAST WINGWALL MILL BAYOU BRIDGE 5811 18' LEFT:  
RECOVERED 8-30-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600073

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City: OLAND-NATURAL STEP

County: PULASKI Route: 300 Section: 2 Log Mile: 17.27

Land Section Number: Township: Range:

Land Section:

Latitude: N 34 51 08.0 Longitude: W 92 29 05.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 82.525 Elevation (Feet): 270.751

Description: DISK TOP NORTHWEST WINGWALL BIGMAVMELL BRIDGE 5812:  
RECOVERED 8-30-99 S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600074

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City: ROLAND

County: PULASKI Route: 300 Section: 2 Log Mile: 18.58

Land Section Number: Township: Range:

Land Section:

Latitude: N 34 50 18.0 Longitude: W 92 29 51.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 84.146 Elevation (Feet): 276.069

Description: DISK TOP NORTHWEST WINGWALL LITTLE MAVMELL BRIDGE 5813:  
RECOVERED 8-30-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600075

Class:

Vertical Datum: NGVD29

Established by:

Date Established:

System:

Job Number: 60348

Nearest City:

County: PULASKI

Route: 338

Section: 1

Log Mile: 2.83

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.85

Elevation (Feet): 281.660

Description: ALUMINUM DISC IN HEADWALL 38' RIGHT STATION 14+70 N/R "NOT FOUND" 9-1-99 CREW S5102

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600076

Class:

Vertical Datum: NGVD29

Established by:

Date Established:

System:

Job Number: 60348

Nearest City: LITTLE ROCK

County: PULASKI

Route: 338

Section: 1

Log Mile: 4.42

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 40 09.0

Longitude: W 92 21 00.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.945

Elevation (Feet): 281.971

Description: ALUMINUM DISC SOUTHEAST CORNER DROP INLET 34' RIGHT  
STATION 99+12: RECOVERED 8-31-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600077

Class:

Vertical Datum: NGVD29

Established by:

Date Established: 5/20/1992

System: STATE

Job Number: 60323

Nearest City: LITTLE ROCK

County: PULASKI

Route: 338

Section: 1

Log Mile: 6.44

Land Section Number: 5

Township: 01S

Range: 12W

Land Section: NE

Latitude: N 34 40 03.0

Longitude: W 92 18 49.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.072

Elevation (Feet): 252.860

Description: AHTD STANDARD DISK IN SOUTHWEST CORNER-HEADWALL-BOX  
CULVERT STATION 15+57 RIGHT: RECOVERED 8-31-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600078

Class:

Vertical Datum: NGVD29

Established by:

Date Established: 3/9/1993

System: STATE

Job Number: 60323

Nearest City: LITTLE ROCK

County: PULASKI

Route: 338

Section: 1

Log Mile: 5.31

Land Section Number: 6

Township: 01S

Range: 12W

Land Section: NW

Latitude: N 34 40 07.0

Longitude: W 92 20 01.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 83.936

Elevation (Feet): 275.380

Description: AHTD STANDARD DISK IN SOUTHWEST CORNER -HEADWALL-BOX  
CULVERT STATION 145+87 RIGHT: RECOVERED 8-31-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600079

Class:

Vertical Datum: NGVD29

Established by:

Date Established:

System:

Job Number: 60236

Nearest City: LITTLE ROCK

County: PULASKI

Route: 338

Section: 1

Log Mile: 6.71

Land Section Number: 33

Township: 01N

Range: 12W

Land Section:

Latitude: N 34 40 02.0

Longitude: W 92 18 34.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.407

Elevation (Feet): 260.521

Description: ALUMINUM DISC IN TOP OF NORTHWEST TURNOUT POST OF BRIDGE NO. 5943 (BASELINE ROAD OVER LITTLE FOURCHE CREEK)- 28' NORTH OF CENTERLINE 29+84 CENTERLINE BASELINE ROAD-925' WEST OF ARCH ST. PIKE (HIGHWAY 367); RECOVERED 8-31-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600080

Class:

Vertical Datum: NGVD29

Established by:

Date Established:

System:

Job Number: N/A

Nearest City:

County: PULASKI

Route: 367

Section: 13

Log Mile: 1.1

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 84.341

Elevation (Feet): 276.709

Description: CPS IN COMBO POLE 1.1 MILES FROM BENCHMARK AT BINGHAM ROAD OVERPASS. NOT RECOVERED BY S5102 ON 12/27/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600081

Class:

Vertical Datum: NGVD29

Established by:

Date Established:

System:

Job Number: N/A

Nearest City:

County: PULASKI

Route: 367

Section: 13

Log Mile: 2.2

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 102.864

Elevation (Feet): 337.480

Description: CPS IN COMB POLE INTERSECTION OF MAILROUTE ROAD AND  
IRONTON ROAD "NOT FOUND AND NOT IN POLE" 8-31-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600082

Class:

Vertical Datum: NGVD29

Established by:

Date Established:

System:

Job Number: N/A

Nearest City:

County: PULASKI

Route: 367

Section: 13

Log Mile: 2.9

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 115.882

Elevation (Feet): 380.190

Description: CPS IN TELEPHONE POLE 90' CURVE ON MAILROUTE ROAD. NOT  
RECOVERED BY S5102 ON 12/27/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600083

Class:

Vertical Datum: NGVD29

Established by:

Date Established:

System:

Job Number: N/A

Nearest City:

County: PULASKI

Route: 367

Section: 13

Log Mile: 3.7

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 130.887

Elevation (Feet): 429.418

Description: CPS IN COMB POLE 2ND POLE WEST OF INTERSECTION MAILROUTE ROAD AND BREWER LANE. NOT RECOVERED BY S5102 ON 12/27/99.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600084

Class:

Vertical Datum: NGVD29

Established by:

Date Established:

System:

Job Number: 60256

Nearest City: LITTLE ROCK

County: PULASKI

Route: 367

Section: 13

Log Mile: 9.17

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 42 08.0

Longitude: W 92 16 49.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.523

Elevation (Feet): 254.340

Description: ALUMINUM DISC IN SOUTHEAST CORNER WINGWALL ON SOUTH  
BRIDGE END-BRIDGE NO. 6013: RECOVERED 8-30-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600085

Class:

Vertical Datum:

Established by:

Date Established: 10/14/1992

System: STATE

Job Number: R60073

Nearest City: LITTLE ROCK

County: PULASKI

Route: 367

Section: 13

Log Mile: 2.1

Land Section Number: 20

Township: 01S

Range: 12W

Land Section: SE

Latitude: N 34 36 39.0

Longitude: W 92 19 10.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 127.172

Elevation (Feet): 417.230

Description: ALUMINUM DISC IN TOP OF RETAINING WALL RIGHT OF STATION  
31+00: RECOVERED 8-30-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600086

Class:

Vertical Datum:

Established by:

SURVEYS DIVISION

Date Established: 11/26/1991

System:

Job Number:

1684

Nearest City:

LITTLE ROCK

County:

PULASKI

Route:

430

Section:

Log Mile:

9.06

Land Section Number:

Township:

02N

Range:

13W

Land Section:

Latitude:

N 34 47 18.0

Longitude:

W 92 23 29.0

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

160.865

Elevation (Feet):

527.771

Description:

SQUARE CUT ON SOUTHWEST CORNER OF WEST BRIDGE END ON  
HIGHWAY-10 OVERPASS ON 430 "LEVELS RUN FROM GOVT BENCH AT  
ARKANSAS RIVER BRIDGE ON I-430: RECOVERED 9-2-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600087

Class:

Vertical Datum:

Established by:

Date Established: 11/26/1991

System:

Job Number: 1684

Nearest City:

County: PULASKI

Route: I-440

Section:

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 155.488

Elevation (Feet): 510.130

Description: POWER POLE SOUTH OF ASP. ROAD LEADING EAST FROM RODNEY PARHAM ROAD "FARM ROAD" AT INT HIGHWAY-10 AND RODNEY PARHAM APPROX 100'S HIGHWAY-10 AND APPROX 40' EAST CENTERLINE RODNEY PARHAM: DESTROYED, POWER POLES GONE 9-2-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600088

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number:

N/A

Nearest City:

LITTLE ROCK

County:

PULASKI

Route:

I-430

Section:

21

Log Mile:

5.92

Land Section Number:

Township:

Range:

Land Section:

Latitude:

N 34 44 33.5

Longitude:

W 92 23 29.0

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

142.522

Elevation (Feet):

467.591

Description:

[ ] CUT HUB RAIL SOUTHWEST CORNER I-430 BRIDGE (BRIDGE NO. 5313 UNDERPASS) AT 12TH STREET (KANIS ROAD)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600089

Class:

Vertical Datum: NGVD29

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: LITTLE ROCK

County: PULASKI

Route: I-430

Section: 21

Log Mile: 6.67

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 45 13.4

Longitude: W 92 23 31.4

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 114.258

Elevation (Feet): 374.861

Description: [] CUT IN SOUTHWEST CORNER HEADWALL OF ROCK CREEK AT  
SHACKLEFORD ROAD

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600090

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: LITTLE ROCK

County: PULASKI

Route: I-430

Section: 21

Log Mile: 6.67

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 45 13.0

Longitude: W 92 23 26.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 124.093

Elevation (Feet): 407.128

Description: [ ] CUT IN EDGE OF BRIDGE NO. 5315 CROSSING I-430 AT MARKHAM STREET [ ] IN SOUTHEAST CORNER: RECOVERED 9-3-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600091

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City:

County: PULASKI

Route: I-440

Section:

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.271

Elevation (Feet): 243.671

Description: ALUMINUM DISC SET IN NORTH SIDE OF R.C. CURTAIN WALL AT  
FLARED END SECTION RIGHT OF CENTERLINE OF SOUTHEAST RAMP  
150' SOUTH OF BEGINNING OF SOUTHEAST BRIDGE IN SOUTH  
TERMINAL AREA. NR 21 DEC 99 VJB III

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600092

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City:

County: PULASKI

Route: I-440

Section:

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 83.531

Elevation (Feet): 274.051

Description: ALUMINUM DISC SET IN TOP OF NORTH PARAPET WALL ON WEST END OF BRIDGE NO. 5698 SOUTHWEST BRIDGE OVER I-30 IN SOUTH TERMINAL AREA. NR 21 DEC 99 VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600093

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number:

N/A

Nearest City:

LITTLE ROCK

County:

PULASKI

Route:

I-440

Section:

Log Mile:

0.39

Land Section Number:

Township:

Range:

Land Section:

Latitude:

N 34 42 44.0

Longitude:

W 92 16 20.0

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

82.793

Elevation (Feet):

271.630

Description:

ALUMINUM DISC SET IN TOP OF SOUTH PARAPET ON WEST END OF  
BRIDGE NO. 5700A EW BRIDGE OVER I-30 IN SOUTH TERMINAL AREA.  
THIRD STREET AND R.R. FOURCHE CREEK: RECOVERED 9-1-99 CREW  
S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600094

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: LITTLE ROCK

County: PULASKI

Route: I-440

Section:

Log Mile: 0.57

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 42 35.0

Longitude: W 92 16 13.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 89.151

Elevation (Feet): 292.490

Description: ALUMINUM DISC SET IN TOP NORTHWEST CORNER PARAPET WALL OF  
BRIDGE OVER HIGHWAY 65 NORTH BOUND IN SOUTH TERMINAL  
AREA. I-440 AND FOURCHE CREEK RECOVERED 8-31-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600095

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: NORTH LITTLE ROCK

County: PULASKI

Route: I-440

Section: 1

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 46 52.0

Longitude: W 92 09 32.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 83.893

Elevation (Feet): 275.239

Description: SOMEWHERE NEAR 440 AND I-40 INTERCHANGE DISK TOP EAST  
PARAPET OF SOUTH ABUTMENT BRIDGE I-40 AND ES RAMP:  
RECOVERED 8-31-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600096

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City:

County: PULASKI

Route: I-440

Section: 1

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.612

Elevation (Feet): 280.879

Description: DISK TOP WEST WINGWALL NORTH ABUTMENT BRIDGE 5710D CRI  
AND PRR NR 21 DEC 99 VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600097

Class:

Vertical Datum: NGVD29

Established by:

Date Established:

System:

Job Number: N/A

Nearest City:

County: PULASKI

Route: I-440

Section: 1

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 83.899

Elevation (Feet): 275.259

Description: DISK TOP OF RIGHT POST BRIDGE SOUTHWEST RAMP INTERCHANGE I-40 AND 440 POSSIBLE DUPLICATE

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600098

Class:

Vertical Datum: NGVD29

Established by:

Date Established:

System:

Job Number: 60184

Nearest City: NORTH LITTLE ROCK

County: PULASKI

Route: I-440

Section: 1

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 46 51.0

Longitude: W 92 09 41.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 83.646

Elevation (Feet): 274.429

Description: AHTD BENCHMARK CAP-TOP OF PARAPET WALL SOUTHEAST CORNER OF BRIDGE 5985-"B" @STATION 515+20.75 BRIDGE END: RECOVERED 8-31-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600099

Class:

Vertical Datum: NGVD29

Established by:

Date Established:

System:

Job Number: 60184

Nearest City:

County: PULASKI

Route: I-440

Section: 1

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 84.183

Elevation (Feet): 276.190

Description: AHTD BENCHMARK CAP-TOP OF BRIDGE END WING-LEFT SIDE  
NORTHEAST CORNER OF BRIDGE 5986 @ STATION 341+31.5 BRIDGE  
END NR 21 DEC 99 VJB III

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600100

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: LITTLE ROCK

County: PULASKI

Route: I-630

Section: 2

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 44 18.0

Longitude: W 92 16 16.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 96.384

Elevation (Feet): 316.220

Description: TOP OF NORTHWEST WINGWALL SCOTT STRET BRIDGE APPROX. 35'  
WEST OF CENTERLINE RECOVERED 9-2-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600101

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: LITTLE ROCK

County: PULASKI

Route: I-630

Section: 2

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 44 13.0

Longitude: W 92 16 13.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 95.625

Elevation (Feet): 313.730

Description: TOP OF SOUTHWEST WINGWALL CUMBERLAND STREET BRIDGE  
APPROX. 24.5 WEST OF CENTERLINE: RECOVERED 9-2-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600102

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: LITTLE ROCK

County: PULASKI

Route: I-630

Section: 2

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 44 09.0

Longitude: W 92 16 04.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 92.766

Elevation (Feet): 304.350

Description: TOP OF NORTHWEST WINGWALL COMMERCE STREET BRIDGE  
APPROX. 27.5' WEST OF CENTERLINE: RECOVERED 9-2-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600103

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: LITTLE ROCK

County: PULASKI

Route: I-630

Section: 2

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 44 31.0

Longitude: W 92 16 58.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 99.627

Elevation (Feet): 326.860

Description: TOP OF NORTH WEST WINGWALL CHESTER STREET BRIDGE APPROX.  
34' WEST OF CENTERLINE: RECOVERED 9-2-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600104

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: LITTLE ROCK

County: PULASKI

Route: I-630

Section: 2

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 44 26.0

Longitude: W 92 16 51.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 100.535

Elevation (Feet): 329.839

Description: TOP OF NORTHWEST WINGWALL STATE STREET BRIDGE APPROX. 27'  
WEST OF CENTERLINE: RECOVERED 9-2-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600105

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: LITTLE ROCK

County: PULASKI

Route: I-630

Section: 2

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 44 22.0

Longitude: W 92 16 38.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 97.033

Elevation (Feet): 318.349

Description: TOP OF NORTHWEST WINGWALL BROADWAY STREET BRIDGE  
APPROX. 33' WEST OF CENTERLINE: RECOVERED 9-3-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600106

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: LITTLE ROCK

County: PULASKI

Route: I-630

Section: 2

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 44 20.0

Longitude: W 92 16 29.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 96.378

Elevation (Feet): 316.200

Description: TOP OF NORTHWEST WINGWALL CENTER STREET BRIDGE APPROX. 47'  
WEST OF CENTERLINE: RECOVERED 9-2-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600107

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: LITTLE ROCK

County: PULASKI

Route: I-630

Section: 2

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 44 19.0

Longitude: W 92 16 26.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 96.375

Elevation (Feet): 316.190

Description: TOP OF NORTHWEST WINGWALL LOUISIANA STREET BRIDGE APPROX.  
28' WEST OF CENTERLINE: RECOVERED 9-2-99 CREW S5102

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600108

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: LITTLE ROCK

County: PULASKI

Route: I-630

Section: 2

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 44 20.0

Longitude: W 92 16 20.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 96.195

Elevation (Feet): 315.600

Description: TOP OF NORTHWEST WINGWALL MAIN STREET BRIDGE APPROX. 43'  
WEST OF CENTERLINE: RECOVERED 9-2-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600109

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: LITTLE ROCK

County: PULASKI

Route: I-630

Section: 2

Log Mile: \*

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 44 35.0

Longitude: W 92 17 18.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 103.343

Elevation (Feet): 339.051

Description: DISK TOP OF WEST CURB SOUTH ABUTMENT BRIDGE 3502 \*HIGH ST.  
OVERPASS\*: NOW MARTIN LUTHER KING DR. RECOVERED 9-2-99  
CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600110

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: LITTLE ROCK

County: PULASKI

Route: I-630

Section: 2

Log Mile: \*

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 44 37.0

Longitude: W 92 17 38.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 116.096

Elevation (Feet): 380.892

Description: DISK EAST SIDEWALK SOUTH END OF BRIDGE 3500 \* BATTERY  
STREET\*:RECOVERED 9-2-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600111

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: LITTLE ROCK

County: PULASKI

Route: I-630

Section: 2

Log Mile: \*

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 44 36.0

Longitude: W 92 17 27.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 109.893

Elevation (Feet): 360.541

Description: DISK TOP WEST PARAPET 15' NORTH OF NORTH ABUTMENT BRIDGE  
3501 \*MARSHALL STREET\*: RECOVERED 9-2-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600112

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: LITTLE ROCK

County: PULASKI

Route: I-630

Section: 2

Log Mile: \*

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 44 37.0

Longitude: W 92 17 49.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 99.499

Elevation (Feet): 326.440

Description: DISK TOP NORTH WINGWALL OF EAST ABUTMENT BRIDGE 3499 \*  
PARK STREET\*: RECOVERED 9-2-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600113

Class:

Vertical Datum: NGVD29

Established by: RE OFFICE #65

Date Established: 8/25/1993

System: COUNTY Job Number: BR-60-5 Nearest City:

County: PULASKI Route: 2464 Section: Log Mile:

Land Section Number: 32 Township: 03N Range: 10W

Land Section: SE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.514 Elevation (Feet): 251.030

Description: TOP OF SOUTHEAST WINGWALL OF BRIDGE NO. 4654

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600114

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #65

Date Established: 7/2/2001

System:

Job Number: 060536

Nearest City: MAUMELLE

County: PULSAKI

Route: 365

Section: 11

Log Mile:

Land Section Number:

Township: 03N

Range: 13W

Land Section:

Latitude: N 34 53 07.1

Longitude: W 92 22 48.9

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 91.5072

Elevation (Feet): 300.220

Description: AHTD CAP IN TOP OF PARAPET APPROX 35' RT OF STA 52+87

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600115

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #65

Date Established: 2/10/2003

System: STATE

Job Number: 060904

Nearest City: MAUMELLE

County: PULASKI

Route: 10

Section: 7

Log Mile:

Land Section Number: 30

Township: 03N

Range: 16W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 118.464

Elevation (Feet): 388.661

Description: AHTD DISK IN HW AT CENTER OF CULVERT

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600116

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 12/12/1994

System: CITY Job Number: 060641 Nearest City:

County: PULASKI Route: 70 Section: 12 Log Mile:

Land Section Number: 35 Township: 01N Range: 13W

Land Section: NE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 80.714 Elevation (Feet): 264.809

Description: ALUMINUM DISK IN TOP OF NORTHEAST WINGWALL STA. 2+72 LT.  
BR#4733. NOT RECOVERED BY S5102 ON 12/21/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600117

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #65

Date Established: 12/14/1993

System: CITY

Job Number: 060513,061202

Nearest City: LITTLE ROCK

County: PULASKI

Route: OTTER CR. R

Section:

Log Mile:

Land Section Number: 9

Township: 02N

Range: 12W

Land Section: NW

Latitude: N 34 39 21.90000

Longitude: W 92 24 55.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 91.18415038

Elevation (Feet): 299.160

Description: AHTD BENCH MARK MEDALLION ON N.E. WINGWALL OF BR#4648  
OVER OTTER CR.@ OTTER CR. RD. APPROX. 27.4' RT. OF STA 4+37.

Comments: RECOVERED BY S5102 ON 12/20/99. RECOVERED BY S5105 IN OCT 2008.  
3-WIRE LEVELS WERE RAN TO THIS MARK FROM 1ST ORDER NGS  
MARKS LR 1 NEW AND R 320. DATA FOR MARK CAN BE FOUND ON  
EDM UNDER JOB 061202.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600118

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #65

Date Established: 12/14/1993

System: CITY

Job Number: 60513,061202

Nearest City: LITTLE ROCK

County: PULASKI

Route: TTER CR R

Section:

Log Mile:

Land Section Number: 8

Township: 01N

Range: 13W

Land Section: NE

Latitude: N 34 39 22.4

Longitude: W 92 25 23.1

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 91.18567438

Elevation (Feet): 299.165

Description: AHTD BENCH MARK MEDALLION NE WINGWALL OF BR# (4649) OVER  
FOURCHE CR. ON OTTER CR. RD. APPROX. 27.4' RT.OF STA. 27+56.

Comments: RECOVERED BY S5102 ON 12/20/99. RECOVERED BY S5105 IN OCT 2008.  
3-WIRE LEVELS WERE RAN TO THIS MARK FROM 1ST ORDER NGS  
MARKS LR 1 NEW AND R 320. DATA FOR MARK CAN BE FOUND ON  
EDM UNDER JOB 061202.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600120

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 2/22/1995

System: Job Number: 60439 Nearest City:

County: PULASKI Route: 365 Section: 11 Log Mile: 16.10

Land Section Number: Township: 01N Range: 12W

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.464 Elevation (Feet): 267.270

Description: NORTH EAST CORNER OF TY MO DI 35' LT OF CENTER LINE STA. 41+70  
ROUTE 365 IS NOT IN T1N NR 21 DEC 99 VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600121

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 2/22/1995

System: Job Number: 60439 Nearest City:

County: PULASKI Route: 365 Section: 11 Log Mile: 15.57

Land Section Number: Township: 01N Range: 12W

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 83.003 Elevation (Feet): 272.319

Description: SOUTH EAST CORNER OF TY MO DI 38' RT OF CENTER LINE STA 69+32  
ROUTE 365 IS NOT IN T1N NR 21 DEC 99 VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600123

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #65

Date Established: 1/3/1995

System: CITY

Job Number: 060558

Nearest City:

County: PULASKI

Route: 3RD ST

Section:

Log Mile:

Land Section Number: 4

Township: 01N

Range: 12W

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 91.08

Elevation (Feet): 298.818

Description: AHTD MEDALLION ON TOP OF NORTH WEST WINGWALL APPOX. 20 ' LT OF CENTER LINE STA 103+25. NOT RECOVERED BY S5102 ON 12/27/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600124

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 6/10/1995

System: STATE Job Number: R60075 Nearest City: SHERWOOD

County: PULASKI Route: 67 Section: 10 Log Mile: 3.25

Land Section Number: 16 Township: 02N Range: 11W

Land Section: NW

Latitude: N 34 48 50.2 Longitude: W 92 12 10.7 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 84.609 Elevation (Feet): 277.588

Description: METAL DISK ON S.E. WINGWALL OF BR#6395 RECOVERED BY S5102 ON 12/21/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600125

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #65

Date Established: 9/16/1993

System: FEDERAL

Job Number: 60452

Nearest City: LITTLE ROCK

County: PULASKI

Route: I-30

Section: 23

Log Mile: 127.52

Land Section Number: 8

Township: 01S

Range: 13W

Land Section: SW

Latitude: N 34 38 48.5

Longitude: W 92 25 34.4

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 92.753

Elevation (Feet): 304.307

Description: AHTD MONUMENT ON TOP OF PARAPET AT SW CORNER OF BR  
#2804AR ON I-30 E. BOUND LANES OVER CROOKED CREEK.  
RECOVERED BY S5102 ON 12/20/99.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600126

Class:

Vertical Datum: NGVD29

Established by: RE OFFICE #65

Date Established: 3/6/1996

System: NTERSTAT

Job Number: 60452

Nearest City: LITTLE ROCK

County: PULASKI

Route: 30

Section: 23

Log Mile: 127.53

Land Section Number: 8

Township: 01S

Range: 13W

Land Section: SW

Latitude: N 34 38 48.8

Longitude: W 92 25 30.1

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 92.759

Elevation (Feet): 304.327

Description: AHTD MONUMENT IN TOP OF PARAPET AT SE CORNER OF BR #2804CR  
ON SO.F RONTAGE RD. OVER CROOKED CREEK. RECOVERED BY S5102  
ON 12/20/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600128

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #65

Date Established:

System:

Job Number: 60162

Nearest City: LITTLE ROCK

County: PULASKI

Route: ARKHAM S

Section:

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 45 14.0

Longitude: W 92 24 18.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 121.264

Elevation (Feet): 397.847

Description: AHTD MED. I SIDEWALK ON NORTH EAST COR. ROCK CREEK BR. ON WEST MARKHAM (STA. 32+66). APPROX. 3/4 MI. WEST OF INTERSECTION OF MARKHAM & SHACKLEFORD. RECOVERED 9-3-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600129

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 6/17/1993

System: COUNTY Job Number: BR-60-6 Nearest City:

County: PULASKI Route: RD. 92 Section: Log Mile:

Land Section Number: 2 Township: 02S Range: 10W

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 67.525 Elevation (Feet): 221.538

Description: BM DISK SOUTH WEST WINGWALL BRIDGE 4685-PLUM BAYOU

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600130

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: GRAVEL RIDGE

County: PULASKI

Route: 107

Section: 1

Log Mile: 8.14

Land Section Number: 29

Township: 03N

Range: 11W

Land Section: NE

Latitude: N 34 51 47.3

Longitude: W 92 11 57.5

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.192

Elevation (Feet): 266.377

Description: AHTD DISC ON SE CORNER OF KELLOG CR. BR. (TOP OF PARAPET)  
BATESVILLE PIKE RD. BR 6440 RECOVERED BY S5102 ON 12/21/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600131

Class:

Vertical Datum:

Established by:

Date Established: 12/1/1988

System:

Job Number: S-60-25

Nearest City: COLLEGE STATION

County: PULASKI

Route: CR 4073

Section: R NO 46

Log Mile: \*\*

Land Section Number: 18

Township: 01N

Range: 11W

Land Section:

Latitude: N 34 43 05.4

Longitude: W 92 14 10.6

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 80.016

Elevation (Feet): 262.519

Description: AHTD DISC STA 16+41.46 TOP OF BRIDGE PARAPET WALL 16' RIGHT OF CENTERLINE. \*\*0.16 MILE SE OF THE INTERSECTION OF ROOSEVELT RD. AND BOND ST.\*\* BR 4613 FOORCHE CREEK STATION IS JUST SOUTH OF JCT. E. ROOSEVELT RD. AND FRAZIER PIKE. RECOVERED BY S5102 ON 12/21/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600134

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: GRAVEL RIDGE

County: PULASKI

Route: JONVILLE C

Section:

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 52 01.0

Longitude: W 92 10 49.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.251

Elevation (Feet): 250.167

Description: 1.0 MI. EAST ALONG JACKSONVILLE CUT-OFF FROM JCT. WITH HWY.  
107, CHISELED SQUARE IN CENTER OF NORTH H/W OF 24"x25' RCP  
CROSS DRAIN: RECOVERED 9-3-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600135

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number:

N/A

Nearest City:

GRAVEL RIDGE

County:

PULASKI

Route:

JACKSONVILLE CUT

Section:

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude:

N 34 52 05.0

Longitude:

W 92 11 11.0

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

82.323

Elevation (Feet):

270.088

Description:

0.65 MI. E ALONG JACKSONVILLE CUT-OFF FROM JCT. WITH HWY. 107,  
CHISELED SQUARE IN CENTER OF SOUTH H/W OF 24"x25' RCP CROSS  
DRAIN: RECOVERED 9-3-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600136

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number:

N/A

Nearest City:

County:

PULASKI

Route:

JACKSONVILLE CUT-OFF

Section:

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

77.751

Elevation (Feet):

255.088

Description:

CHISELED SQUARE IN CENTER OF NORTH H/W 18"x? RCP, 107 FT. E OF  
JCT. HWY. 107 & JACKSONVILLE CUT-OFF AT GRAVEL RIDGE:  
DESTROYED NO HEAD WALL, NEW PLASTIC PIPE IN 9-3-99 CREW S5102

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600137

Class:

Vertical Datum:

Established by: RE OFFICE #65

Date Established: 1/21/1992

System: CITY

Job Number: 60350

Nearest City: LITTLE ROCK

County: PULASKI

Route: KANIS RD

Section:

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 44 27.0

Longitude: W 92 21 27.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 97.164

Elevation (Feet): 318.779

Description: BRIDGE #4605 TOP OF SOUTHWEST WINGWALL, 28.33 FT. LEFT OF CENTERLINE @ STATION 10+70 ON KANIS RD. APPROXIMATELY 675 FEET FROM RODNEY PARHAM INTERSECTION: RECOVERED 9-3-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600141

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 60267

Nearest City: LITTLE ROCK

County: PULASKI

Route: ARROW RD

Section:

Log Mile: \*\*

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 43 15.0

Longitude: W 92 22 23.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 98.2

Elevation (Feet): 322.178

Description: \*\*36TH & BARROW RD.\*\* ALUM. DISC (NW OF 36TH ST. & BARROW RD. INTERSECTION)-35' N OF 9+02 C/L 36 TH ST. & 100' W OF THE 42+60 C/LK JOHN BARROW RD.- IN RCBC HEADWALL: RECOVERED 9-3-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600142

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 60267

Nearest City: LITTLE ROCK

County: PULASKI

Route: ARROW RD

Section:

Log Mile: \*\*

Land Section Number:

Township: 01N

Range: 13W

Land Section:

Latitude: N 34 43 42.0

Longitude: W 92 22 23.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 115.239

Elevation (Feet): 378.080

Description: ALUM. DISC (940 N OF 24TH & BARROW RD. INTERSECTION ON E SIDE OF BARROW)-45' KT. OF 94+02 C/L JOHN BARROW RD. MORRIS MANOR: RECOVERED 9-3-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600143

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: F-60-3

Nearest City: LITTLE ROCK

County: PULASKI

Route: 5264

Section:

Log Mile:

Land Section Number: 18

Township: 01N

Range: 11W

Land Section:

Latitude: N 34 42 46.2

Longitude: W 92 13 22.6

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 95.853

Elevation (Feet): 314.478

Description: ALUM. DISK CAP RB STA. 16+54 T/PE "C" DI (BANKHEAD DR.) SE OF  
INTERSECTION OF 35TH ST. RECOVERED BY S5102 ON 12/27/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600147

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: LITTLE ROCK

County: PULASKI

Route: LEY HOLE

Section:

Log Mile:

Land Section Number:

Township: 01N

Range: 12W

Land Section:

Latitude: N 34 40 20.7

Longitude: W 92 24 16.7

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 96.502

Elevation (Feet): 316.607

Description: "[ ]" RETAINER WALL ENTRANCE TO SIGN SHOP-SIBLEY HOLE RD. "[ ]"  
ON RETAINING WALL AT ENTRANCE TO CENTRAL SHOPS RT OF  
CENTER LINE. RECOVERED BY S5102 ON 12/20/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600148

Class:

Vertical Datum:

Established by:

RE OFFICE #65

Date Established: 8/23/1996

System: COUNTY

Job Number:

SA6030

Nearest City:

County:

PULASKI

Route:

CR26

Section:

Log Mile:

Land Section Number:

20

Township:

01N

Range:

14W

Land Section:

NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

134.347

Elevation (Feet):

440.770

Description:

AHTD DISK IN TOP OF PARAPET @ SW END OF BR # 4761 @ FOURCHE CREEK. NOT RECOVERED BY S5102 ON 12/20/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600149

Class:

Vertical Datum:

Established by: RE OFFICE #61

Date Established:

System:

Job Number: 060318

Nearest City: SHERWOOD

County: PULASKI

Route: 107

Section: 1

Log Mile: 4.95

Land Section Number: 1

Township: 02N

Range: 12W

Land Section:

Latitude: N 34 50 18.0

Longitude: W 92 13 55.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 121.463

Elevation (Feet): 398.500

Description: ALUM. DISK IN TOP OF PARAPET WALL ON SE CORNER OF WOODRUFF CREEK BRIDGE (BR #6439).: RECOVERED 9-3-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600150

Class:

Vertical Datum:

Established by: RE OFFICE #61

Date Established:

System:

Job Number: 060318

Nearest City: GRAVEL RIDGE

County: PULASKI

Route: 107

Section: 1

Log Mile: 8.14

Land Section Number: 29

Township: 03N

Range: 11W

Land Section:

Latitude: N 34 51 48.0

Longitude: W 92 11 55.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.477

Elevation (Feet): 254.189

Description: ALUM. DISK TOP OF PARAPET WALL ON SE CORNER OF KELLOGG CREEK BRIDGE (BR #6440): RECOVERED 9-3-99 CREW S5102

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600151

Class:

Vertical Datum:

Established by: RE OFFICE #61

Date Established:

System:

Job Number: 060318

Nearest City: GRAVEL RIDGE

County: PULASKI

Route: 107

Section: 1

Log Mile: 9.92

Land Section Number: 21

Township: 03N

Range: 11W

Land Section:

Latitude: N 34 52 50.0

Longitude: W 92 10 58.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 82.521

Elevation (Feet): 270.738

Description: ALUM. DISK IN TOP OF PARAPET WALL ON SW CORNER OF BAYOU  
METO CREEK BRIDGE (BR 6441): RECOVERED 9-3-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600152

Class:

Vertical Datum:

Established by: RE OFFICE #65

Date Established: 5/16/1997

System: STATE

Job Number: 060457

Nearest City: LITTLE ROCK

County: PULASKI

Route: 70

Section: 12

Log Mile: 10.2

Land Section Number: 24

Township: 01S

Range: 13W

Land Section: NE

Latitude: N 34 42 44.0

Longitude: W 92 20 36.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 80.558

Elevation (Feet): 264.297

Description: AHTD MEDALLION OF TOP OF BRIDGE PARAPET AT SE CORNER OF BR 6600, APPROX. 55' RT. OF CENTERLINE STA. 142+75 ROCK CREEK BRIDGE UNIVERSITY AVE. N. BOUND LANES.: RECOVERED 9-1-99-CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600154

Class:

Vertical Datum: USGS

Established by:

Date Established: 8/21/1998

System:

Job Number: 060620

Nearest City: NORTH LITTLE ROCK

County: PULASKI

Route: 176

Section: 1

Log Mile: 1.02

Land Section Number: 27

Township: 02N

Range: 12W

Land Section:

Latitude: N 34 47 50.1

Longitude: W 92 16 11.5

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 91.73

Elevation (Feet): 300.951

Description: AHTD MEDALLION IN TOP OF D. I. 10.56 M RT. OF CENTERLINE STA.  
12+60 CAMP ROBINSON RD. (APPROX. 23 M S. OF INTERSECTION OF W  
47TH & CAMP ROBINSON RD.) recovered 21 DEC 99 by S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600155

Class:

Vertical Datum: USGS

Established by:

Date Established: 8/21/1998

System:

Job Number: 060620

Nearest City: NORTH LITTLE ROCK

County: PULASKI

Route: 176

Section: 1

Log Mile: 0.77

Land Section Number: 27

Township: 02N

Range: 12W

Land Section:

Latitude: N 34 47 38.1

Longitude: W 92 16 19.4

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 89.648

Elevation (Feet): 294.120

Description: AHTD MEDALLION IN TOP OF D.I. 11.69 M LT. OF CENTERLINE 8+67  
CAMP ROBINSON RD. (APPROX. 114 M NE OF INTERSECTION OF  
ALLENS T. & CAMP ROBINSON RD.) recovered 21 DEC 99 by S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600156

Class:

Vertical Datum: USGS

Established by:

Date Established: 8/21/1998

System:

Job Number: 060620

Nearest City: NORTH LITTLE ROCK

County: PULASKI

Route: 176

Section: 1

Log Mile: 0.44

Land Section Number: 27

Township: 02N

Range: 12W

Land Section:

Latitude: N 34 47 24.6

Longitude: W 92 16 33.1

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 88.38

Elevation (Feet): 289.960

Description: AHTD MEDALLION IN TOP OF D.I. 12.26 M RT. OF CENTERLINE STA.  
3+30 CAMP ROBINSON RD. (APPROX. 15 M S. OF INTERSECTION OF W.  
38TH & CAMP ROBINSON RD.) recovered 21 DEC 99 by S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600157

Class:

Vertical Datum:

Established by: RE OFFICE #62

Date Established: 4/1/1997

System: STATE Job Number: 060294 Nearest City: WRIGHTSVILLE

County: PULASKI Route: 365 Section: 12 Log Mile: 14.32

Land Section Number: 9 Township: 02S Range: 11W

Land Section: SW

Latitude: N 34 33 06.0 Longitude: W 92 12 07.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.759

Elevation (Feet): 228.868

Description: AHTD ALUM. CAP ON THE NW CORNER OF THE HEADWALL  
(CEMETERY SECTION).: RECOVERED 8-31-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600158

Class:

Vertical Datum:

Established by:

RE OFFICE #62

Date Established: 7/17/1997

System: STATE

Job Number: 060294

Nearest City: SWEETHOME

County: PULASKI

Route: 365

Section: 12

Log Mile: 4.72

Land Section Number: 30

Township: 01N

Range: 11W

Land Section: SW

Latitude: N 34 41 01.0

Longitude: W 92 14 11.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.807

Elevation (Feet): 248.710

Description: AHTD ALUM CAP ON THE NE END OF THE HEADWALL (SWEETHOME SECTION).; RECOVERED 8-31-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600159

Class:

Vertical Datum:

Established by: RE OFFICE #62

Date Established: 8/1/1997

System: STATE

Job Number: 060294

Nearest City: WRIGHTSVILLE

County: PULASKI

Route: 365

Section: 12

Log Mile: 15.81

Land Section Number: 21

Township: 02S

Range: 11W

Land Section: NW

Latitude: N 34 32 00.0

Longitude: W 92 12 04.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 73.834

Elevation (Feet): 242.237

Description: AHTD ALUM CAP ON THE SE END WALL OF BR. 6609 (PENNINGTON BAYOU).; RECOVERED 8-31-99 CREW S5102

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600160

Class:

Vertical Datum:

Established by: RE OFFICE #62

Date Established: 11/21/1997

System: STATE Job Number: 060294 Nearest City: WRIGHTSVILLE

County: PULASKI Route: 365 Section: 12 Log Mile: 14.86

Land Section Number: 16 Township: 02S Range: 11W

Land Section: NW

Latitude: N 34 32 36.0 Longitude: W 92 11 56.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 91.431 Elevation (Feet): 299.970

Description: AHTD ALUM CAP ON THE NW END OF THE HEADWALL (KUYKENDALL BRAKE). RECOVERED 8-31-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600161

Class:

Vertical Datum:

Established by: RE OFFICE #62

Date Established: 12/18/1998

System: STATE Job Number: 060446 Nearest City: LITTLE ROCK

County: PULASKI Route: 5 Section: 9 Log Mile: 2.69

Land Section Number: 32 Township: 01N Range: 13W

Land Section: SE

Latitude: N 34 40 28.0 Longitude: W 92 24 58.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 87.719 Elevation (Feet): 287.791

Description: AHTD ALUMINUM DISK CAST IN NW CORNER OF HEADWALL OF QUAD  
R.C. BOX CULVERT. RECOVERED 8-30-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600162

Class:

Vertical Datum:

Established by: RE OFFICE #62

Date Established: 2/25/1999

System: STATE

Job Number: 060446

Nearest City: LITTLE ROCK

County: PULASKI

Route: 5

Section: 9

Log Mile: 1.59

Land Section Number: 5

Township: 01S

Range: 13W

Land Section: SW

Latitude: N 34 39 36.0

Longitude: W 92 25 30.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 89.221

Elevation (Feet): 292.719

Description: AHTD ALUMINUM DISK IN CE CORNER OF HEADWALL OF QUINT R. C. BOX CULVERT. RECOVERED 8-30-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600163

Class:

Vertical Datum:

Established by: RE OFFICE #62

Date Established: 5/1/1999

System: STATE

Job Number: R60137

Nearest City: GALLOWAY

County: PULASKI

Route: 391

Section: 1

Log Mile: 1.61

Land Section Number: 31

Township: 02N

Range: 10W

Land Section: SW

Latitude: N 34 45 03.2

Longitude: W 92 07 33.8

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.718

Elevation (Feet): 254.980

Description: AHTD ALUMINUM DISK CAST NORTHEAST CORNER TOP PARAPET  
RAIL. BR OVER " SCOTT CREEK" 21 DEC 99 VJB III

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600164

Class:

Vertical Datum: NGVD29

Established by: RE OFFICE #61

Date Established: 10/26/1999

System: COUNTY

Job Number: FA6012

Nearest City: JACKSONVILLE

County: PULASKI

Route: CR71

Section:

Log Mile:

Land Section Number: 15

Township: 04N

Range: 10W

Land Section:

Latitude: N 34 58 29.5

Longitude: W 92 10 09.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 91.648

Elevation (Feet): 300.682

Description: DISK IN TOP OF SOUTHEAST WINGWALL

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600165

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #65

Date Established: 2/11/2003

System: STATE

Job Number: 060904

Nearest City: MAUMELLE

County: PULASKI

Route: 10

Section: 7

Log Mile: 0.59

Land Section Number: 30

Township: 03n

Range: 16W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 112.547

Elevation (Feet): 369.248

Description: AHTD DISK IN HW AT CENTER OF CULVERT.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600166

Class:

Vertical Datum:

Established by: RE OFFICE #62

Date Established: 5/30/2000

System: STATE Job Number: 060851 Nearest City:

County: PULASKI Route: 30 Section: 23 Log Mile: 131.86

Land Section Number: 36 Township: 01N Range: 13W

Land Section: NW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 93.339 Elevation (Feet): 306.230

Description: ALUMINUM DISK IN TOP OF BRIDGE PARAPET ALL RT. SOUTH BRIDGE  
END. BR#06710

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600167

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 5/30/2000

System: STATE Job Number: 060851 Nearest City:

County: PULASKI Route: 30 Section: 23 Log Mile: 131.86

Land Section Number: 36 Township: 01n Range: 13w

Land Section: NW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 95.137 Elevation (Feet): 312.129

Description: ALUMINUM DISK IN TOP OF BRIDGE PARAPET WALL RT. NORTH  
BRIDGE END BR#06710

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600168

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 3/31/2000

System: Job Number: R60111 Nearest City: SHERWOOD

County: PULASKI Route: 440 Section: 2 Log Mile:

Land Section Number: Township: 02N Range: 11W

Land Section:

Latitude: N 34 48 05.0 Longitude: W 92 09 10.0 Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.9405 Elevation (Feet): 255.710

Description: ALUMINUM DISK IN LEFT WING OF BRIDGE 6647A STATION 613+76.  
(END OF BRIDGE STATION WISE)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600169

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 3/31/2000

System: Job Number: R60111 Nearest City: SHERWOOD

County: PULASKI Route: 440 Section: 2 Log Mile:

Land Section Number: Township: 02N Range: 11W

Land Section:

Latitude: N 34 48 05.0 Longitude: W 92 09 10.0 Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 83.3172 Elevation (Feet): 273.350

Description: (BEGINNING OF BRIDGE STATION WISE) ALUMINUM DISK IN LEFT  
WING OF BRIDGE 6648A STATION 677+76.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600170

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #61

Date Established: 2/3/2000

System:

Job Number: 060887

Nearest City: SHERWOOD

County: PULASKI

Route: HWY176

Section: 2

Log Mile: 0.6

Land Section Number: 0

Township: 03N

Range: 11W

Land Section:

Latitude: N 34 50 00.0

Longitude: W 92 10 00.0

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.482

Elevation (Feet): 267.329

Description: AHTD DISK ON TOP OF D.I STATION 22+20 RT. APPROX. 130' EAST OF  
INTERSECTION HWY 176 & INDIANHEAD DRIVE.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600171

Class:

Vertical Datum: UNKNOWN

Established by:

Date Established:

System:

Job Number: N/A

Nearest City:

County: PULASKI

Route: CLE VALLE

Section:

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 80.558

Elevation (Feet): 264.297

Description: DISK TOP WGWLL NE COR BRIDGE LITTLE MAUMELLE CREEK RD. 45  
1.35 N OF HWY 10 N/R

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600172

Class:

Vertical Datum:

Established by: RE OFFICE #62

Date Established: 5/30/2000

System: STATE

Job Number: 060851

Nearest City:

County: PULASKI

Route: 30

Section: 23

Log Mile: 131.86

Land Section Number: 36

Township: 01N

Range: 13W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 95.137

Elevation (Feet): 312.129

Description: LUMINUM DISK IN TOP OF BRIDGE PARAPET WALL RT. NORTH BRIDGE  
END BR#06710

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600173

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 60267

Nearest City: LITTLE ROCK

County: PULASKI

Route: ARROW RD

Section:

Log Mile: \*\*

Land Section Number:

Township: 01N

Range: 13W

Land Section:

Latitude: N 34 43 58.0

Longitude: W 92 22 21.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 100.331

Elevation (Feet): 329.169

Description: \*\*28TH & BARROW\*\* ALUM. DISC (120' S OF 28TH & 68' E OF  
BARROW RD.) 68' RT. OF 67+33 C/L BARROW RD-IN RCBC HEADWALL:  
RECOVERED 9-3-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600174

Class:

Vertical Datum:

Established by: SURVEYS DIVISION

Date Established: 11/1/1990

System: NTERSTAT

Job Number: R60009

Nearest City: NORTH LITTLE ROCK

County: PULASKI

Route: I-40

Section: 33

Log Mile: 150.34

Land Section Number: 33

Township:

Range:

Land Section:

Latitude: N 34 47 51.5

Longitude: W 92 18 10.7

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

Elevation (Feet):

Description: [] CUT NE COR. OF WST WHEELGUARD ON OVERPASS BURNS PARK  
CAMP ROBINSON OVERPASS OVER I-40 RECOVERED BY S5102 ON  
12/21/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600175

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE 65

Date Established: 8/27/1998

System: STATE

Job Number: 060584

Nearest City: NORTH LITTLE ROCK

County: PULASKI

Route: 100

Section: 1

Log Mile:

Land Section Number:

Township: 02N

Range: 12W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.75

Elevation (Feet): 251.804

Description: AHTD DISC IN TOP OF DI 46' LEFT OF CL STA 53+30 W. BOUND LANE  
RIVERFRONT DRIVE UNDERNEATH I-30 BRIDGE OVER RIVERFRONT  
DRIVE N. CURB OF W. BOUND LANE

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600176

Class:

Vertical Datum:

Established by: RE OFFICE 65

Date Established: 8/27/1998

System: STATE

Job Number: 060584

Nearest City: NORTH LITTLE ROCK

County: PULASKI

Route: 100

Section: 1

Log Mile:

Land Section Number:

Township: 02N

Range: 12W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.471

Elevation (Feet): 254.169

Description: AHTD DISC IN TOP OF DI 33' LEFT OF CL STA 76+30 W. BOUND LANE  
RIVERFRONT DRIVE APPROX 75' SW of E BROADWAY AND  
RIVERFRONT DRIVE

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600177

Class:

Vertical Datum:

Established by: RE OFFICE #62

Date Established: 8/20/1999

System: STATE Job Number: 060688 Nearest City:

County: SALINE Route: I-30 Section: 22 Log Mile: 124.36

Land Section Number: 14 Township: 01S Range: 14W

Land Section: SW

Latitude: N 34 47 31.50000 Longitude: W 92 18 10.70000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 120.546 Elevation (Feet): 395.491

Description: AHTD ALUMINUM DISC ON TOP N W . WING BR#06711 Raymar rd overpass

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600178

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 3/7/2001

System: STATE

Job Number: 060979

Nearest City: NORTH LITTLE ROCK

County: PULASKI

Route: I-40

Section: 33

Log Mile: 154.31

Land Section Number: 25

Township: 02N

Range: 12W

Land Section: SWNE

Latitude: N 34 46 40.58422

Longitude: W 92 14 29.8066

Type: GPS (Observed)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 83.4635

Elevation (Feet): 273.830

Description: CH SQ IN NE CORN OF BR 3157 PLATE ON BR= I-40 AND LAKEWOOD. 23 FT EAST OF THE C/L NORTH HILLS BLVD.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600179

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 3/7/2001

System: STATE

Job Number: 060979

Nearest City: N. LITTLE ROCK

County: PULASKI

Route: HILLS BLVD

Section:

Log Mile:

Land Section Number: 24

Township: 02N

Range: 12W

Land Section: SESE

Latitude: N 34 47 15.81943

Longitude: W 92 14 19.42152

Type: GPS (Observed)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 99.8042

Elevation (Feet): 327.441

Description: CH SQ IN CENTER OF S EDGE OF CA. 19 FT N OF C/L NORTH HILLS  
BLVD. 0.8 MILES N OF I-40

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600180

Class:

Vertical Datum: UNKNOWN

Established by: SURVEYS DIVISION

Date Established: 11/1/1990

System: FEDERAL

Job Number: r60009

Nearest City:

County: PULASKI

Route: I-40

Section:

Log Mile: 149.05

Land Section Number: 33

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.019

Elevation (Feet): 259.248

Description: CH SQ CUT CENTER DBL BOX 0.9 MILE EAST CRYSTAL HILL RD  
OVERPASS RC BOX UNDER I-40 ON NORTH SIDE HWY.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600181

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 3/7/2001

System: STATE

Job Number: 060979

Nearest City: NORTH LITTLE ROCK

County: PULASKI

Route: I-40

Section: 33

Log Mile: 154.31

Land Section Number: 25

Township: 02N

Range: 12W

Land Section: SWNE

Latitude: N 34 46 37.86439

Longitude: W 92 14 32.8699

Type: GPS (Observed)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 84.7419

Elevation (Feet): 278.024

Description: AHTD DISC IN SE CORN OF BR 3157 PLATE ON BR I-40 AND LAKEWOOD  
22 FT E OF THE C/L OF NORTH HILLS BLVD.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600182

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 3/7/2001

System: STATE

Job Number: 060979

Nearest City: N. LITTLE ROCK

County: PULASKI

Route: HILLS BLV

Section:

Log Mile:

Land Section Number: 25

Township: 02N

Range: 12W

Land Section: NENE

Latitude: N 34 46 52.0087

Longitude: W 92 14 24.60351

Type: GPS (Observed)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.7804

Elevation (Feet): 248.623

Description: CH SQ IN CENTER OF HW. 34 FT W C/L OF N.HILLS BLVD, 78 FT NORTH OF C/L WATERSIDE DR. 0.25 MILES N FROM I-40

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600183

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 3/7/2001

System: STATE

Job Number: 060979

Nearest City: N. LITTLE ROCK

County: PULASKI

Route: HILLS BLV

Section:

Log Mile:

Land Section Number: 24

Township: 02N

Range: 12W

Land Section: SESE

Latitude: N 34 47 02.6502

Longitude: W 92 14 16.71046

Type: GPS (Observed)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 83.9729

Elevation (Feet): 275.501

Description: CH SQ IN CENTER OF CA. 15 FT W OF C/L N. HILLS BLVD. 195 FT SE OF  
INTERSECTION OF NORTH HILLS AND BARBARA DR. 0.5 MILES N OF I-40

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600184

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #65

Date Established: 6/16/2000

System: STATE

Job Number: 060870

Nearest City: LITTLE ROCK

County: PULASKI

Route: 70

Section: 12

Log Mile: 2.37

Land Section Number: 19

Township: 01N

Range: 13W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 80.574

Elevation (Feet): 264.350

Description: AHTD DISK IN TOP OF BRIDGE PARAPET AT SE CORNER OF BRIDGE  
6599 APPROX 55' RIGHT OF C/L STA 124+25

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600185

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 4/2/2001

System: STATE

Job Number: 060994

Nearest City: GALLOWAY

County: PULASKI

Route: 391

Section: 1

Log Mile: 3.63

Land Section Number: 30

Township: 02N

Range: 10W

Land Section: NWNW

Latitude: N 34 46 40.66982

Longitude: W 92 07 42.6835

Type: GPS (Observed)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.335

Elevation (Feet): 250.442

Description: CH SQ CENTER OF WEST EDGE OF CONC PAD 69 FT N OF HWY 70, 65 E  
OF HWY 391

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600186

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 4/2/2001

System: STATE

Job Number: 060994

Nearest City: GALLOWAY

County: PULASKI

Route: 391

Section: 1

Log Mile: 3.86

Land Section Number: 24

Township: 02N

Range: 11W

Land Section: SESE

Latitude: N 34 46 51.66396

Longitude: W 92 07 43.29282

Type: GPS (Observed)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.359

Elevation (Feet): 247.240

Description: CH SQ CENTER OF HW, 37 FT WEST OF C/L HWY 391, 55 FT SOUTH OF  
DW TO IRON SKILLET

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600187

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 4/2/2001

System: STATE

Job Number: 060994

Nearest City: GALLOWAY

County: PULASKI

Route: 391

Section: 1

Log Mile: 4.29

Land Section Number: 24

Township: 02N

Range: 11W

Land Section: NESE

Latitude: N 34 47 06.56704

Longitude: W 92 07 43.69241

Type: GPS (Observed)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.87

Elevation (Feet): 268.602

Description: CH SQ NE COR OF OVERPASS OVER I-40, 19 FT EAST OF C/L HWY 391

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600188

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #65

Date Established: 2/11/2003

System: STATE

Job Number: 060904

Nearest City: MAUMELLE

County: PULASKI

Route: 10

Section: 7

Log Mile: 0.49

Land Section Number: 30

Township: 03N

Range: 16W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 113.431

Elevation (Feet): 372.148

Description: AHTD DISK IN HW AT CENTER OF CULVERT

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600189

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 4/2/2001

System: STATE

Job Number: 060994

Nearest City: GALLOWAY

County: PULASKI

Route: I-40

Section: 33

Log Mile: 161.2

Land Section Number: 19

Township: 02N

Range: 10W

Land Section: NWSW

Latitude: N 34 47 07.9301

Longitude: W 92 07 11.9599

Type: GPS (Observed)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 73.272

Elevation (Feet): 240.393

Description: CH SQ S CENTER OF CONC AROUND DI 37 FT N OF C/L OF VALENTINE  
ROAD 0.65 MILES E OF HWY 391

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600190

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #65

Date Established: 2/10/2003

System: STATE

Job Number: 060904

Nearest City: MAUMELLE

County: PULASKI

Route: 10

Section: 7

Log Mile: 0.16

Land Section Number: 30

Township: 03N

Range: 16W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 116.967

Elevation (Feet): 383.749

Description: AHTD DISK IN HW AT CENTER OF CULVERT

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600191

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 4/2/2001

System: STATE

Job Number: 060994

Nearest City: GALLOWAY

County: PULASKI

Route: I-40

Section: 33

Log Mile: 160.31

Land Section Number: 24

Township: 02N

Range: 11W

Land Section: SWSE

Latitude: N 34 47 00.05862

Longitude: W 92 08 14.22534

Type: GPS (Observed)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.293

Elevation (Feet): 247.024

Description: CH SQ N WW OF RC CULVERT 21 FT S OF MAYBELLINE RD 39 FT E OF  
RAY WILSON DRIVE 0.6 MILES FROM HWY 391.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600192

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #65

Date Established: 2/11/2003

System: STATE

Job Number: 060904

Nearest City: MAUMELLE

County: PULASKI

Route: 10

Section: 7

Log Mile: 0.79

Land Section Number: 30

Township: 03N

Range: 16W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 112.297

Elevation (Feet): 368.428

Description: AHTD DISK IN HW AT CENTER OF CULVERT

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600192

Class:

Vertical Datum: NGVD29

Established by: RE OFFICE #61

Date Established: 1/16/2003

System: FEDERAL

Job Number: R60112

Nearest City: SHERWOOD

County: PULASKI

Route: I-440

Section: 2

Log Mile:

Land Section Number: 35

Township: 03N

Range: 11W

Land Section: NESW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 82.199

Elevation (Feet): 269.681

Description: AHTD DISK SET IN TOP OF WINGWALL RT OF STA 760+01.58 BR 06793  
BRIDGE AT HWY 67 INTERCHANGE

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600193

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #65

Date Established: 2/11/2003

System: STATE

Job Number: 060904

Nearest City: MAUMELLE

County: PULASKI

Route: 10

Section: 7

Log Mile: 1.09

Land Section Number: 30

Township: 03N

Range: 16W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 119.951

Elevation (Feet): 393.539

Description: AHTD DISK IN HW AT CENTER OF CULVERT

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600193

Class:

Vertical Datum: NGVD29

Established by: RE OFFICE #61

Date Established: 10/16/2002

System: FEDERAL

Job Number: R60112

Nearest City: SHERWOOD

County: PULASKI

Route: I-440

Section: 2

Log Mile:

Land Section Number: 35

Township: 03N

Range: 11W

Land Section: SESW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.898

Elevation (Feet): 252.290

Description: AHTD DISK SET IN WW OF BR 06794 RT OF STA 182+97 BR END AT HWY 67 INTERCHANGE

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600194

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #65

Date Established: 2/12/2003

System: STATE

Job Number: 060904

Nearest City: MAUMELLE

County: PULASKI

Route: 10

Section: 7

Log Mile: 1.5

Land Section Number: 29

Township: 03N

Range: 16W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 116.059

Elevation (Feet): 380.770

Description: AHTD DISK IN HW AT CENTER OF CULVERT

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600194

Class:

Vertical Datum: NGVD29

Established by: RE OFFICE #61

Date Established: 1/15/2003

System: FEDERAL

Job Number: R60112

Nearest City: SHERWOOD

County: PULASKI

Route: I-440

Section: 2

Log Mile:

Land Section Number: 35

Township: 03N

Range: 11W

Land Section: SENE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.533

Elevation (Feet): 247.811

Description: AHTD DISK SET IN TOP OF WW BR 06791 (RT OF STA 756+56.50 SE RAMP  
BR END) HWY 67 INTERCHANGE

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600195

Class:

Vertical Datum: NGVD29

Established by: RE OFFICE #61

Date Established: 1/15/2003

System: FEDERAL

Job Number: R60112

Nearest City: SHERWOOD

County: PULASKI

Route: I-440

Section: 2

Log Mile:

Land Section Number: 35

Township: 03N

Range: 11W

Land Section: NESE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.833

Elevation (Feet): 261.919

Description: AHTD DISK SET IN TOP OF WW LT OF STA 741+81.80 SW RAMP (BR 06792) HWY 67 INTERCHANGE

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600196

Class:

Vertical Datum: NGVD29

Established by: RE OFFICE #61

Date Established: 1/15/2003

System: FEDERAL

Job Number: R60112

Nearest City: SHERWOOD

County: PULASKI

Route: I-440

Section: 2

Log Mile:

Land Section Number: 35

Township: 03N

Range: 11W

Land Section: SWNE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 82.503

Elevation (Feet): 270.679

Description: AHTD DISK SET IN TOP OF WINGWALL RT OF STA 757+55.79 BR 06792  
HWY 67 INTERCHANGE

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600197

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #61

Date Established: 2/24/2003

System:

Job Number: FA6011

Nearest City: OLMSTEAD

County: PULASKI

Route: CR67

Section:

Log Mile:

Land Section Number: 31

Township: 04N

Range: 11W

Land Section:

Latitude: N 35 50 27.0

Longitude: W 90 05 24.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 82.364

Elevation (Feet): 270.223

Description: AHTD DISK AT E END BR LT OF PARAPET RAIL.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600198

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #61

Date Established: 2/24/2003

System: COUNTY

Job Number: FA6011

Nearest City: OLMSTEAD

County: PULASKI

Route: CR67

Section:

Log Mile:

Land Section Number: 31

Township: 04N

Range: 11W

Land Section:

Latitude: N 35 50 27.0

Longitude: W 90 05 24.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 82.034

Elevation (Feet): 269.140

Description: AHTD DISK RT ON PARAPET RAIL AT BEGINNING OF BRIDGE

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600199

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #61

Date Established: 2/28/2007

System: FEDERAL

Job Number: R60161

Nearest City: NORTH LITTLE ROCK

County: PULASKI

Route: 67

Section: 10

Log Mile: 2

Land Section Number:

Township: 02S

Range: 17W

Land Section:

Latitude: N 34 48 16.0

Longitude: W 92 12 44.4

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.16230641

Elevation (Feet): 266.280

Description: ALUMINUM CAP TOP OF PARAPET WALL N.W. CORNER OF FIVE MILE CREEK BRIDGE #06942, STATION 245+11

Comments: BM cannot be verified. No data for 3-wire levels were available.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600200

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #61

Date Established: 2/28/2007

System: FEDERAL Job Number: r60161 Nearest City: NORTH LITTLE ROCK

County: PULASKI Route: 67 Section: 10 Log Mile: 1

Land Section Number: Township: 02S Range: 17W

Land Section:

Latitude: N 34 47 23.0 Longitude: W 92 13 31.0 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 111.7612395 Elevation (Feet): 366.670

Description: ALUMINUM CAP IN TOP OF PARAPET WALL ON THE SW CORNER OF  
THE McCAIN TURNAROUND BRIDGE (BR#06941), STATION 108+80 RT.

Comments: BM cannot be verified. No data for 3-wire levels were available.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600201

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #62

Date Established: 6/12/2006

System: STATE

Job Number: 061097

Nearest City: Maumelle

County: PULASKI

Route: 100

Section: 0

Log Mile: 0.19

Land Section Number: 21

Township: 03N

Range: 13W

Land Section: SE

Latitude: N 34 52 51.0000

Longitude: W 92 23 33.0000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 83.76163

Elevation (Feet): 274.808

Description: BM# 62902 Aluminum Disk Top Headwall Rt. Sta. 114 + 40 on 6x6 R.C. Box Culvert

Comments: Elev were entered and verified. Three wire levels were ran from control PN 902. Data can be found on EDM under s061097\_RE\_benches.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600202

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #62

Date Established: 6/12/2006

System: STATE

Job Number: 061097

Nearest City: Maumelle

County: PULASKI

Route: 100

Section: 0

Log Mile: 0.27

Land Section Number: 13

Township: 03N

Range: 13W

Land Section: SE

Latitude: N 34 52 48.2000

Longitude: W 92 23 35.6000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 92.77737

Elevation (Feet): 304.387

Description: BM #62901 Aluminum Disk Top Parapet. Lt. Station 110+30.92. Bridge # B7037

Comments: Elevations were entered and verified. Three wire levels were ran from the control PN 902. Data can be found on EDM under s061097\_RE\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600203

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/14/2004

System: STATE Job Number: 060994 Nearest City: North Little Rock

County: PULASKI Route: 391 Section: 1 Log Mile: 3.7

Land Section Number: 25 Township: 02n Range: 11w

Land Section: NE

Latitude: N 34 46 42.2 Longitude: W 92 07 43.4 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.71537 Elevation (Feet): 248.410

Description: Benchmark is located on the drop inlet top 180' north of the intersection of hwy 391 and hwy 70 on the east side of hwy 391

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600204

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/14/2004

System: STATE Job Number: 060994 Nearest City: North Little Rock

County: PULASKI Route: 391 Section: 25 Log Mile: 3.7

Land Section Number: 25 Township: 02N Range: 11W

Land Section: NE

Latitude: N 34 46 31.3 Longitude: W 92 07 44.0 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.55052 Elevation (Feet): 251.149

Description: Benchmark is located on drop inlet top se corner of the intersection of hwy 391 and valentine rd.

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600205

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 8/12/2003

System: STATE Job Number: 006965 Nearest City: Little Rock

County: PULASKI Route: 5 Section: 9 Log Mile: 7.14

Land Section Number: 14 Township: 01n Range: 13w

Land Section: SE

Latitude: N 34 42 51.87 Longitude: W 92 21 38.66 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 93.87535 Elevation (Feet): 307.989

Description: ahtd medallion in rc box culvert headwall rt. Of sta. 377+00 (S. of hwy 5) across from home town Iga food store.

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600206

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 11/15/2005

System: STATE Job Number: 006965 Nearest City: Little Rock

County: PULASKI Route: 5 Section: 9 Log Mile: 6.68

Land Section Number: 23 Township: 01n Range: 13w

Land Section: NE

Latitude: N 34 42 40.22 Longitude: W 92 22 03.98 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 93.03106 Elevation (Feet): 305.219

Description: ahtd medallion in rc box culvert headwall rt. 352+68 (S. of hwy 5) across from Westwood liquor store.

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600207

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by:

Date Established: 6/8/2008

System: STATE

Job Number: 060920

Nearest City: Maumelle

County: PULASKI

Route: 100

Section: 0

Log Mile: 8.61

Land Section Number: 7

Township: 02N

Range: 12W

Land Section: NESW

Latitude: N 34 49 01.69

Longitude: W 92 19 51.28

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 105.8755

Elevation (Feet): 347.360

Description: AHTD DISK SET IN SE WINGWALL

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 600208

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #65

Date Established: 3/6/2017

System: STATE

Job Number: 061202

Nearest City: Little Rock

County: PULASKI

Route: 5

Section: 8&9

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 39 19.00000

Longitude: W 92 25 36.00000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 91.5999

Elevation (Feet): 300.524

Description: AHTD benchmark placed 41.6' Lt CL in walk and rail.

Comments: Elevation not verified.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 610001

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: BIGGERS

County: RANDOLPH

Route: 67

Section: 19

Log Mile: 8.80

Land Section Number: 2

Township: 19N

Range: 02E

Land Section: SW

Latitude: N 36 18 51.0

Longitude: W 90 50 05.7

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 86.537

Elevation (Feet): 283.913

Description: CHISELED SQUARE IN CENTER EAST HEADWALL R.C. CULVERT 1.15 MILES NORTH ALONG OLD HIGHWAY 67 FROM INTERSECTION WITH NEW HIGHWAY 67

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 610002

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: BIGGERS

County: RANDOLPH

Route: 67

Section: 19

Log Mile: 8.80

Land Section Number: 11

Township: 19N

Range: 02E

Land Section: SW

Latitude: N 36 18 18.1

Longitude: W 90 50 23.2

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 87.074

Elevation (Feet): 285.675

Description: CHISELED SQUARE IN CENTER WEST HEADWALL R.C. CULVERT 0.42 MILES NORTH ALONG OLD HIGHWAY 67 FROM INTERSECTION WITH NEW HIGHWAY 67

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 610003

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: BIGGERS

County: RANDOLPH

Route: 67

Section: 19

Log Mile: 8.80

Land Section Number: 11

Township: 19N

Range: 02E

Land Section: SW

Latitude: N 36 17 57.2

Longitude: W 90 50 32.2

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 86.947

Elevation (Feet): 285.259

Description: CHISELED SQUARE IN NORTH HEADWALL R.C. CULVERT AT  
INTERSECTION OF OLD HIGHWAY 67 AND HIGHWAY 67

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 610004

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City:

County: RANDOLPH

Route: 67

Section: 19

Log Mile: 8.30

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 86.343

Elevation (Feet): 283.277

Description: COTTON PICKER SPINDLE IN TELEPHONE POLE NORTH OF HIGHWAY  
67 N/R

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 610005

Class:

Vertical Datum:

Established by: RE OFFICE #04

Date Established:

System:

Job Number: N/A

Nearest City:

County: RANDOLPH

Route: 67

Section: 20

Log Mile: 7.82

Land Section Number: 28

Township: 19N

Range: 01E

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 83.842

Elevation (Feet): 275.072

Description: AHTD DISK IN RIGHT WINGWALL ABUTMENT #1 BRIDGE #6021 (BLACK RIVER) POCAHONTAS N/R

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 610006

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: ELEVEN POINT

County: RANDOLPH

Route: 90

Section: 7

Log Mile: 1.52

Land Section Number: 32

Township: 20N

Range: 01W

Land Section: NW

Latitude: N 36 20 46.7

Longitude: W 91 06 52.2

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 97.631

Elevation (Feet): 320.311

Description: AHTD DISC SOUTH-WEST BRIDGE END ELEVEN POINT RIVER

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 610007

Class:

Vertical Datum:

Established by: RE OFFICE #04

Date Established:

System:

Job Number: R00047

Nearest City: DALTON

County: RANDOLPH

Route: 231

Section: 6

Log Mile: 4.79

Land Section Number: 4

Township: 20N

Range: 01W

Land Section: SW

Latitude: N 36 24 14.8

Longitude: W 91 05 07.8

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 119.387

Elevation (Feet): 391.689

Description: STATION 79+0 DISC IN SOUTHWEST CORNER OF HEADWALL DOES NOT  
EQUATE TO THE LISTED LOG MILE

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 610008

Class:

Vertical Datum:

Established by: RE OFFICE #04

Date Established:

System:

Job Number: R00047

Nearest City: INGRAM

County: RANDOLPH

Route: 231

Section: 6

Log Mile: 1.20

Land Section Number: 12

Township: 20N

Range: 01W

Land Section: NE

Latitude: N 36 23 46.6

Longitude: W 91 01 42.8

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 102.928

Elevation (Feet): 337.690

Description: STATION 262+00 DISC IN SOUTHWEST CORNER OF HEADWALL

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 610009

Class:

Vertical Datum:

Established by: RE OFFICE #04

Date Established:

System:

Job Number: R00047

Nearest City: INGRAM

County: RANDOLPH

Route: 231

Section: 6

Log Mile: 0.90

Land Section Number: 12

Township: 20N

Range: 01W

Land Section: NE

Latitude: N 36 23 47.7

Longitude: W 91 01 23.8

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 102.517

Elevation (Feet): 336.341

Description: STATION 278+0 DISC IN SOUTHWEST CORNER OF HEADWALL

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 610010

Class:

Vertical Datum:

Established by: RE OFFICE #04

Date Established:

System:

Job Number: R00047

Nearest City: INGRAM

County: RANDOLPH

Route: 231

Section: 6

Log Mile: 0.57

Land Section Number: 7

Township: 20N

Range: 01E

Land Section: NE

Latitude: N 36 23 48.6

Longitude: W 91 01 10.1

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 102.248

Elevation (Feet): 335.459

Description: STATION 295+0 DISC IN SOUTHWEST CORNER OF HEADWALL

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 610011

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #04

Date Established:

System: STATE

Job Number: 10970

Nearest City: WARM SPRINGS

County: RANDOLPH

Route: 251

Section: 1

Log Mile: 12.02

Land Section Number: 24

Township: 21N

Range: 01W

Land Section: NW

Latitude: N 36 27 25.2

Longitude: W 91 02 00.7

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 115.434

Elevation (Feet): 378.720

Description: AHTD DISK 16' RIGHT SOUTH BRIDGE END BRIDGE #6203 BRIDGE OVER  
"MUD CREEK"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 610012

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #04

Date Established:

System:

Job Number: 10970

Nearest City: WARM SPRINGS

County: RANDOLPH

Route: 251

Section: 1

Log Mile: 12.92

Land Section Number: 14

Township: 21N

Range: 01W

Land Section: NE

Latitude: N 36 28 08.2

Longitude: W 91 02 20.3

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 115.352

Elevation (Feet): 378.451

Description: AHTD DISK 16' RIGHT SOUTH BRIDGE BRIDGE #6204 BRIDGE OVER  
"MUD CREEK"

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 610013

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: REYNO

County: RANDOLPH

Route: 328

Section: 1

Log Mile: 8.83

Land Section Number: 17

Township: 20N

Range: 03E

Land Section:

Latitude: N 36 22 23.6

Longitude: W 90 46 58.1

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 87.563

Elevation (Feet): 287.280

Description: ALUMINUM CAP IN NORTHWEST BRIDGE ABUTMENT-WEST END OF  
BRIDGE: CAP MISSING DUE TO HEADWALL DAMAGE.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 610014

Class:

Vertical Datum:

Established by: RE OFFICE #04

Date Established:

System: STATE

Job Number: R00063

Nearest City: BLACK ROCK

County: RANDOLPH

Route: 361

Section: 3

Log Mile: 3.62

Land Section Number: 3

Township: 17N

Range: 01W

Land Section: SE

Latitude: N 36 08 36.8

Longitude: W 91 04 30.1

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 83.268

Elevation (Feet): 273.188

Description: DISC SOUTHEAST WINGWALL 15' RIGHT BRIDGE END STATION 191+60  
BRIDGE #6394 BRIDGE OVER "STRAIGHT LAKE"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 610015

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #04

Date Established: 8/23/1995

System: STATE

Job Number: 100300

Nearest City:

County: RANDOLPH

Route: 67

Section:

Log Mile:

Land Section Number: 3

Township: 18N

Range: 01E

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.415

Elevation (Feet): 267.109

Description: DISC IN SE COR. HEADWALL 58' RT. STA. 735+43. N/R

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 610016

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #04

Date Established: 7/31/1995

System: STATE

Job Number: 100300

Nearest City:

County: RANDOLPH

Route: HWY. 67

Section: 10

Log Mile:

Land Section Number: 3

Township: 19N

Range: 01E

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.198

Elevation (Feet): 266.397

Description: SE COR. HEADWALL R. C. BOX 35' RT. STA. 714+84. N/R

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 610017

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #04

Date Established: 8/4/1995

System: STATE

Job Number: 100300

Nearest City:

County: RANDOLPH

Route: HWY. 67

Section: 10

Log Mile:

Land Section Number: 3

Township: 18N

Range: 01E

Land Section:

Latitude: N 36 13 43.5

Longitude: W 90 57 28.3

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 80.735

Elevation (Feet): 264.878

Description: SE COR. HEADWALL R. C. BOX 49' RT. STA. 648+19.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 610018

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #04

Date Established:

System: STATE

Job Number: 100290

Nearest City: MAYNARD

County: RANDOLPH

Route: 166

Section: 2

Log Mile: 0.06

Land Section Number: 31

Township: 21N

Range: 02E

Land Section: SE

Latitude: N 36 25 10.6

Longitude: W 90 53 47.3

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 114.403

Elevation (Feet): 375.337

Description: BOX CLVT. HEADWALL RT. STA. 3+45.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 610019

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #04

Date Established: 12/29/1994

System: STATE

Job Number: 100206

Nearest City: POCAHONTAS

County: RANDOLPH

Route: 90

Section: 5

Log Mile: 10.51

Land Section Number: 14

Township: 18N

Range: 01E

Land Section: NW

Latitude: N 36 12 30.1

Longitude: W 90 56 44.5

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.921

Elevation (Feet): 262.207

Description: AHTD DISC IN HEADWALL R. C. BOX CULVERT 22' LEFT. STA. 554+97.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 610020

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #04

Date Established: 6/10/1995

System:

Job Number: 100206

Nearest City: O'KEAN

County: RANDOLPH

Route: 34

Section: 2

Log Mile: 1.85

Land Section Number: 25

Township: 18N

Range: 02E

Land Section: SW

Latitude: N 36 09 57.8

Longitude: W 90 49 14.3

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 84.076

Elevation (Feet): 275.839

Description: AHTD DISC IN WINGWALL 16' RT. STA. 91+80. BR. 6531: BRIDGE OVER "BEAVER DAM DITCH"

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 610021

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #04

Date Established: 12/29/1994

System: STATE

Job Number: 100206

Nearest City: FENDER

County: RANDOLPH

Route: 90

Section: 5

Log Mile: 5.46

Land Section Number: 29

Township: 18N

Range: 02E

Land Section: NW

Latitude: N 36 10 33.9

Longitude: W 90 53 49.7

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 83.372

Elevation (Feet): 273.530

Description: AHTD DISC IN HEADWALL R. C. BOX CLVT. 24' LEFT. STA. 287+78.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 610022

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #04

Date Established: 2/9/1996

System: STATE

Job Number: R00080

Nearest City: POCAHONTAS

County: RANDOLPH

Route: 251

Section: 1

Log Mile: 2.50

Land Section Number: 33

Township: 20N

Range: 01E

Land Section: SW

Latitude: N 36 19 51.8

Longitude: W 90 59 14.1

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 93.808

Elevation (Feet): 307.768

Description: AHTD DISC IN WING BRIDGE # 6608 18' RT. STA. 130+83.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 610024

Class:

Vertical Datum:

Established by: RE OFFICE #04

Date Established: 11/4/1992

System: COUNTY

Job Number: BR-61-3

Nearest City: POCAHONTAS

County: RANDOLPH

Route: 1E

Section: 33

Log Mile:

Land Section Number: 33

Township: 19N

Range: 01E

Land Section:

Latitude: N 36 14 57.9

Longitude: W 90 59 19.3

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 83.381

Elevation (Feet): 273.559

Description: AHTD DISK IN SW CORNER OF THE EAST PARAPET WALL OF BRIDGE NO. 4684 OVER MILL CREEK. COUNTY RD. 23. NOW KNOWN AS "NEWBERRY ROAD"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 610025

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: BR-61-1

Nearest City: BIRDELL

County: RANDOLPH

Route: CR 4

Section:

Log Mile: 9.97

Land Section Number: 17

Township: 19N

Range: 01W

Land Section:

Latitude: N 36 17 27.2

Longitude: W 91 06 04.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 92.577

Elevation (Feet): 303.730

Description: AHTD DISK IN SW WINGWALL OF BR # 4554 COUNTY ROAD #4  
ELEVEN POINT RIVER

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 610026

Class:

Vertical Datum:

Established by: RE OFFICE #04

Date Established:

System: COUNTY

Job Number: BR-61-2

Nearest City: RAVENDEN SPRINGS

County: RANDOLPH

Route: CR2

Section:

Log Mile:

Land Section Number: 1

Township: 19N

Range: 03W

Land Section: NE

Latitude: N 36 19 26.2

Longitude: W 91 14 30.1

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 113.02

Elevation (Feet): 370.800

Description: MEDAL PLATE TOP WING WALL 14' RT. BR. END STA. 19+61.4 BR #4570  
STATION LOCATED ON " UPPER JAMES CREEK ROAD".

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 610027

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #04

Date Established: 4/25/2002

System: COUNTY

Job Number: BR6106

Nearest City:

County: RANDOLPH

Route: CR 76

Section: 29

Log Mile:

Land Section Number:

Township: 20N

Range: 02E

Land Section:

Latitude: N 36 20 23.0

Longitude: W 90 52 21.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 84.777

Elevation (Feet): 278.139

Description: AHTD DISK IN SE WINGWALL 15' RT OF C/L

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620001

Class:

Vertical Datum:

Established by: RE OFFICE #62

Date Established: 6/8/1993

System: CITY

Job Number: 60425

Nearest City: BENTON

County: SALINE

Route: MILITARY RD

Section:

Log Mile:

Land Section Number: 2

Township: 02S

Range: 15W

Land Section: SW

Latitude: N 34 34 38.0

Longitude: W 92 34 46.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 138.73

Elevation (Feet): 455.150

Description: ALUMINUM DISK IN TOP OF DROP INLET 34' LEFT STATION 47+22  
CORNER OF TRICKEY DRIVE AND MILITARY ROAD

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620002

Class:

Vertical Datum:

Established by: RE OFFICE #62

Date Established: 6/3/1993

System: CITY

Job Number: 60425

Nearest City: BENTON

County: SALINE

Route: MILITARY RD

Section:

Log Mile:

Land Section Number: 2

Township: 02S

Range: 15W

Land Section: NE

Latitude: N 34 35 04.0

Longitude: W 92 34 16.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 146.551

Elevation (Feet): 480.809

Description: ALUMINUM DISK IN TOP OF DROP INLET 24' LEFT STATION 82+58  
CORNER OF MILITARY ROAD AND FLEMING DRIVE.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620003

Class:

Vertical Datum:

Established by: RE OFFICE #62

Date Established:

System:

Job Number: 60342

Nearest City:

County: SALINE

Route: 5

Section: 7

Log Mile: 16.06

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 36 30.0

Longitude: W 92 37 05.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 92.864

Elevation (Feet): 304.671

Description: ALUMINUM DISC SOUTHWEST WINGWALL BRIDGE #6152 25'RIGHT  
STATION 851+54 NORTH FORK SALINE RIVER 1986

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620004

Class:

Vertical Datum:

Established by: RE OFFICE #62

Date Established:

System:

Job Number: 60342

Nearest City:

County: SALINE

Route: 5

Section: 7

Log Mile: 15.87

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 36 31.0

Longitude: W 92 37 16.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 92.33

Elevation (Feet): 302.919

Description: ALUMINUM DISC WINGWALL SOUTHWEST CORNER 25' RIGHT  
STATION 841+60 BRIDGE #6151 NORTH FORK SALINE RIVER RELIEF  
1986

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620005

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 60265

Nearest City:

County: SALINE

Route: AR HWY. 5

Section: 7

Log Mile: 5.82

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 37 05.0

Longitude: W 92 46 44.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 120.89

Elevation (Feet): 396.620

Description: ALUMINUM DISK SOUTHWEST CORNER OF WINGWALL BRIDGE NO.  
6156 MIDDLE FORK SALINE RIVER 1987

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620006

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 60265

Nearest City:

County: SALINE

Route: AR HWY. 5

Section: 7

Log Mile: 5.98

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 37 00.0

Longitude: W 92 46 37.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 120.884

Elevation (Feet): 396.600

Description: ALUMINUM DISK SOUTHWEST CORNER OF WINGWALL BRIDGE NO. 6157

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620007

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 60265

Nearest City:

County: SALINE

Route: AR HWY. 5

Section: 7

Log Mile: 7.97

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 37 08.0

Longitude: W 92 44 56.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 118.104

Elevation (Feet): 387.480

Description: ALUMINUM DISK SOUTHWEST CORNER OF WINGWALL ALUM FORK  
BRIDGE BRIDGE #6158 SALINE RIVER

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620008

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 60265

Nearest City:

County: SALINE

Route: AR HWY 5

Section: 7

Log Mile: 12.41

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 36 53.0

Longitude: W 92 40 41.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 112.337

Elevation (Feet): 368.559

Description: ALUMINUM DISK SOUTHWEST CORNER OF WINGWALL WILLIAMS  
CREEK BRIDGE BRIDGE #6159 THREE MILES FROM BIG CREEK  
BRIDGE LM9.49

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620009

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City:

County: SALINE

Route: 5

Section: 7

Log Mile: 9.49

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 37 09.0

Longitude: W 92 43 33.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 120.171

Elevation (Feet): 394.261

Description: DISK WINGWALL 18' RIGHT BRIDGE BIG CREEK

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620010

Class:

Vertical Datum:

Established by: RE OFFICE #62

Date Established: 8/24/1993

System:

Job Number: 60597

Nearest City:

County: SALINE

Route: 30

Section: 22

Log Mile: 8.76

Land Section Number: 22

Township: 01S

Range: 14W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 129.516

Elevation (Feet): 424.920

Description: BENCHMARK CHISELED ON TOP OF CURB LOCATED ON THE  
NORTHWEST CORNER OF BRIDGE STATE HIGHWAY/I-30

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620011

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #62

Date Established: 8/24/1993

System:

Job Number: 60597,60209

Nearest City: BRYANT

County: SALINE

Route: 30

Section: 22

Log Mile: 8.79

Land Section Number: 21

Township: 01S

Range: 14W

Land Section:

Latitude: N 34 37 13.2

Longitude: W 92 29 53.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 126.4465

Elevation (Feet): 414.850

Description: BENCHMARK (ALUMINUM) ON NORTHEAST CORNER OF TYPE ST  
DROP INLET LOCATED IN THE CENTER OF THE LARGE CONCRETE  
TRAFFIC ISLAND IN THE ON-OFF RAMP @ THE INTERSECTION OF  
STATE HIGHWAY 183/I-30

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620012

Class:

Vertical Datum:

Established by: SURVEYS DIVISION

Date Established: 10/20/1992

System: NTERSTAT

Job Number: 60209

Nearest City: BENTON

County: SALINE

Route: I-30

Section:

Log Mile:

Land Section Number: 36

Township: 01S

Range: 15W

Land Section: NENE

Latitude: N 34 35 58.0

Longitude: W 92 33 20.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 138.447

Elevation (Feet): 454.222

Description: [] CUT IN CENTER OF HEADWALL OF 48" RCP UNDER I-30 EAST BOUND LANES AT HIGHWAY 5 INTERSECTION & ACCESS ROAD ON SOUTH SIDE I-30 APPX. 1 MILES NORTHEAST OF CONGO ROAD OVERPASS AT BENTON

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620013

Class:

Vertical Datum:

Established by: SURVEYS DIVISION

Date Established: 10/20/1992

System: NTERSTAT

Job Number: 60209

Nearest City: BRYANT

County: SALINE

Route: I-30

Section:

Log Mile:

Land Section Number: 22

Township: 01S

Range: 14W

Land Section: NWSW

Latitude: N 34 37 19.0

Longitude: W 92 29 51.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 129.516

Elevation (Feet): 424.920

Description: [] CUT IN WHEELGUARD ON NORTHWEST CORNER OF HIGHWAY 183  
BRIDGE OVERPASS ON I-30 AT BRYANT

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620014

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: WOODSON

County: SALINE

Route: 65

Section: 12A

Log Mile: 2.58

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 32 41.0

Longitude: W 92 15 00.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 87.027

Elevation (Feet): 285.521

Description: AT THE WEST END OF THE WOODSON ROAD OVERPASS (BRIDGE 5656)  
18' SOUTH OF THE CENTERLINE A CAST ALUMINUM DISK SET FLUSH  
WITH THE TOP OF THE WINGWALL.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620015

Class:

Vertical Datum:

Established by: RE OFFICE #62

Date Established: 6/8/1993

System: STATE

Job Number: 60245

Nearest City: BENTON

County: SALINE

Route: 88

Section: 7

Log Mile: .08

Land Section Number: 11

Township: 02S

Range: 15W

Land Section: NW

Latitude: N 34 34 24.0

Longitude: W 92 35 02.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 132.238

Elevation (Feet): 433.851

Description: ALUMINUM DISK IN TOP OF DROP INLET 34' LEFT STATION 25+25

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620016

Class:

Vertical Datum:

Established by: RE OFFICE #62

Date Established: 3/6/1992

System: STATE

Job Number: R60094

Nearest City: BRYANT

County: SALINE

Route: 183

Section: 1

Log Mile: 8.41

Land Section Number: 22

Township: 01S

Range: 14

Land Section: SW

Latitude: N 34 36 00.0

Longitude: W 92 29 00.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 118.662

Elevation (Feet): 389.310

Description: ALUMINUM DISC NORTHEAST CORNER R.C. BOX HEADWALL RIGHT  
170+78

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620017

Class:

Vertical Datum:

Established by: RE OFFICE #62

Date Established: 3/6/1992

System: STATE

Job Number: R60094

Nearest City: BRYANT

County: SALINE

Route: 183

Section: 1

Log Mile: 8.22

Land Section Number: 27

Township: 01S

Range: 14

Land Section: NW

Latitude: N 34 36 55.0

Longitude: W 92 29 43.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 117.641

Elevation (Feet): 385.961

Description: ALUMINUM DISC NORTHEAST CORNER R.C. BOX HEADWALL RIGHT  
160+78. FROM I-30 GO SOUTH ON HWY 183 FOR 0.3 MILES TO BM ON  
LEFT.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620018

Class:

Vertical Datum:

Established by: RE OFFICE #65

Date Established: 6/10/1994

System: STATE

Job Number: R60069

Nearest City:

County: SALINE

Route: 5

Section: 7

Log Mile: 9.36

Land Section Number:

Township: 01S

Range: 16W

Land Section:

Latitude: N 34 37 07.0

Longitude: W 92 43 44.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 119.673

Elevation (Feet): 392.627

Description: LOCATED ON SE COR. HEADWALL R. C. BOX CULVT. -50' FROM  
CENTERLINE HWY. 5.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620019

Class:

Vertical Datum:

Established by: RE OFFICE #62

Date Established: 4/19/1996

System: STATE

Job Number: 001731

Nearest City: TULL

County: SALINE

Route: 190

Section: 1

Log Mile: 3.86

Land Section Number: 13

Township: 03S

Range: 15W

Land Section: SW

Latitude: N 34 27 39.0

Longitude: W 92 34 21.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 94.905

Elevation (Feet): 311.367

Description: 57' LT. CENTERLINE 190; CENTER HDWL. BOX CULV.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620020

Class:

Vertical Datum:

Established by: RE OFFICE #62

Date Established: 4/19/1996

System: STATE

Job Number: 001731

Nearest City: TULL

County: SALINE

Route: 190

Section: 1

Log Mile: 2.20

Land Section Number: 7

Township: 03S

Range: 14W

Land Section: NW

Latitude: N 34 28 46.0

Longitude: W 92 33 27.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 80.951

Elevation (Feet): 265.587

Description: 35' LT. CENTERLINE 190; CENTER HDWL. BOX CULV.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620021

Class:

Vertical Datum:

Established by: RE OFFICE #64

Date Established: 2/26/1996

System: NTERSTAT

Job Number: 060616

Nearest City:

County: SALINE

Route: 30

Section: 22

Log Mile: 106.0

Land Section Number: 9

Township: 03S

Range: 16W

Land Section: NE

Latitude: N 34 28 56.0

Longitude: W 92 43 41.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 125.69

Elevation (Feet): 412.368

Description: STANDARD DISK SET IN TOP OF DROP INLET (MOST SW CORNER) 28' RT. OF RT. MAIN LANES, IN THE GORE AREA OF THE 106 EAST BOUND EXIT RAMP.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620022

Class:

Vertical Datum:

Established by: RE OFFICE #65

Date Established: 11/2/1993

System: COUNTY

Job Number: F-62-11

Nearest City: PARON

County: SALINE

Route: F. A. S. 1325

Section: 45

Log Mile: .35

Land Section Number: 31

Township: 02N

Range: 16W

Land Section: SW

Latitude: N 34 46 15.0

Longitude: W 92 45 15.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 148.614

Elevation (Feet): 487.578

Description: AHTD BENCH MARK MEDALLION IN TOP OF PARAPET WALL WING AT SW CORNER OF BRIDGE NO. 4695 (APPROX. 14' RT. OF CENTERLINE STA. 11+00 STATE JOB #F 6211). AT PARON TURN EAST ON PAVED COUNTY ROAD THEN GO APPROX 0.35 MILES TO BRIDGE

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620023

Class:

Vertical Datum:

Established by: RE OFFICE #65

Date Established: 3/6/1996

System: NTERSTAT

Job Number: 60452

Nearest City:

County: SALINE

Route: 30

Section: 22

Log Mile: 121.36

Land Section Number: 29

Township: 01S

Range: 14W

Land Section: NW

Latitude: N 34 36 43.0

Longitude: W 92 31 21.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 114.854

Elevation (Feet): 376.817

Description: AHTD MONUMENT IN TOP OF PARAPET AT SW CORNER OF BR #2811AR  
ON I-30 E. BOUND LANES OVER HURRICANE CREEK. TBM 50 ON SOUTH  
ACCESS ROAD FROM MAIN LANE BRIDGES

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620024

Class:

Vertical Datum:

Established by: RE OFFICE #62

Date Established: 10/18/1995

System: STATE

Job Number: 060575

Nearest City: BRYANT

County: SALINE

Route: 183

Section: 1A

Log Mile: 6.68

Land Section Number: 34

Township: 01S

Range: 14W

Land Section: NW

Latitude: N 34 35 31.0

Longitude: W 92 29 21.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 128.516

Elevation (Feet): 421.640

Description: ALUM. AHTD DISK, NORTH WEST END POST (PARAPET WALL) STA.  
12+15 31' RT. FROM I-30 GO SOUTH ON HWY 183 FOR 1.8 MILES TO BM  
ON RIGHT.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620025

Class:

Vertical Datum:

Established by: RE OFFICE #62

Date Established: 1/26/1996

System: CITY

Job Number: 060613

Nearest City: BENTON

County: SALINE

Route: 2ND STREET

Section:

Log Mile:

Land Section Number: 14

Township: 02S

Range: 15W

Land Section: NW

Latitude: N 34 33 24.0

Longitude: W 92 34 53.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 98.947

Elevation (Feet): 324.629

Description: ALUMINUM DISK IN EAST PARAPET WALL SOUTH BRIDGE END 20' RT.  
CENTERLINE STA. 25+55 BRIDGE 6590. SECOND STREET OVERPASS

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620026

Class:

Vertical Datum:

Established by: RE OFFICE #62

Date Established: 5/16/1996

System: CITY

Job Number: 060613

Nearest City: BENTON

County: SALINE

Route: 2ND STREET

Section:

Log Mile:

Land Section Number: 14

Township: 02S

Range: 15W

Land Section: NW

Latitude: N 34 33 30.0

Longitude: W 92 34 52.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 103.242

Elevation (Feet): 338.720

Description: ALUMINUM DISK IN EAST PARAPET WALL NORTH BRIDGE END 20' RT.  
CENTERLINE STA. 31+55 BRIDGE 6590. SECOND STREET OVERPASS

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620027

Class:

Vertical Datum:

Established by: RE OFFICE #62

Date Established: 12/11/1995

System: COUNTY

Job Number: BR6206

Nearest City: SALEM

County: SALINE

Route: 61

Section:

Log Mile:

Land Section Number: 8

Township: 01S

Range: 15W

Land Section: NW

Latitude: N 34 39 48.0

Longitude: W 92 38 06.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 100.986

Elevation (Feet): 331.318

Description: COUNTY ROAD NO. 61 (STEEL BRIDGE ROAD) WEST END BRIDGE NO. 4756 TOP OF WINGWALL ON RT. SW END OF BRIDGE OVER NORTH FORK SALINE RIVER.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620028

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #62

Date Established: 5/5/1997

System: COUNTY

Job Number: SA6232

Nearest City: SALEM

County: SALINE

Route: 35

Section:

Log Mile:

Land Section Number: 3

Township: 01S

Range: 15W

Land Section:

Latitude: N 34 40 11.0

Longitude: W 92 35 06.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 140.635

Elevation (Feet): 461.400

Description: COUNTY ROAD #35 SOUTH END OF BRIDGE NO. 4781 (HURRICANE CREEK) TOP OF WINGWALL ON RT.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620029

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #62

Date Established: 5/5/1997

System: COUNTY

Job Number: SA6232

Nearest City: SALEM

County: SALINE

Route: 35

Section:

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 40 14.0

Longitude: W 92 35 05.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 140.631

Elevation (Feet): 461.387

Description: COUNTY ROAD #35 SOUTH END OF BRIDGE NO. 4782 (HURRICANE CREEK RELIEF) TOP OF WINGWALL ON RT.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620030

Class:

Vertical Datum:

Established by: RE OFFICE #62

Date Established: 6/8/1993

System: CITY

Job Number: 60425

Nearest City: BENTON

County: SALINE

Route: MILITARY R

Section:

Log Mile:

Land Section Number: 2

Township: 02S

Range: 15W

Land Section: SW

Latitude: N 34 34 38.0

Longitude: W 92 34 46.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 138.729

Elevation (Feet): 455.147

Description: ALUMINUM DISK IN TOP OF D.I. 34' LT. STA 47+22. CORNER OF TRICKEY DRIVE AND MILITARY ROAD

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620031

Class:

Vertical Datum: UNKNOWN

Established by: SURVEYS DIVISION

Date Established: 11/5/1992

System: INTERSTAT

Job Number: 60209

Nearest City: BRYANT

County: SALINE

Route: I-30

Section: 23

Log Mile: 124.0

Land Section Number: 14

Township: 01S

Range: 14W

Land Section: SWSW

Latitude: N 34 37 46.0

Longitude: W 92 28 28.5

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 111.438

Elevation (Feet): 365.610

Description: APPROX. 7 1/2 MI. E. OF BENTON\*\* [] CUT ON NE COR. OF N. HDWL OF A 48" RCP ON ACCESS RD. I-30. STATION IS IN SALINE COUNTY. RECOVERED BY S5102 ON 12/20/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620032

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: BR-62-4

Nearest City: CROWS

County: SALINE

Route: CR-15

Section:

Log Mile:

Land Section Number: 32

Township: 01S

Range: 16W

Land Section: SW

Latitude: N 34 35 59.0

Longitude: W 92 44 31.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 112.959

Elevation (Feet): 370.600

Description: 4.6 MILES NO. OF HWY. 70 COUNTY ROAD 15 - ALUMINUM DISK SE  
CORNER OF WINGWALL BRIDGE END 4601

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620033

Class:

Vertical Datum:

Established by: RE OFFICE #62

Date Established: 1/26/1993

System: COUNTY

Job Number: S-62-26

Nearest City: BENTON

County: SALINE

Route: CR-32

Section: 19

Log Mile:

Land Section Number: 19

Township:

Range:

Land Section:

Latitude: N 34 32 20.0

Longitude: W 92 39 12.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 106.469

Elevation (Feet): 349.307

Description: BENCHMARK CAP IS SET ON THE SW CORNER OF THE RCBC  
HEADWALL, LOCATED ON COUNTY RD. 32, WHICH IS 0.5 MI. WEST OF  
THE INTERSECTION OF STATE. HWY. 67 AND CO. RD. 32 (PAWNEE DR.)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620034

Class:

Vertical Datum:

Established by: RE OFFICE #65

Date Established: 11/2/1993

System: COUNTY

Job Number: F-62-11

Nearest City: PARON

County: SALINE

Route: FAS RT 1325

Section: 45

Log Mile: .35

Land Section Number: 31

Township: 02N

Range: 16W

Land Section: SW

Latitude: N 34 46 08.0

Longitude: W 92 45 09.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 148.614

Elevation (Feet): 487.578

Description: AHTD BENCH MARK MEDALLION IN TOP OF PARAPET WALL WING RT. SW CORNER OF BR. NO. 4695 (APPROX. 14' RT. OF CENTERLINE STA. 11+00) AT PARON TURN EAST ON PAVED COUNTY ROAD. APPROX 0.35 MILES TO BRIDGE.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620035

Class:

Vertical Datum:

Established by: RE OFFICE #65

Date Established: 1/20/1998

System: STATE

Job Number: 060451

Nearest City: PARON

County: SALINE

Route: 9

Section: 5

Log Mile: 12.44

Land Section Number: 31

Township: 02N

Range: 17W

Land Section: NW

Latitude: N 34 46 44.8

Longitude: W 92 45 29.1

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 155.217

Elevation (Feet): 509.241

Description: AHTD BM MEDALLION ON SE END OF PARAPET OF BR. NO. 6644 OVER  
NORTH FORK SALINE RIVER RELIEF APPROX 20' RT OF STA 656+40  
APPROX 0.5 MILES NORTH OF PARON

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620036

Class:

Vertical Datum:

Established by: RE OFFICE #65

Date Established: 1/20/1998

System: STATE

Job Number: 060451

Nearest City: PARON

County: SALINE

Route: 9

Section: 5

Log Mile: 12.56

Land Section Number: 31

Township: 02N

Range: 17W

Land Section: NW

Latitude: N 34 46 45.1

Longitude: W 92 45 29.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 155.549

Elevation (Feet): 510.330

Description: AHTD MEDALLION ON SE END OF PARAPET OF BRIDGE NO 6645 OVER  
NORTH FORK SALINE RIVER APPROX 20' RIGHT OF STA 662+52  
APPROX. 0.5 MILES NORTH OF TOWN OF PARON

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620037

Class:

Vertical Datum:

Established by:

Date Established: 6/3/1993

System: CITY

Job Number: 60425

Nearest City:

County: SALINE

Route: 5

Section:

Log Mile:

Land Section Number: 03

Township: 02S

Range: 15W

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 146.551

Elevation (Feet): 480.809

Description: ALUMINUM DISK IN TOP OF D.I. 34' LT.STA 82+58

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620038

Class:

Vertical Datum:

Established by:

Date Established: 3/4/1998

System: STATE

Job Number: 060147

Nearest City: HASKELL

County: SALINE

Route: 229

Section: 04

Log Mile: 7.16

Land Section Number: 32

Township: 02S

Range: 15W

Land Section: SW

Latitude: N 34 30 10.6

Longitude: W 92 38 37.4

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 93.592

Elevation (Feet): 307.060

Description: AHTD ALUMINUM CAP, SOUTHEAST PARAPET WALL END, BR#5832  
FROM JUNCTION OF HWY 67 AND 229 GO SOUTH ON 229 FOR 2.0 MILES  
TO BRIDGE OVER TRACE CREEK

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620039

Class:

Vertical Datum:

Established by:

Date Established: 12/5/1997

System: STATE

Job Number: 060147

Nearest City: TRASKWOOD

County: SALINE

Route: 229

Section: 04

Log Mile: 4.01

Land Section Number: 18

Township: 03S

Range: 15W

Land Section: SE

Latitude: N 34 27 44.9

Longitude: W 92 39 07.5

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 87.4198

Elevation (Feet): 286.810

Description: AHTD ALUMINUM CAP, SOUTHEAST PARAPET WALL END, BR #5830.  
FROM JUNCTION OF HWY 67 AND 229 SOUTH GO SOUTH ON 229 FOR 5.2  
MILES TO BRIDGE OVER HOLLY CREEK.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620040

Class:

Vertical Datum:

Established by:

Date Established: 9/9/1998

System: STATE

Job Number: 060147

Nearest City: TRASKWOOD

County: SALINE

Route: 229

Section: 04

Log Mile: 5.54

Land Section Number: 07

Township: 03S

Range: 15W

Land Section: NE

Latitude: N 34 29 04.6

Longitude: W 92 38 59.6

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 90.7178

Elevation (Feet): 297.630

Description: AHTD ALUMINUM CAP, SOUTH EAST PARAPET WALL END BR #5831  
FROM JUNCTION OF HWY 67 & 229 SOUTH, GO SOUTH ON 229 FOR 3.6  
MILES TO BRIDGE OVER CLIFT CREEK

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620041

Class:

Vertical Datum:

Established by:

Date Established: 8/2/1999

System: STATE

Job Number: 040204

Nearest City:

County: SALINE

Route: 22

Section: 01

Log Mile: 2.55

Land Section Number: 14

Township: 08N

Range: 32W

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 51.0409

Elevation (Feet): 167.457

Description: ALUMINUM CAP SET IN TOP OF DROP INLET 9 M LT. AT STA. 14+23

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620042

Class:

Vertical Datum:

Established by: RE OFFICE #62

Date Established: 8/20/1999

System: STATE

Job Number: 060688

Nearest City:

County: SALINE

Route: I-30

Section: 22

Log Mile: 124.36

Land Section Number: 14

Township: 01S

Range: 14W

Land Section: SW

Latitude: N 34 30 10.7

Longitude: W 92 38 37.2

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 120.546

Elevation (Feet): 395.491

Description: AHTD ALUMINUM DISC ON TOP N.W. WING BR# 06711 BRITTENUM  
ROAD OVERPASS (raymar)

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620043

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #62

Date Established: 2/9/2000

System: STATE

Job Number: 060779

Nearest City: BENTON

County: SALINE

Route: 229

Section: 5

Log Mile:

Land Section Number:

Township: 02S

Range: 15W

Land Section:

Latitude: N 34 34 00.0

Longitude: W 92 37 07.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 91.1

Elevation (Feet): 298.884

Description: DISK SET IN SW WING OF SALINE RIVER BR # 06715 - 4.86 M RT OF C/L

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620044

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #62

Date Established: 2/28/2000

System: STATE

Job Number: 060779

Nearest City: BENTON

County: SALINE

Route: 229

Section: 5

Log Mile:

Land Section Number:

Township: 02S

Range: 15W

Land Section:

Latitude: N 34 33 55.0

Longitude: W 92 36 53.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 95.355

Elevation (Feet): 312.844

Description: DISK SET IN SE WING OF SALINE RIVER BRIDGE # 06715 - 4.86 M RT OF C/L

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620045

Class:

Vertical Datum: NGVD29

Established by: SURVEYS DIVISION

Date Established: 10/20/1992

System:

Job Number:

60209

Nearest City:

BENTON

County:

SALINE

Route:

I-30

Section:

23

Log Mile:

118.31

Land Section Number:

36

Township:

01S

Range:

15W

Land Section:

SWSW

Latitude: N 34 35 12.8

Longitude: W 92 34 04.8

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

144.11

Elevation (Feet):

472.801

Description:

[ ] CUT IN SE COR. BR. ON WHEELGAURD OF BR. OVER I-30 AT CONGO RD. OVERPASS IN BENTON; LEV'S RUN FROM GOV'T BM AR COURTHOUSE IN BENTON. STATION IS IN SALINE COUNTY. RECOVERED BY S5102 ON 12/20/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620047

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #64

Date Established: 7/17/2000

System: STATE

Job Number: 060394

Nearest City:

County: SALINE

Route: 67

Section: 9

Log Mile: 6.60

Land Section Number: 19

Township: 02S

Range: 15W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 104.689

Elevation (Feet): 343.467

Description: ALUM.CAP IN TOP OF HW, NW CORN. OF DOUBLE 12X6 RC BOX  
CULVERT

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620048

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #64

Date Established: 7/17/2000

System: STATE

Job Number: 060394

Nearest City:

County: SALINE

Route: 67

Section: 9

Log Mile: 5.99

Land Section Number: 30

Township: 02S

Range: 15W

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 100.009

Elevation (Feet): 328.113

Description: ALUM.CAP IN SE CORN. OF HW OF QUAD 12X6 RC BOX

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620049

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #62

Date Established: 1/11/2001

System: STATE

Job Number: 060747

Nearest City:

County: SALINE

Route: 367

Section: 12

Log Mile: 4.15

Land Section Number: 5

Township: 02s

Range: 12w

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 82.189

Elevation (Feet): 269.648

Description: AHTD BM IN TOP SE PARAPET WALL BR # 06733

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620050

Class:

Vertical Datum:

Established by: RE OFFICE #62

Date Established: 6/3/1993

System: CITY

Job Number: 60425

Nearest City: BENTON

County: SALINE

Route: MILITARY R

Section:

Log Mile:

Land Section Number: 2

Township: 02S

Range: 15W

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 146.551

Elevation (Feet): 480.809

Description: ALUMINUM DISK IN TOP OF D.I. 24' LT. STA. 82+58.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620051

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #23

Date Established: 10/3/2006

System: STATE Job Number: 001847 Nearest City:

County: SALINE Route: 167 Section: 11,12 Log Mile: 0.66

Land Section Number: Township: 02S Range: 12W

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 88.496

Elevation (Feet): 290.341

Description: 4" AHTD ALUMINUM DISK IN HEADWALL OF R.C. BOX CULVERT STA 230+49, 47' RIGHT OF CENTERLINE.

Comments: R.E. BRYAN SWINNEY



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620052

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #23

Date Established: 10/3/2006

System: STATE

Job Number: 001847

Nearest City:

County: SALINE

Route: 167

Section: 11,12

Log Mile: 2.05

Land Section Number:

Township: 02S

Range: 12W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 82.406

Elevation (Feet): 270.360

Description: 4" AHTD ALUMINUM DISK IN HEADWALL OF R.C. BOX CULVERT  
STA303+94, 52' RIGHT OF CENTERLINE.

Comments: R.E. BRYAN SWINNEY

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620053

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #23

Date Established: 10/3/2006

System: STATE Job Number: 001847 Nearest City:

County: SALINE Route: 167 Section: 11,12 Log Mile: 1.68

Land Section Number: Township: 02S Range: 12W

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 82.891 Elevation (Feet): 271.952

Description: 4"ALUMINUM DISK IN HEADWALL OF R.C. BOX CULVERT, STATION  
284+43 33' RT CL

Comments: R.E. BRYAN SWINNEY

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

**Identification:** 620054

**Class:** THIRD-ORDER

**Vertical Datum:** NAVD88

**Established by:** RE OFFICE #62

**Date Established:** 1/8/2007

**System:** STATE

**Job Number:** 061035

**Nearest City:** East End

**County:** SALINE

**Route:** 167

**Section:** 12

**Log Mile:** 4.32

**Land Section Number:** 16

**Township:** 02W

**Range:** 12W

**Land Section:** NESW

**Latitude:** N 34 32 36.3

**Longitude:** W 92 18 27.1

**Type:** SCALED

Scaled, GPS (Handheld), or GPS (Observed)

**Elevation (Meters):** 83.035824

**Elevation (Feet):** 272.427

**Description:** BM #62923 Alum. Disk Headwall 82' Lt. Sta. 423+62.

**Comments:** The elevation was entered and verified. The Benchmark was est. from BM 923 of Job # 061035. The 3 wire level file can be found on EDM under s061035\_RE\_benches.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

**Identification:** 620055

**Class:** THIRD-ORDER

**Vertical Datum:** NAVD88

**Established by:** RE OFFICE #62

**Date Established:** 3/2/2007

**System:** STATE

**Job Number:** 061035

**Nearest City:** East End

**County:** SALINE

**Route:** 167

**Section:** 12

**Log Mile:** 5.72

**Land Section Number:** 10

**Township:** 02S

**Range:** 12W

**Land Section:** NWSE

**Latitude:** N 34 33 25.2

**Longitude:** W 92 17 19.2

**Type:** SCALED

Scaled, GPS (Handheld), or GPS (Observed)

**Elevation (Meters):** 78.061661

**Elevation (Feet):** 256.107

**Description:** BM # 62926 Alum. Disk HDWL 81' LT. Sta 498+15.73

**Comments:** The elevation was entered and verified. The Benchmark was est. from BM 926 of Job # 061035. The 3 wire level file can be found on EDM under s061035\_RE\_benches.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

**Identification:** 620056

**Class:** THIRD-ORDER

**Vertical Datum:** NAVD88

**Established by:** RE OFFICE #62

**Date Established:** 8/2/2007

**System:** STATE

**Job Number:** 061035

**Nearest City:** East End

**County:** SALINE

**Route:** 167

**Section:** 12

**Log Mile:** 6.42

**Land Section Number:** 11

**Township:** 02S

**Range:** 12W

**Land Section:** SWNW

**Latitude:** N 34 33 45.4

**Longitude:** W 92 16 44.1

**Type:** SCALED

Scaled, GPS (Handheld), or GPS (Observed)

**Elevation (Meters):** 76.84764

**Elevation (Feet):** 252.124

**Description:** BM # 62928 AHTD Disk in RC box culvert headwall LT. Sta 534+24.101 Lt. 77.67'

**Comments:** The elevation was entered and verified. The Benchmark was est. from BM 928 of Job # 061035. The 3 wire level file can be found on EDM under s061035\_RE\_benches.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620057

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #62

Date Established: 5/15/2009

System: STATE Job Number: 061035 Nearest City: East End

County: SALINE Route: 167 Section: 12 Log Mile: 3.607

Land Section Number: 20 Township: 02S Range: 12W

Land Section: NE

Latitude: N 34 32 14.8 Longitude: W 92 19 03.4 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 80.046126 Elevation (Feet): 262.618

Description: BM # 62922 AHTD Disk in RC box culvert headwall LT. 79.716' Sta. 385+95.081.

Comments: The elevation was entered and verified. The Benchmark was est. from BM 922 of Job # 061035. The 3 wire level file can be found on EDM under s061035\_RE\_benches.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620058

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 3/18/2010

System: STATE

Job Number: 60209

Nearest City: BRYANT

County: SALINE

Route: 30

Section:

Log Mile:

Land Section Number: 14

Township: 01S

Range: 14W

Land Section: SW

Latitude: N 34 37 44.21

Longitude: W 92 28 31.01

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 120.5448311

Elevation (Feet): 395.488

Description: AHTD DISK ON SOUTHWEST CORNER OF BRIDGE.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620059

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #65

Date Established: 4/20/2010

System: STATE

Job Number: 061206

Nearest City: BAUXITE

County: SALINE

Route: 183

Section: 1

Log Mile: 4.17

Land Section Number:

Township: 02S

Range: 14W

Land Section:

Latitude: N 34 33 33.00000

Longitude: W 92 29 49.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 106.9027

Elevation (Feet): 350.730

Description: AHTD ALUMINUM DISC NORTH EAST CORNER OF BOX CULVERT  
HEADWALL 97' RT OF CENTERLINE OF RDWY.

Comments: ELEVATION NOT VERIFIED DUE TO NO THREE WIRE DATA.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620060

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #65

Date Established: 5/17/2010

System: STATE Job Number: 061039 Nearest City: BENTON

County: SALINE Route: 35 Section: Log Mile:

Land Section Number: Township: 02S Range: 15W

Land Section:

Latitude: N 34 33 08.40000 Longitude: W 92 33 59.00000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 99.7978 Elevation (Feet): 327.420

Description: AHTD MEDALION ON NORTH WEST CORNER OF BOX CULVERT ON HEADWALL WEST.

Comments: ELEVATION NOT VERIFIED DUE TO NO THREE WIRE DATA.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620062

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #65

Date Established: 4/15/2010

System: STATE Job Number: 061039 Nearest City: BENTON

County: SALINE Route: 35 Section: Log Mile:

Land Section Number: Township: 02S Range: 15W

Land Section:

Latitude: N 34 33 20.30000 Longitude: W 92 33 59.30000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 100.5446 Elevation (Feet): 329.870

Description: AHTD MEDALION 26 FEET RIGHT OF CENTERLINE IN SOUTHEAST  
WINGWALL OF BRIDGE # 07089.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620063

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #65

Date Established: 4/15/2010

System: STATE Job Number: 061039 Nearest City: BENTON

County: SALINE Route: 183 Section: Log Mile:

Land Section Number: Township: 02S Range: 15W

Land Section:

Latitude: N 34 33 25.10000 Longitude: W 92 33 58.70000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 101.6114 Elevation (Feet): 333.370

Description: AHTD MEDALION 31 FEET RIGHT OF CENTERLINE IN SOUTHWEST WINGWALL OF BRIDGE #07088.

Comments: ELEVATION NOT VERIFIED DUE TO NO THREE WIRE DATA.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 620064

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #65

Date Established: 4/6/2010

System: STATE

Job Number: 061039

Nearest City: BENTON

County: SALINE

Route: TON PARK

Section:

Log Mile:

Land Section Number:

Township: 02S

Range: 15W

Land Section:

Latitude: N 34 33 31.70000

Longitude: W 92 34 01.50000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 111.1974

Elevation (Feet): 364.820

Description: AHTD MEDALION 26 FEET RIGHT OF CENTERLINE SOUTHEAST  
WINGWALL OF BRIDGE #04896

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630001

Class:

Vertical Datum:

Established by: RE OFFICE #41

Date Established: 5/26/1993

System: STATE

Job Number: 4940

Nearest City: BATES

County: SCOTT

Route: 28

Section: 1

Log Mile: 3.87

Land Section Number: 21

Township: 03N

Range: 32W

Land Section:

Latitude: N 34 54 30.0

Longitude: W 94 23 07.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 187.172

Elevation (Feet): 614.080

Description: STANDARD DISK IN PARAPET WALL 16' RIGHT STATION 203+79  
BRIDGE #6435 RECOVERED BY S5102 3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630002

Class:

Vertical Datum:

Established by: RE OFFICE #41

Date Established: 5/26/1993

System: STATE

Job Number: 4940

Nearest City: BATES

County: SCOTT

Route: 28

Section: 1

Log Mile: 3.96

Land Section Number: 21

Township: 03N

Range: 32W

Land Section:

Latitude: N 34 54 29.0

Longitude: W 94 23 01.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 184.935

Elevation (Feet): 606.741

Description: STANDARD DISK IN HEADWALL 27' RIGHT STATION 208+95 R.C. BOX  
CULVERT...RECOVERED BY S5102 3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630003

Class:

Vertical Datum:

Established by: RE OFFICE #41

Date Established: 5/26/1993

System: STATE

Job Number: 4940

Nearest City: BATES

County: SCOTT

Route: 28

Section: 1

Log Mile: 5.94

Land Section Number: 23

Township: 03N

Range: 32W

Land Section:

Latitude: N 34 54 40.0

Longitude: W 94 20 58.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 179.381

Elevation (Feet): 588.519

Description: STANDARD DISK IN PARAPET WALL 16' RIGHT STATION 313+40  
BRIDGE #6436....RECOVERED BY S5102 3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630004

Class:

Vertical Datum:

Established by: RE OFFICE #41

Date Established: 5/26/1993

System: STATE

Job Number: 4940

Nearest City: COALDALE

County: SCOTT

Route: 28

Section: 1

Log Mile: 0.09

Land Section Number: 30

Township: 03N

Range: 32W

Land Section:

Latitude: N 34 58 40.0

Longitude: W 94 26 51.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 196.447

Elevation (Feet): 644.510

Description: STANDARD DISK IN PARAPET WALL 16' RIGHT STATION 15+29 BRIDGE  
#6433.RECOVERD BY S5102 3/25/04

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630005

Class:

Vertical Datum:

Established by: RE OFFICE #41

Date Established: 5/26/1993

System: STATE

Job Number: 4940

Nearest City: BATES

County: SCOTT

Route: 28

Section: 1

Log Mile: 3.27

Land Section Number: 20

Township: 03N

Range: 32W

Land Section:

Latitude: N 34 54 27.0

Longitude: W 94 23 43.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 186.532

Elevation (Feet): 611.980

Description: STANDARD DISK IN PARAPET WALL 16' RIGHT STATION 172+61 BRIDGE #6434

Comments: Longitude updated from 94 29 43 on 06/09/2017

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630006

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: EVENING SHADE

County: SCOTT

Route: 71

Section: 10

Log Mile: 26.92

Land Section Number: 32

Township: 04N

Range: 29W

Land Section:

Latitude: N 34 57 48.0

Longitude: W 94 06 36.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 215.36

Elevation (Feet): 706.560

Description: T-20-1981 GOVERNMENT DISK TOP PARAPET WALL NORTHWEST  
CORNER BRIDGE 322W SQUARE ROCK CREEK. RECOVERED BY S5102  
3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630007

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: EVENING SHADE

County: SCOTT

Route: 71

Section: 10

Log Mile: 26.92

Land Section Number: 32

Township: 04N

Range: 29W

Land Section:

Latitude: N 34 57 48.0

Longitude: W 94 06 36.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 214.48

Elevation (Feet): 703.673

Description: DISK TOP NORTHEAST WINGWALL BRIDGE 322W SQUARE ROCK CREEK. RECOVERED BY S5102 3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630008

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: ELM PARK

County: SCOTT

Route: 71

Section: 10

Log Mile: 29.66

Land Section Number: 17

Township: 04N

Range: 29W

Land Section:

Latitude: N 34 59 45.0

Longitude: W 94 06 17.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 183.53

Elevation (Feet): 602.131

Description: DISK TOP SOUTHEAST WINGWALL BRIDGE 321W CLEAR CREEK?  
RECOVERED BY S5102 3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630009

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: ELM PARK

County: SCOTT

Route: 71

Section: 10

Log Mile: 30.96

Land Section Number: 18

Township: 04N

Range: 29W

Land Section:

Latitude: N 35 00 15.0

Longitude: W 94 07 14.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 171.28

Elevation (Feet): 561.941

Description: S-20-1981 GOVERNMENT DISK TOP PARAPET WALL NORTHWEST  
CORNER BRIDGE 320W. RECOVERD BY S5102 3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630010

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: ELM PARK

County: SCOTT

Route: 71

Section: 10

Log Mile: 30.96

Land Section Number: 18

Township: 04N

Range: 29W

Land Section:

Latitude: N 35 00 14.0

Longitude: W 94 07 13.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 170.3

Elevation (Feet): 558.726

Description: DISK TOP SOUTHEAST WINGWALL BRIDGE 320W OLD FREEDOM CREEK. RECOVERED BY S5102 3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630011

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: ELM PARK

County: SCOTT

Route: 71

Section: 10

Log Mile: 31.75

Land Section Number: 7

Township: 04N

Range: 29W

Land Section:

Latitude: N 35 00 54.0

Longitude: W 94 07 16.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 165.16

Elevation (Feet): 541.862

Description: DISK TOP SOUTHEAST WINGWALL BRIDGE 319W BRUSHY CREEK.  
RECOVERED B Y S5102 3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630012

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: NORTH BOOTHE

County: SCOTT

Route: 71

Section: 10

Log Mile: 33.06

Land Section Number: 6

Township: 04N

Range: 29W

Land Section:

Latitude: N 35 02 00.0

Longitude: W 94 07 20.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 163.211

Elevation (Feet): 535.468

Description: DISK TOP SOUTHEAST WINGWALL BRIDGE 317W KINGS CREEK.  
RECOVERED BY S5102 3/25/04.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630013

Class:

Vertical Datum: NGVD29

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: NORTH BOOTHE

County: SCOTT

Route: 71

Section: 10

Log Mile: 33.16

Land Section Number: 7

Township: 04N

Range: 29W

Land Section:

Latitude: N 35 02 05.0

Longitude: W 94 07 20.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 164.074

Elevation (Feet): 538.299

Description: DISK TOP SOUTHEAST CORNER PARAPET WALL BRIDGE 316W KINGS  
RELEASE. RECOVERED BY S5102 3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630014

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: NORTH BOOTHE

County: SCOTT

Route: 71

Section: 10

Log Mile: 34.61

Land Section Number: 36

Township: 05N

Range: 30W

Land Section:

Latitude: N 35 03 16.0

Longitude: W 94 07 38.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 161.071

Elevation (Feet): 528.447

Description: DISK TOP SOUTHEAST WING BRIDGE 315W PRAIRIE CREEK.  
RECOVERD BY S5104 3/25/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630015

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: Y CITY

County: SCOTT

Route: 71

Section: 10

Log Mile: 8.09

Land Section Number: 21

Township: 01N

Range: 29W

Land Section:

Latitude: N 34 44 04.0

Longitude: W 94 04 39.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 226.53

Elevation (Feet): 743.207

Description: "Y CITY" JUNCTION US 71 AND US 270 DISK B-21 1982 TOP EAST  
HEADWALL TRIPLE R.C. BOX UNDER 71 TANNA HILL CREEK.  
RECOVERED BY S5104 3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630016

Class:

Vertical Datum: NGVD29

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: Y CITY

County: SCOTT

Route: 71

Section: 10

Log Mile: 8.31

Land Section Number: 27

Township: 01N

Range: 29W

Land Section:

Latitude: N 34 44 15.0

Longitude: W 94 04 49.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 227.53

Elevation (Feet): 746.488

Description: DISK TOP NORTHEAST WINGWALL NORTH ABUTMENT MILL CREEK  
BRIDGE A-21-1982. RECOVERED BY S5104 3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630017

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: NEEDMORE

County: SCOTT

Route: 71

Section: 10

Log Mile: 13.47

Land Section Number: 24

Township: 02N

Range: 29W

Land Section:

Latitude: N 34 47 48.0

Longitude: W 94 02 40.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 199.214

Elevation (Feet): 653.588

Description: DISKTOP SOUTHEAST WINGWALL BRIDGE #5990 BUFFALO CREEK.  
RECOVERED BY S5102 3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630018

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 4899

Nearest City: Y CITY

County: SCOTT

Route: 71

Section: 10

Log Mile: 10.07

Land Section Number: 22

Township: 01N

Range: 29W

Land Section:

Latitude: N 34 45 39.0

Longitude: W 94 04 33.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 208.68

Elevation (Feet): 684.644

Description: STANDARD DISK TOP WINGWALL SOUTHEAST CORNER BRIDGE  
#5963 SLOUGH CREEK. RECOVERED BY S5102 3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630019

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 4899

Nearest City: Y CITY

County: SCOTT

Route: 71

Section: 10

Log Mile: 10.23

Land Section Number: 22

Township: 01N

Range: 29W

Land Section:

Latitude: N 34 45 46.0

Longitude: W 94 04 34.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 209.32

Elevation (Feet): 686.744

Description: STANDARD DISK TOP WINGWALL SOUTHEAST CORNER BRIDGE  
#5964 FOURCHE RIVER

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630020

Class:

Vertical Datum: NGVD29

Established by:

Date Established:

System:

Job Number: 4888

Nearest City: BOLES

County: SCOTT

Route: 71

Section: 10

Log Mile: 11.59

Land Section Number: 2

Township: 01N

Range: 29W

Land Section:

Latitude: N 34 46 27.0

Longitude: W 94 03 31.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 203.16

Elevation (Feet): 666.534

Description: DISK TOP HEADWALL LEFT SIDE BOX CULVERT NORTHERN CREEK.  
RECOVERED BY S5102 3/25/04.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630021

Class:

Vertical Datum: NGVD29

Established by:

Date Established:

System:

Job Number: 4888

Nearest City: NEEDMORE

County: SCOTT

Route: 71

Section: 10

Log Mile: 16.02

Land Section Number: 13

Township: 02N

Range: 29W

Land Section:

Latitude: N 34 49 51.0

Longitude: W 94 02 30.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 272.16

Elevation (Feet): 892.912

Description: DISK TOP HEADWALL LEFT SIDE BOX CULVERT LITTLE BUFFALO CREEK R. RECOVERED B Y S5102 3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630022

Class:

Vertical Datum: NGVD29

Established by:

Date Established:

System:

Job Number: 4888

Nearest City: NEEDMORE

County: SCOTT

Route: 71

Section: 10

Log Mile: 17.53

Land Section Number: 11

Township: 02N

Range: 29W

Land Section: NW

Latitude: N 34 50 50.0

Longitude: W 94 03 31.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 250.78

Elevation (Feet): 822.767

Description: DISK TOP WINGWALL NORTHEAST CORNER BRIDGE 5999 ROSS CREEK (RESET). RECOVERED BY S5102 3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630023

Class:

Vertical Datum: NGVD29

Established by:

Date Established:

System:

Job Number: 4764

Nearest City:

County: SCOTT

Route: 71

Section: 10

Log Mile: 13.47

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 199.21

Elevation (Feet): 653.575

Description: DISK TOP WINGWALL SOUTHEAST CORNER BRIDGE 5990

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630024

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: NEEDMORE

County: SCOTT

Route: 71

Section: 10

Log Mile: 17.53

Land Section Number: 11

Township: 02N

Range: 29W

Land Section:

Latitude: N 34 50 50.0

Longitude: W 94 03 31.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 250.78

Elevation (Feet): 822.767

Description: STANDARD DISC STAMPED "X-20" USGS DISC RESET IN BRIDGE NO. 5999 ON TOP OF CURB IN ABUTMENT NORTHWEST WING. RECOVERED BY S5102 3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630025

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: NEEDMORE

County: SCOTT

Route: 71

Section: 10

Log Mile: 17.53

Land Section Number: 11

Township: 02N

Range: 29W

Land Section:

Latitude: N 34 50 50.0

Longitude: W 94 03 31.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 250.78

Elevation (Feet): 822.767

Description: THERE IS ALSO A AHTD DISC ON THIS SAME STRUCTURE NORTHEAST CORNER BRIDGE 5999. RECOVERED BY S5102 3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630026

Class:

Vertical Datum:

Established by: RE OFFICE #41

Date Established: 4/18/1988

System: STATE

Job Number: 40031

Nearest City: EVENING SHADE

County: SCOTT

Route: 71

Section: 10

Log Mile: 27.76

Land Section Number: 29

Township: 04N

Range: 29W

Land Section: SE

Latitude: N 34 58 18.0

Longitude: W 94 05 46.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 212.33

Elevation (Feet): 696.619

Description: N.G.S. STANDARD CAP SET IN SOUTHWEST CORNER WEST HEADWALL OF TRIPLE 10 X 5 R.C. BOX CULVERT STAMPED N299. RECOVERED BY S5102 3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630027

Class:

Vertical Datum:

Established by: RE OFFICE #41

Date Established: 6/27/1990

System: STATE

Job Number: 40031

Nearest City: EVENING SHADE

County: SCOTT

Route: 71

Section: 10

Log Mile: 27.76

Land Section Number: 29

Township: 04N

Range: 29W

Land Section: SE

Latitude: N 34 58 18.0

Longitude: W 94 05 43.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 212.01

Elevation (Feet): 695.569

Description: A.H.T.D. STANDARD CAP SET IN EAST HEADWALL OF TRIPLE 10 X 5  
R.C. BOX CULVERT. RECOVERED BY S5102 3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630028

Class:

Vertical Datum:

Established by:

RE OFFICE #41

Date Established: 10/1/1991

System: STATE

Job Number:

4917

Nearest City:

WALDRON

County: SCOTT

Route:

71B

Section:

10B

Log Mile:

4.26

Land Section Number:

21

Township:

03N

Range:

29W

Land Section:

Latitude: N 34 54 11.0

Longitude: W 94 05 29.

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

201.744

Elevation (Feet):

661.888

Description:

STANDARD DISK 21' RIGHT WING STATION 218+95 BRIDGE #6361.  
RECOVERED BY S5102 3/25/04.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630029

Class:

Vertical Datum:

Established by: RE OFFICE #41

Date Established: 10/1/1991

System: STATE

Job Number: 4917

Nearest City: WALDRON

County: SCOTT

Route: 71B

Section: 10B

Log Mile: 6.06

Land Section Number: 8

Township: 03N

Range: 29W

Land Section:

Latitude: N 34 55 38.0

Longitude: W 94 06 03.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 200.15

Elevation (Feet): 656.659

Description: STANDARD DISK RIGHT HEADWALL R.C. BOX CULVERT STATION  
313+93. RECOVERED BY S5102 3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630030

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: Y CITY

County: SCOTT

Route: 71

Section: 12

Log Mile: 2.25

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 42 46.0

Longitude: W 94 09 55.0

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 181.21

Elevation (Feet): 594.520

Description: DISK TOP HEADWALL 28 RIGHT DOUBLE R.C. BOX. RECOVERED BY S5102 3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630031

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 40016

Nearest City: Y CITY

County: SCOTT

Route: 71

Section: 12

Log Mile: 3.20

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 43 07.0

Longitude: W 94 08 54.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 187.58

Elevation (Feet): 615.419

Description: ALUMINUM CAP IN SOUTH HEADWALL R.C. BOX CULVERT.  
RECOVERED BY S5102 3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630032

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: HON

County: SCOTT

Route: 80

Section: 0

Log Mile: 0.46

Land Section Number: 10

Township: 03N

Range: 30W

Land Section:

Latitude: N 34 14 01.0

Longitude: W 92 02 38.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 188.5

Elevation (Feet): 618.437

Description: STANDARD DISK IN WEST WINGWALL RIGHT BEGINNING BRIDGE HON  
BRANCH BRIDGE NO. 6109. RECOVERED BY S5102 3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630033

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: HON

County: SCOTT

Route: 80

Section: 0

Log Mile: 1.00

Land Section Number: 10

Township: 03N

Range: 30W

Land Section:

Latitude: N 34 55 40.0

Longitude: W 94 10 08.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 191.52

Elevation (Feet): 628.345

Description: STANDARD DISK IN WEST WINGWALL RIGHT BEGINNING BRIDGE  
POTEAU RIVER BRIDGE NO. 6110. RECOVERED BY S5102 3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630034

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 4757

Nearest City: WALDRON

County: SCOTT

Route: 248

Section: 0

Log Mile: 0.177

Land Section Number: 20

Township: 03N

Range: 29W

Land Section:

Latitude: N 34 53 55.0

Longitude: W 94 04 35.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 201.857

Elevation (Feet): 662.259

Description: DISK WINGWALL RIGHT SIDE BENT NO 1 BRIDGE 5739 \*\* LOG FROM JUNCTION 248 & 80 (WALDRON).RECOVERED BY S5102 3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630035

Class:

Vertical Datum: NGVD29

Established by:

Date Established:

System:

Job Number: 4757

Nearest City: PLEASANT VALLEY

County: SCOTT

Route: 248

Section: 0

Log Mile: 4.474

Land Section Number: 18

Township: 03N

Range: 28W

Land Section:

Latitude: N 34 55 12.0

Longitude: W 94 00 45.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 230.97

Elevation (Feet): 757.774

Description: DISK WINGWALL RIGHT SIDE BENT NO 1 BRIDGE 5740 LOG FROM JUNCTION 248 & 80 (WALDRON). RECOVERED BY S5102 3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630036

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 4757

Nearest City: PLEASANT VALLEY

County: SCOTT

Route: 248

Section: 0

Log Mile: 7.747

Land Section Number: 10

Township: 03N

Range: 28W

Land Section:

Latitude: N 34 55 36.0

Longitude: W 93 57 30.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 256.14

Elevation (Feet): 840.353

Description: DISK WINGWALL RIGHT SIDE BENT NO 1 BRIDGE 5741 LOG FROM  
JUNCTION 248 & 80 (WALDRON)RECOVERED BY S5102 3/25/04.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630037

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 4757

Nearest City: PLEASANT VALLEY

County: SCOTT

Route: 248

Section: 0

Log Mile: 9.947

Land Section Number: 12

Township: 03N

Range: 28W

Land Section:

Latitude: N 34 55 45.0

Longitude: W 93 55 19.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 285.183

Elevation (Feet): 935.638

Description: DISK TOP PARAPET WALL RIGHT SIDE SPAN #1 BRIDGE 5742  
LOG FROM JUNCTION 248 & 80 (WALDRON). RECOVERED BY S5102  
3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630038

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: WINDFIELD

County: SCOTT

Route: 248

Section: 1

Log Mile: 8.44

Land Section Number: 30

Township: 03N

Range: 30W

Land Section:

Latitude: N 34 53 44.0

Longitude: W 94 13 38.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 216.1

Elevation (Feet): 708.988

Description: A.H.D. DISC TOP PARARET WALL WEST CROSS CREEK BRIDGE.  
RECOVERED BY S5102 3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630039

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 4664

Nearest City: WALDRON

County: SCOTT

Route: 248

Section: 1

Log Mile: 4.56

Land Section Number: 28

Township: 03N

Range: 30W

Land Section:

Latitude: N 34 53 09.0

Longitude: W 94 11 28.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 200.713

Elevation (Feet): 658.506

Description: DISK TOP WING RIGHT SIDE BENT #1 BRIDGE 5630. RECOVERED BY S5102 3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630040

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #41

Date Established: 3/5/1993

System: STATE

Job Number: R40077

Nearest City: Y CITY

County: SCOTT

Route: 71

Section: 10

Log Mile: 3.70

Land Section Number: 25

Township: 02N

Range: 29W

Land Section: NW

Latitude: N 34 43 20.0

Longitude: W 94 08 33.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 204.527

Elevation (Feet): 671.019

Description: STD. DISK IN LEFT HEADWALL R. C. BOX CULVERT. RECOVERED BY S5102 3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630041

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #41

Date Established: 3/5/1993

System: STATE

Job Number: R40077

Nearest City: NEEDMORE

County: SCOTT

Route: 71

Section: 10

Log Mile: 13.87

Land Section Number: 25

Township: 02N

Range: 29W

Land Section: NW

Latitude: N 34 48 18.0

Longitude: W 94 02 26.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 206.904

Elevation (Feet): 678.818

Description: STD. DISK IN LEFT HEADWALL R. C. BOX CULVERT.RECOVERED BY  
5102 3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630042

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #41

Date Established: 3/5/1993

System: STATE

Job Number: R40077

Nearest City: NEEDMORE

County: SCOTT

Route: 71

Section: 10

Log Mile: 14.02

Land Section Number: 24

Township: 02N

Range: 29W

Land Section: SW

Latitude: N 34 48 26.0

Longitude: W 94 02 24.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 210.181

Elevation (Feet): 689.569

Description: STD. DISK IN LEFT HEADWALL R. C. BOX CULVERT.RECOVERED BY S5102 3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630043

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #41

Date Established: 3/5/1993

System: STATE

Job Number: R40077

Nearest City: NEEDMORE

County: SCOTT

Route: 71

Section: 10

Log Mile: 14.39

Land Section Number: 24

Township: 02N

Range: 29W

Land Section: SW

Latitude: N 34 48 43.0

Longitude: W 94 02 25.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 224.186

Elevation (Feet): 735.517

Description: STD. DISK IN RIGHT HEADWALL R. C. BOX CULVERT. RECOVERED BY S5102 3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630044

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #41

Date Established: 3/5/1993

System: STATE

Job Number: R40077

Nearest City: NEEDMORE

County: SCOTT

Route: 71

Section: 10

Log Mile: 17.14

Land Section Number: 11

Township: 02N

Range: 29W

Land Section: SW

Latitude: N 34 50 42.0

Longitude: W 94 03 23.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 262.064

Elevation (Feet): 859.788

Description: STD. DISK IN RIGHT R. C. BOX CULVERT. RECOVERED BY S5102 3/25/04.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630045

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #41

Date Established: 3/5/1993

System: STATE

Job Number: R40077

Nearest City: NEEDMORE

County: SCOTT

Route: 71

Section: 10

Log Mile: 15.21

Land Section Number: 13

Township: 02N

Range: 29W

Land Section: SW

Latitude: N 34 49 24.0

Longitude: W 94 02 10.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 266.203

Elevation (Feet): 873.368

Description: STD. DISK IN RIGHT HEADWALL R. C. BOX CULVERT.RECOVERED BY  
S5102 3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630046

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #41

Date Established: 3/5/1993

System: STATE

Job Number: R40077

Nearest City: NEEDMORE

County: SCOTT

Route: 71

Section: 10

Log Mile: 15.28

Land Section Number: 13

Township: 02N

Range: 29W

Land Section: SW

Latitude: N 34 49 28.0

Longitude: W 94 02 12.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 266.203

Elevation (Feet): 873.368

Description: STD. DISK IN RIGHT HEADWALL R. C. BOX CULVERT. RECOVERED BY S5102 3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630047

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #41

Date Established: 3/5/1993

System: STATE

Job Number: R40077

Nearest City: NEEDMORE

County: SCOTT

Route: 71

Section: 10

Log Mile: 15.51

Land Section Number: 13

Township: 02N

Range: 29W

Land Section: SW

Latitude: N 34 49 38.0

Longitude: W 94 02 20.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 269.026

Elevation (Feet): 882.629

Description: STD. DISK IN RIGHT HEADWALL R. C. BOX CULVERT. RECOVERED BY S5102 3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630048

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #41

Date Established: 3/5/1995

System: STATE

Job Number: R40077

Nearest City: NEEDMORE

County: SCOTT

Route: 71

Section: 10

Log Mile: 16.02

Land Section Number: 13

Township: 02N

Range: 29W

Land Section: NW

Latitude: N 34 50 01.0

Longitude: W 94 02 35.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 277.258

Elevation (Feet): 909.637

Description: STD. DISK IN RIGHT HEADWALL R. C. BOX CULVERT. RECOVERED BY S5102 3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630049

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #41

Date Established: 3/5/1993

System: STATE

Job Number: R40077

Nearest City: NEEDMORE

County: SCOTT

Route: 71

Section: 10

Log Mile: 16.25

Land Section Number: 14

Township: 02N

Range: 29W

Land Section: NE

Latitude: N 34 50 12.0

Longitude: W 94 02 42.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 274.875

Elevation (Feet): 901.819

Description: STD. DISK IN RIGHT HEADWALL R. C. BOX CULVERT. RECOVERED BY S5102 3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630050

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #41

Date Established: 3/5/1993

System: STATE

Job Number: R40077

Nearest City: NEEDMORE

County: SCOTT

Route: 71

Section: 10

Log Mile: 16.51

Land Section Number: 11

Township: 02N

Range: 29W

Land Section: SE

Latitude: N 34 50 19.0

Longitude: W 94 02 56.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 280.419

Elevation (Feet): 920.008

Description: STD. DISK IN RIGHT HEADWALL R. C. BOX CULVERT. RECOVERED BY S5102 3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630051

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #41

Date Established: 3/5/1993

System: STATE

Job Number: R40077

Nearest City: NEEDMORE

County: SCOTT

Route: 28

Section: 2

Log Mile: 0.04

Land Section Number: 25

Township: 02N

Range: 29W

Land Section: NW

Latitude: N 34 48 30.0

Longitude: W 94 02 19.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 212.281

Elevation (Feet): 696.459

Description: STD. DISK IN RIGHT HEADWALL R. C. BOX CULVERT. RECOVERED BY S5102 3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630052

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: BR-63-2

Nearest City: BATES

County: SCOTT

Route: CR 59

Section:

Log Mile:

Land Section Number: 27

Township: 03N

Range: 32W

Land Section:

Latitude: N 34 53 48.0

Longitude: W 94 23 21.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 174.266

Elevation (Feet): 571.738

Description: STD. DISK IN TOP OF PARPAET WALL SE CORNER OF BR #4556.  
RECOVERED BY S5102 3/25/04.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630053

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: WALDRON

County: SCOTT

Route: CR 12

Section:

Log Mile:

Land Section Number: 10

Township: 02N

Range: 29W

Land Section:

Latitude: N 34 51 08.0

Longitude: W 94 03 59.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 251.134

Elevation (Feet): 823.929

Description: APPROX. 3/4 MI. S JCT. HWY. 250 TO CR #12 A STD. DISC IN THE CENTER OF SOUTH HDWLLS OF TRIPLE 10' x 6' R.C.B.C. APPROX. 730' WEST OF JCT. OF CO.RD. & HWY. 71. RECOVERED BY S5102 3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630054

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: BR-63-3

Nearest City: WALDRON

County: SCOTT

Route: CR 12

Section: 17

Log Mile: 6.72

Land Section Number: 17

Township: 02N

Range: 29W

Land Section:

Latitude: N 34 15 15.0

Longitude: W 94 06 33.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 232.623

Elevation (Feet): 763.197

Description: STD. DISC TOP WING WALL SOUTH EAST CORNER BR #4557.  
RECOVERED BY S5102 3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630055

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: ABBOTT

County: SCOTT

Route: CR 64

Section: 3

Log Mile:

Land Section Number: 3

Township: 04N

Range: 30W

Land Section:

Latitude: N 35 02 43.0

Longitude: W 94 10 33.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 169.496

Elevation (Feet): 556.088

Description: METAL DISC IN TOP OF PARAPET WALL OF BRG. NO. 4441, ON  
DOWNSTREAM SIDE OF BRIDGE 12 FT. FROM EAST BRG END ON  
COUNTY RD. NO. 64. RECOVERED BY S5102 3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630056

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: ELM PARK

County: SCOTT

Route: CR 64

Section:

Log Mile:

Land Section Number: 10

Township: 04N

Range: 30W

Land Section:

Latitude: N 35 01 50.0

Longitude: W 94 09 40.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 174.08

Elevation (Feet): 571.127

Description: STANDARD BM DISK SET IN TOP OF SW WINGWALL OF BRIDGE OVER  
KINGS CREEK BRIDGE NO. 4370. RECOVERED BY S5102 3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630057

Class:

Vertical Datum:

Established by: RE OFFICE #41

Date Established: 9/21/1992

System: COUNTY

Job Number: S-63-17

Nearest City: WALDRON

County: SCOTT

Route: 13

Section: G

Log Mile: 4.99

Land Section Number: 31

Township: 03N

Range: 29W

Land Section: SW

Latitude: N 34 52 27.0

Longitude: W 94 07 16.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 206.023

Elevation (Feet): 675.927

Description: IN HEADWALL 24' LEFT STATION 62+52, R.C. BOX CULVERT.  
RECOVERED BY S5102 3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630058

Class:

Vertical Datum:

Established by:

RE OFFICE #41

Date Established: 12/1/1989

System: COUNTY

Job Number:

F-63-6

Nearest City:

ABBOTT

County: SCOTT

Route: AS RT. 255

Section: 23

Log Mile: 2.08

Land Section Number: 35

Township: 05N

Range: 30W

Land Section: NW

Latitude: N 35 04 19.0

Longitude: W 94 11 35.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 184.587

Elevation (Feet): 605.599

Description: EAST HEADWALL R. C. BOX CULVERT STATION 235+23 22 FEET  
RIGHT. RECOVERED BY S5102 3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630059

Class:

Vertical Datum:

Established by: RE OFFICE #41

Date Established: 9/5/1997

System: STATE

Job Number: R40024

Nearest City: BOLES

County: SCOTT

Route: 71

Section: 10

Log Mile: 11.40

Land Section Number: 2

Township: 01N

Range: 29W

Land Section: NW

Latitude: N 34 46 22.0

Longitude: W 94 03 39.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 203.835

Elevation (Feet): 668.749

Description: STANDARD DISK IN RIGHT HEADWALL. RECOVERED BY S5102 3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630060

Class:

Vertical Datum:

Established by: RE OFFICE #41

Date Established: 9/5/1997

System: STATE

Job Number: R40024

Nearest City: BOLES

County: SCOTT

Route: 71

Section: 10

Log Mile: 12.19

Land Section Number: 35

Township: 02N

Range: 29W

Land Section: SW

Latitude: N 34 46 47.0

Longitude: W 94 02 59.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 204.225

Elevation (Feet): 670.028

Description: STANDARD DISK IN LEFT HEADWALL. RECOVERED BY S5102 3/25/04.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630061

Class:

Vertical Datum:

Established by: RE OFFICE #41

Date Established: 9/5/1997

System: STATE

Job Number: R40024

Nearest City: Y CITY

County: SCOTT

Route: 71

Section: 10

Log Mile: 10.56

Land Section Number: 2

Township: 01N

Range: 29W

Land Section: NW

Latitude: N 34 46 06.0

Longitude: W 94 04 25.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 208.32

Elevation (Feet): 683.463

Description: STANDARD DISK IN HEADWALL ON RIGHT. RECOVERED BY S5102  
3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630062

Class:

Vertical Datum:

Established by: RE OFFICE #41

Date Established: 9/5/1997

System: STATE

Job Number: R40024

Nearest City: BOES

County: SCOTT

Route: 71

Section: 10

Log Mile: 11.16

Land Section Number: 2

Township: 01N

Range: 29W

Land Section: NW

Latitude: N 34 46 16.0

Longitude: W 94 03 51.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 205.01

Elevation (Feet): 672.604

Description: STANDARD DISK IN RIGHT HEADWALL. RECOVERED BY S5102 3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630063

Class:

Vertical Datum:

Established by: RE OFFICE #41

Date Established: 9/5/1997

System: STATE

Job Number: R40024

Nearest City: BOLES

County: SCOTT

Route: 71

Section: 10

Log Mile: 12.48

Land Section Number: 35

Township: 02N

Range: 29W

Land Section: NE

Latitude: N 34 47 00.0

Longitude: W 94 02 51.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 202.165

Elevation (Feet): 663.270

Description: STANDARD DISK IN RIGHT HEADWALL. RECOVERED BY S5102 3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630064

Class:

Vertical Datum:

Established by: RE OFFICE #41

Date Established: 9/5/1997

System: STATE

Job Number: R40024

Nearest City: BOLES

County: SCOTT

Route: 71

Section: 10

Log Mile: 13.04

Land Section Number: 35

Township: 02N

Range: 29W

Land Section: NE

Latitude: N 34 47 27.0

Longitude: W 94 02 41.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 202.673

Elevation (Feet): 664.936

Description: STANDARD DSIK IN LEFT HEADWALL. RECOVERED BY S5102 3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630065

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #41

Date Established: 9/17/1999

System: COUNTY

Job Number: FA6313

Nearest City: PLEASANT VALLEY

County: SCOTT

Route: CR 87

Section:

Log Mile:

Land Section Number: 7

Township: 03N

Range: 29W

Land Section: NW

Latitude: N 34 55 57.0

Longitude: W 94 00 53.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 229.5422

Elevation (Feet): 753.090

Description: ALUM CAP IN RIGHT HEADWALL OF R.C. BOX 19 FT RIGHT OVER  
BALLARD BRANCH. APROX 0.86 MILES NORTH OF HWY.248.  
RECOVERED BY S5102 3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630066

Class:

Vertical Datum:

Established by:

Date Established: 8/18/1999

System: STATE

Job Number: R40107

Nearest City: WINFIELD

County: SCOTT

Route: 71

Section: 10

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.6013

Elevation (Feet): 238.193

Description: DISK IN HEADWALL OF R.C. BOX CULVERT, 10.6M RIGHT OF STATION  
66+82

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630067

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #41

Date Established: 10/17/2002

System: STATE

Job Number: R40118

Nearest City: WINFIELD

County: SCOTT

Route: 248

Section: 1

Log Mile: 2.58

Land Section Number: 35

Township: 03N

Range: 30W

Land Section: NE

Latitude: N 34 52 56.0

Longitude: W 94 09 05.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 200.885

Elevation (Feet): 659.070

Description: AHTD DISC HW RC BOX RT C/L STA 106+19. RECOVERED BY S5102  
3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630068

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #41

Date Established: 7/5/2003

System: STATE

Job Number: R40106

Nearest City: EVENING SHADE

County: SCOTT

Route: 28

Section: 1

Log Mile: 18.13

Land Section Number: 12

Township: 03N

Range: 30W

Land Section: NE

Latitude: N 34 56 26.0

Longitude: W 94 08 27.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 60.657

Elevation (Feet): 199.006

Description: AHTD DISK IN HW RC BOX CULVERT RT ST 138+72. RECOVERED BY S5102 3/25/04.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630069

Class:

Vertical Datum:

Established by: RE OFFICE #41

Date Established: 1/20/2004

System: STATE Job Number: 040049 Nearest City: WALDRON

County: SCOTT Route: 28 Section: 10 Log Mile: 15.91

Land Section Number: 10 Township: 03N Range: 30W

Land Section: NW

Latitude: N 34 56 12.0 Longitude: W 94 10 50.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 58.178 Elevation (Feet): 190.872

Description: AHTD DISK IN RT HW OF RC BOX CULVERT JOB STA 101+94.  
RECOVERED BY S5102 3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630070

Class:

Vertical Datum:

Established by: RE OFFICE #41

Date Established: 1/20/2004

System: STATE

Job Number: 040049

Nearest City: WALDRON

County: SCOTT

Route: 28

Section: 1

Log Mile: 20.13

Land Section Number: 8

Township: 03N

Range: 29W

Land Section: SW

Latitude: N 34 56 28.0

Longitude: W 94 06 29.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 61.876

Elevation (Feet): 203.005

Description: AHTD DISK IN PARAPET WALL RT STA 101+94. RECOVERE BY S5102  
3/25/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 630071

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #41

Date Established: 4/20/2011

System:

Job Number: BR6305

Nearest City: WALDRON

County: SCOTT

Route: CR76

Section: E

Log Mile: 0.3

Land Section Number: 8

Township: 03N

Range: 29W

Land Section: SW

Latitude: N 34 55 46.02000

Longitude: W 94 06 34.03000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 196.569

Elevation (Feet): 644.910

Description: STANDARD DISC IN RT HEADWALL OF RC BOX CULVERT AT STATION 108+44.

Comments: Elevation not verified due to no three wire level data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 640001

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #92

Date Established: 12/5/1990

System: STATE

Job Number: 9785

Nearest City: SILVER HILL

County: SEARCY

Route: 65

Section: 5

Log Mile: 0.04

Land Section Number: 36

Township: 16N

Range: 17W

Land Section: SW

Latitude: N 35 58 57.0

Longitude: W 92 44 49.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 191.781

Elevation (Feet): 629.201

Description: AHTD STD. DISC TOP OF SW TRANS WINGWALL BRIDGE # 6200  
RECOVERED OCT. 12, 1998

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 640002

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #92

Date Established: 6/19/1991

System: STATE

Job Number: 9785

Nearest City: SILVER HILL

County: SEARCY

Route: 65

Section: 5

Log Mile: 0.10

Land Section Number: 36

Township: 16N

Range: 17W

Land Section: SW

Latitude: N 35 58 59.0

Longitude: W 92 44 49.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 183.121

Elevation (Feet): 600.789

Description: AHTD STANDARD DISC TOP OF NORTHEAST WINGWALL 8'X 8 R.C. BOX  
STATION 816+12 (15^ RES) RECOVERED OCT. 12, 1998

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 640003

Class:

Vertical Datum: UNKNOWN

Established by:

Date Established:

System:

Job Number:

R90012

Nearest City:

TIMBO

County:

SEARCY

Route:

SH 74

Section:

8

Log Mile:

16.67

Land Section Number:

36

Township:

15N

Range:

14W

Land Section:

NW

Latitude:

N 35 52 56.0

Longitude:

W 92 25 42.0

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

301.706

Elevation (Feet):

989.847

Description:

ALUMINUM CAP IN TOP OF HEADWALL SE CORNER OF TRIPLE 12' X 6' X 85' R.C.B.C. (30 DEGREES RT. FWD. SKEW) (BR. X0668), 33' RT. OF CENTERLINE STA. 638+80, ON LONG CREEK, 16.67 MILES SE OF JCT. OF S.H. 74 & S.H. 27, & 1.50 MILES W OF JCT. OF S. H. 74 & SH 66  
RECOVERED 13 OCT.98

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 640004

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 12/1/1990

System: Job Number: R90035 Nearest City: ST. JOE

County: SEARCY Route: 374 Section: 4 Log Mile: 0.24

Land Section Number: 17 Township: 16N Range: 17W

Land Section: SW

Latitude: N 36 01 43.0 Longitude: W 92 48 57.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 235.312 Elevation (Feet): 772.019

Description: ALUM CAP IN TOP OF PARAPER WALL @ SE CORNER OF BR. OVER  
MILL CR. (#6292); 16 FT. RT. OF CENTERLINE RECOVERED OCT. 13,  
1998

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 640005

Class:

Vertical Datum: UNKNOWN

Established by:

Date Established: 10/27/1993

System: COUNTY

Job Number:

F-64-8

Nearest City:

ST. JOE

County:

SEARCY

Route:

CR 29

Section:

D

Log Mile:

0.09

Land Section Number:

16

Township:

16N

Range:

17W

Land Section:

NE

Latitude: N 36 01 55.0

Longitude: W 92 47 30.0

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

240.661

Elevation (Feet):

789.569

Description:

ALUM. CAP IN TOP OF HDWL. IN NW CORNER OF DBL. 8'x6'x52' R.C.B.C.  
(30 DEG. LT. FWD. SKEW), 22' LT. OF C/L STA. 58+54(C/L OF BOX  
CULVERT STA. 58+50) ON N SIDE OF CO. RD. 29, ON DRY CR., 0.09 MI. E  
OF JCT OF CO. RD. 29 & SH 374 RECOVERED OCT. 13, 1999  
RECOVERED 13 OCT.98

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 640006

Class:

Vertical Datum: UNKNOWN

Established by:

Date Established: 6/16/1994

System: COUNTY

Job Number: F-64-8

Nearest City: ST. JOE

County: SEARCY

Route: CR 29

Section: D

Log Mile: 1.07

Land Section Number: 15

Township: 16N

Range: 17W

Land Section: NW

Latitude: N 36 01 55.0

Longitude: W 92 46 34.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 243.688

Elevation (Feet): 799.500

Description: ALUM CAP IN TOP OF HEADWALL IN NW CORNER OF 8'x6'x65' R.C.B.C.  
39' LT. OF CENTERLINE STA. 110+65 (CENTERLINE OF BOX CULVERT  
STA. 110+62), ON N SIDE OF CO. RD. 29, ON BRANCH OF DRY CR., 1.07  
MI. E OF JCT. OF CO. RD. 29 & SH374 RECOVERED 10/13/98

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 640007

Class:

Vertical Datum:

Established by: RE OFFICE #92

Date Established: 10/25/1991

System: COUNTY Job Number: S-64-18 Nearest City:

County: SEARCY Route: CR 442 Section: Log Mile: .38

Land Section Number: 35 Township: 15N Range: 17W

Land Section: NW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 260.906 Elevation (Feet): 855.989

Description: STANDARD AHTD DISC SW WINGWALL NOT RECOVERED OCT. 13, 1998

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 640008

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: RE OFFICE #95

Date Established: 7/6/2000

System: FEDERAL

Job Number: 009829

Nearest City: MARSHALL

County: SEARCY

Route: 65

Section: 5

Log Mile: 4.19

Land Section Number: 18

Township: 15N

Range: 16W

Land Section: SE

Latitude: N 35 56 18.0

Longitude: W 92 42 36.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 197.093

Elevation (Feet): 646.629

Description: AHTD CAP IN HW IN NE CORNER OF BOX CULVERT, 12.7 M RT OF CL, N  
SIDE OVER BRANCH OF BEAR CREEK, 1.4 MILES NW OF JCT OF US65  
AND ARK74

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 640009

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: RE OFFICE #95

Date Established: 7/10/2000

System: FEDERAL

Job Number: 009829

Nearest City: MARSHALL

County: SEARCY

Route: US65

Section: 5

Log Mile: 3.22

Land Section Number: 18

Township: 15N

Range: 16W

Land Section: NW

Latitude: N 35 56 42.0

Longitude: W 92 43 27.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 193.445

Elevation (Feet): 634.661

Description: AHTD DISC IN HW IN SE CORNER OF DOUBLE BOX, (BR # X1017), 18.8 M  
RT OF CL STA 124+11, N SIDE OF HOLDER CREEK, 2.4 MILES NW OF JCT  
US65 & ARK 74

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 640010

Class:

Vertical Datum: NAVD88

Established by: RE OFFICE #95

Date Established: 7/6/2000

System: FEDERAL

Job Number: 009829

Nearest City: MARSHALL

County: SEARCY

Route: US65

Section: 5

Log Mile: 4.35

Land Section Number: 17

Township: 15N

Range: 16W

Land Section: SW

Latitude: N 35 56 11.0

Longitude: W 92 42 32.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 204.075

Elevation (Feet): 669.536

Description: AHTD CAP IN PARAPET WALL IN SE CORNER OF BR # 06750, 6.6M RT OF CL STA 104+57.4, EAST SIDE OVER BEAR CREEK, 1.2 MILE NW OF JCT US65 AND ARK74

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 640011

Class:

Vertical Datum:

Established by: RE OFFICE #92

Date Established: 11/14/2003

System: COUNTY Job Number: FA6410 Nearest City: LESLIE

County: SEARCY Route: CR55 Section: Log Mile:

Land Section Number: Township: 14N Range: 15W

Land Section:

Latitude: N 35 49 54.0 Longitude: W 92 33 42.0 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 296.153 Elevation (Feet): 971.629

Description: AHTD DISK IN TOP OF HW OF QUINTUPLE BOX 24' RT OF STA 13+80

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 640012

Class: SECOND-ORDER, CLASS II

Vertical Datum: NGVD29

Established by: RE OFFICE #95

Date Established: 3/7/2002

System: COUNTY

Job Number: FA6411

Nearest City: ST. JOE

County: SEARCY

Route: CR28

Section:

Log Mile:

Land Section Number: 11

Township: 16N

Range: 17W

Land Section: NW

Latitude: N 36 03 16.0

Longitude: W 92 45 32.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 215.206

Elevation (Feet): 706.055

Description: AHTD CAP IN TOP OF SW HW OF 6X6X81 RC BOX CULVERT. 42' RT OF C/L STA 15+37 3.2 MILES NE OF HWY 65 AND 374. LEVEL LOOP FROM NGS 6 DWB BY RESIDENT.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

**Identification:** 640013

**Class:** UNKNOWN

**Vertical Datum:** NGVD29

**Established by:** RE OFFICE #92

**Date Established:** 7/15/2010

**System:** STATE

**Job Number:** 090257

**Nearest City:** Gilbert

**County:** SEARCY

**Route:** 333

**Section:** 7

**Log Mile:** 1.02

**Land Section Number:** 30

**Township:** 16N

**Range:** 16W

**Land Section:** SW

**Latitude:** N 35 59 58.0

**Longitude:** W 92 43 36.8

**Type:** GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

**Elevation (Meters):** 182.98095

**Elevation (Feet):** 600.330

**Description:** Standard AHTD Disc in SE headwall of R.C. Box Culvert Sta. 42+95 Rt.

**Comments:** There was no survey data submitted to support the elevation derived by the R.E. Office.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650001

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 4918

Nearest City: GREENWOOD

County: SEBASTIAN

Route: 10S

Section: 0S

Log Mile: 0.04

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 12 46.0

Longitude: W 94 15 34.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 152.909

Elevation (Feet): 501.669

Description: STANDARD DISK IN TOP OF WINGWALL AT SOUTHEAST CORNER OF  
BRIDGE NO. 6166 HEARTSTILL CREEK. RECOVERED BY S5102 4/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650002

Class:

Vertical Datum: NGVD29

Established by:

Date Established:

System:

Job Number: N/A

Nearest City:

County: SEBASTIAN

Route: 45

Section: 1

Log Mile: 20.5

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 150.671

Elevation (Feet): 494.326

Description: BRASS CAP AND MONUMENT 911 FEET SOUTH AND 65 FEET WEST OF  
CENTERLINE HIGHWAY 45 AND HIGHWAY 253 INTERSECTION-  
MARKED "BML-21947" DESTROYED 1/29/92

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650003

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City:

County: SEBASTIAN

Route: 59

Section: 9

Log Mile: 3.70

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 129.601

Elevation (Feet): 425.199

Description: "[ ]" CUT IN SOUTHEAST CORNER EAST BRIDGE ABUTMENT 35' RIGHT  
MASSARD CREEK. SECTION 9 IS NOT IN SEBASTIAN CO.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650004

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 4755

Nearest City:

County: SEBASTIAN

Route: 59

Section: 10 & 11

Log Mile: 0.5

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 127.013

Elevation (Feet): 416.708

Description: JOB NO. 4755 STATION 27+40 DISK SET IN TOP OF EAST HEADWALL OF R.C. BOX CULVERT. UABLE TO RECOVER 2/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650005

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 4755

Nearest City:

County: SEBASTIAN

Route: 59

Section: 10 & 11

Log Mile: 4.2

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 121.457

Elevation (Feet): 398.480

Description: JOB NO 4755 STATION 330+95 DISK SET IN TOP OF WEST HEADWALL OF R.C. BOX CULVERT. SECTION 10 AND 1 ARE NOT IN THIS COUNTY.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650006

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 4755

Nearest City:

County: SEBASTIAN

Route: 59

Section: 10 & 11

Log Mile: 6.0

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 121.883

Elevation (Feet): 399.878

Description: JOB NO. 4755 STATION 429+52 DISK SET IN TOP OF SOUTH HEADWALL OF R.C. BOX CULVERT. NOT IN THIS COUNTY.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650007

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 4950

Nearest City: FT. SMITH

County: SEBASTIAN

Route: 71B

Section: 14B

Log Mile: 1.46

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 19 41.0

Longitude: W 94 24 47.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 138.473

Elevation (Feet): 454.307

Description: DISC SET IN SIDEWALK 28.5 FEET NORTH OF CENTERLINE AT EAST ABUTMENT OF BRIDGE NO. 6055 MILL CREEK. RECOVERED BY S5102 2/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650008

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: R40052

Nearest City:

County: SEBASTIAN

Route: 71

Section: 14

Log Mile: 2.36

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 169.319

Elevation (Feet): 555.507

Description: STANDARD DISK IN EAST HEADWALL (STATION 209+00). UNABLE TO RECOVER 2/04.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650009

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: R40052

Nearest City: BARLING

County: SEBASTIAN

Route: 71

Section: 14

Log Mile: 4.36

Land Section Number: 30

Township: 07N

Range: 31W

Land Section:

Latitude: N 35 14 54.0

Longitude: W 94 20 33.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 143.208

Elevation (Feet): 469.842

Description: STANDARD DISK IN EAST WINGWALL BRIDGE OVER PRAIRIE CREEK.  
RECOVERED BY S5102 2/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650010

Class:

Vertical Datum:

Established by: RE OFFICE #44

Date Established: 9/6/1989

System: STATE

Job Number: R40053

Nearest City:

County: SEBASTIAN

Route: SH 71

Section: 14

Log Mile: 2.84

Land Section Number: 5

Township: 06N

Range: 31W

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 160.005

Elevation (Feet): 524.950

Description: DISK SET IN TOP OF HEADWALL OF R.C. BOX CULVERT. 75 FEET RIGHT OF CENTERLINE (DOWNSTREAM) OF NORTH BOUND LANE AT STATION 235+80. UNABLE TO RECOVER BY S5102 2/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650011

Class:

Vertical Datum:

Established by: RE OFFICE #41

Date Established: 1/24/1989

System:

Job Number: R40052

Nearest City:

County: SEBASTIAN

Route: 71

Section: 14

Log Mile: 3.32

Land Section Number: 32

Township: 07N

Range: 31W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 149.33

Elevation (Feet): 489.927

Description: AHTD STANDARD ALUMIUNUM CAP SET IN TOP EAST HEADWALL OF 5  
X 4 X 312 BOX CULVERT @STATION 260+15. UNABLE TO RECOVER 2/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650012

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #44

Date Established: 3/19/1991

System: STATE

Job Number: 40037

Nearest City:

County: SEBASTIAN

Route: 71B

Section: 14

Log Mile: 2.12

Land Section Number: 32

Township: 08N

Range: 32W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 142.808

Elevation (Feet): 468.529

Description: DISC SET IN TOP DROP INLET 22' LEFT STATION 21+15/ OR 0.780 MILES  
SOUTH OF BRIDGE NO. 00329 LOG MILE 2.90 HIGHWAY 71B TOWSON  
AVENUE FT. SMITH. UNABLE TO RECOVER 2/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650013

Class:

Vertical Datum:

Established by: RE OFFICE #44

Date Established: 1/10/1989

System:

Job Number: 40059

Nearest City: FT. SMITH

County: SEBASTIAN

Route: 71B

Section: 14B

Log Mile: 12.45\*\*

Land Section Number: 32

Township: 08N

Range: 32W

Land Section:

Latitude: N 35 20 21.0

Longitude: W 94 25 25.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 138.97

Elevation (Feet): 455.937

Description: DISC SET IN TOP OF CONCRETE RETAINING WALL 263 FEET WEST OF CENTERLINE OF TOWSON AVENUE STATION 5+25 AND 27 NORTH OF CENTERLINE OF PHOENIX STREET. \*\*APPROX.-INTERSECTION OF TOWSON AVENUE (71B) AND PHOENIX STREET. RECOVERED BY S5102 2/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650014

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 4819

Nearest City: LAVACA

County: SEBASTIAN

Route: 96

Section: 3

Log Mile: 4.20

Land Section Number: 36

Township: 08N

Range: 30W

Land Section:

Latitude: N 35 20 05.0

Longitude: W 94 08 30.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 121.679

Elevation (Feet): 399.209

Description: DISC SET IN TOP OF WING END OF WEST ABUTMENT 18' SOUTH OF  
CENTERLINE OF BRIDGE #6114 BIG CREEK ROUTE 96 SECTION 3 LOG  
MILE 4.20 RECOVERED BY S5102 2/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650015

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 4819

Nearest City: LAVACA

County: SEBASTIAN

Route: 96

Section: 3

Log Mile: 4.38

Land Section Number: 36

Township: 08N

Range: 30W

Land Section:

Latitude: N 35 20 04.0

Longitude: W 94 08 20.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 121.679

Elevation (Feet): 399.209

Description: DISC SET IN TOP OF WI DISC SET IN TOP OF WING END OF WEST  
ABUTMENT 17.25' SOUTH OF CENTERLINE OF BRIDGE #6115 BIG CREEK  
RELIEF. RECOVERED BY S5102 2/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650016

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 4819

Nearest City: LAVACA

County: SEBASTIAN

Route: 96

Section: 3

Log Mile: 7.38

Land Section Number: 19

Township: 08N

Range: 29W

Land Section:

Latitude: N 35 21 52.0

Longitude: W 94 07 15.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 121.755

Elevation (Feet): 399.458

Description: DISC SET IN TOP OF WING END OF WEST ABUTMENT 18' SOUTH  
(UPSTREAM) OF CENTERLINE OF BRIDGE #6116 DOCTORS CREEK.  
RECOVERED BY S5102 2/04.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650017

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 004829

Nearest City:

County: SEBASTIAN

Route: 217

Section: 5

Log Mile: 0.80

Land Section Number:

Township: 08N

Range: 29W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 139.184

Elevation (Feet): 456.640

Description: NAIL IN ROOT 12" POST OAK 37' NORTH OF CENTERLINE OF HIGHWAY #217 15' WEST OF FENCE CORNER 20' NORTH EAST OF NORTH END OF PIPE CULVERT \*\*NOTE: LEVELS FOR BRIDGE SURVEY JOB 4829. UNABLE TO RECOVER 2/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650018

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 004829

Nearest City:

County: SEBASTIAN

Route: 217

Section: 5

Log Mile: 0.02

Land Section Number:

Township: 08N

Range: 29W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 157.935

Elevation (Feet): 518.158

Description: NAIL IN POWER POLE 34' NORTH AND 126' WEST OF INTERSECTION OF  
HIGHWAY 217 AND HIGHWAY 252 \*\*NOTE: LEVELS FOR BOTH  
BM'S IN LEVELS FOR BRIDGE SURVEY JOB 4829. UNABLE TO  
RECOVER 2/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650019

Class:

Vertical Datum:

Established by: RE OFFICE #41

Date Established: 1/18/1994

System: STATE

Job Number: 4970

Nearest City: MIDLAND

County: SEBASTIAN

Route: 252

Section: 1

Log Mile: 0.28

Land Section Number: 32

Township: 05N

Range: 31W

Land Section: NW

Latitude: N 35 04 27.0

Longitude: W 94 20 23.0

Type: Q

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 172.328

Elevation (Feet): 565.379

Description: ALUMINUM CAP TOP SOUTHWEST PARAPET WALL BRIDGE NO. 6468.  
RECOVERED BY S5102 2/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650020

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City:

County: SEBASTIAN

Route: 252

Section: 4

Log Mile: 3.75

Land Section Number:

Township: 08N

Range: 29W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 123.081

Elevation (Feet): 403.808

Description: CHISELED SQUARE IN WHEELGUARD SOUTHEAST CORNER OF  
BRIDGE OVER DOCTOR'S CREEK. BRIDGE REPLACED 2001

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650021

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City:

County: SEBASTIAN

Route: 252

Section: 4

Log Mile: 4.45

Land Section Number:

Township: 08N

Range: 29W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 134.532

Elevation (Feet): 441.377

Description: NIS 18" PINE 68' WEST OF CENTERLINE OF HIGHWAY 252 PINE IS IN FRONT OF WHITE FRAME HOUSE. UNABLE TO RECOVER 2/0.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650022

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: LAVACA

County: SEBASTIAN

Route: 252

Section: 4

Log Mile: 5.15

Land Section Number:

Township: 08N

Range: 29W

Land Section:

Latitude: N 35 21 27.0

Longitude: W 94 05 48.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.458

Elevation (Feet): 254.127

Description: CHISELED SQUARE IN CENTER OF EAST HEADWALL 6'X 4'X 37' BOX  
CULVERT 18' EAST OF CENTERLINE OF HIGHWAY. RECOVERED BY  
S5102 2/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650023

Class:

Vertical Datum: NGVD29

Established by:

Date Established:

System:

Job Number: 004829

Nearest City:

County: SEBASTIAN

Route: 252

Section: 4

Log Mile: 0.0

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 157.935

Elevation (Feet): 518.158

Description: NIS POWER POLE 34' NORTH AND 126' WEST OF INTERSECTION  
HIGHWAY 217 (SECTION 5) AND HIGHWAY 252 SECTION 4. UNABLE TO  
RECOVER 2/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650024

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 004829

Nearest City:

County: SEBASTIAN

Route: 252

Section: 4

Log Mile: 5.15

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 138.428

Elevation (Feet): 454.159

Description: CHISELED [] IN TOP OF HEADWALL 6' X 4' X 37' BOX CULVERT 18' EAST  
CENTERLINE HIGHWAY 252 SECTION 4

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650025

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 4821

Nearest City: LAVACA

County: SEBASTIAN

Route: 253

Section: 0

Log Mile: 2.21

Land Section Number: 26

Township: 08N

Range: 30W

Land Section:

Latitude: N 35 20 32.0

Longitude: W 94 10 06.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 122.56

Elevation (Feet): 402.099

Description: DISC SET IN HEADWALL OF R.C. BOX CULVERT 22 FEET EAST OF  
CENTERLINE. RECOVERED BY S5102 2/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650026

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 4644

Nearest City: FT. SMITH

County: SEBASTIAN

Route: 255

Section: 4

Log Mile: 3.16

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 22 04.0

Longitude: W 94 25 34.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 127.482

Elevation (Feet): 418.247

Description: BRIDGE # 5662 MILL CREEK DISK TOP OF SIDEWALK LT. SIDE  
SPAN #1. RECOVERED BY S5102 2/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650027

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 40014

Nearest City:

County: SEBASTIAN

Route: 255

Section: 29

Log Mile: 0.0

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 130.5

Elevation (Feet): 428.149

Description: "[]" SQUARE CUT IN CENTER DROP INLET AT CURB NORTH EAST  
CORNER OF INTERSECTION 29' EAST OF CENTERLINE OF HIGHWAY 255  
58' NORTH OF CENTERLINE OF FRESNO STREET. UNABLE TO RECOVER  
2/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650028

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City:

County: SEBASTIAN

Route: 255

Section: 29

Log Mile: 0.0

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 130.54

Elevation (Feet): 428.280

Description: CORPS OF ENG'S SURVEYS MARKER STANDARD BRASS CAP SET  
FLUSH WITHG GROUND STAMPED MILL #20 1986 172 FEET NORTH OF  
INTERSECTION OF HIGHWAY #255 AND FRESNO STREET 83 FEET EAST  
OF CENTERLINE OF HIGHWAY 255 6' SOUTH OF 6' CHAIN LINK FENCE.  
UNABLE TO RECOVER 2/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650029

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 4919

Nearest City: MANSFIELD

County: SEBASTIAN

Route: 378

Section: 0

Log Mile: 2.57

Land Section Number: 1

Township: 04N

Range: 31W

Land Section:

Latitude: N 35 01 59.0

Longitude: W 94 14 11.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 198.352

Elevation (Feet): 650.760

Description: STANDARD ALUMINUM DISK IN TOP OF WINGWALL BRIDGE #6139  
STATION 27+62 RIGHT SIDE. RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650030

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 4730

Nearest City: FT. SMITH

County: SEBASTIAN

Route: 540

Section: 1

Log Mile: 12.69

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 18 23.0

Longitude: W 94 24 19.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 155.82

Elevation (Feet): 511.219

Description: AHTD BENCH MARK CAP SET IN SOUTH WEST BRIDGE END POST OF 28TH STREET OVERPASS (BRIDGE NO. 5654). RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650031

Class:

Vertical Datum:

Established by: RE OFFICE #44

Date Established:

System: Job Number: R40012 Nearest City: FT. SMITH

County: SEBASTIAN Route: 540 Section: 12 Log Mile: 10.06

Land Section Number: 35 Township: 08N Range: 32W

Land Section:

Latitude: N 35 20 19.0 Longitude: W 94 23 09.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 156.313 Elevation (Feet): 512.837

Description: DISC SET IN TOP OF CONCRETE BARRIER WALL IN MEDIAN BETWEEN  
BRIDGE NOS. 5098A & 5098B PHOENIX STREET BRIDGES. RECOVERED  
BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650032

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: R40012

Nearest City: FT. SMITH

County: SEBASTIAN

Route: 540

Section: 12

Log Mile: 8.35

Land Section Number: 25

Township: 08N

Range: 32W

Land Section:

Latitude: N 35 21 16.0

Longitude: W 94 21 54.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 150.269

Elevation (Feet): 493.008

Description: DISC SET IN TOP OF SOUTH ABUTMENT WING 27 FEET RIGHT OF  
CENTERLINE OF EASTBOUND LANE BOSTON STREET BRIDGE.  
RECOVERED BY S5102 3/04.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650033

Class:

Vertical Datum:

Established by:

RE OFFICE #44

Date Established:

System:

Job Number:

R40012

Nearest City:

FT. SMITH

County:

SEBASTIAN

Route:

540

Section:

12

Log Mile:

11.09

Land Section Number:

34

Township:

08N

Range:

32W

Land Section:

Latitude:

N 35 19 40.0

Longitude:

W 94 23 41.0

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

158.072

Elevation (Feet):

518.608

Description:

DISC SET IN TOP OF CONCRETE BARRIER WALL IN MEDIAN BETWEEN  
BRIDGE NOS. 5101A & 5101B HIGHWAY 255. RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650034

Class:

Vertical Datum:

Established by:

RE OFFICE #44

Date Established:

System:

Job Number:

R40012

Nearest City:

FT. SMITH

County:

SEBASTIAN

Route:

540

Section:

12

Log Mile:

10.85

Land Section Number:

34

Township:

08N

Range:

32W

Land Section:

Latitude:

N 35 19 51.0

Longitude:

W 94 23 40.0

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

161.73

Elevation (Feet):

530.609

Description:

DISC SET IN TOP OF CONCRETE BARRIER WALL IN MEDIAN BETWEEN  
BRIDGE NO. 5100A & 5100B MO-PAC RR. RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650035

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #44

Date Established: 2/5/1997

System: CITY

Job Number: 040150

Nearest City: FT. SMITH

County: SEBASTIAN

Route: CITY

Section:

Log Mile:

Land Section Number: 30

Township: 08N

Range: 31W

Land Section: SE

Latitude: N 35 20 47.0

Longitude: W 94 20 27.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 128.238

Elevation (Feet): 420.728

Description: ALUMINUM CAP IN TOP WING WALL ON THE SW CORNER OF BRIDGE #4749; 180 FEET NORTH OF INTERSECTION OF PHOENIX AVENUE AND MASSARD ROAD, 40 FEET WEST OF CENTERLINE OF MASSARD ROAD. RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650036

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #44

Date Established: 2/5/1997

System: CITY

Job Number: 040150

Nearest City: FT. SMITH

County: SEBASTIAN

Route: CITY

Section: 30

Log Mile:

Land Section Number: 30

Township: 08N

Range: 31W

Land Section: SW

Latitude: N 35 20 45.0

Longitude: W 94 20 36.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 129.515

Elevation (Feet): 424.917

Description: ALUMINUM CAP IN TOP OF PARAPET WALL AT THE SW CORNER OF BRIDGE #4748; 800 FEET WEST OF INTERSECTION OF MASSARD ROAD AND PHOENIX AVENUE, 35 FEET SOUTH OF CENTERLINE PHOENIX AVENUE. RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650037

Class:

Vertical Datum:

Established by: RE OFFICE #44

Date Established: 6/8/1994

System: STATE

Job Number: 040087

Nearest City: FT. SMITH

County: SEBASTIAN

Route: 71B

Section: 14B

Log Mile: 5.71

Land Section Number: 17

Township: 08N

Range: 32W

Land Section: NE

Latitude: N 35 23 00.0

Longitude: W 94 25 15.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 130.055

Elevation (Feet): 426.689

Description: METAL DISC SET IN CONCRETE DROP INLET TOP 34 FEET EAST OF CENTERLINE OF HWY. 71B (TOWSON AVE.) AT THE TOWSON/ ROGERS AVE. INTERSECTION. RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650038

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #41

Date Established: 1/20/1995

System: CITY

Job Number: 040095

Nearest City: FT. SMITH

County: SEBASTIAN

Route: CITY

Section:

Log Mile:

Land Section Number: 15

Township: 07N

Range: 32W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 156.478

Elevation (Feet): 513.378

Description: DISK SET IN TOP DROP INLET AT STATION 78+84 20.5 FEET LEFT OF  
CENTERLINE OF BROKEN HILL ROAD. UNABLE TO RECOVER

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650039

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #41

Date Established: 4/20/1995

System: CITY

Job Number: 040095

Nearest City: FT. SMITH

County: SEBASTIAN

Route: CITY

Section:

Log Mile:

Land Section Number: 15

Township: 07N

Range: 32W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 156.615

Elevation (Feet): 513.828

Description: DISK SET IN TOP OF DROP INLET AT STATION 55+34 19. 5 FEET RIGHT OF CENTERLINE OF BROKEN HILL ROAD. UNABLE TO RECOVER.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650040

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #41

Date Established: 7/5/1995

System: STATE

Job Number: 004985

Nearest City: GREENWOOD

County: SEBASTIAN

Route: 96

Section: 2

Log Mile: 2.85

Land Section Number: 32

Township: 07N

Range: 30W

Land Section: SE

Latitude: N 35 14 08.0

Longitude: W 94 12 45.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 149.617

Elevation (Feet): 490.868

Description: STANDARD DISK IN TOP RIGHT WINGWALL AT BEGINNING  
BRIDGE#6558. RECOVERED RECOVERED BY S5102 3/04.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650041

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #41

Date Established: 7/5/1995

System: STATE

Job Number: 004985

Nearest City: CENTRAL CITY

County: SEBASTIAN

Route: 96

Section: 2

Log Mile: 8.10

Land Section Number: 4

Township: 08N

Range: 30W

Land Section: SW

Latitude: N 35 18 26.0

Longitude: W 94 12 02.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 128.202

Elevation (Feet): 420.609

Description: STANDARD DISK IN TOP RIGHT WINGWALL AT BEGINNING BRIDGE  
#6559. RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650042

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #41

Date Established: 7/21/1995

System: STATE

Job Number: 004985

Nearest City: GREENWOOD

County: SEBASTIAN

Route: 96

Section: 2

Log Mile: 0.95

Land Section Number: 7

Township: 06N

Range: 30W

Land Section: NE

Latitude: N 35 12 57.0

Longitude: W 94 13 55.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 147.346

Elevation (Feet): 483.418

Description: STANDARD DISK IN MIDDLE TOP HEADWALL R. C. BOX CULVERT  
RIGHT. RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650043

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #41

Date Established: 7/5/1994

System: STATE

Job Number: 004985

Nearest City: GREENWOOD

County: SEBASTIAN

Route: 96

Section: 2

Log Mile: 1.50

Land Section Number: 5

Township: 06N

Range: 30W

Land Section: SW

Latitude: N 35 13 09.0

Longitude: W 94 13 26.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 148.648

Elevation (Feet): 487.689

Description: STANDARD DISK IN TOP RIGHT WINGWALL AT BEGINNING BRIDGE  
#6557. RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650044

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #44

Date Established: 6/13/1991

System: COUNTY

Job Number: S-65-26

Nearest City: GREENWOOD

County: SEBASTIAN

Route: CR 8

Section:

Log Mile:

Land Section Number: 28

Township: 07N

Range: 31W

Land Section: SE

Latitude: N 35 15 18.0

Longitude: W 94 17 56.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 132.46

Elevation (Feet): 434.579

Description: STD. DISK TOP OF END PANEL SE CORNER BRIDGE 4659. RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650045

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: BR-65-2 Nearest City: MONTREAL

County: SEBASTIAN Route: CR 27 Section: Log Mile: \*\*

Land Section Number: 7 Township: 05N Range: 31W

Land Section:

Latitude: N 35 07 06.0 Longitude: W 94 21 18.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 310.832 Elevation (Feet): 1019.788

Description: AHTD BENCH MARK SET IN TOP OF ABUTMENT WINGWALL  
SOUTHSIDE (UPSTREAM) ON WEST END OF BRIDGE #4509. \*\*LOCATED  
ON CO. RD. 27 BETWEEN STATE HWYS. 45 & 253 2 MILES NO.  
MIDLAND. \*\*\*ELEVATION IS ASSUMED. RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650046

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number:

N/A

Nearest City:

County:

SEBASTIAN

Route:

CR 39

Section:

Log Mile:

0

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

201.016

Elevation (Feet):

659.500

Description:

JCT. OF CR 39 & HWY. 71 NIS OF 12"ELM 1117 FT NORTH AND 36 FT  
WEST OF JCT. CR 39 7 HWY. 71. UNABLE TO RECOVER 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650047

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City:

County: SEBASTIAN

Route: CR 39

Section:

Log Mile: 0.65

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 203.561

Elevation (Feet): 667.850

Description: CHISELED SQUARE ON SOUTH END OF WEST HEADWALL OF BOX  
CULVERT 0.65 MILE NORTH ALONG CO. RD. 39 FROM JCT. OF 71.  
UNABLE TO RECOVER 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650048

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City:

County: SEBASTIAN

Route: CR 39

Section:

Log Mile: 1.55

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 194.956

Elevation (Feet): 639.618

Description: CHISELED [] ON NORTH END OF WEST HDWALL BOX CULV. OVER OLD PRAIRIE CREEK 1.55 MI NORTH OF JCT. CR 39 AND HWY. 71. DESTROYED BY NEW BRIDGE.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650049

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City:

County: SEBASTIAN

Route: CR 39

Section:

Log Mile: 2.35

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 193.045

Elevation (Feet): 633.348

Description: NIS OF PP 23' RT. OF CENTERLINE CR 39, 2.35 NO JCT. HWY 71.  
UNABLE TO RECOVER 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650050

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City:

County: SEBASTIAN

Route: CR 39

Section:

Log Mile: 2.95

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 188.077

Elevation (Feet): 617.049

Description: CHISELED [] ON SOUTH END OF BR. OVER PRAIRIE CR. ON WEST W/W.  
2.95MI. NO JCT. HWY. 71. UNABLE TO RECOVER 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650051

Class:

Vertical Datum:

Established by: RE OFFICE #44

Date Established: 2/28/1994

System: CITY

Job Number: 040051

Nearest City: FT. SMITH

County: SEBASTIAN

Route: ALDRON R

Section:

Log Mile:

Land Section Number: 23

Township: 08N

Range: 32W

Land Section: NE

Latitude: N 33 52 15.50

Longitude: W 94 22 23.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 145.795

Elevation (Feet): 478.329

Description: DISC SET IN TOP OF CONCRETE JUNCTION BOX 38' WEST OF  
CENTERLINE OF WALDRON RD. AND 825' NORTH OF HWY. 22, SECTION  
1, LOG MILE 3.22. RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650052

Class:

Vertical Datum:

Established by: RE OFFICE #44

Date Established: 4/3/1992

System: CITY

Job Number: 040051

Nearest City:

County: SEBASTIAN

Route: ALDRON R

Section: T. SMIT

Log Mile:

Land Section Number: 23

Township: 08N

Range: 32W

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 139.842

Elevation (Feet): 458.798

Description: DISC IN SW CORNER OF JUNCTION BOX 41 FT. WEST OF CENTERLINE OF ROADWAY ATA. 21+73. UNABLE TO RECOVER 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650053

Class:

Vertical Datum:

Established by:

RE OFFICE #42

Date Established: 6/1/1992

System: CITY

Job Number:

40014

Nearest City:

FT. SMITH

County: SEBASTIAN

Route:

NY LIND A

Section:

Log Mile:

0.1

Land Section Number:

Township:

08N

Range:

32W

Land Section:

Latitude: N 35 19 47.0

Longitude: W 94 24 51.0

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

138.55

Elevation (Feet):

454.559

Description:

ALUMINUM DISC IN NORTHWEST WINGWALL OF BRIDGE NO. 4624.  
RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650054

Class:

Vertical Datum:

Established by: RE OFFICE #42

Date Established: 6/1/1992

System: CITY

Job Number: 40014

Nearest City: FT. SMITH

County: SEBASTIAN

Route: FRESNO ST

Section:

Log Mile: 0.1

Land Section Number:

Township: 08N

Range: 32W

Land Section:

Latitude: N 35 21 07.0

Longitude: W 94 25 35.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 130.661

Elevation (Feet): 428.677

Description: ALUMINUM DISC LOCARED IN WINGWALL ON EAST END OF BRIDGE  
NO. 4625. RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650055

Class:

Vertical Datum:

Established by:

Date Established:

System: CITY

Job Number: 4942

Nearest City: FT. SMITH

County: SEBASTIAN

Route: "Y" ST.

Section:

Log Mile:

Land Section Number: 29

Township: 08N

Range: 32W

Land Section:

Latitude: N 35 21 35.0

Longitude: W 94 25 34.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 129.211

Elevation (Feet): 423.920

Description: DISC SET IN TOP OF PARAPET WALL 19 FT. SOUTH OF CENTERLINE AT THE EAST END OF BRIDGE NO. 4539. THIS MARKER IS 118 FT. EAST OF CENTERLINE OF ROUTE 255, SEC. 4, LOG MILE 2.68. RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650056

Class:

Vertical Datum:

Established by:

Date Established:

System: CITY

Job Number: 40051

Nearest City:

County: SEBASTIAN

Route: AKDRIN R

Section:

Log Mile:

Land Section Number: 23

Township: 08N

Range: 32W

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 139.833

Elevation (Feet): 458.769

Description: DISC SET IN TOP OF JUNCTION BOX 41' LEFT (WEST) OF WALDRON  
ROAD STATION 21+75. UNABLE TO RECOVER 3/04.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650057

Class:

Vertical Datum:

Established by:

Date Established:

System: CITY

Job Number: 4951

Nearest City: HARTFORD

County: SEBASTIAN

Route: PINE ST.

Section: 10

Log Mile: 0.5\*

Land Section Number: 15

Township: 04N

Range: 32W

Land Section:

Latitude: N 35 01 07.0

Longitude: W 94 22 40.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 189.823

Elevation (Feet): 622.778

Description: AHTD BENCH MARK SE WING OF BRIDGE 15' RT. OF CENTERLINE STA. 14+85. \*\*0.5 MILES SOUTH OF HWY. 96 HARTFORD. RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650060

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 004939

Nearest City: HUNTINGTON

County: SEBASTIAN

Route: 252

Section: 2

Log Mile: 2.45

Land Section Number: 17

Township: 05N

Range: 30W

Land Section: NW

Latitude: N 35 06 40.0

Longitude: W 94 13 36.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 189.372

Elevation (Feet): 621.298

Description: STD. DISK-TOP OF PARAPET WALL 15' RT. STATION 129+56 BRIDGE  
NO. 6597. RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650061

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: 004939 Nearest City: MILLTOWN

County: SEBASTIAN Route: 252 Section: 2 Log Mile: 10.21

Land Section Number: 36 Township: 06N Range: 29W

Land Section: NE

Latitude: N 35 09 29.0 Longitude: W 94 08 21.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 202.652 Elevation (Feet): 664.867

Description: STD. DISC-R.C. BOX HEADWALL RT. STA. 539+00. RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650062

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: 004939 Nearest City: WASHBURN

County: SEBASTIAN Route: 252 Section: 2 Log Mile: 12.86

Land Section Number: 28 Township: 06N Range: 29W

Land Section: NW

Latitude: N 35 10 08.0 Longitude: W 94 06 00.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 175.888 Elevation (Feet): 577.059

Description: STD. DISK TOP OF PARAPET 15' RT. STATION 679+05 BRIDGE NO. 6598.  
RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650063

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #41

Date Established: 7/29/1998

System: COUNTY

Job Number: BR6503

Nearest City:

County: SEBASTIAN

Route: CR 77

Section: 27

Log Mile:

Land Section Number: 27

Township: 06

Range: 30W

Land Section: SW

Latitude: N 35 09 37.0

Longitude: W 94 11 09.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 192.042

Elevation (Feet): 630.058

Description: STD. DISC IN SOUTHWEST HEADWALL RIGHT SIDE R.C. BOX CULVERT,  
STA. 107+46. RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650064

Class:

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 11/2/1998

System: STATE

Job Number: 040246

Nearest City: BOONEVILLE

County: SEBASTIAN

Route: 10

Section: 1

Log Mile: 11.49

Land Section Number:

Township: 06N

Range: 29W

Land Section:

Latitude: N 35 10 25.5

Longitude: W 94 04 24.00

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 168.464

Elevation (Feet): 552.702

Description: [] CUT ON SE CORNER BRIDGE OVER GIN CREEK. RECOVERED BY  
S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650065

Class:

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 11/2/1998

System: STATE

Job Number: 040246

Nearest City: BOONEVILLE

County: SEBASTIAN

Route: 10

Section: 1

Log Mile: 13.13

Land Section Number:

Township: 05n

Range: 29w

Land Section:

Latitude: N 35 10 33.84

Longitude: W 94 02 41.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 172.937

Elevation (Feet): 567.377

Description: [] CUT ON SE COR BRIDGE OVER PIGEON CREEK. RECOVERED BY  
S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650066

Class:

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established:

System: STATE

Job Number: 040246

Nearest City: BOONEVILLE

County: SEBASTIAN

Route: 10

Section: 1

Log Mile: 10.91

Land Section Number:

Township: 06N

Range: 29W

Land Section:

Latitude: N 35 10 38.34

Longitude: W 94 04 58.62

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 170.314

Elevation (Feet): 558.772

Description: [] CUT ON SE CORNER BRIDGE OVER MOLLIES GAP CREEK.  
RECOVERED BY S5102 3/04.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650067

Class:

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 11/2/1998

System: STATE

Job Number: 040246

Nearest City:

County: SEBASTIAN

Route: 10

Section: 1

Log Mile:

Land Section Number:

Township: 06N

Range: 29W

Land Section:

Latitude: N 35 10 47.34

Longitude: W 94 06 01.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 180.183

Elevation (Feet): 591.150

Description: [] CUT ON NORTH HEADWALL OF RC BOX CULVERT ON HWY 10 APPRX  
200 FT EAST OF INTERSECTION OF HWY 10 AND HWY 252. RECOVERED  
BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650068

Class:

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 11/2/1998

System: STATE

Job Number: 040246

Nearest City: BOONEVILLE

County: SEBASTIAN

Route: 10

Section: 1

Log Mile:

Land Section Number:

Township: 06N

Range: 29W

Land Section:

Latitude: N 35 10 05.88

Longitude: W 94 01 12.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 224.458

Elevation (Feet): 736.409

Description: USGS BM STAMPED 5-E 1933 0.7 MILE E ALONG HWY 10 FROM SEBASTIAN AND LOGAN COUNTY LINE 6.6 MILE W OF BOONEVILLE 40 FT N C/L HWY 10 AND 30 FT W OF CR LEADING NORTH (1929 DATUM? 224.337). RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650069

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #44

Date Established: 11/16/2000

System: STATE

Job Number: 040184

Nearest City:

County: SEBASTIAN

Route: 253

Section: 2

Log Mile: 1.56

Land Section Number: 20

Township: 07N

Range: 32W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 142.476

Elevation (Feet): 467.440

Description: CAP IN TOP OF HEADWALL 55' RT STA 139+10. UNABLE TO RECOVER 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650070

Class:

Vertical Datum:

Established by:

Date Established: 6/15/1999

System: STATE

Job Number: 040028

Nearest City: HACKETT

County: SEBASTIAN

Route: 10

Section: 0

Log Mile: 1.44

Land Section Number: 21

Township: 06N

Range: 32W

Land Section: NE

Latitude: N 35 11 12.0

Longitude: W 94 24 58.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 158.3622

Elevation (Feet): 519.560

Description: TOP RIGHT WING WALL BRIDGE NO. 6517 STATION 68+30 715 "WEST  
INTERSECTION HWY. 10 & 45 HACKETT, AR. RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650071

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 2/24/2000

System: STATE Job Number: 040184 Nearest City:

County: SEBASTIAN Route: 253 Section: 2 Log Mile: 2.24

Land Section Number: 29 Township: 07N Range: 32W

Land Section: NE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 143.9146 Elevation (Feet): 472.160

Description: ALUMINUM CAP SET ON TOP HEADWALL 59' LT. OF CENTERLINE AT  
STATION 117+40. UNABLE TO RECOVER 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650072

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #44

Date Established: 8/2/1999

System: STATE

Job Number: 040204

Nearest City:

County: SEBASTIAN

Route: 22

Section: 1

Log Mile: 2.55

Land Section Number: 14

Township: 08n

Range: 32w

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 167.457

Elevation (Feet): 549.399

Description: ALUM CAP IN TOP OF DI 9METER LEFT AT STA 14+23. UNABLE TO RECOVER 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650073

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #41

Date Established: 10/12/2001

System: STATE

Job Number: 040229

Nearest City: HARTFORD

County: SEBASTIAN

Route: 96

Section: 1

Log Mile: 5.63

Land Section Number: 11

Township: 04n

Range: 32w

Land Section: NE

Latitude: N 35 01 31.0

Longitude: W 94 21 39.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 184.2702

Elevation (Feet): 604.560

Description: ALUM.CAP SW WW BR # 06780. RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650074

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #44

Date Established: 2/22/2002

System: COUNTY

Job Number: SA6536

Nearest City: SLAYTONVILLE

County: SEBASTIAN

Route: CR23

Section:

Log Mile: 1.9

Land Section Number: 8

Township: 05N

Range: 32W

Land Section: NE

Latitude: N 35 08 05.0

Longitude: W 94 26 01.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 166.838

Elevation (Feet): 547.368

Description: AHTD DISK IN S HW TRIPLE 10X5 RC BOX CULVERT. 1.9 MILES NORTH OF HWY 252 AND CR23. RECOVERED BY S5102 3/04.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650075

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #44

Date Established: 11/4/2002

System: STATE

Job Number: 004824

Nearest City: LAVACA

County: SEBASTIAN

Route: 252

Section: 4

Log Mile: 3.75

Land Section Number: 27

Township: 08N

Range: 29W

Land Section: SW

Latitude: N 35 20 16.0

Longitude: W 94 05 34.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 124.993

Elevation (Feet): 410.081

Description: AHTD DISC 12"RT OF CL IN TOP OF PARAPET WALL JOB STA 197+28.92.  
RECOVERED BY S5102 3/04.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650076

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #41

Date Established: 5/26/2009

System: COUNTY Job Number: BR6505 Nearest City: Mansfield

County: SEBASTIAN Route: CO RD 10 Section: Log Mile:

Land Section Number: 17 Township: 04n Range: 31w

Land Section: NENW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 213.7684 Elevation (Feet): 701.338

Description: Std. Disk in parapet wall 14.5' rt, sta. 107+17.

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run. Data for the three wire level run can be seen on the EDM under sbr6505\_RE\_benches.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650077

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #41

Date Established: 4/20/2011

System: COUNTY Job Number: 040495 Nearest City: Greenwood

County: SEBASTIAN Route: ST DENVER Section: Log Mile:

Land Section Number: 2 Township: 06N Range: 31W

Land Section: SE

Latitude: N 35 12 58.75000 Longitude: W 94 16 02.66000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 153.9914 Elevation (Feet): 505.220

Description: STANDARD DISC IN WEST HEADWALL OF RC BOX CULVERT AT STATION 14+44.

Comments: Elevation not verified due to no three wire level data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

**Identification:** 650078

**Class:** THIRD-ORDER

**Vertical Datum:** NAVD88

**Established by:** RE OFFICE #42

**Date Established:** 12/19/2011

**System:** STATE

**Job Number:** 040443

**Nearest City:** WASHBURN

**County:** SEBASTIAN

**Route:** 252

**Section:** 2

**Log Mile:** 13.23

**Land Section Number:** 21

**Township:** 06N

**Range:** 29W

**Land Section:** SW

**Latitude:** N 35 10 25.93000

**Longitude:** W 94 06 04.34000

**Type:** GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

**Elevation (Meters):** 176.254

**Elevation (Feet):** 578.260

**Description:** STANDARD DISC IN RT HEADWALL OF RC CULVERT STA 408+82

**Comments:** Elevation not verified due to no three wire level data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650079

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #41

Date Established: 1/23/2012

System: STATE

Job Number: 040458

Nearest City: BARLING

County: SEBASTIAN

Route: Leonard Cour

Section:

Log Mile:

Land Section Number: 19

Township: 07n

Range: 31w

Land Section: NW

Latitude: N 35 16 25.92000

Longitude: W 94 20 58.78000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 159.8868

Elevation (Feet): 524.562

Description: STANDARD DISC IN RT. HEADWALL OF RC BOX CULVERT STA. 28+94  
LEONARD COURT RELOCATION.

Comments: Elevations were entered and verified. Data for the three wire level run can be seen  
on the EDM under s040458\_re\_benches.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650080

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #41

Date Established: 1/23/2012

System: STATE

Job Number: 040458

Nearest City: BARLING

County: SEBASTIAN

Route: COURT RE

Section:

Log Mile:

Land Section Number: 19

Township: 07N

Range: 31W

Land Section: NW

Latitude: N 35 16 34.25000

Longitude: W 94 20 52.79000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 156.7184

Elevation (Feet): 514.167

Description: STANDARD DISC IN RT HEADWALL OF RC BOX CULVERT STA. 38+50  
LEONARD COURT RELOCATION.

Comments: Elevations were entered and verified. Data for the three wire level run can be seen  
on the EDM under s040458\_re\_benches.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650081

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 2/2/2012

System: STATE

Job Number: 040458

Nearest City: BARLING

County: SEBASTIAN

Route: RELOCATI

Section:

Log Mile:

Land Section Number: 19

Township: 07N

Range: 31W

Land Section: NW

Latitude: N 35 18 38.81000

Longitude: W 94 20 45.84000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 153.5701

Elevation (Feet): 503.838

Description: STANDARD DISC IN RT. HEADWALL OF RC BOX CULVERT STA. 1938+47  
U.S. 71 RELOCATION.

Comments: Elevations were entered and verified. Data for the three wire level run can be seen  
on the EDM under s040458\_re\_benches.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650082

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #41

Date Established: 1/31/2012

System: STATE

Job Number: 040458

Nearest City: BARLING

County: SEBASTIAN

Route: JNTY ROAD

Section:

Log Mile:

Land Section Number: 19

Township: 07N

Range: 31W

Land Section: NW

Latitude: N 35 16 35.81000

Longitude: W 94 20 48.75000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 164.0269

Elevation (Feet): 538.145

Description: STANDARD DISC IN RT. WINGWALL OF BRIDGE #07080 STA. 48+06  
COUNTY ROAD 90.

Comments: Elevations were entered and verified. Data for the three wire level run can be seen  
on the EDM under s040458\_re\_benches.zip.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650083

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #41

Date Established: 1/30/2012

System: STATE

Job Number: 040458

Nearest City: BARLING

County: SEBASTIAN

Route: RELOCATI

Section:

Log Mile:

Land Section Number: 18

Township: 07N

Range: 31W

Land Section: SE

Latitude: N 35 17 08.11000

Longitude: W 94 20 13.02000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 144.8254

Elevation (Feet): 475.148

Description: standard disc in rt. Headwall of rc box culvert sta. 1983+00 u.s. 71 relocation.

Comments: Elevations were entered and verified. Data for the three wire level run can be seen on the EDM under s040458\_re\_benches.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650084

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #41

Date Established: 1/30/2012

System: STATE

Job Number: 040458

Nearest City: BARLING

County: SEBASTIAN

Route: RELOCATI

Section:

Log Mile:

Land Section Number: 18

Township: 07N

Range: 31W

Land Section: SE

Latitude: N 35 17 11.11000

Longitude: W 94 20 10.33000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 144.4042

Elevation (Feet): 473.766

Description: STANDARD DISC IN RT. HEADWALL OF RC BOX CULVERT STA. 1986+58  
U.S. 71 RELOCATION.

Comments: Elevations were entered and verified. Data for the three wire level run can be seen  
on the EDM under s040458\_re\_benches.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650085

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 12/21/2011

System: STATE

Job Number: 040455

Nearest City: BARLING

County: SEBASTIAN

Route: 71

Section: 14

Log Mile:

Land Section Number:

Township: 08N

Range: 31W

Land Section:

Latitude: N 35 19 10.27000

Longitude: W 94 17 58.71000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 127.1506

Elevation (Feet): 417.160

Description: BOX CULVERT STA. 46+31 SE CORNER. THERE APPEARS TO BE A BM ON BOTH ENDS OF CULVERT, NO DISTINCTION BETWEEN THE TWO.

Comments: ELEVATION NOT VERIFIED DUE TO NO THREE WIRE DATA.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650086

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 12/21/2011

System: STATE

Job Number: 040455

Nearest City: BARING

County: SEBASTIAN

Route: 71

Section: 14

Log Mile:

Land Section Number:

Township: 08N

Range: 31W

Land Section:

Latitude: N 35 19 10.27000

Longitude: W 94 17 58.71000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 127.05

Elevation (Feet): 416.830

Description: BOX CULVERT STA. 46+31 NE CORNER. THERE APPEARS TO BE A BM ON BOTH ENDS OF CULVERT, NO DISTINCTION BETWEEN THE TWO.

Comments: ELEVATION NOT VERIFIED DUE TO NO THREE WIRE DATA.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650087

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 12/21/2011

System: Job Number: 040455 Nearest City: BARLING

County: SEBASTIAN Route: 71 Section: 14 Log Mile:

Land Section Number: Township: 08N Range: 31W

Land Section:

Latitude: N 35 19 13.99000 Longitude: W 94 17 47.64000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 124.9439 Elevation (Feet): 409.920

Description: BOX CULVERT STA 2161+25 SE CORNER

Comments: ELEVATION NOT VERIFIED DUE TO NO THREE WIRE DATA.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650088

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 12/21/2011

System: STATE

Job Number: 040455

Nearest City: BARLING

County: SEBASTIAN

Route: 71

Section: 14

Log Mile:

Land Section Number:

Township: 08N

Range: 31W

Land Section:

Latitude: N 35 19 12.80000

Longitude: W 94 17 40.99000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 124.7793

Elevation (Feet): 409.380

Description: BOX CULVERT STA 2164+97 SE CORNER

Comments: ELEVATION NOT VERIFIED DUE TO NO THREE WIRE DATA.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650089

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 12/21/2011

System: STATE Job Number: 040455 Nearest City: BARLING

County: SEBASTIAN Route: 71 Section: 14 Log Mile:

Land Section Number: Township: 08N Range: 31W

Land Section:

Latitude: N 35 17 59.17000 Longitude: W 94 19 24.57000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 138.3673 Elevation (Feet): 453.960

Description: BOX CULVERT STA 2047+68 SW CORNER

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650090

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 12/21/2011

System: STATE

Job Number: 040455

Nearest City: BARLING

County: SEBASTIAN

Route: 22

Section: 1

Log Mile:

Land Section Number:

Township: 08N

Range: 31W

Land Section:

Latitude: N 35 19 11.60000

Longitude: W 94 17 22.47000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 126.3795

Elevation (Feet): 414.630

Description: BRIDGE # 07048 SW CORNER STA. 62+42

Comments: ELEVATION NOT VERIFIED DUE TO NO THREE WIRE DATA.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650091

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 12/21/2011

System: STATE Job Number: 040457 Nearest City: BARLING

County: SEBASTIAN Route: 71 Section: 14 Log Mile:

Land Section Number: Township: 08N Range: 31W

Land Section:

Latitude: N 35 19 19.32000 Longitude: W 94 17 31.75000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 134.603 Elevation (Feet): 441.610

Description: STA. 2172+93 RT. BR #B7065

Comments: ELEVATION NOT VERIFIED DUE TO NO THREE WIRE DATA.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650092

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 12/21/2011

System: STATE Job Number: 040457 Nearest City: BARLING

County: SEBASTIAN Route: 71 Section: 14 Log Mile:

Land Section Number: Township: 08N Range: 31W

Land Section:

Latitude: N 35 19 14.77000 Longitude: W 94 17 43.10000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 137.2243 Elevation (Feet): 450.210

Description: STA 2163+29 LT. BR #A7065

Comments: ELEVATION NOT VERIFIED DUE TO NO THREE WIRE DATA.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650093

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 12/21/2011

System: STATE

Job Number: 040457

Nearest City: BARLING

County: SEBASTIAN

Route: 71

Section: 14

Log Mile:

Land Section Number:

Township: 08N

Range: 31W

Land Section:

Latitude: N 35 19 07.46000

Longitude: W 94 17 54.68000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 140.6441

Elevation (Feet): 461.430

Description: STA 2150+49 RT. BR #B7064

Comments: ELEVATION NOT VERIFIED DUE TO NO THREE WIRE DATA.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650094

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 12/21/2011

System: STATE

Job Number: 040457

Nearest City: BARLING

County: SEBASTIAN

Route: 71

Section: 14

Log Mile:

Land Section Number:

Township: 08N

Range: 31W

Land Section:

Latitude: N 35 19 07.13000

Longitude: W 94 17 57.86000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 141.37567

Elevation (Feet): 463.830

Description: STA 2148+52 LT. BR #A7064

Comments: ELEVATION NOT VERIFIED DUE TO NO THREE WIRE DATA.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650095

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 12/21/2011

System: STATE

Job Number: 040487

Nearest City: BARLING

County: SEBASTIAN

Route: 22

Section: 1

Log Mile: 13.1

Land Section Number:

Township: 08N

Range: 31W

Land Section:

Latitude: N 35 19 02.81000

Longitude: W 94 13 00.42000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 124.82804

Elevation (Feet): 409.540

Description: STA. 286+18 LT. BR # 07154

Comments: ELEVATION NOT VERIFIED DUE TO NO THREE WIRE DATA.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650097

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 12/21/2011

System: Job Number: 040439 Nearest City: BARLING

County: SEBASTIAN Route: 22 Section: 1 Log Mile: 9.6

Land Section Number: Township: 07N Range: 31W

Land Section:

Latitude: N 35 19 00.66000 Longitude: W 94 16 35.21000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 121.26492 Elevation (Feet): 397.850

Description: STA. 103+91 LT. BOX CULVERT

Comments: ELEVATION NOT VERIFIED DUE TO NO THREE WIRE DATA

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650098

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 12/21/2011

System: STATE

Job Number: 040439

Nearest City: BARLING

County: SEBASTIAN

Route: 22

Section: 1

Log Mile: 9.9

Land Section Number:

Township: 07N

Range: 31W

Land Section:

Latitude: N 34 16 35.21000

Longitude: W 94 16 17.80000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 121.57277

Elevation (Feet): 398.860

Description: STA. 118+35 LT. BOX CULVERT

Comments: ELEVATION NOT VERIFIED DUE TO NO THREE WIRE DATA.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650099

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 3/13/2013

System: STATE

Job Number: BB0407

Nearest City: FORT SMITH

County: SEBASTIAN

Route: 540

Section: 1

Log Mile: 7.731

Land Section Number: 1

Township: 08N

Range: 32W

Land Section:

Latitude: N 35 22 26.50000

Longitude: W 94 21 53.80000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 144.515

Elevation (Feet): 474.130

Description: BM 996 SW CORNER BASE ABUTTMENT STA 349+20 22' LT FROM  
CENTER OF NB BRIDGE OVER FREE FERRY

Comments: Elevation not verified due to insuffecient three wire data.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650100

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 3/19/2013

System: STATE

Job Number: BB0407

Nearest City: FORT SMITH

County: SEBASTIAN

Route: 540

Section: 1

Log Mile: 9.81

Land Section Number: 1

Township: 08N

Range: 32W

Land Section:

Latitude: N 35 24 12.35000

Longitude: W 94 22 00.35000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 141.319

Elevation (Feet): 463.644

Description: BM 993 AHTD DISK TOP SW END PARAPET WALL

Comments: Elevation not verified due to insuffecient three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650101

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 12/11/2013

System: STATE

Job Number: BB0407

Nearest City: FORT SMITH

County: SEBASTIAN

Route: 540

Section: 1

Log Mile: 6.72

Land Section Number: 24

Township: 08N

Range: 32W

Land Section:

Latitude: N 35 21 33.70000

Longitude: W 94 21 54.20000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 164.735

Elevation (Feet): 540.468

Description: AHTD DISK SE END PARAPET WALL EAST GUTTER OF BRIDGE ROGERS AVESB LANE.

Comments: Elevation not verified due to insuffecient three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650102

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 12/11/2013

System: STATE

Job Number: BB0407

Nearest City: FORT SMITH

County: SEBASTIAN

Route: 540

Section: 1

Log Mile: 6.7746

Land Section Number: 24

Township: 08N

Range: 32W

Land Section:

Latitude: N 35 21 35.32000

Longitude: W 94 21 53.65000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 164.06

Elevation (Feet): 538.254

Description: AHTD DISK NW TRANSITION WALL WEST ROGERS AVE BRIDGE, NB

Comments: Elevation not verified due to insuffecient three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650103

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 9/19/2014

System: STATE

Job Number: BB0407

Nearest City: FORT SMITH

County: SEBASTIAN

Route: 540

Section: 1

Log Mile: 7.729

Land Section Number: 13

Township: 08N

Range: 32W

Land Section:

Latitude: N 35 22 26.60000

Longitude: W 94 21 54.80000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 145.37

Elevation (Feet): 476.935

Description: AHTD ALUMINUM CAP TOP PARAPET WALL AT SW CORNER OF SB  
BRIDGE FREE FERRY RD

Comments: Elevation not verified due to insuffecient three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650104

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 3/13/2013

System: STATE

Job Number: BB0407

Nearest City: FORT SMITH

County: SEBASTIAN

Route: 540

Section: 1

Log Mile: 7.729

Land Section Number: 13

Township: 08N

Range: 32W

Land Section:

Latitude: N 35 22 26.52000

Longitude: W 94 21 53.21000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 145.392

Elevation (Feet): 477.007

Description: AHTD ALUM. CAP TOP PARAPET WALL AT SE CORNER OF NB BRIDGE  
AT FREE FERRT RD

Comments: Elevation not verified due to insuffecient three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650105

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 12/20/2013

System: STATE

Job Number: BB0407

Nearest City: FORT SMITH

County: SEBASTIAN

Route: 540

Section: 1

Log Mile: 8.488

Land Section Number: 12

Township: 08N

Range: 32W

Land Section: SWSW

Latitude: N 35 23 05.42000

Longitude: W 94 21 51.90000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 138.555

Elevation (Feet): 454.576

Description: ALUM. CAP TOP PARAPET WALL AT SW CORNER OF SB BRIDGE AT  
GRAND AVE.

Comments: Elevation not verified due to insuffecient three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650106

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 1/16/2014

System: STATE

Job Number: bb0407

Nearest City: FORT SMITH

County: SEBASTIAN

Route: I 540

Section: 1

Log Mile: 8.523

Land Section Number: 12

Township: 08N

Range: 32W

Land Section: SWSW

Latitude: N 35 23 07.11000

Longitude: W 94 21 50.50000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 137.796

Elevation (Feet): 452.086

Description: BM 972 ALUM. CAP TOP NW CORNER PARAPET WALL NB AT GRAND AVE

Comments: Elevation not verified due to insufficient three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650107

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 2/11/2014

System: STATE

Job Number: BB0407

Nearest City: FORT SMITH

County: SEBASTIAN

Route: I 540

Section: 1

Log Mile: 9.143

Land Section Number: 12

Township: 08N

Range: 32W

Land Section: SWNW

Latitude: N 35 23 38.40000

Longitude: W 94 21 58.50000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 127.892

Elevation (Feet): 419.592

Description: BM 971 ALUM. CAP TOP SW CORNER PARAPET WALL SB BRIDGE AT  
CLAYTON BRANCH

Comments: Elevation not verified due to insuffecient three wire data.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650108

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 2/11/2014

System: STATE

Job Number: BB0407

Nearest City: FORT SMITH

County: SEBASTIAN

Route: I 540

Section: 1

Log Mile: 9.15

Land Section Number: 12

Township: 08N

Range: 32W

Land Section: SWNW

Latitude: N 35 23 39.30000

Longitude: W 94 21 57.60000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 127.892

Elevation (Feet): 419.592

Description: BM 970 ALUM. CAP TOP NW CORNER PARAPET WALL NB BRIDGE AT  
CLAYTON BRANCH

Comments: Elevation not verified due to insuffecient three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650109

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 2/18/2014

System: STATE

Job Number: BB0407

Nearest City: FORT SMITH

County: SEBASTIAN

Route: I 540

Section: 1

Log Mile: 10.472

Land Section Number: 1

Township: 08N

Range: 32W

Land Section: NWNW

Latitude: N 35 24 41.10000

Longitude: W 94 21 46.00000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 127.433

Elevation (Feet): 418.086

Description: BM 969 ALUM CAP TOP OF THE RIVER RELIEF BRIDGE. TOP  
TRANSITION WALL NB AT SW CORNER

Comments: Elevation not verified due to insuffecient three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650110

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 1/29/2014

System: STATE

Job Number: BB0407

Nearest City: FORT SMITH

County: SEBASTIAN

Route: I 540

Section: 1

Log Mile: 11.226

Land Section Number: 36

Township: 09N

Range: 32W

Land Section: NWSW

Latitude: N 35 25 09.15000

Longitude: W 94 21 07.40000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 128.894

Elevation (Feet): 422.880

Description: BM 967 ALUM. CAP ON TOP PARAPET WALL ON NB SE CORNER OF RIVER BRIDGE.

Comments: Elevation not verified due to insuffecient three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650111

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 2/18/2014

System: STATE

Job Number: BB0407

Nearest City: FORT SMITH

County: SEBASTIAN

Route: I 540

Section: 1

Log Mile: 10.525

Land Section Number: 36

Township: 08N

Range: 32W

Land Section:

Latitude: N 35 24 44.80000

Longitude: W 94 21 40.90000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 127.429

Elevation (Feet): 418.073

Description: BM 968 NB RIVER RELIEF BRIDGE AT TOP OF PARAPET WALL  
NORTHEND OF BRIDGE AT NE CORNER.

Comments: Elevation not verified due to insuffecient three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650112

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 3/19/2013

System: STATE

Job Number: BB0407

Nearest City: FT SMITH

County: SEBASTIAN

Route: 540

Section: 1

Log Mile: 9.81

Land Section Number: 1

Township: 08N

Range: 32W

Land Section:

Latitude: N 35 24 12.35000

Longitude: W 94 22 00.35000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 141.2833

Elevation (Feet): 463.527

Description: AHTD DISC TOP SW END PARAPET WALL

Comments: \*\*\*\*\*USE CAUTION\*\*\*\*\*ELEVATION NOT VERIFIED DUE TO LACK OF THREE WIRE DATA\*\*\*\*\*

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650113

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 1/29/2013

System: STATE

Job Number: BB0407

Nearest City: FT SMITH

County: SEBASTIAN

Route: 540

Section: 1

Log Mile: 11.226

Land Section Number: 36

Township: 09N

Range: 32W

Land Section:

Latitude: N 35 25 09.10000

Longitude: W 94 21 07.30000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 128.8929

Elevation (Feet): 422.876

Description: ALUM. CAP ON TOP PARAPET WALL ON NB S/E CORNER RIVER BRIDGE

Comments: \*\*\*\*\*USE CAUTION\*\*\*\*\*ELEVATION NOT VERIFIED DUE TO LACK OF THREE WIRE DATA\*\*\*\*\*

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650114

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 2/18/2014

System: STATE

Job Number: BB0407

Nearest City: FT SMITH

County: SEBASTIAN

Route: 540

Section: 1

Log Mile: 10.472

Land Section Number: 1

Township: 08N

Range: 32W

Land Section:

Latitude: N 35 24 43.00000

Longitude: W 94 21 46.00000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 127.433

Elevation (Feet): 418.086

Description: ALUM. CAP TOP OF THE RIVER RELIEF BRIDGE. TOP TRANSITION  
WALL NB @ S/W CORNER

Comments: \*\*\*\*\*USE CAUTION\*\*\*\*\*ELEVATION NOT VERIFIED DUE TO LACK  
OF THREE WIRE DATA\*\*\*\*\*

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650115

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 2/11/2014

System: STATE

Job Number: BB0407

Nearest City: FT SMITH

County: SEBASTIAN

Route: 540

Section: 1

Log Mile: 9.15

Land Section Number: 12

Township: 08N

Range: 32W

Land Section: SWNW

Latitude: N 35 23 39.30000

Longitude: W 94 21 57.50000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 127.892

Elevation (Feet): 419.592

Description: ALUM. CAP TOP N/W CORNER PARAPET WALL NB BRIDGE @  
CLAYTON BRANCH.

Comments: \*\*\*\*\*USE CAUTION\*\*\*\*\*ELEVATION NOT VERIFIED DUE TO LACK  
OF THREE WIRE DATA\*\*\*\*\*



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650116

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 2/11/2014

System: STATE

Job Number: BB0407

Nearest City: FT SMITH

County: SEBASTIAN

Route: 540

Section: 1

Log Mile: 9.143

Land Section Number: 12

Township: 08N

Range: 32W

Land Section: SWNW

Latitude: N 35 23 38.40000

Longitude: W 94 21 58.40000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 128.013

Elevation (Feet): 419.989

Description: ALUM. CAP TOP S/W CORNER PARAPET WALL SB BRIDGE @CLAYTON  
BRANCH

Comments: \*\*\*\*\*USE CAUTION\*\*\*\*\*ELEVATION NOT VERIFIED DUE TO LACK  
OF THREE WIRE DATA\*\*\*\*\*

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650117

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 1/16/2013

System: STATE

Job Number: BB0407

Nearest City: FT SMITH

County: SEBASTIAN

Route: 540

Section: 1

Log Mile: 8.523

Land Section Number: 12

Township: 08N

Range: 32W

Land Section: SWSW

Latitude: N 35 23 07.10000

Longitude: W 94 21 50.40000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 137.796

Elevation (Feet): 452.086

Description: ALUM. CAP TOP N/W CORNER PARAPET WALL NB @ GRAND AVE.

Comments: \*\*\*\*\*USE CAUTION\*\*\*\*\*ELEVATION NOT VERIFIED DUE TO LACK OF THREE WIRE DATA\*\*\*\*\*

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650118

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 12/20/2013

System: STATE

Job Number: BB0407

Nearest City: FT SMITH

County: SEBASTIAN

Route: 540

Section: 1

Log Mile: 8.488

Land Section Number: 12

Township: 08N

Range: 32W

Land Section: SWSW

Latitude: N 35 23 05.40000

Longitude: W 94 21 51.80000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 138.5523

Elevation (Feet): 454.567

Description: ALUM. CAP TOP PARAPET WALL @ S/W CORNER OF SB BRIDGE  
@GRAND AVE.

Comments: \*\*\*\*\*USE CAUTION\*\*\*\*\*ELEVATION NOT VERIFIED DUE TO LACK  
OF THREE WIRE DATA\*\*\*\*\*

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650119

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 3/13/2013

System: STATE

Job Number: BB0407

Nearest City: FT SMITH

County: SEBASTIAN

Route: 540

Section: 1

Log Mile: 7.729

Land Section Number: 13

Township: 08N

Range: 32W

Land Section:

Latitude: N 35 22 26.52000

Longitude: W 94 21 53.21000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 145.392

Elevation (Feet): 477.007

Description: AHTD ALUM. CAP TOP PARAPET WALL @ S/E CORNER OF NB BRIDGE  
@ FREE FERRY

Comments: \*\*\*\*\*USE CAUTION\*\*\*\*\*ELEVATION NOT VERIFIED DUE TO LACK  
OF THREE WIRE DATA\*\*\*\*\*

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650120

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 1/3/2013

System: STATE

Job Number: BB0407

Nearest City: FT SMITH

County: SEBASTIAN

Route: 540

Section: 1

Log Mile: 7.729

Land Section Number: 13

Township: 08N

Range: 32W

Land Section:

Latitude: N 35 22 26.50000

Longitude: W 94 21 54.80000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 145.379

Elevation (Feet): 476.964

Description: AHTD ALUM. CAP TOP PARAPET WALL @ S/W CORNER OF SB BRIDGE  
@ FREE FERRY

Comments: \*\*\*\*\*USE CAUTION\*\*\*\*\*ELEVATION NOT VERIFIED DUE TO LACK  
OF THREE WIRE DATA\*\*\*\*\*

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650121

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 12/11/2013

System: STATE

Job Number: BB0407

Nearest City: FT SMITH

County: SEBASTIAN

Route: 540

Section: 1

Log Mile: 6.7746

Land Section Number: 24

Township: 08N

Range: 32W

Land Section:

Latitude: N 35 21 35.32000

Longitude: W 94 21 53.65000

Type: GPS (Observed)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 164.068

Elevation (Feet): 538.280

Description: AHTD DISK NW Corner Transition WALL WEST ROGERS AVE. BRDG. NB

Comments: \*\*\*\*\*USE CAUTION\*\*\*\*\*ELEVATION NOT VERIFIED DUE TO LACK OF THREE WIRE DATA\*\*\*\*\*

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650122

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 12/11/2013

System: STATE

Job Number: BB0407

Nearest City: FT SMITH

County: SEBASTIAN

Route: 540

Section: 1

Log Mile: 6.72

Land Section Number: 24

Township: 08N

Range: 32W

Land Section:

Latitude: N 35 21 33.60000

Longitude: W 94 21 54.20000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 164.7435

Elevation (Feet): 540.496

Description: AHTD DISK SE END PARAPET WALL EAST GUTTER OF BRDG ROGERS AVE. SB LANE.

Comments: \*\*\*\*\*USE CAUTION\*\*\*\*\*ELEVATION NOT VERIFIED DUE TO LACK OF THREE WIRE DATA\*\*\*\*\*

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650123

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 3/19/2013

System: STATE

Job Number: BB0407

Nearest City: FT SMITH

County: SEBASTIAN

Route: 540

Section: 1

Log Mile: 9.81

Land Section Number: 1

Township: 08N

Range: 32W

Land Section:

Latitude: N 35 24 12.35000

Longitude: W 94 22 00.35000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 141.315

Elevation (Feet): 463.631

Description: AHTD DISC TOP SW END PARAPET WALL

Comments: \*\*\*\*\*USE CAUTION\*\*\*\*\*ELEVATION NOT VERIFIED DUE TO LACK  
OF THREE WIRE DATA\*\*\*\*\*



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 650124

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #42

Date Established: 7/29/2022

System: STATE

Job Number: BR6508

Nearest City: Fort Smith

County: SEBASTIAN

Route: County Rd 18

Section:

Log Mile:

Land Section Number: 28

Township: 07

Range: 32W

Land Section: NESE

Latitude: N 35 15 30.0000

Longitude: W 94 24 41.0000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 150.3548

Elevation (Feet): 493.289

Description: SET BM (not stamped) - ARDOT disk in SE corner of headwall on box culvert at White Bluff Road (County Road 181) in Sebastian County (Ref:6508BM.PRJ and 6508BM.EDI)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660001

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: LOCKESBURG

County: SEVIER

Route: 24

Section: 1

Log Mile: 0.56

Land Section Number: 25

Township: 09S

Range: 30W

Land Section:

Latitude: N 33 57 54.0

Longitude: W 94 09 32.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 113.291

Elevation (Feet): 371.689

Description: DISK TOP SOUTHWEST WINGWALL OF BRIDGE 5797. RECON BY S5102  
FEB 2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660002

Class:

Vertical Datum:

Established by: RE OFFICE #31

Date Established:

System:

Job Number: R30016

Nearest City:

County: SEVIER

Route: 27

Section: 1

Log Mile: 4.83

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 33 50 55.0

Longitude: W 94 03 55.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 117.32

Elevation (Feet): 384.907

Description: BENCHMARK DISC TOP OF SOUTHWEST WINGWALL OF R.C. BOX @  
STATION 199+35 OF JOB NO. R30016 HOWARD COUNTY LINE-WEST.  
RECON BY S5102 JAN 2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660003

Class:

Vertical Datum:

Established by: RE OFFICE #31

Date Established:

System:

Job Number: R30016

Nearest City:

County: SEVIER

Route: 27

Section: 1

Log Mile: 6.42

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 103.495

Elevation (Feet): 339.550

Description: BENCHMARK DISC TOP OF SOUTHWEST WINGWALL OF R.C. BOX  
STATION 274+10 OF JOB NO. R30016- HOWARD COUNTY LINE -WEST.  
BASED ON DESCRIPTION NOT RECOVERED JAN 2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660004

Class:

Vertical Datum:

Established by: RE OFFICE #31

Date Established:

System:

Job Number: R30016

Nearest City:

County: SEVIER

Route: 27

Section: 1

Log Mile: 7.99

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 94.902

Elevation (Feet): 311.358

Description: BENCHMARK DISC IN NORTH WEST WINGWALL OF DOUBLE 8'X 5'X 60' R.C. BOX CULVERT STATION 357+00. BASED ON DESCRIPTION NOT RECOVERED FEB 2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660005

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: DEQUEEN

County: SEVIER

Route: 41

Section: 1

Log Mile: 0.93

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 01 55.0

Longitude: W 94 19 48.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 119.417

Elevation (Feet): 391.787

Description: DISK TOP WINGWALL NORTHEAST OF BRIDGE 5685. RECON BY S5102  
FEB 2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660006

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: DEQUEEN

County: SEVIER

Route: 41

Section: 1

Log Mile: 1.30

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 01 43.0

Longitude: W 94 20 01.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 111.764

Elevation (Feet): 366.679

Description: DISKTOP SOUTHEAST WINGWALL OF BRIDGE 5684. RECON BY S5102  
FEB 2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660007

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: DEQUEEN

County: SEVIER

Route: 41

Section: 1

Log Mile: 1.67

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 01 31.0

Longitude: W 94 20 16.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 109.097

Elevation (Feet): 357.929

Description: DISKTOP NORTHEAST WING R.C. BOX 52' RIGHT. RECON BY S5102 FEB 2004.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660008

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City:

County: SEVIER

Route: 41

Section: 1

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 118.881

Elevation (Feet): 390.029

Description: DISC IS 0.15 MILES WEST OF JUNCTION STATE HIGHWAY 41  
CENTERLINE GILSON AVENUE IN DEQUEEN. BASED ON DESCRIPTION  
NOT RECOVERED FEB 2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660009

Class:

Vertical Datum:

Established by: RE OFFICE #31

Date Established: 9/24/1992

System: STATE

Job Number: 30041

Nearest City: DEQUEEN

County: SEVIER

Route: 70

Section: 1

Log Mile: 8.13

Land Section Number: 19

Township: 08S

Range: 31W

Land Section:

Latitude: N 34 02 44.0

Longitude: W 94 20 23.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 127.287

Elevation (Feet): 417.607

Description: STANDARD ALUMINUM CAP SET IN BRIDGE SIDEWALK ON WEST  
ABUTMENT WALL 31' SOUTH OF CENTER OF BRIDGE OVER KCS RR.  
RECON BY S5102 FEB 2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660010

Class:

Vertical Datum:

Established by:

Date Established: 9/3/1992

System: STATE

Job Number: R30023

Nearest City: BEN LOMOND

County: SEVIER

Route: 234

Section: 2

Log Mile:

Land Section Number: 9

Township: 11S

Range: 29W

Land Section: NE

Latitude: N 33 49 38.0

Longitude: W 94 05 58.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 115.29

Elevation (Feet): 378.247

Description: A.H.T.D. DISK LOCATED APPROX. 0.9 MILES EAST OF HIGHWAY 27 ON  
STATE HIGHWAY 234 21' RIGHT OF CENTERLINE IN HEADWALL AT  
R.C. BOX CULVERT. RECON BY S5102 FEB 2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660013

Class:

Vertical Datum:

Established by:

Date Established: 9/3/1992

System: STATE

Job Number: R30023

Nearest City:

County: SEVIER

Route: 234

Section: 2

Log Mile:

Land Section Number: 10

Township: 11S

Range: 29W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 101.998

Elevation (Feet): 334.638

Description: A.H.T.D. DISK LOCATED APPROX. 1.4 MILES EAST OF STATE HIGHWAY 27 ON STATE HIGHWAY 234 60' RIGHT OF CENTERLINE IN CENTER OF HEADWALL AT R.C. BOX CULVERT. BASED ON DESCRIPTION NOT RECOVERED FEB 2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660014

Class:

Vertical Datum:

Established by: RE OFFICE #31

Date Established:

System:

Job Number: 3928

Nearest City: DEQUEEN

County: SEVIER

Route: 329

Section: 1

Log Mile: 7.76

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 33 58 31.0

Longitude: W 94 14 06.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 106.317

Elevation (Feet): 348.808

Description: STANDARD DISC IN TOP OF SOUTHEAST WINGWALL ON R.C. CULVERT  
OF STATION 12+90 SECTION #1. RECON BY S5102 FEB 2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660015

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 3928

Nearest City: DEQUEEN

County: SEVIER

Route: 329

Section: 1

Log Mile: 5.17

Land Section Number:

Township: 08S

Range: 32W

Land Section:

Latitude: N 34 00 05.0

Longitude: W 94 15 30.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 117.607

Elevation (Feet): 385.849

Description: STANDARD DISC IN TOP OF SOUTHEAST WINGWALL ON R.C. BOX  
CULVERT OF STATION 150+95 SECTION #2. RECON BY S5102 FEB 2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660016

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 3828

Nearest City: DEQUEEN

County: SEVIER

Route: 329

Section: 1

Log Mile: 4.68

Land Section Number:

Township: 08S

Range: 32W

Land Section:

Latitude: N 34 02 44.0

Longitude: W 94 20 40.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 122.234

Elevation (Feet): 401.029

Description: STANDARD DISC IN TOP OF NORTHWEST WINGWALL ON R.C. BOX  
CULVERT OF STATION 176+80 SECTION #3. RECON BY S5102 FEB 2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660017

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City:

County: SEVIER

Route: 329

Section: 1

Log Mile: 6.98

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 114.949

Elevation (Feet): 377.129

Description: TOP OF SOUTHWEST WING BRIDGE #5638 17' RIGHT OF CENTERLINE ROAD. BASED ON DESCRIPTION NOT RECOVERED FEB 2004.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660018

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City:

County: SEVIER

Route: 329

Section: 1

Log Mile: 6.54

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 116.19

Elevation (Feet): 381.200

Description: TOP OF NORTHWEST WING POST BRIDGE #5639 15' RIGHT OF  
CENTERLINE ROAD. BASED ON DESCRIPTION NOT RECOVERED FEB  
2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660019

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 10/17/1994

System: STATE

Job Number: 3985

Nearest City: BROWNSTOWN

County: SEVIER

Route: 317

Section: 3

Log Mile: 3.67

Land Section Number: 2

Township: 11S

Range: 29W

Land Section: SE

Latitude: N 33 49 41.0

Longitude: W 94 03 57.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 96.685

Elevation (Feet): 317.207

Description: AHTD MONUMENT IN EAST HEADWALL OF 9' x 6' x 68' R. C. BOX  
CULVERT, 15 DEGREES LT. FORWARD SKEW. RECON BY S5102 FEB 2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660020

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 10/17/1994

System: STATE

Job Number: 3985

Nearest City: BROWNSTOWN

County: SEVIER

Route: 317

Section: 3

Log Mile: 3.59

Land Section Number: 2

Township: 11S

Range: 29W

Land Section: SE

Latitude: N 33 49 37.0

Longitude: W 94 03 56.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 96.496

Elevation (Feet): 316.587

Description: AHTD MONUMENT IN EAST HEADWALL OF DBL. 5' x 5' x 70' R. C. BOX  
CULVERT. RECON BY S5102 FEB 2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660021

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 10/17/1994

System: STATE

Job Number: 3985

Nearest City: BELLVILLE

County: SEVIER

Route: 317

Section: 4

Log Mile: 0.67

Land Section Number: 27

Township: 10S

Range: 29W

Land Section: SE

Latitude: N 33 51 23.0

Longitude: W 94 04 25.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 110.758

Elevation (Feet): 363.379

Description: AHTD MONUMENT IN SE CORNER LOCATED IN CENTER OF TOP OF WING 17' RIGHT OF CENTERLINE LOCATED IN SE CORNER OF BRIDGE # 6416 (TRENT CRK.). RECON BY S5102 FEB 2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660022

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 10/17/1994

System: STATE

Job Number: 3985

Nearest City:

County: SEVIER

Route: 317

Section: 4

Log Mile: 11.23

Land Section Number: 35

Township: 09S

Range: 30W

Land Section: SE

Latitude: N 33 56 14.0

Longitude: W 94 09 33.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 109.191

Elevation (Feet): 358.237

Description: AHTD MONUMENT LOCATED IN CENTER OF TOP OF WING IN NE COR.  
OF BRIDGE # 6417, 17' RT. OF CENTERLINE (BELLVILLE CRK.). RECON  
BY S5102 FEB 2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660023

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 10/17/1994

System: STATE

Job Number: 3985

Nearest City: BELLEVILLE

County: SEVIER

Route: 317

Section: 4

Log Mile: 10.59

Land Section Number: 36

Township: 09S

Range: 30W

Land Section: SW

Latitude: N 33 56 03.0

Longitude: W 94 09 07.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 111.16

Elevation (Feet): 364.697

Description: AHTD MONUMENT LOCATED IN CENTER OF NORTH HEADWALL, 27' RIGHT OF CENTERLINE OF QUAD. 8 x 4 x 52 RCBC (LITTLE BELLVILLE CRK.). RECON BY S5102 FEB 2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660024

Class:

Vertical Datum:

Established by: RE OFFICE #31

Date Established: 4/8/1991

System: COUNTY Job Number: BR-66-5 Nearest City:

County: SEVIER Route: 201 Section: Log Mile: 1.13

Land Section Number: 17 Township: 07S Range: 31W

Land Section: NW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 186.266 Elevation (Feet): 611.108

Description: STANDARD DISC SET IN TOP OF WING ON SOUTHWEST BR. END AT STA. 31+84, 16' LT. OF CENTERLINE. BASED ON DESCRIPTION NOT RECOVERED FEB 2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660025

Class:

Vertical Datum:

Established by: RE OFFICE #31

Date Established:

System: COUNTY

Job Number: BR-66-4

Nearest City: EAST MAGNOLIA

County: SEVIER

Route: CR 304

Section:

Log Mile: .5\*

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 33 57 36.0

Longitude: W 94 09 58.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 108.841

Elevation (Feet): 357.089

Description: \*\*\*0.5 MI. SOUTH EAST OF LOCKESBURG AR U.S. 71\*\*\* BM DISC RT.  
WING BR. 4607 STA. 22+72 RT. BRIDGE OVER BIG BELLVILLA CREEK.  
RECON BY S5102 FEB 2004.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660026

Class:

Vertical Datum:

Established by:

RE OFFICE #31

Date Established: 9/30/1998

System: STATE

Job Number: 030006

Nearest City: DEQUEEN

County: SEVIER

Route: 71

Section: 7

Log Mile: 6.68

Land Section Number: 28

Township: 07S

Range: 31W

Land Section: NW

Latitude: N 34 08 12.0

Longitude: W 94 19 04.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 172.355

Elevation (Feet): 565.468

Description: JCT. 70-71 IN DE QUEEN FO 6.68 MI. NORTH ON HWY. 71 BM DISC IN  
CENTER OF HEADWALL ON WEST SIDE OF ROAD. RECON BY S5102 FEB  
2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660027

Class:

Vertical Datum:

Established by: RE OFFICE #31

Date Established: 9/30/1998

System: STATE

Job Number: 030006

Nearest City: DEQUEEN

County: SEVIER

Route: 71

Section: 7

Log Mile: 6.08

Land Section Number: 28

Township: 07S

Range: 31W

Land Section: NW

Latitude: N 34 07 43.0

Longitude: W 94 18 47.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 192.618

Elevation (Feet): 631.948

Description: JCT. 70-71 IN DE QUEEN GO 6.07 MI. NORTH ON HWY. 71 BM DISC IN TOP OF SOUTH EAST BRIDGE WING, BRIDGE NO. 06620. RECON BY S5102 FEB 2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660028

Class:

Vertical Datum:

Established by:

RE OFFICE #31

Date Established: 9/30/1998

System: STATE

Job Number: 030006

Nearest City: DEQUEEN

County: SEVIER

Route: 71

Section: 7

Log Mile: 6.22

Land Section Number: 28

Township: 07S

Range: 31W

Land Section: NW

Latitude: N 34 07 51.0

Longitude: W 94 18 51.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 192.594

Elevation (Feet): 631.869

Description: JCT. 70-71 IN DE QUEEN GO 6.22 MI. NORTH ON HWY. 71 BM DISC IN  
TOP OF NORTH WEST BRIDGE WING, BR. NO. 06620. RECON BY S5102  
FEB 2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660029

Class:

Vertical Datum:

Established by:

Date Established: 7/19/1999

System: STATE

Job Number: R30012

Nearest City: BEN LOMOND

County: SEVIER

Route: 27N

Section: 01N

Log Mile: 0.08

Land Section Number: 31

Township: 10S

Range: 29W

Land Section: SW

Latitude: N 33 50 35.0

Longitude: W 94 08 36.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 96.8991

Elevation (Feet): 317.910

Description: AHTD B.M. DISC IN CENTER OF RIGHT HEADWALL OF R.C. BOX  
CULVERT STATION 24+10 APPROX. 30' RIGHT CENTER LINE OF JOB  
R30012. RECON BY S5102 FEB 2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660030

Class:

Vertical Datum:

Established by:

Date Established: 7/19/1999

System: STATE

Job Number: R30012

Nearest City:

County: SEVIER

Route: 27N

Section: 31

Log Mile: 1.10

Land Section Number:

Township: 10S

Range: 29W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 99.7551

Elevation (Feet): 327.280

Description: AHTD B.M. DISC TOP RIGHT PARPET WALL IN SOUTHWEST CORNER  
BRIDGE END STATION 58+07 OF JOB R30012 APPR 20' RIGHT OF  
CENTERLINE. BASED ON DESCRIPTION NOT RECOVERED FEB 2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660031

Class:

Vertical Datum:

Established by:

Date Established: 7/21/1999

System: STATE

Job Number: R30012

Nearest City:

County: SEVIER

Route: 27N

Section: 01N

Log Mile: 2.09

Land Section Number: 32

Township: 10S

Range: 29W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 127.3335

Elevation (Feet): 417.760

Description: AHTS B.M DISC IN END OF CONCRETE DITCH PAVING SOUTH SIDE OF ROADWAY STATION 110+30 OF JOB R30012 APPROX. 30'RIGHT OF CENTERLINE. BASED ON DESCRIPTION NOT RECOVERED FEB 2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660032

Class:

Vertical Datum:

Established by:

Date Established: 7/23/1999

System: STATE

Job Number: R30012

Nearest City:

County: SEVIER

Route: 27N

Section: 01N

Log Mile: 2.62

Land Section Number:

Township: 10S

Range: 29W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 146.0848

Elevation (Feet): 479.280

Description: AHTD B.M DISC IN END OF CONCRETE DITCH PAVING NORTH SIDE OF ROADWAY STATION 138+37 AT END OF SIDE DRAIN OF JOB R30012 APPROX. 35' LEFT OF CENTERLINE. BASED ON DESCRIPTION NOT RECOVERED FEB 2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660033

Class:

Vertical Datum:

Established by:

Date Established: 7/19/1999

System: STATE

Job Number: R30012

Nearest City:

County: SEVIER

Route: 27N

Section: 01N

Log Mile: 1.38

Land Section Number: 31

Township: 10S

Range: 29W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 98.8956

Elevation (Feet): 324.460

Description: AHTD B.M DISC IN CENTER OF EAST HEADWALL OF R.C. BOX  
CULVERT STATION 73+00 OF JOB R30012 APPROX. 30' LEFT OF  
CENTERLINE. BASED ON DESCRIPTION NOT RECOVERED FEB 2004.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660034

Class:

Vertical Datum:

Established by:

Date Established: 7/19/1999

System: STATE

Job Number: R30012

Nearest City: BEN LOMOND

County: SEVIER

Route: 27N

Section: 01N

Log Mile: 1.71

Land Section Number: 32

Township: 10S

Range: 29W

Land Section: SW

Latitude: N 33 50 39.0

Longitude: W 94 06 58.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 123.4838

Elevation (Feet): 405.130

Description: AHTD B.M. DISC IN END OF CONCRETE DITCH PAVING NORTH SIDE  
STATION 90+50 OF JOB R30012 APPROX. 32' LEFT OF CENTERLINE.  
RECON BY S5102 FEB 2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660035

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established: 4/23/2003

System: COUNTY

Job Number: FA6610

Nearest City: LOCKSBURG/HORAITO

County: SEVIER

Route: CR2

Section:

Log Mile:

Land Section Number: 17

Township: 10S

Range: 30W

Land Section:

Latitude: N 33 53 19.9

Longitude: W 94 12 48.8

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 92.215

Elevation (Feet): 302.542

Description: AHTD DISK IN SW WING OF BR 4857 BRIDGE CREEK RELIEF NO.2 ON  
MELROSE ROAD 1.4 MILES WEST OF THE INTERSECTION OF MELROSE  
AND CENTRAL ROADS. RECON BY S5102 FEB 2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660036

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established:

System: STATE

Job Number: 3937

Nearest City: LOCKESBURG

County: SEVIER

Route: 24

Section: 1 & 2

Log Mile: 5.78

Land Section Number: 25

Township: 09S

Range: 29W

Land Section:

Latitude: N 33 57 46.0

Longitude: W 94 04 22.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 99.84

Elevation (Feet): 327.558

Description: BENCHMARK DISC IN ABUTMENT ON RIGHT BRIDGE 6306 STATION  
115+28. RECON 1/2004 BY S5102.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660037

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #31

Date Established:

System: STATE

Job Number: 3937

Nearest City: LOCKESBURG

County: SEVIER

Route: 24

Section: 1 & 2

Log Mile: 6.02

Land Section Number: 25

Township: 09S

Range: 29W

Land Section:

Latitude: N 33 57 45.0

Longitude: W 94 04 07.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 99.804

Elevation (Feet): 327.440

Description: BENCH MARK DISC IN ABUTMENT ON RIGHT BRIDGE 6307 STATION  
130+32. RECON 1/2004 BY S5102.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660038

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: UNKNOWN

Date Established: 1/24/2006

System: STATE

Job Number: 030249

Nearest City: DEQUEEN

County: SEVIER

Route: 71

Section: 7

Log Mile: 5.42

Land Section Number: 28

Township: 07S

Range: 31W

Land Section:

Latitude: N 34 07 17.5

Longitude: W 94 18 43.5

Type: UNKNOWN

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 181.17

Elevation (Feet): 594.389

Description: AHTD ALUMINUM BM LOCATED IN WEST HEADWALL OF RC BOX  
CULVERT BM#932

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660039

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: UNKNOWN

Date Established: 1/11/2006

System: STATE

Job Number: 030249

Nearest City: DEQUEEN

County: SEVIER

Route: 71

Section: 7

Log Mile: 6.82

Land Section Number: 20

Township: 07S

Range: 31W

Land Section:

Latitude: N 34 08 26.7

Longitude: W 94 18 55.8

Type: UNKNOWN

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 165.751

Elevation (Feet): 543.801

Description: AHTD ALUMINUM BM LOCATED IN WEST HEADWALL OF RC BOX  
CULVERT BM#931

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660040

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: UNKNOWN

Date Established: 1/11/2006

System: STATE

Job Number: 030249

Nearest City: DEQUEEN

County: SEVIER

Route: 71

Section: 7

Log Mile: 6.94

Land Section Number: 20

Township: 07S

Range: 31W

Land Section:

Latitude: N 34 08 32.3

Longitude: W 94 18 52.2

Type: UNKNOWN

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 165.54

Elevation (Feet): 543.109

Description: AHTD ALUMINUM BM LOCATED IN WEST HEADWALL OF RC BOX  
CULVERT. BM#930

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660041

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #31

Date Established: 2/6/2006

System: STATE

Job Number: 030268

Nearest City: DEQUEEN

County: SEVIER

Route: 70

Section: 1

Log Mile: 6.5

Land Section Number: 23

Township: 08S

Range: 32W

Land Section:

Latitude: N 34 02 44.0

Longitude: W 94 22 00.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 115.01346

Elevation (Feet): 377.340

Description: AHTD ALUMINUM DISK LOCATED IN NORTH HEADWALL OF RC BOX CULVERT

Comments: Verified by ESS in June 08 by three wire levels ran by RE #31. Elevations are based on 1st Order NGS mark B 22 as noted in Job 030268 control file. Files from RE Levels can be found on EDM under s030268\_RE\_benches.zip.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

**Identification:** 660042

**Class:** UNKNOWN

**Vertical Datum:** NAVD88

**Established by:** RE OFFICE #31

**Date Established:** 2/6/2006

**System:** STATE

**Job Number:** 030268

**Nearest City:** DEQUEEN

**County:** SEVIER

**Route:** 70

**Section:** 1

**Log Mile:** 6.61

**Land Section Number:** 26

**Township:** 08S

**Range:** 32W

**Land Section:**

**Latitude:** N 34 02 43.0

**Longitude:** W 94 21 58.0

**Type:** SCALED

Scaled, GPS (Handheld), or GPS (Observed)

**Elevation (Meters):** 115.48895

**Elevation (Feet):** 378.900

**Description:** AHTD ALUMINUM DISC LOCATED IN SOUTH HEADWALL OF RC BOX CULVERT

**Comments:** Verified by ESS in June 08 by three wire levels ran by RE #31. Elevations are based on 1st Order NGS mark B 22 as noted in Job 030268 control file. Files from RE Levels can be found on EDM under s030268\_RE\_benches.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660043

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #31

Date Established: 2/10/2006

System: STATE

Job Number: 030268

Nearest City: DEQUEEN

County: SEVIER

Route: 70

Section: 1

Log Mile: 7.79

Land Section Number: 19

Township: 08S

Range: 31W

Land Section:

Latitude: N 34 02 46.0

Longitude: W 94 20 45.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 122.712725

Elevation (Feet): 402.600

Description: AHTD ALUMINUM DISK LOCATED IN SOUTH HEADWALL OF RC BOX  
CULVERT

Comments: Verified by ESS in June 08 by three wire levels ran by RE #31. Elevations are based on 1st Order NGS mark B 22 as noted in Job 030268 control file. Files from RE Levels can be found on EDM under s030268\_RE\_benches.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660044

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #31

Date Established: 4/14/2006

System: STATE Job Number: 030268 Nearest City: DEQUEEN

County: SEVIER Route: 70 Section: 1 Log Mile: 8.57

Land Section Number: 19 Township: 08S Range: 31W

Land Section:

Latitude: N 34 02 44.0 Longitude: W 94 19 56.0 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 125.44374 Elevation (Feet): 411.560

Description: AHTD ALUMINUM DISC LOCATED IN NORTH HEADWALL OF RC BOX CULVERT

Comments: Verified by ESS in June 08 by three wire levels ran by RE #31. Elevations are based on 1st Order NGS mark B 22 as noted in Job 030268 control file. Files from RE Levels can be found on EDM under s030268\_RE\_benches.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

**Identification:** 660045

**Class:** UNKNOWN

**Vertical Datum:** NAVD88

**Established by:** RE OFFICE #31

**Date Established:** 6/2/2006

**System:** STATE

**Job Number:** 030268

**Nearest City:** DEQUEEN

**County:** SEVIER

**Route:** 70

**Section:** 1

**Log Mile:** 13.25

**Land Section Number:** 29

**Township:** 08S

**Range:** 31W

**Land Section:**

**Latitude:** N 34 02 43.0

**Longitude:** W 94 19 41.0

**Type:** SCALED

Scaled, GPS (Handheld), or GPS (Observed)

**Elevation (Meters):** 124.13919

**Elevation (Feet):** 407.280

**Description:** AHTD ALUMINUM DISC LOCATED IN SOUTH HEADWALL OF RC BOX  
CULVERT

**Comments:** Verified by ESS in June 08 by three wire levels ran by RE #31. Elevations are based on 1st Order NGS mark B 22 as noted in Job 030268 control file. Files from RE Levels can be found on EDM under s030268\_RE\_benches.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660046

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #31

Date Established: 5/14/2008

System: STATE

Job Number: 030268

Nearest City: DEQUEEN

County: SEVIER

Route: 70

Section: 1

Log Mile: 12.63

Land Section Number: 29

Township: 08S

Range: 31W

Land Section:

Latitude: N 34 02 44.0

Longitude: W 94 19 02.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 121.10643

Elevation (Feet): 397.330

Description: AHTD ALUMINUM DISK LOCATED IN THE NORTHEAST CORNER OF  
PARAPET WALL OF BRIDGE #7034

Comments: Verified by ESS in June 08 by three wire levels ran by RE #31. Elevations are based on 1st Order NGS mark B 22 as noted in Job 030268 control file. Files from RE Levels can be found on EDM under s030268\_RE\_benches.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660047

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: N/A Nearest City:

County: SEVIER Route: 329 Section: 1 Log Mile: 6.54

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 116.18999 Elevation (Feet): 381.200

Description: 15' RT / NW WING POST, BR 5639

Comments: Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660048

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: N/A Nearest City:

County: SEVIER Route: 329 Section: 1 Log Mile: 6.98

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 114.94945 Elevation (Feet): 377.130

Description: 17' RT / TOP SW WING, BR 5638

Comments: Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660049

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: N/A Nearest City:

County: SEVIER Route: 24 Section: 1 Log Mile: 11.05

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 113.29134 Elevation (Feet): 371.690

Description: DISK IN TOP SW WINGWALL, BR 5797

Comments: Benches were set in 1994 by District 3



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660050

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: N/A Nearest City:

County: SEVIER Route: 24 Section: 1 Log Mile: 16.80

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 100.16662 Elevation (Feet): 328.630

Description: STA 149+16 / DISK IN RIGHT ABUTMENT, BR 6308 (USGS)

Comments: Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660051

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: N/A Nearest City:

County: SEVIER Route: 24 Section: 1 Log Mile: 16.82

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 99.41986 Elevation (Feet): 326.180

Description: STD USGS BRONZE TABLET IN TOP OF UPSTREAM CONCRETE CURB @  
RT END BR 884, SALINE RIVER

Comments: Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660052

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: N/A Nearest City:

County: SEVIER Route: 41 Section: 1 Log Mile:

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 118.88138 Elevation (Feet): 390.030

Description: 0.15 MILES WEST JUNCTION SH 41 & GILSEN AVE (DEQUEEN)

Comments: Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660053

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: N/A Nearest City:

County: SEVIER Route: 41 Section: 1 Log Mile: 0.93

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 119.41783 Elevation (Feet): 391.790

Description: DISK IN TOP NE WINGWALL BR 5685

Comments: Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660054

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: N/A Nearest City:

County: SEVIER Route: 41 Section: 1 Log Mile: 1.30

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 111.76429 Elevation (Feet): 366.680

Description: DISK IN SE WINGWALL BR 5684

Comments: Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660055

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 4/26/1994

System: Job Number: N/A Nearest City:

County: SEVIER Route: 41 Section: 1 Log Mile: 1.67

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 109.09728 Elevation (Feet): 357.930

Description: 52' RT / DISK IN TOP NE WING

Comments: Benches were set in 1994 by District 3

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660056

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by:

Date Established:

System: STATE

Job Number: 030242

Nearest City: Locksburg

County: SEVIER

Route: 71

Section: 6

Log Mile: 3.02

Land Section Number: 3

Township: 09S

Range: 30W

Land Section: NWSE

Latitude: N 34 00 36.00

Longitude: W 94 10 43.00

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 115.1717

Elevation (Feet): 377.859

Description: ahtd disk in west headwall of RC box culvert. 3.02 log miles north of intersection Hwy 371 and Hwy 71 in Locksburg, AR.

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660057

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 6/28/2005

System: STATE Job Number: 030242 Nearest City: Locksburg

County: SEVIER Route: 71 Section: 6 Log Mile: 3.12

Land Section Number: 3 Township: 09S Range: 30W

Land Section: SENE

Latitude: N 34 00 41.10 Longitude: W 94 10 43.6 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 112.0506 Elevation (Feet): 367.619

Description: ahtd disk in west headwall of RC box culvert. 3.12 log miles north of intersection of Hwy 371 and Hwy 71 in Locksburg, AR.

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660058

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by:

Date Established: 6/28/2005

System: STATE

Job Number: 030242

Nearest City: Locksburg

County: SEVIER

Route: 71

Section: 6

Log Mile: 3.22

Land Section Number: 3

Township: 09S

Range: 30W

Land Section: SWNE

Latitude: N 34 00 46.0

Longitude: W 94 10 47.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 109.3318

Elevation (Feet): 358.699

Description: ahtd disk in east headwall of RC box culvert. 3.22 mile north of intersection of Hwy 371 and hwy 71 in Locksburg, AR.

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660059

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 6/22/2005

System: STATE Job Number: 030242 Nearest City: Locksburg

County: SEVIER Route: 71 Section: 6 Log Mile: 3.65

Land Section Number: 34 Township: 08S Range: 30W

Land Section: SESW

Latitude: N 34 01 05.0 Longitude: W 94 11 02.0 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 106.0399 Elevation (Feet): 347.899

Description: ahtd disk in east headwall of RC box culvert. 3.65 miles north of intersection of hwy 371 and hwy 71 in Locksburg, AR.

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 660060

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 6/28/2005

System: STATE Job Number: 030242 Nearest City: Locksburg

County: SEVIER Route: 71 Section: 5 Log Mile: 7.53

Land Section Number: 14 Township: 10S Range: 30W

Land Section: NWSE

Latitude: N 33 53 31.00 Longitude: W 94 09 59.0 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 145.0696 Elevation (Feet): 475.949

Description: ahtd disk in east headwall of RC box culvert. 5.45 miles south of the intersection of Hwy 371 and hwy 71 in Locksburg, AR.

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 670001

Class:

Vertical Datum:

Established by: RE OFFICE #53

Date Established:

System:

Job Number: 5792

Nearest City: POUGH KEEPSIE

County: SHARP

Route: 56

Section: 4

Log Mile: 7.26

Land Section Number: 19

Township: 17N

Range: 05W

Land Section: NW

Latitude: N 36 04 44.5

Longitude: W 91 29 24.2

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 116.443

Elevation (Feet): 382.030

Description: A.H.T.D. STANDARD DISC TOP NORTHEAST CORNER HEADWALL TRIP  
9'X 6'X 71' R.C. BOX CULVERT STATION

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 670002

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 5797

Nearest City: POUGH KEEPSIE

County: SHARP

Route: 58

Section: 3

Log Mile: 9.45

Land Section Number: 19

Township: 17N

Range: 04W

Land Section:

Latitude: N 36 06 34.9

Longitude: W 91 27 02.2

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 101.358

Elevation (Feet): 332.539

Description: BRIDGE OVER "STRAWBERRY RIVER"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 670003

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: POUGH KEEPSIE

County: SHARP

Route: 58

Section: 3

Log Mile: 9.45

Land Section Number: 19

Township: 17N

Range: 04W

Land Section: NW

Latitude: N 36 06 34.9

Longitude: W 91 27 02.2

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 101.358

Elevation (Feet): 332.539

Description: RIGHT WING SOUTHWEST BRIDGE END (BRIDGE #5966) BRIDGE OVER "STRAWBERRY RIVER".

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 670004

Class:

Vertical Datum:

Established by: RE OFFICE #53

Date Established: 10/5/1990

System: STATE

Job Number: 5867

Nearest City: WILLIFORD

County: SHARP

Route: 58E

Section: 3E

Log Mile: 0.27

Land Section Number: 36

Township: 19N

Range: 04W

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 96.027

Elevation (Feet): 315.049

Description: A.H.T.D. DISK PLACED IN TOP OF R.C. BOX HEADWALL RIGHT SIDE  
STATION 10+18 STATION AND LOG MILE DO NOT EQUATE

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 670005

Class:

Vertical Datum:

Established by: RE OFFICE #53

Date Established: 10/5/1990

System: STATE

Job Number: 5867

Nearest City: WILLIFORD

County: SHARP

Route: 58E

Section: 3E

Log Mile: 2.35

Land Section Number: 30

Township: 19N

Range: 03W

Land Section: NW

Latitude: N 36 16 19.5

Longitude: W 91 20 40.8

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 104.952

Elevation (Feet): 344.330

Description: A.H.T.D. DISK IN TOP OF SOUTHEAST WINGWALL OF HUMPHREY CREEK BRIDGE STATION 119+81 LOG MILE AND STATION DO NOT EQUATE. LOG MILE ON BRIDGE IS 2.52 (SHOWN ON SIGN)

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 670006

Class:

Vertical Datum:

Established by:

RE OFFICE #53

Date Established: 9/24/1990

System: STATE

Job Number: 5831

Nearest City: HARDY

County: SHARP

Route: 62

Section: 17

Log Mile:

Land Section Number: 11

Township: 19N

Range: 05W

Land Section: NW

Latitude: N 36 18 59.6

Longitude: W 91 29 23.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 120.378

Elevation (Feet): 394.940

Description: A.H.T.D. DISK IN TOP OF LEFT BRIDGE END POST ON NORTHEAST END OF BRIDGE (SPRING RIVER)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 670007

Class:

Vertical Datum:

Established by: RE OFFICE #53

Date Established: 7/10/1991

System: STATE

Job Number: 5855

Nearest City: CENTER

County: SHARP

Route: 354

Section: 4

Log Mile: 7.78

Land Section Number: 4

Township: 17N

Range: 05W

Land Section: SE

Latitude: N 36 09 30.4

Longitude: W 91 30 51.1

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 118.744

Elevation (Feet): 389.579

Description: A.H.T.D. STANDARD DISK IN TOP RIGHT WING (NORTHWEST)  
BEGINNING OF BRIDGE NO. 6326 (STATION 413+79 RIGHT) BRIDGE  
OVER "BIG CREEK"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 670008

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 5688

Nearest City: CENTER

County: SHARP

Route: 354

Section: 4

Log Mile: 6.77

Land Section Number: 33

Township: 18N

Range: 05W

Land Section: SE

Latitude: N 36 10 21.8

Longitude: W 91 31 17.4

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 121.847

Elevation (Feet): 399.760

Description: DISK TOP HEADWALL SOUTHEAST CORNER R.C. BOX OF CENTERLINE  
322+18

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 670009

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: CENTER

County: SHARP

Route: 354

Section: 4

Log Mile: 10.98

Land Section Number: 11

Township: 17N

Range: 05W

Land Section:

Latitude: N 36 08 13.1

Longitude: W 91 28 35.4

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 151.644

Elevation (Feet): 497.519

Description: DISK TOP HEADWALL NORTHWEST CORNER R.C. BOX 574+62 LOG  
MILES ON THESE STATIONS ON HWY 354 APPEAR TO BE SLIGHTLY OFF.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 670010

Class:

Vertical Datum: NGVD29

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: CENTER

County: SHARP

Route: 354

Section: 4

Log Mile: 12.21

Land Section Number: 7

Township: 17N

Range: 04W

Land Section: SW

Latitude: N 36 08 05.2

Longitude: W 91 27 19.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 120.408

Elevation (Feet): 395.039

Description: DISK TOP WINGWALL NORTHEAST CORNER R.C. BOX 639+59

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 670011

Class:

Vertical Datum:

Established by: RE OFFICE #53

Date Established: 12/12/1994

System: STATE

Job Number: 5897

Nearest City: HARDY

County: SHARP

Route: U. S. 62

Section: 17

Log Mile: 6.89

Land Section Number: 10

Township: 19N

Range: 05W

Land Section: NE

Latitude: N 36 19 00.3

Longitude: W 91 29 52.5

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 118.71

Elevation (Feet): 389.468

Description: AHTD DISK IN TOP OF DROP INLET-30' RT. OF CENTERLINE (JOB STA. 511+00).

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 670012

Class:

Vertical Datum:

Established by: RE OFFICE #53

Date Established: 12/12/1994

System: STATE

Job Number: 5897

Nearest City: HIGHLAND

County: SHARP

Route: 62

Section: 17

Log Mile: 2.99

Land Section Number: 28

Township: 19N

Range: 05W

Land Section: SE

Latitude: N 36 15 59.7

Longitude: W 91 30 55.8

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 217.6

Elevation (Feet): 713.909

Description: AHTD DISK IN TOP OF DROP INLET-30' RT. OF CENTERLINE (JOB STA. 304+78).

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 670013

Class:

Vertical Datum:

Established by: RE OFFICE #53

Date Established: 12/12/1994

System: STATE

Job Number: 5897

Nearest City: HARDY

County: SHARP

Route: U. S. 62

Section: 17

Log Mile: 5.88

Land Section Number: 15

Township: 19N

Range: 05W

Land Section: NW

Latitude: N 36 18 16.4

Longitude: W 91 30 13.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 175.955

Elevation (Feet): 577.279

Description: AHTD DISK IN TOP INLET-30.6' RT. OF CENTERLINE (JOB STA. 457+33).

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 670014

Class:

Vertical Datum:

Established by: RE OFFICE #53

Date Established: 12/12/1994

System: STATE

Job Number: 5897

Nearest City: HIGHLAND

County: SHARP

Route: 62

Section: 17

Log Mile: 1.08

Land Section Number: 31

Township: 19N

Range: 05W

Land Section: NE

Latitude: N 36 15 34.9

Longitude: W 91 32 51.6

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 220.245

Elevation (Feet): 722.587

Description: AHTD DISK IN TOP OF DROP INLET-40.6' RT. CENTERLINE (JOB STA. 20+88).

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 670015

Class:

Vertical Datum:

Established by: RE OFFICE #53

Date Established: 12/12/1994

System: STATE

Job Number: 5897

Nearest City: HIGHLAND

County: SHARP

Route: 62

Section: 17

Log Mile: 2.12

Land Section Number: 33

Township: 19N

Range: 05W

Land Section: NW

Latitude: N 36 15 42.1

Longitude: W 91 31 44.8

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 218.916

Elevation (Feet): 718.227

Description: AHTD DISK IN TOP OF DROP INLET-30' RT. CENTERLINE (JOB STA. 259+27).

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 670016

Class:

Vertical Datum:

Established by: RE OFFICE #53

Date Established: 12/12/1994

System: STATE

Job Number: 5899

Nearest City: IN CAVE CITY

County: SHARP

Route: 167

Section: 19

Log Mile: 0.01

Land Section Number: 17

Township: 15N

Range: 05W

Land Section: SE

Latitude: N 35 56 16.8

Longitude: W 91 32 53.2

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 200.5

Elevation (Feet): 657.807

Description: AHTD IN TOP OF LT. HDWL. TRIP. 5' x 3' R. C. BOX-STA. 17+75.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 670017

Class:

Vertical Datum:

Established by: RE OFFICE #53

Date Established: 12/12/1994

System: STATE

Job Number: 5899

Nearest City: CAVE CITY

County: SHARP

Route: 167

Section: 19

Log Mile: 0.56

Land Section Number: 17

Township: 15N

Range: 05W

Land Section: SE

Latitude: N 35 56 45.9

Longitude: W 91 32 56.4

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 195.587

Elevation (Feet): 641.688

Description: AHTD STD. DISK IN TOP OF LT. HDWL., AT CENTER OF HDWL., DBL. 10' x 5' R. C. BOX, STA. 47+33.66.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 670018

Class:

Vertical Datum:

Established by: RE OFFICE #53

Date Established: 12/20/1994

System: COUNTY Job Number: FA6703 Nearest City: NELSONVILLE

County: SHARP Route: CR 38 Section: Log Mile:

Land Section Number: 16 Township: 17N Range: 04W

Land Section: SE

Latitude: N 36 07 11.8 Longitude: W 91 24 12.3 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 97.984 Elevation (Feet): 321.469

Description: AHTD DISK IN TOP OF PARAPET RAIL, SOUTHEAST CORNER OF BRIDGE NO. 4724. BRIDGE OVER "MILL CREEK" KNOWN AS "STRAWBERRY RIVER ROAD"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 670019

Class:

Vertical Datum:

Established by: RE OFFICE #53

Date Established: 8/13/1993

System: STATE

Job Number: 5941

Nearest City: ASHFLAT

County: SHARP

Route: 62

Section: 17

Log Mile: 2.64

Land Section Number: 31

Township: 19N

Range: 05W

Land Section: SW

Latitude: N 36 15 27.3

Longitude: W 91 33 52.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 194.048

Elevation (Feet): 636.639

Description: AHTD STD. DISK IN TOP SE CORNER, RT. HDWL., DBL. 8' x 4' R. C. BOX,  
STA. 152+48.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 670020

Class:

Vertical Datum:

Established by: RE OFFICE #53

Date Established: 5/4/1994

System: STATE Job Number: 5941 Nearest City: ASHFLAT

County: SHARP Route: 167 Section: 15 Log Mile: 0.98

Land Section Number: 2 Township: 18N Range: 06W

Land Section: NE

Latitude: N 36 14 49.3 Longitude: W 91 35 23.7 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 187.65 Elevation (Feet): 615.648

Description: AHTD STD. DISK IN TOP SE CORNER, RT. HDWL., 4' x 4' R. C. BOX, STA. 64+67.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 670021

Class:

Vertical Datum:

Established by: RE OFFICE #53

Date Established: 5/4/1994

System: STATE

Job Number: 5941

Nearest City: ASHFLAT

County: SHARP

Route: 62

Section: 15

Log Mile: 0.10

Land Section Number: 2

Township: 18N

Range: 06W

Land Section: SE

Latitude: N 36 14 13.8

Longitude: W 91 35 56.3

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 178.558

Elevation (Feet): 585.819

Description: AHTD STD. DISK IN TOP, SE CORNER, RT. HDWL., 8' x 6' R. C. BOX, STA. 18+60. HWY-62 IS CARRYING THE LOG MILE ON THIS SECTION OF THE HIGHWAY.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 670022

Class:

Vertical Datum:

Established by: RE OFFICE #53

Date Established: 12/20/1995

System: STATE

Job Number: 5941

Nearest City: ASHFLAT

County: SHARP

Route: 62

Section: 15

Log Mile: .66

Land Section Number: 2

Township: 18N

Range: 06W

Land Section: SE

Latitude: N 36 14 30.6

Longitude: W 91 35 31.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 174.26

Elevation (Feet): 571.718

Description: AHTD DISK IN TOP, SE CORNER, RT. PARAPET BR. NO. 6498, STA. 47+75.  
BRIDGE OVER "HACKNEY CREEK"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 670023

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: BR-67-2

Nearest City: HARDY

County: SHARP

Route: SPRING ST.

Section: HARDY

Log Mile:

Land Section Number: 11

Township: 19N

Range: 05W

Land Section: SW

Latitude: N 36 18 47.8

Longitude: W 91 28 58.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 111.252

Elevation (Feet): 364.999

Description: DISK IN TOP WINGWALL, NE CORNER OF BR. NO. 4507 OVER SPRING RIVER, HARDY

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 670024

Class:

Vertical Datum:

Established by: RE OFFICE #53

Date Established: 5/12/1992

System: COUNTY Job Number: BR-67-3 Nearest City:

County: SHARP Route: CR 1084 Section: Log Mile: 1.0

Land Section Number: 5 Township: 19N Range: 05W

Land Section: SE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 122.286 Elevation (Feet): 401.200

Description: AHTD STD. DISK IN TOP OF SW WING OF SOUTH FORK SPRING RIVER  
BRIDGE N/R

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 670025

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #53

Date Established: 9/9/1998

System: COUNTY

Job Number: BR6704

Nearest City: ASHFLAT

County: SHARP

Route: CR 49

Section:

Log Mile:

Land Section Number: 20

Township: 18N

Range: 05W

Land Section: SE

Latitude: N 36 11 45.4

Longitude: W 91 32 14.4

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 131.948

Elevation (Feet): 432.899

Description: AHTD DISK IN TOP OF SW WINGWALL OF BR NO. 04791 BRIDGE OVER  
"NORTH BIG CREEK" NOW KNOWN AS "LIBERTY HILL ROAD".

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 670026

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: RE OFFICE #53

Date Established: 4/23/2003

System: STATE

Job Number: 050009

Nearest City: CAVE CITY

County: SHARP

Route: 230

Section: 1

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 190.717

Elevation (Feet): 625.711

Description: AHTD DISK IN NW CORNER OF RC BOX CULVERT

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 670027

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: RE OFFICE #53

Date Established: 4/23/2003

System: STATE

Job Number: 050009

Nearest City: CAVE CITY

County: SHARP

Route: 230

Section: 1

Log Mile: 0.72

Land Section Number:

Township: 15N

Range: 05W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 187.225

Elevation (Feet): 614.254

Description: AHTD DISK IN SW BR END OVER ROLLING FORK CREEK

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 670028

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #53

Date Established: 3/24/2005

System: STATE Job Number: 005913 Nearest City: SITKA

County: SHARP Route: 58 Section: 3 Log Mile: 15.89

Land Section Number: 28 Township: 18N Range: 04W

Land Section: NWNW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 144.123 Elevation (Feet): 472.844

Description: SW CORNER OF BRIDGE NUMBER 06654 OVER MILL CREEK

Comments: DATE LAST MODIFIED 06/22/2006

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 670029

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #52

Date Established: 2/2/2016

System: STATE Job Number: 005675 Nearest City: Williford

County: SHARP Route: 58 Section: 3 Log Mile: 21.49

Land Section Number: 36 Township: 19n Range: 04w

Land Section: SW

Latitude: N 36 14 44.00000 Longitude: W 91 21 42.00000 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 93.3285

Elevation (Feet): 306.195

Description: AHTD MARKER IN SOUTHWEST CORNER OF ABUTMENT WING WALL,  
IN SPRING RIVER BRIDGE NUMBER 05683.

Comments: Elevation verified,



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 670030

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #52

Date Established: 2/2/2016

System: STATE

Job Number: 005675

Nearest City: Williford

County: SHARP

Route: 58

Section: 3

Log Mile: 21.7

Land Section Number: 36

Township: 19n

Range: 04w

Land Section: SW

Latitude: N 36 14 54.30000

Longitude: W 91 21 46.70000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 101.8964

Elevation (Feet): 334.305

Description: AHTD MARKER IN NORTHEAST CORNER OF ABUTMENT WING WALL,  
IN SPRING RIVER BRIDGE NUMBER 05683.

Comments: Elevation verified,

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680002

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: SO. FORREST CITY

County: ST. FRANCIS

Route: 1

Section: 11

Log Mile: 5.9

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 59 18.0

Longitude: W 90 46 53.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.287

Elevation (Feet): 266.689

Description: DISK ON SOUTH END OF EAST HEADWALL DOUBLE 10'X 10' BOX.  
RECON BY S5102 1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680003

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: FORREST CITY

County: ST. FRANCIS

Route: 1

Section: 11

Log Mile: 7.5

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 00 40.0

Longitude: W 90 47 09.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 84.201

Elevation (Feet): 276.249

Description: DISK SOUTHWEST CORNER OF DROP INLET AT SOUTHEAST CORNER  
OF HIGHWAY 1 AND GARLAND STREET RECON BY S5102 1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680004

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: HETH

County: ST. FRANCIS

Route: I-40

Section: 51

Log Mile: 259.89

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 07 56.0

Longitude: W 90 29 13.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.091

Elevation (Feet): 229.957

Description: CHISELED "[]" IN SOUTHWEST CORNER OF WHEELGUARD IN  
HIGHWAY 149 UNDERPASS BRIDGE NO. 3901 (AT SHELL LAKE) RECON  
BY S5102 1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680005

Class:

Vertical Datum:

Established by:

RE OFFICE #13

Date Established: 1/24/1989

System:

Job Number:

R10009

Nearest City:

FORREST CITY

County:

ST. FRANCIS

Route:

I-40

Section:

51

Log Mile:

241.77

Land Section Number:

15

Township:

05N

Range:

03E

Land Section:

SW

Latitude:

N 35 02 15.0

Longitude:

W 90 46 20.0

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

101.254

Elevation (Feet):

332.197

Description:

A.H.T.D. DISC RIGHT WINGWALL BRIDGE 3620-B STATION 4152+92.6  
(HIGHWAY 284 OVERPASS) RECON BY S5102 1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680006

Class:

Vertical Datum:

Established by:

RE OFFICE #13

Date Established: 1/24/1989

System: STATE

Job Number: R10009

Nearest City: FORREST CITY

County: ST. FRANCIS

Route: I-40

Section: 51

Log Mile: 243.02

Land Section Number: 23

Township: 05N

Range: 03E

Land Section: NE

Latitude: N 35 02 08.0

Longitude: W 90 45 01.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.268

Elevation (Feet): 279.750

Description: A.H.T.D. DISC RIGHT WINGWALL BRIDGE 3621-B STATION 4218+98.5  
(CROW CREEK) RECON BY S5102 1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680007

Class:

Vertical Datum:

Established by: RE OFFICE #13

Date Established: 1/24/1989

System: STATE

Job Number: R10009

Nearest City: FORREST COTY

County: ST. FRANCIS

Route: I-40

Section: 51

Log Mile: 244.73

Land Section Number: 19

Township: 05N

Range: 04E

Land Section: NW

Latitude: N 35 02 04.0

Longitude: W 90 43 17.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 78.501

Elevation (Feet): 257.549

Description: A.H.T.D. DISC RIGHT WINGWALL BRIDGE 3624-B STATION 4311+67  
(HIGHWAY 50-OVERPASS) RECON BY S5102 1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680008

Class:

Vertical Datum:

Established by:

RE OFFICE #13

Date Established: 1/24/1989

System: STATE

Job Number: R10009

Nearest City:

County: ST. FRANCIS

Route: I-40

Section: 51

Log Mile: 245.16

Land Section Number: 18

Township: 05N

Range: 04E

Land Section: SE

Latitude: N 35 02 20.0

Longitude: W 90 42 56.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 67.504

Elevation (Feet): 221.469

Description: A.H.T.D. DISC RIGHT WINGWALL BRIDGE 3625-B STATION 4335+19 (ST. FRANCIS RIVER) RECON BY S5102 1/2004.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680009

Class:

Vertical Datum:

Established by: RE OFFICE #13

Date Established:

System:

Job Number: 110047

Nearest City:

County: ST. FRANCIS

Route: 70

Section: 18

Log Mile: 13.54

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 58 15.0

Longitude: W 90 53 24.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 61.722

Elevation (Feet): 202.500

Description: METAL A.H.T.D. DISK IN RIGHT WING ON EAST END OF BRIDGE 1579R  
RECON BY S5102 1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680010

Class:

Vertical Datum: NGVD29

Established by: RE OFFICE #13

Date Established:

System:

Job Number: 110047

Nearest City: PALESTINE

County: ST. FRANCIS

Route: 70

Section: 18

Log Mile: 13.91

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 34 58 22.0

Longitude: W 90 53 06.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 62.06

Elevation (Feet): 203.609

Description: METAL A.H.T.D. DISK IN RIGHT WING ON WEST END OF BRIDGE 1579R.  
RECON BY S5102 1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680011

Class:

Vertical Datum:

Established by: RE OFFICE #13

Date Established: 5/22/1991

System: STATE

Job Number: 110180

Nearest City: FORREST CITY

County: ST. FRANCIS

Route: 70

Section: 18

Log Mile: 19.20

Land Section Number: 32

Township: 05N

Range: 03E

Land Section: NE

Latitude: N 35 00 05.0

Longitude: W 90 48 00.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 67.946

Elevation (Feet): 222.920

Description: SOUTHEAST CORNER OF CURTAIN WALL ON 84" R.C. PIPE CULVERT.  
RECON BY S5102 1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680012

Class:

Vertical Datum:

Established by:

Date Established: 9/23/1992

System: STATE

Job Number: 110203

Nearest City:

County: ST. FRANCIS

Route: 79

Section: 17

Log Mile: 4.86

Land Section Number: 16

Township: 04N

Range: 06E

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 58.878

Elevation (Feet): 193.169

Description: A.H.T.D. DISK SET IN CONCRETE HEADWALL ON SOUTHWEST CORNER  
38' LEFT OF CENTERLINE OF STATION 19+56 (JOB 110203) BASED ON  
DESCRIPTION NOT RECOVERABLE BY S5102 1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680013

Class:

Vertical Datum:

Established by:

Date Established: 1/1/1984

System:

Job Number: 110033

Nearest City:

County: ST. FRANCIS

Route: 131

Section: 2

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 62.508

Elevation (Feet): 205.078

Description: C.P.S. SIDE 48" COTTONWOOD 37' LEFT OF CENTERLINE 319.88. BASED ON DESCRIPTION NOT RECOVERABLE BY S5102 1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680014

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 110033

Nearest City:

County: ST. FRANCIS

Route: 131

Section: 2

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 62.581

Elevation (Feet): 205.318

Description: 1984 REFERENCE JOB 110033 DISK TOP BRIDGE WING 17.5' LEFT  
319+08 BRIDGE NO: 6023 ZANONE BAYOU BRIDGE & APPRS.BASED  
ON DESCRIPTION NOT RECOVERABLE BY S5102 1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680015

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City:

County: ST. FRANCIS

Route: 149

Section: 2

Log Mile: 4.06

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 05 13.0

Longitude: W 90 29 24.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 61.834

Elevation (Feet): 202.867

Description: DISK TOP OF WINGWALL AT CORNER SOUTHEAST OF BRIDGE NO M-2058. RECON BY S5102 1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680016

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City:

County: ST. FRANCIS

Route: 284

Section: 3

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 95.283

Elevation (Feet): 312.608

Description: [] CUT CONE CURB INTERSECTION I-40 STATE HIGHWAY 284 E-284.BASED ON DESCRIPTION NOT RECOVERABLE BY S5102 1/2004.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680017

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City:

County: ST. FRANCIS

Route: 284

Section: 3

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 108.085

Elevation (Feet): 354.609

Description: [ ] CUT NORTH HEADWALL CULVERT JUNCTION STATE HIGHWAY 284-  
NORTH EXIT ARKANSAS COMMUNITY COLLEGE. BASED ON  
DESCRIPTION NOT RECOVERABLE BY S5102 1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680018

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City:

County: ST. FRANCIS

Route: 284

Section: 3

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 84.146

Elevation (Feet): 276.069

Description: USGS DISK NORTHWEST CORNER WASHINGTON STREET AND HILL STREET NORTHEAST CORNER GROUND POST OFFICE LOT STAMPED N15 1932 TOP CONE POST. BASED ON DESCRIPTION NOT RECOVERABLE BY S5102 1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680019

Class:

Vertical Datum:

Established by: RE OFFICE #13

Date Established: 11/19/1992

System: STATE

Job Number: 110166

Nearest City:

County: ST. FRANCIS

Route: 284

Section: 3

Log Mile:

Land Section Number: 15

Township: 05N

Range: 03E

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 101.87

Elevation (Feet): 334.218

Description: A.H.T.D. DISC SET IN CONCRETE 37' LEFT STATION 9+32. BASED ON DESCRIPTION NOT RECOVERABLE BY S5102 1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680020

Class:

Vertical Datum:

Established by:

Date Established:

System: COUNTY

Job Number: BR68-1

Nearest City: HUGHES

County: ST. FRANCIS

Route: CR 65

Section:

Log Mile:

Land Section Number: 29

Township: 04N

Range: 06E

Land Section: NW

Latitude: N 34 55 47.0

Longitude: W 90 29 38.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

Elevation (Feet):

Description: TOP OF SW ABUTMENT OF CROOKED CREEK BRIDGE (1981) AHTD  
ALUM. CAP DISC. BR 4410. RECON BY S5102 1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680021

Class:

Vertical Datum:

Established by: RE OFFICE #13

Date Established: 7/10/1996

System: STATE

Job Number: R10084

Nearest City: FORREST CITY

County: ST. FRANCIS

Route: I-40

Section: 51

Log Mile: 240.01

Land Section Number: 20

Township: 05N

Range: 03E

Land Section: NE

Latitude: N 35 02 04.0

Longitude: W 90 48 09.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 84.171

Elevation (Feet): 276.151

Description: AHTD DISK LOCATED ON THE NORTH EAST WING WALL OF BR NO. 6522A, STA. 4060+96.79, 21.08 FEET LEFT OF CENTER LINE. RECON BY S5102 1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680022

Class:

Vertical Datum:

Established by: RE OFFICE #13

Date Established: 2/24/1997

System: STATE

Job Number: R10084

Nearest City: FORREST CITY

County: ST. FRANCIS

Route: I-40

Section: 51

Log Mile: 239.96

Land Section Number: 20

Township: 05N

Range: 03E

Land Section: NE

Latitude: N 35 02 01.0

Longitude: W 90 48 12.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 83.817

Elevation (Feet): 274.990

Description: AHTD DISK LOCATED ON THE SOUTH WEST WING WALL OF BR NO. 6522 B, STA. 4057+91.90, 21.08 FEET RIGHT OF CENTERLINE. RECON BY S5102 1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680023

Class:

Vertical Datum:

Established by:

RE OFFICE #13

Date Established: 7/10/1996

System: STATE

Job Number: R10084

Nearest City: FORREST CITY

County: ST. FRANCIS

Route: I-40

Section: 51

Log Mile: 240.78

Land Section Number: 21

Township: 05N

Range: 03E

Land Section: NW

Latitude: N 35 02 12.0

Longitude: W 90 47 22.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 90.639

Elevation (Feet): 297.371

Description: AHTD DISK IN NORTH EAST WINGWALL OF BR. NO. 6523 A, STA 4101+16.10, 25.21 FEET OF CENTERLINE. RECON BY S5102 1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680024

Class:

Vertical Datum:

Established by:

RE OFFICE #13

Date Established: 2/24/1997

System: STATE

Job Number: R10084

Nearest City: FORREST CITY

County: ST. FRANCIS

Route: I-40

Section: 51

Log Mile: 240.73

Land Section Number: 21

Township: 05N

Range: 03E

Land Section: NW

Latitude: N 35 02 10.0

Longitude: W 90 47 25.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 88.673

Elevation (Feet): 290.921

Description: AHTD DISC IN SOUTH WEST WINGWALL OF BR. NO. 6523 B, STA.  
4098+68.62, 25.21 FEET RIGHT OF CENTERLINE. RECON BY S5102 1/2004.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680025

Class:

Vertical Datum:

Established by: RE OFFICE #13

Date Established: 12/11/1997

System: STATE

Job Number: R10089

Nearest City: PALESTINE

County: ST. FRANCIS

Route: I-40

Section: 51

Log Mile: 234.19

Land Section Number: 4

Township: 04N

Range: 02E

Land Section: NE

Latitude: N 34 59 23.0

Longitude: W 90 53 24.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.748

Elevation (Feet): 215.708

Description: METAL AHTD DISC LOCATED ON THE SOUTH EAST IWNGWALL OF  
BRIDGE NO. 6518 A. STATION 3735+87, 21.0 FEET RIGHT OF THE BRIDGE  
CENTERLINE. RECON BY S5102 1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680026

Class:

Vertical Datum:

Established by:

RE OFFICE #13

Date Established: 5/21/1998

System: STATE

Job Number: R10089

Nearest City: PALESTINE

County: ST. FRANCIS

Route: I-40

Section: 51

Log Mile: 234.04

Land Section Number: 4

Township: 04N

Range: 02E

Land Section: NE

Latitude: N 34 59 19.0

Longitude: W 90 53 28.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.516

Elevation (Feet): 214.947

Description: METAL AHTD DISC LOCATED ON THE SOUTH WEST WINGWALL OF  
BRIDGE NO. 6548B, STATION 3727+91 21.0 FEET RIGHT OF THE BRIDGE  
CENTERLINE. RECON BY S5102 1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680027

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 2/22/1996

System: STATE Job Number: R10015 Nearest City: FORREST CITY

County: ST. FRANCIS Route: 1 Section: 12 Log Mile:

Land Section Number: 19 Township: 05N Range: 03E

Land Section: NE

Latitude: N 35 02 51.0 Longitude: W 90 47 46.0 Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.512 Elevation (Feet): 267.427

Description: AHTD DISK IN SOUTH END OF HDWL. RT. STA. 78+14. RECON BY S5102  
1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680028

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 2/22/1996

System: STATE Job Number: R10015 Nearest City: COLDWELL

County: ST. FRANCIS Route: 1 Section: 12 Log Mile:

Land Section Number: 8 Township: 05N Range: 03E

Land Section: SE

Latitude: N 35 03 18.0 Longitude: W 90 48 17.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 80.732 Elevation (Feet): 264.868

Description: AHTD DISK IN SOUTH END OF HDWL. RT. STA. 105+94. RECON BY S5102  
1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680029

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 2/22/1996

System: STATE Job Number: R10015 Nearest City: COLDWELL

County: ST. FRANCIS Route: 1 Section: 12 Log Mile:

Land Section Number: 8 Township: 05N Range: 03E

Land Section: SE

Latitude: N 35 03 13.0 Longitude: W 90 48 11.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.799 Elevation (Feet): 268.369

Description: AHTD DISK ON SOUTH END OF HDWL. RT. STA. 99+21. RECON BY S5102  
1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680030

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 2/22/1996

System: STATE Job Number: R10015 Nearest City:

County: ST. FRANCIS Route: 1 Section: 12 Log Mile:

Land Section Number: 19 Township: 05N Range: 03E

Land Section: NE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.889 Elevation (Feet): 281.787

Description: AHTD DISK IN SOUTH END OF HDWL. RT. STA. 69+15. BASED ON  
DESCRIPTION NOT RECOVERABLE BY S5102 1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680031

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 2/22/1996

System: STATE Job Number: R10015 Nearest City: FORREST CITY

County: ST. FRANCIS Route: 1 Section: 12 Log Mile:

Land Section Number: 19 Township: 05N Range: 03E

Land Section: NE

Latitude: N 35 02 51.0 Longitude: W 90 47 46.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 84.341 Elevation (Feet): 276.709

Description: AHTD DISK IN SOUTH END OF HDWL. RT. STA. 86+16. RECON BY S5102  
1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680032

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 8/30/1996

System: STATE Job Number: R10075 Nearest City: FORREST CITY

County: ST. FRANCIS Route: 1 Section: 12 Log Mile: 5.39

Land Section Number: 6 Township: 05N Range: 03E

Land Section: NE

Latitude: N 35 04 43.0 Longitude: W 90 49 01.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.811 Elevation (Feet): 232.319

Description: METAL AHTD DISC LOCATED IN THE SOUTH EAST CORNER  
HEADWALL OF R.C. BOX CULVERT, 57 FEET RIGHT AT STATION  
205+46. RECON BY S5102 1/2004.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680033

Class:

Vertical Datum: UNKNOWN

Established by:

Date Established: 8/30/1996

System: STATE

Job Number: R10075

Nearest City: FORREST CITY

County: ST. FRANCIS

Route: 1

Section: 12

Log Mile: 6.40

Land Section Number: 31

Township: 06N

Range: 03E

Land Section: SE

Latitude: N 35 05 33.0

Longitude: W 90 48 44.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.507

Elevation (Feet): 260.849

Description: METAL AHTD DISC LOCATED IN THE SOUTH EAST CORNER OF  
HEADWALL OF R.C. BOX CULVERT, 50 FEET RIGHT AT STATION  
258+75. RECON BY S5102 1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680034

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 8/30/1996

System: STATE Job Number: R10075 Nearest City: FORREST CITY

County: ST. FRANCIS Route: 1 Section: 12 Log Mile: 7.49

Land Section Number: 30 Township: 06N Range: 03E

Land Section: SE

Latitude: N 35 06 30.0 Longitude: W 90 48 42.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 89.943 Elevation (Feet): 295.088

Description: METAL AHTD DISC LOCATED IN THE SOUTH EAST CORNER  
HEADWALL OF R.C.B.C., 50 FEET RIGHT AT STATION 316+22. RECON BY  
S5102 1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680035

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 8/30/1996

System: STATE Job Number: R10075 Nearest City: COLT

County: ST. FRANCIS Route: 1 Section: 12 Log Mile: 8.44

Land Section Number: 19 Township: 06N Range: 03E

Land Section: SE

Latitude: N 35 07 20.0 Longitude: W 90 48 41.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.163 Elevation (Feet): 246.597

Description: METAL AHTD DISC LOCATED IN THE SOUTH EAST CORNER OF  
HEADWALL OF R.C.B., 50 FT. RIGHT AT STATION 366+19. RECON BY  
S5102 1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680036

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 2/22/1996

System: STATE Job Number: R10015 Nearest City:

County: ST. FRANCIS Route: 1 Section: 12 Log Mile:

Land Section Number: 8 Township: 05N Range: 03E

Land Section: SE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 82.945 Elevation (Feet): 272.129

Description: AHTD DISK IN SOUTH END OF HDWL. RT. STA. 93+76. BASED ON  
DESCRIPTION NOT RECOVERABLE BY S5102 1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680037

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 2/22/1996

System: STATE Job Number: R10015 Nearest City: COLDWELL

County: ST. FRANCIS Route: 1 Section: 12 Log Mile:

Land Section Number: 8 Township: 05N Range: 03E

Land Section: SW

Latitude: N 35 03 25.0 Longitude: W 90 48 25.0 Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 78.62 Elevation (Feet): 257.939

Description: AHTD DISK IN SOUTH END OF HDWL. RT. STA. 115+77. RECON BY S5102  
1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680038

Class:

Vertical Datum: UNKNOWN

Established by:

Date Established: 2/22/1996

System: STATE

Job Number: R10015

Nearest City: COLDWELL

County: ST. FRANCIS

Route: 1

Section: 12

Log Mile: 4.51

Land Section Number: 8

Township: 05N

Range: 03E

Land Section: NW

Latitude: N 35 03 37.0

Longitude: W 90 48 55.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.23

Elevation (Feet): 246.817

Description: AHTD DISK IN RT. WINGWALL OF BR #6553 STA 158+20. RECON BY S5102 1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680039

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 2/22/1996

System: STATE Job Number: R10015 Nearest City: COLDWELL

County: ST. FRANCIS Route: 1 Section: 12 Log Mile:

Land Section Number: 8 Township: 05N Range: 03E

Land Section: SW

Latitude: N 35 03 29.0 Longitude: W 90 48 30.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.867 Elevation (Feet): 248.907

Description: AHTD DISK IN SOUTH END OF HDWL. RT. STA. 121+17. RECON BY S5102  
1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680040

Class:

Vertical Datum: UNKNOWN

Established by:

Date Established: 11/2/1995

System: COUNTY

Job Number:

BR6810

Nearest City:

PINE TREE

County:

ST. FRANCIS

Route:

CR 107

Section:

6

Log Mile:

Land Section Number:

6

Township:

05N

Range:

02E

Land Section:

SW

Latitude: N 35 04 05.0

Longitude: W 90 56 18.0

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

61.755

Elevation (Feet):

202.608

Description:

AHTD DISC IN TOP RT. WINGWALL WEST BRIDGE END STA. 61+70.  
BR4746. RECON BY S5102 1/2004.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680041

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established: 6/10/1992

System: COUNTY

Job Number: BR-68-8

Nearest City: PALESTINE

County: ST. FRANCIS

Route: CR261

Section:

Log Mile:

Land Section Number: 25

Township: 05N

Range: 01E

Land Section: NE

Latitude: N 35 01 10.0

Longitude: W 90 54 56.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 61.292

Elevation (Feet): 201.089

Description: AHTD DISC IN SW END OF HDWL. 23' LT. STA. 16+86. RECON BY S5102  
1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680042

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established:

System: COUNTY

Job Number: BR-68-6

Nearest City: SHEARERVILLE

County: ST. FRANCIS

Route: CR 34

Section:

Log Mile: 0.26

Land Section Number: 15

Township: 06N

Range: 06E

Land Section:

Latitude: N 35 08 27.0

Longitude: W 90 28 42.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 59.268

Elevation (Feet): 194.448

Description: METAL AHTD DISK IN TOP SW WING BOX CLVT. STA. 44+08. RECON BY S5102 1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680043

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established:

System: COUNTY

Job Number: BR-68-5

Nearest City: PALESTINE

County: ST. FRANCIS

Route: CR261

Section:

Log Mile: 2.56

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 02 20.0

Longitude: W 90 54 40.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

Elevation (Feet):

Description: ALUMINUM DISK LT. WINGWALL STA. 22+02 BR. #4583. RECON BY S5102 1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680044

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: COUNTY Job Number: BR-68-2 Nearest City:

County: ST. FRANCIS Route: CR 69 Section: Log Mile:

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 60.24 Elevation (Feet): 197.637

Description: "[]" CENTERED CONC. WALK 19' LT. CENTERLINE 20+89. BASED ON  
DESCRIPTION NOT RECOVERABLE BY S5102 1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680045

Class:

Vertical Datum: UNKNOWN

Established by:

Date Established:

System: COUNTY

Job Number: BR-68-2

Nearest City:

County: ST. FRANCIS

Route: CR 69

Section:

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 60.289

Elevation (Feet): 197.798

Description: DISC TOP BR. WING 17.5' RT. CENTERLINE 26+71.96 BR # 4461. BASED ON DESCRIPTION NOT RECOVERABLE BY S5102 1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680046

Class:

Vertical Datum: UNKNOWN

Established by:

Date Established: 8/8/1990

System: COUNTY

Job Number: S-68-27

Nearest City: HUGHES

County: ST. FRANCIS

Route: CR 65

Section:

Log Mile:

Land Section Number: 29

Township: 04N

Range: 06E

Land Section: NW

Latitude: N 34 55 48.0

Longitude: W 90 29 38.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 61.197

Elevation (Feet): 200.777

Description: 1.0 MILE SW OF THE CITY OF HUGHES ON THE TOP OF THE SW  
WINGWALL OF THE BRIDGE OVER CROOKED BAYOU. RECON BY  
S5102 1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680047

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established: 11/19/1992

System: COUNTY

Job Number: F-68-7

Nearest City:

County: ST. FRANCIS

Route: FAS 1351

Section:

Log Mile: 2.3

Land Section Number: 17

Township: 05N

Range: 02E

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 63.953

Elevation (Feet): 209.819

Description: AHTD DISC SET IN CONCRETE NW CORNER OF SOUTHWESTERN BELL  
TELEPHONE OED. FOOTING 35' RT. STA. 36+61. BASED ON DESCRIPTION  
NOT RECOVERABLE BY S5102 1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680048

Class:

Vertical Datum: UNKNOWN

Established by:

Date Established:

System:

Job Number:

110144

Nearest City:

County:

ST. FRANCIS

Route:

CR 65

Section:

20 & 21

Log Mile:

0.59

Land Section Number:

Township:

Range:

06E

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

58.905

Elevation (Feet):

193.257

Description:

AHD DISK SET IN TOP SOUTH HEADWALL TRIPLE 7' x 7 x 65' RC BOX  
CULVERT RT. STA. 27+42. BASED ON DESCRIPTION NOT RECOVERABLE  
BY S5102 1/2004.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680049

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City:

County: ST. FRANCIS Route: CR 32 Section: ZONE B Log Mile: 3.53

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 61.2009 Elevation (Feet): 200.790

Description: DISK TOP OF WINGWALL AT NW CORNER OF COUNTY BR 17007 (OLD BR 4357). BASED ON DESCRIPTION NOT RECOVERABLE BY S5102 1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680050

Class:

Vertical Datum:

Established by:

Date Established: 2/16/1994

System: STATE

Job Number: R10044

Nearest City: FORREST CITY

County: ST. FRANCIS

Route: 1

Section: 10

Log Mile: 6.34

Land Section Number: 21

Township: 03N

Range: 03E

Land Section: NE

Latitude: N 34 59 19.0

Longitude: W 90 46 54.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 60.954

Elevation (Feet): 199.980

Description: AHTD DISK IN S.W. END OF HEADWALL LT STA .348+10. RECON BY  
S5102 1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680051

Class:

Vertical Datum:

Established by:

Date Established: 2/16/1994

System: STATE

Job Number: R10044

Nearest City:

County: ST. FRANCIS

Route: 1

Section: 11

Log Mile: 8.36

Land Section Number: 09

Township: 03N

Range: 03E

Land Section: NE

Latitude: N 34 57 24.0

Longitude: W 90 46 54.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.8247

Elevation (Feet): 215.960

Description: AHTD DISK IN S.E. END OF HEADWALL RT STA. 448+65 BR5470 CANDY CREEK RECON BY S5102 1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680052

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 2/16/1994

System: STATE Job Number: R10044 Nearest City: MT. VERNON

County: ST. FRANCIS Route: 1 Section: 11 Log Mile: 0.41

Land Section Number: 4 Township: 03N Range: 03E

Land Section: SE

Latitude: N 34 54 42.0 Longitude: W 90 47 26.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 66.65074 Elevation (Feet): 218.670

Description: AHTD DISK IN S.E. END OF HEADWALL RT STA. 500+94. RECON BY S5102 1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680053

Class:

Vertical Datum: UNKNOWN

Established by:

Date Established: 2/16/1994

System: STATE

Job Number: R10044

Nearest City: SO. FORREST CITY

County: ST. FRANCIS

Route: 1

Section: 11

Log Mile: 0.41

Land Section Number: 33

Township: 04N

Range: 03E

Land Section: SE

Latitude: N 34 54 42.0

Longitude: W 90 47 27.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.767

Elevation (Feet): 215.771

Description: AHTD DISK IN S.E. END OF HEADWALL RT STA. 532+05. RECON BY S5102 1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680054

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 2/16/1994

System: STATE Job Number: R10044 Nearest City: SO. FORREST CITY

County: ST. FRANCIS Route: 1 Section: 11 Log Mile: 1.08

Land Section Number: 28 Township: 04N Range: 03E

Land Section: SE

Latitude: N 34 55 17.0 Longitude: W 90 47 27.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 66.3581 Elevation (Feet): 217.710

Description: AHTD DISK IN S.E END OF HEADWALL RT STA. 567+49. RECON BY S5102  
1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680055

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 2/16/1994

System: STATE Job Number: R10044 Nearest City: FORREST CITY

County: ST. FRANCIS Route: 1 Section: 11 Log Mile: 1.63

Land Section Number: 28 Township: 04N Range: 03E

Land Section: NE

Latitude: N 34 55 46.0 Longitude: W 90 47 26.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 66.6964 Elevation (Feet): 218.820

Description: AHTD DISK IN S.E. END OF HEADWALL RT STA. 597+13. RECON BY S5102 1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680056

Class:

Vertical Datum: UNKNOWN

Established by:

Date Established: 2/16/1994

System: STATE

Job Number: R10044

Nearest City: SO. FORREST CITY

County: ST. FRANCIS

Route: 1

Section: 11

Log Mile: 2.31

Land Section Number: 21

Township: 04N

Range: 03E

Land Section: SE

Latitude: N 34 56 24.0

Longitude: W 90 47 26.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.60147

Elevation (Feet): 225.070

Description: AHTD DISK IN S.E. END OF HEADWALL RT STA. 635+72. RECON BY  
S5102 1/2004.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680057

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 2/16/1994

System: STATE Job Number: R10044 Nearest City:

County: ST. FRANCIS Route: 1 Section: 11 Log Mile: 3.02

Land Section Number: 21 Township: 04N Range: 03E

Land Section: NE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.3695 Elevation (Feet): 227.590

Description: AHTD DISK IN S.E. END OF HEADWALL RT STA. 666+75. BASED ON  
DESCRIPTION NOT RECOVERABLE BY S5102 1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680058

Class:

Vertical Datum: UNKNOWN

Established by:

Date Established: 2/16/1994

System: STATE

Job Number: R10044

Nearest City: SO. FORREST CITY

County: ST. FRANCIS

Route: 1

Section: 11

Log Mile: 4.31

Land Section Number: 15

Township: 04N

Range: 03E

Land Section: NW

Latitude: N 34 57 50.0

Longitude: W 90 46 54.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 73.0241

Elevation (Feet): 239.580

Description: AHTD DISK IN S.E. END OF HEADWALL RT STA. 735+36. RECON BY S5102 1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680059

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 2/16/1994

System: STATE Job Number: R10044 Nearest City: SO. FORREST CITY

County: ST. FRANCIS Route: 1 Section: 11 Log Mile: 4.73

Land Section Number: 10 Township: 04N Range: 03E

Land Section: SW

Latitude: N 34 58 16.0 Longitude: W 90 46 54.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.04394 Elevation (Feet): 259.330

Description: AHTD DISK IN S.E. END OF HEADWALL RT STA. 762+03. RECON BY S5102 1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680060

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 2/16/1994

System: STATE Job Number: R10044 Nearest City: SO FORREST CITY

County: ST. FRANCIS Route: 1 Section: 11 Log Mile: 5.27

Land Section Number: 03 Township: 04N Range: 03E

Land Section: SW

Latitude: N 34 58 44.0 Longitude: W 90 46 53.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.668 Elevation (Feet): 261.377

Description: AHTD DISK IN S.E. END OF HEADWALL RT STA. 789+72. RECON BY S5102 1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680061

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established: 9/15/2000

System: STATE

Job Number: 110329

Nearest City: NEWCASTLE

County: ST. FRANCIS

Route: 284

Section: 3

Log Mile: 7.58

Land Section Number: 11

Township: 05N

Range: 03E

Land Section:

Latitude: N 35 03 33.0

Longitude: W 90 45 27.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 92.16

Elevation (Feet): 302.362

Description: AHTD DISC IN TOP OF WINGWALL 6.33 METERS RIGHT OF C/L. BR6755.  
RECON BY S5102 1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680062

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established: 4/20/2001

System: STATE

Job Number: 110130

Nearest City: MADISON

County: ST. FRANCIS

Route: 70

Section: 19

Log Mile: 2.90

Land Section Number: 25

Township: 05N

Range: 03E

Land Section: SW

Latitude: N 35 00 42.0

Longitude: W 90 44 17.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.289

Elevation (Feet): 247.011

Description: AHTD DISC IN TOP OF NW WW, 6.3 METERS LT OF C/L STA 46+44.17  
OVER CROW CREEK. RECON BY S5102 1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680063

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established: 12/5/2001

System: COUNTY

Job Number: BR6811

Nearest City:

County: ST. FRANCIS

Route: CR 344

Section:

Log Mile:

Land Section Number: 36

Township: 05N

Range: 03E

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.415

Elevation (Feet): 214.616

Description: AHTD BM CAP IN TOP OF SE WW OF BR # 04831 (13 FT RT OF C/L STA 12+87. BASED ON DESCRIPTION NOT RECOVERABLE BY S5102 1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680064

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established: 11/27/1995

System: STATE

Job Number: R10072

Nearest City: COLDWELL

County: ST. FRANCIS

Route: 1

Section: 12

Log Mile: 5.04

Land Section Number: 6

Township: 05N

Range: 03E

Land Section: SE

Latitude: N 35 04 25.0

Longitude: W 90 48 59.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 73.667

Elevation (Feet): 241.689

Description: AHTD DISK IN WINGWALL 39.5' RT STA 186+36 BR 6575 OVER TELICO CREEK. RECON BY S5102 1/2004.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680065

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established: 1/9/1996

System: STATE

Job Number: R10072

Nearest City:

County: ST. FRANCIS

Route: 1

Section: 12

Log Mile:

Land Section Number: 17

Township: 06N

Range: 03E

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.43

Elevation (Feet): 254.035

Description: AHTD DISK IN HW OF TRIPLE 12 X 9 X 129 RC BOX CULVT AT 55' RT STA 413+39. BASED ON DESCRIPTION NOT RECOVERABLE BY S5102 1/2004.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680066

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established: 2/19/2002

System: STATE

Job Number: 110230

Nearest City:

County: ST. FRANCIS

Route: 1

Section: 12

Log Mile:

Land Section Number: 19

Township: 05N

Range: 03E

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.273

Elevation (Feet): 223.992

Description: AHTD DISK IN SE CORNER OF BOX CULVERT OF RAMP 4

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680067

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established: 2/19/2002

System: STATE

Job Number: 110230

Nearest City:

County: ST. FRANCIS

Route: 1

Section: 12

Log Mile:

Land Section Number: 20

Township: 05N

Range: 03E

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.425

Elevation (Feet): 227.772

Description: AHTD DISK IN SE CORNER OF BOX CULVERT ON RAMP 2

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680068

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established: 2/19/2002

System: STATE

Job Number: 110230

Nearest City:

County: ST. FRANCIS

Route: 1

Section: 12

Log Mile:

Land Section Number: 20

Township: 05N

Range: 03E

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.855

Elevation (Feet): 225.902

Description: AHTD DISK IN SE CORNER OF BOX CULVERT ON RAMP 3

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680069

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established: 2/19/2002

System: STATE Job Number: 110230 Nearest City:

County: ST. FRANCIS Route: 1 Section: 12 Log Mile:

Land Section Number: 29 Township: 05N Range: 03E

Land Section: SW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 67.99 Elevation (Feet): 223.064

Description: AHTD DISK IN SE CORNER OF BOX CULVERT

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680070

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established: 2/19/2002

System: STATE

Job Number: 110230

Nearest City:

County: ST. FRANCIS

Route: 1

Section: 12

Log Mile:

Land Section Number: 29

Township: 05N

Range: 03E

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.416

Elevation (Feet): 224.461

Description: AHTD DISK IN SE CORNER OF BOX CULVERT

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680071

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #13

Date Established: 8/9/2006

System: STATE Job Number: 110390 Nearest City: WIDENER

County: ST. FRANCIS Route: 50 Section: 1 Log Mile: 6.54

Land Section Number: 25 Township: 05N Range: 04E

Land Section: NE

Latitude: N 35 00 54.46 Longitude: W 90 37 39.12 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 62.334773 Elevation (Feet): 204.510

Description: AHTD DISK IN TOP OF PARAPET WALL 16' RIGHT OF STA. 112+57

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680072

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established: 12/14/2005

System: STATE

Job Number: 110388

Nearest City: Forrest City

County: ST. FRANCIS

Route: 70

Section: 19

Log Mile: 15.28

Land Section Number: 28

Township: 06N

Range: 05E

Land Section: NE

Latitude: N 35 06 42.39

Longitude: W 90 33 51.09

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 63.60566

Elevation (Feet): 208.680

Description: BM cap sw corner of wingwall, 17' rt of sta. 806+72.50

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680073

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established: 6/14/2005

System: STATE

Job Number: r10071

Nearest City: Wynne

County: ST. FRANCIS

Route: 1

Section: 12

Log Mile: 9.90

Land Section Number: 17

Township: 06N

Range: 03E

Land Section: SW

Latitude: N 35 08 30.5

Longitude: W 90 48 19.3

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.64475

Elevation (Feet): 254.739

Description: ahtd disc. Se corner box culvert, 57' off of Centerline Sta. 125+58

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680074

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established: 6/14/2005

System: STATE

Job Number: r10071

Nearest City: Wynne

County: ST. FRANCIS

Route: 1

Section: 12

Log Mile: 10.10

Land Section Number: 17

Township: 06N

Range: 03S

Land Section: NW

Latitude: N 35 08 38.0

Longitude: W 90 48 13.50

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 77.73924

Elevation (Feet): 255.049

Description: ahtd disc. Se corner box culvert 57' off of centerline sta. 136+43

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680075

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established: 4/18/2006

System: STATE

Job Number: 110388

Nearest City: Forrest City

County: ST. FRANCIS

Route: 70

Section: 19

Log Mile: 14.12

Land Section Number: 29

Township: 06N

Range: 05E

Land Section: SE

Latitude: N 35 06 19.0

Longitude: W 90 34 58.4

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 63.6209

Elevation (Feet): 208.730

Description: BR #7015 West end top of sw parapet rail, sta. 747+13, 17' rt. Of centerline Ahtd  
bm cap

Comments: Elevations were entered but cannot be verified due to no information on the control  
used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680076

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #14

Date Established: 12/18/2013

System: STATE

Job Number: 110543

Nearest City: SHELL LAKE

County: ST. FRANCIS

Route: 40

Section: 51

Log Mile:

Land Section Number: 18

Township: 06N

Range: 06E

Land Section: NE

Latitude: N 35 07 56.99000

Longitude: W 91 29 11.66000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.1072

Elevation (Feet): 230.010

Description: DISK IN SE WALL ON BRIDGE 07234 at STA 311+57 Right.

Comments: Elevation verified. Three wire data available on EDM under Job 110543 in s110543TE\_Benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680077

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #52

Date Established: 6/23/2014

System: STATE

Job Number: BB0105

Nearest City: Widener

County: ST. FRANCIS

Route: 40

Section: 51

Log Mile:

Land Section Number: 9

Township: 05n

Range: 04e

Land Section: NW

Latitude: N 35 03 29.60000

Longitude: W 90 41 22.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.6375

Elevation (Feet): 231.750

Description: Disk in Southeast corner of bridge No. 07233.

Comments: Elevation verified. Thjree wire data available on EDM under job BB0105 in sBB0105RE\_Benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680078

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #52

Date Established: 6/23/2014

System: STATE

Job Number: BB0105

Nearest City: Widener

County: ST. FRANCIS

Route: 40

Section: 51

Log Mile:

Land Section Number: 9

Township: 05n

Range: 08e

Land Section: NW

Latitude: N 35 29 61.00000

Longitude: W 90 41 22.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 60.762

Elevation (Feet): 199.350

Description: Disk in Right headwall of box culvert.

Comments: Elevation verified. Thjree wire data available on EDM under job BB0105 in sBB0105RE\_Benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680079

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #13

Date Established: 12/22/2016

System: STATE Job Number: 110573 Nearest City: Caldwell

County: ST. FRANCIS Route: 261 Section: 3 Log Mile: 1.27

Land Section Number: 2 Township: 05n Range: 02e

Land Section: SW

Latitude: N 35 04 02.00000 Longitude: W 90 52 07.00000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 62.8397 Elevation (Feet): 206.167

Description: BM 926 - AHTD ALUM. DISK IN SW CORN. OF RCBC HW, 32' RT. @ STA. 105+52 (HWY. 261)

Comments: Three wire data available on EDM under job 110573 in s110573re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 680080

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #13

Date Established: 6/6/2018

System: STATE

Job Number: 110586

Nearest City: Palenstine

County: ST. FRANCIS

Route: 261

Section: 2

Log Mile: 5.49

Land Section Number: 4

Township: 04n

Range: 02e

Land Section: SW

Latitude: N 34 59 07.00000

Longitude: W 90 54 16.00000

Type: GPS (Observed)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.8113

Elevation (Feet): 232.320

Description: AHTD aluminum disk in se corner of br. No. 07232 parapet rt. Sta 114+18 Hwy 261 r.m.l.

Comments: Elevation not verified



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 68081

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #11

Date Established: 4/17/2019

System: STATE Job Number: BB0112 Nearest City: Forrest City

County: ST. FRANCIS Route: 40 Section: 51 Log Mile: 248.5

Land Section Number: 3 Township: 05n Range: 04e

Land Section: NE

Latitude: N 35 04 21.2000 Longitude: W 90 39 51.59000 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.6417 Elevation (Feet): 215.359

Description: Disk on SE section of parapet wall

Comments: Elevation not verified

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 68082

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by:

Date Established: 5/21/2020

System: STATE

Job Number: 110620

Nearest City: Howell

County: ST. FRANCIS

Route: 17

Section: 4

Log Mile: 10.98

Land Section Number: 30

Township: 06n

Range: 02w

Land Section: SE

Latitude: N 35 06 25.00000

Longitude: W 91 14 45.00000

Type: GPS (Observed)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 62.4445

Elevation (Feet): 204.870

Description: AHTD Alom. Disk in SE corner of BC HW 28' Rt @ STA. 113+68

Comments: Elevation verified. Three wire on EDM under job 110620 in s110620\_re\_bench.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 68083

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by:

Date Established: 10/11/2018

System: STATE

Job Number: BB0113

Nearest City: Shell Lake

County: ST. FRANCIS

Route: 40

Section: 51

Log Mile: 259.87

Land Section Number: 18

Township: 06n

Range: 06e

Land Section: NE

Latitude: N 35 07 57.00000

Longitude: W 50 29 15.00000

Type: GPS (Observed)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 64.5354

Elevation (Feet): 211.730

Description: AHTD Alum Disk in SE corner of BR #06939 Parapet wall 65.52' RT @ STA 5110+62

Comments: Not verified

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 68084

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by:

Date Established: 12/10/2018

System: STATE

Job Number: BB0114

Nearest City: Heth

County: ST. FRANCIS

Route: 40

Section: 51

Log Mile: 261.81

Land Section Number: 3

Township: 06n

Range: 06e

Land Section: SW

Latitude: N 35 08 00.00000

Longitude: W 90 27 09.00000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 64.2925

Elevation (Feet): 210.933

Description: AHTD Alum Disk in SE corner of BR. #06940 Parapet 65' RT. @ STA 5214+15

Comments: Not verified.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 68085

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #11

Date Established: 4/17/2019

System: STATE

Job Number: BB0112

Nearest City: Forrest City

County: ST. FRANCIS

Route: 40

Section: 51

Log Mile: 248.5

Land Section Number: 3

Township: 05n

Range: 04e

Land Section: NE

Latitude: N 35 04 20.00000

Longitude: W 90 39 52.00000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.6419

Elevation (Feet): 215.360

Description: Disk on SE section of parapet wall

Comments: Elevation not verified

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 68086

Class: SECOND-ORDER, CLASS I

Vertical Datum: NAVD88

Established by: RE OFFICE #14

Date Established: 11/17/2018

System: STATE Job Number: 110617 Nearest City: Hughes

County: ST. FRANCIS Route: 79 Section: 17 Log Mile: 7.44

Land Section Number: 2 Township: 04N Range: 06E

Land Section: NE

Latitude: N 34 58 45.00 Longitude: W 90 26 10.16 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 62.2493 Elevation (Feet): 204.230

Description: Disc in southwest corner of bridge

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 68087

Class: SECOND-ORDER, CLASS I

Vertical Datum: NAVD88

Established by: RE OFFICE #14

Date Established: 11/17/2018

System: STATE Job Number: 110617 Nearest City: Hughes

County: ST. FRANCIS Route: 50 Section: 1 Log Mile: 20.75

Land Section Number: 36 Township: 05N Range: 06E

Land Section: SE

Latitude: N 35 00 25.03 Longitude: W 90 24 50.06 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 62.89852 Elevation (Feet): 206.360

Description: Disc in Southwest corner of bridge

Comments: Elevation verified. Three wire on EDM under job 110617 in s1106217\_re\_bench.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 68088

Class: SECOND-ORDER, CLASS I

Vertical Datum: NAVD88

Established by: RE OFFICE #14

Date Established: 11/15/2023

System: STATE Job Number: 110702 Nearest City: Forrest City

County: ST. FRANCIS Route: 1B Section: 11B Log Mile: 0.48

Land Section Number: 17 Township: 04N Range: 02E

Land Section: SE

Latitude: N 34 57 23.96 Longitude: W 90 46 54.89 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.33 Elevation (Feet): 243.864

Description: PN 95 SWCorner of Bridge 07496

Comments: Elevation verified. Three wire on EDM under job 110702 in s110702\_RE\_BM.zip



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 690001

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #53

Date Established: 9/23/1992

System: STATE

Job Number: 5802

Nearest City: MOUNTAIN VIEW

County: STONE

Route: 5

Section: 16

Log Mile: 12.23

Land Section Number: 17

Township: 14N

Range: 10W

Land Section: SW

Latitude: N 35 48 30.0

Longitude: W 92 01 50.8

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 206.423

Elevation (Feet): 677.239

Description: AHTD DISK IN TOP OF SOUTHWEST PARAPET RAIL ON SOUTH END OF  
COVE PRONG BRIDGE-NO. 6404 (STATION 24+57.77) RECOVERED OCT.  
12, 1998

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 690002

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #53

Date Established: 9/23/1992

System: STATE

Job Number: 5802

Nearest City: MOUNTAIN VIEW

County: STONE

Route: 5

Section: 16

Log Mile: 16.25

Land Section Number: 17

Township: 14N

Range: 10W

Land Section: SW

Latitude: N 35 50 33.7

Longitude: W 92 04 35.6

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 197.885

Elevation (Feet): 649.228

Description: A.H.T.D. DISK IN TOP OF SOUTHEAST PARAPET RAIL ON SOUTH END  
OF MILL PRONG BRIDGE-NO 6405 RECOVERED OCT. 12, 1998 BRIDGE  
LOG MILE=16.25

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 690003

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City: MARCELLA

County: STONE Route: 14 Section: 7 Log Mile: 22.16

Land Section Number: 21 Township: 13N Range: 08W

Land Section: SE

Latitude: N 35 44 06.1 Longitude: W 91 50 22.5 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 88.986 Elevation (Feet): 291.948

Description: DISK IN TOP NORTHEAST WINGWALL 20' LEFT BRIDGE END STATION  
334+34 WOLF BAYOU CREEK BRIDGE RECOVERED OCT. 12, 1998

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 690004

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City: MARCELLA

County: STONE Route: 14 Section: 7 Log Mile: 21.08

Land Section Number: 21 Township: 13N Range: 08W

Land Section: NW

Latitude: N 35 44 48.1 Longitude: W 91 51 06.8 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 88.248 Elevation (Feet): 289.527

Description: STANDARD AHTD DISK IN NORTHEAST WINGWALL BRIAR CREEK  
BRIDGE RECOVERED OCT. 12, 1998

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 690005

Class:

Vertical Datum: UNKNOWN

Established by: SURVEYS DIVISION

Date Established:

System:

Job Number: 5906

Nearest City: MOUNTAIN VIEW

County: STONE

Route: 14

Section: 7

Log Mile: SW

Land Section Number: 10

Township: 14N

Range: 10W

Land Section: SW

Latitude: N 35 51 38.5

Longitude: W 92 02 47.9

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 131.14

Elevation (Feet): 430.248

Description: SQUARE NORTHEAST CORNER OF BRIDGE OVER ROCKY BAYOU  
RECOVERED OCT. 12, 1998

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 690006

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: 5839 Nearest City: MOUNTAIN VIEW

County: STONE Route: 58 Section: 0A Log Mile: 2.18

Land Section Number: 32 Township: 15N Range: 09W

Land Section: SW

Latitude: N 35 53 02.6 Longitude: W 91 58 20.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 145.944 Elevation (Feet): 478.818

Description: BENCHMARK CAP IN TOP OF SOUTHEAST WING 17' RIGHT OF BRIDGE  
END STATION 112+97. DRY CREEK BRIDGE \*\* LOG MILE 2.2 FROM  
JUNCTION STATE HIGHWAY #14 RECOVERED 10/12/98 BRIDGE LOG  
MILE=2.18

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 690007

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #53

Date Established: 5/16/1991

System: STATE

Job Number: R50025

Nearest City: MOUNTAIN VIEW

County: STONE

Route: 58

Section: 0A

Log Mile: 0.44

Land Section Number: 12

Township: 14N

Range: 10W

Land Section: NE

Latitude: N 35 52 04.2

Longitude: W 91 59 35.6

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 184.191

Elevation (Feet): 604.300

Description: A.H.T.D. STANDARD DISK IN EAST HEADWALL IN TRIPLE 9'X 5' R.C.  
BOX CULVERT RECOVERED 10/12/98

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 690008

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #53

Date Established: 5/16/1991

System: STATE

Job Number: R50025

Nearest City: MOUNTAIN VIEW

County: STONE

Route: 58

Section: 0A

Log Mile: 1.57

Land Section Number: 6

Township: 14N

Range: 09W

Land Section: NE

Latitude: N 35 52 44.5

Longitude: W 91 58 42.1

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 155.75

Elevation (Feet): 510.990

Description: AHTD STANDARD DISK IN EAST HEADWALL IN DOUBLE 6'X 6' R.C.  
BOX CULVERT RECOVERED 10/12/98

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 690009

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #53

Date Established: 5/20/1991

System: STATE

Job Number: R50025

Nearest City: MOUNTAIN VIEW

County: STONE

Route: 58

Section: 0A

Log Mile: 2.77

Land Section Number: 32

Township: 15N

Range: 09W

Land Section: NW

Latitude: N 35 53 32.6

Longitude: W 91 58 14.4

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 136.248

Elevation (Feet): 447.007

Description: AHTD STANDARD DISK IN EAST HEADWALL DOUBLE 5'X 5' R.C. BOX  
CULVERT RECOVERED 10/12/98

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 690010

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #53

Date Established: 4/15/1992

System: STATE

Job Number: R50025

Nearest City: MONTAIN VIEW

County: STONE

Route: 58

Section: 0A

Log Mile: 3.16

Land Section Number: 29

Township: 15N

Range: 09W

Land Section:

Latitude: N 35 53 37.2

Longitude: W 91 57 52.9

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 137.529

Elevation (Feet): 451.210

Description: AHTD STANDARD DISK IN EAST HEADWALL DOUBLE 6'X 6' R.C. BOX  
CULVERT RECOVERED 10/12/98

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 690011

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City: MOUNTAIN VIEW

County: STONE Route: 66 Section: 2 Log Mile: 18.23

Land Section Number: 10 Township: 14N Range: 11W

Land Section: SW

Latitude: N 35 51 45.0 Longitude: W 92 08 48.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 191.152 Elevation (Feet): 627.138

Description: CHISELED SQUARE SOUTHEAST CORNER ON EAST END OF  
NORTHEAST HUB RAIL ON BRIDGE #889 OVER HUGHES CREEK  
RECOVERED 10/12/98

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 690012

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City: MOUNTAIN VIEW

County: STONE Route: 66 Section: 2 Log Mile: 17.76

Land Section Number: 9 Township: 14N Range: 11W

Land Section: NE

Latitude: N 35 51 53.0 Longitude: W 92 09 15.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 194.069 Elevation (Feet): 636.708

Description: CHISELED SQUARE CENTER EAST END OF NORTHEAST HUB RAIL ON  
BRIDGE #890 OVER TUBBS CREEK RECOVERED 10/12/98

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 690013

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City: MOUNTAIN VIEW

County: STONE Route: 66 Section: 2 Log Mile: 15.78

Land Section Number: 8 Township: 14N Range: 11W

Land Section: NW

Latitude: N 35 52 12.0 Longitude: W 92 11 16.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 175.894 Elevation (Feet): 577.079

Description: CHISELED SQUARE CENTER WEST END NORTHEAST HUB RAIL ON  
BRIDGE #891 OVER LICK CREEK RECOVERED 10/12/98

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 690014

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: R90012

Nearest City:

County: STONE

Route: 74

Section: 9

Log Mile: 0.39

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 296.04

Elevation (Feet): 971.258

Description: ALUM CAP IN TOP OF HEADWALL SW COR. OF DBLE. 5'x5'x61' R.C. BOX  
CULVERT, 28' RT. OF C/L STA. 701+20, ON BRANCH OF LONG CR., 17.52  
MI. SE OF JCT. OF SH 74 & SH 27, 0.39 MI. E OF SEARCY/STONE CO. LINE,  
& SH 66 ALUM CAP GONE NOT RECOVERED 10/12/98

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 690015

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City: MOUNTAIN VIEW

County: STONE Route: 87 Section: 5 Log Mile: 6342

Land Section Number: 21 Township: 15N Range: 11W

Land Section: NW

Latitude: N 35 55 48.0 Longitude: W 92 09 42.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 108.161 Elevation (Feet): 354.858

Description: DISK IN WINGWALL 18' RIGHT OF CENTERLINE OF STATION 348+51.1  
BRIDGE NO. 6000 (SOUTH SYLAMORE CREEK) RECOVERED 10/12/98

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 690016

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #53

Date Established:

System:

Job Number: N/A

Nearest City: MOUNTAIN VIEW

County: STONE

Route: 87

Section: 5

Log Mile: 1.14

Land Section Number: 2

Township: 14N

Range: 11W

Land Section: SW

Latitude: N 35 52 33.0

Longitude: W 92 08 08.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 237.119

Elevation (Feet): 777.948

Description: DISC TOP OF DROP INLET STATION 70+50 RIGHT RECOVERED 10/12/98

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 690017

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 1/1/1984

System: Job Number: BR-69-1 Nearest City: PLEASANT GROVE

County: STONE Route: CR 32 Section: A Log Mile: 3.89

Land Section Number: 27 Township: 14N Range: 09W

Land Section: NE

Latitude: N 35 48 50.4 Longitude: W 91 55 26.8 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 143.771 Elevation (Feet): 471.689

Description: DISK ON SW WING WEST ABUT., BR. #4457 MILL CR. 1 MI. WEST  
PLEASANT GROVE RECOVERED 10/12/98

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 690019

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #53

Date Established: 12/6/1990

System: COUNTY

Job Number: F-69-6

Nearest City: NEWATA

County: STONE

Route: AS RT. 254

Section:

Log Mile:

Land Section Number: 27

Township: 15N

Range: 12W

Land Section: NW

Latitude: N 35 54 45.0

Longitude: W 92 14 43.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 149.812

Elevation (Feet): 491.508

Description: AHTD DISK INT OP OF WING WALL, SE CORNER RT. OF STA. 10+00.  
RECOVERED 10/12/98

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 690020

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #53

Date Established: 2/3/1994

System: COUNTY

Job Number: F-69-7

Nearest City: NEWATA

County: STONE

Route: FAS 2545

Section:

Log Mile:

Land Section Number: 33

Township: 15N

Range: 12W

Land Section: NW

Latitude: N 35 53 51.0

Longitude: W 92 16 03.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 166.597

Elevation (Feet): 546.577

Description: STANDARD AHTD BENCH MARK IN TOP OF PARAPET END RAIL IN SE CORNER OF BRIDGE NO. 4699. RECOVERED 10/12/98

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 690021

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #53

Date Established: 10/6/2015

System: STATE

Job Number: 050231

Nearest City: Mountain View

County: STONE

Route: 66

Section: 2

Log Mile: 14.33

Land Section Number: 6

Township: 14n

Range: 11w

Land Section: NW

Latitude: N 35 52 56.00000

Longitude: W 92 11 57.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 195.1364

Elevation (Feet): 640.210

Description: ahtd benchmark disc in se headwall of r.c. box culvert at sta. 488+48 rt.

Comments: Elevation verified. Three wire data available on EDM under job 050231 in s050231re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 690022

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #53

Date Established: 10/6/2015

System: STATE Job Number: 050231 Nearest City: Mountain View

County: STONE Route: 66 Section: 2 Log Mile: 14.37

Land Section Number: 6 Township: 14n Range: 11w

Land Section: NW

Latitude: N 35 52 55.00000 Longitude: W 92 11 44.00000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 200.201 Elevation (Feet): 656.826

Description: ahtd benchmark disc in se headwall of r.c. box culvert at sta. 490+83 rt.

Comments: Elevation verified. Three wire data available on EDM under job 050231 in s050231re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 690023

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #53

Date Established: 10/14/2015

System: STATE

Job Number: 050231

Nearest City: Mountain View

County: STONE

Route: 66

Section: 2

Log Mile: 14.54

Land Section Number: 6

Township: 14n

Range: 11w

Land Section: NW

Latitude: N 35 52 55.00000

Longitude: W 92 11 39.00000

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 204.9415

Elevation (Feet): 672.379

Description: ahtd disc in se headwall of r.c.box culvert at sta. 499+92 rt.

Comments: Elevation verified. Three wire data available on EDM under job 050231 in s050231re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 690024

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #53

Date Established: 10/12/2015

System: STATE

Job Number: 050231

Nearest City: Mountain View

County: STONE

Route: 66

Section: 2

Log Mile: 14.77

Land Section Number: 6

Township: 14n

Range: 11w

Land Section: NW

Latitude: N 35 52 53.00000

Longitude: W 92 11 30.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 215.2923

Elevation (Feet): 706.338

Description: ahtd benchmark disc in se headwall of r.c. box culvert at sta. 511+82 rt.

Comments: Elevation verified. Three wire data available on EDM under job 050231 in s050231re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 690025

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #53

Date Established: 10/15/2015

System: STATE

Job Number: 050231

Nearest City: Mountain View

County: STONE

Route: 66

Section: 2

Log Mile: 15.03

Land Section Number: 5

Township: 14n

Range: 11w

Land Section: NW

Latitude: N 35 42 46.50000

Longitude: W 92 11 16.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 222.9464

Elevation (Feet): 731.450

Description: ahtd benchmark disc in retaining wall, east side.

Comments: Elevation verified. Three wire data available on EDM under job 050231 in s050231re\_benches.zip



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 690026

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #53

Date Established: 1/13/2017

System: STATE

Job Number: 050231

Nearest City: Mountain View

County: STONE

Route: 66

Section: 2

Log Mile: 15.28

Land Section Number: 5

Township: 14n

Range: 11w

Land Section: NW

Latitude: N 35 52 33.00000

Longitude: W 92 11 12.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 219.3452

Elevation (Feet): 719.635

Description: ahtd benchmark disc in sw headwall of r.c. box culvert at sta. 539+16 rt.

Comments: Elevation reported by R.E. as 719.986', sdms proccessed as 219.345'. Three wire data available on EDM under job 050231 in s050231re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 690027

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #53

Date Established: 1/3/2017

System: STATE Job Number: 050231 Nearest City: Mountain View

County: STONE Route: 66 Section: 2 Log Mile: 15.4

Land Section Number: 5 Township: 14n Range: 11w

Land Section: NW

Latitude: N 35 52 27.00000 Longitude: W 92 11 12.00000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 202.4821 Elevation (Feet): 664.310

Description: ahtd benchmark disc in headwall of r.c. box culvert at sta. 545+42 rt.

Comments: Elevation verified. Three wire data available on EDM under job 050231 in s050231re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700001

Class:

Vertical Datum: NGVD29

Established by: RE OFFICE #76

Date Established:

System: STATE

Job Number: R70010

Nearest City: JUNCTION CITY

County: UNION

Route: 7

Section: 1

Log Mile: 5.59

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 33 05 06.

Longitude: W 92 36 23.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 50.999

Elevation (Feet): 167.319

Description: ALUMINUM DISC IN SOUTHEAST BRIDGE WING BRIDGE. Recovered by S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700002

Class:

Vertical Datum: NGVD29

Established by: RE OFFICE #76

Date Established:

System:

Job Number: 7884

Nearest City: JUNCTION CITY

County: UNION

Route: 7

Section: 1

Log Mile: 3.05

Land Section Number: 19

Township: 19S

Range: 14W

Land Section:

Latitude: N 33 03 19.0

Longitude: W 92 35 32.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 49.685

Elevation (Feet): 163.008

Description: ALUMINUM DISC IN TOP OF NORTHEAST WINGWALL BRIDGE 6015  
(BUCKALOO CREEK) RECOVERED BY S5102 12/8/03.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700003

Class:

Vertical Datum: NGVD29

Established by:

Date Established:

System:

Job Number: 7988

Nearest City: SMACKOVER

County: UNION

Route: 7

Section: 2

Log Mile: 11.54

Land Section Number: 32

Township: 15

Range: 16

Land Section: SE

Latitude: N 33 22 27.0

Longitude: W 92 46 15.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 38.005

Elevation (Feet): 124.688

Description: BRIDGE 6311 DISK TOP HEADWALL RECOVERED BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700004

Class:

Vertical Datum: NGVD29

Established by:

Date Established: 4/30/1992

System:

Job Number: 7988

Nearest City: SMACKOVER

County: UNION

Route: 7

Section: 2

Log Mile: 11.89

Land Section Number: 32

Township: 15

Range: 16

Land Section: SE

Latitude: N 33 22 32.0

Longitude: W 92 46 36.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 38.011

Elevation (Feet): 124.708

Description: BRIDGE 6312 DISC TOP PARAPET WALL STATION 874+15 RECOVERED  
BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700005

Class:

Vertical Datum: NGVD29

Established by:

Date Established: 12/21/1993

System: STATE

Job Number: 7924

Nearest City: ELDORADO

County: UNION

Route: 7S

Section: 2S

Log Mile: 0.68

Land Section Number: 9

Township: 17S

Range: 15W

Land Section: NE

Latitude: N 33 15 40.0

Longitude: W 92 39 48.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 44.336

Elevation (Feet): 145.459

Description: METAL DISC IN SOUTHEAST END POST IN BRIDGE #6223 RECOVERED BY S5102. 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700006

Class:

Vertical Datum: NGVD29

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: ELDORADO

County: UNION

Route: 15

Section: 1

Log Mile: 12.42

Land Section Number: 30

Township: 18S

Range: 16W

Land Section:

Latitude: N 33 07 39.0

Longitude: W 92 48 15.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 59.518

Elevation (Feet): 195.269

Description: ALUMINUM DISC IN BRIDGE WINGWALL SOUTH WEST CORNER  
RECOVERED BY S5102 12/8/03

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700007

Class:

Vertical Datum: NGVD29

Established by:

Date Established:

System:

Job Number: N/A

Nearest City:

County: UNION

Route: 15

Section: 1

Log Mile: 13.67

Land Section Number: 16

Township: 18S

Range: 16W

Land Section:

Latitude: N 33 08 25.0

Longitude: W 92 47 20.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 56.616

Elevation (Feet): 185.748

Description: ALUMINUM DISC IN BRIDGE WINGWALL SOUTHWEST CORNER.  
RECOVERED BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700008

Class:

Vertical Datum: NGVD29

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: ELDORADO

County: UNION

Route: 15

Section: 1

Log Mile: 14.62

Land Section Number: 17

Township: 18S

Range: 16W

Land Section:

Latitude: N 33 09 01.0

Longitude: W 92 46 39.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 52.218

Elevation (Feet): 171.319

Description: ALUMINUM DISC IN HEADWALL OF R.C. BOX CULVERT SOUTHWEST  
CORNER RECOVERED BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700009

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: ELDORADO

County: UNION

Route: 15

Section: 1

Log Mile: 14.74

Land Section Number: 17

Township: 18S

Range: 16W

Land Section:

Latitude: N 33 09 05.0

Longitude: W 92 46 33.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 52.831

Elevation (Feet): 173.330

Description: ALUMINUM DISC IN BRIDGE WINGWALL SOUTHWEST CORNER  
RECOVERED BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700010

Class:

Vertical Datum: NGVD29

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: ELDORADO

County: UNION

Route: 15

Section: 1

Log Mile: 15.53

Land Section Number: 16

Township: 18S

Range: 16W

Land Section:

Latitude: N 33 09 34.0

Longitude: W 92 45 59.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 55.455

Elevation (Feet): 181.939

Description: ALUMINUM DISC IN HEADWALL OF R.C. BOX CULVERT SOUTHWEST  
CORNER RECOVERED BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700011

Class:

Vertical Datum: NGVD29

Established by: RE OFFICE #76

Date Established:

System:

Job Number: R70070

Nearest City:

County: UNION

Route: 15

Section: 2 & 3

Log Mile: 17.75

Land Section Number: 33

Township: 16S

Range: 12W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 35.073

Elevation (Feet): 115.069

Description: TOP SOUTHEAST WINGWALL BRIDGE #6303 (ALUMINUM DISC)  
UNABLE TO LOCATE BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700012

Class:

Vertical Datum: NGVD29

Established by: RE OFFICE #76

Date Established: 11/18/1992

System: STATE

Job Number: R70070

Nearest City:

County: UNION

Route: 15

Section: 2 & 3

Log Mile: 0.98

Land Section Number: 28

Township: 16S

Range: 12W

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 31.205

Elevation (Feet): 102.378

Description: TOP SOUTHEAST WINGWALL BRIDGE #6304 (ALUMINUM DISC)  
UNABLE TO LOCATE BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700013

Class:

Vertical Datum:

Established by: RE OFFICE #76

Date Established:

System: Job Number: 7705 Nearest City:

County: UNION Route: 82 Section: 5 Log Mile: 20.88

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 61.103 Elevation (Feet): 200.469

Description: ALUMINUM DISC IN CENTER OF SOUTH HEADWALL OF DOUBLE R.C.  
BOX CULVERT UNABLE TO RECOVER BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700014

Class:

Vertical Datum: NGVD29

Established by: SURVEYS DIVISION

Date Established: 11/15/1991

System:

Job Number: 7997

Nearest City: ELDORADO

County: UNION

Route: 82

Section: 5

Log Mile: 21.64

Land Section Number:

Township: 18S

Range: 15W

Land Section:

Latitude: N 33 11 11.0

Longitude: W 92 38 08.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 83.158

Elevation (Feet): 272.828

Description: [] CUT SOUTHWEST CORNER PARAPET WALL WEST BRIDGE END EAST  
BOUND LANES OVERPASS ON HIGHWAY 82 INTERSECTION HIGHWAYS  
82 & 167 AT EL DORADO HIGHWAY 167 BYPASS EL DORADO  
RECOVERED BY S5102 12/8/03

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700015

Class:

Vertical Datum: NGVD29

Established by: SURVEYS DIVISION

Date Established: 11/15/1991

System:

Job Number: 7997

Nearest City:

County: UNION

Route: 1677

Section: 1

Log Mile: 15.13

Land Section Number:

Township: 17S

Range: 15W

Land Section:

Latitude: N 33 11 53.0

Longitude: W 92 38 29.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.889

Elevation (Feet): 252.260

Description: [] CUT IN NORTHEAST CORNER OF BRIDGE HIGHWAY 82-B OVERPASS  
ON HIGHWAY 167 BYPASS RECOVERED BY S5102 12/8/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700016

Class:

Vertical Datum:

Established by: RE OFFICE #76

Date Established: 1/23/1992

System: STATE Job Number: R70039 Nearest City:

County: UNION Route: 82 Section: 7 Log Mile: 3.67

Land Section Number: 25 Township: 18 Range: 12

Land Section: SW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 33.985 Elevation (Feet): 111.499

Description: ALUMINUM DISC IN CENTER OF NORTH HEADWALL OF 4'X4' R.C. BOX  
CULVERT UNABLE TO LOCATE BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700017

Class:

Vertical Datum: NGVD29

Established by: RE OFFICE #76

Date Established: 1/23/1992

System: STATE

Job Number: R70039

Nearest City:

County: UNION

Route: 82

Section: 7

Log Mile: 4.34

Land Section Number: 30

Township: 18

Range: 11

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 29.696

Elevation (Feet): 97.428

Description: ALUMINUM DISC IN CENTER OF NORTH HEADWALL OF 5'X 4' R.C. BOX  
CULVERT UNABLE TO LOCATE BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700018

Class:

Vertical Datum: NGVD29

Established by:

Date Established: 1/23/1992

System: STATE

Job Number: R70039

Nearest City:

County: UNION

Route: 82

Section: 7

Log Mile: 6.11

Land Section Number: 29

Township: 18

Range: 11

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 34.634

Elevation (Feet): 113.628

Description: ALUMINUM DISC IN CENTER OF NORTH HEADWALL OF 3'X 3' R.C. BOX  
CULVERT UNABLE TO LOCATE BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700019

Class:

Vertical Datum: NGVD29

Established by:

Date Established: 1/23/1992

System: STATE

Job Number: R70039

Nearest City:

County: UNION

Route: 82

Section: 7

Log Mile: 7.05

Land Section Number: 21

Township: 18

Range: 11

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 28.038

Elevation (Feet): 91.988

Description: ALUMINUM DISC IN CENTER OF NORTH HEADWALL OF DOUBLE 10'X 6'  
R.C. BOX CULVERT UNABLE TO LOCATE BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700020

Class:

Vertical Datum: NGVD29

Established by:

Date Established:

System:

Job Number: 7837

Nearest City: STRONG

County: UNION

Route: 82

Section: 7

Log Mile: 0.39

Land Section Number: 33

Township: 18S

Range: 12W

Land Section:

Latitude: N 33 06 26.0

Longitude: W 92 21 04.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 34.189

Elevation (Feet): 112.168

Description: ALUM DISC IN TOP OF SW GWLL. BR. 1568W \*\* BM CORRECTION-TO  
CORRECT ELEVATION TO USGS DATAM. THERE WAS AN ERROR IN  
THE ORG. DATUM ELEVATION USED FOR THIS JOB. A CORRECTION  
LEVEL LINE WAS TUN 2/89 AND LEVEL DATA CORRECTED  
RECOVERED BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700021

Class:

Vertical Datum: NGVD29

Established by: RE OFFICE #76

Date Established:

System: Job Number: 7837 Nearest City:

County: UNION Route: 82 Section: 7 Log Mile: 2.24

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 32.287

Elevation (Feet): 105.928

Description: ALUMINUM DISC IN NORTH HEADWALL OF R.C. BOX CULVERT  
\*\*BENCHMARK CORRECTION-TO CORRECT ELEVATIONS TO USGS  
DATAM. THERE WAS AN ERROR IN THE ORIGINAL DATUM ELEVATION  
USED FOR THIS JOB. A CORRECTION LEVEL LINE WAS RUN 2/89 AND  
LEVEL DATA CORRECTED. UNABLE TO LOCATE BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700022

Class:

Vertical Datum: NGVD29

Established by: RE OFFICE #76

Date Established:

System:

Job Number: 7837

Nearest City: STRONG

County: UNION

Route: 82

Section: 7

Log Mile: 2.90

Land Section Number:

Township: 18S

Range: 14W

Land Section:

Latitude: N 33 06 55.0

Longitude: W 92 18 51.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 31.409

Elevation (Feet): 103.048

Description: ALUMINUM DISC IN TOP OF SOUTHWEST WINGWALL BRIDGE 1570W  
\*BENCHMARK CORRECTION-TO CORRECT ELEVATIONS TO USGS  
DATAM. THERE WAS AN ERROR IN THE ORIGINAL DATUM  
ELEVATION USED FOR THIS JOB. A CORRECTION LEVEL LINE WAS  
RUN 2/89 AND LEVEL DATA CORRECTED. RECOVERED BY S5102 12/8/03

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700023

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 7681

Nearest City:

County: UNION

Route: 82

Section: 7

Log Mile: 1.39

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 34.137

Elevation (Feet): 111.998

Description: ALUMINUM DISC IN TOP OF BRIDGE END WING WALL ON RIGHT SIDE  
REFERENCE 7681 \*BENCHMARK CORRECTION-TO CORRECT  
ELEVATION TO USGS DATUM. THERE WAS AN ERROR IN THE  
ORIGINAL DATUM ELEVATION USED (ON THIS JOB) CORRECT LINE  
WAS RUN 2/89 AND DATA CORRECTED UNABLE TO LOCATE BY S5102  
12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700024

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 1520

Nearest City: STRONG

County: UNION

Route: 82

Section: 7

Log Mile: 14.84

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 33 09 02.0

Longitude: W 92 06 49.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 32.45

Elevation (Feet): 106.463

Description: A.H.T.D. DISC IN TOP OF PARAPET WALL SOUTH SIDE OF BRIDGE 2.50'  
EAST OF WEST BRIDGE END(BRIDGE #5898 ACROSS THE OUACHITA  
RIVER ON U.S. HIGHWAY 82) RECOVERED BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700025

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 1520

Nearest City: STRONG

County: UNION

Route: 82

Section: 7

Log Mile: 15.14

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 33 09 03.0

Longitude: W 92 06 15.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 32.465

Elevation (Feet): 106.512

Description: A.H.T.D. DISK IN TOP OF PARAPET WALL NORTH SIDE OF BRIDGE 3.67'  
WEST OF EAST BRIDGE END (BRIDGE #5898 ACROSS THE OUACHITA  
RIVER ON U.S. HIGHWAY 82) RECOVERED BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700026

Class:

Vertical Datum:

Established by: RE OFFICE #76

Date Established:

System:

Job Number: R70036

Nearest City: HUTTING

County: UNION

Route: 129

Section: 1

Log Mile: 1.11

Land Section Number: 35

Township: 19S

Range: 11W

Land Section:

Latitude: N 33 01 09.0

Longitude: W 92 12 28.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 30.754

Elevation (Feet): 100.899

Description: ALUMINUM DISC IN TOP OF GUARDRAIL ANCHOR POST @ SOUTHEAST  
CORNER OF BRIDGE #2976 RECOVERED BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700027

Class:

Vertical Datum: NGVD29

Established by: RE OFFICE #76

Date Established:

System:

Job Number: R70036

Nearest City: HUTTING

County: UNION

Route: 129

Section: 1

Log Mile: 4.65

Land Section Number: 14

Township: 19S

Range: 11W

Land Section:

Latitude: N 33 03 29.0

Longitude: W 92 12 51.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 44.659

Elevation (Feet): 146.519

Description: ALUMINUM DISC IN CENTER OF NORTHEAST HEADWALL OF 4'X 4' R.C.  
BOX CULVERT RECOVERED BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700028

Class:

Vertical Datum:

Established by: SURVEYS DIVISION

Date Established: 11/15/1991

System:

Job Number: 7997

Nearest City: ELDORADO

County: UNION

Route: 167

Section: 1

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 33 12 25.0

Longitude: W 92 38 23.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 82.771

Elevation (Feet): 271.558

Description: [] CUT IN CENTER OF BRIDGE HILLSBORO STREET OVERPASS SOUTH  
SIDE OF BRIDGE ON HIGHWAY 167 BYPASS RECOVERED BY S5102  
12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700029

Class:

Vertical Datum:

Established by: SURVEYS DIVISION

Date Established: 11/15/1991

System:

Job Number: 7997

Nearest City: ELDORADO

County: UNION

Route: 167

Section: 1

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 33 13 53.0

Longitude: W 92 37 52.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.99

Elevation (Feet): 239.468

Description: [] CUT IN SOUTHEAST CORNER BRIDGE OVERPASS CHAMPAGNOLLE  
ROAD ON HIGHWAY 167 BYPASS RECOVERED BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700030

Class:

Vertical Datum:

Established by: SURVEYS DIVISION

Date Established: 11/15/1991

System:

Job Number: 7997

Nearest City: ELDORADO

County: UNION

Route: 167

Section: 18

Log Mile: 0.00

Land Section Number: 10

Township: 17S

Range: 15W

Land Section:

Latitude: N 33 15 15.0

Longitude: W 92 38 51.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 60.618

Elevation (Feet): 198.878

Description: [] CUT IN NORTHEAST CORNER BRIDGE OVERPASS ON HIGHWAY 167  
BYPASS ON HIGHWAY 167 INTERCHANGE BRIDGE RECOVERED BY  
S5102 12/8/03

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700031

Class:

Vertical Datum:

Established by: SURVEYS DIVISION

Date Established: 11/15/1991

System:

Job Number: 7997

Nearest City:

County: UNION

Route: 167

Section: 2

Log Mile:

Land Section Number: 32

Township: 17S

Range: 15W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 43.821

Elevation (Feet): 143.769

Description: [] CUT IN NORTHEAST CORNER HEADWALL BOX CULVERT RIGHT OF  
CENTERLINE APPX. 200 FT. WEST OF JUNCTION 7 OR 167 BYPASS &  
HIGHWAY 7-B UNABLE TO LOCATE BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700032

Class:

Vertical Datum:

Established by:

Date Established: 9/7/1993

System: STATE

Job Number: 70017

Nearest City: ELDORADO

County: UNION

Route: SH 172

Section: 0

Log Mile:

Land Section Number: 11

Township: 17S

Range: 17W

Land Section: NW

Latitude: N 33 15 47.0

Longitude: W 92 49 52.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 54.733

Elevation (Feet): 179.570

Description: HEADWALL BOX CULVERT 36' RIGHT OF STATION 214+50 RECOVERED  
BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700033

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #76

Date Established: 7/21/1994

System: STATE

Job Number: R70081

Nearest City: STRONG

County: UNION

Route: 82

Section: 7

Log Mile: 10.04

Land Section Number: 24

Township: 18S

Range: 11W

Land Section: NW

Latitude: N 33 08 31.0

Longitude: W 92 11 43.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 25.88

Elevation (Feet): 84.908

Description: AHTD ALUMINUM DISC IN CENTER OF SOUTH HDWL. OF R. C. BOX  
CULVERT. RECOVERED BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700034

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #76

Date Established: 7/21/1994

System: STATE

Job Number: R70081

Nearest City: STRONG

County: UNION

Route: 82

Section: 7

Log Mile: 7.80

Land Section Number: 22

Township: 18S

Range: 11W

Land Section: SW

Latitude: N 33 08 01.0

Longitude: W 92 13 57.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 33.229

Elevation (Feet): 109.019

Description: AHTD ALUMINUM DISC IN CENTER OF SOUTH HEADWALL OF R. C. BOX CULVERT. RECOVERED BY S5102 12/8003

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700035

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #76

Date Established: 7/21/1994

System: STATE

Job Number: R70081

Nearest City: STRONG

County: UNION

Route: 82

Section: 7

Log Mile: 9.06

Land Section Number: 23

Township: 18S

Range: 11W

Land Section: NW

Latitude: N 33 08 18.0

Longitude: W 92 12 41.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 26.368

Elevation (Feet): 86.509

Description: AHTD ALUMINUM DISC IN CENTER OF SOUTH HEADWALL OF R. C. BOX CULVERT. RECOVERED BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700036

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #76

Date Established: 1/31/1995

System: STATE

Job Number: 7995

Nearest City: SMACKOVER

County: UNION

Route: 7

Section: 2

Log Mile: 10.72

Land Section Number: 10

Township: 16S

Range: 16W

Land Section: NE

Latitude: N 33 20 49.0

Longitude: W 92 44 07.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 41.779

Elevation (Feet): 137.070

Description: ALUMINUM DISK IN WEST HDWL. OF BOX CULVERT. RECOVERED BY  
S5102 12/8/04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700037

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #76

Date Established: 1/31/1995

System: STATE

Job Number: 7995

Nearest City: SMACKOVER

County: UNION

Route: 7

Section: 2

Log Mile: 10.88

Land Section Number: 10

Township: 16S

Range: 16W

Land Section: NE

Latitude: N 33 20 53.0

Longitude: W 92 44 16.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 56.165

Elevation (Feet): 184.268

Description: ALUMINUM DISK IN WEST HDWL. OF BOX CULVERT. RECOVERED BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700038

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #76

Date Established: 1/31/1995

System: STATE

Job Number: 7995

Nearest City: SMACKOVER

County: UNION

Route: 7

Section: 2

Log Mile: 9.21

Land Section Number: 13

Township: 16S

Range: 16W

Land Section: NW

Latitude: N 33 20 07.0

Longitude: W 92 42 48.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 40.754

Elevation (Feet): 133.707

Description: ALUMINUM DISK IN WEST HDWL. OF BOX CULVERT. RECOVERED BY  
S5102 12/8/03

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700039

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #76

Date Established: 1/31/1995

System: STATE

Job Number: 7995

Nearest City: SMACKOVER

County: UNION

Route: 7

Section: 2

Log Mile: 9.77

Land Section Number: 14

Township: 16S

Range: 16W

Land Section: NE

Latitude: N 33 20 22.0

Longitude: W 92 43 15.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 35.399

Elevation (Feet): 116.138

Description: ALUMINUM DISK IN WINGWALL ON RT. OF NORTH END OF BRIDGE  
#6502. RECOVERED BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700040

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #76

Date Established: 1/31/1995

System: STATE

Job Number: 7995

Nearest City: SMACKOVER

County: UNION

Route: 7

Section: 2

Log Mile: 11.41

Land Section Number: 10

Township: 16S

Range: 16W

Land Section: NW

Latitude: N 33 21 12.0

Longitude: W 92 44 41.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 48.06

Elevation (Feet): 157.677

Description: ALUMINUM DISK IN WEST HDWL. OF BOX CULVERT. RECOVERED BY  
S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700041

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #76

Date Established: 1/31/1995

System: STATE

Job Number: 7995

Nearest City: SMACKOVER

County: UNION

Route: 7

Section: 2

Log Mile: 11.70

Land Section Number: 3

Township: 16S

Range: 16W

Land Section: SW

Latitude: N 33 21 23.0

Longitude: W 92 41 53.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 51.977

Elevation (Feet): 170.528

Description: ALUMINUM DISK IN WEST HDWL. OF BOX CULVERT. RECOVERED BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700042

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #76

Date Established: 1/31/1995

System: STATE

Job Number: 7995

Nearest City: SMACKOVER

County: UNION

Route: 7

Section: 2

Log Mile: 12.64

Land Section Number: 4

Township: 16S

Range: 16W

Land Section: NE

Latitude: N 33 21 59.0

Longitude: W 92 45 31.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 42.342

Elevation (Feet): 138.917

Description: ALUMINUM DISK IN WEST HDWL. OF BOX CULVERT. RECOVERED BY  
S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700043

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #76

Date Established: 1/31/1995

System: STATE

Job Number: 7995

Nearest City: SMACKOVER

County: UNION

Route: 7

Section: 2

Log Mile: 13.07

Land Section Number: 4

Township: 16S

Range: 16W

Land Section: NW

Latitude: N 33 22 15.0

Longitude: W 92 45 48.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 40.471

Elevation (Feet): 132.779

Description: ALUMINUM DISK IN WEST HDWL. OF BOX CULVERT. RECOVERED BY  
S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700044

Class:

Vertical Datum:

Established by: RE OFFICE #76

Date Established: 1/3/1997

System: COUNTY

Job Number: FA7006

Nearest City: STRONG

County: UNION

Route: CR23

Section:

Log Mile: 3.32

Land Section Number: 31

Township: 18S

Range: 11W

Land Section:

Latitude: N 33 06 25.00

Longitude: W 92 16 27.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 28.12

Elevation (Feet): 92.257

Description: ALUMINUM DISK IN NE WINGWALL OF BRIDGE 4780 UNABLE TO LOCATE BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700045

Class:

Vertical Datum:

Established by: RE OFFICE #76

Date Established:

System: COUNTY

Job Number: BR-70-3

Nearest City:

County: UNION

Route: 31

Section: K

Log Mile: 1.55

Land Section Number: 31

Township: 20S

Range: 15W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 39.261

Elevation (Feet): 128.809

Description: ALUMINUM DISK IN NW WINGWALL, BR 4536 (CORNIE CREEK)  
UNABLE TO RECOVER BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700046

Class:

Vertical Datum:

Established by:

RE OFFICE #76

Date Established: 11/4/1993

System: COUNTY

Job Number:

FA7005

Nearest City:

County:

UNION

Route:

CR27

Section:

Log Mile:

Land Section Number:

6

Township:

19S

Range:

14W

Land Section:

NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

47.147

Elevation (Feet):

154.681

Description:

METAL DISK IN SW WINGWALL BR# 4716 UNABLE TO RECOVER S5102  
12/8/03

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700047

Class:

Vertical Datum:

Established by: RE OFFICE #73

Date Established: 6/3/1998

System: STATE Job Number: 070016 Nearest City: MT. HOLLY

County: UNION Route: 160 Section: 5 Log Mile: 2.83

Land Section Number: 25 Township: 16S Range: 18W

Land Section: SWSE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 53.313 Elevation (Feet): 174.911

Description: AHTD DISK SET IN TOP OF CONCRETE PARAPET RAIL END POST  
UNABLE TO RECOVER BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700048

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: R70060 Nearest City: EL DORADO

County: UNION Route: 167 Section: 1 Log Mile: 7.74

Land Section Number: 33 Township: 18S Range: 15W

Land Section:

Latitude: N 33 06 29.0 Longitude: W 92 39 38.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.592 Elevation (Feet): 228.320

Description: DISK ON TOP OF EAST HEADWALL OF R.C .BOX CULVERT, STA. 464+39  
RECOVERED BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700049

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #76

Date Established:

System: STATE

Job Number: R70060

Nearest City: EL DORADO

County: UNION

Route: 167

Section: 1

Log Mile: 7.96

Land Section Number: 33

Township: 18S

Range: 15W

Land Section:

Latitude: N 33 06 36.0

Longitude: W 92 39 27.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.024

Elevation (Feet): 236.299

Description: DISK IN TOP OF EAST HEADWALL OF R.C. BOX CULVERT, STA. 476+08  
RECOVERED BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700050

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #76

Date Established: 3/9/1995

System: STATE

Job Number: R70060

Nearest City: ELDORADO

County: UNION

Route: 167

Section: 1

Log Mile: 9.20

Land Section Number: 27

Township: 18S

Range: 15W

Land Section:

Latitude: N 33 07 23.0

Longitude: W 92 38 35.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 62.548

Elevation (Feet): 205.210

Description: DISK IN TOP OF EAST HEADWALL OF R.C. BOX CULVERT, STA. 541+12  
RECOVERED BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700051

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #76

Date Established: 11/1/1996

System: STATE

Job Number: R70060

Nearest City: EL DORADO

County: UNION

Route: 167

Section: 1

Log Mile: 10.50

Land Section Number: 23

Township: 18S

Range: 15W

Land Section:

Latitude: N 33 08 18.0

Longitude: W 92 37 48.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 51.56

Elevation (Feet): 169.160

Description: DISK IN SOUTHEAST WING OF BR. 6491. RECOVERED BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700052

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #76

Date Established: 11/1/1996

System: STATE

Job Number: R70060

Nearest City: EL DORADO

County: UNION

Route: 167

Section: 1

Log Mile: 10.89

Land Section Number: 23

Township: 18S

Range: 15W

Land Section:

Latitude: N 33 08 34.10

Longitude: W 92 37 34.5

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 51.526

Elevation (Feet): 169.048

Description: DISK IN SE WING OF BR. 6492. RECOVERED BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700053

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #76

Date Established: 4/21/1995

System: STATE

Job Number: R70060

Nearest City: EL DORADO

County: UNION

Route: 167

Section: 1

Log Mile: 13.42

Land Section Number: 10

Township: 18S

Range: 15W

Land Section:

Latitude: N 33 10 38.0

Longitude: W 92 38 05.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 62.84

Elevation (Feet): 206.168

Description: DISK IN TOP OF EAST HEADWALL OF R.C. BOX CULVERT, STA. 764+37.  
RECOVERED BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700054

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #76

Date Established: 5/21/1995

System: STATE

Job Number: R70060

Nearest City: EL DORADO

County: UNION

Route: 167

Section: 1

Log Mile: 13.75

Land Section Number: 3

Township: 18S

Range: 15W

Land Section:

Latitude: N 33 10 55.0

Longitude: W 92 38 06.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 66.05

Elevation (Feet): 216.699

Description: DISK IN TOP OF EAST HEADWALL OF R. C. BOX CULVERT, STA. 781+60  
RECOVERED BY S5102 12/8/03

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700055

Class:

Vertical Datum:

Established by: RE OFFICE #21

Date Established: 6/20/1997

System: STATE

Job Number: 001588

Nearest City: STRONG

County: UNION

Route: 82

Section: 7

Log Mile: 13.92

Land Section Number: 15

Township: 18S

Range: 10W

Land Section: NW

Latitude: N 33 08 59.0

Longitude: W 92 07 46.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 30.364

Elevation (Feet): 99.619

Description: AHTD DISK ON TOP OF PARAPET WALL 22' RT. STA. 744+24.  
RECOVERED BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700056

Class:

Vertical Datum:

Established by: RE OFFICE #21

Date Established: 6/20/1997

System: STATE

Job Number: 001588

Nearest City: STRONG

County: UNION

Route: 82

Section: 7

Log Mile: 12.08

Land Section Number: 17

Township: 18S

Range: 10W

Land Section: NW

Latitude: N 33 08 54.0

Longitude: W 92 09 39.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 29.708

Elevation (Feet): 97.467

Description: AHTD DISK TOP OF PARAPET WALL 22' RT. STA. 647+80. RECOVERED BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700057

Class:

Vertical Datum:

Established by: RE OFFICE #21

Date Established: 6/20/1997

System: STATE

Job Number: 001588

Nearest City: STRONG

County: UNION

Route: 82

Section: 7

Log Mile: 11.31

Land Section Number: 18

Township: 18S

Range: 10W

Land Section: SE

Latitude: N 33 10 26.0

Longitude: W 92 08 48.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 29.687

Elevation (Feet): 97.398

Description: AHTD DISK IN TOP OF PARAPET WALL STA. 607+14 RECOVERED BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700058

Class:

Vertical Datum:

Established by:

RE OFFICE #76

Date Established: 5/14/1998

System: STATE

Job Number: 070058

Nearest City: SMACKOVER

County: UNION

Route: 7B

Section: 2B

Log Mile: 1.30

Land Section Number: 12

Township: 16S

Range: 16W

Land Section:

Latitude: N 33 20 48.0

Longitude: W 92 42 22.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 34.425

Elevation (Feet): 112.943

Description: WINGWALL SOUTH END EAST SIDE OF BR 06669 ALUMINUM DISK  
PLACED IN CONCRETE. RECOVERED BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700059

Class:

Vertical Datum:

Established by:

Date Established: 8/1/1999

System: STATE

Job Number: N/A

Nearest City: ELDORADO

County: UNION

Route: 82

Section: 6

Log Mile: 6.51

Land Section Number: 15

Township: 18S

Range: 14W

Land Section:

Latitude: N 33 09 16.0

Longitude: W 92 32 22.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 59.0551

Elevation (Feet): 193.750

Description: [] CUT ON SE. COR. BR END ON HIBANK CREEK 11.2 MI. WEST ALONG HWY 82 FROM INTERSECTION OF HWY 275 & HWY 82 IN STRONG OR 6.5 MI EAST ALONG HWY 82 FROM INTERSECTION OF HWY 167 & HWY 82 IN ELDORADO. RECOVERED BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700060

Class:

Vertical Datum:

Established by:

Date Established: 8/1/1999

System: STATE

Job Number: N/A

Nearest City: STRONG

County: UNION

Route: 82

Section: 6

Log Mile: 16.18

Land Section Number: 30

Township: 18S

Range: 12W

Land Section:

Latitude: N 33 06 58.0

Longitude: W 92 22 52.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 36.7345

Elevation (Feet): 120.520

Description: [] CUT ON SE. COR. BR. END ON LAPILE CREEK 1.5 MI WEST ALONG HWY 82 FROM THE INTERSECTION OF HWY 275 & HWY 82 IN STRONG OR 16.1 MI EAST ALONG HWY 82 FROM THE INTERSECTION OF HWY 167 & HWY 82 IN ELDORADO RECOVERED BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700061

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: N/A

Nearest City: ELDORADO

County: UNION

Route: 82

Section: 06

Log Mile:

Land Section Number:

Township: 18S

Range: 14W

Land Section:

Latitude: N 33 08 42.0

Longitude: W 92 31 03.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 87.31

Elevation (Feet): 286.450

Description: HILLSBORO TRIANGULATION STA 7.9 MI EAST ALONG HWY 82 FROM  
INTERSECTION OF HWY 167 & 82 IN ELDORADO ON NORTH SIDE OF  
HWY 82; EAST OF A PUT DR. BRASS CAP STAMPED HILLSBORO 1952  
RECOVERED BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700062

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #76

Date Established: 4/14/1998

System: STATE

Job Number: 070059

Nearest City: ELDORADO

County: UNION

Route: 15

Section: 02

Log Mile: 1.4

Land Section Number: 25

Township: 17S

Range: 15W

Land Section:

Latitude: N 33 13 19.0

Longitude: W 92 34 49.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 66.539

Elevation (Feet): 218.303

Description: DISK IN TOP OF HEADWALL OF R.C. BOX CULVERT, NORTHSIDE, STA. 7+24, LT. UNABLE TO LOCATE BY S5102 12/8/03

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700063

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #76

Date Established: 10/26/1998

System: STATE

Job Number: 070059

Nearest City: ELDORADO

County: UNION

Route: 15

Section: 02

Log Mile: 1.4

Land Section Number: 25

Township: 17S

Range: 15W

Land Section:

Latitude: N 33 13 19.0

Longitude: W 92 34 49.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 66.739

Elevation (Feet): 218.960

Description: DISK IN TOP OF HEADWALL OF R.C. BOX CULVERT, NORTHSIDE, STA. 16+30, LT. UNABLE TO LOCATE BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700064

Class:

Vertical Datum: UNKNOWN

Established by: R. MCKINNON

Date Established: 1/1/1998

System: STATE

Job Number: R70059

Nearest City: JUNCTION CITY

County: UNION

Route: 167

Section: 1

Log Mile: 2.03

Land Section Number: 25

Township: 01

Range: 16W

Land Section:

Latitude: N 33 02 10.0

Longitude: W 92 42 26.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 41.4833

Elevation (Feet): 136.100

Description: DISK IN TOP OF LEFT PARAPET RAIL, BRIDGE # 06688 RECOVERED BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700065

Class:

Vertical Datum: UNKNOWN

Established by: R.MCKINNON

Date Established: 1/1/1998

System: STATE

Job Number: R70059

Nearest City: JUNCTION CITY

County: UNION

Route: 167

Section: 01

Log Mile: 2.71

Land Section Number: 25

Township: 19S

Range: 16W

Land Section:

Latitude: N 33 02 44.0

Longitude: W 92 42 09.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 39.986

Elevation (Feet): 131.187

Description: DISK IN RC BOX CULVERT HEADWALL, RIGHT SIDE RECOVERED BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700066

Class:

Vertical Datum: UNKNOWN

Established by: R.MCKINNON

Date Established: 1/1/1998

System: STATE

Job Number: R70059

Nearest City: JUNCTION CITY

County: UNION

Route: 167

Section: 01

Log Mile: 3.46

Land Section Number: 18

Township: 19S

Range: 15W

Land Section:

Latitude: N 33 03 20.0

Longitude: W 92 41 51.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 51.5021

Elevation (Feet): 168.970

Description: DISK IN RC BOX CULVERT HEADWALL, RIGHT SIDE. RECOVERED BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700067

Class:

Vertical Datum: UNKNOWN

Established by: R. MCKINNON

Date Established: 1/1/1998

System: STATE

Job Number: R70059

Nearest City: JUNCTION CITY

County: UNION

Route: 167

Section: 01

Log Mile: 5.07

Land Section Number: 17

Township: 19S

Range: 15W

Land Section:

Latitude: N 33 04 36.0

Longitude: W 92 41 11.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 57.93

Elevation (Feet): 190.059

Description: DISK IN RC BOX CULVERT HEADWALL, RIGHTSIDE. RECOVERED BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700068

Class:

Vertical Datum: UNKNOWN

Established by: R. MCKINNON

Date Established: 1/1/1998

System: STATE

Job Number: R70059

Nearest City: JUNCTION CITY

County: UNION

Route: 167

Section: 01

Log Mile: 5.71

Land Section Number: 8

Township: 19S

Range: 15W

Land Section:

Latitude: N 33 05 06.0

Longitude: W 92 40 54.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 62.08178

Elevation (Feet): 203.680

Description: DISK IN RC BOX CULVERT HEADWALL, RIGHTSIDE. RECOVERED BY  
S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700069

Class:

Vertical Datum: UNKNOWN

Established by: R. MCKINNON

Date Established: 1/1/1998

System: STATE

Job Number: R70059

Nearest City: JUNCTION CITY

County: UNION

Route: 167

Section: 1

Log Mile: 7.33

Land Section Number: 5

Township: 19S

Range: 15W

Land Section:

Latitude: N 33 06 16.0

Longitude: W 92 39 59.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 71.57327

Elevation (Feet): 234.820

Description: DISK IN RC BOX CULVERT HEADWALL , RIGHT SIDE RECOVERED BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700070

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #76

Date Established: 2/4/2000

System: STATE

Job Number: R70105

Nearest City: OLD UNION

County: UNION

Route: 15

Section: 02

Log Mile: 4.78

Land Section Number: 14

Township: 17S

Range: 14W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 48.5638

Elevation (Feet): 159.330

Description: ALUMINUM DISK IN NORTH SIDE BOX CULVERT HEADWALL UNABLE TO RECOVER BY S5102 12/8/03

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700071

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #76

Date Established: 2/4/2000

System: STATE

Job Number: R70105

Nearest City: OLD UNION

County: UNION

Route: 15

Section: 2

Log Mile: 8.2

Land Section Number: 17

Township: 17S

Range: 13W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 57.9517

Elevation (Feet): 190.130

Description: ALUMINUM DISK IN SOUTH SIDE BOX CULVERT HEADWALL. UNABLE TO RECOVER BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700072

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 2/4/2000

System: STATE Job Number: R70105 Nearest City: OLD UNION

County: UNION Route: 15 Section: 2 Log Mile: 6.9

Land Section Number: 17 Township: 17S Range: 13W

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 40.3098 Elevation (Feet): 132.250

Description: UNABLE TO RECOVER BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700073

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #76

Date Established: 4/14/1998

System: STATE

Job Number: 070059

Nearest City: EL DORADO

County: UNION

Route: 15

Section: 2

Log Mile: 1.4

Land Section Number: 25

Township: 17S

Range: 15W

Land Section:

Latitude: N 33 13 19.0

Longitude: W 92 34 49.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 66.539

Elevation (Feet): 218.303

Description: DISK IN TOP OF HEADWALL OF R.C. BOX CULVERT, SORTH SIDE,  
STATION 7+24, LT. UNABLE TO LOCATE BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700074

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #76

Date Established: 10/26/1998

System: STATE

Job Number: 700063

Nearest City: EL DORADO

County: UNION

Route: 15

Section: 2

Log Mile: 1.4

Land Section Number: 25

Township: 17S

Range: 15W

Land Section:

Latitude: N 33 13 19.0

Longitude: W 92 34 49.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 66.739

Elevation (Feet): 218.960

Description: DISK IN TOP OF HEAD WALL OF R.C. BOX CULVERT, NORTHSIDE,  
STATION 16+30, LT. UNABLE TO LOCATE BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700075

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #73

Date Established: 1/31/2000

System: STATE

Job Number: 007967

Nearest City: EL DORADO

County: UNION

Route: 15

Section: 1

Log Mile: 2.38

Land Section Number: 35

Township: 19S

Range: 18W

Land Section:

Latitude: N 33 02 19.0

Longitude: W 92 56 22.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 49.2832

Elevation (Feet): 161.690

Description: STANDARD AHTD DISC IN PARAPET RAIL END POST, SE CORNER OF  
BRIDGE#6693. RECOVERED BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700076

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #73

Date Established: 1/31/2000

System: STATE

Job Number: 007967

Nearest City: EL DORADO

County: UNION

Route: 15

Section: 1

Log Mile: 2.38

Land Section Number: 35

Township: 19S

Range: 18W

Land Section:

Latitude: N 33 02 19.0

Longitude: W 92 56 22.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 49.2954

Elevation (Feet): 161.730

Description: STANDARD AHTD DISC IN THE PARAPET RAIL END POST, NE CORNER  
OF BRIDGE #6693 RECOVERED BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700077

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #73

Date Established: 12/21/1999

System: STATE

Job Number: 007967

Nearest City: EL DORADO

County: UNION

Route: 15

Section: 1

Log Mile: 2.73

Land Section Number: 36

Township: 19S

Range: 18W

Land Section:

Latitude: N 33 02 28.0

Longitude: W 92 56 04.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 49.2984

Elevation (Feet): 161.740

Description: STANDARD AHTD DISC IN PARAPET RAIL END POST, SW CORNER OF  
BRIDGE #6694. RECOVERED BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700078

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #73

Date Established: 1/31/2000

System: STATE

Job Number: 007967

Nearest City: EL DORADO

County: UNION

Route: 15

Section: 1

Log Mile: 5.98

Land Section Number: 20

Township: 19S

Range: 17W

Land Section:

Latitude: N 33 03 59.0

Longitude: W 92 53 11.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 53.0322

Elevation (Feet): 173.990

Description: STANDARD AHTD DISC IN PARAPET RAIL END POST, SE CORNER OF  
BRIDGE #6995. RECOVERED BY S5102 12/8/03

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700079

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #73

Date Established: 1/31/2000

System: STATE

Job Number: 007967

Nearest City: EL DORADO

County: UNION

Route: 15

Section: 1

Log Mile: 6.05

Land Section Number: 20

Township: 19S

Range: 17W

Land Section:

Latitude: N 33 04 01.0

Longitude: W 92 53 07.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 53.0383

Elevation (Feet): 174.010

Description: STANDARD AHTD DISC IN PARAPET RAIL END POST, NW CORNER OF  
BRIDGE #6996. RECOVERED BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700080

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #73

Date Established: 1/31/2000

System: STATE

Job Number: 007967

Nearest City: EL DORADO

County: UNION

Route: 15

Section: 1

Log Mile: 6.10

Land Section Number: 20

Township: 19S

Range: 17W

Land Section:

Latitude: N 33 04 03.0

Longitude: W 92 53 02.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 53.0292

Elevation (Feet): 173.980

Description: STANDARD AHTD DISC IN PARAPET RAIL END POST, NE CORNER OF  
BRIDGE #6997. RECOVERED BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700081

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #73

Date Established: 12/5/2000

System: STATE

Job Number: 070142

Nearest City: EL DORADO

County: UNION

Route: 15

Section: 2

Log Mile: 3.86

Land Section Number: 20

Township: 17S

Range: 14W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 60.313

Elevation (Feet): 197.877

Description: DISK IN TOP OF SOUTH HEADWALL OF RC BOX CULVERT STA 62+40  
UNABLE TO LOCATE BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700082

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #73

Date Established: 12/6/2000

System: STATE

Job Number: 070142

Nearest City: EL DORADO

County: UNION

Route: 15

Section: 2

Log Mile: 5.43

Land Section Number: 21

Township: 17S

Range: 14W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 52.23

Elevation (Feet): 171.358

Description: DISK IN TOP OF SOUTH HEADWALL OF RC BOX CULVERT STA 87+70  
UNABLE TO LOCATE BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700083

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #73

Date Established: 12/5/2000

System: STATE

Job Number: 070142

Nearest City: EL DORADO

County: UNION

Route: 15

Section: 2

Log Mile: 3.08

Land Section Number: 19

Township: 17S

Range: 14W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 64.35

Elevation (Feet): 211.122

Description: DISK IN TOP OF SOUTH HEADWALL OF RC BOX STA 49+80 UNABLE TO LOCATE BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700084

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #76

Date Established: 10/29/2002

System: STATE

Job Number: 070222

Nearest City: El Dorado

County: UNION

Route: 82

Section: 6

Log Mile: 1.364

Land Section Number: 6

Township: 18S

Range: 14W

Land Section: SW

Latitude: N 33 08 23.0

Longitude: W 92 30 15.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 59.329

Elevation (Feet): 194.649

Description: AHTD DISK IN TOP OF HW OF RC BOX TRIPLE CULVERT SOUTHSIDE  
STA 173+62 UNABLE TO LOCATE BY S5102 12/8/03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700085

Class:

Vertical Datum: NAVD88

Established by: RE OFFICE #76

Date Established: 1/3/2007

System: STATE

Job Number: 070074

Nearest City: EL DORADO

County: UNION

Route: 63

Section: 27

Log Mile: 17.84

Land Section Number: 27

Township: 17S

Range: 15W

Land Section: NESE

Latitude: N 33 12 48.0

Longitude: W 92 38 05.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 82.163

Elevation (Feet): 269.563

Description: AHTD DISC IN WING PARAPET RAIL ON RT SIDE OF BR 06904  
SOUTHWEST CORNER. RECOVERED BY S5102 12/8/03.

Comments: In Job 070074-070076 a 3-wire Level circuit was ran from NGS N198 to El Dorado by Garver Engr, S5103, & S5104. The elevation calculated was approx. 1.2 feet than elevation from Job 070206. The elevation from Job 070206 is 270.42 feet. Mark was set in Job 070206.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700086

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #76

Date Established: 8/8/2003

System: STATE

Job Number: 070170

Nearest City: EL DORADO

County: UNION

Route: 82

Section: 6

Log Mile: 8.5

Land Section Number: 24

Township: 18S

Range: 14W

Land Section: SWNW

Latitude: N 33 08 31.0

Longitude: W 92 30 35.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 63.645

Elevation (Feet): 208.809

Description: AHTD DISK IN HW RT STA 464+27 RECOVERED BY S5102 12/8/03

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700087

Class:

Vertical Datum:

Established by: RE OFFICE #76

Date Established: 8/8/2003

System: STATE Job Number: 070170 Nearest City: EL DORADO

County: UNION Route: 82 Section: 6 Log Mile: 14.02

Land Section Number: 26 Township: 18S Range: 13W

Land Section:

Latitude: N 33 07 29.0 Longitude: W 92 25 05.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 44.055 Elevation (Feet): 144.537

Description: AHTD DISK IN HW LT STA 655+59 RECOVERED BY S5102 12/8/03

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700088

Class:

Vertical Datum:

Established by:

RE OFFICE #76

Date Established: 8/8/2003

System: STATE

Job Number: 070170

Nearest City: EL DORADO

County: UNION

Route: 82

Section: 6

Log Mile: 9.05

Land Section Number: 24

Township: 18

Range: 14W

Land Section:

Latitude: N 33 08 20.0

Longitude: W 92 30 03.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 60.296

Elevation (Feet): 197.821

Description: AHTD DISK IN HW LT STA 493+27 RECOVERED BY S5102 12/8/03

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700089

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #76

Date Established: 1/6/2005

System: STATE Job Number: 070243 Nearest City: MOUNT HOLLY

County: UNION Route: 160 Section: 5 Log Mile:

Land Section Number: 21 Township: 16S Range: 17W

Land Section: SWSE

Latitude: N 33 18 52.0 Longitude: W 92 51 54.0 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 51.236982 Elevation (Feet): 168.100

Description: DISK IN TOP OF RIGHT PARAPET RAIL, BRIDGE #06944

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700090

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 6/14/2005

System: STATE Job Number: 070249 Nearest City: SMACKOVER

County: UNION Route: 7B Section: 2B Log Mile: 2.90

Land Section Number: 2 Township: 16S Range: 16W

Land Section:

Latitude: N 33 21 43.69 Longitude: W 92 43 22.84 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 34.283973 Elevation (Feet): 112.480

Description: ALUMINUM CAP IN RIGHT SIDE OF HEADWALL OF RC BOX CULVERT  
AT STATION 114+24

Comments: Elevations were entered but cannot be verified due to no information on the control  
used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700091

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #76

Date Established: 11/9/2007

System: STATE Job Number: 070076 Nearest City: ELDORADO

County: UNION Route: 167 Section: 1 Log Mile: 17.45

Land Section Number: 23 Township: 17S Range: 15W

Land Section: SENE

Latitude: N 33 13 53.3 Longitude: W 92 37 52.7 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.97180595 Elevation (Feet): 245.970

Description: ALUMINUM DISC, ON TOP OF PARAPET WALL, BR#07047, RT. @ STA. 19+28

Comments: Elevations cannot be verified, 3-wire levels were not submitted.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700092

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #76

Date Established: 7/16/2003

System: STATE

Job Number: 070206

Nearest City: EL DORADO

County: UNION

Route: 63

Section: 27

Log Mile: 17.84

Land Section Number: 27

Township: 17S

Range: 15W

Land Section: NESE

Latitude: N 33 12 49.0

Longitude: W 92 38 04.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 82.42418086

Elevation (Feet): 270.420

Description: ALUM DISC ON TOP OF WING PARAPET RAIL ON RT SIDE OF BR# 060904  
AT BEGINNING OF BRIDGE (SW CORNER) @ STA. 19+02

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

**Identification:** 700093

**Class:** THIRD-ORDER

**Vertical Datum:** NAVD88

**Established by:** SURVEYS DIVISION

**Date Established:** 3/15/2013

**System:** STATE

**Job Number:** 070273

**Nearest City:** El Dorado

**County:** UNION

**Route:** 15

**Section:** 1

**Log Mile:** 20.6

**Land Section Number:** 34

**Township:** 18s

**Range:** 15w

**Land Section:** SWNW

**Latitude:** N 33 11 17.90000

**Longitude:** W 92 41 48.00000

**Type:** GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

**Elevation (Meters):** 62.590805

**Elevation (Feet):** 205.350

**Description:** Aluminum disk on top of Rt. Parapet at sta. 510+77.

**Comments:** Elevations cannot be verified, 3-wire levels were not submitted.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

**Identification:** 700094

**Class:** THIRD-ORDER

**Vertical Datum:** NAVD88

**Established by:** SURVEYS DIVISION

**Date Established:** 3/15/2013

**System:** STATE

**Job Number:** 070273

**Nearest City:** El Dorado

**County:** UNION

**Route:** 15

**Section:** 1

**Log Mile:** 17.11

**Land Section Number:** 34

**Township:** 19s

**Range:** 16w

**Land Section:** SESW

**Latitude:** N 33 09 57.00000

**Longitude:** W 92 44 30.00000

**Type:** GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

**Elevation (Meters):** 55.726695

**Elevation (Feet):** 182.830

**Description:** aluminum disk on top of rt. Parapet at station 110+15.

**Comments:** Elevations cannot be verified, 3-wire levels were not submitted.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700095

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #76

Date Established: 12/30/2011

System: STATE

Job Number: 070074

Nearest City: el dorado

County: UNION

Route: 167

Section: 1

Log Mile: 15.00

Land Section Number: 34

Township: 17s

Range: 15w

Land Section: NESW

Latitude: N 33 15 21.10000

Longitude: W 92 38 20.50000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 78.422149

Elevation (Feet): 257.290

Description: aluminum disk on top of parapet rail, br# 07075 b rt.

Comments: Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700096

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #76

Date Established: 12/30/2011

System: Job Number: 070074 Nearest City: el dorado

County: UNION Route: 167 Section: 1 Log Mile: 15.39

Land Section Number: 34 Township: 17s Range: 15w

Land Section: NENW

Latitude: N 33 12 13.5000 Longitude: W 92 38 29.7000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 84.295657 Elevation (Feet): 276.560

Description: aluminum disk on top of parapet rail br # 07075 a, lt.

Comments: Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700096\_2

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #76

Date Established: 12/30/2011

System: STATE Job Number: 070074 Nearest City: el dorado

County: UNION Route: 167 Section: 1 Log Mile: 15.33

Land Section Number: 34 Township: 17s Range: 15n

Land Section: SENW

Latitude: N 33 12 10.5000 Longitude: W 92 38 28.7000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.448819 Elevation (Feet): 267.220

Description: aluminum disk on top of parapet rail, br # 07075 b, rt.

Comments: Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700097

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #76

Date Established: 12/30/2011

System: STATE

Job Number: 070074

Nearest City: el dorado

County: UNION

Route: 167

Section: 1

Log Mile: 15.65

Land Section Number: 29

Township: 17s

Range: 15w

Land Section: SESW

Latitude: N 33 12 25.90000

Longitude: W 92 38 24.90000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 84.612649

Elevation (Feet): 277.600

Description: aluminum disk on top of parapet rail, br #07076, rt

Comments: Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700098

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: RE OFFICE #76

Date Established: 3/28/2012

System: STATE

Job Number: 070267

Nearest City: el dorado

County: UNION

Route: 167

Section: 1

Log Mile: 18.44

Land Section Number: 15

Township: 17s

Range: 15w

Land Section: SWNE

Latitude: N 33 14 41.00000

Longitude: W 92 38 10.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 46.515621

Elevation (Feet): 152.610

Description: rt side headwall.

Comments: Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700099

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #76

Date Established: 3/28/2012

System: STATE

Job Number: 070267

Nearest City: el dorado

County: UNION

Route: 167

Section: 1

Log Mile: 18.96

Land Section Number: 15

Township: 17s

Range: 15w

Land Section: NENW

Latitude: N 33 14 59.00000

Longitude: W 92 38 35.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 49.167386

Elevation (Feet): 161.310

Description: rt side parapet.

Comments: Elevation not verified due to no three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700100

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: RE OFFICE #76

Date Established: 3/28/2012

System: STATE

Job Number: 070267

Nearest City: el dorado

County: UNION

Route: 167

Section: 1

Log Mile: 0..0

Land Section Number: 10

Township: 17s

Range: 15w

Land Section: SWSW

Latitude: N 33 15 14.00000

Longitude: W 92 38 53.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 62.993142

Elevation (Feet): 206.670

Description: rt side parapet, where bench mark is located.

Comments: Elevation not verified due to no three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700101

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: RE OFFICE #76

Date Established: 3/28/2012

System: STATE

Job Number: 070267

Nearest City: El Dorado

County: UNION

Route: 7

Section: 2

Log Mile: 0.82

Land Section Number: 9

Township: 17s

Range: 15w

Land Section: NENE

Latitude: N 33 15 54.00000

Longitude: W 92 39 05.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 51.651511

Elevation (Feet): 169.460

Description: rt side wingwall.

Comments: Elevation not verified due to no three wire data.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700102

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #76

Date Established: 4/2/2012

System: STATE

Job Number: 070267

Nearest City: El Dorado

County: UNION

Route: 7

Section: 2

Log Mile: 1.66

Land Section Number: 4

Township: 17s

Range: 15w

Land Section: SENW

Latitude: N 33 16 33.00000

Longitude: W 92 39 27.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 44.113792

Elevation (Feet): 144.730

Description: rt side headwall.

Comments: Elevation not verified due to no three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700103

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #76

Date Established: 12/22/2011

System: STATE

Job Number: 0700297

Nearest City: EL DORADO

County: UNION

Route: 7

Section: 2

Log Mile: 1.03

Land Section Number: 9

Township: 17S

Range: 15W

Land Section: NENE

Latitude: N 33 15 33.63920

Longitude: W 92 39 05.83600

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 42.952502

Elevation (Feet): 140.920

Description: ALUMINUM DISC ON TOP OF PARAPET WALL.

Comments: Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700104

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #76

Date Established: 12/22/2011

System: STATE

Job Number: 070297

Nearest City: EL DORADO

County: UNION

Route: 7

Section: 2

Log Mile: 2.79

Land Section Number: 32

Township: 16S

Range: 15W

Land Section: NESE

Latitude: N 33 17 06.37540

Longitude: W 92 40 07.15100

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 43.333503

Elevation (Feet): 142.170

Description: ALUMINUM DISC ON TOP OF HEADWALL.

Comments: Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700105

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #76

Date Established: 6/5/2018

System: STATE

Job Number: 070281

Nearest City: Calion

County: UNION

Route: 167

Section: 2

Log Mile: 7.58

Land Section Number: 16

Township: 16s

Range: 14w

Land Section: SW

Latitude: N 33 19 32.00000

Longitude: W 92 33 14.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 29.8522

Elevation (Feet): 97.940

Description: DISK IN SOUTHEAST CORNER OF RT. HEADWALL OF RC BOX CULVERT

Comments: Not verified due to lack of three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 700106

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #76

Date Established: 6/5/2018

System: STATE Job Number: 070281 Nearest City: Calion

County: UNION Route: 167 Section: 2 Log Mile: 7.28

Land Section Number: 16 Township: 16s Range: 14w

Land Section: SW

Latitude: N 33 19 32.00000 Longitude: W 92 33 30.00000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 37.3228 Elevation (Feet): 122.450

Description: DISK IN SOUTHEAST CORNER OF RT. HEADWALL OF RC BOX CULVERT

Comments: Not verified due to lack of three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 710001

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: 8669 Nearest City: CLINTON

County: VAN BUREN Route: 65 Section: 8 Log Mile: .71

Land Section Number: 14 Township: 11N Range: 14W

Land Section: NW

Latitude: N 35 33 35.0 Longitude: W 92 27 16.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 159.959 Elevation (Feet): 524.799

Description: DISK TOP SOUTHEAST POST SOUTHEAST CORNER BRIDGE 5556 21'  
RIGHT STATION 486+12 TOWN BRANCH CREEK RECOVERED 10/14/98

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 710002

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: 8669 Nearest City: CLINTON

County: VAN BUREN Route: 65 Section: 8 Log Mile: 0.06

Land Section Number: 15 Township: 11N Range: 14W

Land Section: NE

Latitude: N 35 36 00.0 Longitude: W 92 27 46.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 163.025 Elevation (Feet): 534.858

Description: DISK IN NOSE OF ISLAND 54' LEFT STATION 532+30 JUNCTION  
HIGHWAY 65 & 65B RECOVERED 10/8/98

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 710003

Class:

Vertical Datum: NGVD29

Established by: SURVEYS DIVISION

Date Established: 3/16/1992

System: Job Number: RX0020 Nearest City: BEE BRANCH (4 MI. SOUTH)

County: VAN BUREN Route: 65 Section: 8 Log Mile: 14.38

Land Section Number: 20 Township: 09N Range: 13W

Land Section: NE

Latitude: N 35 24 25.0 Longitude: W 92 23 28.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 207.746 Elevation (Feet): 681.580

Description: [ ] CUT ON BOTTOM STEP SOUTHEAST CORNER OF SOUTHSIDE  
BAPTIST CHURCH APPX. 4 MILE SOUTH OF BEE BRANCH ON WEST  
SIDE OF HIGHWAY 65 RECOVERED 10/8/98

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 710004

Class:

Vertical Datum: UNKNOWN

Established by: SURVEYS DIVISION

Date Established: 3/16/1992

System:

Job Number:

N/A

Nearest City:

BEE BRANCH

County:

VAN BUREN

Route:

65

Section:

8

Log Mile:

11.53

Land Section Number:

5

Township:

09N

Range:

13W

Land Section:

NE

Latitude: N 35 26 53.0

Longitude: W 92 23 32.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

244.678

Elevation (Feet):

802.748

Description:

[ ] CUT ON FLAT CONCRETE ENTRANCE TO BEE BRANCH BAPTIST  
CHURCH NORTHWEST CORNER CONCRETE SLAB APPX. 3'N & 2'E OF  
DOOR ENTRANCE WEST SIDE HIGHWAY 65 IN BEE BRANCH  
RECOVERED 10/8/98

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 710005

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 7/2/1991

System: STATE Job Number: R80024 Nearest City: CHIMES

County: VAN BUREN Route: 254 Section: 0 Log Mile: 4.360

Land Section Number: 5 Township: 12N Range: 16W

Land Section: SWSE

Latitude: N 35 42 43.0 Longitude: W 90 24 32.6 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 513.116 Elevation (Feet): 1683.448

Description: AHTD DISC IN CENTER OF HDWL. OF R. C. BOX CLVT., 36' RT. OF C/L  
STA. 241+80 RECOVERED 10/8/98

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 710006

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established: 9/1/1990

System: STATE Job Number: 8924 Nearest City: SHIRLEY

County: VAN BUREN Route: 16 Section: 10 Log Mile: 10.17

Land Section Number: 25 Township: 12N Range: 13W

Land Section: SE

Latitude: N 35 38 53.0 Longitude: W 92 19 01.9 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 165.662 Elevation (Feet): 543.509

Description: STANDARD AHTD DISC SET TOP NORTHWEST END PARAPET WALL 17'  
RIGHT CENTERLINE CONSTRUCTION STATION 536+74 WEAVER CREEK  
BRIDGE #6324 RECOVERED 10/14/98 LOCATED ON HIGHWAY 16 SEC.10  
LOGMILE 10.17

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 710007

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #84

Date Established: 7/5/1995

System: STATE

Job Number: 8733

Nearest City: DAMASCUS

County: VAN BUREN

Route: 285

Section: 2

Log Mile: 3.77

Land Section Number: 27

Township: 09N

Range: 14W

Land Section: SE

Latitude: N 35 22 57.0

Longitude: W 92 27 41.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 131.21

Elevation (Feet): 430.478

Description: STANDARD AHTD DISC SET IN TOP OF PARAPET ON NORTH EAST END  
OF NORTH WALL 16 FT. RIGHT OF CENTERLINE STATION 204+71.  
RECOVERED 10/8/98

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 710008

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #84

Date Established: 1/19/1996

System: COUNTY

Job Number: SA7118

Nearest City: CLINTON

County: VAN BUREN

Route: CR 23

Section:

Log Mile:

Land Section Number: 30

Township: 11N

Range: 13W

Land Section: SW

Latitude: N 35 33 42.0

Longitude: W 90 22 51.7

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 186.909

Elevation (Feet): 613.217

Description: STANDARD AHTD DISC SET TOP WEST HEADWALL OF DOUBLE 8'x5'x47'  
CONCRETE BOX CULVERT 19' LEFT CENTERLINE CONSTRUCTION  
STATION 57+41 RECOVERED 10/14/98

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 710009

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #84

Date Established: 10/8/1996

System: STATE

Job Number: 8982

Nearest City: SHIRLEY

County: VAN BUREN

Route: 16 & 330

Section: 10 & 2

Log Mile: 11.81

Land Section Number: 6

Township: 11n

Range: 12W

Land Section: NW

Latitude: N 35 37 33.0

Longitude: W 90 18 39.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 204.381

Elevation (Feet): 670.540

Description: STANDARD AHTD DISC SET TOP NE CORNER OF THE NORTH  
HEADWALL OF A DOUBLE 8' x 7' x 112" R. C. BOX CULVERT 38' LT.  
CENTERLINE CONST. STA. 623+00 RECOVERED 10/14/98

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 710010

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #84

Date Established: 10/28/1996

System: STATE

Job Number: 008994

Nearest City: SHIRLEY

County: VAN BUREN

Route: 16

Section: 10

Log Mile: 5.98

Land Section Number: 33

Township: 12N

Range: 13W

Land Section: SE

Latitude: N 35 37 47.0

Longitude: W 90 22 22.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 209.27

Elevation (Feet): 686.580

Description: STANDARD AHTD DISC SOUTH EAST CORNER OF SOUTH HEADWALL  
OF DOUBLE 9' x 7' x 74' BOX CULVERT 33' RT. CENTERLINE CONST. STA.  
315+50. RECOVERED 10/14/98

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 710011

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #84

Date Established: 10/28/1996

System: STATE

Job Number: 008994

Nearest City: SHIRLEY

County: VAN BUREN

Route: 16

Section: 10

Log Mile: 6.22

Land Section Number: 33

Township: 12N

Range: 13W

Land Section: SE

Latitude: N 35 38 01.0

Longitude: W 92 22 10.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 203.35

Elevation (Feet): 667.157

Description: STANDARD AHTD DISC SET TOP PARAPET WALL SE CORNER OF  
SOUTH END WEAVER CREEK BRIDGE #6469 13' RT. CENTERLINE  
CONST. STA. 329+84. RECOVERED 10/14/98

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 710012

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #84

Date Established: 10/28/1996

System: STATE

Job Number: 008994

Nearest City: SHIRLEY

County: VAN BUREN

Route: 16

Section: 10

Log Mile: 6.32

Land Section Number: 33

Township: 12N

Range: 13W

Land Section: SE

Latitude: N 35 38 01.0

Longitude: W 92 21 54.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 201.122

Elevation (Feet): 659.848

Description: STANDARD AHTD DISC SET TOP NORTH WEST CORNER OF NORTH  
HEADWALL DOUBLE 12' x 10' x 75" CULVERT 35' LEFT CENTERLINE  
STATION 344+85. RECOVERED 10/14/98

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 710013

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #84

Date Established:

System: COUNTY

Job Number: F-71-1

Nearest City: CLINTON

County: VAN BUREN

Route: CR 94

Section: 13

Log Mile: 1.00

Land Section Number: 18

Township: 11N

Range: 13W

Land Section: NESW

Latitude: N 35 35 21.0

Longitude: W 92 24 54.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 151.178

Elevation (Feet): 495.990

Description: STANDARD AHTD DISC SET IN TOP OF THE NW WINGWALL OF THE  
NORTH BRIDGE END OF PEE DEE CREEK BRIDGE ON CO. RD. #94.  
\*\*1.00 MILES S OF HWY. 16 EAST ON COUNTY RD. #94 AT PEE DEE CR.  
BRIDGE #7283. RECOVERED 10/14/98

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 710014

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #84

Date Established: 12/13/1990

System: COUNTY

Job Number: F-71-6

Nearest City: FAIRFIELD BAY

County: VAN BUREN

Route: 301-E

Section: 1

Log Mile: 3.5

Land Section Number: 14

Township: 11N

Range: 13W

Land Section: SE

Latitude: N 35 35 07.0

Longitude: W 92 20 20.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 192.829

Elevation (Feet): 632.640

Description: STD. AHTD DISC SET TOP NW CORNER CONC. HEADWALL NORTH END  
BOX CULVERT 49' LT. OF CENTERLINE STA. 192+55 RECPVERED  
10/14/98

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 710015

Class:

Vertical Datum:

Established by: RE OFFICE #84

Date Established: 2/13/1990

System: COUNTY

Job Number: F-71-7

Nearest City: FAIRFIELD BAY

County: VAN BUREN

Route: 2538

Section:

Log Mile: 4.9

Land Section Number: 13

Township: 11N

Range: 13W

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 194.185

Elevation (Feet): 637.089

Description: STD. AHTD DISC SET IN TOP OF HEADWALL OF THE NORTH END OF A DBL. 8'x6'x162' R. C. BOX CULVERT 81' LEFT OF C/L HWY. 330 WEST C/L STA. 266+71 IN CAN BUREN COUNTY NEAR FAIRFIELD BAY NOT RECOVERED 10/14/98

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 710016

Class:

Vertical Datum:

Established by: RE OFFICE #84

Date Established:

System: COUNTY Job Number: F-71-5 Nearest City:

County: VAN BUREN Route: S 2538 (CR 3 Section: Log Mile:

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 205.865 Elevation (Feet): 675.409

Description: STD. AHTD DISC SET IN TOP OF S. HEADWALL OF 24' CROSS DRAIN 32  
FT. RT. @ STA. 40+00. NOT RECOVERED 10/14/98

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 710017

Class:

Vertical Datum:

Established by: RE OFFICE #84

Date Established:

System: COUNTY Job Number: F-71-5 Nearest City:

County: VAN BUREN Route: S2538 (CR 3 Section: Log Mile:

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 221.501 Elevation (Feet): 726.708

Description: STD. AHTD DISC SET IN TOP OF HEADWALL IN SW CORNER OF RC BOX  
CULVERT @ STA. 83+57 RT. NOT RECOVERED 10/14/98

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 710018

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #84

Date Established: 1/27/1998

System:

Job Number:

R80029

Nearest City:

CHOCTAW

County:

VAN BUREN

Route:

336

Section:

1

Log Mile:

3.50

Land Section Number:

9

Township:

10N

Range:

13W

Land Section:

NW

Latitude: N 35 31 08.0

Longitude: W 92 23 07.0

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

152.7263

Elevation (Feet):

501.070

Description:

STANDARD AHTD DISC 28' LEFT CENTERLINE NW CORNER, TRIPLE R.  
C. BOX CULVERT @ STATION 74+99. RECOVERED 10/14/98

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 710019

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #84

Date Established: 1/27/1998

System:

Job Number: R80029

Nearest City: CHOCTAW

County: VAN BUREN

Route: 336

Section: 1

Log Mile: 4.70

Land Section Number: 10

Township: 10N

Range: 13W

Land Section: NE

Latitude: N 35 31 13.0

Longitude: W 92 20 20.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 150.861

Elevation (Feet): 494.950

Description: STAMRDARD AHTD DISC 55' LEFT CENTERLINE NW CORNER, TRIPLE R.  
C. NOX CULVERT @ STATION 138+90. RECOVERED 10/14/98

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 710020

Class:

Vertical Datum:

Established by: RE OFFICE #84

Date Established: 12/9/1998

System: STATE

Job Number: 080121

Nearest City:

County: VAN BUREN

Route: 65

Section: 8

Log Mile: 0.87

Land Section Number: 14

Township: 11N

Range: 14W

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 153.869

Elevation (Feet): 504.819

Description: STANDARD AHTD DISC IN SOUTH EAST CORNER HEADWALL OF A 6' X 102' R. C. BOX CULVERT 60' RIGHT OF CENTERLINE STATION 470+8.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 710021

Class:

Vertical Datum:

Established by:

Date Established: 6/16/1999

System: STATE

Job Number: R80067

Nearest City:

County: VAN BUREN

Route: 65

Section: 8

Log Mile: 12.12

Land Section Number: 05

Township: 09N

Range: 13W

Land Section: SE

Latitude: N 35 26 44.0

Longitude: W 92 23 28.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 232.1123

Elevation (Feet): 761.522

Description: RECOVERED 9-3-99 CREW S5102 STANDARD AHTD DISC SOUTHWEST  
CORNER OF A 1800MM X 1500MM X 27.2M R.C. BOX CULVERT 17M LEFT  
CENTERLINE STATION 945 +19

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 710022

Class:

Vertical Datum:

Established by:

Date Established: 6/16/1999

System: STATE

Job Number: R80067

Nearest City:

County: VAN BUREN

Route: 65

Section: 8

Log Mile: 14.62

Land Section Number: 16

Township: 09N

Range: 13W

Land Section: SW

Latitude: N 35 24 36.0

Longitude: W 92 23 25.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 211.4071

Elevation (Feet): 693.591

Description: RECOVERED 9-3-99 CREW S5102 STANDARD AHTD DISC CENTER  
HEADWALL OF A 900MM X 900MM X21M R.C. BOX CULVERT 14.4M  
RIGHT CENTERLINES STATION 905+40

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 710023

Class:

Vertical Datum:

Established by:

Date Established: 6/16/1999

System: STATE

Job Number: N/A

Nearest City:

County: VAN BUREN

Route: 65

Section: 8

Log Mile: 13.27

Land Section Number: 8

Township: 09N

Range: 13W

Land Section: SE

Latitude: N 35 25 45.0

Longitude: W 92 23 24.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 227.789

Elevation (Feet): 747.338

Description: STANDARD AHTD DISC NORTHWEST CORNER OF A 3600MM X 1800MM  
X 25M R.C. BOX CULVERT 20M LEFT CENTERLINE STATION 926+50  
RECOVERED 9-3-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 710024

Class:

Vertical Datum:

Established by:

Date Established: 6/16/1999

System: STATE

Job Number: R80067

Nearest City:

County: VAN BUREN

Route: 65

Section: 08

Log Mile: 12.12

Land Section Number:

Township: 09N

Range: 13W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 71.6623

Elevation (Feet): 235.112

Description: STANDARD A.H.T.D. DISC SOUTHWEST CORNER OF A 1800MM X  
1500MM X 27.2M R.C. BOX CULVERT 17M LEFT CENTERLINE STATION  
945+19

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 710025

Class:

Vertical Datum:

Established by:

Date Established: 6/16/1999

System: STATE

Job Number: R80067

Nearest City:

County: VAN BUREN

Route: 65

Section: 8

Log Mile: 13.27

Land Section Number: 8

Township: 09N

Range: 13W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.4302

Elevation (Feet): 227.789

Description: STANDARD AHTD DISC NORTHWEST CORNER OF A 3600MM X 1800MM  
X 25M R.C. BOX CULVERT 20M LEFT CENTERLINE STATION 926+50

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 710026

Class:

Vertical Datum:

Established by:

Date Established: 6/16/1999

System: STATE

Job Number: R80067

Nearest City:

County: VAN BUREN

Route: 65

Section: 08

Log Mile: 14.62

Land Section Number: 16

Township: 09N

Range: 13W

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 64.437

Elevation (Feet): 211.407

Description: STANDARD AHTD DISC NORTHWEST CORNER OF A 3600MM X 1800MM  
X 25M R.C. BOX CULVERT 20M LEFT CENTERLINE STATION 926+50

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 710027

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #84

Date Established: 1/16/2002

System: STATE

Job Number: 080141

Nearest City:

County: VAN BUREN

Route: 336

Section: 18

Log Mile: 1.95

Land Section Number: 18

Township: 10n

Range: 13w

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 155.73

Elevation (Feet): 510.924

Description: NW CORNER HW BOX CULVERT

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 710028

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #84

Date Established: 2/10/2004

System: STATE

Job Number: 080143

Nearest City:

County: VAN BUREN

Route: 65

Section: 8

Log Mile: 5.09

Land Section Number:

Township: 10n

Range: 14w

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 165.7533

Elevation (Feet): 543.809

Description: AHTD DISK IN SE WINGWALL, BIG BRANCH CREEK BR # 06914.

Comments: An apparent elevation blunder was made during the control phase of this project. The Job 080143 project derived elevation for this mark is: Elev:551.84 feet. An elevation adjustment based on a Corp of Engineer mark being tied during monumentation of an easement by Parcel Crew S5106. The elevation of 543.81 feet was computed based on a 3-wire level run from COE Monument 1808-5 to the project control. 10/27/2008 MSK

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 710029

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #84

Date Established: 2/10/2004

System: STATE

Job Number: 080143

Nearest City:

County: VAN BUREN

Route: 65

Section: 8

Log Mile: 5.85

Land Section Number:

Township: 10N

Range: 14W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 151.8361

Elevation (Feet): 498.149

Description: AHTD DISK IN SE WINGWALL BR # 06913 CHOCTAW CREEK BRIDGE.

Comments: An apparent elevation blunder was made during the control phase of this project. The Job 080143 project derived elevation for this mark is: Elev:506.18 feet. A Corp of Engineer mark was tied during monumentation of an easement by Parcel Crew S5106. An elevation of 498.15 feet was computed based on a 3-wire level run from COE Monument 1808-5. 10/27/2008 MSK

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 710030

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #84

Date Established: 7/18/2006

System: COUNTY Job Number: BR7102 Nearest City: \*

County: VAN BUREN Route: 28 Section: N/A Log Mile: 3.20

Land Section Number: 23 Township: 09N Range: 13W

Land Section: NE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 184.606 Elevation (Feet): 605.662

Description: STANDARD AHTD DISK IN TOP OF PARAPET WALL. SOUTH EAST  
CORNER OF BRIDGE NUMBER 04886. 25 FEET RIGHT OF CENTERLINE  
STATION 103+05.

Comments: ESTABLISHED BY RE 84 C.W. MCMILLIAN

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 710031

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #84

Date Established: 10/2/2006

System: STATE Job Number: RX0021 Nearest City:

County: VAN BUREN Route: 65 Section: 5 Log Mile: 7.69

Land Section Number: 7 Township: 12N Range: 14N

Land Section: NW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 389.349

Elevation (Feet): 1277.389

Description: STANDARD AHTD BENCHMARK CAP IN SOUTH EAST CORNER  
HEADWALL OF A 4'x3'x86' R.C. BOX CULVERT 45' RIGHT OF  
CENTERLINE STATION 113+26

Comments: R.E. C.W. MCMILLIAN

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 710032

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #84

Date Established: 10/2/2006

System: STATE

Job Number: RX0021

Nearest City:

County: VAN BUREN

Route: 65

Section: 5

Log Mile: 8.89

Land Section Number: 6

Township: 12N

Range: 14W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 431.336

Elevation (Feet): 1415.142

Description: STANDARD AHTD BENCHMARK CAP IN SOUTHEAST CORNER  
HEADWALL OF A 3'X2'X104' R.C. BOX CULVERT 48' RIGHT OF  
CENTERLINE STATION 176+58.

Comments: R.E. C.W. MCMILLIAN

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 710033

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #84

Date Established: 3/22/2006

System: STATE Job Number: 080229 Nearest City:

County: VAN BUREN Route: 65 Section: 8 Log Mile: 15.66

Land Section Number: 29 Township: 09N Range: 13W

Land Section: NE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 193.039

Elevation (Feet): 633.329

Description: STANDARD AHTD BENCHMARK CAP IN TOP PARAPET WALL SOUTH  
WEST CORNER OF BRIDGE NUMBER 07000 37.5 FEET LEFT OF  
CENTERLINE STATION 37+47.

Comments: R.E. C.W. MCMILLIAN

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 710034

Class:

Vertical Datum: NAVD88

Established by: RE OFFICE #84

Date Established: 9/26/2005

System: STATE

Job Number: 080229

Nearest City:

County: VAN BUREN

Route: 65

Section: 8

Log Mile: 15.00

Land Section Number: 20

Township: 09N

Range: 13W

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 199.818

Elevation (Feet): 655.570

Description: STANDARD AHTD BENCHMARK CAP IN TOP HEADWALL SOUTH EAST CORNER OF A DOUBLE 10' X4' X 125' R.C. BOX CULVERT 63 FEET TIGHT OF CENTERLINE STATION 72+54.

Comments: R.E. C.W. MCMILLIAN

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 710035

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #84

Date Established: 9/25/2008

System: COUNTY

Job Number: FA7116

Nearest City: SCOTLAND

County: VAN BUREN

Route: 09

Section: 08

Log Mile: 0.24

Land Section Number: 8

Township: 10N

Range: 15W

Land Section: NWNW

Latitude: N 35 31 52.2

Longitude: W 92 37 01.3

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 205.063449

Elevation (Feet): 672.779

Description: AHTD ALUMINUM DISC, 23.8 FEET RIGHT. SET IN TOP OF SOUTHEAST HEADWALL OF A DOUBLE 8'X7'X52' R.C. BOX CULVERT ON A 30 DEGREE LEFT FORWARD SKEW AT STATION 113+12

Comments: VERIFIED BY 3-WIRE LEVELS BY RE#84. ELEVATIONS WERE ORIGINALLY ESTABLISHED FROM PT#1106 ON JOB FA7115. DATA FOR NEW MARK CAN BE FOUND ON EDM UNDER FA7116\_RE\_benches.zip



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 710036

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #84

Date Established: 5/16/2007

System: COUNTY Job Number: BR7103 Nearest City: Shirley

County: VAN BUREN Route: 95 Section: Log Mile:

Land Section Number: 34 Township: 12N Range: 13W

Land Section: SE

Latitude: N 35 37 49.35 Longitude: W 92 20 58.53 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 186.6565 Elevation (Feet): 612.389

Description: Standard AHTD disk located in the top of parapet wing wall in south west corner of Bridge #04891 13.0 ft right of roadway construction STA. 105+96.50.

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 710037

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #84

Date Established: 12/12/2011

System: STATE Job Number: 080283 Nearest City: Clinton

County: VAN BUREN Route: 65 Section: 8 Log Mile: 0.98

Land Section Number: 14 Township: 11n Range: 14w

Land Section: SW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 153.913 Elevation (Feet): 504.963

Description: Standard AHTD disc set in Southwest corner on top of headwall os a single 6' x 5' x 132' box culvert. 70.0' Right of CL STA 415.88

Comments: Elevations verified using control from s080283gi.ctl. Three wire dat is available on EDM in s080283re\_benches.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 710038

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #84

Date Established: 12/12/2011

System: STATE

Job Number: 080283

Nearest City: Clinton

County: VAN BUREN

Route: 65

Section: 8

Log Mile: 2.84

Land Section Number: 26

Township: 11n

Range: 14w

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 235.4027

Elevation (Feet): 772.317

Description: Standard AHTD disc set in Southwest corner top of drop inlet 38.0' Left of CL STA 317+80.

Comments: Elevations verified using control from s080283gi.ctl. Three wire dat is available on EDM in s080283re\_benches.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

**Identification:** 710039

**Class:** THIRD-ORDER

**Vertical Datum:** NAVD88

**Established by:** RE OFFICE #86

**Date Established:** 1/8/2016

**System:** STATE **Job Number:** FSX005 **Nearest City:** Morganton

**County:** VAN BUREN **Route:** 92 **Section:** 3 **Log Mile:** 14.14

**Land Section Number:** 19 **Township:** 10n **Range:** 12w

**Land Section:** SW

**Latitude:** N 35 29 32.58000 **Longitude:** W 92 18 42.01000 **Type:** SCALED

Scaled, GPS (Handheld), or GPS (Observed)

**Elevation (Meters):** 209.4437

**Elevation (Feet):** 687.150

**Description:** AHTD disk set in Southwest corner of headwall of box culvert

**Comments:** Elevation verified. Three wire data available on EDM under job fsx005, in sfsx005re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 710040

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #86

Date Established: 9/28/2018

System: STATE

Job Number: 080445

Nearest City: Quitman

County: VAN BUREN

Route: 124

Section: 7

Log Mile: 6.05

Land Section Number: 28

Township: 09n

Range: 12w

Land Section: SW

Latitude: N 35 22 49.00000

Longitude: W 92 17 01.00000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 182.8011

Elevation (Feet): 599.740

Description: AHTD disk in SW corner of parapet wall of bridge over Caldron Creek.

Comments: Elevation not verified

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720001

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 4776

Nearest City:

County: WASHINGTON

Route: \*\*\*

Section:

Log Mile: .75N 681

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 410.52

Elevation (Feet): 1346.848

Description: REFERENCE JOB 4776 SPRINGDALE OLD MO. ROAD 35' RIGHT STATION  
35+17 NORTHEAST CORNER HEADWALL RCB \*\*\*\*\* SPRINGDALE OLD  
MO. ROAD \*\*\* (N/R BY S5102 ON 5/31/00)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720002

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #43

Date Established: 6/5/1995

System: STATE

Job Number: R40068

Nearest City: GREENLAND

County: WASHINGTON

Route: I-540

Section: 16

Log Mile: 39.25

Land Section Number: 6

Township: 15N

Range: 30W

Land Section: SE

Latitude: N 35 59 59.0

Longitude: W 94 11 48.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 410.1

Elevation (Feet): 1345.470

Description: AHTD DISC IN CENTER OF HEADWALL RC BOX CULVERT 311' LEFT  
CENTERLINE MEDIAN STA. 2072+20. 5.260 N. OF CENTERLINE BR. @  
HWY. 170 INTERCHANGE (RECOVERED BY S5102 5/31/2000)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720003

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #43

Date Established: 6/5/1995

System: STATE

Job Number: R40068

Nearest City: FAYETTEVILLE

County: WASHINGTON

Route: I-540

Section: 16

Log Mile: 41.62

Land Section Number: 29

Township: 16N

Range: 30W

Land Section: SW

Latitude: N 36 01 57.0

Longitude: W 94 11 15.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 381.775

Elevation (Feet): 1252.540

Description: AHTD DISC IN CENTER OF HEADWALL OF R. C. BOX CULVERT 186'  
RIGHT CENTERLINE MEDIAN STA. 2197+70. (RECOVERED BY S5102  
5/31/2000)

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720004

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #43

Date Established: 6/5/1995

System: STATE

Job Number: R40068

Nearest City:

County: WASHINGTON

Route: 71

Section: 16

Log Mile: 23.765

Land Section Number: 29

Township: 16N

Range: 30W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 390.575

Elevation (Feet): 1281.411

Description: AHTD DISC IN SW CORNER OF TYPE "C" DROP INLET APPROXIMATELY 255' LEFT CENTERLINE MEDIAN STA. 204+20 HWY. 71 (WEST SIDE OF SHILOH DRIVE). (N/R BY S5102 ON 5/31/00)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720005

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #43

Date Established: 7/27/1994

System: STATE

Job Number: R40045

Nearest City: WEST FORK

County: WASHINGTON

Route: 71

Section: 16

Log Mile: 33.98

Land Section Number: 6

Township: 14N

Range: 30W

Land Section: NE

Latitude: N 35 55 27.0

Longitude: W 94 12 01.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 461.504

Elevation (Feet): 1514.118

Description: AHTD DISC IN TOP SW WINGWALL BRIDGE #6238 LEFT STATION  
1794+18 HWY. 71. 0.00 N. OF CENTERLINE BR. @ HWY. 170  
INTERCHANGE (RECOVERED BY S5102 5/31/2000)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720006

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #43

Date Established: 11/23/1992

System: STATE

Job Number: R40045

Nearest City: WEST FORK

County: WASHINGTON

Route: I-540

Section: 16

Log Mile: 35.03

Land Section Number: 32

Township: 15N

Range: 30W

Land Section: NW

Latitude: N 35 56 20.0

Longitude: W 94 11 44.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 408.67

Elevation (Feet): 1340.778

Description: AHTD DISC IN TOP OF NW WINGWALL BR. # 6239A LEFT STA. 1849+38  
HWY. 71. 1.018 N. OF CENTERLINE BR. AT HWY. 170 INTERCHANGE  
(RECOVERED BY S5102 5/31/2000)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720007

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #43

Date Established: 3/29/1994

System: STATE

Job Number: R40044

Nearest City: WINSLOW

County: WASHINGTON

Route: I-540

Section: 16

Log Mile: 32.85

Land Section Number: 8

Township: 14N

Range: 30W

Land Section: NW

Latitude: N 35 54 29.0

Longitude: W 94 11 39.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 467.393

Elevation (Feet): 1533.439

Description: IN TOP OF NE PARAPET WALL AT NORTH ABUTMENT BR. # 6237A STA. 1734+26 (92' LEFT OF CENTERLINE CONSTRUCTION). (RECOVERED BY S5102 5/31/2000)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720008

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #43

Date Established: 3/29/1994

System: STATE

Job Number: R40044

Nearest City:

County: WASHINGTON

Route: 71

Section: 16

Log Mile:

Land Section Number: 8

Township: 14N

Range: 30W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 467.393

Elevation (Feet): 1533.439

Description: IN TOP OF NE PARAPET WALL AT NORTH ABUTMENT BR. # 6237A STA. 1734+26 (92' LEFT OF CENTERLINE CONSTRUCTION). DUPLICATE OF 720007

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720009

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 5/1/2002

System: STATE

Job Number: R40082

Nearest City: FARMINGTON

County: WASHINGTON

Route: 62

Section: 1

Log Mile: 20.86

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 02 30.46936

Longitude: W 94 14 54.73607

Type: GPS (Observed)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 360.901

Elevation (Feet): 1184.056

Description: ALUM. CAP IN HDWL. OF DBL. 10 x 8 BOX CULV'T. 31 FT. SOUTH OF C. L. HWY. 62. (RECOVERED BY S5102 6/1/2000) (ELEVATION FROM RE= 1183.71FT UNKNOWN DATUM) RE-ESTABLISHED 5/1/2002 BY S5103. BASED ON NGS POINT H 27

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720010

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 5/1/2002

System: STATE

Job Number: R40082

Nearest City: FARMINGTON

County: WASHINGTON

Route: 62

Section: 1

Log Mile: 22.24

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 02 47.77392

Longitude: W 94 13 31.49386

Type: GPS (Observed)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 375.782

Elevation (Feet): 1232.878

Description: ALUM. CAP IN HDWL. OF DBL. 6 x 5 RC BOX CULV'T. 35 FT. SOUTH C. L. HWY. 62. (RECOVERED BY S5102 6/1/2000)(ELEVATION FROM RE= 1232.49FT UNKNOWN DATUM) RE-ESTABLISHED 5/1/2002 BY S5103. BASED ON NGS POINT H 27

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720011

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 5/1/2002

System: STATE

Job Number: R40082

Nearest City: FARMINGTON

County: WASHINGTON

Route: 62

Section: 1

Log Mile: 23.05

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 02 59.5107

Longitude: W 94 12 41.73936

Type: GPS (Observed)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 382.482

Elevation (Feet): 1254.860

Description: CAP IN HW OF DBL 10x5 RC BOX. 38' N OF C/ L HWY. 62. (LOCATED CORPS OF ENGINEER DISC BY S5102 6/1/2000) (ELEVATION FROM RE= 1254.42FT UNKNOWN DATUM) RE-ESTABLISHED 5/1/2002 BY S5103. STAMPED "FB 2" BASED ON NGS POINT H 27

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720012

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: 4702 Nearest City: FAYETTEVILLE

County: WASHINGTON Route: 71B Section: 16B Log Mile: 0.66

Land Section Number: Township: Range:

Land Section:

Latitude: N 36 02 15.0 Longitude: W 94 10 02.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 391.696 Elevation (Feet): 1285.089

Description: D. I. RT. 34' STA. 35+10. (RECOVERED BY S5102 6/1/2000)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720013

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: 4702 Nearest City: FAYETTEVILLE

County: WASHINGTON Route: 71B Section: 16B Log Mile: 1.07

Land Section Number: Township: Range:

Land Section:

Latitude: N 36 02 13.0 Longitude: W 94 10 05.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 386.103 Elevation (Feet): 1266.740

Description: D. I. RT. 34' STA. 56+35. (RECOVERED BY S5102 6/1/2000)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720014

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: 4702 Nearest City: FAYETTEVILLE

County: WASHINGTON Route: 71B Section: 16B Log Mile: 1.21

Land Section Number: Township: Range:

Land Section:

Latitude: N 36 02 20.0 Longitude: W 94 10 00.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 385.383 Elevation (Feet): 1264.377

Description: DISK HDWL. RC BOX 36' RT. STA. 63+96. (RECOVERED BY S5102 6/1/2000)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720015

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: 4702 Nearest City: FAYETTEVILLE

County: WASHINGTON Route: 71B Section: 16B Log Mile: 1.60

Land Section Number: Township: Range:

Land Section:

Latitude: N 36 02 40.0 Longitude: W 94 09 50.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 372.768 Elevation (Feet): 1222.990

Description: DISK HDWL R. C. BOX 36 RT. STA. 84+32. (RECOVERED BY S5102  
6/1/2000)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720016

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: 4702 Nearest City: FAYETTEVILLE

County: WASHINGTON Route: 71B Section: 16B Log Mile: 1.72

Land Section Number: Township: Range:

Land Section:

Latitude: N 36 02 46.0 Longitude: W 94 09 50.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 369.817 Elevation (Feet): 1213.308

Description: DISK RT. SIDWLK BRIDGE 1694R OVER TOWN BRANCH STA. 90+65.  
(RECOVERED BY S5102 6/1/2000)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720017

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: 4702 Nearest City: FAYETTEVILLE

County: WASHINGTON Route: 71B Section: 16B Log Mile: 2.20

Land Section Number: Township: Range:

Land Section:

Latitude: N 36 03 12.0 Longitude: W 94 09 53.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 375.59 Elevation (Feet): 1232.248

Description: DISK HDWL RC BOX 38' RT. STA. 116+38. (RECOVERED BY S5102  
6/1/2000)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720018

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City:

County: WASHINGTON

Route: 45

Section: 05

Log Mile: 5.5

Land Section Number: 33

Township: 17N

Range: 29W

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 454.0188

Elevation (Feet): 1489.560

Description: AT INT. OF HWY. 45 & 156 "SQUARE" CUT IN CENTER OF HDWL 11' S.  
AND 22' EAST OF INT.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720019

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City:

County: WASHINGTON

Route: 45

Section: 05

Log Mile: 6.0

Land Section Number: 33

Township: 17N

Range: 29W

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 450.589

Elevation (Feet): 1478.307

Description: "SQUARE" CUT IN CENTER OF HEADWALL MKD. " AHTD BM" OF 4 x 4  
BOX 130' WEST OF "T" RD. NORTH, 36' NORTH OF CENTERLINE HWY.  
NEAR SW CORNER OF NE, NE.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720020

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 4867

Nearest City: PRAIRIE GROVE

County: WASHINGTON

Route: 156

Section: 3

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 58 20.0

Longitude: W 94 19 22.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 351.3

Elevation (Feet): 1152.557

Description: DISC. TOP HEAD WALL 25' LT. STA. 15+32.5 1000' SOUTH JCT. HWY.  
62+156 PRAIRIE GROVE. (RECOVERED BY S5102 6/1/2000)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720021

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #43

Date Established: 5/8/1992

System: STATE

Job Number: R40059

Nearest City: FAYETTEVILLE

County: WASHINGTON

Route: 156

Section: 5

Log Mile: 0.55

Land Section Number: 33

Township: 16N

Range: 30W

Land Section: SE

Latitude: N 36 01 09.0

Longitude: W 94 09 49.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 386.795

Elevation (Feet): 1269.010

Description: AHTD BENCHMARK DISK IN SOUTH HEADWALL OF R. C. BOX  
CULVERT CONSTRUCTION STATION 38+56 RIGHT. (RECOVERED BY  
S5102 5/31/2000)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720022

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #43

Date Established: 5/8/1992

System: STATE

Job Number: R40059

Nearest City: FAYETTEVILLE

County: WASHINGTON

Route: 156

Section: 5

Log Mile: 1.00

Land Section Number: 34

Township: 16N

Range: 30W

Land Section: SW

Latitude: N 36 01 06.0

Longitude: W 94 09 18.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 381.485

Elevation (Feet): 1251.589

Description: AHTD BENCH MARK DISK IN NORTH HEADWALL OF R. C. BOX  
CULVERT CONSTRUCTION STATION 64+25 LEFT. (RECOVERED BY  
S5102 5/31/2000)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720023

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #43

Date Established: 5/8/1992

System: STATE

Job Number: R40059

Nearest City: FAYETTEVILLE

County: WASHINGTON

Route: 156

Section: 5

Log Mile: 1.35

Land Section Number: 34

Township: 16N

Range: 30W

Land Section: SE

Latitude: N 36 01 15.0

Longitude: W 94 08 59.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 390.071

Elevation (Feet): 1279.758

Description: AHTD BENCH MARK IN WEST HEADWALL OF R. C. BOX CULVERT  
CONSTRUCTION STATION 82+65 LEFT. (RECOVERED BY S5102  
5/31/2000)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720024

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #43

Date Established: 3/18/1992

System: STATE

Job Number: 40042

Nearest City: FAYETTEVILLE

County: WASHINGTON

Route: 180

Section: 0

Log Mile: 1.24

Land Section Number: 16

Township: 16N

Range: 30W

Land Section: SW

Latitude: N 36 03 25.0

Longitude: W 94 10 18.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 393.698

Elevation (Feet): 1291.658

Description: METAL DISK IN TOP OF NW HEADWALL OF RAILROAD BRIDGE 26' LEFT  
S. H. 180, STA. 229+95.4. (RECOVERED BY S5102 5/31/2000)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720025

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #43

Date Established: 12/7/1989

System: STATE

Job Number: R40076

Nearest City:

County: WASHINGTON

Route: 265

Section: 2

Log Mile: 9.30

Land Section Number: 31

Township: 18N

Range: 29W

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 406.564

Elevation (Feet): 1333.869

Description: AHTD DISK IN CENTER OF SOUTH HEADWALL OF R. C. BOX CULVERT  
47 FEET RIGHT OF CENTERLINE HWY. 265. (N/R BY S5102 ON 5/31/00)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720026

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #43

Date Established:

System:

Job Number: 4923

Nearest City: FAYETTEVILLE

County: WASHINGTON

Route: 265

Section: 2

Log Mile: 2.27

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 05 11.0

Longitude: W 94 07 17.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 420.99

Elevation (Feet): 1381.198

Description: ALUMINUM DISC SET IN EAST HEADWALL OF RC BOX 31 FEET RIGHT  
STA. 12+60 HWY. 265. (RECOVERED BY S5102 5/31/2000)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720027

Class:

Vertical Datum:

Established by: RE OFFICE #43

Date Established:

System:

Job Number: 4928

Nearest City:

County: WASHINGTON

Route: MISSOUR

Section: CITY

Log Mile: CITY

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 374.983

Elevation (Feet): 1230.257

Description: ALUMINUM DISC SET IN TOP PARAPET WALL 20 FEET LEFT  
CENTERLINE STA. 24+60. BRIDGE NO. 4544. (N/R BY S5102 ON 5/31/00)

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720028

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City:

County: WASHINGTON

Route: PPLEBY RD

Section: CITY ST

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 368.098

Elevation (Feet): 1207.668

Description: DISK HDWL. R. C. BOX RT. SKULL CREEK CULVERT APPLEBY ROAD.  
(N/R BY S5102 ON 5/31/00)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720029

Class:

Vertical Datum:

Established by: RE OFFICE #43

Date Established: 7/21/1992

System: CITY

Job Number: 4968

Nearest City:

County: WASHINGTON

Route: OPULAR ST

Section: CITY ST

Log Mile: 0.20

Land Section Number: 4

Township: 17N

Range: 30W

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 383.826

Elevation (Feet): 1259.269

Description: AHTD BENCH MARK DISK IN NORTH HEADWALL OF RC BOX CULVERT  
OVER SKULL CREEK STA. 24+95 LEFT. (N/R BY S5102 ON 5/31/00)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720030

Class:

Vertical Datum:

Established by: RE OFFICE #43

Date Established:

System:

Job Number: Z-142-1

Nearest City: FAYETTEVILLE

County: WASHINGTON

Route: GREGG AVE

Section: CITY

Log Mile: CITY

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 04 39.0

Longitude: W 94 09 58.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 419.25

Elevation (Feet): 1375.489

Description: ALUMINUM DISK SET IN TOP OF DROP INLET 29 FEET RIGHT OF  
CENTERLINE STA. 10+40 (NE CORNER OF GREGG AVE. AND NORTH  
STREET). RECOVERED BY S5102 ON 9/14/2000

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720031

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #43

Date Established:

System:

Job Number: Z-142-1

Nearest City: FAYETTEVILLE

County: WASHINGTON

Route: GREGG AVE

Section: CITY

Log Mile: CITY

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 05 25.0

Longitude: W 94 09 43.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 386.3628

Elevation (Feet): 1267.592

Description: ALUMINUM DISC SET IN TOP OF DROP INLET 29 FEET LEFT  
CENTERLINE STA. 60+00 (73 FEET SOUTH OF THE INTERSECTION OF  
ELM ST. AND GREGG AVE.). RECOVERED BY S5102 ON 9/14/2000

Comments: Original elevation: 1267.01'. Updated April 2016. Three wire ran from NGS BM  
B27 RESE, Checking into L310 and K310, by crew S5102.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720032

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #43

Date Established: 11/30/1994

System: U. S.

Job Number: R40044

Nearest City: GREENLAND

County: WASHINGTON

Route: I-540

Section: 16

Log Mile: 32.7

Land Section Number: 8

Township: 14N

Range: 30W

Land Section: NW

Latitude: N 35 54 21.0

Longitude: W 94 11 32.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 479.844

Elevation (Feet): 1574.288

Description: AHTD DISC IN TOP OF SOUTHEAST WINGWALL OF BRIDGE NO. 6237B  
STAT. 1725+44 135' RIGHT OF CENTERLINE OF CONSTRUCTION.  
(RECOVERED BY S5102 5/31/2000)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720033

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: 4737 Nearest City: FAYETTEVILLE

County: WASHINGTON Route: GREGG AVE Section: CITY Log Mile:

Land Section Number: Township: Range:

Land Section:

Latitude: N 36 05 40.0 Longitude: W 94 09 38.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 383.49 Elevation (Feet): 1258.167

Description: DISK NE CORNER INLET 27' RT. STA. 17+82 300' SOUTH SH 180 ON  
GREGG AVE. RECOVERED BY S5102 ON 9/14/2000

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720034

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #43

Date Established: 4/20/1995

System: CITY

Job Number: 40013

Nearest City:

County: WASHINGTON

Route: I SPRINGS

Section:

Log Mile:

Land Section Number: 34

Township: 18N

Range: 30W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 408.426

Elevation (Feet): 1339.978

Description: SQUARE CUT IN TOP OF DROP INLET 30' RIGHT CENTERLINE  
CONSTRUCTION STA. 92+35. (N/R BY S5102 ON 5/31/00)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720035

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #43

Date Established: 4/20/1995

System: CITY

Job Number: 40013

Nearest City:

County: WASHINGTON

Route: HUNTSVILL

Section:

Log Mile:

Land Section Number: 34

Township: 18N

Range: 30W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 404.031

Elevation (Feet): 1325.558

Description: STANDARD AHTD METAL DISK IN TOP OF DROP INLET 35' RIGHT STA.  
34+00.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720036

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #43

Date Established: 6/5/1995

System: STATE

Job Number: 40112

Nearest City: TONITOWN

County: WASHINGTON

Route: 412

Section: 2

Log Mile: 4.00

Land Section Number: 3

Township: 17N

Range: 31W

Land Section: SENE

Latitude: N 36 10 38.0

Longitude: W 94 15 56.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 378.568

Elevation (Feet): 1242.019

Description: STANDARD AHTD METAL DISC 98' LEFT IN CENTER OF HEADWALL R.  
C. BOX CULVERT STATION 1804+52. (RECOVERED BY S5102 5/31/2000)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720037

Class:

Vertical Datum:

Established by: RE OFFICE #43

Date Established: 6/5/1995

System: STATE

Job Number: 40112

Nearest City: TONITOWN

County: WASHINGTON

Route: 412

Section: 2

Log Mile: 5.08

Land Section Number: 2

Township: 17N

Range: 31W

Land Section: NESE

Latitude: N 36 10 36.0

Longitude: W 94 14 47.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 389.172

Elevation (Feet): 1276.808

Description: STANDARD AHTD METAL DISK 42' RT. IN CENTER OF HEADWALL R. C. BOX CULVERT STATION 1861+26. (RECOVERED BY S5102 5/31/2000)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720038

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #43

Date Established: 6/5/1995

System: STATE

Job Number: 40112

Nearest City:

County: WASHINGTON

Route: 412

Section: 2

Log Mile: 6.22

Land Section Number: 6

Township: 17N

Range: 30W

Land Section: NWSW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 390.931

Elevation (Feet): 1282.579

Description: STANDARD AHTD METAL DISK 46' RIGHT IN CENTER OF HEADWALL R.  
C. BOX CULVERT STATION 1921+39. (N/R BY S5102 ON 5/31/00)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720039

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #43

Date Established: 6/8/1995

System: STATE

Job Number: 40112

Nearest City: TONITOWN

County: WASHINGTON

Route: 412

Section: 2

Log Mile: 6.34

Land Section Number: 6

Township: 17N

Range: 30W

Land Section: SWNW

Latitude: N 36 10 34.0

Longitude: W 94 13 34.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 391.763

Elevation (Feet): 1285.309

Description: STANDARD AHTD METAL DISK 45' LEFT IN CENTER OF HEADWALL R.  
C. BOX CULVERT STATION 1927+66. (RECOVERED BY S5102 5/31/2000)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720040

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #43

Date Established: 3/1/1996

System: STATE

Job Number: 4837

Nearest City: FAYETTEVILLE

County: WASHINGTON

Route: 180

Section: 0A

Log Mile: 1.35

Land Section Number: 16

Township: 16N

Range: 30W

Land Section: SW

Latitude: N 36 03 25.0

Longitude: W 94 10 11.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 384.365

Elevation (Feet): 1261.038

Description: DISK IN TOP OF JUNCTION BOX 29 FEET LEFT OF CENTERLINE OF ROADWAY. (RECOVERED BY S5102 5/31/2000)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720041

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #43

Date Established: 3/1/1996

System: STATE

Job Number: 4837

Nearest City: FAYETTEVILLE

County: WASHINGTON

Route: 180

Section: 0A

Log Mile: 1.65

Land Section Number: 16

Township: 16N

Range: 30W

Land Section: SE

Latitude: N 36 03 23.0

Longitude: W 94 09 55.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 381.165

Elevation (Feet): 1250.539

Description: DISK IN TOP OF HEADWALL 38 FEET RIGHT OF CENTERLINE OF  
ROADWAY. INTERSECTION OF 180 AND 71B. RECOVERED BY S5102 ON  
9/14/2000

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720042

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: 4702 Nearest City: FAYETTEVILLE

County: WASHINGTON Route: 71B Section: 16B Log Mile: 2.42

Land Section Number: Township: Range:

Land Section:

Latitude: N 36 03 23.0 Longitude: W 94 09 53.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 381.315 Elevation (Feet): 1251.031

Description: STA 127+60 DISK IN DI 34 ' LT AT THE INTERSECTION OF 6TH ST ABD  
71B IN THE SW QUAD OF THE INTERSECTION RECOVERED BY S5102 ON  
6/1/2000

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720043

Class:

Vertical Datum:

Established by:

RE OFFICE #43

Date Established: 4/30/1997

System: STATE

Job Number: 040039

Nearest City: FAYETTEVILLE

County: WASHINGTON

Route: 112

Section: 0

Log Mile: 0.37

Land Section Number: 20

Township: 16N

Range: 30W

Land Section: SE

Latitude: N 36 02 28.0

Longitude: W 94 11 01.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 384.488

Elevation (Feet): 1261.441

Description: DISK IN TOP OF DROP INLET 45 FEET RIGHT OF CENTERLINE OF  
ROADWAY RECOVERED BY S5102 ON 5/31/2000

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720044

Class:

Vertical Datum:

Established by: RE OFFICE #43

Date Established: 4/30/1997

System: STATE Job Number: 040039 Nearest City: FAYETTEVILLE

County: WASHINGTON Route: 112 Section: 0 Log Mile: 0.74

Land Section Number: 20 Township: 16N Range: 30W

Land Section: SE

Latitude: N 36 02 47.0 Longitude: W 94 10 53.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 373.305 Elevation (Feet): 1224.751

Description: DISK IN TOP OF HEADWALL OF RC BOX CULVERT 50 FEET RIGHT OF  
CENTERLINE. RECOVERED BY S5102 ON 5/31/2000

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720045

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City:

County: WASHINGTON Route: 16 Section: 3 Log Mile: 19.38

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 392.36 Elevation (Feet): 1287.268

Description: [ ] N HDWL 8 X 5 R.C. BOX

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720046

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City:

County: WASHINGTON Route: 16 Section: 3 Log Mile: 17.56

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 384.658 Elevation (Feet): 1261.999

Description: S CT HDW DBL 10 X 5 RCB (N/R BY S5102 ON 5/31/00)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720047

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #43

Date Established:

System:

Job Number: R40016

Nearest City:

County: WASHINGTON

Route: 68

Section: 1

Log Mile: 8.42

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 398.048

Elevation (Feet): 1305.929

Description: ALUMINUM DISC IN HEADWALL OF DOUBLE 5 X 3 R. C. BOX CULVERT  
56 FEET NORTH OF CENTERLINE HWY. 68 (N/R BY S5102 ON 5/31/00)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720048

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #43

Date Established:

System:

Job Number: R40016

Nearest City: SPRINGDALE

County: WASHINGTON

Route: 68

Section: 1

Log Mile: 7.57

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 10 32.0

Longitude: W 94 12 00.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 392.891

Elevation (Feet): 1289.010

Description: ALUMINUM DISC IN HEADWALL OF DOUBLE 4 X 3 R. C. BOX CULVERT  
42 FEET NORTH OF CENTERLINE HWY. 68. RECOVERED BY S5102 ON  
5/31/2000

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720049

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City: TONITOWN

County: WASHINGTON Route: 68 Section: 1 Log Mile:

Land Section Number: Township: Range:

Land Section:

Latitude: N 36 10 33.0 Longitude: W 94 13 10.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 395.768 Elevation (Feet): 1298.449

Description: DISK TOP D. I. 35' RT. CENTERLINE HWY. 68 SW CORNER HWY. 68-112  
INTERSECTION RECOVERED BY S5102 ON 5/31/2000

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720050

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City: SPRINGDALE

County: WASHINGTON Route: 68 WEST Section: 1 Log Mile: 10.7

Land Section Number: Township: Range:

Land Section:

Latitude: N 36 10 29.0 Longitude: W 94 08 51.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 410.923 Elevation (Feet): 1348.170

Description: R C BOX CULVERT HEADWALL LT. STA. 224+00. RECOVERED BY S5102  
ON 5/31/2000

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720051

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City:

County: WASHINGTON Route: 71 BYPASS Section: BYPASS Log Mile:

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 364.508 Elevation (Feet): 1195.890

Description: DISK QUAD R.C. BOX 300' LT. CENTERLINE MEDIAN (N/R BY S5102 ON 5/31/00)

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720052

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City:

County: WASHINGTON Route: 71 Section: BYPASS Log Mile:

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 376.995 Elevation (Feet): 1236.858

Description: DISK WINGWALL BRIDGE 5802-A 41' LT. (N/R BY S5102 ON 5/31/00)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720053

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City: FAYETTEVILLE

County: WASHINGTON Route: 71 Section: BYPASS Log Mile:

Land Section Number: Township: Range:

Land Section:

Latitude: N 36 05 23.0 Longitude: W 94 11 34.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 378.498 Elevation (Feet): 1241.789

Description: DISK HWLL R.C. BOX 25' RT. PORTER RD. RECOVERED BY S5102 ON  
9/14/2000

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720054

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City: FAYETTEVILLE

County: WASHINGTON Route: 71 Section: BYPASS Log Mile:

Land Section Number: Township: Range:

Land Section:

Latitude: N 36 05 24.0 Longitude: W 94 11 37.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 378.114 Elevation (Feet): 1240.529

Description: DISK HWLL R.C. BOX 100' LT. PORTER RD. RECOVERED BY S5102 ON 9/14/2000

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720055

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City:

County: WASHINGTON Route: 71 Section: BYPASS Log Mile:

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 384.78 Elevation (Feet): 1262.399

Description: DISK WWLL BRIDGE 5824 10' CENTERLINE MAIN LANE (N/R BY S5102  
ON 5/31/00)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720056

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: 4782 Nearest City:

County: WASHINGTON Route: 71 Section: BYPASS Log Mile:

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 383.073 Elevation (Feet): 1256.799

Description: DISK SET LT. HDWLL DBL 8 X 6 RCB 150 LT. CENTERLINE M (N/R BY S5102 ON 5/31/00)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720057

Class:

Vertical Datum: UNKNOWN

Established by:

Date Established:

System:

Job Number: 4782

Nearest City:

County: WASHINGTON

Route: 71

Section: BYPASS

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 378.69

Elevation (Feet): 1242.419

Description: DISK SET LT. HDWLL 6 X 6 R. C. BOX 65 ' LT CENTERLINE M (N/R BY S5102 ON 5/31/00)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720058

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: 4834 Nearest City:

County: WASHINGTON Route: 71 Section: 17 Log Mile:

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 372.39 Elevation (Feet): 1221.750

Description: LEFT HEADWALL W N RAMP (BYPASS HWY. 71 NORTH) (N/R BY S5102 ON 5/31/00)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720059

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: 4834 Nearest City: FAYETTEVILLE

County: WASHINGTON Route: 71 Section: 17 Log Mile: 4.66

Land Section Number: Township: Range:

Land Section:

Latitude: N 36 06 33.0 Longitude: W 94 10 11.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 380.4 Elevation (Feet): 1248.029

Description: RT WINGWALL BRIDGE 5916 NEAR AHTD GPS 720018 RECOVERED BY S5102 ON 9/14/2000

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720060

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 4834

Nearest City:

County: WASHINGTON

Route: 71

Section: 17

Log Mile: 4.66

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 379.595

Elevation (Feet): 1245.388

Description: RT. WINGWALL BRIDGE 5917

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720061

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 4834

Nearest City: FAYETTEVILLE

County: WASHINGTON

Route: 71

Section: 17

Log Mile: 5.42

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 07 01.0

Longitude: W 94 10 38.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 381.966

Elevation (Feet): 1253.167

Description: LEFT WINGWALL BRIDGE 5918A IN SW CORNER OF BR. RECOVERED  
BY S5102 ON 9/14/2000

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720062

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 4834

Nearest City: JOHNSON

County: WASHINGTON

Route: 71

Section: 17

Log Mile: 6.65

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 08 03.0

Longitude: W 94 10 56.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 365.385

Elevation (Feet): 1198.767

Description: RIGHT WINGWALL BRIDGE 5919A. SE CORNER OF BRIDGE  
SOUTHBOUND LANE RECOVERED BY S5102 ON 9/14/2000

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720063

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 4834

Nearest City: JOHNSON

County: WASHINGTON

Route: 71

Section: 17

Log Mile: 6.65

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 08 07.0

Longitude: W 94 10 55.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 363.352

Elevation (Feet): 1192.097

Description: RIGHT WINGWALL BRIDGE 5919B NE CORNER OF BR. RECOVERED BY  
S5102 ON 9/14/2000

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720064

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number:

4834

Nearest City:

JOHNSON

County:

WASHINGTON

Route:

71

Section:

17

Log Mile:

6.92

Land Section Number:

Township:

Range:

Land Section:

Latitude:

N 36 08 18.0

Longitude:

W 94 10 57.0

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

370.942

Elevation (Feet):

1216.999

Description:

RIGHT WINGWALL BRIDGE 5920B SE CORNER OF BR. RECOVERED BY  
S5102 ON 9/14/2000

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720065

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 4834

Nearest City: SPRINGDALE

County: WASHINGTON

Route: I-540

Section: 17

Log Mile: 8.52

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 09 39.0

Longitude: W 94 11 13.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 418.878

Elevation (Feet): 1374.269

Description: RIGHT WINGWALL BRIDGE 5921 SW CORNER OF PEACH RD CROSSING  
OVER I-540

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720066

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 10/31/2000

System: Job Number: 4834,012111 Nearest City: SPRINGDALE

County: WASHINGTON Route: 71 Section: 17 Log Mile: 9.49

Land Section Number: 4

Township: 17N

Range: 30W

Land Section: SW

Latitude: N 36 10 29.0

Longitude: W 94 11 11.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 409.6184913

Elevation (Feet): 1343.890

Description: RIGHT WINGWALL BRIDGE 5922A  
OLD ELEVATION = 409.472 METERS  
STA IS SE CORNER OF BRIDGE ON SOUTHBOUND SIDE OF I-540.  
RECOVERED BY S5102 ON 9/14/00.

Comments: Elevation was verified by Crew S5102 in December 2009 from AHTD GPS marks

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720067

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 4834

Nearest City:

County: WASHINGTON

Route: 71

Section: 17

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 398.801

Elevation (Feet): 1308.400

Description: 33' RT. CENTERLINE WEIGHT STATION RAMP (N/R BY S5102 ON 5/31/00)

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification:

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number:

Nearest City:

County:

Route:

Section:

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

Elevation (Feet):

Description:

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification:

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number:

Nearest City:

County:

Route:

Section:

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

Elevation (Feet):

Description:

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720070

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 4931

Nearest City:

County: WASHINGTON

Route: 71

Section: 1-2

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 388.102

Elevation (Feet): 1273.298

Description: DISK WINGWALL 42' RT. BRIDGE #1196 W (N/R BY S5102 ON 5/31/00)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification:

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number:

Nearest City:

County:

Route:

Section:

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

Elevation (Feet):

Description:

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720072

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: WEST FORK

County: WASHINGTON

Route: 71

Section: 16

Log Mile: 15.09

Land Section Number:

Township: 15N

Range: 30W

Land Section:

Latitude: N 35 55 45.0

Longitude: W 94 10 49.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 417.278

Elevation (Feet): 1369.020

Description: DISK HDWLL RCB 59' LT. RECOVERED BY S5102 ON 5/31/2000

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720073

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: WEST FORK

County: WASHINGTON

Route: 71

Section: 16

Log Mile: 15.26

Land Section Number:

Township: 15N

Range: 30W

Land Section:

Latitude: N 35 55 54.0

Longitude: W 94 10 48.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 412.943

Elevation (Feet): 1354.797

Description: DISK HDWLL RCB 37' LT.(50 M NORTH OF US71 AND ARK74)  
RECOVERED BY S5102 ON 5/31/2000

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720074

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: WEST FORK

County: WASHINGTON

Route: 71

Section: 16

Log Mile: 15.74

Land Section Number:

Township: 15N

Range: 30W

Land Section:

Latitude: N 35 56 20.0

Longitude: W 94 10 47.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 407.402

Elevation (Feet): 1336.618

Description: DISK HDWLL RCB 47' LT. RECOVERED BY S5102 ON 5/31/2000

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720075

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: WEST FORK

County: WASHINGTON

Route: 71

Section: 16

Log Mile: 16.73

Land Section Number:

Township: 15N

Range: 30W

Land Section:

Latitude: N 35 57 07.0

Longitude: W 94 10 24.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 403.016

Elevation (Feet): 1322.228

Description: DISK HDWLL RCB 72' RT. RECOVERED BY S5102 ON 5/31/2000

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720076

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: WEST FORK

County: WASHINGTON

Route: 71

Section: 16

Log Mile: 16.92

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 57 16.0

Longitude: W 94 10 18.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 393.884

Elevation (Feet): 1292.268

Description: DISK HDWLL RCB 48' RT. RECOVERED BY S5102 ON 5/31/2000

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720077

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: WEST FORK

County: WASHINGTON

Route: 71

Section: 16

Log Mile: 17.03

Land Section Number:

Township: 15N

Range: 30W

Land Section:

Latitude: N 35 57 21.0

Longitude: W 94 10 15.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 391.58

Elevation (Feet): 1284.709

Description: DISK HDWLL 32' RT. RECOVERED BY S5102 ON 5/31/2000

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720078

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: WEST FORK

County: WASHINGTON

Route: 71

Section: 16

Log Mile: 17.23

Land Section Number:

Township: 15N

Range: 30W

Land Section:

Latitude: N 35 57 30.0

Longitude: W 94 10 08.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 390.577

Elevation (Feet): 1281.418

Description: DISK HDWLL 31' RT. RECOVERED BY S5102 ON 5/31/2000

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720079

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: GREENLAND

County: WASHINGTON

Route: 71

Section: 16

Log Mile: 18.26

Land Section Number:

Township: 15N

Range: 30W

Land Section:

Latitude: N 35 58 22.0

Longitude: W 94 09 57.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 393.296

Elevation (Feet): 1290.339

Description: DISK HDWLL 33' RT. RECOVERED BY S5102 ON 5/31/2000

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720080

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: GREENLAND

County: WASHINGTON

Route: 71

Section: 16

Log Mile: 18.70

Land Section Number:

Township: 15N

Range: 30W

Land Section:

Latitude: N 35 58 43.0

Longitude: W 94 10 05.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 386.965

Elevation (Feet): 1269.568

Description: DISK HDWLL 32' RT. RECOVERED BY S5102 ON 5/31/2000

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720081

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 4878

Nearest City: WEST FORK

County: WASHINGTON

Route: 71

Section: 16

Log Mile: 15.96

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 56 31.0

Longitude: W 94 10 43.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 401.474

Elevation (Feet): 1317.169

Description: DISC TOP PARAPET WALL RT. STA. 42+89. BRIDGE NO. 1425W OVER  
DYE CREEK RECOVERED BY S5102 ON 5/31/2000

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720082

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 4878

Nearest City: WEST FORK

County: WASHINGTON

Route: 71

Section: 16

Log Mile: 17.54

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 57 45.0

Longitude: W 94 10 03.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 391.309

Elevation (Feet): 1283.820

Description: DISC TOP PARAPET WALL RT. STA. 125+94. BR OVER ROCK CREEK  
RECOVERED BY S5102 ON 5/31/2000

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720083

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number:

4878

Nearest City:

GREENLAND

County:

WASHINGTON

Route:

71

Section:

16

Log Mile:

19.06

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 58 57.0

Longitude: W 94 10 21.0

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

381.967

Elevation (Feet):

1253.170

Description:

DISC TOP ABUTMENT RT. STA. 206+15. RECOVERED BY S5102 ON  
5/31/2000

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720084

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number:

N/A

Nearest City:

SPRINGDALE

County:

WASHINGTON

Route:

71

Section:

17

Log Mile:

10.9

Land Section Number:

Township:

17N

Range:

30W

Land Section:

Latitude:

N 36 11 35.0

Longitude:

W 94 10 49.0

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

410.581

Elevation (Feet):

1347.048

Description:

DISK SW WINGWALL BR # 5945 ELM SPRINGS RD. RECOVERED BY  
S5102 ON 9/14/2000

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720085

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: FAYETTEVILLE

County: WASHINGTON

Route: 71 & 112

Section: 17

Log Mile: 4.02

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 381.778

Elevation (Feet): 1252.550

Description: DISK TOP WINGWALL BR. 5692 (N/R BY S5102 ON 5/31/00).

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720086

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City:

County: WASHINGTON

Route: 71 & 112

Section: 17

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 374.944

Elevation (Feet): 1230.129

Description: DISK TOP WINGWALL BOX CULVERT RIGHT ON RAMP ONE (N/R BY S5102 ON 5/31/00)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720087

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 4762

Nearest City: ELKINS

County: WASHINGTON

Route: 16

Section: 3

Log Mile: 15.20

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 57 56.0

Longitude: W 93 59 42.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 379.339

Elevation (Feet): 1244.548

Description: DISC TOP PARAPET WALL RT. STA. 814+79. BR # 5776 OVER FLETCHER CREEK RECOVERED BY S5102 ON 5/31/2000

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720088

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number:

4762

Nearest City:

DURHAM

County:

WASHINGTON

Route:

16

Section:

3

Log Mile:

16.79

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 56 51.0

Longitude: W 93 58 43.0

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

381.013

Elevation (Feet):

1250.040

Description:

DISC TOP PARAPET WALL RT. STA. 898+57. BR 5777 OVER SNAKE  
CREEK RECOVERED BY S5102 ON 5/31/2000

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720089

Class:

Vertical Datum:

Established by:

Date Established:

System: STATE

Job Number: 4862

Nearest City: DURHAM

County: WASHINGTON

Route: 16

Section: 3

Log Mile: 18.27

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 55 50.0

Longitude: W 93 57 45.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 385.837

Elevation (Feet): 1265.867

Description: DISC TOP PARAPET WALL RT. STA. 975+74. BR # 5778 OVER SCHUMATE CREEK RECOVERED BY S5102 ON 5/31/2000

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720090

Class:

Vertical Datum:

Established by: RE OFFICE #43

Date Established: 11/24/1993

System: STATE

Job Number: 40127

Nearest City: SPRINGDALE

County: WASHINGTON

Route: 71B

Section: 17B

Log Mile: 4.63

Land Section Number: 11

Township: 17N

Range: 30W

Land Section: SE

Latitude: N 36 09 20.0

Longitude: W 94 08 37.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 401.501

Elevation (Feet): 1317.258

Description: TOP OF DROP INLET 50' RIGHT CENTERLINE HWY. 71B, 711' SOUTH OF  
SE CORNER OF RAILROAD OVERPASS RECOVERED BY S5102 ON  
6/1/2000

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720091

Class:

Vertical Datum:

Established by: RE OFFICE #42

Date Established: 5/5/1993

System: STATE Job Number: R40057 Nearest City: BRENTWOOD

County: WASHINGTON Route: 74 Section: 1 Log Mile: 1.18

Land Section Number: 32 Township: 14N Range: 29W

Land Section: NE

Latitude: N 35 50 48.0 Longitude: W 94 05 02.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 485.007 Elevation (Feet): 1591.227

Description: 15.09' RT. STA. 72+21.92 BENCH MARK DISC CENTER WALL 2.25 FEET  
EAST OF SW BRIDGE END, BRIDGE NO. 6444 OVER HUTCHINS CREEK.  
RECOVERED BY S5102 ON 5/31/2000

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720092

Class:

Vertical Datum:

Established by: RE OFFICE #42

Date Established: 5/5/1993

System: STATE

Job Number: R40057

Nearest City: BRENTWOOD

County: WASHINGTON

Route: 74

Section: 1

Log Mile: 1.59

Land Section Number: 33

Township: 14N

Range: 29W

Land Section: NW

Latitude: N 35 50 52.0

Longitude: W 94 09 36.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 495.654

Elevation (Feet): 1626.158

Description: 15.09' RT. STA. 94+47.65 BENCH MARK DISC CENTER OF PARAPET WALL 1.0 OOT EAST OF SW BRIDGE END, BRIDGE NO. 6445 OVER HUTCHINS CREEK. RECOVERED BY S5102 ON 5/31/2000

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720093

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 4716

Nearest City:

County: WASHINGTON

Route: 112

Section: 1

Log Mile: 1.67

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 408.042

Elevation (Feet): 1338.718

Description: NE CORNER HEADWALL R. C. BOX 78' RT. STA. 5+39 (N/R BY S5102 ON 5/31/00)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720094

Class:

Vertical Datum:

Established by: RE OFFICE #43

Date Established: 1/11/1989

System:

Job Number: 40053

Nearest City:

County: WASHINGTON

Route: 170

Section: 1

Log Mile: 15.46

Land Section Number: 26

Township: 13N

Range: 31W

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 450.684

Elevation (Feet): 1478.619

Description: 24 FT. LEFT OF CENTERLINE IN SOUTH WALL OF SPECIAL GRATE INLET  
STA. 57+00 (N/R BY S5102 ON 5/31/00)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720095

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: R40015

Nearest City: MAYFIELD

County: WASHINGTON

Route: 303

Section: 1

Log Mile: 0.31

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 08 06.0

Longitude: W 93 57 00.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 356.933

Elevation (Feet): 1171.038

Description: ALUMINUM DISC IN HEADWALL OF DOUBLE 10 X 8 RC BOX CULVERT  
25' FEETS EAST OF CENTERLINE HWY. 303, STATION 116+36.  
RECOVERED BY S5102 ON 5/31/2000

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720096

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: R40015

Nearest City: MAYFIELD

County: WASHINGTON

Route: 303

Section: 1

Log Mile: 0.64

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 08 22.0

Longitude: W 93 56 43.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 365.818

Elevation (Feet): 1200.188

Description: ALUMINUM DISC IN HEADWALL OF DOUBLE 8 X 4 RC BOX CULVERT 30  
' FEET EAST OF CENTERLINE HWY. 303, STATION 136+10 RECOVERED  
BY S5102 ON 5/31/2000

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720097

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: SPRING VALLEY

County: WASHINGTON

Route: 303

Section: 1

Log Mile: 2.37

Land Section Number: 11

Township: 17N

Range: 28W

Land Section:

Latitude: N 36 09 32.0

Longitude: W 93 56 19.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

Elevation (Feet):

Description: DISC TOP WINGWALL 16' RT. WHITENER CREEK BRIDGE #5995  
RECOVERED BY S5102 ON 5/31/2000

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720098

Class:

Vertical Datum:

Established by: RE OFFICE #43

Date Established: 6/23/1993

System: FEDERAL

Job Number: 40005

Nearest City:

County: WASHINGTON

Route: 412

Section: 2

Log Mile: 13.8

Land Section Number: 8

Township: 17N

Range: 29W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 418.509

Elevation (Feet): 1373.058

Description: AHTD DISK IN CONCRETE RETAINING WALL STATION 141+00 RIGHT  
(N/R BY S5102 ON 5/31/00)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720099

Class:

Vertical Datum:

Established by:

Date Established: 1/26/1994

System: STATE

Job Number: 1674

Nearest City: TONITOWN

County: WASHINGTON

Route: 412

Section: 2

Log Mile:

Land Section Number: 6

Township: 17N

Range: 31W

Land Section: SE

Latitude: N 36 10 36.0

Longitude: W 94 19 31.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 328.075

Elevation (Feet): 1076.359

Description: LOCATED ON TOP OF WINGWALL ON SW CORNER OF EAST BOUND  
BRIDGE OVER WILDCAT CREEK, BRIDGE NO. 6458 RECOVERED BY  
S5102 ON 5/31/2000

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720100

Class:

Vertical Datum:

Established by: RE OFFICE #43

Date Established: 6/23/1993

System: US

Job Number: 40005

Nearest City:

County: WASHINGTON

Route: 412

Section: 2

Log Mile: 11.8

Land Section Number: 12

Township: 17N

Range: 30W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 411.928

Elevation (Feet): 1351.467

Description: AHTD DISK TOP DROP INLET STATION 31+45 RIGHT (N/R BY S5102 ON 5/31/00)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720101

Class:

Vertical Datum:

Established by: RE OFFICE #43

Date Established: 6/23/1993

System: US

Job Number: 40005

Nearest City:

County: WASHINGTON

Route: 412

Section: 2

Log Mile: 13.15

Land Section Number: 6

Township: 17N

Range: 29W

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 405.622

Elevation (Feet): 1330.778

Description: AHTD DISK TOP OF TYPE "A" DROP INLTER STA. 105+29 LEFT (N/R BY S5102 ON 5/31/00)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720102

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: ELM SPRINGS

County: WASHINGTON

Route: 112

Section: 1

Log Mile: 10.30

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 36 12 16.0

Longitude: W 94 14 07.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 355.641

Elevation (Feet): 1166.799

Description: DISK TOP WGWLL 20' RT. STA. 99+10 BRIDGE NUMBER 5909 BRUSHY CREEK RECOVERED BY S5102 ON 6/1/2000

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720103

Class:

Vertical Datum:

Established by: RE OFFICE #43

Date Established: 9/5/1997

System: STATE

Job Number: R40081

Nearest City: LINCOLN

County: WASHINGTON

Route: 62

Section: 1

Log Mile: 10.38

Land Section Number: 27

Township: 15N

Range: 32W

Land Section: NW

Latitude: N 35 57 05.0

Longitude: W 94 22 42.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 415.118

Elevation (Feet): 1361.933

Description: METAL DISC IN TOP CENTER OF HEADWALL R.C. BOX STA. 110+60 RT.  
14.3 METERS RECOVERED BY S5102 ON 6/1/2000

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720104

Class:

Vertical Datum:

Established by: RE OFFICE #43

Date Established: 9/3/1998

System: COUNTY Job Number: BR7206 Nearest City:

County: WASHINGTON Route: 66 Section: F Log Mile: 1.75

Land Section Number: Township: 16N Range: 31W

Land Section: NW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 326.599 Elevation (Feet): 1071.517

Description: AHTD BENCH MARK IN TOP OF WINGWALL (SW CORNER OF BRIDGE)  
15 FT. RT. STA. 108+19. (N/R BY S5102 ON 5/31/00)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720105

Class:

Vertical Datum:

Established by: RE OFFICE #43

Date Established: 10/31/1992

System: STATE

Job Number: R40045

Nearest City: west fork

County: WASHINGTON

Route: I-540

Section: 16

Log Mile: 36.66

Land Section Number: 20

Township: 15N

Range: 30W

Land Section: SW

Latitude: N 35 57 43.0

Longitude: W 94 11 44.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 468.719

Elevation (Feet): 1537.789

Description: AHTD DISC IN SW WINGWALL BRIDGE #6241 LEFT STATION 1935+76  
HWY. 71 \*NORTH OF CENTERLINE BRIDGE AR HWY. 170  
INTERCHANGE\* RECOVERED BY S5102 ON 5/31/2000

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720106

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #43

Date Established: 6/1/1993

System: COUNTY

Job Number: BR-72-5

Nearest City: SAVOY

County: WASHINGTON

Route: 845

Section: 31

Log Mile: 0.3

Land Section Number: 31

Township: 17N

Range: 31W

Land Section: SW

Latitude: N 36 06 13.0

Longitude: W 94 20 14.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 315.73

Elevation (Feet): 1035.858

Description: TOP OF RIGHT WINGWALL, SOUTHWEST CORNER OF BRIDGE # 4660  
OVER CLEAR CREEK RECOVERED BY S5102 ON 9/14/2000

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720107

Class:

Vertical Datum:

Established by: RE OFFICE #43

Date Established: 7/1/1989

System: COUNTY Job Number: BR-72-4 Nearest City: FAYETTEVILLE

County: WASHINGTON Route: CR 57 Section: Log Mile: 2.4

Land Section Number: 35 Township: 16N Range: 30W

Land Section:

Latitude: N 36 01 09.0 Longitude: W 94 07 27.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 369.442 Elevation (Feet): 1212.078

Description: 2.4 MILES IN A SOUTHEASTERLY DIRECTION FROM THE INTERSECTION OF HWY. 16 & COUNTY ROAD 57 (ARMSTRONG AVE.); THENCE 13.0 FEET RIGHT OF CENTERLINE ROADWAY ON TOP OF WINGWALL OF APPROACH TO BRIDGE NO. 4587. RECOVERED BY S5102 ON 9/14/2000

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720108

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City:

County: WASHINGTON

Route: CR 7

Section:

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 319.22

Elevation (Feet): 1047.308

Description: DISK RIGHT OF WINGWALL BRIDGE 4413 CINCINNATI CREEK (N/R BY S5102 ON 5/31/00)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720109

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: NS-72-1

Nearest City:

County: WASHINGTON

Route: FAS 93

Section: 1

Log Mile: 17.60

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 355.659

Elevation (Feet): 1166.858

Description: DISK NE WINGWALL BR. 4339 FRIENDSHIP CREEK 1 MILE N OF JCT. OF  
93 AND US 68 15.6' RIGHT STA. 22+60 (N/R BY S5102 ON 5/31/00)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720110

Class:

Vertical Datum:

Established by:

Date Established:

System: COUNTY

Job Number: BR-72-3

Nearest City: ELKINS

County: WASHINGTON

Route: FAS RT 1060

Section:

Log Mile: \*\*

Land Section Number: 20

Township: 16N

Range: 28W

Land Section:

Latitude: N 36 02 54.0

Longitude: W 93 58 29.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 360.829

Elevation (Feet): 1183.820

Description: AHTD AL. DISC SET IN SE CORNER OF WINGWALL OF BR# 4517 15' RT OF CENTERLINE. BR OVER RICHLAND CR. \*\*APPR. 1 1/4 MILED NORTH OF JCT. OF SH. 74 AT TUTTLE & FAS RT. 1060. WEST OF ELKINS, AR RECOVERED BY S5102 ON 5/31/2000

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720111

Class:

Vertical Datum:

Established by: RE OFFICE #43

Date Established:

System:

Job Number: 4936

Nearest City:

County: WASHINGTON

Route: LDWIRE RI

Section:

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 387.544

Elevation (Feet): 1271.467

Description: DISK NORTH HDWLL LT. CENTERLINE (N/R BY S5102 ON 5/31/00) MUD CREEK BRIDGE

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720112

Class:

Vertical Datum:

Established by: RE OFFICE #43

Date Established: 2/8/1999

System: STATE Job Number: 004976 Nearest City: FAYETTEVILLE

County: WASHINGTON Route: 112 SPUR Section: 0S Log Mile: 1.1

Land Section Number: 8 Township: 16N Range: 30W

Land Section: NW

Latitude: N 36 04 41.0 Longitude: W 94 11 36.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 377.513 Elevation (Feet): 1238.557

Description: RC BOX CULVERT HEADWALL STA. 520+66 RT. RECOVERED BY S5102  
ON 6/1/2000

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720113

Class:

Vertical Datum:

Established by: RE OFFICE #43

Date Established: 2/8/1999

System: STATE

Job Number: 004976

Nearest City: FAYETTEVILLE

County: WASHINGTON

Route: 112 SPUR

Section: 0S

Log Mile: 1.3

Land Section Number: 7

Township: 16N

Range: 30W

Land Section: NE

Latitude: N 36 04 42.0

Longitude: W 94 11 49.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 377.05

Elevation (Feet): 1237.038

Description: RC BOX CULVERT HEADWALL STA. 509+26 RIGHT. RECOVERED BY  
S5102 ON 6/1/2000

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720114

Class:

Vertical Datum:

Established by: RE OFFICE #43

Date Established: 2/4/1999

System: STATE

Job Number: 040179

Nearest City: FAYETTEVILLE

County: WASHINGTON

Route: GREGG AVE

Section: CITY

Log Mile: 1.42

Land Section Number: 27

Township: 17N

Range: 30W

Land Section: SE

Latitude: N 36 07 21.0

Longitude: W 94 09 47.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 362.913

Elevation (Feet): 1190.657

Description: ON TOP OF CONCRETE PARAPET RAIL ON SOUTH END OF BRIDGE 31  
FT. RT. OF STA. 12+35 (MUD CREEK). BR 4803 RECOVERED BY S5102 ON  
9/14/2000

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720115

Class:

Vertical Datum:

Established by: RE OFFICE #42

Date Established: 5/5/1999

System: STATE Job Number: R40040 Nearest City: WINSLOW

County: WASHINGTON Route: I-540 Section: Log Mile: 24.96

Land Section Number: Township: Range:

Land Section:

Latitude: N 35 48 28.0 Longitude: W 94 11 19.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 478.823 Elevation (Feet): 1570.938

Description: STATE OF ARK. DISC ATOP PARAPET WALL 44' LT. STA. 1317+71  
CENTERLINE CONSTRUCTION BRIDGE #6481 "A" HESS CREEK.  
RECOVERED BY S5102 ON 5/31/2000

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720116

Class:

Vertical Datum:

Established by: RE OFFICE #42

Date Established: 5/5/1999

System: STATE

Job Number: R40040

Nearest City: WINSLOW

County: WASHINGTON

Route: I-540

Section:

Log Mile: 24.70

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 48 15.0

Longitude: W 94 11 16.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 466.001

Elevation (Feet): 1528.872

Description: STATE OF ARK. DISK ATOP PARAPET WALL 44' RT. STA. 1304+10  
BRIDGE #6481 "B" HESS CREEK. RECOVERED BY S5102 ON 5/31/2000

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720117

Class:

Vertical Datum:

Established by: RE OFFICE #42

Date Established: 5/5/1999

System: STATE Job Number: R40040 Nearest City:

County: WASHINGTON Route: 71 Section: Log Mile:

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 554.447

Elevation (Feet): 1819.048

Description: STATE OF ARK. DISK ATOP PARAPET WALL 18' RT. STA. 144+56  
CENTERLINE HWY. 74 BRIDGE # 6487 HWY. 74 OVERPASS (N/R BY  
S5102 ON 5/31/00)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720118

Class:

Vertical Datum:

Established by: RE OFFICE #42

Date Established: 11/17/1997

System: STATE Job Number: R40039 Nearest City: CHESTER

County: WASHINGTON Route: I-540 Section: Log Mile: 23.93

Land Section Number: Township: Range:

Land Section:

Latitude: N 35 47 35.0 Longitude: W 94 11 23.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 321.896 Elevation (Feet): 1056.087

Description: BRIDGE #6480 "B" 40' RT. STA. 1263+57 CENTERLINE CONSTRUCTION  
ATOP PARAPET WALL. RECOVERED BY S5102 ON 5/31/2000

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720119

Class:

Vertical Datum:

Established by: RE OFFICE #42

Date Established: 11/17/1997

System: STATE

Job Number: R40039

Nearest City: CHESTER

County: WASHINGTON

Route: I-540

Section:

Log Mile: 24.13

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 47 46.0

Longitude: W 94 11 23.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 456.6

Elevation (Feet): 1498.029

Description: BRIDGE # 6480 "A" 40' LT. STA. 1273+93 CENTERLINE CONST. ATOP  
PARAPET WALL. BR OVER DEADMAN'S HOLLOW RECOVERED BY  
S5102 ON 5/31/2000

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720120

Class:

Vertical Datum:

Established by: RE OFFICE #42

Date Established: 5/6/1999

System: STATE Job Number: R40092 Nearest City:

County: WASHINGTON Route: 71 Section: Log Mile:

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 493.316 Elevation (Feet): 1618.488

Description: STATE OF ARK. DISK ATOP DROP INLET CENTERLINE MEDIAN STA.  
114+00. (N/R BY S5102 ON 5/31/00)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720121

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: R40092

Nearest City: CHESTER

County: WASHINGTON

Route: I-540

Section: 15&16

Log Mile: 21.34

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 45 28.0

Longitude: W 94 11 45.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 486.2301

Elevation (Feet): 1595.240

Description: STATE OF AR DISC A TOP HDWL RC BOX CULVERT 100'LT OF & MED  
STA 1127+00 RECOVERED BY S5102 ON 5/31/2000

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720122

Class:

Vertical Datum:

Established by:

Date Established: 6/24/1999

System:

Job Number: R40092

Nearest City: CHESTER

County: WASHINGTON

Route: I-540

Section: 15&16

Log Mile: 21.23

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 45 22.0

Longitude: W 94 11 48.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 487.1384

Elevation (Feet): 1598.220

Description: STATE OF AR DISC A TOP DROP INLET & MED STA 1120+94 RECOVERED  
BY S5102 ON 5/31/2000

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720123

Class:

Vertical Datum: NAVD88

Established by:

Date Established: 1/2/1998

System: STATE

Job Number: 040181

Nearest City: SPRINGDALE

County: WASHINGTON

Route: 412

Section: 02

Log Mile: 11.18

Land Section Number:

Township: 17N

Range: 30W

Land Section: SW

Latitude: N 36 10 29.0

Longitude: W 94 08 22.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 413.2421

Elevation (Feet): 1355.778

Description: PLACED IN TOP OF DROP INLET ON NW CORNER OF HWY 412 W/HWY 71B INTERSECTION. Recovered by s5102 on 5/31/00. Verified by S5013 on 9/26/00

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720124

Class:

Vertical Datum:

Established by:

Date Established: 5/27/1998

System: STATE

Job Number: R40041

Nearest City:

County: WASHINGTON

Route: 71

Section: 16

Log Mile:

Land Section Number: 28

Township: 14N

Range: 30W

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 471.3223

Elevation (Feet): 1546.330

Description: DISC IN TOP OF WINGWALL BRIDGE 6483 A NORTH ABUTMENT (RILEY CREEK)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720125

Class:

Vertical Datum:

Established by:

Date Established: 5/27/1998

System: STATE

Job Number: R40041

Nearest City:

County: WASHINGTON

Route: 71

Section: 16

Log Mile:

Land Section Number: 28

Township: 14N

Range: 30W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 489.2872

Elevation (Feet): 1605.270

Description: DISC IN TOP OF WINGWALL BRIDGE 6484A NORTH ABUTMENT (WINN CREEK)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720126

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 10/15/1999

System: STATE Job Number: 040236 Nearest City:

County: WASHINGTON Route: 412 Section: 2 Log Mile: 18.45

Land Section Number: 1 Township: 17N Range: 29W

Land Section: SE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 368 Elevation (Feet): 1207.347

Description: ALUMINUM DISK 18.925 METERS RIGHT OF CENTERLINE IN TOP OF  
WINGWALL BRIDGE B6686

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720127

Class:

Vertical Datum: UNKNOWN

Established by:

Date Established: 2/24/2000

System: CITY

Job Number: 040232

Nearest City:

County: WASHINGTON

Route: LKERSON

Section:

Log Mile:

Land Section Number: 22

Township: 17N

Range: 30W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 361.9019

Elevation (Feet): 1187.340

Description: SE CORNER OF BRIDGE #04824 (PARAPET WALL)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720128

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 5/27/1938

System: STATE Job Number: R40041 Nearest City:

County: WASHINGTON Route: 71 Section: 16 Log Mile:

Land Section Number: 32 Township: 14N Range: 30W

Land Section: SE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 465.2598 Elevation (Feet): 1526.440

Description: DISC IN TOP OF WINGWALL BRIDGE 6485A NORTH ABUTMENT (BOYD HOLLOW)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720129

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 5/27/1998

System: STATE Job Number: R40041 Nearest City:

County: WASHINGTON Route: 71 Section: 16 Log Mile:

Land Section Number: 28 Township: 14N Range: 30W

Land Section: NE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 475.2633 Elevation (Feet): 1559.260

Description: DISC IN TOP OF DROP INLET CL MEDIAN STA 1551+00.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720131

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #43

Date Established: 8/7/2000

System: STATE

Job Number: 040251

Nearest City:

County: WASHINGTON

Route: 71

Section: 17

Log Mile: 0.2

Land Section Number: 19

Township: 16N

Range: 30W

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 379.522

Elevation (Feet): 1245.148

Description: AHTD DISK IN CENTER OF N. HW OF RC BOX CULVERT UNDER HWY 62/HWY 71 N BOUND ENTRANCE RAMP

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720132

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #43

Date Established: 3/1/2001

System: STATE

Job Number: 004999

Nearest City: FAYETTEVILLE

County: WASHINGTON

Route: 16

Section: 3

Log Mile: 3.95

Land Section Number: 23

Township: 16N

Range: 30W

Land Section: NE

Latitude: N 36 03 11.0

Longitude: W 94 07 33.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 362.305

Elevation (Feet): 1188.662

Description: AHTD DISK IN HW OF BOX CULVERT, 41.5 FEET N OF HWY 16 AND 0.3 MILE EAST OF HWY 16/HWY 265 INTERSECTION

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720133

Class: UNKNOWN

Vertical Datum: NGVD29

Established by: RE OFFICE #43

Date Established: 7/9/2001

System: STATE Job Number: 040027 Nearest City: Prairie Grove

County: WASHINGTON Route: 62 Section: 1 Log Mile: 16.44

Land Section Number: 8 Township: 15N Range: 31W

Land Section: SE

Latitude: N 35 59 30.0 Longitude: W 94 17 38.0 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 339.743 Elevation (Feet): 1114.640

Description: RETAINING WALL SW CORNER BR 06732

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720134

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #43

Date Established: 3/1/2001

System: STATE

Job Number: 040235

Nearest City:

County: WASHINGTON

Route: 412

Section: 2

Log Mile:

Land Section Number: 32

Township: 18

Range: 28

Land Section: SWSE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 408.051

Elevation (Feet): 1338.747

Description: AHTD DISK TOP DI C/L MEDIAN 1.7 KM EAST CR70 AND HWY 412  
INTERSECTION

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720135

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #43

Date Established: 2/28/2001

System: STATE

Job Number: 040235

Nearest City:

County: WASHINGTON

Route: 412

Section: 2

Log Mile:

Land Section Number: 6

Township: 17

Range: 28

Land Section: NENE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 395.026

Elevation (Feet): 1296.014

Description: AHTD DISK TOP DI C/L MEDIAN 0.27 KM E OF CR70 AND 412  
INTERSECTION

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720136

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #43

Date Established: 2/28/2001

System: STATE

Job Number: 040235

Nearest City:

County: WASHINGTON

Route: 412

Section: 2

Log Mile:

Land Section Number: 32

Township: 18

Range: 28

Land Section: SESW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 406.073

Elevation (Feet): 1332.258

Description: AHTD DISK DI C/L MEDIAN 1.0 KM EAST CR70 AND 412 INTERSECTION

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720137

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #43

Date Established: 2/28/2001

System: STATE Job Number: 040235 Nearest City:

County: WASHINGTON Route: 412 Section: 2 Log Mile:

Land Section Number: 6 Township: 17 Range: 28

Land Section: NW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 355.619 Elevation (Feet): 1166.727

Description: AHTD DISK TOP OF DI C/L MEDIAN 1.4 KM WEST OF CR70/412  
INTERSECTION

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720138

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #43

Date Established: 2/28/2001

System: STATE

Job Number: 040235

Nearest City:

County: WASHINGTON

Route: 412

Section: 2

Log Mile:

Land Section Number: 6

Township: 17

Range: 28

Land Section: NESW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 373.252

Elevation (Feet): 1224.578

Description: ahtd disk top of di c/l median 0.8 KM W OF CR 70/US412 INTERSECTION

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720139

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #43

Date Established: 7/12/2001

System: STATE

Job Number: 040147

Nearest City:

County: WASHINGTON

Route: 412

Section: 2

Log Mile: 16.45

Land Section Number: 10

Township: 17N

Range: 29W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 382.733

Elevation (Feet): 1255.683

Description: 2.31 MILES EAST OF 412/265 SPUR AND 59 FT SOUTH OF C/L IN TOP OF DI

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720140

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #43

Date Established: 7/12/2001

System: STATE

Job Number: 040147

Nearest City:

County: WASHINGTON

Route: 412

Section: 2

Log Mile: 14.23

Land Section Number: 8

Township: 17N

Range: 29W

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 414.718

Elevation (Feet): 1360.621

Description: 607 FT E OF 412/265 SPUR AND 34 FT S OF C/L IN DI

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720141

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #43

Date Established: 7/12/2001

System: STATE

Job Number: 040147

Nearest City:

County: WASHINGTON

Route: 412

Section: 2

Log Mile: 14.33

Land Section Number: 8

Township: 17N

Range: 29W

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 414.005

Elevation (Feet): 1358.281

Description: 0.21 MILE EAST OF 412/265 & 34 S OF C/L IN TOP OF DI

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720142

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #43

Date Established: 10/1/2002

System: CITY

Job Number: 040152

Nearest City: FAYETTEVILLE

County: WASHINGTON

Route: BLE SPRING

Section:

Log Mile:

Land Section Number: 10

Township: 16N

Range: 31W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 362.7919

Elevation (Feet): 1190.260

Description: AHTD DISK IN SE WW OF BR 4851 20 FT EAST OF C/L DOUBLE SRINGS ROAD AND 0.35 MILES SOUTH OF HWY 16

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720143

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #43

Date Established: 4/3/2002

System: STATE

Job Number: 040230

Nearest City:

County: WASHINGTON

Route: 45

Section: 5

Log Mile: 9.48

Land Section Number: 36

Township: 17N

Range: 29W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 353.1

Elevation (Feet): 1158.462

Description: AHTD DISK IN TOP OF SW WW OF BRIDGE 06789 (WHITE RIVER) AND  
0.25 MILES WEST OF HWY 45/CR48

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720144

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #43

Date Established: 4/3/2002

System: STATE

Job Number: 040290

Nearest City:

County: WASHINGTON

Route: 45

Section: 5

Log Mile: 9.8

Land Section Number: 36

Township: 17N

Range: 29W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 353.67

Elevation (Feet): 1160.332

Description: AHTD DISK IN SW WW OF BR 06790 (RICHLAND CREEK) AND 0.07 MILES EAST OF HWY.45/CR48

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720145

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #43

Date Established: 10/15/2002

System: STATE

Job Number: 040290

Nearest City:

County: WASHINGTON

Route: 45

Section: 5

Log Mile: 14.26

Land Section Number: 21

Township: 17N

Range: 28W

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 359.326

Elevation (Feet): 1178.889

Description: AHTD DISK IN SW WW OF BR 02712 (BRUSH CREEK) AND 0.13 MILES  
WEST OF HWY 45/HWY 303

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720146

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 6/26/2003

System: Job Number: N/A Nearest City: FAYETTEVILLE

County: WASHINGTON Route: 71 & 112 Section: Log Mile:

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 379.5676 Elevation (Feet): 1245.298

Description: AUGUST 2003 - AHTD BM RECOVERED ON SE CORNER OF BRIDGE  
WINGWALL "HWY. 71 UNDERPASS" ELEVATION BY 3-WIRE FROM NGS  
AGRONOMY TO K310 TO L310 = 1245.298 FEET.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720146

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #43

Date Established: 10/1/2003

System: COUNTY

Job Number: FA7202

Nearest City:

County: WASHINGTON

Route: CR48

Section:

Log Mile:

Land Section Number: 8

Township: 16N

Range: 29W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 358.5

Elevation (Feet): 1176.179

Description: AHTD DISC IN TOP OF WINGWALL SE WHITE RIVER 13' WEST OF C/L  
AND 3 MILES WEST OF HWY. 265 AND CR 48

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720147

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #43

Date Established: 9/29/2003

System: STATE

Job Number: 004981

Nearest City:

County: WASHINGTON

Route: 265

Section: 1

Log Mile: 5.64

Land Section Number: 19

Township: 14N

Range: 31W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 422.426

Elevation (Feet): 1385.909

Description: AHTD DISK IN SE HW OF QUAD 11X6 BOX 33 FT EAST OF C/L OF HWY 265 AND 4.07 MILES SOUTH OF HWY 265 AND HWY 156

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720148

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #43

Date Established: 9/29/2003

System: STATE

Job Number: 004981

Nearest City:

County: WASHINGTON

Route: 265

Section: 1

Log Mile: 7.53

Land Section Number: 17

Township: 14N

Range: 31W

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 398.509

Elevation (Feet): 1307.442

Description: AHTD DISK IN SE WW OF BRIDGE NO 06946 (SWEETWATER CREEK) 16 FT EAST OF C/L AND 2.18 MILES SOUTH OF HWY. 265 AND HWY 156.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720149

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #43

Date Established: 11/19/2003

System: STATE

Job Number: 040273

Nearest City: FAYETTEVILLE

County: WASHINGTON

Route: 112

Section: 0

Log Mile: 3.10

Land Section Number: 8

Township: 16N

Range: 30W

Land Section: SE

Latitude: N 36 04 35.0

Longitude: W 94 10 32.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 418.137

Elevation (Feet): 1371.838

Description: AHTD DISK IN TOP OF DROP INLET 35' WEST OF C/L AND 0.07 MILES  
SOUTH OF 112/112 SPUR INTERSECTION

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720150

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #43

Date Established: 11/19/2003

System: STATE

Job Number: 040273

Nearest City: FAYETTEVILLE

County: WASHINGTON

Route: 112

Section: 0

Log Mile: 2.98

Land Section Number: 8

Township: 16N

Range: 30W

Land Section: SE

Latitude: N 36 04 29.0

Longitude: W 94 10 32.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 437.637

Elevation (Feet): 1435.814

Description: AHTD DISK IN TOP OF DROP INLET 35.5 FT WEST OF C/L AND 0.19 MILES SOUTH OF 112/112 SPUR INTERSECTION

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720151

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #43

Date Established: 11/19/2003

System: STATE

Job Number: 040273

Nearest City: FAYETTEVILLE

County: WASHINGTON

Route: 112

Section: 0

Log Mile: 2.85

Land Section Number: 9

Township: 16N

Range: 30W

Land Section: SW

Latitude: N 36 04 22.0

Longitude: W 94 10 32.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 437.325

Elevation (Feet): 1434.790

Description: AHTD DISK IN DROP INLET 41 FT EAST OF C/L AND 0.32 MILES SOUTH OF 112/112 SPUR INTERSECTION

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720152

Class:

Vertical Datum:

Established by: RE OFFICE #43

Date Established: 12/11/2003

System: CITY

Job Number: 040063

Nearest City: SPRINGDALE

County: WASHINGTON

Route: HUNTSVILLE A

Section:

Log Mile:

Land Section Number: 34

Township: 18N

Range: 30W

Land Section: NE

Latitude: N 36 11 25.0

Longitude: W 94 08 32.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 402.9

Elevation (Feet): 1321.848

Description: AHTD DISK IN TOP OF DI 37 FT N OF C/L OF HUNTSVILLE AVE. AND 0.04 MILES WEST OF HUNTSVILLE AVE/HWY 71B INTERSECTION

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720153

Class:

Vertical Datum:

Established by: RE OFFICE #43

Date Established: 12/11/2003

System: CITY

Job Number: 040063

Nearest City: SPRINGDALE

County: WASHINGTON

Route: HUNTSVILLE A

Section:

Log Mile:

Land Section Number: 34

Township: 18N

Range: 30W

Land Section: SW

Latitude: N 36 11 25.0

Longitude: W 94 09 16.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 408.365

Elevation (Feet): 1339.778

Description: AHTD DISK IN TOP OF DI, 33 FT S OF C/L OF HUNTSVILLE AVE AND 0.75 MILES WEST OF HUNTSVILLE/HWY 71B INTERSECTION

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720154

Class:

Vertical Datum:

Established by: RE OFFICE #43

Date Established: 8/26/2002

System: STATE

Job Number: 001742

Nearest City: CINCINNATI

County: WASHINGTON

Route: 59

Section: 3

Log Mile: 4.87

Land Section Number: 29

Township: 16N

Range: 33W

Land Section: SW

Latitude: N 36 02 26.0

Longitude: W 94 30 38.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 315.485

Elevation (Feet): 1035.054

Description: AHTD DISK IN HW OF RC BOX CULVERT, 27 FT WEST OF C/L OF HWY 59  
AND 4.42 MILES SOUTH OF HWY 59 / HWY 244 INTERSECTION

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720155

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #43

Date Established: 11/24/2003

System: STATE

Job Number: 004999

Nearest City: FAYETTEVILLE

County: WASHINGTON

Route: 45

Section: 5

Log Mile: 2.92

Land Section Number: 1

Township: 16N

Range: 30W

Land Section: SW

Latitude: N 36 05 11.0

Longitude: W 94 07 15.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 419.226

Elevation (Feet): 1375.411

Description: AHTD DISK IN HW OF RC BOX 49 FT S OF C/L AND 0.04 MILES EAST OF HWY 45 / HWY 265 INTERSECTION

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720156

Class:

Vertical Datum:

Established by: RE OFFICE #43

Date Established: 11/24/2003

System: STATE Job Number: 004999 Nearest City: FAYETTEVILLE

County: WASHINGTON Route: 265 Section: 2 Log Mile: 0.06

Land Section Number: 23 Township: 16N Range: 30W

Land Section: NE

Latitude: N 36 03 12.0 Longitude: W 94 07 58.0 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 363.344 Elevation (Feet): 1192.071

Description: AHTD DISK IN HW OF RC BOX 37.5 FT EAST OF C/L AND 0.06 MILES  
NORTH OF HWY 16 / 265 INTERSECTION

Comments: Elevations were entered but cannot be verified due to no information on the control  
used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720157

Class:

Vertical Datum:

Established by: RE OFFICE #43

Date Established: 11/24/2003

System: STATE Job Number: 004999 Nearest City: FAYETTEVILLE

County: WASHINGTON Route: 265 Section: 2 Log Mile: 2.3

Land Section Number: 2 Township: 16N Range: 30W

Land Section: SE

Latitude: N 36 05 01.0 Longitude: W 94 07 23.0 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 421.777 Elevation (Feet): 1383.780

Description: AHTD DISK IN HW OF RC BOX 47.5 FT WEST OF C/L AND 0.05 MILES SOUTH OF HWY 16 / 265 INTERSECTION.

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720158

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #43

Date Established: 4/9/2002

System: STATE

Job Number: 040314

Nearest City:

County: WASHINGTON

Route: 59

Section: 3

Log Mile: 8.44

Land Section Number: 9

Township: 15N

Range: 33W

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 353.078

Elevation (Feet): 1158.390

Description: AHTD DISK IN HW OF RC BOX 28' WEST OF C/L AND 1.16 MILES NORTH OF HWY 62 / HWY 59 INTERSECTION

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720159

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #43

Date Established: 4/9/2002

System: STATE

Job Number: 040314

Nearest City:

County: WASHINGTON

Route: 59

Section: 3

Log Mile: 5.47

Land Section Number: 29

Township: 16N

Range: 33W

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 326.28

Elevation (Feet): 1070.470

Description: AHTD DISK IN HW OF RC BOX CULVERT 27' EAST OF C/L AND 4.13  
MILES NORTH OF HWY 62 / HWY 59 INTERSECTION.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720160

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #43

Date Established: 1/10/2007

System: STATE Job Number: 040397 Nearest City: PRARIE GROVE

County: WASHINGTON Route: 62 Section: 1 Log Mile: 13.37

Land Section Number: 24 Township: 15N Range: 32W

Land Section: NW

Latitude: N 35 58 15.6 Longitude: W 94 20 01.4 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 345.6293219 Elevation (Feet): 1133.952

Description: AHTD STANDARD DISC SET IN WINGWALL (SW) OF BRIDGE NO. 07044,  
21.0 FEET SOUTH OF CENTERLINE OF HWY. 62 AND 0.71 LOG MILES  
WEST OF THE INTERSECTION OF HWY. 62 AND HWY. 156.

Comments: 3 WIRE LEVELS RAN TO THIS POINT BY RE34 FROM CTL PT #20 (ELEV.  
1146.8589) OF JOB 040397. Data can be found on EDM under  
s040397\_RE\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720161

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #43

Date Established: 1/10/2007

System: STATE Job Number: 040397 Nearest City: PRARIE GROVE

County: WASHINGTON Route: 62 Section: 1 Log Mile: 11.37

Land Section Number: 22 Township: 15N Range: 32W

Land Section: SE

Latitude: N 35 57 37.0 Longitude: W 94 21 52.0 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 364.4470409 Elevation (Feet): 1195.690

Description: AHTD STANDARD DISC SET IN HEADWALL OF R.C. BOX CULVERT, 43.0 FEET SOUTH OF CENTERLINE OF HWY.62 AND 1.09 LOG MILES EAST OF THE INTERSECTION OF HWY.62 AND HWY.45

Comments: 3 WIRE LEVELS RAN TO THIS POINT BY RE34 FROM CTL PT #1003 (ELEV. 1203.1512) OF JOB 040397. Data can be found on EDM under s040397\_RE\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720162

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #43

Date Established: 2/7/2008

System: Job Number: 040399 Nearest City: FAYETTEVILLE

County: WASHINGTON Route: 112 Section: 0 Log Mile: 0.91

Land Section Number: 20 Township: 16N Range: 30W

Land Section: NE

Latitude: N 36 04 48.0 Longitude: W 94 10 05.0 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 380.1808484 Elevation (Feet): 1247.310

Description: AHTD Standard Disc set in the top of a Drop Inlet, 38.0 feet east of centerline of Hwy. 112 and 0.538 log miles south of the Hwy. 112/Hwy. 180 Intersection in Fayetteville.

Comments: Elevations cannot be verified. Elevations have 3-wire levels but do not have a tie to an NGS mark. Data can be located on EDM under Job#FA3107, sfa3107\_RE\_bences.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720167

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #43

Date Established: 8/15/2008

System: STATE

Job Number: 040423

Nearest City: FAYETTEVILLE

County: WASHINGTON

Route: 16

Section: 2

Log Mile: 11.09

Land Section Number: 11

Township: 16N

Range: 31W

Land Section: NWNE

Latitude: N 36 05 03.0

Longitude: W 94 15 35.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 370.972822

Elevation (Feet): 1217.100

Description: STANDARD DISK IN TOP OF DROP INLET, 33.0 FEET NORTH OF CENTERLINE OF HWY. 16 AND 0.786 LOG MILES EAST OF THE INTERSECTION OF HWY. 16 AND DOUBLE SPRINGS ROAD.

Comments: Elevations were entered but cannot be verified. Three wire levels were not ran to the control point that was used to established the benchmark.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

**Identification:** 720168

**Class:** UNKNOWN

**Vertical Datum:** NAVD88

**Established by:** RE OFFICE #43

**Date Established:** 1/10/2007

**System:** STATE

**Job Number:** 040397

**Nearest City:** LINCOLN

**County:** WASHINGTON

**Route:** 62

**Section:** 1

**Log Mile:** 8.90

**Land Section Number:** 29

**Township:** 15N

**Range:** 32W

**Land Section:** SE

**Latitude:** N 35 56 51.2

**Longitude:** W 94 24 10.2

**Type:** SCALED

Scaled, GPS (Handheld), or GPS (Observed)

**Elevation (Meters):** 430.954534

**Elevation (Feet):** 1413.890

**Description:** AHTD STANDARD DISC SET IN HEADWALL OF R.C. BOX CULVERT, 43.0 FEET SOUTH OF CENTERLINE AND 1.38 LOG MILES WEST OF THE INTERSECTION OF HWY.62 AND HWY.45

**Comments:** Elevations were entered but cannot be verified. Three wire levels were not ran to the control point that was used to established the benchmark. Data can be found on EDM under s040397\_RE\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720169

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #43

Date Established: 1/9/2009

System: STATE Job Number: 040420 Nearest City: Fayetteville

County: WASHINGTON Route: 180 Section: 2 Log Mile: 0.44

Land Section Number: 34 Township: 17N Range: 30W

Land Section: NE

Latitude: N 36 05 44.26 Longitude: W 94 09 37.64 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 382.4265 Elevation (Feet): 1254.678

Description: AHTD Standard Disc set in top of drop inlet, 24' west of centerline and 1.16 log miles south of the US Hwy. 71 and Hwy. 180 intersection.

Comments: Elevations were entered and verified. Three wire levels were ran from Control PN: 20 found in the SDMS processed files. Data can be found on EDM under s040420\_RE\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720170

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #43

Date Established: 1/9/2009

System: STATE Job Number: 040420 Nearest City: Fayetteville

County: WASHINGTON Route: 180 Section: 2 Log Mile: 0.58

Land Section Number: 34 Township: 17N Range: 30W

Land Section: SE

Latitude: N 36 05 49.01 Longitude: W 94 09 37.81 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 378.7646 Elevation (Feet): 1242.664

Description: AHTD Standard Disc. Set in headwall of Quadruple 10'x8' R.C. box culvert, 46' east of centerline of Hwy. 180 and 1.02 log miles south of the intersection of US Hwy. 71 and Hwy. 180

Comments: Elevations were entered and verified. Three wire levels were ran from the station name: 720169. Data can be found on EDM under s040420\_RE\_benches.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720171

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #43

Date Established: 1/13/2009

System: STATE

Job Number: 040420

Nearest City: Fayetteville

County: WASHINGTON

Route: 180

Section: 2

Log Mile: 1.51

Land Section Number: 27

Township: 17N

Range: 30W

Land Section: SE

Latitude: N 36 06 36.27

Longitude: W 94 09 49.52

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 368.3691

Elevation (Feet): 1208.558

Description: AHTD Standard Disc. Set in the top of drop inlet 31' west of centerline of Hwy. 180 and 0.09 log miles south of the intersection of US Hwy.71 and Hwy. 180.

Comments: Elev. Were entered and verified. Three wire levels were ran from the control PN: 900 found in the processed SDMS files. Data can be found on the EDM under s040420\_RE\_benches.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720172

Class: SECOND-ORDER, CLASS I

Vertical Datum: NAVD88

Established by: RE OFFICE #43

Date Established: 7/20/2007

System: STATE

Job Number: 040151

Nearest City: Springdale

County: WASHINGTON

Route: 412

Section: 2

Log Mile: 23.38

Land Section Number: 2

Township: 17n

Range: 28w

Land Section: SENW

Latitude: N 36 10 27.8

Longitude: W 93 56 09.7

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 394.591

Elevation (Feet): 1294.587

Description: ahtd benchmark set on north end of triple RC box culvert 95' West of cl on hwy 303 approximately 500' south of hwy 412 and hwy 303 intersection.

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run. During the level run, the point number 1764 (Elev. 1303.16) was used as control. No data found on 1764.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720173

Class: SECOND-ORDER, CLASS I

Vertical Datum: NAVD88

Established by: RE OFFICE #43

Date Established: 7/20/2007

System: STATE

Job Number: 040151

Nearest City: Springdale

County: WASHINGTON

Route: 412

Section: 2

Log Mile: 24.48

Land Section Number: 1

Township: 17n

Range: 28w

Land Section: SWNE

Latitude: N 36 10 32.8

Longitude: W 93 56 03.3

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

Elevation (Feet):

Description: ahtd benchmark set on south end of 10' x 10' rc box culvert 130' south of cl on hwy 412 approximately 500' east of hwy 412 and hwy 303 intersection.

Comments: The elevation associated with this benchmark was not provided and therefore not entered or verified.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720174

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #43

Date Established: 2/19/2009

System: STATE

Job Number: 040480

Nearest City:

County: WASHINGTON

Route: 62

Section: 1

Log Mile: 16.99

Land Section Number: 8

Township: 15n

Range: 31w

Land Section: NE

Latitude: N 35 59 51.88

Longitude: W 94 17 18.52

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 342.4977

Elevation (Feet): 1123.678

Description: ahtd disk set in headwall of 6' x 4' rc box culvert 65' east of centerline of hwy 62 and 0.02 log miles west of the hwy 170 (west leg) and hwy 62 intersection.

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720175

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #43

Date Established: 2/19/2009

System: STATE Job Number: 040480 Nearest City:

County: WASHINGTON Route: 62 Section: 1 Log Mile: 19.80

Land Section Number: 27 Township: 16n Range: 31w

Land Section: SW

Latitude: N 36 01 58.40 Longitude: W 94 15 49.77 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 374.3066 Elevation (Feet): 1228.038

Description: ahtd disk set in headwall of 4' x 2' rc box culvert, 77' west of centerline of hwy 62 and 1.49 log miles west of the hwy 170 (east leg) and hwy 62 intersection.

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720176

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #43

Date Established: 2/19/2009

System: STATE

Job Number: 040480

Nearest City:

County: WASHINGTON

Route: 62

Section: 1

Log Mile: 20.86

Land Section Number: 26

Township: 16n

Range: 31w

Land Section: NW

Latitude: N 36 02 29.61

Longitude: W 94 14 54.67

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 360.7247

Elevation (Feet): 1183.478

Description: ahtd disk set in headwall of 10' x 8' rc box culvert, 40' south of centerline of hwy 62 and 0.43 log miles west of the hwy 170 (east leg) and hwy 62 intersection.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720177

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #43

Date Established: 1/13/2010

System: CITY

Job Number: 040474

Nearest City: Fayetteville

County: WASHINGTON

Route: CR 55

Section:

Log Mile:

Land Section Number: 24

Township: 16N

Range: 30W

Land Section: NW

Latitude: N 36 03 03.87

Longitude: W 94 07 06.18

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 363.258319

Elevation (Feet): 1191.790

Description: AHTD domed cap benchmark @ SE corner of bridge.

Comments: Elevation was entered but could not be verified due to no information on the PN: 1600 which was the point the elevation was ran from. The 3 wire level file can be found on EDM under s040474\_RE\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720178

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #43

Date Established: 8/24/2009

System: STATE

Job Number: 004938

Nearest City: West Fork

County: WASHINGTON

Route: 71

Section: 16

Log Mile: 12.58

Land Section Number: 16

Township: 14N

Range: 30W

Land Section: NW

Latitude: N 35 53 40.74003

Longitude: W 94 10 26.47201

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 418.5948

Elevation (Feet): 1373.340

Description: AHTD Standard Disc set in top of parapet wall of Bridge No. 0760 (Over Mill Creek), 21' east of centerline of Hwy. 71 and 2.63 log miles south of the Hwy. 71/Hwy. 170 intersection.

Comments: Elevation transferred from BM # 913 (SQ. Cut S.E. Cor. Br.) by 3-Wire Level loop. No other BM's or control points were tied to the loop to verify the correctness of the original derived elevation of TBM # 913.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720179

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #43

Date Established: 5/24/2010

System: STATE Job Number: 004938 Nearest City: Winslow

County: WASHINGTON Route: 71 Section: 16 Log Mile: 7.85

Land Section Number: 30 Township: 14N Range: 29W

Land Section: NW

Latitude: N 35 51 41.82880 Longitude: W 94 06 29.70250 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 449.1054

Elevation (Feet): 1473.440

Description: AHTD Standard Disc set in headwall of R.C. Box Culvert 43' east of centerline of Hwy. 71 and 1.00 log mile north of the Hwy. 71/Hwy. 74 East intersection.

Comments: Elevation transferred from control pt. # 1606 by 3-Wire Level Loop. No other BM's or control points were tied to the loop to verify the correctness of the original derived elevation of pt. # 1606.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720180

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #43

Date Established: 6/8/2010

System: STATE

Job Number: 004938

Nearest City: Winslow

County: WASHINGTON

Route: 71

Section: 16

Log Mile: 7.77

Land Section Number: 30

Township: 14N

Range: 29W

Land Section: NW

Latitude: N 35 51 38.77280

Longitude: W 94 06 26.34075

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 450.1143

Elevation (Feet): 1476.750

Description: AHTD Standard Disc set in headwall of R.C. Box Culvert 37' west of centerline of Hwy. 71 and 0.92 logmile north of the Hwy. 71/Hwy. 74 East intersection.

Comments: Elevation transferred from control pt. # 6 by 3-Wire Level Loop. No other BM's or control points were tied to the loop to verify the correctness of the original derived elevation of pt. # 6. Note: Loop failed to close, return loop -0.02'

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720181

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #43

Date Established: 6/10/2010

System: STATE Job Number: 004938 Nearest City: Winslow

County: WASHINGTON Route: 71 Section: 16 Log Mile: 7.73

Land Section Number: 30 Township: 14N Range: 30W

Land Section: NW

Latitude: N 35 51 37.90825 Longitude: W 94 06 23.76334 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 453.7018

Elevation (Feet): 1488.520

Description: AHTD Standard Disc set in top of parapet wall of Bridge No. 07059 (Over London Creek) 21' east of centerline of Hwy. 71 and 0.88 logmile north of the Hwy. 71/Hwy. 74 East intersection.

Comments: Elevation transferred from control pt. # 5 by 3-Wire Level Loop. No other BM's or control points were tied to the loop to verify the correctness of the original derived elevation of pt. # 5.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720182

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #43

Date Established: 6/18/2010

System: STATE

Job Number: 004938

Nearest City: Winslow

County: WASHINGTON

Route: 71

Section: 16

Log Mile: 6.83

Land Section Number: 31

Township: 14N

Range: 29W

Land Section: NW

Latitude: N 35 50 57.97950

Longitude: W 94 06 13.35815

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 462.477

Elevation (Feet): 1517.310

Description: AHTD Standard Disc set in top of parapet wall of Bridge No. 07058 (Over Hutchens Creek) 21' east of centerline of Hwy. 71 and 0.02 logmile south of the Hwy. 71/Hwy. 74 East intersection.

Comments: Elevation transferred from control pt. # 1603 by 3-Wire Level Loop. No other BM's or control points were tied to the loop to verify the correctness of the original derived elevation of pt. # 1603.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720183

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #43

Date Established: 6/8/2010

System: STATE

Job Number: 004938

Nearest City: Winslow

County: WASHINGTON

Route: 71

Section: 16

Log Mile: 4.36

Land Section Number: 12

Township: 13N

Range: 30W

Land Section: NE

Latitude: N 35 49 09.2870

Longitude: W 94 07 32.68341

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 492.8199

Elevation (Feet): 1616.860

Description: AHTD Standard Disc set in top of parapet wall of Bridge No. 07057 (Over Sinclair Creek) 21' east of centerline of Hwy. 71 and 0.92 logmile north of the Hwy. 71/Hwy. 74 intersection

Comments: Elevation transferred from HPT # 703 by 3-Wire Level Loop. No other BM's or control points were tied to the loop to verify the correctness of the original derived elevation of HPT # 6.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720184

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #43

Date Established: 7/28/2010

System: STATE

Job Number: 040475

Nearest City: Johnson

County: WASHINGTON

Route: N/A

Section: N/A

Log Mile: N/A

Land Section Number: 14

Township: 17N

Range: 30W

Land Section: NW

Latitude: N 36 05 04.36

Longitude: W 94 05 29.65

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 376.76099

Elevation (Feet): 1236.090

Description: AHTD Standard Disc set in headwall of R.C. Box Culvert 35' north of centerline of Shady Grove Rd. and 0.58 log miles west of the Hwy. 71B/Shady Grove Rd. intersection.

Comments: Elevation transferred from T-4 by 3-Wire Level Loop. No other BM's or control points were tied to the loop to verify the correctness of the original derived elevation of T-4 (+0.01' on return).

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720185

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #43

Date Established: 5/12/2010

System: STATE Job Number: 040441 Nearest City: Paradise

County: FRANKLIN Route: 23 Section: 7 Log Mile: 13.7

Land Section Number: 2 Township: 11N Range: 27W

Land Section: NE

Latitude: N 35 23 26.86 Longitude: W 93 30 02.03 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 225.14097 Elevation (Feet): 738.650

Description: AHTD Standard Disc set in headwall of R.C. Box Culvert, 62' east of centerline of Hwy. 23 and 3.47 logmiles south of the Hwy. 23/Hwy. 215 intersection.

Comments: Elevation transferred from PN: 1604 by 3-Wire Level Loop. No other BM's or control points were tied to the loop to verify the correctness of the original derived elevation of PN:1604 (-0.01' on return).

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720185

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #43

Date Established: 10/18/2010

System: STATE Job Number: 040442 Nearest City: Lincoln

County: WASHINGTON Route: 59 Section: 4 Log Mile: 1.20

Land Section Number: 27 Township: 15N Range: 33W

Land Section: SW

Latitude: N 35 56 47.3346 Longitude: W 94 28 43.01249 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 361.042418 Elevation (Feet): 1184.520

Description: AHTD Standard Disc set in headwall of R.C. Box Culvert, 35' west of centerline of hwy. 59 and 1.20 log miles south of the hwy. 59/hwy. 62 intersection.

Comments: No electronic field file submitted to confirm acceptable 3-Wire level closure.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720186

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #43

Date Established: 11/15/2012

System: STATE

Job Number: 040524

Nearest City: prarie grove

County: WASHINGTON

Route: 62

Section: 3

Log Mile: 19.98

Land Section Number: 19

Township: 15n

Range: 31w

Land Section: SW

Latitude: N 35 57 52.92000

Longitude: W 94 18 21.42000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 356.415545

Elevation (Feet): 1169.340

Description: ahtd dome cap in headwall box culvert.

Comments: Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720187

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #43

Date Established: 12/4/2012

System: STATE Job Number: 040524 Nearest City: prarie grove

County: WASHINGTON Route: 62 Section: 3 Log Mile: 17.37

Land Section Number: 19 Township: 15n Range: 31w

Land Section: SW

Latitude: N 35 57 51.48000 Longitude: W 94 20 01.86000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 348.6126449 Elevation (Feet): 1143.740

Description: ahtd dome disk in bridge abutment..

Comments: Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720188

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #43

Date Established: 8/16/2011

System:

Job Number:

040524

Nearest City:

prarie grove

County:

WASHINGTON

Route:

62

Section:

3

Log Mile:

16.77

Land Section Number:

19

Township:

15n

Range:

31w

Land Section:

SW

Latitude: N 35 57 51.75000

Longitude: W 94 20 07.52000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

348.499873

Elevation (Feet):

1143.370

Description:

ahtd dome disk in headwall box culvert.

Comments:

Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720189

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #43

Date Established: 7/8/2011

System: STATE Job Number: 040524 Nearest City: prarie grove

County: WASHINGTON Route: 62 Section: 3 Log Mile: 165.49

Land Section Number: 19 Township: 15n Range: 31w

Land Section: SW

Latitude: N 35 57 48.92000 Longitude: W 94 19 05.11000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 353.715011 Elevation (Feet): 1160.480

Description: ahtd dome disc in headwall box culvert.

Comments: Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720189

Class: SECOND-ORDER, CLASS II

Vertical Datum: NAVD88

Established by: RE OFFICE #43

Date Established: 11/28/2012

System: STATE

Job Number: 040524

Nearest City: prarie grove

County: WASHINGTON

Route: 62

Section: 3

Log Mile: 15.03

Land Section Number: 19

Township: 15n

Range: 31w

Land Section: SW

Latitude: N 35 58 11.96000

Longitude: W 94 17 47.52000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 348.24384

Elevation (Feet): 1142.530

Description: ahtd dome in headwall box culvert.

Comments: Elevation not verified due to no three wire data



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720190

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #43

Date Established: 11/28/2012

System: STATE Job Number: 040524 Nearest City: prarie grove

County: WASHINGTON Route: 62 Section: 3 Log Mile: 15.45

Land Section Number: 19 Township: 15n Range: 31w

Land Section: SW

Latitude: N 35 58 11.96000 Longitude: W 94 17 47.52000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 350.346965 Elevation (Feet): 1149.430

Description: ahtd dome cap in headwall box culvert.

Comments: Elevation not verified due to no three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720191

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #43

Date Established: 11/28/2012

System: STATE

Job Number: 040524

Nearest City: prarie grove

County: WASHINGTON

Route: 62

Section: 3

Log Mile: 14.91

Land Section Number: 19

Township: 19n

Range: 31w

Land Section: SW

Latitude: N 35 58 17.70000

Longitude: W 94 17 47.87000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 348.460249

Elevation (Feet): 1143.240

Description:

Comments: Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720192

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #43

Date Established: 3/7/2012

System: Job Number: BR7207 Nearest City: Fayetteville

County: WASHINGTON Route: 69 Section: Log Mile: 0.7566

Land Section Number: 30 Township: 16n Range: 30w

Land Section: SW

Latitude: N 36 00 51.94000 Longitude: W 94 08 21.84000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 368.03544 Elevation (Feet): 1207.463

Description: ahtd dome disc location 0.7566 miles east of intersection hwy. 159 & county road 69, 26.9' east of centerline in headwall of bos culvert.

Comments: Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720193

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #43

Date Established: 3/7/2012

System: CITY

Job Number: br 7207

Nearest City: fayetteville

County: WASHINGTON

Route: 69

Section:

Log Mile: 0.5937

Land Section Number: 30

Township: 16n

Range: 30w

Land Section: SW

Latitude: N 36 00 58.89000

Longitude: W 94 08 27.78000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 372.347473

Elevation (Feet): 1221.610

Description: ahtd dome disc. Location 0.5937 miles east of intersection hwy. 159 & county road 69, 13' south of centerline location sw corner.

Comments: Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720194

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #43

Date Established: 3/7/2012

System: CITY

Job Number: br7207

Nearest City: Fayetteville

County: WASHINGTON

Route: 69

Section:

Log Mile: 0.575

Land Section Number: 30

Township: 16n

Range: 30w

Land Section: SW

Latitude: N 36 01 00.11000

Longitude: W 94 08 28.07000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 367.513335

Elevation (Feet): 1205.750

Description: AHTD DOME LOCATION 0.575 MILES EAST OF INTERSECTION HWY. 159 & COUNTY ROAD 69, 63.20' NORTH OF CENTERLINE IN HEADWALL OF BOX CULVERT.

Comments: Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720195

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #43

Date Established: 8/17/2011

System: STATE

Job Number: 080485

Nearest City: FAYETTEVILLE

County: WASHINGTON

Route: 540

Section: 4

Log Mile: 61.98

Land Section Number: 17

Township: 16N

Range: 30W

Land Section: SE

Latitude: N 36 03 09.20000

Longitude: W 94 11 33.75000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 383.527559

Elevation (Feet): 1258.290

Description: AHTD DOME DISC IN TOP OF DROP INLET ON NORTH SIDE OF w. Best Way Dr. 34' off centerline east side of futrall drive.

Comments: Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720196

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #43

Date Established: 8/18/2011

System: Job Number: 040485 Nearest City: Fayetteville

County: WASHINGTON Route: 540 Section: 4 Log Mile: 61.98

Land Section Number: 17 Township: 16N Range: 30W

Land Section: SE

Latitude: N 36 03 12.09000 Longitude: W 94 11 49.92000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 385.822708 Elevation (Feet): 1265.820

Description: AHTD DOME DISC IN TOP OF DROP INLET 35' NW OF CENTERLINE HWY. 62, EAST OF S. KRUPPA ST.

Comments: Elevation not verified due to no three wire data

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720197

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #43

Date Established: 6/6/2014

System: STATE Job Number: 040570 Nearest City: Prarie Grove

County: WASHINGTON Route: 170 Section: 2 Log Mile: .071

Land Section Number: 4 Township: 15n Range: 31w

Land Section: SE

Latitude: N 36 00 01.00000 Longitude: W 94 16 27.00000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 346.4684 Elevation (Feet): 1136.705

Description: AHTD standard disc in headwall of RCBC, 37' North of CL of Hwy 170 and 0.71 log miles East of Hwy 62/Hwy 170 intersection.

Comments: Elevation not verified due to lack of three wire data.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720198

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #43

Date Established: 1/18/2013

System: STATE

Job Number: 040583

Nearest City: FAYETTEVILLE

County: WASHINGTON

Route: 540

Section: 4

Log Mile: 63.74

Land Section Number: 7

Township: 15N

Range: 30W

Land Section: NE

Latitude: N 36 04 39.41200

Longitude: W 94 12 03.10000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 383.7775

Elevation (Feet): 1259.110

Description: AHTD DOME CAP 15' FROM END OF NORTH END OF DIVISION WALL

Comments: Elevation not verified due to no three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720199

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #43

Date Established: 1/25/2011

System: STATE

Job Number: 040485

Nearest City: FAYETTEVILLE

County: WASHINGTON

Route: 540

Section: 4

Log Mile: 62.45

Land Section Number: 17

Township: 16N

Range: 30W

Land Section: SE

Latitude: N 36 03 35.43000

Longitude: W 94 11 48.91000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 392.357633

Elevation (Feet): 1287.260

Description: AHTD DOME DISC LOCATION 0.475 MILES NORTH OF INTERSECTION 62 & N. FUTRALL DR. / NORTHBOUND RAMP TO I-540 EAST OF CENTERLINE 53' ON A HEADWALL.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720200

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #43

Date Established: 3/24/2015

System: STATE

Job Number: 040517

Nearest City: Fayetteville

County: WASHINGTON

Route: 265

Section: 2

Log Mile: 3.77

Land Section Number: 31

Township: 17N

Range: 30W

Land Section: NW

Latitude: N 36 06 32.00000

Longitude: W 94 07 14.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 383.1932

Elevation (Feet): 1257.193

Description: AHTD STANDARD DISC IN HEADWALL OF RC BOX CULVERT, 63.5 FEET EAST OF THE CENTERLINE OF HWY. 265 AND 1.42 LOG MILES NORTH OF THE HWY. 45/HWY. 265 INTERSECTION.

Comments: ELEVATION NOT VERIFIED DUE TO INADEQUATE THREE WIRE DATA.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720201

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #43

Date Established: 3/24/2015

System: STATE

Job Number: 040517

Nearest City: Fayetteville

County: WASHINGTON

Route: 265

Section: 2

Log Mile: 4.44

Land Section Number: 30

Township: 17N

Range: 30W

Land Section: NW

Latitude: N 36 07 03.00000

Longitude: W 94 07 11.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 378.5855

Elevation (Feet): 1242.076

Description: AHTD STANDARD DISC IN HEADWALL OF RC BOX CULVERT, 55.5 FEET EAST OF THE CENTERLINE OF HWY. 265 AND 2.09 LOG MILES NORTH OF THE HWY. 45/HWY. 265 INTERSECTION.

Comments: ELEVATION NOT VERIFIED DUE TO INADEQUATE THREE WIRE DATA.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720202

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #43

Date Established: 5/17/2014

System: STATE Job Number: 040489 Nearest City: Fayetteville

County: WASHINGTON Route: 112 Section: 1 Log Mile: 3.54

Land Section Number: 9 Township: 16n Range: 30w

Land Section: NW

Latitude: N 36 05 31.00000 Longitude: W 94 10 30.00000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 392.9337 Elevation (Feet): 1289.150

Description: AHTD standard disc in top of drop outlet, 38' East of CL of hwy 112 and 0.38 miles North of Hwy 112/ Hwy 112 Spur intersection.

Comments: Not verified due to lack of three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720203

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #43

Date Established: 6/17/2015

System: STATE

Job Number: 265040518

Nearest City: Springdale

County: WASHINGTON

Route: 265

Section: 2

Log Mile: 6.24

Land Section Number: 18

Township: 17n

Range: 29w

Land Section: SW

Latitude: N 36 08 33.0857

Longitude: W 94 07 02.34003

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 382.22

Elevation (Feet): 1254.000

Description: AHTD DOME CAP IN TOP OF NE TRANSITIONAL APPROACH RAIL AT  
STA. 206+27, 45.0' RT

Comments: ELEVATION VERIFIED. THREE WIRE DATA AVAILABLE ON EDM  
UNDER JOB 040518 IN s040518\_sp.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720204

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #43

Date Established: 8/10/2015

System: STATE

Job Number: 040518

Nearest City: SPRINGDALE

County: WASHINGTON

Route: 265

Section: 2

Log Mile: 5.75

Land Section Number: 18

Township: 17N

Range: 29W

Land Section: SW

Latitude: N 36 08 07.34086

Longitude: W 94 07 04.47946

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 380.1705

Elevation (Feet): 1247.276

Description: AHTD DOME CAP IN LT HDWLL AT STA. +/- 180+20, 64.0' LT

Comments: ELEVATION VERIFIED. THREE WIRE DATA AVAILABLE ON EDM  
UNDER JOB 040518 IN s040518\_sp.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720209

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #43

Date Established: 10/2/2015

System: STATE

Job Number: 040605

Nearest City: Fayetteville

County: WASHINGTON

Route: 49

Section: 6

Log Mile: 64.68

Land Section Number: 6

Township: 16n

Range: 30w

Land Section: NW

Latitude: N 36 05 22.00000

Longitude: W 94 11 35.00000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 388.2276

Elevation (Feet): 1273.710

Description: AHTD Dome Cap in SE corner of bridge approach wall.

Comments: Elevation verified. Three wire data available on EDM under job 040578 in s040605re\_benches.zip



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720210

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #43

Date Established: 5/28/2013

System: STATE

Job Number: 040578

Nearest City: Fayetteville

County: WASHINGTON

Route: 16

Section: 3

Log Mile: 2.59

Land Section Number: 23

Township: 16n

Range: 30w

Land Section: SW

Latitude: N 36 02 59.00000

Longitude: W 94 08 09.00000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 367.175

Elevation (Feet): 1204.640

Description: AHTD Disk on North headwall of Highway 16 Sta. 594+72.23 113.50' Rt

Comments: Elevation verified. Three wire data available on EDM under job 040578 in s040578re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720211

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #43

Date Established: 12/1/2016

System: STATE Job Number: 040578 Nearest City: Fayetteville

County: WASHINGTON Route: 16 Section: 3 Log Mile: 3.41

Land Section Number: 14 Township: 16n Range: 30w

Land Section: SE

Latitude: N 36 03 14.00000 Longitude: W 94 07 34.00000 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 363.5753 Elevation (Feet): 1192.830

Description: AHTD dome cap in North headwall highway 16 Sta 638+04 65.00' Lt

Comments: Elevation verified. Three wire data available on EDM under job 040578 in s040578re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720212

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #43

Date Established: 12/5/2016

System: STATE Job Number: 040578 Nearest City: Fayetteville

County: WASHINGTON Route: 16 Section: 3 Log Mile: 0.07

Land Section Number: 14 Township: 16n Range: 30w

Land Section: SE

Latitude: N 36 03 16.00000 Longitude: W 94 07 37.00000 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 362.3927 Elevation (Feet): 1188.950

Description: AHTD dome cap in West headwall of Highway 265 Sta 53+55 44.00' Lt

Comments: Elevation verified. Three wire data available on EDM under job 040578 in s040578re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720213

Class: THIRD-ORDER

Vertical Datum: nm

Established by: RE OFFICE #43

Date Established: 12/1/2016

System: STATE

Job Number: 040578

Nearest City: Fayetteville

County: WASHINGTON

Route: 16

Section: 3

Log Mile: 3.69

Land Section Number: 24

Township: 16n

Range: 30w

Land Section: NW

Latitude: N 36 03 17.00000

Longitude: W 94 07 16.00000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 367.1537

Elevation (Feet): 1204.570

Description: AHTD dome cap in North curb inlet Hwy 16 Sta 652+79 29.00 Lt

Comments: Elevation verified. Three wire data available on EDM under job 040578 in s040578re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720214

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #43

Date Established: 5/10/2016

System: STATE Job Number: 040024 Nearest City: Elkins

County: WASHINGTON Route: 74 Section: 2 Log Mile: 0.85

Land Section Number: 26 Township: 16n Range: 29w

Land Section: NE

Latitude: N 36 01 50.00000 Longitude: W 94 01 02.00000 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 367.3183 Elevation (Feet): 1205.110

Description: ahtd dome cap in parapet wall.

Comments: Elevation verified. Three wire data available on EDM under job 040024 in s040024re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720215

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #43

Date Established: 5/4/2016

System: STATE

Job Number: 040024

Nearest City: Elkins

County: WASHINGTON

Route: 74

Section: 2

Log Mile: 0.75

Land Section Number: 26

Township: 16n

Range: 29w

Land Section: NE

Latitude: N 36 01 52.00000

Longitude: W 94 01 08.00000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 367.6901

Elevation (Feet): 1206.330

Description: ahtd dome cap in top parapet wall.

Comments: Elevation verified. Three wire data available on EDM under job 040578 in s040578re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720216

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #43

Date Established: 5/28/2016

System: STATE Job Number: 040024 Nearest City: Elkins

County: WASHINGTON Route: 74 Section: 2 Log Mile: 0.93

Land Section Number: 26 Township: 16n Range: 29w

Land Section: NE

Latitude: N 36 01 49.00000 Longitude: W 94 00 57.00000 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 364.8738 Elevation (Feet): 1197.090

Description: AHTD dome cap in center Lt. headwall.

Comments: Elevation verified. Three wire data available on EDM under job 040578 in s040578re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720217

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #43

Date Established: 10/2/2015

System: STATE

Job Number: 040641

Nearest City: Elkins

County: WASHINGTON

Route: 16

Section: 3

Log Mile: 7.68

Land Section Number: 21

Township: 16n

Range: 29w

Land Section: SE

Latitude: N 36 02 28.00000

Longitude: W 94 03 22.60000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 359.0679

Elevation (Feet): 1178.042

Description: ARDOT Dome cap in center rt. Headwall at sta. 510+24.78 / 66.68' rt.

Comments: elevation not verified due to lack of sdms files.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720218

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #43

Date Established: 10/2/2015

System: STATE

Job Number: 060461

Nearest City: Elkins

County: WASHINGTON

Route: 16

Section: 3

Log Mile: 7.71

Land Section Number: 21

Township: 16n

Range: 29w

Land Section: SE

Latitude: N 36 02 27.50000

Longitude: W 94 03 13.40000

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 362.9322

Elevation (Feet): 1190.720

Description: ARDOT Dome cap in N. parapet wall at sta. 512+79.44 / 34.62' lt.

Comments: elevation not verified due to lack of sdms files.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720218

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #43

Date Established: 8/7/2018

System: STATE

Job Number: br7208

Nearest City: West Fork

County: WASHINGTON

Route: CR35

Section:

Log Mile: 0.1

Land Section Number: 16

Township: 14n

Range: 30w

Land Section: SE

Latitude: N 35 53 07.60000

Longitude: W 94 10 05.30000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 426.0198

Elevation (Feet): 1397.700

Description: AHTD DOME CAP IN TOP OF NE END WWALL AT N:572116.4262  
E:670160.0708

Comments: three wire data on EDM under job br7208 in sbr7208\_re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720219

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #43

Date Established: 8/7/2018

System: STATE Job Number: BR7208 Nearest City: West Fork

County: WASHINGTON Route: CR35 Section: Log Mile: 0.10

Land Section Number: 16 Township: 14n Range: 30w

Land Section: SE

Latitude: N 35 53 07.60000 Longitude: W 94 10 05.30000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 426.019 Elevation (Feet): 1397.697

Description: AHTD dome cap in top of NE end wall at N:572116.4262; E:670160.0708

Comments: Elevation verified.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 720220

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #43

Date Established: 7/8/2018

System: STATE

Job Number: BR7208

Nearest City: West Fork

County: WASHINGTON

Route: CR35

Section:

Log Mile: 0.1

Land Section Number: 16

Township: 14n

Range: 30w

Land Section: SE

Latitude: N 35 53 07.60000

Longitude: W 94 10 05.30000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 426.0198

Elevation (Feet): 1397.700

Description: AHTD Dome cap in top of NE end wall

Comments: Elevation not verified

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730001

Class:

Vertical Datum:

Established by: RE OFFICE #55

Date Established: 3/7/1997

System: STATE

Job Number: 5760

Nearest City: BEEBE

County: WHITE

Route: 13

Section: 12

Log Mile: 3.27

Land Section Number: 14

Township: 05N

Range: 08W

Land Section: SW

Latitude: N 35 03 24.0

Longitude: W 91 49 59.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 64.054

Elevation (Feet): 210.150

Description: DISC CULVERT WEST HDWL SOUTH END 19' LT. STA. 153+06. Recovered 7-8-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730002

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: BEEBE

County: WHITE

Route: 13

Section: 12

Log Mile: 0.10

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 01 55.0

Longitude: W 91 48 13.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 63.026

Elevation (Feet): 206.778

Description: DISK NORTHWEST ABUTMENT SOUTHWEST WING BRIDGE # 5671  
OVER CYPRESS BAYOU Recovered 7-8-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730003

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: BEEBE

County: WHITE

Route: 13

Section: 12

Log Mile: 0.39

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 02 05.0

Longitude: W 91 48 30.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 63.032

Elevation (Feet): 206.797

Description: DISK NORTHWEST ABUTMENT SOUTHWEST WING BRIDGE #5672 OVER  
CYPRES BAYOU Recovered 7-8-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730004

Class:

Vertical Datum:

Established by: RE OFFICE #55

Date Established:

System:

Job Number: 5821

Nearest City: PANGBURN

County: WHITE

Route: 16

Section: 13

Log Mile: 1.81

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 24 53.0

Longitude: W 91 50 00.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 92.909

Elevation (Feet): 304.819

Description: DISC CULVERT EAST HEADWALL SOUTH END 42' LEFT STATION 9+33  
Recovered 7-7-99 CREW S5102

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730005

Class:

Vertical Datum:

Established by: RE OFFICE #55

Date Established: 5/24/1991

System: STATE

Job Number: 5931

Nearest City: SEARCY

County: WHITE

Route: 36

Section: 3

Log Mile: 19.71

Land Section Number: 8

Township: 07N

Range: 07W

Land Section: NE

Latitude: N 35 14 51.0

Longitude: W 91 46 00.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 84.653

Elevation (Feet): 277.732

Description: DISC CULVERT SOUTH HEADWALL 3' FROM WEST END 60' RIGHT  
STATION 87+28 Recovered 7-8-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730006

Class:

Vertical Datum:

Established by: RE OFFICE #55

Date Established: 6/18/1991

System: STATE Job Number: 5931 Nearest City: SEARCY

County: WHITE Route: 36 Section: 3 Log Mile: 20.25

Land Section Number: 9 Township: 07N Range: 07W

Land Section: NE

Latitude: N 35 14 51.0 Longitude: W 91 45 27.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.65 Elevation (Feet): 261.318

Description: DISC CULVERT SOUTH HEADWALL 3' FROM WEST END JOB 5931 50'  
RIGHT STATION 115+45 N/R 7-8-99 Recovered CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730007

Class:

Vertical Datum:

Established by: RE OFFICE #55

Date Established: 4/5/1991

System: STATE

Job Number: 5931

Nearest City: SEARCY

County: WHITE

Route: 36

Section: 3

Log Mile: 20.87

Land Section Number: 10

Township: 07N

Range: 07W

Land Section: SE

Latitude: N 35 14 39.0

Longitude: W 91 44 49.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.471

Elevation (Feet): 244.327

Description: DISC CULVERT NORTH HEADWALL WEST END JOB 5931 40' LEFT  
STATION 1053+34 Recovered 7-8-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730008

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 5703

Nearest City: KENSETT

County: WHITE

Route: 36

Section: 5

Log Mile: 0.68

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 13 58.0

Longitude: W 91 39 31.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.739

Elevation (Feet): 215.679

Description: DISK SOUTHWEST ABUTMENT SOUTHEAST RAIL RIGHT BRIDGE #5853  
OVER BLACK CREEK Recovered 7-8-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730009

Class:

Vertical Datum:

Established by: RE OFFICE #55

Date Established: 4/16/1993

System: STATE

Job Number: 5957

Nearest City: SEARCY

County: WHITE

Route: 67B

Section: 12C

Log Mile: 3.46

Land Section Number: 10

Township: 07N

Range: 07W

Land Section: NE

Latitude: N 35 15 04.0

Longitude: W 91 44 10.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.457

Elevation (Feet): 267.247

Description: DISC SIDEWALK NORTHEAST CORNER INTERSECTION JOB 5957 25'  
LEFT STATION 23+30

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730010

Class:

Vertical Datum:

Established by: RE OFFICE #55

Date Established: 7/25/1991

System: STATE

Job Number: 5931

Nearest City: SEARCY

County: WHITE

Route: 67B

Section: 12B

Log Mile: 2.86

Land Section Number: 10

Township: 07N

Range: 07W

Land Section: SE

Latitude: N 35 14 32.0

Longitude: W 91 44 13.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 71.594

Elevation (Feet): 234.888

Description: DISC CULVERT EAST HEADWALL 3' FROM SOUTH END JOB 5931 38'  
RIGHT STATION 324+15 Recovered 7-6-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730011

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: BALD- KNOB

County: WHITE

Route: 67

Section: 13

Log Mile: 9.36

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 19 10.0

Longitude: W 91 33 31.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.829

Elevation (Feet): 238.940

Description: DISK DROP INLET MEDIAN 2' RIGHT Recovered 7-6-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730012

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: BALD-KNOB

County: WHITE

Route: 67

Section: 13

Log Mile: 10.50

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 19 25.0

Longitude: W 91 32 33.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 66.339

Elevation (Feet): 217.647

Description: DISK DROP INLET MEDIAN 2' RIGHT Recovered 7-16-99 CREW S5102

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730013

Class:

Vertical Datum: NGVD29

Established by:

Date Established:

System:

Job Number: N/A

Nearest City:

County: WHITE

Route: 67

Section: 13

Log Mile: 11.63

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 66.723

Elevation (Feet): 218.907

Description: DISK DROP INLET MEDIAN OF CENTERLINE Recovered 7-6-99 CREW  
S5102 N/R

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730014

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: RUSSELL

County: WHITE

Route: 67

Section: 13

Log Mile: 12.73

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 20 58.0

Longitude: W 91 30 57.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.354

Elevation (Feet): 224.258

Description: DISK CULVERT SOUTHEAST HEADWALL 84' RIGHT 7-6-99 CREWS S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730015

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: RUSSELL

County: WHITE

Route: 67

Section: 13

Log Mile: 13.56

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 21 29.0

Longitude: W 91 30 20.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.089

Elevation (Feet): 226.669

Description: DISK DROP INLET MEDIAN OF CENTERLINE 7-6-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730016

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: RUSSELL

County: WHITE

Route: 67

Section: 13

Log Mile: 14.04

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 21 49.0

Longitude: W 91 30 03.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.137

Elevation (Feet): 226.827

Description: DISK DROP INLET MEDIAN OF CENTERLINE 7-6-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730017

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: RUSSELL

County: WHITE

Route: 67

Section: 13

Log Mile: 15.03

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 22 33.0

Longitude: W 91 29 28.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.828

Elevation (Feet): 248.779

Description: DISK NORTHWEST ABUTMENT SOUTHWEST RAIL 15' RIGHT IN BRIDGE  
# 5865 OVERPASS 7-6-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730018

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: RUSSELL

County: WHITE

Route: 67

Section: 13

Log Mile: 14.28

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 21 59.0

Longitude: W 91 29 54.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.314

Elevation (Feet): 227.408

Description: DISK SOUTHEAST BRIDGE SOUTHWEST ABUTMENT SOUTHEAST WING  
27' RIGHT BRIDGE OVER GLAISE CREEK 7-6-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730019

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: RUSSELL

County: WHITE

Route: 67

Section: 13

Log Mile: 16.08

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 23 12.0

Longitude: W 91 28 44.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 66.492

Elevation (Feet): 218.149

Description: DISK CULVERT SOUTHEAST HEADWALL 160' RIGHT AND ACROSS A  
FRONTAGE ROAD 7-6-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730020

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: N/A

Nearest City: BRADFORD

County: WHITE

Route: 67

Section: 13

Log Mile: 17.72

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 24 13.0

Longitude: W 91 27 33.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.141

Elevation (Feet): 213.717

Description: DISK CULVERT NORTHWEST HEADWALL 98' LEFT IN NORTHEAST  
CORNER TRIPLE 20 X 6 BOX 7-6-99 CREW S5102

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730021

Class:

Vertical Datum:

Established by: RE OFFICE #55

Date Established:

System:

Job Number: 5742

Nearest City: BRADFORD

County: WHITE

Route: 87

Section: 1

Log Mile: 0.11

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 25 14.0

Longitude: W 91 26 43.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.78

Elevation (Feet): 232.217

Description: DISC SOUTHWEST BE SOUTHWEST RAIL 106' RIGHT STATION 512+08  
DISC IN THE SOUTHWEST RAIL 106 RIGHT STA 512+08 BRIDGE #5844  
OVERPASS ON 67

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730022

Class:

Vertical Datum:

Established by: RE OFFICE #55

Date Established:

System:

Job Number: 5743

Nearest City: BRADFORD

County: WHITE

Route: 67

Section: 13

Log Mile: 19.53

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 25 30.0

Longitude: W 91 26 23.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 67.418

Elevation (Feet): 221.187

Description: DISC NORTHEAST ABUTMENT NORTHEAST ABUTMENT NORTHWEST  
END 45' LEFT STATION 538+54 BRIDGE OVER OATS CREEK BRIDGE  
#5845, 7-6-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730023

Class:

Vertical Datum: NGVD29

Established by: RE OFFICE #55

Date Established:

System:

Job Number: 5743

Nearest City: BRADFORD

County: WHITE

Route: 67

Section: 13

Log Mile: 20.71

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 26 24.0

Longitude: W 91 25 34.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 67.421

Elevation (Feet): 221.197

Description: DISC NORTHEAST ABUTMENT SOUTHEAST END 45' RIGHT STATION  
605+65 BRIDGE OVER DEPARTEE CREEK RELIEF 7-6-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730024

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City:

County: WHITE Route: 87 Section: 0 Log Mile: 0.82

Land Section Number: Township: Range:

Land Section:

Latitude: N 35 26 16.00000 Longitude: W 91 50 42.00000 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 66.97 Elevation (Feet): 219.717

Description: DISK SOUTHWEST ABUTMENT WING BRIDGE

Comments: Lat/Lon updated on 03/09/2015. Elevation not verified due to no three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730025

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: 5821 Nearest City: PANGBURN

County: WHITE Route: 110 Section: 7 Log Mile: 0.00

Land Section Number: Township: Range:

Land Section:

Latitude: N 35 26 16.0 Longitude: W 91 50 42.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 78.242 Elevation (Feet): 256.699

Description: DISC SOUTHWEST ABUTMENT NORTHEAST END 18' RIGHT STATION  
27+86 BRIDGE # 6034 OVER LITTLE RED RIVER 7-8-99 CREW S5102

Comments: Elevation not verified due to no three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730026

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City:

County: WHITE Route: 124 Section: 12 Log Mile: 4.62

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 73.383 Elevation (Feet): 240.757

Description: A CHISELED SQUARE EAST END OF SOUTH HUBRAIL AT BRIDGE M-1892 BRIER CREEK GONE REPLACED WITH NEW BR. 7-7-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730027

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: 5834 Nearest City: BALD KNOB

County: WHITE Route: 167 Section: 14 Log Mile: 2.73

Land Section Number: Township: Range:

Land Section:

Latitude: N 35 21 22.0 Longitude: W 91 33 52.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 104.97 Elevation (Feet): 344.389

Description: AHTD STANDARD DISC TOP OF SOUTHEAST WING BRIDGE NO. 2111R. 7-6-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730028

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #55

Date Established:

System:

Job Number: 5812

Nearest City: BALD KNOB

County: WHITE

Route: 258

Section: 1

Log Mile: 1.54

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 19 36.0

Longitude: W 91 35 23.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.698

Elevation (Feet): 231.948

Description: DISC EAST ABUTMENT SOUTH END 18' RIGHT STATION 81+44 7-6-99  
CREW S5102

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730029

Class:

Vertical Datum: NGVD29

Established by: RE OFFICE #55

Date Established: 3/7/1997

System: STATE

Job Number: 5760

Nearest City: BEEBE

County: WHITE

Route: 267

Section: 0

Log Mile: 1.40

Land Section Number: 27

Township: 05n

Range: 08w

Land Section: NW

Latitude: N 35 02 20.0

Longitude: W 91 51 29.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 63.136

Elevation (Feet): 207.139

Description: DISC CULVERT SOUTH HDWL. WEST END 24' RIGHT STA. 56+43. 7-8-99  
CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730030

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: 5827 Nearest City: LETONA

County: WHITE Route: 310 Section: 1 Log Mile: 3.96

Land Section Number: Township: Range:

Land Section:

Latitude: N 35 21 29.0 Longitude: W 91 51 21.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 84.073 Elevation (Feet): 275.830

Description: DISC CULVERT EAST HEADWALL SOUTH END 21' RIGHT STATION 14+75  
7-7-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730031

Class:

Vertical Datum:

Established by: RE OFFICE #55

Date Established:

System:

Job Number: 5773

Nearest City: SIDON

County: WHITE

Route: 310

Section: 1

Log Mile: 5.82

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 20 50.0

Longitude: W 91 52 53.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 90.955

Elevation (Feet): 298.408

Description: DISC CULVERT SOUTHEAST HEADWALL SOUTHWEST END 25' LEFT  
STATION 209+00 7-7-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730032

Class:

Vertical Datum: UNKNOWN

Established by:

Date Established:

System:

Job Number: 5773

Nearest City: SIDON

County: WHITE

Route: 310

Section: 1

Log Mile: 7.02

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 20 17.0

Longitude: W 91 53 53.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 101.617

Elevation (Feet): 333.388

Description: DISC CULVERT SOUTHEAST HEADWALL SOUTHWEST END 29' RIGHT  
STATION 145+50 7-7-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730033

Class:

Vertical Datum:

Established by:

Date Established:

System:

Job Number: 5773

Nearest City: SIDON

County: WHITE

Route: 310

Section: 1

Log Mile: 8.84

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 20 53.0

Longitude: W 91 55 28.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 225.171

Elevation (Feet): 738.749

Description: DISC CULVERT SOUTHEAST HEADWALL SOUTHWEST END 25' RIGHT  
STATION 49+80 7-7-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730034

Class:

Vertical Datum:

Established by: RE OFFICE #55

Date Established:

System:

Job Number: R50026

Nearest City: BEEBE

County: WHITE

Route: 321

Section: 3

Log Mile: 0.98

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 06 33.0

Longitude: W 91 52 26.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.284

Elevation (Feet): 224.028

Description: DISC CULVERT EAST HEADWALL SOUTH END 19' RIGHT STATION 71+62  
7-8-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730035

Class:

Vertical Datum:

Established by: RE OFFICE #55

Date Established:

System:

Job Number: R50026

Nearest City:

County: WHITE

Route: 321

Section: 3

Log Mile: 2.06

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.981

Elevation (Feet): 239.438

Description: DISC CULVERT NORTH HEADWALL EAST END 19' RIGHT STATION  
128+82

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730036

Class:

Vertical Datum:

Established by: RE OFFICE #55

Date Established:

System:

Job Number: R50026

Nearest City: BEEBE

County: WHITE

Route: 321

Section: 3

Log Mile: 2.45

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 07 18.0

Longitude: W 91 53 07.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.882

Elevation (Feet): 252.237

Description: DISC CULVERT EAST HEADWALL SOUTH END 20' RIGHT STATION  
149+35 7-8-99 CREW S5107

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730037

Class:

Vertical Datum:

Established by: RE OFFICE #55

Date Established:

System:

Job Number: R50026

Nearest City: BEEBE

County: WHITE

Route: 321

Section: 3

Log Mile: 3.03

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 07 44.0

Longitude: W 91 52 50.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 73.609

Elevation (Feet): 241.499

Description: DISC CULVERT EAST HEADWALL SOUTH END 21' RIGHT STATION  
180+01 7-8-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730038

Class:

Vertical Datum:

Established by: RE OFFICE #55

Date Established:

System:

Job Number: R50026

Nearest City: BEEBE

County: WHITE

Route: 321

Section: 3

Log Mile: 3.39

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 08 09.0

Longitude: W 91 52 45.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.84

Elevation (Feet): 252.099

Description: DISC CULVERT EAST HEADWALL SOUTH END 21' RIGHT STATION  
198+88 7-8-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730039

Class:

Vertical Datum:

Established by: RE OFFICE #55

Date Established:

System:

Job Number: 5825

Nearest City: JUDSONIA

County: WHITE

Route: 13

Section: 14

Log Mile: 4.02

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 19 30.0

Longitude: W 91 39 32.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 94.576

Elevation (Feet): 310.288

Description: DISC SOUTH ABUTMENT EAST END 17' RIGHT STATION 55+77 BRIDGE # 6081 OVER FLAT CREEK NOTE: ROUTE 371 WAS CHANGED TO ROUTE 13 7-8-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730040

Class:

Vertical Datum:

Established by: RE OFFICE #55

Date Established: 7/2/1997

System: STATE Job Number: 005980 Nearest City: ROSE BUD

County: WHITE Route: 5 Section: 14 Log Mile: 13.65

Land Section Number: 33 Township: 08N Range: 10W

Land Section: NW

Latitude: N 35 17 19.0 Longitude: W 92 04 50.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 195.485 Elevation (Feet): 641.354

Description: AHTD DISC EAST HEADWALL SOUTH END 16.4 METERS RT OF STA  
60+96 7-8-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730041

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #55

Date Established: 10/24/1996

System: STATE

Job Number: 005902

Nearest City: WEST POINT

County: WHITE

Route: 323

Section: 3

Log Mile: 4.93

Land Section Number: 2

Township: 07N

Range: 05W

Land Section: NW

Latitude: N 35 10 20.0

Longitude: W 91 37 02.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 61.756

Elevation (Feet): 202.611

Description: DISC N HDWL E END JOB 005902 26' RT. STA. 260+27. 7-8-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730042

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #55

Date Established: 9/21/1995

System: STATE

Job Number: 005944

Nearest City: SEARCY

County: WHITE

Route: 36

Section: 3

Log Mile: 1.19

Land Section Number: 11

Township: 07N

Range: 07W

Land Section: SE

Latitude: N 35 14 26.0

Longitude: W 91 42 59.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 71.29

Elevation (Feet): 233.891

Description: DISC PARAPET WALL WEST END NORTH SIDE JOB 005944 39.5' LT.  
STATION 1147+44. BRIDGE # 6601 OVER IORIO CREEK Recovered 7-8-99  
CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730043

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #55

Date Established: 4/20/1995

System: STATE

Job Number: 005944

Nearest City: SEARCY

County: WHITE

Route: 36

Section: 3

Log Mile: 0.21

Land Section Number: 10

Township: 07N

Range: 06W

Land Section: SE

Latitude: N 35 14 32.0

Longitude: W 91 44 00.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 72.256

Elevation (Feet): 237.060

Description: DISCS HDWL WEST END JOB 005944 46' RT. STA. 1095+44 7-8-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730044

Class:

Vertical Datum:

Established by: RE OFFICE #55

Date Established: 4/22/1998

System: STATE

Job Number: 005944

Nearest City: SEARCY

County: WHITE

Route: 36

Section: 3

Log Mile: 2.09

Land Section Number: 13

Township: 07N

Range: 07W

Land Section: NW

Latitude: N 35 14 12.0

Longitude: W 91 42 07.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.759

Elevation (Feet): 251.833

Description: AHTD DISK IN BRIDGE S SIDE 26.5' RT STA 1194+54 BRIDGE # 6602 HWY-67 OVERPASS 7-8-99 CREW S5102

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730045

Class:

Vertical Datum:

Established by: RE OFFICE #55

Date Established: 1/8/1998

System: STATE

Job Number: 005989

Nearest City:

County: WHITE

Route: 67B

Section: 12C

Log Mile: 3.24

Land Section Number: 18

Township: 08N

Range: 05W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 74.796

Elevation (Feet): 245.393

Description: AHTD DISK S SIDE W END HEADWALL CULVERT 13.7 METERS RT STA  
9+9.147 N/R 7-7-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730046

Class:

Vertical Datum:

Established by: RE OFFICE #55

Date Established: 1/8/1998

System: STATE Job Number: 005989 Nearest City:

County: WHITE Route: 67B Section: 12C Log Mile: 3.54

Land Section Number: 18 Township: 08N Range: 05W

Land Section: SE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.049 Elevation (Feet): 249.504

Description: DISK S SIDE E END HEADWALL CULVERT 13.0 METERS RT STA  
13.65.500 N/R 7-7-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730047

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 9/10/1993

System: STATE Job Number: R50032 Nearest City: VELVET RIDGE

County: WHITE Route: 167 Section: 14 Log Mile: 8.28

Land Section Number: 6 Township: 09N Range: 05W

Land Section: SE

Latitude: N 35 25 50.0 Longitude: W 91 34 34.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 171.083 Elevation (Feet): 561.295

Description: DISC S END. E. HDWL CULVERT 46.5 FT. RT. STA. 437+20. 7-6-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730048

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 8/17/1994

System: COUNTY Job Number: BR7307 Nearest City:

County: WHITE Route: CR 76 Section: F Log Mile: 2.52

Land Section Number: 1 Township: 07N Range: 06W

Land Section: NE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.67 Elevation (Feet): 215.452

Description: DISC SE ABUT JOB BR7307 22' RT. STA. 18+37.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730049

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 7/14/1994

System: STATE Job Number: 005974 Nearest City:

County: WHITE Route: 67B Section: 12C Log Mile: 5.34

Land Section Number: 07 Township: 07N Range: 07W

Land Section: NE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 76.757 Elevation (Feet): 251.827

Description: DISC SW PORTION D. I. 31' LT. STATION 14+06. N/R 7-7-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730050

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 7/8/1996

System: STATE Job Number: 005912 Nearest City: PANGBURN

County: WHITE Route: 124 Section: 12 Log Mile: 4.62

Land Section Number: 4 Township: 09N Range: 07W

Land Section:

Latitude: N 35 25 52.0 Longitude: W 91 45 52.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 75.496 Elevation (Feet): 247.690

Description: DISC SW WINGWALL JOB 005912 16' RT. STA. 243+22. BRIDGE #6532  
OVER BRIER CREEK "1995" 7-7-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730051

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 7/8/1996

System: STATE Job Number: 005912 Nearest City: SUNNYDALE

County: WHITE Route: 124 Section: 12 Log Mile: 7.338

Land Section Number: 35 Township: 10N Range: 07W

Land Section: SW

Latitude: N 35 26 56.0 Longitude: W 91 43 40.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.76 Elevation (Feet): 261.679

Description: DISC SW WINGWALL JOB 005912 16' RT. STA. 386+26. BRIDGE# 6533  
FOURTEEN MILE CREEK RELIEF "1995" 7-7-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730052

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 7/8/1996

System: STATE Job Number: 005912 Nearest City: SUNNYDALE

County: WHITE Route: 124 Section: 12 Log Mile: 7.48

Land Section Number: 35 Township: 10N Range: 07W

Land Section: SW

Latitude: N 35 26 57.0 Longitude: W 91 43 31.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 79.769 Elevation (Feet): 261.709

Description: DISC SW WINGWALL JOB 005912 16' RT. STA. 391+21. BRIDGE # 6534  
OVER FOURTEEN MILE CREEK "1995" 7-7-99 CREW S5102

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730053

Class:

Vertical Datum:

Established by: RE OFFICE #55

Date Established: 2/2/1995

System: STATE

Job Number: R50053

Nearest City: DENMARK

County: WHITE

Route: 167

Section: 16

Log Mile: 0.54

Land Section Number: 24

Township: 10N

Range: 06W

Land Section: SE

Latitude: N 35 28 14.0

Longitude: W 91 35 10.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 173.157

Elevation (Feet): 568.099

Description: DISC E HEADWALL S END 64.5' RIGHT STA 588+44 7-6-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730054

Class:

Vertical Datum:

Established by: RE OFFICE #55

Date Established: 2/6/1995

System: STATE Job Number: R50053 Nearest City: DENMARK

County: WHITE Route: 167 Section: 16 Log Mile: 1.63

Land Section Number: 13 Township: 10N Range: 06W

Land Section: NW

Latitude: N 35 29 08.0 Longitude: W 91 35 28.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 161.983 Elevation (Feet): 531.439

Description: DISK E HEADWALL S END 68' RIGHT STA 645+82 7-6-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730055

Class:

Vertical Datum:

Established by: RE OFFICE #52

Date Established: 12/12/1996

System: STATE

Job Number: R50100

Nearest City: MIDWAY

County: WHITE

Route: 167

Section: 16

Log Mile: 4.4

Land Section Number: 2

Township: 10N

Range: 06W

Land Section: SE

Latitude: N 35 31 10.0

Longitude: W 91 36 11.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 176.934

Elevation (Feet): 580.491

Description: AHTD DISK IN TOP OF THE HEADWALL, NW CORNER OF A DOUBLE  
5'x4'x196' RC BOX CULVERT, 82 FT LEFT OF STA 791+86 7-6-99 CREW  
S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730056

Class:

Vertical Datum:

Established by: RE OFFICE #52

Date Established: 12/12/1996

System: STATE

Job Number: R50100

Nearest City: MIDWAY

County: WHITE

Route: 167

Section: 16

Log Mile: 4.2

Land Section Number: 11

Township: 10N

Range: 06W

Land Section: NE

Latitude: N 35 30 59.0

Longitude: W 91 36 05.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 179.15

Elevation (Feet): 587.761

Description: AHTD DISK IN TOP OF HEADWALL, NW CORNER OF A DOUBLE  
4'x4'x146' RC BOX CULVERT, 66 FT LEFT OF STA 778+74 7-6-99 CREW  
S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730057

Class:

Vertical Datum:

Established by: RE OFFICE #55

Date Established: 10/3/1991

System: COUNTY Job Number: BR-73-4 Nearest City:

County: WHITE Route: CR 77 Section: D Log Mile: 6.00

Land Section Number: 36 Township: 06N Range: 07W

Land Section: SENW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 78.181 Elevation (Feet): 256.499

Description: DISC SOUTH ABUTMENT WEST END 13' RIGHT STA. 6+24.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730058

Class:

Vertical Datum:

Established by: RE OFFICE #55

Date Established: 4/11/1990

System: COUNTY

Job Number: F-73-11

Nearest City: JOY

County: WHITE

Route: CR 35

Section: G

Log Mile: 0.89

Land Section Number: 33

Township: 08N

Range: 09W

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 216.021

Elevation (Feet): 708.729

Description: DISC CULVERT SW HDWL NW END 22' RT. STA. 318+35 N/R 7-7-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730059

Class:

Vertical Datum:

Established by: RE OFFICE #55

Date Established:

System: COUNTY

Job Number: F-73-10

Nearest City:

County: WHITE

Route: CR 35

Section: G

Log Mile: 2.15

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 191.396

Elevation (Feet): 627.938

Description: DISC CULVT. E HDWL N END 10' RT. 251+76 N/R 7-7-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730060

Class:

Vertical Datum:

Established by: RE OFFICE #55

Date Established:

System:

Job Number: F-73-9

Nearest City:

County: WHITE

Route: 35

Section: G

Log Mile: 4.91

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 158.295

Elevation (Feet): 519.340

Description: DISC CULVT. E. HDWL S. END 18' RT. STA. 105+79 N/R 7-7-99

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730061

Class:

Vertical Datum:

Established by: RE OFFICE #55

Date Established:

System: Job Number: BR-73-2 Nearest City:

County: WHITE Route: 76 Section: D Log Mile: 1.61

Land Section Number: 36 Township: 08N Range: 07W

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.171 Elevation (Feet): 223.658

Description: DISC CULVT. NE WBUT 19' LT. STA. 59+98

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730062

Class:

Vertical Datum:

Established by: RE OFFICE #55

Date Established:

System:

Job Number: F-73-7

Nearest City: ROMANCE

County: WHITE

Route: 16

Section: G

Log Mile: 4.31

Land Section Number: 34

Township: 07N

Range: 10W

Land Section:

Latitude: N 35 11 33.0

Longitude: W 92 03 01.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 130.841

Elevation (Feet): 429.268

Description: DISC CULVT. SW HDWL 20' RT. STA. 98+20 7-8-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730063

Class:

Vertical Datum:

Established by: RE OFFICE #55

Date Established:

System:

Job Number: F-73-7

Nearest City: ROMANCE

County: WHITE

Route: 16

Section: G

Log Mile: 4.79

Land Section Number: 34

Township: 07N

Range: 10W

Land Section:

Latitude: N 35 11 34.0

Longitude: W 92 03 31.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 133.481

Elevation (Feet): 437.929

Description: DISC CULVT SW HDWL 21' RT. STA. 73+20. 7-8-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730064

Class:

Vertical Datum:

Established by: RE OFFICE #55

Date Established: 10/13/1998

System: COUNTY

Job Number: BR7306

Nearest City: JUDSONIA

County: WHITE

Route: 383

Section: D

Log Mile: 0.57

Land Section Number: 13

Township: 08N

Range: 06W

Land Section: NW

Latitude: N 35 19 14.0

Longitude: W 91 38 32.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 107.091

Elevation (Feet): 351.348

Description: DISC EAST WINGWALL S ABUTMENT 14.5' RT. STA. 61+17.27 BRIDGE  
#4783 OVER FLAT CREEK 7-8-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730065

Class:

Vertical Datum:

Established by: RE OFFICE #55

Date Established: 4/22/1998

System: STATE

Job Number: 005992

Nearest City: SEARCY

County: WHITE

Route: 36

Section: 3

Log Mile: 2.29

Land Section Number: 13

Township: 07N

Range: 07W

Land Section: NW

Latitude: N 35 13 59.0

Longitude: W 91 41 55.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.522

Elevation (Feet): 224.809

Description: DISC S. HDWL E. END 58.5' RT. STA. 1209+00. 7-8-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730066

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #55

Date Established: 2/1/2001

System: STATE

Job Number: 050066

Nearest City: EL PASO

County: WHITE

Route: 5

Section: 13

Log Mile: 0.59

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 71.075

Elevation (Feet): 233.185

Description: DISC IN NE CORNER HW 11.1 METERS RT STA 7+09

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730067

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #55

Date Established: 2/1/2001

System: STATE

Job Number: 050066

Nearest City: EL PASO

County: WHITE

Route: 5

Section: 13

Log Mile: 1.39

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 81.732

Elevation (Feet): 268.149

Description: DISC IN NE CORNER HW 11.1 METERS RT STA 19+68

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730068

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #55

Date Established: 2/1/2001

System: STATE

Job Number: 050066

Nearest City: EL PASO

County: WHITE

Route: 5

Section: 14

Log Mile: 1.36

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 103.237

Elevation (Feet): 338.703

Description: DISC IN NE CORNER HW 14.7 METERS RT STA 32+69

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730069

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #55

Date Established: 2/1/2001

System: STATE

Job Number: 050066

Nearest City: EL PASO

County: WHITE

Route: 5

Section: 14

Log Mile: 3.98

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 133.067

Elevation (Feet): 436.571

Description: DISC IN SE CORNER 14.7 METERS RT STA 62+48

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730070

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #55

Date Established: 2/1/2001

System: STATE

Job Number: 050066

Nearest City: ROMANCE

County: WHITE

Route: 5

Section: 14

Log Mile: 6.85

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 131.785

Elevation (Feet): 432.365

Description: DISC IN CURTAIN WALL 13 METERS RIGHT STA 112+04

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730071

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #55

Date Established: 2/1/2001

System: STATE

Job Number: 050066

Nearest City: ROMANCE

County: WHITE

Route: 5

Section: 14

Log Mile: 8.95

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 187.966

Elevation (Feet): 616.685

Description: DISC IN SE CORNER CURTAIN WALL 16 METERS RT STA 206+26

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730072

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #55

Date Established: 5/15/2003

System: STATE

Job Number: 050010

Nearest City: KENSETT

County: WHITE

Route: 385

Section: 0

Log Mile: 8.52

Land Section Number: 17

Township: 07N

Range: 06W

Land Section: SW

Latitude: N 35 13 36.0

Longitude: W 91 40 12.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 67.365

Elevation (Feet): 221.013

Description: AHTD DISK IN SW WING WALL ON BR 06882 16.5 FT LEFT OF C/L

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730073

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #55

Date Established: 9/20/2001

System: STATE

Job Number: 050005

Nearest City: BEEBE

County: WHITE

Route: 367

Section: 15

Log Mile: 6.1

Land Section Number: 3

Township: 05N

Range: 08W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.23

Elevation (Feet): 227.132

Description: AHTD DISK IN SW BR WINGWALL

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730074

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #55

Date Established: 6/10/2003

System: STATE

Job Number: 050032

Nearest City: SEARCY

County: WHITE

Route: 16

Section: 13

Log Mile: 11.84

Land Section Number: 29

Township: 08N

Range: 07W

Land Section: SE

Latitude: N 35 17 17.43

Longitude: W 91 46 03.99

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 107.301

Elevation (Feet): 352.037

Description: AHTD DISK IN NORTH HW RC BOX CULVERT 11 METERS RT OF C/L STA 21+45.5

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730075

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #55

Date Established: 6/10/2003

System: COUNTY

Job Number: br7309

Nearest City: STEPROCK

County: WHITE

Route: CR68

Section:

Log Mile:

Land Section Number: 17

Township: 09N

Range: 06W

Land Section: NW

Latitude: N 35 24 46.75

Longitude: W 91 40 15.426

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 85.657

Elevation (Feet): 281.026

Description: AHTD DISK IN SW WING WALL ON BR 04836 15.5 FT RT OF C/L

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730076

Class:

Vertical Datum: NAVD88

Established by: RE OFFICE #55

Date Established: 9/10/2003

System: STATE

Job Number: 050045

Nearest City: SEARCY

County: WHITE

Route: 16

Section: 13

Log Mile: 14.94

Land Section Number: 10

Township: 07N

Range: 07W

Land Section: NW

Latitude: N 35 15 37.0

Longitude: W 91 44 42.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 80.025

Elevation (Feet): 262.549

Description: AHTD DISK IN TOP OF DROP INLET 30 FT LEFT OF JOB STA 11+00

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730077

Class:

Vertical Datum: NAVD88

Established by: RE OFFICE #55

Date Established: 9/10/2003

System: STATE

Job Number: 050045

Nearest City: SEARCY

County: WHITE

Route: 16

Section: 13

Log Mile: 14.5

Land Section Number: 3

Township: 07n

Range: 07w

Land Section: SW

Latitude: N 33 51 53.70

Longitude: W 91 44 42.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 67.452

Elevation (Feet): 221.299

Description: ALUMINUM DISC IN RC BOX CULVERT HW 40 FT RT OF STA 34+44

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730078

Class:

Vertical Datum: NAVD88

Established by: RE OFFICE #55

Date Established: 9/10/2003

System: STATE

Job Number: 050045

Nearest City: SEARCY

County: WHITE

Route: 16

Section: 13

Log Mile: 13.86

Land Section Number: 3

Township: 07N

Range: 07W

Land Section: NW

Latitude: N 35 15 37.0

Longitude: W 91 44 42.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 90.679

Elevation (Feet): 297.503

Description: ALUMINIM DISC IN RC BOX CULVERT HW 45' RT OF STA 80+28

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730079

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #55

Date Established: 6/14/2007

System: STATE

Job Number: 050158

Nearest City: HIGGINSON

County: WHITE

Route: 87

Section: 0

Log Mile: 0.14

Land Section Number: 26

Township: 07N

Range: 07W

Land Section: SE

Latitude: N 35 11 37.00

Longitude: W 91 43 00.00

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): #####

Elevation (Feet): 216.820

Description: Aluminum Disc in Headwall, 25.0 feet Right, Station 207+23

Comments: BM verified 7-13-07. Mark was ran by 3-wire levels from PN:902 by RE#55 which was established by 3-wire in 2004 from NGS mark K 164 by crew S5105. Level files can be found in s050158\_RE\_benches.zip on EDM.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730080

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: UNKNOWN

Date Established: 10/7/2003

System: STATE Job Number: 050067 Nearest City: ROSE BUD

County: WHITE Route: 5 Section: 14 Log Mile: 3.78

Land Section Number: 9 Township: 07N Range: 10W

Land Section: NE

Latitude: N 35 09 30.00000 Longitude: W 92 05 17.00000 Type: UNKNOWN

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 187.663

Elevation (Feet): 615.691

Description: AHTD STD. DISK IN TOP OF THE EAST HEADWALL R.C. BOX CULVERT

Comments: ESTABLISHED BY BRAD LANGSTON AND PAUL ANDERSON. DATE  
LAST MODIFIED 03/17/2006

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730081

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: UNKNOWN

Date Established: 10/7/2003

System: STATE Job Number: 050067 Nearest City: ROSE BUD

County: WHITE Route: 5 Section: 14 Log Mile: 15.42

Land Section Number: 20 Township: 08N Range: 10W

Land Section: NE

Latitude: N 35 18 53.00000 Longitude: W 92 05 03.00000 Type: UNKNOWN

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 179.299

Elevation (Feet): 588.250

Description: AHTD STD DISK IN TOP OF EAST HEADWALL R.C. BOX CULVERT.

Comments: ESTABLISHED BY BRAD LANGSTON AND PAUL ANDERSON. DATE  
LAST MODIFIED 03/17/2006

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730082

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: UNKNOWN

Date Established: 10/7/2003

System: STATE

Job Number: 050067

Nearest City: ROSE BUD

County: WHITE

Route: 5

Section: 14

Log Mile: 15.57

Land Section Number: 20

Township: 08N

Range: 10W

Land Section: NE

Latitude: N 35 19 00.00000

Longitude: W 92 05 05.80000

Type: UNKNOWN

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 178.516

Elevation (Feet): 585.681

Description: AHTD STD DISK IN TOP OF EAST HEADWALL R.C. BOX CULVERT

Comments: ESTABLISHED BY BRAD LANGSTON AND PAUL ANDERSON. DATE  
LAST MODIFIED 03/17/2006

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730083

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: UNKNOWN

Date Established: 10/7/2003

System: STATE

Job Number: 050067

Nearest City: ROSE BUD

County: WHITE

Route: 5

Section: 14

Log Mile: 17.97

Land Section Number: 4

Township: 08N

Range: 10W

Land Section: NW

Latitude: N 35 20 51.00000

Longitude: W 92 04 38.00000

Type: UNKNOWN

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 226.519

Elevation (Feet): 743.171

Description: AHTD STD DISK IN TOP OF THE EAST HEADWALL R.C. BOX CULVERT

Comments: ESTABLISHED BY BRAD LANGSTON AND PAUL ANDERSON. DATE  
LAST MODIFIED 03/17/2006

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730084

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: UNKNOWN

Date Established: 10/7/2003

System: STATE

Job Number: 050067

Nearest City: ROSE BUD

County: CLEBURNE

Route: 5

Section: 15

Log Mile: 4.30

Land Section Number: 15

Township: 09N

Range: 10W

Land Section: SE

Latitude: N 35 24 50.00000

Longitude: W 92 37 38.00000

Type: UNKNOWN

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 267.469

Elevation (Feet): 877.521

Description: AHTD STD DISK IN TOP OF THE EAST HEADWALL R.C. BOX CULVERT

Comments: ESTABLISHED BY BRAD LANGSTON & PAUL ANDERSON. DATE LAST  
MODIFIED 03/17/2006



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730085

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #55

Date Established: 11/4/2004

System: STATE

Job Number: 050111

Nearest City: SEARCY

County: WHITE

Route: 67B

Section: 12C

Log Mile: 4.66

Land Section Number: 11

Township: 07N

Range: 07W

Land Section: NE

Latitude: N 35 15 31.0

Longitude: W 91 42 13.0

Type: UNKNOWN

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 66.998

Elevation (Feet): 219.809

Description: Aluminum Disc in Headwall 44.5' Rt. Sta. 15+89

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730086

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by:

Date Established: 10/1/2015

System: STATE

Job Number: 050260

Nearest City: Bald Knob

County: WHITE

Route: 67

Section: 13

Log Mile: 7.50

Land Section Number: 13

Township: 08n

Range: 06w

Land Section: SENE

Latitude: N 35 19 12.00000

Longitude: W 91 35 27.00000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 70.3977

Elevation (Feet): 230.963

Description: Alum,inum disc in NE Corner Parapet Rail on Bridge # B5569 20.5' Rt. Sta. 2060+35. Note: This BM was established from a brass disc in Median Drop Inlet at Sta.2157+00

Comments: Elevation not verified due to lack of three wire data.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 730087

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #52

Date Established: 6/15/2016

System: STATE

Job Number: fa7314

Nearest City: Bradford

County: WHITE

Route: elvet Ridge F

Section:

Log Mile: 2.30

Land Section Number: 4

Township: 09n

Range: 25w

Land Section: SE

Latitude: N 35 25 52.60000

Longitude: W 91 32 20.30000

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 110.788

Elevation (Feet): 363.477

Description: AHTD MARKER IN SOUTHWEST CORNER OF APPROACH GUTTER  
RAIL IN GLAISE CREEK BRIDGE NUMBER 04928.

Comments: Elevation verified. Three wire data available on Edunder job # fa7314 in  
sfa7314re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 740001

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established:

System: STATE Job Number: 110122 Nearest City: COTTON PLANT

County: WOODRUFF Route: 38 Section: 2 Log Mile: 1.55

Land Section Number: 32 Township: 04N Range: 03W

Land Section: SW

Latitude: N 35 00 23.8 Longitude: W 91 20 22.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 58.36 Elevation (Feet): 191.469

Description: METAL DISC IN TOP OF SOUTHWEST WINGWALL CACHE RIVER  
BRIDGE BRIDGE #6293

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 740002

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #13

Date Established:

System: Job Number: 110069 Nearest City: McCRORY

County: WOODRUFF Route: 64B Section: 14 Log Mile: 4.66

Land Section Number: 12 Township: 07N Range: 02W

Land Section: NE

Latitude: N 35 15 08.2 Longitude: W 91 09 19.7 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 62.719 Elevation (Feet): 205.771

Description: METAL DISC IN TOP OF SOUTHWEST CORNER OF WINGWALL OF R.C. BOX CULVERT

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 740003

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City: HILLEMANN

County: WOODRUFF Route: 145 Section: 4 Log Mile: 11.30

Land Section Number: 7 Township: 06N Range: 01W

Land Section: NE

Latitude: N 35 09 35.4 Longitude: W 91 08 21.6 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 61.707 Elevation (Feet): 202.450

Description: SOUTHWEST WINGWALL BAYOU DEVIEW RELIEF BRIDGE 5665 16'  
LEFT STATION 224+50

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 740004

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: 110034 Nearest City: COTTON PLANT

County: WOODRUFF Route: 306 Section: 0 Log Mile: 3.37

Land Section Number: 13 Township: 05N Range: 02W

Land Section: SW

Latitude: N 35 02 59.7 Longitude: W 91 16 28.6 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 57.022 Elevation (Feet): 187.080

Description: DISK SET IN HEADWALL NORTHEAST CORNER OF QUINT. 6'X 3' R.C.  
BOX CULVERT 19' RIGHT OF CENTERLINE OF ROADWAY STATION  
40+21

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 740005

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: 110034 Nearest City: COTTON PLANT

County: WOODRUFF Route: 306 Section: 0 Log Mile: 6.49

Land Section Number: 8 Township: 05N Range: 02W

Land Section: SW

Latitude: N 35 03 42.4 Longitude: W 91 14 06.7 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 58.766 Elevation (Feet): 192.801

Description: A.H.D. DISK SET IN TOP OF CONCRETE WINGWALL NORTHEAST  
CORNER EAST END OF BRIDGE NO. 6084

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 740006

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established: 10/26/1994

System: COUNTY

Job Number: BR-74-8

Nearest City:

County: WOODRUFF

Route: CR 36

Section:

Log Mile: 1.3

Land Section Number: 12

Township: 08N

Range: 01W

Land Section: NW

Latitude: N 35 20 21.8

Longitude: W 91 09 07.2

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 61.121

Elevation (Feet): 200.528

Description: AHTD DISC SET IN TOP OF WEST WINGWALL WEST BR END STA. 26+67  
BR NO. 4694 BRIDGE OVER "BAYOU DEVIEW"

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 740007

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established: 10/27/1995

System: COUNTY Job Number: BR7409 Nearest City: McCRORY

County: WOODRUFF Route: CR 38 Section: 32 Log Mile:

Land Section Number: 31

Township: 08N

Range: 01W

Land Section: NE

Latitude: N 35 16 38.0

Longitude: W 91 07 49.5

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 63.983

Elevation (Feet): 209.918

Description: AHTD DISC TOP RT. WINGWALL SOUTH BRIDGE END STA. 11+85.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 740008

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established: 10/27/1995

System: STATE

Job Number: R10078

Nearest City: McCRORY

County: WOODRUFF

Route: 145

Section: 24

Log Mile: 6.97

Land Section Number: 24

Township: 07N

Range: 02W

Land Section: SE

Latitude: N 35 12 41.0

Longitude: W 91 08 51.6

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 61.819

Elevation (Feet): 202.818

Description: AHTD DISC SE CORNER OF HEADWALL OF BOX CULVERT STA. 370+11

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 740009

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established: 5/26/1992

System: COUNTY

Job Number: F-74-11

Nearest City:

County: WOODRUFF

Route: FAS 2541

Section:

Log Mile: 4.5

Land Section Number: 14

Township: 07N

Range: 03W

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 61.438

Elevation (Feet): 201.568

Description: 53' RT. STA. 139+99; AHTD DISK SET IN CONCRETE

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 740010

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: BR-74-7 Nearest City: COTTON PLANT

County: WOODRUFF Route: 2 Section: 8 Log Mile: 2.71

Land Section Number: 9 Township: 04N Range: 03W

Land Section: NW

Latitude: N 34 59 06.0 Longitude: W 91 19 27.6 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 55.912 Elevation (Feet): 183.438

Description: AHD DISK SET IN TOP OF EAST WINGWALL OF BRIDGE NO. 4530

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 740011

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: BR-74-7 Nearest City: COTTON PLANT

County: WOODRUFF Route: 2 Section: 8 Log Mile: 2.71

Land Section Number: 9 Township: 04N Range: 03W

Land Section: NW

Latitude: N 34 58 56.1 Longitude: W 91 19 46.2 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 55.089 Elevation (Feet): 180.738

Description: AHD DISK SET IN TOP OF SOUTHEAST WINGWALL OF BRIDGE NO. 4529

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 740012

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 10/19/1990

System: COUNTY Job Number: BR-76-10 Nearest City: LITTLE DIXIE

County: WOODRUFF Route: 4 Section: Log Mile: 4.95

Land Section Number: 30 Township: 04N Range: 03W

Land Section: NW

Latitude: N 34 56 09.6 Longitude: W 91 22 04.7 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 51.178 Elevation (Feet): 167.906

Description: AHTD DISC IN TOP OF WINGWALL ON SOUTHEAST CORNER OF BRIDGE  
NO. 4634 OVER CACHE RIVER

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 740013

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established:

System:

Job Number: BR-74-5

Nearest City: FITZHUGH

County: WOODRUFF

Route: CR 28

Section:

Log Mile: 1.31

Land Section Number: 30

Township: 09N

Range: 03W

Land Section:

Latitude: N 35 22 31.8

Longitude: W 91 20 30.7

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 62.471

Elevation (Feet): 204.957

Description: METAL DISK IN RT. WINGWALL-STA. 28+80 BR. NO. 4610

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 740014

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 6/6/1990

System: COUNTY Job Number: BR-74-6 Nearest City: COTTON PLANT

County: WOODRUFF Route: CR 11 Section: Log Mile:

Land Section Number: 21 Township: 05N Range: 03W

Land Section: SW

Latitude: N 35 02 08.8 Longitude: W 91 19 21.3 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 58.664 Elevation (Feet): 192.467

Description: METAL DISC INT OP OF RIGHT WINGWALL (SOUTHWEST WINGWALL)  
OF BRIDGE 4628 OVER CACHE RIVER NOW ON COUNTY ROAD #790

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 740015

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established: 10/6/1999

System: COUNTY Job Number: FA7416 Nearest City:

County: WOODRUFF Route: CR18 Section: Log Mile:

Land Section Number: 9 Township: 03N Range: 03W

Land Section: NE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 57.215 Elevation (Feet): 187.713

Description: AHTD DISC LOCATED IN THE SE CORNER HW OF TRIPLE RC BO  
CULVERT AT MAPLE SLOUGH. JOB STATION 161+25, 23 FEET RIGHT  
(EAST)

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 740016

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 10/6/1999

System: COUNTY Job Number: FA7416 Nearest City:

County: WOODRUFF Route: CR 18 Section: Log Mile:

Land Section Number: 9 Township: 03N Range: 03W

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 57.2141 Elevation (Feet): 187.710

Description: METAL AHTD DISC LOCATED IN THE SOUTH EAST CORNER  
HEADWALL OF TRIPLE R.C. BOC CULVERT, AT MAPLE SLOUGH.  
STATION 161+25, 23 FEET RIGHT (EAST).

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 740017

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established: 4/10/2001

System: STATE

Job Number: 110041

Nearest City: AUGUSTA

County: WOODRUFF

Route: 64

Section:

Log Mile: 1.45

Land Section Number: 26

Township: 08N

Range: 04W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.122

Elevation (Feet): 223.497

Description: AHTD DISC IN TOP OF N WW 32.68 FEET LT OF STA 23+00.076 EAST  
BRIDGE END WHITE RIVER

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 740018

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established: 6/13/2001

System: STATE

Job Number: 110041

Nearest City: AUGUSTA

County: WOODRUFF

Route: 64

Section:

Log Mile: 0.85

Land Section Number: 27

Township: 08N

Range: 04W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 69.133

Elevation (Feet): 226.814

Description: AHTD DISK IN TOP OF S WW 32.68 FEET RIGHT OF STA 13+38.538 WEST  
BRIDGE END WHITE RIVER

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 740019

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established: 4/10/2001

System: STATE

Job Number: 110041

Nearest City: AUGUSTA

County: WOODRUFF

Route: 64

Section:

Log Mile: 1.45

Land Section Number: 26

Township: 08N

Range: 04W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 67.241

Elevation (Feet): 220.607

Description: AHTD DISC AT END OF EAST APPROACH SLAB EAST END BRIDGE  
OVER WHITE RIVER

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 740020

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #13

Date Established: 6/13/2001

System: STATE

Job Number: 110041

Nearest City: AUGUSTA

County: WOODRUFF

Route: 64

Section:

Log Mile: 0.85

Land Section Number: 27

Township: 08N

Range: 04W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 68.02

Elevation (Feet): 223.162

Description: AHTD DISC AT END OF WEST APPROACH SLAB AT WEST END BRIDGE  
OVER WHITE RIVER.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 740021

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: DISTRICT 1

Date Established: 4/18/2005

System: FEDERAL Job Number: 110289 Nearest City: PATTERSON

County: WOODRUFF Route: 64 Section: 13 Log Mile: 6.93

Land Section Number: 31 Township: 08N Range: 03W

Land Section: SE

Latitude: N 35 16 16.5 Longitude: W 91 14 41.2 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 62.45974093 Elevation (Feet): 204.920

Description: AHTD DISC ON BR#06961, SW END TOP PARAPET WALL @ STA. 40+63

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 740022

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: DISTRICT 1

Date Established: 4/18/2005

System: FEDERAL

Job Number: 110289

Nearest City: PATTERSON

County: WOODRUFF

Route: 64

Section: 13

Log Mile: 7.29

Land Section Number: 31

Township: 08N

Range: 03W

Land Section: SE

Latitude: N 35 16 14.2

Longitude: W 91 14 18.2

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 63.10287021

Elevation (Feet): 207.030

Description: AHTD DISC ON BR# 06961, SW END TOP PARAPET WALL @ STA. 40+63

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 740023

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #13

Date Established: 10/28/2005

System: COUNTY

Job Number: BR7410

Nearest City: COTTON PLANT

County: WOODRUFF

Route: CO RD 11

Section: N/A

Log Mile: N/A

Land Section Number: 29

Township: 05N

Range: 03W

Land Section: NE

Latitude: N 35 02 07.16

Longitude: W 91 19 40.4

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 57.842

Elevation (Feet): 189.770

Description: AHTD DISC IN TOP OF WINGWALL, 17 FEET RT. OF STA. 106+03

Comments: Elevations were entered but cannot be verified due to no information on the control used during the 3 wire level run.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750001

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: 8839 Nearest City: OLA

County: YELL Route: SH 7 Section: 12 Log Mile: 4.33

Land Section Number: 10 Township: 04N Range: 21W

Land Section:

Latitude: N 35 00 47.0 Longitude: W 93 13 03.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 159.762 Elevation (Feet): 524.152

Description: A.H.T.D. DISC IN TOP OF EAST HEADWALL 1' NORTH OF SOUTH END OF  
HEADWALL 40' RIGHT OF CENTERLINE STATION 15+25 12-2-99 CREW  
S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750002

Class:

Vertical Datum: NAVD88

Established by: RE OFFICE #86

Date Established: 5/21/1993

System: STATE

Job Number: 80012, 080309

Nearest City: OLA

County: YELL

Route: 7

Section: 13

Log Mile: 3.45

Land Section Number: 13

Township: 05N

Range: 19W

Land Section:

Latitude: N 35 04 28.0

Longitude: W 93 11 57.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 98.34943359

Elevation (Feet): 322.668

Description: DISC IN TOP OF PARAPET WALL SOUTHWEST CORNER OF BRIDGE NO. 6487. (PETIT JEAN RIVER BRIDGE) 12-2-99 CREW S5102

Comments: Elevation was verified with 3-Wire Levels by crew S5110 in April 07. The levels were based on NGS mark E47 in the town of Ola. The level loops can be found in job 080309 (PN:912)

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750003

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City:

County: YELL Route: 10 Section: 3 Log Mile: 5.30

Land Section Number: Township: Range:

Land Section:

Latitude: N 35 06 49.0 Longitude: W 93 37 26.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 119.763 Elevation (Feet): 392.922

Description: DISK NORTHWEST WING BRIDGE 1316W CREW S5102 12-2-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750004

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City: HAVANA

County: YELL Route: 10 Section: 3 Log Mile: 9.89

Land Section Number: Township: Range:

Land Section:

Latitude: N 35 06 51.0 Longitude: W 93 32 46.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 114.819 Elevation (Feet): 376.702

Description: DISK NORTHWEST WING BRIDGE 1317W CREW S5102 12-2-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750005

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City: HAVANA

County: YELL Route: 10 Section: 3 Log Mile: 10.49

Land Section Number: Township: Range:

Land Section:

Latitude: N 35 06 43.0 Longitude: W 93 32 08.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 112.332 Elevation (Feet): 368.543

Description: DISK NORTHWEST WING BRIDGE 1318W CREW S5102 12-2-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750006

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established:

System:

Job Number: 8726

Nearest City: DANVILLE

County: YELL

Route: 10

Section: 3

Log Mile: 19.31

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 03 50.0

Longitude: W 93 23 47.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 103.761

Elevation (Feet): 340.423

Description: AHTD DISC IN TOP OF BRIDGE WING 21' RIGHT OF STATION 1020+48  
BRIDGE 6280 CREW S5102

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750007

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established:

System:

Job Number: 8726

Nearest City: DANVILLE

County: YELL

Route: 10

Section: 3

Log Mile: 19.66

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 03 34.0

Longitude: W 93 23 44.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 103.758

Elevation (Feet): 340.413

Description: AHTD DISC IN TOP OF BRIDGE WING 21' RIGHT OF STATION 1037+89  
BRIDGE 6205 CREW S5102 12-2-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750008

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established: 9/13/1990

System: STATE

Job Number: 8726

Nearest City: DANVILLE

County: YELL

Route: 10 & 27

Section: 3 & 10

Log Mile: 0.031

Land Section Number: 30

Township: 05N

Range: 23W

Land Section: NE

Latitude: N 35 03 55.0

Longitude: W 93 23 48.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 106.053

Elevation (Feet): 347.942

Description: AHTD DIC IN CONCRETE ISLAND, 1' FROM THE NORTH EDGE OF CURB,  
1.5' WEST OF EAST END OF ISLAND CURB & 18' RT. OF CENTERLINE  
HWY. 27,S TA. 1+62 (INTERSECTION OF HWY. 10 & HWY. 27) CREW  
S5102 12-2-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750009

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established:

System:

Job Number: 8898

Nearest City:

County: YELL

Route: 10

Section: 4

Log Mile: 11.24

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 109.15

Elevation (Feet): 358.103

Description: TOP LEFT WING ABUTMENT #2 BRIDGE 703R

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750010

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: 8897 Nearest City: BLUFFTON

County: YELL Route: 28 Section: 3 Log Mile: 4.08

Land Section Number: 27 Township: 03N Range: 25W

Land Section:

Latitude: N 34 52 39.0 Longitude: W 93 38 53.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 121.851 Elevation (Feet): 399.773

Description: DISK MIDDLE EAST HEADWALL 23' RIGHT OF CENTERLINE.  
RECOVERED BY S5102 ON 12-27-99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750011

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established:

System:

Job Number: R80017

Nearest City: CENTERVILLE

County: YELL

Route: 155

Section: 2

Log Mile: 7.55

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 07 02.0

Longitude: W 93 05 41.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 96.275

Elevation (Feet): 315.862

Description: AHTD DISC IN TOP OF SOUTHEAST CORNER OF PARAPET WALL 14'  
RIGHT OF CENTERLINE STATION 1+40 BRIDGE NO. 6302. RECOVERED  
BY S5102 ON 12/27/99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750012

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: 8727 Nearest City: BRIGGSVILLE

County: YELL Route: 307 Section: 0 Log Mile: 3.075

Land Section Number: Township: Range:

Land Section:

Latitude: N 34 53 46.0 Longitude: W 93 30 37.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 122.18 Elevation (Feet): 400.852

Description: BRIDGE #5779 DISK SET TOP SOUTHWEST WING OF BRIDGE.  
RECOVERED BY S5102 ON 12-27-99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750013

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: 8727 Nearest City: BLUFFTON

County: YELL Route: 307 Section: 0 Log Mile: 0.23

Land Section Number: Township: Range:

Land Section:

Latitude: N 34 54 14.0 Longitude: W 93 35 50.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 133.226 Elevation (Feet): 437.092

Description: DISK WEST END SOUTH HEADWALL R.C. BOX. RECOVERED BY S5102  
ON 12-27-99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750014

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: 8727 Nearest City: BLUFFTON

County: YELL Route: 307 Section: 0 Log Mile: 2.11

Land Section Number: Township: Range:

Land Section:

Latitude: N 34 53 34.0 Longitude: W 93 34 17.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 126.386 Elevation (Feet): 414.651

Description: DISK EAST END SOUTH HEADWALL R.C. BOX. RECOVERED BY S5102  
ON 12-27-99.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750015

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: 8727 Nearest City: BLUFFTON

County: YELL Route: 307 Section: 0 Log Mile: 2.75

Land Section Number: Township: Range:

Land Section:

Latitude: N 34 53 35.0 Longitude: W 93 33 39.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 122.073 Elevation (Feet): 400.501

Description: DISK EAST END SOUTH HEADWALL R.C. BOX. RECOVERED BY S5102  
ON 12-27-99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750016

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: 8727 Nearest City:

County: YELL Route: 307 Section: 0 Log Mile: 5.95

Land Section Number: Township: Range:

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 122.18 Elevation (Feet): 400.852

Description: DISK SOUTHWEST WING BRIDGE #5779

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750017

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City: BRIGGSVILLE

County: YELL Route: 307 Section: 0 Log Mile: 4.22

Land Section Number: 24 Township: 03N Range: 24W

Land Section:

Latitude: N 34 54 10.0 Longitude: W 93 29 53.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 121.08 Elevation (Feet): 397.243

Description: DISK TOP NORTHWEST WING BRIDGE #6047. RECOVERED BY S5102 ON 12-27-99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750018

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established:

System:

Job Number: 8751

Nearest City: WAVELAND

County: YELL

Route: 309

Section: 0

Log Mile: 5.01

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 07 17.0

Longitude: W 93 37 56.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 129.453

Elevation (Feet): 424.714

Description: AHTD DISC IN SOUTHEAST WINGWALL ON BRIDGE NO. 5809 APPROX. 400' SOUTH OF INTERSECTION OF HIGHWAY 309 AND HIGHWAY 10. RECOVERED BY S5102 ON 12-27-99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750019

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: 8847 Nearest City: HAVANA

County: YELL Route: 309 Section: 1 Log Mile: 0.74

Land Section Number: 3 Township: 05N Range: 24W

Land Section:

Latitude: N 35 07 04.0 Longitude: W 93 31 58.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 115.465 Elevation (Feet): 378.821

Description: AHTD DISC IN TOP OF NORTHEAST WING BRIDGE NO. 6076 OVER  
LITTLE PINEY CREEK NORTH OF HAVANA CREW S5102 12-2-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750020

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established: 6/3/1996

System: STATE

Job Number: 008927

Nearest City: DANVILLE

County: YELL

Route: 10

Section: 4

Log Mile: .61

Land Section Number: 30

Township: 05N

Range: 22W

Land Section: SW

Latitude: N 35 03 14.0

Longitude: W 93 22 57.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 100.285

Elevation (Feet): 329.018

Description: AHTD DISK IN CENTER OF NORTH HEADWALL OF R. C. BOX CLVT., 47'  
LEFT OF STA. 131+96. CREW S5102 12-3-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750021

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established: 6/3/1996

System: STATE

Job Number: 008927

Nearest City: DANVILLE

County: YELL

Route: 10

Section: 4

Log Mile: 1.20

Land Section Number: 30

Township: 05N

Range: 22W

Land Section: SE

Latitude: N 35 03 13.0

Longitude: W 93 22 21.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 114.861

Elevation (Feet): 376.840

Description: AHTD DISK IN NW CORNER OF BRIDGE ABUTMENT (BRIDGE NO. 6537)  
24' LEFT OF STA. 163+53. CREW S5102 12-3-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750022

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established: 6/3/1996

System: STATE

Job Number: 008927

Nearest City: DANVILLE

County: YELL

Route: 10

Section: 4

Log Mile: 1.67

Land Section Number: 29

Township: 05N

Range: 22W

Land Section: SE

Latitude: N 35 03 27.0

Longitude: W 93 21 55.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 107.826

Elevation (Feet): 353.759

Description: AHTD DISK IN CENTER OF NORTH HEADWALL OF R. C. BOX CLVT., 38'  
LEFT OF STA. 188+30. CREW S5102 12-3-99

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750023

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established: 6/3/1996

System: STATE

Job Number: 008927

Nearest City: DANVILLE

County: YELL

Route: 10

Section: 4

Log Mile: 2.03

Land Section Number: 29

Township: 05N

Range: 22W

Land Section: SE

Latitude: N 35 03 37.0

Longitude: W 93 21 34.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 112.861

Elevation (Feet): 370.278

Description: AHTD DISK IN CENTER OF NORTH HEADWALL OF R. C. BOX CLVT., 35'  
LEFT OF STA. 207+43. CREW S5102 12-3-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750024

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established: 6/3/1996

System: STATE

Job Number: 008930

Nearest City:

County: YELL

Route: 7

Section: 13

Log Mile: 11.36

Land Section Number: 18

Township: 06N

Range: 20W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 97.326

Elevation (Feet): 319.310

Description: AHTD DISC IN SW WINGWALL 23.6' LT. OF CENTERLINE STA. 182+44.6  
(METRIC STA.) BRIDGE NO. 006629. 12-2-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750025

Class:

Vertical Datum: NAVD88

Established by: RE OFFICE #86

Date Established: 6/3/1996

System: STATE

Job Number: 008931, 080309

Nearest City: OLA

County: YELL

Route: 7

Section: 13

Log Mile: 4.38

Land Section Number: 13

Township: 05N

Range: 21W

Land Section: SW

Latitude: N 35 05 01.0

Longitude: W 93 11 16.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 96.43217679

Elevation (Feet): 316.378

Description: AHTD DISC IN HEADWALL 35' LT. OF CENTERLINE, STA. 231+73. CREW S5102 12-2-99

Comments: Elevation was verified with 3-Wire Levels by crew S5110 in April 07. The levels were based on NGS mark E47 in the town of Ola. The level loops can be found in job 080309 (PN:914)

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750026

Class:

Vertical Datum: NAVD88

Established by: RE OFFICE #86

Date Established: 8/12/1996

System: STATE

Job Number: 008931, 080309

Nearest City: CENTERVILLE

County: YELL

Route: 7

Section: 13

Log Mile: 6.36

Land Section Number: 7

Township: 05N

Range: 20W

Land Section: NW

Latitude: N 35 06 21.0

Longitude: W 93 10 10.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 99.68010161

Elevation (Feet): 327.034

Description: AHTD DISC IN WINGWALL 23.5' RT. OF CENTERLINE, STA. 336+35. 12-2-99 CREW S5102

Comments: Elevation was verified with 3-Wire Levels by crew S5110 in April 07. The levels were based on NGS mark E47 in the town of Ola. The level loops can be found in job 080309 (PN:921)

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750027

Class:

Vertical Datum:

Established by: RE OFFICE #86

Date Established: 6/3/1996

System: STATE

Job Number: 008930

Nearest City: DARDENELL

County: YELL

Route: 7

Section: 13

Log Mile: 11.86

Land Section Number: 7

Township: 06N

Range: 20W

Land Section: SE

Latitude: N 35 10 55.0

Longitude: W 93 09 26.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 97.381

Elevation (Feet): 319.491

Description: AHTD DISK IN SW WINGWALL 23.6 LEFT OF STA 190+28.3 (METRIC STA)  
BRIDGE # 006630 12-2-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750028

Class:

Vertical Datum: UNKNOWN

Established by:

Date Established:

System:

Job Number:

F-75-5

Nearest City:

County:

YELL

Route:

FAS 2539

Section:

Log Mile:

0.68

Land Section Number:

31

Township:

06N

Range:

23W

Land Section:

Latitude:

N 35 00 11.0

Longitude:

W 93 21 53.0

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

129.448

Elevation (Feet):

424.697

Description:

AHTD DISC IN TOP OF SOUTH HDWL. 1' FROM WEST END OF HDWL., 20' RT. OF CENTERLINE AT STA. 38+00. SAME AS CR 12. RECOVERED BY S5102 ON 12-27-99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750029

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: F-75-5 Nearest City:

County: YELL Route: FAS 2539 Section: Log Mile: 0.268

Land Section Number: 31 Township: 06N Range: 23W

Land Section:

Latitude: N 35 00 01.0 Longitude: W 93 22 16.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 125.437 Elevation (Feet): 411.538

Description: AHTD DISC IN TOP OF SOUTH HDWL. 1' FROM WEST END OF HDWL., 1' FROM WEST END OF HDWL., 20' RT. OF CENTERLINE AT STA. 16+25. SAME AS CR 12. RECOVERED BY S5102 ON 12-27-99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750030

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established: 9/4/1990

System: COUNTY

Job Number: F-75-6

Nearest City: KINGSTON

County: YELL

Route: CR 12

Section:

Log Mile:

Land Section Number: 10

Township: 04N

Range: 22W

Land Section: SW

Latitude: N 35 00 28.0

Longitude: W 93 20 06.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 117.052

Elevation (Feet): 384.028

Description: AHTD DISC IN SOUTH HEADWALL, 3.5' FROM WEST END, 31' RT. OF CENTERLINE STA. 24+77. RECOVERED BY S5102 ON 12-27-99.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750031

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established: 9/4/1990

System: COUNTY

Job Number: F-75-6

Nearest City: KINGSTON

County: YELL

Route: CR 12

Section:

Log Mile:

Land Section Number: 10

Township: 04N

Range: 22W

Land Section: NE

Latitude: N 35 00 52.0

Longitude: W 93 19 47.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 123.169

Elevation (Feet): 404.097

Description: AHTD DISC IN SOUTH HEADWALL 3' FROM WEST END, 20' RT OF  
CENTERLINE STA. 54+06. RECOVERED BY S5102 ON 12-27-99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750032

Class:

Vertical Datum: UNKNOWN

Established by:

Date Established:

System:

Job Number:

F-75-5

Nearest City:

DANVILLE

County:

YELL

Route:

CR 12

Section:

Log Mile:

0.68\*\*

Land Section Number:

17

Township:

04N

Range:

22W

Land Section:

Latitude:

N 35 00 11.0

Longitude:

W 93 21 53.0

Type:

GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

129.448

Elevation (Feet):

424.697

Description:

AHTD DISC IN TOP OF SOUTH HEADWALL 1' FROM WEST END OF  
HEADWALL, 20' RT. OF CENTERLINE ROADWAY BRACH OF GILKEY  
CR. \*\*0+JCT. HWY. 27 & FAS 2539 APPROX. 3 1/2 MI. SOUTH OF JCT. 10  
&27 HWY'S IN DANVILLE.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750033

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: F-75-5 Nearest City: DANVILLE

County: YELL Route: CR 12 Section: Log Mile: 0.27

Land Section Number: 17 Township: 04N Range: 22W

Land Section:

Latitude: N 35 00 01.0 Longitude: W 93 22 16.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 125.437 Elevation (Feet): 411.538

Description: AHTD DISC IN TOP OF SOUTH HEADWALL 1-0" FROM WEST END OF  
HDWL. 20' RT. OF CENTERLINE RDWY. BRANCH OF GILKEY CR.  
\*\*0=JCT. HWY. 27 & FAS 2539 APPROX. 3 1/2 MI. SO. OF JCT. 10 & 27  
HWY'S IN DANCILLE. RECOVERED BY S5102 ON 12-27-99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750034

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City:

County: YELL Route: CR 12 Section: Log Mile: 0.7

Land Section Number: 14 Township: 04N Range: 22W

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 114.522 Elevation (Feet): 375.728

Description: DISK SE WINGWALL PORTER CREEK BRIDGE #4494

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750035

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established:

System: COUNTY

Job Number: BR-75-5

Nearest City: BELLEVILLE

County: YELL

Route: CR 23

Section:

Log Mile:

Land Section Number:

Township:

Range:

Land Section:

Latitude: N 35 07 50.0

Longitude: W 93 29 01.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 133.234

Elevation (Feet): 437.119

Description: AHTD DISC IN TOP OF WINGWALL 12' RT. OF CENTERLINE, STA.  
13+69.08, BR NO. 4619. RECOVERED BY S5102 ON 12-27-99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750036

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City:

County: YELL Route: CR 16 Section: Log Mile: 0.26

Land Section Number: 24 Township: 04N Range: 24W

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 110.877 Elevation (Feet): 363.769

Description: DISK SW WING DUTCH CREEK BR. 4355

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750037

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City:

County: YELL Route: CR 16 Section: Log Mile: 5.12

Land Section Number: 1 Township: 04N Range: 24W

Land Section:

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 135.505 Elevation (Feet): 444.569

Description: DISK SE WING RILEY CREEK BR. 4496

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750038

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established:

System:

Job Number:

S-75-14

Nearest City:

County:

YELL

Route:

CR 18

Section:

Log Mile:

0.3553

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters):

100.532

Elevation (Feet):

329.829

Description:

AHTD DISC IN TOP OF NW WING OF BOX CULV. 17' RT. OF CENTERLINE  
STA. 13+84

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750039

Class:

Vertical Datum: UNKNOWN Established by:

Date Established:

System: Job Number: N/A Nearest City: BELLEVILLE

County: YELL Route: CR 23 Section: Log Mile: 2

Land Section Number: 3 Township: 05N Range: 23W

Land Section:

Latitude: N 35 07 43.0 Longitude: W 93 25 39.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 124.8152 Elevation (Feet): 409.498

Description: DISK TOP NE WINGWALL BRIDGE 3 4515 SPRING CR. RECOVERED BY S5102 ON 12-27-99.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750040

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established: 8/12/1998

System: STATE

Job Number: 008929

Nearest City: OLA

County: YELL

Route: 10

Section: 4

Log Mile: 15.13

Land Section Number: 7

Township: 04

Range: 20

Land Section: NE

Latitude: N 35 00 56.0

Longitude: W 93 09 39.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 111.106

Elevation (Feet): 364.520

Description: AHTD DISK IN TOP OF WINGWALL, BRIDGE #06676, 4.9M RT. OF STA.  
111+83. 12-3-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750041

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established: 2/5/1998

System: STATE

Job Number: 008929

Nearest City: OLA

County: YELL

Route: 10

Section: 4

Log Mile: 15.54

Land Section Number: 8

Township: 04

Range: 20

Land Section: NW

Latitude: N 35 00 50.0

Longitude: W 93 09 12.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 109.936

Elevation (Feet): 360.682

Description: AHTD DISK IN TOP OF HDWL. OF R.C. BOX CULV., 10.8M RT. OF STA.  
118+47 S5102 12-3-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750042

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established: 8/25/1998

System: STATE

Job Number: 008929

Nearest City: OLA

County: YELL

Route: 10

Section: 4

Log Mile: 16.33

Land Section Number: 9

Township: 04

Range: 20

Land Section: NW

Latitude: N 35 00 53.0

Longitude: W 93 08 25.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 110.066

Elevation (Feet): 361.108

Description: AHTD DISK IN TOP OF WINGWALL, BRIDGE 3 06677, 4.9M RT. OF STA. 131+08. CREW S5102 12-3-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750043

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established: 2/5/1998

System: STATE

Job Number: 008929

Nearest City: OLA

County: YELL

Route: 10

Section: 4

Log Mile: 12.70

Land Section Number: 2

Township: 04

Range: 20

Land Section: SE

Latitude: N 35 01 20.0

Longitude: W 93 12 05.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 109.29

Elevation (Feet): 358.562

Description: AHTD DISK IN TOP OF HDWL. OF R. C. BOX CULV., 10.8 M RT. OF STA.  
72+46. CFEW S5102 12-3-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750044

Class:

Vertical Datum:

Established by: RE OFFICE #86

Date Established: 2/6/1998

System: STATE Job Number: 008929 Nearest City: OLA

County: YELL Route: 10 Section: 4 Log Mile: 14.22

Land Section Number: 7 Township: 04 Range: 20

Land Section: NW

Latitude: N 35 00 53.0 Longitude: W 93 10 36.0 Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 111.16 Elevation (Feet): 364.697

Description: AHTD DISK IN TOP OF HDWL. OF R. C. BOX CULV., 10.8 M RT OF STA.  
97+33 CREW S5102 12-3-99

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750045

Class:

Vertical Datum:

Established by: RE OFFICE #86

Date Established: 4/17/1998

System: STATE

Job Number: 080102

Nearest City: DARDENILLE

County: YELL

Route: 7

Section: 13

Log Mile:

Land Section Number: 1

Township: 06N

Range: 21W

Land Section: NE

Latitude: N 35 12 33.0

Longitude: W 93 09 20.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 99.127

Elevation (Feet): 325.219

Description: ALUMINUM DISC IN TOP OF JUNCTION BOX 70' RT. OF STA. 10+42. (SE COR. JCT. HWY. 7 & HWY. 28) 12-2-99 CREW S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750046

Class:

Vertical Datum:

Established by:

Date Established: 8/3/1999

System: STATE

Job Number: 008940

Nearest City:

County: YELL

Route: 10

Section: 04

Log Mile: 12.95

Land Section Number: 01

Township: 03N

Range: 20W

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 106.263

Elevation (Feet): 348.631

Description: AHTD DISC IN SW CORNER OF HEADWALL ON R.C. BOX CLUT. 10.9 M  
RT. OF STA. 76+77.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750047

Class:

Vertical Datum:

Established by:

Date Established: 8/3/1999

System: STATE

Job Number: 008940

Nearest City:

County: YELL

Route: 10

Section: 04

Log Mile: 13.57

Land Section Number: 01

Township: 03N

Range: 20W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 108.235

Elevation (Feet): 355.101

Description: AHTD DISC IN NW CORNER OF HEADWALL ON R.C. BOX CLUT. 10.9M  
LT. OF STA. 86+68.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750048

Class:

Vertical Datum:

Established by:

Date Established: 8/10/1999

System: STATE

Job Number: 008940

Nearest City:

County: YELL

Route: 10

Section: 04

Log Mile: 14.99

Land Section Number:

Township: 04N

Range: 20W

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 110.047

Elevation (Feet): 361.046

Description: AHTD DISC IN SW CORNER OF HEADWALL ON R.C. BOX CLUT. 10.9M  
RT. OF STA. 109+58.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750049

Class:

Vertical Datum:

Established by:

Date Established: 8/11/1999

System: STATE

Job Number: 008940

Nearest City:

County: YELL

Route: 10

Section: 07

Log Mile: 16.73

Land Section Number: 09

Township: 04N

Range: 20W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 107.188

Elevation (Feet): 351.666

Description: AHTD DISC IN NW CORNER OF HEADWALL ON R.C. BOX CLUT. 10.9M  
LT. OF STA.137+61

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750050

Class:

Vertical Datum:

Established by:

Date Established: 8/11/1999

System: STATE

Job Number: 008940

Nearest City:

County: YELL

Route: 10

Section: 04

Log Mile: 17.18

Land Section Number: 04

Township: 04N

Range: 20W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 108.219

Elevation (Feet): 355.049

Description: AHTD DISC IN NW CORNER OF HEADWALL ON R.C. BOX CLUT.10.9M  
LT. OF STA. 144+93

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750051

Class:

Vertical Datum:

Established by:

Date Established: 8/11/1999

System: STATE

Job Number: 008940

Nearest City:

County: YELL

Route: 10

Section: 03

Log Mile: 17.69

Land Section Number: 04

Township: 04N

Range: 20W

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 106.593

Elevation (Feet): 349.714

Description: AHTD DISC IN SW CORNER OF HEADWALL ON R.C. BOX CLUT 10.9M  
RT. OF STA. 153+12.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750052

Class:

Vertical Datum:

Established by:

Date Established: 8/11/1999

System: STATE

Job Number: 008940

Nearest City:

County: YELL

Route: 10

Section: 04

Log Mile: 18.07

Land Section Number: 03

Township: 04N

Range: 20W

Land Section: SE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 104.592

Elevation (Feet): 343.149

Description: AHTD DISC IN NW CORNER OF HEADWALL ON R.C. BOX CLUT. 10.9M  
LT. OF STA. 159+14

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750053

Class:

Vertical Datum:

Established by:

Date Established: 8/9/1999

System: STATE

Job Number: 008940

Nearest City:

County: YELL

Route: 10

Section: 04

Log Mile: 13.82

Land Section Number: 12

Township: 03N

Range: 20W

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 112.951

Elevation (Feet): 370.573

Description: AHTD DISC IN NW CORNER OF HEADWALL ON R.C. BOX CLUT. 10.9M  
LT. OF STA. 90+75

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750054

Class:

Vertical Datum:

Established by:

Date Established: 8/11/1999

System: STATE

Job Number: 008940

Nearest City:

County: YELL

Route: 10

Section: 04

Log Mile: 14.57

Land Section Number: 07

Township: 04N

Range: 20W

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 116.75

Elevation (Feet): 383.037

Description: AHTD DISC IN SW CORNER OF HEADWALL ON R.C. BOX CLUT. 10.9M  
RT. OF STA.102+77

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750055

Class:

Vertical Datum:

Established by:

Date Established: 9/17/1999

System: STATE

Job Number: 008905

Nearest City:

County: YELL

Route: 27

Section: 10

Log Mile: 18.13

Land Section Number: 31

Township: 07N

Range: 20W

Land Section: NW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 103.04

Elevation (Feet): 338.057

Description: AHTD DISC IN RT. WINGWALL AT BEGINNING OF BRIDGE NO. 06726.  
(SMILEY BAYOU) STA. 22+29.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750056

Class:

Vertical Datum:

Established by:

Date Established: 10/28/1999

System:

Job Number: F-75-5

Nearest City: DANVILLE

County: YELL

Route: CR 12

Section:

Log Mile: 0.27

Land Section Number: 17

Township: 04N

Range: 22W

Land Section:

Latitude: N 35 00 00.1

Longitude: W 93 22 16.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 125.437

Elevation (Feet): 411.538

Description: AHTD DISC IN TOP OF SOUTH HEADWALL 1' FROM WEST END OF HEADWALL,20'RT. OF CENTERLINE ROADWAY BRACH OF GILKEY CR, 0+JCT. HWY.27 &FAS 2539 APPROX. 3 1/2 MI. SOUTH OF JCT. 10 &27 HWY'S IN DANVILLE. RECOVERED 12/27/00 S5102

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750057

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established: 12/1/2000

System: STATE

Job Number: 080140

Nearest City:

County: YELL

Route: 27

Section: 9

Log Mile: 9.77

Land Section Number: 36

Township: 05N

Range: 23W

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 101.474

Elevation (Feet): 332.919

Description: AHTD DISK IN NW CORNER OF HEADWALL OF RC BOX CLVT LT OF  
STA 42+64

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750058

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established: 12/1/2000

System: STATE

Job Number: 080140

Nearest City:

County: YELL

Route: 27

Section: 9

Log Mile: 10.15

Land Section Number: 36

Township: 05N

Range: 23W

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 104.848

Elevation (Feet): 343.989

Description: AHTD DISK IN DROP INLET TOP 16' RT STA 62+32

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750059

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established: 5/8/2001

System: COUNTY

Job Number: SA7518

Nearest City:

County: YELL

Route: CR 51

Section:

Log Mile:

Land Section Number: 35

Township: 07N

Range: 21W

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 107.195

Elevation (Feet): 351.689

Description: AHTD DISC IN SE HW OF QUAD BOX CULVERT AT STA 138+03

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750060

Class:

Vertical Datum: UNKNOWN

Established by: RE OFFICE #86

Date Established: 6/17/2003

System: STATE

Job Number: 008826

Nearest City:

County: YELL

Route: 10

Section:

Log Mile: 2.32

Land Section Number:

Township:

Range:

Land Section:

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 109.5112

Elevation (Feet): 359.288

Description: AHTD CAP SET IN NE CORNER OF HW OF TRIPPLE 10X7X75 BOX  
CULVERT

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750061

Class:

Vertical Datum:

Established by:

Date Established: 4/29/2002

System: STATE

Job Number: R80019

Nearest City:

County: YELL

Route: 10

Section: 3

Log Mile: 12.91

Land Section Number: 7

Township: 05N

Range: 23W

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 112.383

Elevation (Feet): 368.710

Description: 36 FT N OF C/L LOCATED IN NE CORNER OF HW

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750062

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 5/2/2002

System: STATE Job Number: R80019 Nearest City:

County: YELL Route: 10 Section: 3 Log Mile: 13.13

Land Section Number: 7 Township: 05N Range: 23W

Land Section: SW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 113.465 Elevation (Feet): 372.260

Description: 34 FT N OF C/L IN NE CORNER OF HW

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750063

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 3/15/2002

System: STATE Job Number: R80019 Nearest City:

County: YELL Route: 10 Section: 3 Log Mile: 16.52

Land Section Number: 15 Township: 05N Range: 23W

Land Section: SW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 112.441 Elevation (Feet): 368.900

Description: 35 FT N OF C/L IN NE CORNER OF HW

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750064

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 3/8/2002

System: STATE Job Number: R80019 Nearest City:

County: YELL Route: 10 Section: 3 Log Mile: 11.22

Land Section Number: 11 Township: 05N Range: 24W

Land Section: NW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 113.374 Elevation (Feet): 371.961

Description: 36 FT N OF C/L IN NE CORNER OF HW

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750065

Class:

Vertical Datum:

Established by:

Date Established: 4/18/2002

System: STATE

Job Number: R80019

Nearest City:

County: YELL

Route: 10

Section: 3

Log Mile: 12.05

Land Section Number: 12

Township: 05N

Range: 24W

Land Section: SW

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 111.77

Elevation (Feet): 366.699

Description: 35 FT N OF C/L IN NE CORNER OF HW

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750066

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 11/1/2002

System: STATE Job Number: R80019 Nearest City:

County: YELL Route: 10 Section: 3 Log Mile: 12.33

Land Section Number: 12 Township: 05N Range: 24W

Land Section: SW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 108.917 Elevation (Feet): 357.339

Description: 16 FT S OF C/L IN SW CORNER OF PARAPET WALL OF BRIDGE

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750067

Class:

Vertical Datum: UNKNOWN Established by:

Date Established: 4/29/2002

System: STATE Job Number: R80019 Nearest City:

County: YELL Route: 10 Section: 3 Log Mile: 12.75

Land Section Number: 12 Township: 05N Range: 24W

Land Section: SE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 110.118 Elevation (Feet): 361.279

Description: 35 FT N OF C/L IN NE CORNER OF HW

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750068

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #8?

Date Established: 11/21/2006

System: STATE Job Number: 080184 Nearest City:

County: YELL Route: 10 Section: 3 Log Mile: 4.59

Land Section Number: 2 Township: 05N Range: 25W

Land Section: SW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 130.333 Elevation (Feet): 427.601

Description: DISK SW CORNER RC BOX CULVERT AT JOB STATION 242+37 RT.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750069

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #8?

Date Established: 11/21/2006

System: STATE Job Number: 080184 Nearest City:

County: YELL Route: 10 Section: 3 Log Mile: 4.19

Land Section Number: 2 Township: 05N Range: 25W

Land Section: NW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 137.468 Elevation (Feet): 451.010

Description: DISK SW CORNER RC BOX CULVERT AT JOB STATION 221+33 RT.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750070

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #8?

Date Established: 11/21/2006

System: STATE Job Number: 080184 Nearest City:

County: YELL Route: 10 Section: 3 Log Mile: 3.64

Land Section Number: 3 Township: 05N Range: 25W

Land Section: NE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 149.386 Elevation (Feet): 490.111

Description: DISK SW CORNER RC BOX CULVERT AT JOB STATION192+15 RT.

Comments:



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750071

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #8?

Date Established: 11/21/2006

System: STATE Job Number: 080184 Nearest City:

County: YELL Route: 10 Section: 3 Log Mile: 3.45

Land Section Number: 3 Township: 05N Range: 25W

Land Section: NE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 155.006 Elevation (Feet): 508.549

Description: DISK SW CORNER RC BOX CULVERT AT JOB STATION 182+01 RT.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750072

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #8?

Date Established: 11/21/2006

System: STATE Job Number: 080184 Nearest City:

County: YELL Route: 10 Section: 3 Log Mile: 2.71

Land Section Number: 4 Township: 05N Range: 25W

Land Section: NE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 166.848 Elevation (Feet): 547.400

Description: DISK SW CORBNER RC BOX CULVERT AT JOB STATION 142+88 RT.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750073

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #8?

Date Established: 11/21/2006

System: STATE Job Number: 080184 Nearest City:

County: YELL Route: 10 Section: 3 Log Mile: 2.54

Land Section Number: 4 Township: 05N Range: 25W

Land Section: NE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 170.512 Elevation (Feet): 559.421

Description: DISK IN PARAPET SW CORNER OF BRIDGE AT STATION 134+15 RT.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750074

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #8?

Date Established: 11/21/2006

System: STATE Job Number: 080184 Nearest City:

County: YELL Route: 10 Section: 3 Log Mile: 1.64

Land Section Number: 5 Township: 05N Range: 25W

Land Section: NE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 188.336 Elevation (Feet): 617.899

Description: DISK IN RCB HEADWALL AT JOB STATION 86+52

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750075

Class: UNKNOWN

Vertical Datum: NAVD88

Established by: RE OFFICE #8?

Date Established: 11/21/2006

System: STATE Job Number: 080184 Nearest City:

County: YELL Route: 10 Section: 3 Log Mile: 0.24

Land Section Number: 6 Township: 05N Range: 25W

Land Section: NW

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 158.252 Elevation (Feet): 519.198

Description: DISK IN SW CORNER OF RC BOX CULVERT AT JOB STATION. 12+36 RT.

Comments:

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750076

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #86

Date Established: 7/28/2008

System: STATE

Job Number: 080228

Nearest City: BELLEVILLE

County: YELL

Route: 10

Section: 3

Log Mile: 14.02

Land Section Number: 17

Township: 05N

Range: 23W

Land Section: NW

Latitude: N 35 05 56.0

Longitude: W 93 28 35.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 111.3131826

Elevation (Feet): 365.200

Description: AHTD CAP IN SW CORNER OF RC BOX CULVERT, RT JOB STATION  
169+14.

Comments: Verified by 3-wire levels ran by RE#86 in July 2008 from control of Job# 080228.  
Elevations from job control were established from NGS 2nd Order marks H 46 and  
A 47.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750077

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #86

Date Established: 7/28/2008

System: STATE Job Number: 080228 Nearest City: BELLEVILLE

County: YELL Route: 10 Section: 3 Log Mile: 14.58

Land Section Number: 17 Township: 05N Range: 23W

Land Section: NW

Latitude: N 35 05 48.0 Longitude: W 93 28 01.0 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 114.3093726 Elevation (Feet): 375.030

Description: AHTD CAP IN S.W. CORNER OF RC BOX CULVERT, RT JOB STATION  
198+98

Comments: Verified by 3-wire levels ran by RE#86 in July 2008 from control of Job# 080228.  
Elevations from job control were established from NGS 2nd Order marks H 46 and  
A 47.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750078

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #86

Date Established: 7/28/2008

System: STATE

Job Number: 080228

Nearest City: BELLEVILLE

County: YELL

Route: 10

Section: 3

Log Mile: 15.10

Land Section Number: 17

Township: 05N

Range: 23W

Land Section: NW

Latitude: N 35 05 40.0

Longitude: W 93 27 29.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 110.0848362

Elevation (Feet): 361.170

Description: AHTD CAP IN SW CORNER OF RC BOX CULVERT, RT JOB STATION  
225+93

Comments: Verified by 3-wire levels ran by RE#86 in July 2008 from control of Job# 080228.  
Elevations from job control were established from NGS 2nd Order marks H 46 and  
A 47.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750079

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #86

Date Established: 7/28/2008

System: STATE Job Number: 080228 Nearest City: BELLEVILLE

County: YELL Route: 10 Section: 3 Log Mile: 16.11

Land Section Number: 17 Township: 05N Range: 23W

Land Section: NE

Latitude: N 35 05 25.0 Longitude: W 93 26 39.0 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 110.8041656 Elevation (Feet): 363.530

Description: AHTD CAP IN SW CORNER OF RC BOX CULVERT, RT STATION 279+41

Comments: Verified by 3-wire levels ran by RE#86 in July 2008 from control of Job# 080228. Elevations from job control were established from NGS 2nd Order marks H 46 and A 47.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750080

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #86

Date Established: 7/28/2008

System: STATE

Job Number: 080228

Nearest City: BELLEVILLE

County: YELL

Route: 10

Section: 3

Log Mile: 15.46

Land Section Number: 17

Township: 05N

Range: 23W

Land Section: NE

Latitude: N 35 05 34.0

Longitude: W 93 27 06.0

Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 109.7495555

Elevation (Feet): 360.070

Description: AHTD CAP IN SW CORNER OF RC BOX CULVERT, RT JOB STATION  
245+13

Comments: Verified by 3-wire levels ran by RE#86 in July 2008 from control of Job# 080228.  
Elevations from job control were established from NGS 2nd Order marks H 46 and  
A 47.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750081

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #86

Date Established: 7/10/2009

System: STATE Job Number: 080286 Nearest City: PLAINVIEW

County: YELL Route: 60 Section: 3 Log Mile: 3.66

Land Section Number: 28 Township: 04N Range: 21W

Land Section: NW

Latitude: N 34 58 17.4 Longitude: W 93 14 38.9 Type: SCALED

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 121.582 Elevation (Feet): 398.890

Description: DISK SW CORNER BRIDGE #07067

Comments: BENCHMARK WAS ENTERED AND VERIFIED. 3WR LEVELS WERE RAN FROM CONTROL PN 913. THE DATA ASSOCIATED WITH THE ESTABLISHMENT OF THE BENCHMARK CAN BE SEEN ON EDM UNDER s080286\_RE\_Bench.zip.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750082

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #82

Date Established: 9/14/2010

System: STATE Job Number: 080309 Nearest City: Ola

County: YELL Route: 7 Section: 13 Log Mile: 1.998

Land Section Number: 26 Township: 05N Range: 21W

Land Section: SE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 94.801981 Elevation (Feet): 311.029

Description: AHTD Standard Disc set in headwall Lt. of Sta. 141+43.

Comments: No survey data was submitted to Surveys to support the elevation derived by the R.E. Office.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750083

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #82

Date Established: 9/14/2010

System: STATE Job Number: 080309 Nearest City: Ola

County: YELL Route: 7 Section: 13 Log Mile: 2.647

Land Section Number: 26 Township: 05N Range: 21W

Land Section: SE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 96.301753 Elevation (Feet): 315.950

Description: AHTD Standard Disc set in headwall Rt. Of Sta. 175+62.

Comments: No survey data was submitted to Surveys to support the elevation derived by the R.E. Office.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750084

Class: UNKNOWN

Vertical Datum: UNKNOWN Established by: RE OFFICE #82

Date Established: 9/14/2010

System: STATE Job Number: 080309 Nearest City: Centerville

County: YELL Route: 7 Section: 13 Log Mile: 4.855

Land Section Number: 13 Township: 05N Range: 21W

Land Section: NE

Latitude: Longitude: Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 98.578034 Elevation (Feet): 323.418

Description: AHTD Standard Disc in headwall Lt. of Sta. 228+65

Comments: No survey data was submitted to Surveys to support the elevation derived by the R.E. Office.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750085

Class: UNKNOWN

Vertical Datum: UNKNOWN

Established by: RE OFFICE #82

Date Established: 9/14/2010

System: STATE

Job Number: 080309

Nearest City: Centerville

County: YELL

Route: 7

Section: 13

Log Mile: 5.074

Land Section Number: 13

Township: 05N

Range: 21W

Land Section: NE

Latitude:

Longitude:

Type:

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 102.362652

Elevation (Feet): 335.835

Description: AHTD Standard Disc in headwall Lt. of Sta. 240+33.

Comments: No survey data was submitted to Surveys to support the elevation derived by the R.E. Office.

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750086

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #86

Date Established: 5/1/2014

System: STATE

Job Number: 080385

Nearest City: OLA

County: YELL

Route: 7

Section: 13

Log Mile: 0.095

Land Section Number:

Township: 05N

Range: 21W

Land Section:

Latitude: N 35 02 08.47000

Longitude: W 93 13 14.14000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 123.173

Elevation (Feet): 404.110

Description: Set aluminum cap in parapet rail job station 110+44 rt.

Comments: BENCHMARK WAS ENTERED AND VERIFIED. 3WR LEVELS WERE  
BASED ON NGS POINT  
:E 47  
. THE DATA ASSOCIATED WITH THE ESTABLISHMENT OF THE  
BENCHMARK CAN BE SEEN ON EDM UNDER s080385\_RE\_Bench.zip.



USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750087

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #86

Date Established: 6/29/2015

System: STATE

Job Number: 080377

Nearest City: Centerville

County: YELL

Route: 7

Section: 13

Log Mile: 8

Land Section Number:

Township: 06n

Range: 31w

Land Section:

Latitude: N 35 07 51.71000

Longitude: W 93 10 03.84000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 110.957

Elevation (Feet): 364.031

Description: Standard AHTD aluminum cap in west headwall of 8'x6' R.C. Box Culvert

Comments: Elevation verified. Three wire data available on EDM under job 080377 in s080377\_RE\_Benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: 750088

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: RE OFFICE #86

Date Established: 9/30/2015

System: STATE

Job Number: 080441

Nearest City: Ola

County: YELL

Route: 7

Section: 12

Log Mile: 4.42

Land Section Number:

Township: 04n

Range: 21w

Land Section:

Latitude: N 35 00 57.30000

Longitude: W 93 13 05.60000

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 153.8935

Elevation (Feet): 504.899

Description: Set aluminum cap in west headwall of Triple 12'x9'149' R.C. Box Culvert  
Approximate station 807+50 Left

Comments: Elevation verified and available on EDM under Job number 080441 in  
s08441\_re\_benches.zip

USE WITH CAUTION.  
EVERYTHING IS ASSUMED  
UNTIL PROVEN.

## AHTD SURVEYS DIVISION

### Benchmark Information

6/3/2025

Identification: FEMA 1

Class: THIRD-ORDER

Vertical Datum: NAVD88

Established by: SURVEYS DIVISION

Date Established: 9/25/2008

System: FEDERAL

Job Number: 2735\_3

Nearest City: STUTTGART

County: ARKANSAS

Route: 165

Section: 5

Log Mile: 47.55

Land Section Number: 33

Township: 02S

Range: 05W

Land Section: SE

Latitude: N 34 28 59.0

Longitude: W 91 32 28.0

Type: GPS (Handheld)

Scaled, GPS (Handheld), or GPS (Observed)

Elevation (Meters): 65.26872238

Elevation (Feet): 214.136

Description: DRILLED HOLE ON TOP OF THE SOUTH CORNER OF TRIANGLE SHAPE  
GAS METER. STAMPED FEMA 1.

Comments: THIRD ORDER DIGITAL LEVELS RAN BY CREW S5102 IN SEPT. 08 FROM  
1ST ORDER NGS MARKS STUTTGART MAGNETIC, B 14, AND S113. FILES  
OF DIGITAL LEVELS CAN BE FOUND ON EDM UNDER JOB 2735\_3.